

MORTALITY
STATISTICS



1905

DEPARTMENT OF COMMERCE AND LABOR

BUREAU OF THE CENSUS

S. N. D. NORTH, DIRECTOR

MORTALITY STATISTICS

1905

SIXTH ANNUAL REPORT

WITH

REVISED RATES FOR INTERCENSAL YEARS 1901 TO 1904

AND FOR QUINQUENNIAL PERIOD 1900 TO 1904

BASED UPON STATE CENSUSES OF 1905



WASHINGTON

GOVERNMENT PRINTING OFFICE

1907

614.1
u 58
1905
cap. 2.

CONTENTS.

	Page.
Introduction.....	3-15
Results of recent censuses in establishing rates	3
Annual estimates of population	4
Importance of interdecennial censuses for vital statistics	4
Constitution of registration area, 1900 to 1905	5
Extension of registration area, 1906	6
Cooperation of state authorities	7
Coordination of Federal and state reports	8
Organization of registration officials	8
International vital statistics	9
Comparative birth rates	10
Comparative death rates	12
Scope of this report	14
Summary and rate tables	14
General tables	14
Summary of results	15-18
Population statistics	15
General death rates	15
Death rates in certain countries	15
Death rates in registration areas	16
Death rates in registration states	16
Urban and rural mortality	16
Factors affecting the general death rates	17
Causes of death	18-57
Increase or decrease in death rates by each class of causes	19
Death rates from principal diseases	20
General diseases	21
Typhoid fever	21
Malarial fever	24
Smallpox	25
Measles	26
Scarlet fever	28
Whooping cough	29
Diphtheria and croup	30
Influenza	32
Dysentery	33
All other epidemic diseases	34
Epidemic of yellow fever in 1905	35
Tuberculosis	35
Tuberculosis of the lungs	36
Venereal diseases	38
Cancer	38
Rheumatism	40
Diabetes	41
Alcoholism	42
Diseases of the nervous system	43
Meningitis	43
Apoplexy and paralysis	45
Diseases of the circulatory system	46
Heart disease	46
Diseases of the respiratory system	47
Bronchitis	48
Pneumonia	48
Diseases of the digestive system	50
Diarrhea and enteritis	50
Cirrhosis of the liver	52
Peritonitis	53
Appendicitis	54
Diseases of the genito-urinary system	54
Bright's disease and nephritis	55
Violence	56

CONTENTS.

SUMMARY AND RATE TABLES.

	Page.
Table I.—Population of each registration area: 1901 to 1905	61
Table II.—Death rates in each registration city per 1,000 of population: 1901 to 1905	65
Table III.—Deaths and death rates per 100,000 of population in the registration area, from each cause and class of causes: 1901 to 1905	68
Table IV.—Death rates per 100,000 of population in each registration area, from certain causes and classes of causes: 1901 to 1905 ..	72
Table V.—Deaths and death rates per 100,000 of population in the registration area and its main subdivisions, from each cause and class of causes: 1901 to 1905	158
Table VI.—Death rates per 100,000 of population in cities and rural districts of each registration state, from each cause and class of causes: 1901 to 1905	168

GENERAL TABLES.

Table 1.—Deaths in each registration area, by color, general nativity, parent nativity, and month of death: 1905	198
Table 2.—Deaths in each registration area, by age: 1905	216
Table 3.—Deaths in each registration area, from certain causes and classes of causes: 1905	234
Table 4.—Deaths in the registration area, its main subdivisions, and registration states, by age, and by sex, color, general nativity, and parent nativity: 1905	252
Table 5.—Deaths in the registration area, its main subdivisions, and registration states, from each cause and class of causes: 1905 ..	270
Table 6.—Deaths in the registration area, from each cause and class of causes, by sex and age: 1905	276
Table 7.—Deaths in each registration state, from each cause and class of causes, by age: 1905	284
Table 8.—Deaths in each city having 100,000 population or over, from certain causes and classes of causes, by age: 1905	306

MAPS AND DIAGRAMS.

Map 1.—Registration area, 1900-1905, and registration states added for 1906	5
Diagram 1.—Average annual birth rates of certain European countries per 1,000 of population, by decades (stillbirths excluded) ..	11
Diagram 2.—Average annual death rates of certain European countries per 1,000 of population, by decades (stillbirths excluded) ..	11

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE AND LABOR,
BUREAU OF THE CENSUS,
Washington, D. C., December 22, 1906.

SIR :

I have the honor to transmit herewith the sixth annual report on mortality statistics, containing data relating to deaths in the registration area during the year 1905.

The report also presents revised death rates for the intercensal years 1901 to 1904, computed upon the basis of the additional population data derived from the state censuses taken in 1905.

The tables are substantially the same in form as those included in the preceding reports comprised in the volume on Mortality Statistics: 1900-1904. They present the principal facts in regard to the deaths returned, including cause of death, with age, sex, race, and nativity of the decedent. Death rates, however, are given only for total enumerated or estimated population without distinction of age, sex, or nativity, since such distinctions are not practicable unless the requisite data can be derived from a contemporaneous or recent census of population.

The progress of the extension of the registration area is referred to in the introduction, and with another year a considerable increase of the territory affording transcripts of deaths will occur. The efforts of the Bureau of the Census have been directed to the promotion of satisfactory legislation, in cooperation with the state authorities, and it is hoped that other states may be added from time to time until the entire area of the United States is embraced in these returns.

The work of compilation of this report was begun under the direction of Mr. William A. King, late chief statistician for vital statistics, whose death was announced by the Director of the Census in the letter of transmittal accompanying the preceding report. After Mr. King's death the work was continued by Mr. Richard C. Lappin, expert chief of division, as acting chief statistician, and has been completed under the direction of Dr. Cressy L. Wilbur, the present chief statistician.

Acknowledgment is made of advice and suggestions received from various authorities in regard to the preparation of this report, and further suggestions will be warmly appreciated. The work is somewhat of a pioneer character, and the Bureau of the Census desires, while proceeding conservatively and only as far as the material will fully warrant, to make the successive annual volumes of direct value to all users of vital statistics, and especially to the state and municipal registration and sanitary authorities upon whose interest and cooperation the completeness and accuracy of the returns must largely depend.

Very respectfully,


S. D. Firth
Director.

Hon. OSCAR S. STRAUS,
Secretary of Commerce and Labor.

MORTALITY STATISTICS

1905 .

WITH REVISED RATES FOR INTERCENSAL YEARS 1901 TO 1904
AND FOR QUINQUENNIAL PERIOD 1900 TO 1904
BASED UPON STATE CENSUSES OF 1905

RESOLUTION BY CONGRESS.

JOINT RESOLUTION REQUESTING STATE AUTHORITIES TO COOPERATE WITH CENSUS OFFICE IN SECURING A UNIFORM SYSTEM OF BIRTH AND DEATH REGISTRATION.

Whereas, the registration of births and deaths at the time of their occurrence furnishes official record information of much value to individuals; and

Whereas, the registration of deaths, with information upon certain points, is essential to the progress of medical and sanitary science in preventing and restricting disease and in devising and applying remedial agencies; and

Whereas, all of the principal countries of the civilized world recognize the necessity for such registration and enforce the same by general laws; and

Whereas, registration in the United States is now confined to a few states, as a whole, and the larger cities, under local laws and ordinances which differ widely in their requirements; and

Whereas, it is most important that registration should be conducted under laws that will insure a practical uniformity in the character and amount of information available from the records; and

Whereas, the American Public Health Association and the United States Census Office are now cooperating in an effort to extend the benefits of registration and to promote its efficiency by indicating the essential requirements of legislative enactments designed to secure the proper registration of all deaths and births and the collection of accurate vital statistics, to be presented to the attention of the legislative authorities in nonregistration states, with the suggestion that such legislation be adopted: Now, therefore,

Resolved by the Senate and House of Representatives of the United States of America in Congress assembled, That the Senate and House of Representatives of the United States hereby expresses approval of this movement, and requests the favorable consideration and action of the state authorities, to the end that the United States may attain a complete and uniform system of registration.

Approved February 11, 1903.

MORTALITY STATISTICS.

INTRODUCTION.

The present report is the sixth of the series of annual reports on mortality statistics prepared by the Bureau of the Census, and includes, primarily, mortality statistics of the registration area for the calendar year 1905. These are presented in detail in Tables 1 to 8.

The reports for each of the preceding five years were published together in substantially the same form as the data for 1905, in the special report on Mortality Statistics, 1900 to 1904, issued during the present year (1906). In the summary and rate tables of this report comparative figures for the various subdivisions of the registration area during the five-year period were also included in a form convenient for reference and for study of the movement of disease in various localities. The rates for 1900 were based upon populations actually enumerated at the census of that year, but those for each of the following years were based upon populations estimated from the average annual increase of population between 1890 and 1900. To this statement there is, however, one exception; for Michigan a state census taken in 1904 was used in computing the rate of that year and, in conjunction with the United States census of 1900, in estimating the populations for the intercensal years from 1901 to 1903.

Result of recent censuses in establishing rates.—Censuses were taken in 1905 by the state authorities in four registration states, namely, Massachusetts, New Jersey, New York, and Rhode Island. The general results relating to aggregate population are available for the computation of the death rates for the year 1905, and since they furnish an accurate measure of the amount of increase from 1900 to 1905 permit new estimates of population to be made for the intercensal years. It has therefore seemed advisable, although the present report deals mainly with the mortality statistics of the year 1905, to insert the revised summary and rate tables for the previous years, with the exception of those for 1900, which require no correction. Moreover, as much of the practical usefulness of these tables depends upon facility of reference it has seemed proper to include the rates for registration states which have no interdecennial census, although, of course, these rates remain unchanged. These inclusions enable comparisons to be made without consulting another volume

and have in addition the great advantage of giving a reasonably long base line of experience, namely, the past five years, for use in considering the mortality from any given cause or class of causes. For the same reason the various analytical tables in the text are presented with revised rates for each of the years 1901-1904, as well as for the year 1905, which is considered chiefly in the textual discussion.

Besides the censuses taken in registration states there were also censuses taken in certain states not included in the registration area for 1905. These states were Florida, Iowa, Kansas, Minnesota, North Dakota, Oregon, South Dakota, Wisconsin, and Wyoming; and all cities situated therein and included in the registration record have likewise had their intercensal rates recomputed.

The net results of changes in rates caused by the employment of actually enumerated populations and new intercensal estimates computed by their aid, instead of the postcensal estimates originally made by the Bureau of the Census for the years 1901 to 1904, may be seen in the following comparison:

AREA.	Statement.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.				
		Annual average: 1900 to 1904.	1901	1902	1903	1904
The registration area.....	Original...	16.6	16.6	16.0	16.2	16.7
	Corrected...	16.6	16.6	15.9	16.1	16.6
Registration cities.....	Original...	17.5	17.4	17.0	17.1	17.6
	Corrected...	17.5	17.4	17.0	17.1	17.5
Registration states.....	Original...	16.2	16.4	15.5	15.6	16.5
	Corrected...	16.2	16.4	15.4	15.6	16.4
Cities in registration states.....	Original...	17.8	17.8	17.1	17.1	17.9
	Corrected...	17.7	17.8	17.1	17.1	17.9
Rural part of registration states.....	Original...	14.3	14.6	13.4	13.8	14.5
	Corrected...	14.3	14.6	13.4	13.7	14.4
Registration cities in other states.....	Original...	17.3	17.0	16.9	17.1	17.2
	Corrected...	17.2	16.9	16.9	17.1	17.1
Massachusetts.....	Original...	16.7	16.8	16.3	16.1	16.0
	Corrected...	16.9	16.9	16.5	16.7	16.3
New Jersey.....	Original...	16.6	16.5	15.9	15.9	17.2
	Corrected...	16.5	16.4	15.8	15.7	16.9
New York.....	Original...	17.5	17.8	16.6	16.7	18.2
	Corrected...	17.3	17.7	16.4	16.5	18.0
Rhode Island.....	Original...	18.6	18.2	17.9	19.0	17.5
	Corrected...	18.4	18.1	17.7	18.8	17.2

It will be seen from the preceding table that the differences between the revised rates and those originally printed in the volume of Mortality Statistics, 1900 to

1904, are so small as to be of very little practical importance so far as the registration area and its main subdivisions are concerned. There is only a difference of 0.1 per 1,000 of population in the rates for the registration area for the year 1904, and for the registration cities, registration states, rural part of registration states, and registration cities in other states the same minute difference exists, while for the cities in registration states the original and revised figures are absolutely the same.

For the registration states which had interdecennial censuses the differences, as might have been expected, are somewhat greater, but in no case amount to a variation of over 0.3 per 1,000 of population. In Massachusetts the corrected rate for the year 1904 is 16.3 per 1,000 of population, instead of 16, as originally published. This difference is accounted for by the fact that the estimated population of Massachusetts, as given in Table I of the report on Mortality Statistics, 1900 to 1904, 3,031,906, was somewhat higher than the enumerated population, 2,964,013, given in Table I of this report. In other words, the increase of population in Massachusetts from 1900 to 1905, as measured by the state census taken in the middle of the latter year, did not show quite as large an annual average increment as the increase during the interval between the censuses of 1890 and 1900. On the other hand, the amounts of increase shown for New Jersey, New York, and Rhode Island were greater during the last five years than those estimated on the basis of the preceding censuses, so that the death rates based upon the estimated population were somewhat too high. For 1904 the New Jersey rate fell from 17.2 to 16.9, the New York rate from 18.2 to 18, the Rhode Island rate from 17.5 to 17.2. These changes compensate for the variation in Massachusetts, so that the net effect upon the registration area is extremely small.

Annual estimates of population.—The general method adopted by the Bureau of the Census, after careful consideration of the various plans used or proposed for this purpose, is that of taking the average annual increase between the two preceding censuses, state or Federal, and adding this increment for each successive year since the later of these two censuses. This method was fully explained in Census Bulletin No. 7, "Estimates of Population of the Larger Cities of the United States for 1901, 1902, and 1903." A similar bulletin, now in course of preparation, will bring the estimates of population down to the present date. The results as computed for the years following a census are tested whenever a new enumeration of population is furnished, as, for example, by the state censuses of 1905. The generally satisfactory correspondence between the predicted and actually enumerated populations may be seen from the following statement contained in the report of the Director of the Census to the Secretary of Commerce and Labor:

ANNUAL ESTIMATES OF POPULATION.

In this connection reference may be made to the annual estimates of population which the Census is compelled to compute in order to establish death rates in the vital statistics reports. Thirteen states of the Union took intercensal enumerations of population in 1905 (Michigan in 1904), by which these Census estimates may be tested and by which their substantial accuracy for the purpose in view is strikingly confirmed. The total population returned by these state censuses was 25,793,236. The Census Bureau estimate of the population of these states for 1905 was 25,743,311, the estimate being below the actual enumeration by 49,925, or 0.019 per cent; that is, less than two-tenths of 1 per cent. While in individual states the estimate varies from 8.2 per cent above to 12.8 per cent below the figures of the actual enumeration, in two-thirds of the states it was within 4 per cent of the true figures. These results confirm the conclusion that the Census method of estimating the population for the intercensal years is more nearly accurate than the local methods commonly resorted to for that purpose.

Importance of interdecennial censuses for vital statistics.—While the general results of the state census enumerations have necessitated very little change in the rates previously computed on estimated populations, and it may fairly be assumed that the corresponding rates obtained for states having no interdecennial censuses are approximately correct, the assumption can not be made that this will be invariably true. Probably for the registration area as a whole, unless some very profound change should occur affecting the growth of population, it will be reasonably safe to use rates computed in this manner for a few years following the date of the last enumeration of population. Such an interval, however, should never exceed five years, and it is very desirable that all of the states whose vital statistics are to be studied should have satisfactory interdecennial enumerations of population, even if no more extensive census could be taken at that time.

Another reason why such enumerations are desirable is the fact that, while the original and the revised death rates for the larger subdivisions of the country, down as far as the individual registration states, may show very little variation, those for the smaller areas, where population frequently increases at a very different rate of speed from that during the preceding period, or sometimes even fails to increase at all, may show very marked fluctuations. By examination and comparison of the rates for the various registration cities and rural areas contained in Tables II and IV of this report with the rates for the corresponding years presented in the preceding report,¹ some cases will be found in which the variations are sufficient to be of considerable practical importance.

Not only should all states have interdecennial censuses, so that the constitution of the population, the basic data upon which all vital statistics rest, may be determined not less than once in five years, but also data should be obtained with reference to the essential elements required for the preparation of vital rates and


¹ Mortality Statistics, 1900 to 1904.

in such a form that the vital statistics can be fully analyzed and made most serviceable to sanitarians and other important interests. It will be observed in this report that the census data obtained in 1905 have been utilized simply for the correction of the general death rates. As a rule, information from the interdecennial censuses has not yet been supplied, and in some cases will never be supplied in such form that the variations in the constitution of the population can be satisfactorily studied, especially with reference to age distribution, nativity, and parent nativity. There is little uniformity in the mode of presentation by the various states, and in some cases the data obtained by the state enumeration will never be completely compiled. It is indispensable to the satisfactory progress of vital statistics not only that such enumerations should be taken at more frequent intervals, but also that the results should be compiled and presented in a thoroughly comparable way, so that they may be available for use in the computation of

vital rates for all states alike. If this were done, such a report as the present one, instead of dealing solely with the presentation of revised general death rates, based upon the aggregate population, could be made to present a much more detailed analysis of the deaths recorded for the period, and a study of the movement of population, with reference to its different elements, which would be of much greater service and interest than any information that can be obtained solely from the examination of general death rates.

Constitution of registration area, 1900 to 1905.—The "registration area"—that is to say, the states having laws the results of whose operation have been accepted as giving practically complete mortality returns, together with the cities in nonregistration states where deaths are satisfactorily registered under local authority—remained substantially the same from 1900 to 1905. Its geographic distribution is shown in the accompanying map:

MAP 1.—REGISTRATION AREA, 1900-1905,¹ AND REGISTRATION STATES ADDED FOR 1906.



¹The registration cities, as shown on the map, include only those situated in states that were nonregistration states in 1905.

As shown by the table on page 7, the registration area in 1900 consisted of ten registration states, besides the District of Columbia, which is strictly urban in character, and 134 registration cities in nonregistration states. The ten registration states were Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont. Except for the addition of Indiana, this list is practically identical with that for the census year 1899-1900, the vital statistics of which, contained in Volumes III and IV of the Twelfth Census reports, are the last of the old series that covered the census year instead of the calendar year. As compared with the registration area for the census year 1890, it shows the addition of three states, Indiana, Maine, and Michigan, and the loss of one state, Delaware. Delaware, although accepted as a registration area in 1890, could not be retained in 1900 because, through failure to require the general use of burial permits in its system of registration, it did not afford results of a satisfactory standard. The total population of this area in 1900 was 30,765,618, representing 40.5 per cent of the total population of continental United States. Of this number, 19,960,742 persons, or 26.3 per cent of the total population, were in registration states and 10,804,876 persons, or 14.2 per cent, were in registration cities in nonregistration states.

While the large proportion of the total population included in the registration area would seem to give a fairly accurate basis for knowledge of the vital statistics of the United States, it will readily be seen from examination of the map how inadequately the total area is represented. Until 1900 all of the registration states were in the East. At present all of them are in the East with the exception of Michigan and Indiana, which may be taken as representative of the middle West. None of the Western states are represented, no Southern state appears, and none from the Pacific coast. The few cities scattered through the extensive nonregistration area can not adequately represent the large unreported populations, and so the vital statistics contained in the present report do not stand for the entire continental United States, but for merely a limited geographic section.

Extension of registration area, 1906.—While the data in this report cover 1905 as the latest year, the report is necessarily prepared during the year 1906, and it will be proper to refer to the actual condition of the movement for the extension of the registration area going on at the present time. It is very gratifying that the inadequate representation of the territory of this country will be less marked in the report prepared for the ensuing year. In the map previously referred to representation is made, by lightly shaded areas, of new registration territory that has been accepted for the purpose of securing transcripts of mortality returns for the year 1906. A full explanation of the relations of the Bureau

to the extension of registration, together with a tabular exhibit showing the registration states added during 1906, may be found in the following extract from the report of the Director of the Census to the Secretary of Commerce and Labor:

EXTENSION OF REGISTRATION AREA.

The Bureau will continue and increase its efforts to enlarge the registration area by encouraging the enactment of the necessary legislation in states where it is still lacking and by urging more careful registration in other states where the laws exist, but are indifferently enforced. The most encouraging results have already followed the efforts of the Bureau in both of these directions. Dr. Charles V. Chapin, of Providence, R. I., an eminent authority on vital statistics, has recently stated that the year 1905 witnessed a greater advance in the enactment of laws for the proper registration of births and deaths than any previous year in our history. Nearly all of the states have at one time or another enacted registration laws, more or less perfect, which are enforced with more or less rigor. Of these states, eleven, including the District of Columbia, have heretofore been accepted by the Director as affording data which meet the full requirements of the census law. These states contained a population of 19,960,742 in 1900. In July, 1906, five additional states—California, Colorado, Maryland, Pennsylvania, and South Dakota—containing a population of 9,916,482 in 1900, were added to the registration states for census purposes, on the application of their health officials and on the presentation of satisfactory evidence that their registration laws are fully enforced and the results obtained in harmony with methods prevailing elsewhere.

This important step increases by nearly one-fifth the area covered by the Census reports, and will add correspondingly to their value. In two of the states—Nebraska and Utah—which are not yet accepted as having reached the full standard of the registration area, laws were enacted in 1905 requiring burial permits, the thorough enforcement of which will probably result in the recommendation for the admission of the states at an early date. Among the other non-registration states, six—Florida, Iowa, Minnesota, North Dakota, Oregon, and Wisconsin—have laws requiring a census of population in the interdecennial year, and it is especially important, therefore, that their registration laws be so improved, and enforced with such a degree of efficiency, as to permit their inclusion in the area covered by the Census reports, as very valuable comparisons of mortality and population will thereby be rendered available.

Whenever it shall appear that adequate laws exist and are so enforced as to secure approximately complete records, the proposition to include the returns of the states as a part of the annual Census reports will be favorably considered. On the other hand, evidence that defective registration is permitted and that the laws are carelessly enforced in any of the states whose returns are now included will result in the exclusion of these returns from the subsequent reports, making it sharply evident to the people of the state that their laws either require amendment or are not being properly enforced. The responsibility for the negligence can then be located and the necessary remedy applied. It is believed that the Census Bureau can best establish and encourage accurate and careful registration everywhere by an impartial enforcement of this general policy. The same situation exists in the case of the registration cities, and the same policy will be adopted by the Office with respect to their inclusion or exclusion from the registration areas.

It is gratifying to record the evidence of the substantial progress in the institution of effective mortality records following so quickly the establishment of a permanent Census Office, with facilities for the annual compilation and analysis of the statistics of the whole country, and their correlation and comparison with each other. Results of the greatest medical, sanitary, and scientific value are certain to follow in due course of time. The facts above

stated regarding the registration states are summarized in the appended table. It will be noted that the states and cities with registration laws contained, on the basis of the census of 1900, nearly one-half of the total population of continental United States—a most gratifying progress.

Attention may also be called to the fact that there is no strictly Southern state in which efficient state registration laws exist.

Because of the presence of a large negro population, as well as by reason of climatic influences, it is highly important that registration should be undertaken in this section of the Union; and attention is here drawn to the subject in the hope that the movement for proper legislation, now under way in several of the Southern states, may bear fruit before the Thirteenth Census.

Status of effective registration of deaths: 1906.

REGISTRATION STATES, 1900.		ADDED AS REGISTRATION STATES, 1906.		NOT YET ACCEPTED AS REGISTRATION STATES.	
State.	Population, 1900.	State.	Population, 1900.	State.	Population, 1900.
Connecticut	908,420	California	1,485,053	Alabama	1,828,697
District of Columbia	278,718	Colorado	539,700	Arizona	122,931
Indiana	2,516,462			Arkansas	1,311,564
Maine	691,466			Delaware	181,735
Massachusetts	2,605,316	Maryland	1,188,044	Florida	528,542
Michigan	2,420,982			Georgia	2,216,331
New Hampshire	411,588			Idaho	161,772
New Jersey	1,883,669			Illinois	4,821,540
New York	7,268,891			Indian Territory	392,060
Rhode Island	428,556	Pennsylvania	6,302,115	Iowa	2,231,883
Vermont	343,611	South Dakota	401,570	Kansas	1,470,495
Total	19,960,742			Kentucky	2,147,174
				Louisiana	1,381,625
				Minnesota	1,751,394
				Mississippi	1,551,270
				Missouri	3,106,665
				Montana	213,329
				Nebraska	1,066,300
				Nevada	42,335
				New Mexico	195,310
				North Carolina	1,893,810
				North Dakota	319,146
				Ohio	4,157,545
				Oklahoma	398,331
				Oregon	413,536
				South Carolina	1,340,316
				Tennessee	2,020,616
				Texas	3,048,710
				Utah	276,749
				Virginia	1,854,184
				Washington	515,103
				West Virginia	958,800
				Wisconsin	2,069,042
				Wyoming	92,531
Total	19,960,742	Total	9,916,482	Total	46,117,351

Population of registration states, 1900	19,960,742	Population in registration area, 1900	30,765,618
Per cent of total population	26.3	Per cent of total population	40.5
Population of registration cities in states added, 1906	3,835,119	Net population added to registration area, 1906	6,081,363
Per cent of total population	5.0	Per cent of total population	8.0
Population of registration cities in nonregistration states	6,969,757	Population in registration area, 1906	36,846,981
Per cent of total population	9.2	Per cent of total population	18.5

NOTE.—Nearly all of the states not yet accepted as registration states have now or have at some time possessed laws intended to secure the complete registration of deaths. These laws have usually been defective in principle, although in some instances faulty administration may have been responsible for failure to secure results. Only three states—Indiana, Maine, and Michigan—were added to the registration area during the decade 1890 to 1900, while one state—Delaware, which was admitted as a registration state in 1890—was dropped from the list in 1900. Two states—Nebraska and Utah—have adopted legislation in 1905 which requires immediate registration of deaths with compulsory burial permits, and it is hoped that the results obtained will justify their admission at an early date. In addition to the population of the registration states given above, it should be remembered that certain cities in states not yet accepted as registration states, having an aggregate population of 6,969,757 in 1900, are also embraced in the registration area, which makes the total population of that area on the basis of the census of 1900 amount to 36,846,981.

Cooperation of state authorities.—The directive efforts of the Bureau of the Census to secure the extension of the registration area can be of avail only as long as they meet with the cordial cooperation of the state authorities and registration officials concerned. From the census of 1850 to that of 1900 mortality statistics were collected by the census enumerators in connection with

the statistics of population, but, as was well known theoretically before a practical demonstration of its inefficiency was made, this plan could not produce satisfactory results. The number of deaths enumerated at the various censuses from 1850 to 1900 was much below the true number of deaths that occurred, and a progressive effort was made, beginning with the census

of 1880, to supplant the use of this imperfect method of enumeration by the employment of records of deaths based upon certificates filed at the time of death, under the requirement of burial permits, in such states and cities as made use of them. From this developed the registration area the recent gratifying extension of which has been referred to; and it is evident that the further improvement of vital statistics must depend upon a more general adoption of adequate state laws and their thorough enforcement by the state authorities upon whom the duty of registration devolves.

The sources of all of the records of deaths, which are used by this Bureau, and upon which the compilations of the annual reports are based, are transcripts of original certificates of deaths prepared by the state authorities, or, in the case of registration cities in non-registration states, by the city authorities. In some few cases where city authorities in registration states do not send the original certificates or exact copies of them to the central registration office, the returns come direct from the cities; but as a rule this Bureau deals with the central state authority whenever it can furnish complete data for the entire state. It is evident, therefore, that the relations of the state registration officials and the Bureau of the Census are very close, and that no marked improvement can be made in the quality of the statistical material available for the Federal compilation, or in the methods of securing data and of making returns, without the most complete understanding and cordial cooperation. Such cooperation has, in fact, characterized the entire history of the permanent Census Bureau, and it is hoped that the results found in these volumes, together with the promotion of improved methods and a more complete union of all of the interests involved, will be considered as a return, in part, for the helpful spirit with which the various requests of this Bureau have been accepted and carried out.

Coordination of Federal and state reports.—Beginning with the year 1900, the first year of this series of annual reports on the mortality statistics of the registration area, the mortality statistics of the various registration states are for the first time brought together in a compilation made by the Government which covers the same periods of time as those contained in the annual registration reports for the individual states. Prior to the report for 1900, the census statistics of mortality related to census years, and the figures were not directly comparable with those published by state authority, but for each of the years from 1900 to 1905 the number of deaths and the death rates for all causes and for individual causes of death relate to identical areas and the same periods of time, and hence there should be the most exact agreement between the reports published by the Bureau of the Census and those published by the various states. Such agreement does not exist at present. Moreover, the deaths compiled from indi-

vidual causes are not exactly the same, although one system of classification is used in the various state offices and in the Bureau of the Census. The death rates differ sometimes on account of the different number of deaths compiled and sometimes because a different estimate of population is employed as a basis for rates. The data published by municipal registration offices may also be different from the state and Census compilations. While the differences are, as a rule, unimportant, it is most perplexing for any person who desires to make use of statistical data concerning the mortality of any portion of the United States to have several sets of official figures purporting to represent the mortality of the same area for the same time.

It is evidently very necessary that all sources of discrepancy between the Federal, state, and municipal compilations of vital statistics be eliminated and the resources of all of the offices be employed to produce vital statistics that will be thoroughly harmonious in every respect. Otherwise the usefulness of such data will be greatly impaired. An effort has been made to insure a closer correspondence between the Census and the state compilations by collaboration in the assignment of deaths reported from several causes to the proper title of the International Classification, and the general employment by the registration states and cities of populations estimated according to a uniform method for other than census years will remove another source of discrepancy; but complete agreement can not be expected until a more intimate degree of cooperation exists than has been reached at present, especially as regards the rigid comparison of the transcripts supplied to this Bureau with the original certificates of death and the systematic correction of all errors and omissions.

Besides the establishment of identical tables of mortality for the present decade, it will be very desirable to thoroughly review and standardize the reports of vital statistics published by the various states for preceding years, for which they constitute the sole statistical authority. Uniformly estimated populations and rates based thereon should be employed and reference should be made to any changes of methods of compilation or of classification affecting the results. In time, with the assistance of the state authorities, a set of standard tables can be prepared that will be more satisfactory than any sources of information at present available.

Organization of registration officials.—At the last meeting of the American Public Health Association, an organization representing the sanitary authorities of Canada, Cuba, Mexico, and the United States, measures were taken for the organization of an association of registration officials which should deal with the practical phases of registration work with which the Association has for some years been actively engaged, in

conjunction with the Bureau of the Census, as explained in the introduction to the Mortality Statistics, 1900-1904, and approved by joint resolution of Congress.¹

The importance of vital statistics as a necessary adjunct of a modern public-health service is yearly more apparent. This subject, like those of many other departments of modern activity, is becoming more and more specialized. The conduct of a thoroughly efficient registration office for a large state or city can not be considered as a relatively unimportant part of the sanitary service, and therefore liable, by relegation to careless or unskillful direction, to incur serious loss in the accuracy and completeness of the records and the continuity of the statistical data. It must be regarded as of the very first importance, and the necessary equipment for a satisfactory administration of this department should be insured in every budget prepared for the public-health service of a state or city.

The great interest awakened in the subject in recent years and the assurance, incident to the publication of annual registration reports by the Bureau of the Census, that there will be a central office for mortality statistics, which will act as a clearing house and harmonize the results of individual effort in the various state and city offices, thus rendering them available for the service of all, have led to the possibility of thus forming a national—or, rather, international—union of registrars, whose united efforts will undoubtedly lend most effective aid in the standardization of American vital statistics and the extension of the registration area.

The Bureau of the Census is desirous of cooperating fully and efficiently with such an organization, as it has heretofore done with all national associations of similar character. The questions requiring concerted action for their most satisfactory solution are those relating to the general adoption of tables of identical form for use in registration reports; the uniform methods of treatment of jointly reported causes of death—a most difficult technical matter in practical registration work; the introduction of improved methods of collecting, preserving, compiling, and indexing the registration records; the correction of records for legal and statistical purposes; and many other practical matters affecting office administration. It is recognized that such subjects are of importance, because a thoroughly businesslike administration of a registration office, with utmost care as to apparently trivial details, is usually best adapted to produce entirely dependable statistical results. Much may be learned from the methods of registration services abroad, where such matters are treated with great precision, and it will be the aim of the Bureau to place all valuable information derived

from foreign sources at the service of American registration officials.

INTERNATIONAL VITAL STATISTICS.

The value of the vital statistics of any country is greatly enhanced by international comparisons. The first question that arises when we consider the variation of the death rates in the United States, or, rather, of that limited portion from which data are collected, the registration area, is whether the observed changes are due to special causes affecting this territory only or whether they form part of a broad world movement which is impressed upon the vital rates of all nations.

Among these changes may be included the diminishing birth rates and death rates from all causes, as well as the lessening special death rates from certain diseases, such as tuberculosis, which have apparently shown the success of the systematized efforts of public-health workers for their restriction, and the apparent progressive increase from year to year of other diseases, such as cancer, which increase most urgently calls the medical investigators of the world to the discovery of the means of prevention and of cure.

A very important work has just been completed by the General Statistical Bureau of France in bringing together for convenient reference and use by statistical offices and by all users of vital statistics the most important data relating to the vital statistics of those countries which publish them in their official reports with sufficient detail to be of service. The figures, with the necessary annotations and brief discussions, are published in the successive annual reports on the movement of population of France, beginning with Volume XXXII (1902) and ending with Volume XXXIV (1904), the last of which appeared during the present year.²

From the last two reports are taken the following tables showing birth rates and death rates, by decennial periods, in certain countries of Europe during the past century, and also the diagrams, somewhat modified, and the substance of the descriptive text explaining the chief features of the movements in vital rates:

¹ Direction du travail: Statistique générale de la France; Statistique annuelle du mouvement de la population. Année 1902, Tome XXXII: (Appendix, pages 83 to 164, contains statement of population, marriages, births, stillbirths, and deaths, with marriage, birth, and death rates for each year of registration and for decennial periods in each country). Année 1903, Tome XXXIII: (Appendix, pages 95 to 380, deals with marriages, births, and stillbirths). Année 1904, Tome XXXIV: (Appendix, pages 83 to 594, most valuable of all, is a comprehensive study of mortality, including general death rates, specific death rates by age and sex, average age at death, infant mortality, conjugal condition, life tables, and causes of death, the latter requiring an analytical study of the various systems of classification employed, pages 293 to 318). These reports, especially the latter, should be on the reference table of every registration office and should be freely employed by sanitary workers and other users of vital statistics. The French Government has placed all vital statisticians under a profound obligation by their publication.

² See page 2.

AVERAGE ANNUAL NUMBER OF BIRTHS, EXCLUSIVE OF STILLBIRTHS, PER 1,000 OF POPULATION.

TEN YEAR PERIODS.	England and Wales.	Scotland.	Ireland.	Denmark.	Norway.	Sweden.	Finland.	Austria.	Hungary.	Switzerland.	Germany.	Prussia.	Bavaria.	Saxony.	Netherlands.	Belgium.	France.	Portugal.	Spain.	Italy.	Servia.
1801-1810.				31.1	27.5	24.9	26.3										31.8				
1811-1820.				29.7	29.9	33.4	37.4										31.0				
1821-1830.				31.3	33.3	31.7	38.2	39.0				40.0					30.0				
1831-1840.				33.2	29.6	31.5	33.4	38.2				38.0	31.1	39.4	33.0	30.9	27.1				
1841-1850.	32.6			30.5	30.7	31.1	35.5	38.4			36.1	38.0	31.1	39.2	33.3	30.3	26.3				
1851-1860.	34.1	34.8		32.5	33.0	32.8	35.9	37.6			37.2	37.7	33.2	39.6	35.8	32.0	26.3				
1861-1870.	35.2	35.0	26.2	30.7	30.9	31.4	34.7	38.7			37.1	39.1	39.0	40.3	42.9	36.2	32.3	25.4			
1871-1880.	35.4	34.9	26.5	31.4	31.0	30.5	37.0	39.0	41.3	30.8	39.1	38.3	36.9	40.5	35.8	32.0	23.9	33.0	36.4	36.9	40.5
1881-1890.	32.5	32.3	23.4	32.0	30.8	29.0	34.9	37.9	41.0	28.1	36.8	37.1	36.8	41.8	34.2	30.2	22.9	30.6	35.3	34.9	41.7
1891-1900.	29.9	30.2	23.0	30.2	30.3	27.2	32.2	37.1	40.6	28.1	36.1	36.7	36.5	39.5	32.5	29.0	22.2				

1 Scotland, 1856-1890.

2 Ireland, 1864-1870.

3 Hungary, 1876-1880.

4 Portugal, 1886-1890.

AVERAGE ANNUAL NUMBER OF DEATHS, EXCLUSIVE OF STILLBIRTHS, PER 1,000 OF POPULATION.

TEN YEAR PERIODS.	England and Wales.	Scotland.	Ireland.	Denmark.	Norway.	Sweden.	Finland.	Russia (in Europe).	Austria.	Hungary.	Switzerland.	Germany.	Prussia.	Bavaria.	Saxony.	Netherlands.	Belgium.	France.	Portugal.	Spain.	Italy.	Servia.	Roumania.
1801-1810.				23.7	25.2	27.9	31.9																
1811-1820.				21.4	21.2	25.9	26.4																
1821-1830.				21.9	18.9	23.6	25.0		28.6														
1831-1840.				23.1	20.2	22.8	28.2		32.5				26.7	28.3	28.2			26.1					
1841-1850.	22.4			20.4	18.1	20.6	23.5		31.2				26.8	27.6	27.8	28.5	25.9	24.8					
1851-1860.	22.2			20.6	17.1	21.7	28.6		31.4				26.4	27.6	27.8	27.1	26.2	24.3	23.3				
1861-1870.	22.5	22.1	16.6	19.9	18.0	20.2	32.6		30.7				26.9	27.0	29.8	28.1	25.6	22.5	23.9				
1871-1880.	21.4	21.6	18.4	19.4	17.0	18.2	22.2		31.5	36.6	23.6	27.2	26.6	30.9	29.1	24.3	22.6	24.4	23.6		30.1		30.7
1881-1890.	19.1	19.2	18.0	18.6	17.0	16.9	21.0		29.3	32.5	20.8	25.1	24.7	28.3	28.0	21.0	20.5	23.7	23.7			29.9	34.3
1891-1900.	18.2	18.7	18.2	17.5	16.3	16.1	19.7	33.4	26.6	29.9	19.0	22.2	21.9	25.4	21.0	18.4	19.2	21.5	22.6	31.4	27.1	25.2	31.1

1 Ireland, 1864-1870.

2 Hungary, 1876-1880.

3 Portugal, 1886-1890.

4 Russia (in Europe), 1891-1899.

Comparative birth rates.—From a comparison of the figures relating to the last period—1891-1900—it is evident that the annual birth rates for infants born alive vary considerably in the different countries. France and Ireland occupy the lowest position on the scale, with, respectively, 22.2 and 23 living births per 1,000 inhabitants. These rates are nearly doubled for the countries standing highest on the list, namely, Hungary with 40.6, Roumania with 40.7, and Servia with 41.7 per 1,000. Between these extreme limits are ranged the other European countries, leaving France and Ireland, however, isolated at the foot of the scale.

Sweden affords, next to France and Ireland, the lowest rate for births, 27.2 per 1,000, but the rate is markedly higher than the rates of those countries. It is interesting to consider that Sweden and Ireland, which are distinguished by their feeble natality, are the two European countries for which the marriage rates have fallen at a rate truly abnormal: 9.6 persons married in Ireland and 11.8 persons married in Sweden are the average annual rates per 1,000 for the period 1891-1900. In France, on the contrary, the marriage rate maintained an average of 15 persons married per 1,000 of population. The corresponding rates for other

countries of Europe lie, for the most part, between 1 and 16.5 per 1,000.

After Sweden, and arranged in the order of increasing birth rates in the last decennial period—1891-1900—are Switzerland, with 28.1 living births per 1,000 inhabitants, and Belgium, with 29. The rate is very nearly 30 for Great Britain (England and Wales, 29.9; Scotland, 30.2), and for the Scandinavian countries other than Sweden (Denmark, 30.2; Norway, 30.3), rising, however, in Finland to 32.2—a rate but little lower than that shown for the Netherlands, 32.5.

The birth rate is about the same for Italy, 34.9 living births per 1,000 inhabitants, and for Spain, 35.3; while it is lower for Portugal, 30.6.

In German speaking countries the birth rate is very high, reaching 36.1 per 1,000 of population for the German Empire, and 37.1 per 1,000 for Austria. The corresponding rates are 36.7 for Prussia, 36.5 for Bavaria, and 39.5 for Saxony, which has the highest natality of any German state.

The last rate, however, is not as high as that for the Kingdom of Hungary (including Croatia and Slavonia), which is 40.6 per 1,000 of population, and those of the Balkan states: Bulgaria, 39.4; Roumania, 40.7; and Servia, 41.7.

of 1880
enumer-
based u
the req
cities a
registr
which
further
upon a
and th
upon v

The
used l
of the
origin:
author
regist
cases v
send t
the ce
from
centra
data f
relati-
of th
provo
mate
the r
with
coop
ized
and
toge
a mo
will
spir
have
(
with
repo
are
stat
pila
sur
reg
the
rel
con
bu
of
vic
sa
m-
by
th
pi

DIAGRAM 1.—Average annual birth rates of certain European countries per 1,000 of population, by decades (stillbirths excluded).





DIAGRAM 2.—Average annual death rates of certain European countries per 1,000 of population, by decades (stillbirths excluded).



As shown in the diagram the birth rate fell in all European countries during the last twenty years of the century just finished. The fall was more or less accentuated in various countries, but it was *general*; the only exception is furnished by Switzerland, where the number of children born alive was maintained at the rate of 28.1 per 1,000 inhabitants during each of the periods 1881-1890 and 1891-1900. The decrease in the birth rate is not, therefore, a phenomenon peculiar to France. The diminution was indeed more rapid in other countries from 1871 to 1900, but in all of them, except Ireland, the birth rate was much higher than in France, and in all of them the excess of births over deaths was maintained at a sufficient rate, or even with increase, while in France the excess of births over deaths became lower and lower, and the natural increase of population tends to reduce itself to zero.

Although the decrease in the birth rate was general in Europe during the last twenty or thirty years of the nineteenth century, it was not so before 1870. The graphic curves in the diagram for the early years show the most diverse changes in different countries, only the curve for the French birth rate showing a nearly constant decrease from 1810 to 1900.

From 1810 to 1820 there was registered in France an annual average of 31.8 children born alive per 1,000 of population. This number gradually decreased to 26.3 per 1,000 toward the middle of the century (period 1851-1860), and to 22.2 per 1,000 for the last ten years (1891-1900). For all of the other countries there were, prior to 1870, fluctuations of increase and decrease corresponding to various economic, political, or social conditions relating to each.

In Sweden the number of infants born alive, according to the decennial average per 1,000 of population, rose from 30.9 during the period 1801-1810 to 34.7 during the period 1821-1830; fell to 31.1 in 1841-1850; and rose again to 32.8 in 1851-1860, while from that period the decrease has been constant.

In England the birth rate rose very noticeably between 1840 and 1870. The average annual rate of children born alive increased from 32.6 per 1,000 of population (1841-1850) to 35.4 (1871-1880). The decrease since that time has been very rapid, the birth rate being 32.5 for the period 1881-1890 and 29.9 for the period 1891-1900.

For the Netherlands the movement of the birth rate was entirely analogous. It rose from 33 per 1,000 in 1841-1850 to 36.2 per 1,000 in 1871-1880, and fell subsequently to 32.5 per 1,000 in 1891-1900.

It will be observed that in the diagram the curves representing the birth rate of Prussia and Austria constantly remain together and undergo the same changes of increase and decrease. The average for the period 1871-1880 in each of these two countries was about 39 children born alive per 1,000 inhabitants. During the

period 1891-1900 there were returned only 37.1 births per 1,000 in Austria and 36.7 births per 1,000 in Prussia. The decrease is slight, especially in comparison with that of England, the Netherlands, Belgium, or France.

For Bavaria the curve of the birth rate shows for 1861-1880 an extremely rapid increase dependent upon the increase of the marriage rate, which was affected by the improvement in 1861 and 1862 of the laws relating to marriage, and the suppression in 1868 of the hindrances to marriage, required by the law then in force. These measures had for their immediate effect the increase of the legitimate birth rate and the decrease of the proportion of illegitimate births, the frequency of which had been very great.

Comparative death rates.—For the last decennial period, 1891-1900, the average annual death rates varied in the different countries of Europe from 16.1 per 1,000 of population in Sweden to 33.4 per 1,000 in European Russia. The last rate was obtained from the average annual number of deaths from 1891 to 1899 in fifty governments of Russia in Europe (not including Finland, Poland, and the Caucasus), on the basis of the population as given by the first census of the Russian Empire, taken on February 9, 1897 (new style).

The general death rate of Russia in Europe greatly exceeded the rates of other countries with very high rates for the period 1891-1900—namely, Spain with 30 deaths annually per 1,000 of population, Hungary with 29.9, Roumania with 29.3, Servia with 27, and Austria with 26.6.

In the following countries the death rates remain, on the average, constantly below the extremely high rates given above: Bavaria, 25.4 deaths per 1,000 inhabitants; Italy, 24.2; and Saxony, 24.

The general death rate for the period 1891-1900 is a little less in France (21.5 deaths per 1,000 inhabitants) than in the German Empire (22.2). For Prussia alone it does not exceed 21.9 per 1,000, but it is considerably higher in the other principal states of the Empire—namely, Bavaria with 25.4 and Saxony with 24. This comparison, which is apparently favorable to France, is much less so if the birth rates are compared at the same time as the death rates. The death rate depends to a certain degree on the birth rate on account of the high tribute which infant mortality furnishes during the early ages of life, and France, with only 22 children born alive per 1,000 of population, registers a proportion of deaths nearly equal to that of Prussia, where the births amount to 36.7 per 1,000 of population.

According to the statistics it appears that the death rate of Portugal is noticeably less than that of Spain, being 21.3 deaths per 1,000 inhabitants instead of 30.

Among the countries of Europe having a relatively low death rate are Belgium with 19.2 deaths per 1,000 of population, Switzerland with 19, the Netherlands

with 18.4. Scotland with 18.7. England and Wales with 18.2, and Ireland with 18.2. It may be observed, however, that the occasional long delays permitted in the registration of births in the United Kingdom cause apprehension that a certain number of infants who die soon after birth may not be registered either as births or as deaths.

The Scandinavian countries present the lowest death rates: Denmark, 17.5 deaths on the average per 1,000 population; Norway, 16.3; and Sweden, 16.1.

Such are the general indications furnished by the examination of the death rates in the different countries of Europe during the decennial period 1891-1900. In the table and on the diagram we may follow the variations of the death rates computed for the decennial periods during the course of the nineteenth century so far as the statistical data supplied by each country render it possible.

In all countries of Europe there was a decrease of the death rate from 1871-1880 to 1891-1900. The decrease was more or less rapid, but it was general. If we limit ourselves to the last two periods, 1881-1890 and 1891-1900, the decrease appears more considerable according to the height of the death rate. This is natural, since progress becomes more and more difficult as the death rate approaches the lower limit, which it can not pass. Take, for example, the death rates corresponding to the last two periods for those countries having the highest rates: Hungary, 32.5, 29.9; Austria, 29.5, 26.6; Italy, 27.1, 24.2. The amounts of decrease are a little less for the countries of average mortality. It is more rapid in Germany, 25.1, 22.2, than in France, 22.1, 21.5; in the Netherlands, 21, 18.4, than in Belgium, 20.5, 19.2. Finally, the amounts of decrease are about the same in England, 19.1, 18.2; in Denmark, 18.6, 17.5; in Norway, 17, 16.3; and in Sweden, 16.9, 16.1. It will be remarked that France is one of the countries where the reduction of the death rate has progressed very slowly in the course of the last twenty years of the nineteenth century. The fact is of special significance because the birth rate of France is much less than the rates of the other countries of Europe.

Although a distinct movement in the direction of lower death rates clearly characterized all of the countries from 1871 to 1900, there was no regularity before 1870. The fluctuations were very diverse in character, and even in countries like France, Sweden, Denmark, and Norway, which show a progressive reduction in death rates since the beginning of the nineteenth century, the decrease was not a very uniform one.

The curve showing the variations of the death rate in Finland displays an extreme abruptness in its movements, which results from the climate of the country and the years of scarcity which follow the very severe winters. The average annual rate of deaths per 1,000 of population was 31.9 in 1801-1810; it fell to 25 in 1821-1830, rose to 28.2 in 1831-1840 (cholera in 1833

and 1836), fell again to 23.5 in 1841-1850, rose again to 32.6 in 1861-1870 (1867 year of famine), and descended again to 22.2 in 1871-1880.

In Sweden the general death rate was 27.9 per 1,000 inhabitants at the beginning of the nineteenth century (1801-1810). It was not over 21.7 at the middle of the century (1851-1860), and was only 16.1 at its close (1891-1900). In Norway and in Denmark the decrease was a little less rapid and more irregular than in Sweden.

In England the death rate, whose record begins only with 1841-1850, remained about 22 per 1,000 of population down to 1861-1870. From that time it diminished very rapidly until, in 1891-1900, with the exception of the Scandinavian countries, England afforded the lowest rates of general mortality of all the countries of Europe.

In France the death rate fell during the course of the nineteenth century, but relatively less than in other countries; the average annual number of deaths per 1,000 of population was 26.1 in 1810-1820, 23.9 in 1851-1860, and 21.5 in 1891-1900.

In Belgium the death rate at the middle of the last century was very close to that of France, but from 1870 it has fallen more rapidly. During the period 1871-1880 there were 23.7 deaths per 1,000 of population in France as compared with 22.6 in Belgium. During the last decade, 1891-1900, the corresponding numbers were 21.5 and 19.2 per 1,000.

For the present area of the German Empire progress has been more rapid than in France. In 1841-1850 the annual average death rate for Germany was 26.8 deaths per 1,000 of population, compared with 23.3 for France. In 1891-1900 the corresponding rates fell until they were almost equal, being 22.2 and 21.5. The general death rate of the German Empire rose somewhat from 1841 to 1870; the rates were 26.8 in 1841-1850 and 27.2 in 1861-1870. The increase, as shown by the diagram, was due to increased rates in Bavaria and Saxony. Prussia showed a decrease which, however, was not very great. Beginning in 1870 the decrease in the mortality proceeded very rapidly in Prussia (26.6 per 1,000 in 1871-1880, 21.9 in 1891-1900), while there was also a decrease for Bavaria (30.9 to 25.4) and Saxony (29.1 to 24), and consequently for the entire German Empire.

In Italy and Switzerland, for which countries statistics are not obtainable before 1870, the decrease from 1871-1880 to 1891-1900 has already been noted. The rate for Italy fell from 29.9 to 24.2 per 1,000 of population and that for Switzerland from 23.5 to 19 per 1,000.

For Austria the death rate has always been notably higher than that for Germany. It rose to 32.2 deaths per 1,000 inhabitants at the middle of the last century (1841-1850), but shared in the general decrease which began in 1870 to affect the whole of Europe, and was

only 26.6 per 1,000 of population at the last period, 1891-1900.

For the kingdom of Hungary, which includes Fiume, Croatia, and Slavonia, the death rate is even higher than that of Austria. It reached 36.6 per 1,000 of population during the period 1876-1880, but fell to 29.9 for the period 1891-1900. Its rate for the last decade was not much higher than the rates shown for the same period for Serbia, 27, and Roumania, 29.3.

Besides the international comparisons given in the foregoing tables, use will be made in the consideration of deaths from all causes and from the most important individual diseases of the international statistics contained in the report of the Registrar-General of England and Wales. The data are taken, as a rule, from the sixty-seventh annual report (for the year 1904), but by special courtesy of the Registrar-General proofs were kindly sent of the tables showing the mortality of the United Kingdom, prepared for the year 1905, to which have been added, in some cases, statistics received directly from certain other countries. The statistics derived from the report of the Registrar-General and similar sources enable the death rates of the registration area of the United States and its subdivisions to be compared with those of other countries during recent years, while the more general figures by decennial periods, taken from the compilation made by the French Government, enable the general trend of vital statistics in other countries to be appreciated.

It is especially important that the vital statistics presented by official registration services should be designed, not only with a view to utilization at home, but also for comparison with similar data published abroad. The study of international vital statistics is of especial interest to Americans because many of these countries have contributed large numbers of immigrants to the population of the United States, and the vital rates peculiar to each nationality at home may be expected to show some tendency to persist, subject to more or less change from the influence of new environment, in the transplanted race and mixture of races in this country. So also the statistics showing the natality and mortality of the mingled races of Europe, as contrasted with the corresponding figures for the native population of this country, would be of great interest to the peoples from whom our population is derived. Thus far, however, the United States has failed to make proper contribution of national vital statistics to the knowledge of the world. Much of the information necessary to show the true birth rates and death rates of the United States, as a whole, for any portion of the last century is entirely wanting. Until 1900 the only information obtained by the United States consisted of the very imperfect data obtained at the decennial censuses, which can by no means be taken as representative of the actual birth rates or death rates of the intercensal decades. Since 1900 statistics have been

collected for deaths, covering only a portion of the entire United States, but absolutely no statistics of births, based on the immediate registration of births, are now, or have been at any previous period, collected by the Federal Government.

SCOPE OF THIS REPORT.

The present report consists of three parts: (1) A textual discussion of the general death rates in the registration area and its subdivisions during the year 1905 from all causes and from various important causes of death, accompanied by subsidiary tables; (2) summary and rate tables, giving death rates for the past five years, 1901 to 1905, thus enabling comparisons to be made of the increase or decrease of mortality from various causes; and (3) the general tables showing the detailed returns for the year 1905, according to the same general grouping as that employed in the preceding report. Each of the sections containing the summary and rate tables and the general tables is preceded by a list of the tables contained, and their general character may be learned from the following description:

Summary and rate tables.—Table I gives the enumerated or estimated population of each state, county, and city in the registration area for each year from 1901 to 1905.

Table II gives, for each registration city, the annual number of deaths from all causes per 1,000 of population for each year from 1901 to 1905, with an average for the quinquennial period 1900-1904.

Table III gives, for the registration area, the annual number of deaths from each cause and class of causes of death, and the corresponding death rates per 100,000 of population for each year from 1901 to 1905, with an average for the quinquennial period 1900-1904.

Table IV gives, for the registration area and its main subdivisions, for each registration state and city, and for each county in the registration states exclusive of cities, the annual death rates per 100,000 of population from certain causes and classes of causes of death for each year from 1901 to 1905.

Table V gives, for the registration area and its main subdivisions, the annual number of deaths per 100,000 of population from each cause and class of causes of death, and the corresponding death rates for each year from 1901 to 1905.

Table VI gives for the cities and rural districts of the registration states, the annual death rates per 100,000 of population from each cause and class of causes of death for each year from 1901 to 1905.

Certain tables of this group in the last report, relating chiefly to the distribution of deaths by months or showing aggregate deaths or ratios for the five-year period, 1900-1904, have been omitted.

General tables.—Table 1 gives the deaths in each registration state, city, and county, by color, general nativity, parent nativity, and month of death, for the year 1905.

Table 2 gives the deaths in each registration state, city, and county, by single years of age under 5 years, and by quinquennial age periods for ages above 5 years, for the year 1905.

Table 3 gives the deaths in each registration state, city, and county, from certain causes and classes of causes of death for the year 1905.

Table 4 gives the deaths in the registration area and its main subdivisions, and in each registration state, by sex, color, general nativity, and parent nativity, in relation to age, for the year 1905.

Table 5 gives the deaths in the registration area and its main subdivisions, and in the cities and rural districts of each registration state, from each cause of death, tabulated separately, for the year 1905.

Table 6 gives the aggregate deaths in the registration area from each cause and class of causes of death, by sex and age, for the year 1905.

Table 7 gives the deaths in each registration state from each cause and class of causes of death, by single years of age under 5, and by decennial periods of ages from 10 years upward, for the year 1905. The list of causes is the same as that given in Table 6 for the entire registration area.

Table 8 gives the deaths from certain specified causes in each registration city of 100,000 or more population in 1900, by single years of age under 5, and by decennial periods of ages from 10 years upward, for the year 1905.

SUMMARY OF RESULTS.

POPULATION STATISTICS.

Vital statistics consist essentially of two factors: (1) The population, and (2) the vital events, such as births, deaths, or marriages, forming the special topic of consideration. Exact knowledge of population is necessary for a registration report, since the first measure applied to a statement of births or deaths in a given area is, what proportion does it bear to the constituent population. As censuses are not taken every year, it is necessary to systematically estimate populations for noncensus years, and the estimates for the registration area and each of its subdivisions will be found in Table I for the year 1905. This table has been recomputed in part, on the basis of information furnished by later state censuses, for the years 1901 to 1904.

The total estimated population of the registration area for the year 1905 was 33,757,811, of which 21,712,888 constituted the population of registration states, and 12,044,923 was the number of persons in registration cities not located in registration states. Less than two-thirds of the total number of persons represented in the registration area are so classed as the result of state legislation, while over one-third of the total population has been admitted to the registration area as a result of the effective administration of local municipal ordinances. The table shows in detail for each registration state, for each registration city wherever located, either in a registration state or in a nonregistration state, and for the rural population of each registration state, by counties exclusive of registration cities contained therein, the population, estimated except for state census years, for each of the years 1901 to 1905.

GENERAL DEATH RATES.

All of the death rates contained in the present volume are general death rates; that is to say, they represent

the ratio of deaths to the enumerated or estimated total population, without attempting to consider the constitution of the population by sex, age, or other elements. In the preceding volume certain rates were given for causes of death peculiar to either sex, with reference to the estimated population by sex. For reasons referred to on page xviii of that report, and which have become more urgent with the increasing disproportion of the sexes due to immigration, it has been found to be impracticable to continue longer the estimate of the population by sex, and it was therefore thought expedient to eliminate all specific rates based upon estimated male or female population, replacing them by general death rates, regardless of the fact that the cause in question related only to one sex or the other. The general death rates for these special causes show the relation which the diseases bear to the total mortality.

The total number of deaths from all causes in 1905, returned from the registration area, was 545,533, corresponding to a death rate of 16.2 per 1,000 of population. The number of deaths was slightly less than the number returned for the preceding year, 551,354, but exceeded the number registered for any other year since the annual reports were instituted. The detailed statement of deaths and death rates for each of the causes and classes of causes of the International Classification may be found in Table III, together with comparative figures for the years 1901 to 1905, and the annual average for the quinquennial period 1900-1904. All of the rates given in this table, together with all of those referred to in the following text, have been revised in accordance with the latest state censuses and estimates of population based thereon.

Death rates in certain countries.—The following table gives comparative death rates of various foreign countries on the basis of the international tables published

each year by the Registrar-General of England and Wales:

COUNTRY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States.....	16.6	16.6	15.9	16.1	16.6	16.2
England and Wales.....	16.6	16.9	16.2	15.1	16.3	15.2
Scotland.....	17.4	17.9	17.2	16.6	16.9	15.9
Ireland.....	18.1	17.8	17.5	17.5	18.1	17.1
Germany.....	20.3	20.7	19.4	20.0	19.6	19.8
Prussia.....	20.1	20.5	19.2	19.8	19.3	19.6
Norway.....	14.7	14.9	13.9	14.8	14.1	(1)
Sweden.....	15.7	16.1	15.4	15.1	15.3	(1)
Hungary.....	26.0	25.4	27.0	26.1	24.8	(1)
The Netherlands.....	16.5	17.2	16.8	15.6	15.9	15.3
Belgium.....	17.6	17.2	17.3	17.0	(1)	(1)
Switzerland.....	18.0	18.0	17.2	17.6	17.8	(1)
Spain.....	25.7	27.7	26.1	25.0	25.8	(1)
Italy.....	22.2	22.0	22.1	22.2	20.9	21.7

¹ No figures available.

It will be noted with great interest that the remarkably low death rates of the United Kingdom continue to be maintained, and that the year 1905 showed the lowest rates of any year of the series for England and Wales, Scotland, Ireland, and the Netherlands. The rates, in fact, are the lowest ever recorded in these countries. The average annual death rate of the registration area of the United States for the five-year period 1900-1904 is precisely the same as that of England and Wales for the same period, but the death rate of England and Wales for the year 1905 was 1 per 1,000 less than that of the registration area of the United States.

Death rates in registration areas.—Death rates per 1,000 of population are given in the following table for the registration area and its main subdivisions for the five years from 1901 to 1905 and the quinquennial period 1900-1904:

AREA.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	16.6	16.6	15.9	16.1	16.6	16.2
Registration cities.....	17.5	17.4	17.0	17.1	17.5	16.9
Registration states.....	16.2	16.4	15.4	15.6	16.4	15.9
Cities in registration states.....	17.7	17.8	17.1	17.1	17.9	17.2
Rural part of registration states.....	14.3	14.6	13.4	13.7	14.4	14.3
Registration cities in other states.....	17.2	16.9	16.9	17.1	17.1	16.6

The death rate for the entire registration area in 1905, 16.2 per 1,000 of population, showed a slight decrease from the rate for the preceding year and also from the

annual average for the five-year period, each of which was 16.6 per 1,000. The mortality in registration cities decreased from 17.5 per 1,000 of population in 1904, and also for the five-year period 1900-1904, to 16.9 in 1905. Both the cities in the registration states and the registration cities in nonregistration states participated in the decline. The death rate of the rural part of registration states fell from 14.4 in 1904 to 14.3 in 1905, the latter figure being identical with the five-year rate.

Death rates in registration states.—The mortality from all causes in the registration states, including the District of Columbia which is identical with the city of Washington, is shown below:

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Total.....	16.2	16.4	15.4	15.6	16.4	15.9
Connecticut.....	16.3	16.1	15.3	16.2	15.9	16.5
District of Columbia.....	20.9	21.4	20.1	20.3	20.8	20.5
Indiana.....	13.3	13.8	12.8	12.2	13.5	12.8
Maine.....	16.2	16.1	15.1	15.9	16.5	16.2
Massachusetts.....	16.9	16.9	16.5	16.7	16.3	16.8
Michigan.....	13.4	13.4	12.7	13.2	13.6	13.5
New Hampshire.....	16.7	16.8	15.9	16.5	16.0	17.0
New Jersey.....	16.5	16.4	15.8	15.7	16.9	15.8
New York.....	17.3	17.7	16.4	16.5	18.0	17.0
Rhode Island.....	18.4	18.1	17.7	18.8	17.2	17.1
Vermont.....	16.1	16.6	15.0	16.2	16.0	17.0

For the intercensal years 1901 to 1904, slight changes from the rates given in the corresponding table of the preceding report have been made in some cases, affecting the rates of the four states, Massachusetts, New Jersey, New York, and Rhode Island, which had state censuses in 1905. Only slight variations are indicated in the various state areas between 1904 and 1905, the most marked changes being an increased rate of 1 per 1,000 of population in each of the states of New Hampshire and Vermont, and a decrease of 1 per 1,000 of population in the state of New York and of 1.1 per 1,000 of population in the state of New Jersey. The maximum departure from the annual average was in Rhode Island, which showed a decrease for 1905 of 1.3 per 1,000. In general, great uniformity of conditions, with little excessive prevalence of disease affecting individual state areas, is indicated.

Urban and rural mortality.—A comparison of urban and rural mortality, including in the former term cities having 8,000 population or more according to the census of 1900, may be found in the following table for the state areas, omitting the District of Columbia, which is exclusively urban and which is shown in the preceding table:

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.											
	Annual average: 1900 to 1901.		1901		1902		1903		1904		1905	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Total	17.7	14.3	17.8	14.6	17.1	13.4	17.1	13.7	17.9	14.4	17.2	14.3
Connecticut	16.6	15.7	16.4	15.5	15.7	11.5	16.8	15.0	16.1	15.5	16.9	15.5
Indiana	15.3	12.7	15.2	13.3	14.7	12.1	14.6	11.3	15.7	12.4	14.0	12.4
Maine	18.9	15.6	18.4	15.6	18.1	11.8	18.4	15.4	19.5	15.9	17.9	15.9
Massachusetts	17.2	16.2	17.2	16.2	16.9	15.2	16.9	15.9	16.4	16.1	16.9	16.4
Michigan	14.7	12.8	14.5	12.9	14.6	11.9	14.9	12.5	14.3	13.3	14.6	13.0
New Hampshire	17.3	16.4	17.2	16.5	16.8	15.3	16.9	16.2	16.1	15.9	18.1	16.2
New Jersey	18.3	14.1	18.1	14.2	17.7	13.3	17.4	13.3	19.0	14.1	17.5	13.6
New York	18.5	14.9	18.8	15.3	17.6	13.9	17.4	14.4	19.2	15.2	17.8	15.2
Rhode Island	18.5	15.3	18.1	15.1	18.1	16.9	18.9	18.7	17.2	17.3	17.1	17.1
Vermont	16.9	15.9	16.6	16.6	15.4	15.0	17.9	15.9	17.1	15.8	18.3	16.8

For the registration states both the urban and the rural mortality showed a decrease in 1905 as compared with the previous year, but the decrease was somewhat greater in the cities than in the country. The rural rate for the year was the same as that for the preceding five-year period, while the urban rate declined 0.5 per 1,000. The highest urban rates for the year were shown for the cities of New Hampshire (18.1) and Vermont (18.3), and the lowest rates for the cities of Indiana (14.9) and Michigan (14.6). The highest rural rates occurred in Rhode Island (17.1)—in which state, however, the character of the population classed as rural is in reality largely urban—and Vermont (16.8), while the lowest mortality of rural districts was in Indiana (12.4) and Michigan (13).

Factors affecting the general death rates.—As previously stated this report deals solely with general death rates or rates based upon total population. It is not practicable to make the necessary estimates of population required to compute specific death rates based upon sex, age, color, nativity, parent nativity, and other factors, or upon the distribution by occupations. Nevertheless, these factors are of great importance and must always be considered in making comparisons of general rates computed for different localities. Where general death rates apply to the same area and do not cover a very long period of time, there is evidently little risk of vitiation of results by changes in the constitution of

population, but two countries, two states, or two cities, showing precisely the same number of deaths in proportion to total population, may exhibit, under a closer analysis, a very different sanitary condition. In general, we may say that the influence of sex is comparatively trivial, although the death rates of males and females from certain causes show marked and constant differences. The death rates at special age periods are almost uniformly of great importance, and it is of especial importance in examining the general death rate of a population to consider whether it contains a high proportion of infants or children on the one hand, or of elderly persons on the other, or whether it is made up of an unusually large proportion of persons at the middle period of life, which always affords a smaller proportion of deaths than the extreme ages. It has also been found in this country that higher death rates usually attend an increased ratio of colored population, although the influence of color may be modified more or less by the age distribution.

In the following table a list is given of all of the cities of the registration area of the United States in which the "colored" population exceeded 10 per cent of the total population according to the census of 1900, showing for the census year the comparative death rates with distinction of color, and the death rates of the total population for the years 1900 to 1905, inclusive:

MORTALITY STATISTICS.

CITY.	PER CENT OF POPULATION: 1900.		NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.							
	White.	Colored.	1900			Aggregate.				
			Aggregate.	White.	Colored.	1901	1902	1903	1904	1905
Cities having over 10 per cent colored population in 1900.....	73.7	26.3	22.4	18.8	32.5	20.6	20.2	19.9	20.9	20.4
Alexandria, Va.....	68.7	31.3	25.1	20.5	35.2	23.9	20.9	21.9	23.1	21.0
Annapolis, Md.....	61.7	38.3	27.7	20.0	41.8	20.3	20.3	18.3	24.1	21.3
Atlanta, Ga.....	60.2	39.8	22.1	18.6	27.4	21.9	22.3	21.1	23.9	21.1
Atlantic City, N. J.....	76.4	23.6	17.3	17.6	16.1	18.5	16.5	15.1	11.8	16.7
Baltimore, Md.....	81.3	18.7	21.4	19.2	33.3	20.3	19.6	19.1	20.1	19.6
Carlisle, Pa.....	88.1	11.9	21.2	20.4	27.0	18.5	13.3	16.4	16.1	14.2
Charleston, S. C.....	43.4	56.6	35.0	22.9	44.3	31.5	31.1	28.8	30.0	29.0
Evansville, Ind.....	87.3	12.7	15.8	15.2	19.9	13.0	12.0	12.9	11.9	13.6
Frederick, Md.....	83.5	16.5	19.6	17.9	28.0	22.2	21.4	23.7	19.3	20.5
Fresno, Cal.....	87.4	12.6	19.3	16.5	38.8	20.3	18.1	21.4	19.1	20.9
Jacksonville, Fla.....	42.8	57.2	30.1	26.6	32.8	26.7	28.2	27.0	26.6	28.7
Jeffersonville, Ind.....	83.1	16.9	19.2	16.4	33.0	23.0	20.4	19.8	18.5	16.7
Kansas City, Mo.....	89.2	10.8	16.3	15.3	24.8	16.1	15.8	17.4	19.7	16.9
Key West, Fla.....	67.3	32.7	21.4	23.5	26.3	23.1	22.3	20.9	21.0	21.4
Lawrence, Kans.....	81.3	18.7	16.3	15.3	20.6	(?)	(?)	(?)	(?)	(?)
Leavenworth, Kans.....	85.9	14.1	17.7	16.9	22.9	13.4	14.8	14.7	15.2	15.8
Louisville, Ky.....	80.9	19.1	18.9	16.9	27.3	18.4	18.0	18.6	19.8	18.1
Lynchburg, Va.....	56.3	43.7	27.3	20.5	36.1	19.3	20.3	19.5	21.8	21.9
Memphis, Tenn.....	51.2	48.8	23.5	20.7	24.4	18.1	18.0	17.8	19.5	17.9
Mobile, Ala.....	55.6	44.4	27.2	22.5	33.0	23.8	22.5	23.2	25.4	25.2
Nashville, Tenn.....	62.8	37.2	23.8	18.8	32.1	20.2	22.1	20.8	23.8	21.9
New Orleans, La.....	72.8	27.2	26.5	21.2	40.9	22.3	22.3	22.3	22.3	23.7
Norfolk, Va.....	56.4	43.6	27.2	18.8	38.0	22.1	23.0	20.2	20.9	21.0
Paducah, Ky.....	70.0	30.0	28.1	24.7	38.5	24.6	23.0	20.8	20.7	19.4
Petersburg, Va.....	50.7	49.3	30.2	25.2	35.2	26.5	25.3	25.2	25.0	24.4
Portland, Oreg.....	89.1	10.9	10.2	10.5	17.6	12.4	11.7	12.7	13.5	13.7
Raleigh, N. C.....	58.1	41.9	30.1	23.1	39.7	29.0	26.2	19.2	22.5	24.8
Richmond, Va.....	62.1	37.9	29.0	23.7	37.6	24.6	25.5	25.1	21.0	22.1
San Antonio, Tex.....	85.7	14.3	22.8	22.7	23.2	24.7	26.6	22.5	25.3	21.5
Savannah, Ga.....	48.1	51.9	31.0	23.4	38.0	29.6	26.1	23.6	26.0	25.6
Steeleton, Pa.....	87.5	12.5	15.6	15.3	17.2	12.9	19.6	20.2	14.5	17.0
Washington, D. C.....	68.7	31.3	22.3	18.3	30.9	21.4	20.1	20.3	20.8	20.5
Wilmington, Del.....	87.2	12.8	20.2	19.1	27.5	17.3	17.3	17.9	15.6	16.6
Wilmington, N. C.....	60.8	39.2	30.8	21.8	36.9	27.0	28.5	26.7	28.1	25.0

¹ Chiefly Chinese and Japanese.² Nonregistration.

In the above table the word "colored" relates chiefly to the negro population, except for the cities of Fresno, Cal., and Portland, Oreg. For the census year 1900 the death rate of the colored population represented (32.5) was nearly double that of the white population (18.8), and presumably a similar relation continued during the subsequent years. For this reason it is necessary to consider the presence of the colored population in comparing death rates of southern cities with those of other sections, although no exact estimates are available on which to base comparative rates for years subsequent to the census. It may be noted that in some cities, as Atlantic City, N. J., and Portland, Oreg., where the colored population is of a special class with unusually favorable age distribution, the colored death rate in 1900 was considerably below the white death rate, but as a rule the reverse is the case.

Frequent reference should be made to the tables showing the general constitution of the population of the registration area as given in Volume III of the Twelfth Census report, and to the specific death rates by sex, periods of age, color, and nativity therein contained, for the purpose of better understanding the relations of the general death rates given in the present report. General death rates, standing alone, should be considered only as indexes suggestive of possible conditions. They must be substantiated by further analysis, and the error must be guarded against of drawing sweeping conclusions as to sanitary condition from such a basis and in the absence of full information as to the character of the population from which the mortality is derived. The necessity of frequent censuses of the population as affording a basis for detailed vital rates has been previously mentioned.

CAUSES OF DEATH.

Although of the most fundamental importance in mortality statistics, and contributing information of priceless value for the use of sanitary authorities in the work of restricting diseases and preventing deaths, the subject of causes of death as a part of general mortality statistics is still in a very immature and undeveloped condition. The nations of the world are not yet agreed

even in that indispensable requisite—the adoption of a uniform system of classification for the presentation of such data. The necessities of the case were comprehended by the leading authorities on vital statistics before the middle of the past century and about the time that vital statistics gave origin to the modern scientific and administrative branches of public service de-

voted to the prevention and restriction of disease. It would have been a great gain to science, to sanitation, and to vital statistics, if some one classification of causes of death—no matter how crude or how imperfect, so long as it represented fairly well the essential facts—could have been adopted fifty years ago, and the mortality statistics of all nations could have been compiled from that time in accordance with such standard arrangement. This, however, was not done, and each nation developed along individual lines, with the result that until very recent years there has been no practical agreement in the forms of classification of causes of death used in different countries.

It was a very distinct advance when a considerable number of countries were represented, more or less formally, in an International Commission which met at Paris in 1900 and adopted the International Classification as we have it to-day, which has been used in the annual reports prepared by the Bureau of the Census since 1900. There are undoubtedly many imperfections in this classification, which may be seen as applied to the mortality returns of the years 1901 to 1905, together with a quinquennial average for the period 1900-1904, in Table III. In order to fully understand the titles used in the classification, some of the more important of which are individually discussed in the following text, reference should be made to the Manual of International Classification of Causes of Death, published by the Bureau of the Census in 1902, which sets forth in tabular form each title and the terms that are treated as equivalents of that title in tabulating causes of death.

The International Classification has been employed not only by the Bureau of the Census, but it is in use in all of the registration states and in the great majority of city offices in this country which compile mortality statistics. It has been included also in Census pamphlet No. 102, Relation of Physicians to Mortality

Statistics, which is intended to secure a more satisfactory statement of the cause of death on the original certificate filed with the local registrar, and which will be sent to physicians in any part of the country on request.

Increase or decrease in death rates by each class of causes.—Not much stress can be laid upon the general classes of causes of death forming part of the structure of the International Classification. The whole tendency of recent vital statistics is to define the individual titles of a classification with precision and to depend little upon more or less theoretical groupings of titles into so-called "classes" of diseases. Some of these classes include causes which at a later period, with more extensive knowledge in regard to the etiology of disease, will be placed under an entirely different arrangement. As an illustration, the transfer of deaths caused by apoplexy from the time-honored position under diseases of the nervous system formerly assigned under all systems of classification, to a place under diseases of the circulatory system, as has been done in the last classification employed by the Registrar-General of England, indicates the radical changes which may be expected in the manner of grouping, but the essential thing, namely, that the integrity of the title designating a fairly definite cause of death shall be maintained from one period to another, so that rational comparisons can be made, is of chief importance, and all discussions of the classified distribution of diseases according to general groupings are of subsidiary interest.

As it is, however, information of value may be obtained by considering the variations in the deaths and death rates compiled under the classes now accepted as parts of the International system. These are shown in Table III, and in the following table may be seen the differences from year to year, beginning with the first annual report, that of 1900:

CAUSE OF DEATH.	DEATHS PER 100,000 OF POPULATION.						
	Number in 1900.	Increase (+) or decrease (-) from—					
		1900-1	1901-2	1902-3	1903-4	1904-5	1900-5
All causes.....	1,755.0	-99.0	-61.9	+17.7	+52.1	-47.9	-139.0
I. General diseases.....	478.6	-13.5	-31.0	+14.9	+2.3	-21.0	-48.3
Epidemic diseases.....	166.2	-10.1	-18.1	+6.2	-14.3	-14.1	-50.4
Other general diseases.....	312.4	-3.4	-12.9	+8.7	+16.7	-7.0	+2.1
II. Diseases of nervous system.....	208.8	-15.7	-7.2	-6.7	+3.6	-0.5	-26.5
III. Diseases of circulatory system.....	147.2	+0.6	+6.5	+6.4	+12.0	+0.6	+26.1
IV. Diseases of respiratory system.....	256.2	-25.9	-7.7	-4.6	+14.3	-26.6	-50.5
V. Diseases of digestive system.....	226.2	-25.0	-9.4	-3.6	+11.4	+4.6	-22.0
VI. Diseases of genito-urinary system.....	103.9	-1.1	-1.5	+8.3	+5.3	+0.1	+16.6
VII. Childbirth (the puerperal state).....	13.3	+0.4	-0.7	+1.0	+1.4	-0.4	+1.7
VIII. Diseases of skin.....	8.0	-0.3	-0.6	+0.5	-0.4	-0.1	-0.9
IX. Diseases of locomotor system.....	2.2	+0.4	-0.1	+0.3	(1)	+0.1	+0.9
X. Malformations.....	11.5	-0.5	-0.2	+1.6	+0.8	+0.4	+2.1
XI. Early infancy.....	76.9	-10.7	+2.2	+0.8	+3.2	-2.4	-6.9
XII. Old age.....	50.1	-3.2	-2.6	-5.3	-0.3	-2.6	-14.0
XIII. Violence.....	96.0	+10.5	-8.9	+11.6	+1.4	+1.3	+15.9
XIV. Ill-defined causes.....	73.8	-17.2	-3.8	-7.6	-3.0	-1.7	-33.3

(1) No change.

In the preceding table a column has been added, showing the net results of the various changes for each group of diseases between 1900 and 1905. For all causes a decrease of mortality is shown amounting to 139 per 100,000 of population, a total which, when reduced to the more conventional expression of the death rate, is only 1.4 per 1,000 of population. Corresponding with the decrease in total mortality for the period, and also for the year 1905 as compared with 1904, a decrease is shown for the more important classes of causes of death. The rate for general diseases declined 21 per 100,000 of population from 1904 to 1905, the total decline since 1900 being 48.3. About two-thirds of the decrease for the year was due to diminished mortality from epidemic diseases and one-third to a decline in other general diseases. Epidemic diseases, however, showed a total decrease since 1900 of 50.4 per 100,000 of population, while other general diseases showed a slight increase as compared with that year, namely, 2.1 per 100,000 of population. The most important decrease for 1905, as compared with the preceding year, was in diseases of the respiratory system, 26.6 per 100,000 of population; the total decrease of this class since 1900 was 50.5 per 100,000 of population.

Only slight amounts of increase were shown in any class for 1905 over 1904, the largest, 4.6 per 100,000 of population, being for diseases of the digestive system. Since 1900, however, there has been a considerable increase in diseases of the circulatory system, 26.1 per 100,000 of population; in diseases of the genito-urinary system, 16.6 per 100,000 of population; and in violence, 15.9 per 100,000 of population. In the two latter some part of the increase is due to improved accuracy of statement by the reporting physicians. A gratifying feature of this table is the fact that the last class, ill-defined causes, has shown a diminished mortality for each year, amounting in the aggregate to 33.3 per 100,000 of population. This fact shows that the efforts made by registration officials and the Bureau of the Census to secure more satisfactory returns have been attended with some measure of success. The small amount of the decrease in 1904 and 1905, however, shows that renewed efforts must be made in this direction.

Death rates from principal diseases.—Coming now to the individual causes of death included in Table III, it will be of service to classify them with reference to increasing, diminishing, and varying prevalence as shown by the death rates recorded from year to year. This is done in the following table, which includes only deaths from disease and those in which the death rate amounts to 10 or more per 100,000 of population for the five-year period 1900-1904:

CAUSE OF DEATH	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Causes with increasing rates:						
Nephritis and Bright's disease.....	91.4	89.5	91.3	97.8	103.8	104.3
Apoplexy.....	69.0	68.4	68.5	68.6	71.9	72.2
Cancer.....	66.5	64.5	65.3	68.6	70.6	72.1
Diabetes.....	10.9	10.3	10.1	11.3	12.9	13.0
Appendicitis.....	10.6	10.0	10.1	11.0	11.9	12.0
Causes with decreasing rates:						
Old age.....	44.0	47.2	44.6	39.3	39.0	36.4
Bronchitis.....	39.4	39.8	39.1	36.1	36.0	33.5
Convulsions.....	25.2	27.2	25.0	21.0	20.5	19.8
Paralysis.....	21.9	23.1	20.9	20.3	19.4	17.7
Peritonitis.....	12.0	13.1	12.0	10.2	10.1	9.2
Scarlet fever.....	11.8	13.1	12.7	12.3	10.9	6.8
Causes with fluctuating rates:						
Tuberculosis of lungs.....	172.3	174.9	163.2	165.7	177.3	168.2
Pneumonia.....	131.6	133.3	124.5	122.2	135.7	115.7
Heart disease.....	120.6	113.7	117.8	125.1	134.2	132.5
Diarrhea and enteritis.....	112.8	118.8	105.4	101.5	111.3	116.7
Typhoid fever.....	33.7	32.4	31.4	31.3	31.9	28.1
Diphtheria and croup.....	33.6	31.1	30.9	31.8	28.5	27.8
Meningitis.....	33.0	33.3	31.3	28.3	31.8	31.5
Premature birth.....	30.9	27.5	29.5	31.2	31.3	32.9
Bronchopneumonia.....	30.7	28.4	31.8	33.7	36.9	34.4
Congenital debility.....	21.8	21.0	21.7	21.3	20.7	31.5
Influenza.....	20.8	32.3	10.1	18.6	20.3	19.0
Lack of care.....	15.1	15.2	15.8	13.8	14.5	3.0
Cirrhosis of liver.....	14.1	13.6	14.0	14.5	15.1	14.8
Gastritis.....	12.1	12.0	11.6	11.7	11.2	10.6
Whooping cough.....	11.3	9.8	12.1	15.9	6.6	10.7
Epidemic typhus.....	11.1	10.5	11.5	9.8	11.7	12.6
Measles.....	10.1	7.3	9.5	9.9	11.0	7.6

In the preceding table the diseases showing increasing rates of prevalence are mostly those which are of a chronic character and chiefly affect elderly persons. Appendicitis is an exception to this statement, and the increase in this cause of death may be largely apparent and due to greater accuracy of statement, or perhaps to some tendency among physicians to ascribe to this cause deaths that would formerly have been reported otherwise. This remark applies also to apoplexy, the increase in which should be considered with the decrease in paralysis shown in the following group.

Causes with diminishing prevalence are chiefly of an indefinite character. In time the terms "old age" and "convulsions" will disappear from statistical classifications, because the causes of death of old persons and those which produce the "convulsions" will be stated. So also definite forms of diseases of the nervous or circulatory system, instead of vague returns of "paralysis," without indicated cause, and the like, will be given more and more frequently. Physicians have already begun to do this to some extent. One term, however, of this list stands out clearly, and from the precise and definite character of the certificates compiled thereunder there can be no question as to the decrease in the deaths from scarlet fever in each year, and especially the marked diminution which occurred in 1905.

In the causes with fluctuating rates some of the most

important ones show a diminution in 1905 as compared with the annual average, although there is not an unbroken decrease of mortality from year to year. Tuberculosis of lungs shows only a slight decrease; pneumonia (lobar), a more marked one; typhoid fever, a decrease progressive since 1902; diphtheria and croup, a decrease broken only by a slight rise for 1903, and with a remarkably low death rate for 1905. Very irregular variations are shown for whooping cough and measles, which are subject to local epidemic prevalence. In this table an apparent discrepancy is the result of a change in the details of classification due to the inclusion of the indefinite term "inanition," occurring in infants under 3 months of age, under "congenital debility," instead of as formerly under "lack of care." The rates for these two titles should be taken together in making comparisons of change, and frequently each of them should be considered as practically equivalent to a statement of cause of death unknown. The change was made to conform to American usage in dealing with the term "inanition," which is seldom used by physicians with intent to convey the meaning *lack of care*.

GENERAL DISEASES.

The list of causes of death included under this division of the International Classification may be found in Table III. It forms the largest and most important class of causes embraced in the classification. The total number of deaths thus compiled for 1905 was 145,263, of which number 39,089 were from epidemic diseases and 106,174 were from other general diseases, the latter class embracing 65,352 deaths from various forms of tuberculosis and 24,330 deaths from cancer.

Typhoid fever.—There were 9,479 deaths from typhoid fever in the registration area during the year 1905, a considerably smaller number than that shown for any of the past five years. Typhoid fever causes more deaths than any other of the epidemic diseases, as shown in Table III, where the deaths and death rates for the years 1901 to 1905, with the quinquennial average for the period 1900–1904, are stated.

Although the rate was lower in the registration area of the United States than during previous years, it is still far in excess of the average death rate from this cause shown in most European countries, according to the statistics derived from the report of the Registrar-General of England and Wales and given in the following table:

COUNTRY.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States...	33.7	32.4	31.4	34.3	31.9	28.1
England and Wales	12.9	15.5	12.6	10.0	9.3	8.9
Scotland	12.7	16.0	12.0	12.0	8.9	(1)
Ireland	14.2	19.0	14.0	11.0	10.6	11.4
Germany	8.5	11.0	7.0	6.9	(1)	(1)
Norway	6.2	8.0	5.0	6.4	(1)	(1)
Sweden	12.2	13.0	10.0	(1)	(1)	(1)
Hungary	28.3	29.0	27.0	28.0	25.4	(1)
Belgium	20.2	22.0	18.0	16.0	(1)	(1)
Switzerland	6.5	7.0	6.0	5.0	7.7	(1)
Italy	37.8	36.0	35.0	35.0	36.7	32.4

(1) No figures available.

The average death rate from typhoid fever in the registration area of the United States is nearly three times as great as that of England and Wales for the five-year period 1900–1904, and while the rate for the United States fell from 32.4 in 1901 to 28.1 in 1905, that of England has shown a greater numerical and a much greater proportional reduction, namely, from 15.5 in 1901 to 8.9 in 1905, thus approaching to the average rate for the German Empire, Norway, and Switzerland. The only European country given in the table which has a greater average death rate from this cause than that of the registration area of the United States is Italy.

In the following table comparisons may be made of the mortality from typhoid fever in the various subdivisions of the registration area, including the registration states and the registration cities of 100,000 population or over in 1900:

AREA.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	33.7	32.4	31.4	34.3	31.9	28.1
Registration cities	36.1	33.8	37.5	38.1	35.1	30.1
Registration states	26.6	27.5	26.3	24.6	23.8	22.4
Cities in registration states	25.7	26.5	25.8	24.6	24.0	22.0
Rural part of registration states	27.8	28.8	26.9	24.5	23.7	23.0
Registration cities in other states	46.8	41.4	49.3	51.9	46.4	38.3
Registration states:						
Connecticut	21.4	30.1	21.8	21.7	17.3	21.6
District of Columbia	62.8	61.4	79.1	48.8	47.0	48.2
Indiana	45.6	46.7	49.0	40.7	40.7	37.3
Maine	30.5	32.2	24.5	32.5	35.3	22.4
Massachusetts	19.0	19.9	18.5	18.1	16.7	18.0
Michigan	27.3	26.3	24.5	24.1	25.2	24.2

AREA.	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
Registration states—Cont'd.						
New Hampshire.....	20.3	18.8	18.1	24.4	18.6	15.4
New Jersey.....	20.2	19.5	21.6	19.5	18.6	16.4
New York.....	23.8	21.9	23.2	22.2	21.3	19.9
Rhode Island.....	20.9	23.5	20.3	17.6	11.9	17.1
Vermont.....	27.2	28.7	19.1	24.8	29.9	24.6
Registration cities of 100,000 population or over in 1900.						
Allegheny, Pa.....	103.4	75.0	121.6	102.9	123.2	126.7
Baltimore, Md.....	56.5	28.7	42.0	35.0	37.5	35.7
Boston, Mass.....	22.8	23.8	22.1	20.5	23.6	20.8
Buffalo, N. Y.....	28.7	27.1	33.7	34.6	21.2	21.1
Chicago, Ill.....	29.7	29.8	45.1	32.1	20.2	16.5
Cincinnati, Ohio.....	55.8	54.9	61.9	42.7	80.2	41.1
Cleveland, Ohio.....	58.7	31.9	35.5	115.0	49.6	14.9
Columbus, Ohio.....	65.8	48.1	37.1	37.6	147.7	85.1
Denver, Colo.....	47.0	48.7	60.6	55.7	30.3	40.6
Detroit, Mich.....	21.9	20.1	23.5	20.0	17.6	21.2
Fall River, Mass.....	20.9	25.7	11.4	22.8	18.9	11.3
Indianapolis, Ind.....	48.2	32.1	44.5	51.1	68.4	30.2
Jersey City, N. J.....	18.4	16.1	20.3	14.9	18.9	19.8
Kansas City, Mo.....	48.8	45.5	38.2	50.3	43.1	61.4
Louisville, Ky.....	58.5	46.0	60.3	59.8	61.6	49.4
Memphis, Tenn.....	45.5	51.8	39.1	41.3	46.0	33.8
Milwaukee, Wis.....	17.5	22.1	15.1	16.8	13.6	22.7
Minneapolis, Minn.....	41.5	58.7	26.9	41.1	40.4	24.4
New Haven, Conn.....	41.5	94.4	39.1	36.6	27.4	42.8
New Orleans, La.....	44.9	50.1	44.2	40.9	36.7	32.6
New York, N. Y.....	19.0	20.6	20.3	17.1	16.8	16.0
Bronx borough.....	14.4	16.3	15.7	14.8	12.0	14.4
Brooklyn borough.....	22.6	22.4	21.3	19.4	22.4	21.3
Manhattan borough.....	17.1	19.9	18.5	15.9	13.4	12.7
Queens borough.....	19.9	17.9	21.1	16.1	19.6	17.7
Richmond borough.....	20.2	26.4	14.4	19.8	20.9	15.1
Newark, N. J.....	20.0	23.8	19.6	22.9	13.0	14.1
Omaha, Nebr.....	19.1	24.5	21.9	11.5	17.1	21.9
Paterson, N. J.....	22.3	23.5	31.1	22.0	7.3	14.3
Philadelphia, Pa.....	49.6	31.6	47.5	72.6	55.0	51.1
Pittsburg, Pa.....	137.6	123.8	140.6	136.5	130.4	107.0
Providence, R. I.....	21.1	25.0	21.4	19.5	15.5	20.1
Rochester, N. Y.....	14.7	17.4	11.8	12.1	15.8	11.5
St. Joseph, Mo.....	13.9	14.2	13.9	8.1	12.4	7.8
St. Louis, Mo.....	39.3	33.1	40.0	52.4	37.9	23.6
St. Paul, Minn.....	14.2	13.5	13.6	10.4	13.7	16.7
San Francisco, Cal.....	28.2	25.1	29.6	25.0	31.4	23.9
Syracuse, N. Y.....	25.3	31.4	19.6	18.2	10.7	17.2
Syracuse, N. Y.....	18.8	19.1	8.0	17.6	18.2	17.1
Toledo, Ohio.....	34.7	32.2	31.7	29.5	37.2	45.7
Washington, D. C.....	62.8	61.4	79.1	48.8	47.0	48.2
Worcester, Mass.....	16.4	21.6	13.9	15.3	6.3	21.1

In the preceding table, as in the table showing death rates from this disease in minor cities having an unusually high mortality during any of the years 1901 to 1905, rates in excess of 100 per 100,000 of population are indicated by bold face type. This limit, although somewhat arbitrary, may be taken as a convenient line of difference between ordinary and epidemic prevalence for use until sanitarians are agreed upon a more accurate distinction.

The decline in the death rate from typhoid fever in the registration area was due to the decreased death rates from this cause in each one of its main subdivisions. The rates for 1905 were not only lower than those for the preceding year, but were lower than those for any of the individual years given in the table. It will be noted that in 1905 the death rate of the rural population in the registration states was somewhat higher than that of the urban population, contrary to the relations shown for the years 1903 and 1904.

There was some diversity among the registration

states: five of them, Indiana (37.3), Maine (22.4), New Hampshire (15.4), New Jersey (16.4), and New York (19.9), showing rates for the year lower than for any of the preceding years shown in the table, while Connecticut (21.6), District of Columbia (48.2), Massachusetts (18), and Rhode Island (17.1) show an increased mortality from this cause as compared with 1904. In each of the registration states, however, the mortality from typhoid fever for 1905 was below the average rate for the preceding five-year period.

In the registration cities of 100,000 population or over in 1900 a considerable number showed a decreased mortality and a rate for the year 1905 lower than that for any preceding year shown in the table. These were Chicago, Ill. (16.5); Cincinnati, Ohio (41.1); Cleveland, Ohio (14.9); Fall River, Mass. (11.3); Indianapolis, Ind. (30.2); Memphis, Tenn. (33.8); Minneapolis, Minn. (24.4); New Orleans, La. (32.6); New York, N. Y. (16); Pittsburg, Pa. (107.9); Rochester, N. Y. (11.5); St. Joseph, Mo. (7.8); St. Louis, Mo. (22.6); and San Francisco, Cal. (23.9).

In contrast to this extended list only the following cities showed rates increasing in 1905 and higher than for any preceding year: Allegheny, Pa. (126.7); Milwaukee, Wis. (22.7); Omaha, Nebr. (24.9); and Toledo, Ohio (45.7).

In order to show the general character of the changes in the death rates from individual diseases for those registration areas covered by the state censuses of 1905, the following comparative table showing the original and corrected figures for typhoid fever has been prepared:

AREA.	Statement.	Annual average: 1900 to 1901.	1901	1902	1903	1904
The registration area.....						
Original.....		33.8	32.4	31.5	34.4	32.0
Corrected.....		33.7	32.4	31.4	34.3	31.9
Registration cities.....						
Original.....		36.3	33.9	37.5	38.2	35.2
Corrected.....		36.1	33.8	37.5	38.1	35.1
Registration states.....						
Original.....		26.7	27.5	26.3	24.7	24.0
Corrected.....		26.6	27.5	26.3	24.6	23.8
Cities in registration states.....						
Original.....		25.8	26.5	25.9	24.6	24.0
Corrected.....		25.7	26.5	25.8	24.6	24.0
Rural part of registration states.....						
Original.....		27.8	28.8	27.0	24.7	23.8
Corrected.....		27.8	28.8	26.9	24.5	23.7
Registration cities in other states.....						
Original.....		46.8	41.4	49.4	52.1	46.6
Corrected.....		46.8	41.4	49.3	51.9	46.4
Massachusetts.....						
Original.....		18.8	19.8	18.3	17.8	16.3
Corrected.....		19.0	19.9	18.5	18.1	16.7
New Jersey.....						
Original.....		20.4	19.6	21.6	19.7	18.9
Corrected.....		20.2	19.5	21.6	19.5	18.6
New York.....						
Original.....		23.9	25.0	23.4	22.5	21.6
Corrected.....		23.8	24.9	23.2	22.2	21.3
Rhode Island.....						
Original.....		21.1	23.6	20.4	17.9	15.2
Corrected.....		20.9	23.5	20.3	17.6	14.9
Boston, Mass.....						
Original.....		22.4	23.6	21.8	20.0	22.9
Corrected.....		22.8	23.8	22.1	20.5	23.6
Buffalo, N. Y.....						
Original.....		28.0	26.8	32.8	33.3	23.0
Corrected.....		28.7	27.1	33.7	34.6	24.2
Fall River, Mass.....						
Original.....		19.6	25.0	10.8	21.0	17.1
Corrected.....		20.9	25.7	11.4	22.8	18.9
Jersey City, N. J.....						
Original.....		18.6	16.1	20.5	15.0	19.2
Corrected.....		18.4	16.1	20.3	14.9	18.9
Milwaukee, Wis.....						
Original.....		17.1	21.9	14.7	16.3	13.1
Corrected.....		17.5	22.1	15.1	16.8	13.6
Minneapolis, Minn.....						
Original.....		44.7	61.0	29.0	45.8	46.3
Corrected.....		41.5	58.7	26.9	41.1	40.4

AREA.	Statement.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.				
		Annual average 1900 to 1901.	1901	1902	1903	1904
Registration cities in other states—Continued.						
New York, N. Y.	Original	19.2	20.7	20.6	17.4	17.2
	Corrected	19.0	20.6	20.3	17.1	16.8
Bronx borough	Original	14.8	16.5	16.2	15.4	12.6
	Corrected	14.1	16.3	15.7	14.8	12.0
Brooklyn borough	Original	22.8	22.5	24.5	19.6	22.7
	Corrected	22.6	22.4	24.3	19.1	22.4
Manhattan borough	Original	17.2	20.0	18.7	16.1	13.7
	Corrected	17.1	19.9	18.5	15.9	13.4
Queens borough	Original	20.5	18.2	21.7	16.8	20.6
	Corrected	19.9	17.9	21.1	16.1	19.6
Richmond borough	Original	20.0	26.3	14.3	19.5	20.5
	Corrected	20.2	26.1	14.4	19.8	20.9
Newark, N. J.	Original	20.1	23.8	19.8	23.0	13.6
	Corrected	20.0	23.8	19.6	22.9	13.6
Paterson, N. J.	Original	21.7	23.2	33.5	21.2	6.9
	Corrected	22.3	23.5	34.4	22.0	7.3
Providence, R. I.	Original	21.3	25.1	21.3	19.8	15.8
	Corrected	21.1	25.0	21.1	19.5	15.5
Rochester, N. Y.	Original	14.9	17.5	14.9	12.3	16.1
	Corrected	14.7	17.1	14.8	12.1	15.8
St. Paul, Minn.	Original	14.8	13.8	14.2	11.0	14.9
	Corrected	14.2	13.5	13.6	10.4	13.7
Syracuse, N. Y.	Original	18.7	19.0	8.0	17.5	18.0
	Corrected	18.8	19.1	8.0	17.6	18.2
Worcester, Mass.	Original	16.0	21.3	13.6	14.8	6.1
	Corrected	16.4	21.6	13.9	15.3	6.3

In the preceding table the original figures are those published in the last report, Mortality Statistics, 1900 to 1904, and the corrected figures are those previously given in this report. As a rule the differences are unimportant, although the rate employed, number of deaths per 100,000 of population, brings out more differences than the rate per 1,000 used for the death rates of all causes. The numerical differences are also smaller for causes of death showing a lower mortality than typhoid fever, and larger for causes with a higher mortality, although, of course, the relative amounts of change are the same for each individual area.

The maximum difference in 1904 for the main subdivisions of the registration area was only 0.2 per 100,000 of population, and, in the four registration states which had censuses in 1905, the greatest difference in rates for the year 1904 was an increase of 0.4 per 100,000 of population in Massachusetts. Greater variations appear in a few of the larger cities. There was an increased rate of 0.7 per 100,000 of population for Boston, Mass.; an increase of 1.2 for Buffalo, N. Y.; an increase of 1.8 for Fall River, Mass.; an increase of 0.5 for Milwaukee, Wis.; a decrease of 5.9 for Minneapolis, Minn.; a decrease of 0.6 for Bronx borough, N. Y.; a decrease of 1 for Queens borough, N. Y., and a decrease of 1.2 for St. Paul, Minn. Similar comparisons could be made for other causes of death, but reference to this table for typhoid fever will show the general tendency, and it is only necessary to make exclusive use of the tables in the present report to avoid any possibility of using uncorrected rates. For minor cities, in addition to the special tables given in the text, reference to Table II for general death rates, and to

Table IV for death rates from individual diseases, will afford rates revised according to the latest population data.

The following table shows the minor cities of the registration area having a death rate of 100 or more per 100,000 of population from typhoid fever during any of the years 1901 to 1905:

REGISTRATION CITY.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Alexandria, Va.	27.5	68.7	61.7	102.7	41.0
Allentown, Pa.	46.7	189.5	33.8	32.9	41.9
Ashtabula, Ohio	41.9	36.3	49.4	137.1	60.0
Augusta, Me.	81.8	50.4	232.7	49.4	48.9
Bangor, Me.	104.0	35.7	44.1	187.4	77.5
Biddeford, Me.	110.5	60.7	54.0	65.4	76.5
Bristol town, Conn.	40.6	19.8	126.0	47.4	18.6
Cohoes, N. Y.	66.8	125.2	95.8	104.0	51.0
Columbia, Pa.	80.1	79.0	51.5	122.3	45.3
Columbus, Ind.	36.3	23.8	35.1	103.5	45.3
Cortland, N. Y.	117.6	10.3	38.0	9.2	26.8
Escanaba, Mich.	50.3	67.8	28.0	351.4	182.8
Fresno, Cal.	182.0	117.2	123.4	60.9	87.7
Hammond, Ind.	92.3	66.0	126.2	40.3	61.4
Harrisburg, Pa.	66.5	63.4	103.9	59.4	69.3
Hudson, N. Y.	61.9	71.0	39.9	166.7	48.2
Ithaca, N. Y.	44.7	7.3	336.9	28.1	13.8
Jacksonville, Fla.	33.7	128.4	61.4	83.3	93.5
Jacksonville, Ill.	32.7	36.7	101.8	56.5	31.0
Jeffersonville, Ind.	111.3	37.0	64.8	46.2	27.7
Johnstown, Pa.	116.4	36.0	22.5	34.1	45.1
Leadville, Colo.	55.3	38.9	22.9	246.1	11.4
Lynchburg, Va.	78.6	165.5	74.9	114.4	58.2
McKeesport, Pa.	81.5	81.3	81.0	134.6	85.7
Marietta, Ohio	115.5	90.5	71.0	65.0	31.5
Meadville, Pa.	86.8	105.3	47.5	17.2	31.2
Menominee, Mich.	56.5	25.1	86.8	117.2	46.9
Mobile, Ala.	68.9	80.1	51.6	57.9	106.7
Muscatine, Iowa	35.0	41.4	88.5	100.8	59.7
Newcastle, Pa.	57.1	192.5	122.7	64.7	50.8
Niagara Falls, N. Y.	143.9	130.4	126.9	139.8	181.6
Petersburg, Va.	82.5	96.3	96.3	105.5	64.2
Phillipsburg, N. J.	28.8	102.1	7.9	15.4	22.5
Pueblo, Colo.	101.7	311.7	184.7	111.5	68.9
Salt Lake City, Utah	79.0	72.4	61.3	74.1	101.8
Sault Ste. Marie, Mich.	92.9	172.9	115.9	52.4	68.6
South Bethlehem, Pa.	29.6	57.8	205.3	18.5	13.6
Stechlin, Pa.	32.3	276.6	184.1	52.5	51.4
Vincennes, Ind.	38.5	57.0	55.2	118.1	33.8
Washington, Ind.	125.0	22.1	43.0	41.9	71.5
Watertown, N. Y.	49.1	64.9	71.3	211.7	23.7
Wichita, Kans.	114.4	85.2	44.4	28.3	38.6
Youngstown, Ohio	136.8	135.5	180.0	89.8	67.9

Only four of the smaller cities shown in the table had death rates exceeding 100 per 100,000 of population from typhoid fever during the year 1905: Escanaba, Mich. (182.8); Mobile, Ala. (106.7); Niagara Falls, N. Y. (181.6); Salt Lake City, Utah (101.8). The rate in Escanaba for the year 1905, although high, was much lower than the rate for 1904 (351.4). Niagara Falls, N. Y., has shown a mortality from typhoid fever in excess of 100 deaths per 100,000 of population for each of the past five years, and is the only minor city in the registration area of the United States in which such a persistently high death rate occurs from this disease.

The following table shows the sex distribution of typhoid fever for the registration area and also the age distribution in quinquennial periods and single years under 5:

SEX AND AGE.	NUMBER OF DEATHS FROM TYPHOID FEVER.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	10,771	10,127	10,980	11,149	10,557	9,479
Sex:						
Male	6,333	5,937	6,467	6,585	6,298	5,532
Female	4,439	4,190	4,513	4,564	4,259	3,947
Age:						
Under 1 year	77	77	87	70	66	49
1 year	97	89	91	98	106	81
2 years	109	88	130	116	105	110
3 years	125	113	133	128	121	121
4 years	120	113	135	111	126	117
Under 5 years	527	480	576	523	527	481
5 to 9 years	639	558	613	666	601	489
10 to 14 years	755	667	756	786	762	662
15 to 19 years	1,426	1,319	1,464	1,491	1,341	1,254
20 to 24 years	1,768	1,601	1,813	1,860	1,737	1,561
25 to 29 years	1,482	1,139	1,587	1,555	1,398	1,279
30 to 34 years	1,093	1,038	1,115	1,123	1,079	932
35 to 39 years	857	829	836	900	854	759
40 to 44 years	634	626	650	638	571	544
45 to 49 years	467	411	412	461	481	443
50 to 54 years	334	314	358	305	338	317
55 to 59 years	249	238	226	250	257	245
60 to 64 years	204	201	213	176	213	191
65 to 69 years	149	151	158	132	119	118
70 to 74 years	103	99	92	97	121	95
75 to 79 years	57	48	63	75	47	55
80 to 84 years	26	27	24	28	30	27
85 to 89 years	9	8	9	7	9	8
90 to 94 years	1	1	1	1	2	1
95 years and over	1	1	1	1	1	1
Unknown	38	32	33	43	37	18

In 1905, as in all of the other years shown, the largest number of deaths from typhoid fever occurred during the ages 20 to 24 years. Males show a considerable excess of deaths over females from this cause.

Malarial fever.—The number of deaths from malarial fever returned for the year 1905 (1,321) is shown in Table III. This number is the smallest of any individual year given in this report, and the rate, 3.9 per 100,000 of population, is also the lowest since the beginning of this series of reports. It is not unlikely that some of this diminution may be due to the more correct statement of typhoid fever instead of malarial fever in some cases reported. Deaths returned from "typho-malarial fever" are compiled under typhoid fever.

In the following table the distribution of mortality from malarial fever is given for the main subdivisions of the registration area, for the registration states, and for cities of 100,000 population or over in 1900:

AREA.	NUMBER OF DEATHS FROM MALARIAL FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	5.6	6.3	5.4	4.3	4.2	3.9
Registration cities	6.0	6.9	5.9	4.6	4.6	4.1
Registration states	4.2	5.0	4.6	3.0	2.9	2.5
Cities in registration states	3.7	4.9	3.7	2.5	2.6	1.8
Rural part of registration states	4.7	5.0	4.3	3.7	3.3	3.5
Registration cities in other states	8.2	8.8	8.2	6.7	6.6	6.4
Registration states:						
Connecticut	8.4	11.2	9.4	5.5	4.7	6.7
District of Columbia	11.1	15.2	11.1	7.5	4.0	3.6
Indiana	8.5	9.3	7.4	5.9	5.6	5.1
Maine	1.9	1.6	3.0	1.6	1.5	1.8
Massachusetts	2.5	3.2	2.0	2.2	2.0	1.4
Michigan	4.1	4.6	4.0	2.6	2.6	2.3

AREA.	NUMBER OF DEATHS FROM MALARIAL FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Registration states—Continued.						
New Hampshire	1.7	1.7	0.5	1.9	2.1	1.6
New Jersey	3.7	4.4	3.2	3.1	2.8	2.1
New York	3.1	3.8	3.1	2.1	2.3	1.7
Rhode Island	6.2	8.0	5.8	6.1	4.3	3.3
Vermont	1.4	1.5	1.2	1.4	1.7	1.7
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.	0.7	1.5	1.5			0.7
Baltimore, Md.	6.5	7.7	6.1	4.1	4.8	3.3
Boston, Mass.	1.0	1.6	1.4		0.5	0.5
Buffalo, N. Y.	0.8	0.8	0.3	0.5	3.8	
Chicago, Ill.	1.0	1.2	0.9	1.0	0.5	0.9
Cincinnati, Ohio	2.4	4.6	4.2	1.2	0.9	0.6
Cleveland, Ohio	1.2	1.8	0.7	0.7	1.2	1.1
Columbus, Ohio	3.0	5.4		1.5	2.9	
Denver, Colo.	0.7	0.7	0.7	0.7	0.7	2.0
Detroit, Mich.	2.7	3.4	3.0	1.6	2.2	0.9
Fall River, Mass.	1.0	1.9	1.0		0.9	1.9
Indianapolis, Ind.	5.3	2.8	7.0	3.5	4.4	2.4
Jersey City, N. J.	3.7	4.7	3.2	2.3	2.6	1.3
Kansas City, Mo.	7.1	7.8	5.9	8.1	7.4	6.7
Louisville, Ky.	5.2	7.2	5.2	2.3	5.9	6.3
Memphis, Tenn.	140.2	112.2	132.0	117.0	138.8	122.1
Milwaukee, Wis.	0.3		0.3	0.3	0.6	0.3
Minneapolis, Minn.	0.4		0.4			0.8
New Haven, Conn.	9.8	12.7	8.9	5.2	8.6	10.9
New Orleans, La.	35.1	38.1	32.8	26.3	22.9	16.1
New York, N. Y.	3.7	5.0	3.5	2.0	2.7	1.4
Bronx borough	12.2	21.9	10.0	5.8	6.2	2.6
Brooklyn borough	4.1	4.7	4.1	2.5	4.3	1.8
Manhattan borough	1.9	2.6	2.1	1.1	1.1	0.8
Queens borough	9.9	11.7	4.7	3.9	4.2	3.5
Richmond borough	5.8	8.8	5.8	4.3	2.8	1.4
Newark, N. J.	3.9	6.3	4.2	1.1	3.7	1.4
Omaha, Nebr.	1.8		2.7	0.9	2.6	1.7
Paterson, N. J.	3.7	2.8	4.6	2.8	2.7	2.7
Philadelphia, Pa.	1.1	1.2	1.5	0.9	1.2	1.3
Pittsburg, Pa.	1.5	2.1	1.8	1.2		1.1
Providence, R. I.	7.0	8.3	8.1	5.3	4.6	3.5
Rochester, N. Y.	1.2	0.6	0.6		2.8	
St. Joseph, Mo.	3.7	1.9	3.7	2.7	2.6	5.2
St. Louis, Mo.	9.2	7.8	7.3	10.0	10.2	15.4
St. Paul, Minn.	(¹)			0.5		
San Francisco, Cal.	2.8	1.4	2.6	2.0	3.9	1.1
Scranton, Pa.	2.8	1.0	4.7	0.9	1.7	2.6
Syracuse, N. Y.	0.9	1.8			0.9	
Toledo, Ohio	4.9	2.9	7.8	2.7	2.6	5.2
Washington, D. C.	11.1	15.2	11.1	7.5	4.0	3.6
Worcester, Mass.	5.7	6.6	5.7	8.9	4.0	3.1

¹ Less than one-tenth.

There was a decrease in each of the main subdivisions of the registration area in 1905 as compared with 1904, except in the rural part of the registration states, where the death rate rose from 3.3 to 3.5 per 100,000 of population.

For the year 1905 six states and the District of Columbia (urban) show a decrease, and also the lowest annual rate from this cause for any year shown in the table: District of Columbia (3.6); Indiana (5.1); Massachusetts (1.4); Michigan (2.3); New Jersey (2.4); New York (1.7); and Rhode Island (3.3). Connecticut (6.7) and Maine (1.8) showed increased rates for the year, but the rates were not as high as the annual average for the five-year period 1900–1904.

A number of the larger registration cities also showed minimum rates for 1905 from malarial fever. As malarial fever is a quite insignificant cause of death for the most part, and the returns are sometimes of doubt-

ful value, it will hardly be worth while to enumerate the individual cities.

The city of 100,000 population or over showing the greatest mortality for the year from this cause is Memphis, Tenn. (122.1), which rate is lower than that for the preceding year (138.8) and the average for the five-year period 1900-1904 (140.2). Next to Memphis, but separated very widely from it, comes New Orleans, La., with a death rate of 16.1 in 1905 and an annual average rate of 35.1, followed by St. Louis, Mo., whose rate for 1905 (15.4) is a maximum for the series of years, and by New Haven, Conn., whose rate for 1905 (10.9) is the highest for any year since 1901. In this table, as in the following one showing the death rates from malarial fever in minor cities, rates in excess of 50 per 100,000 of population are indicated by bold face type.

Minor cities of the registration area having death rates of 50 or more per 100,000 of population from malarial fever during any one of the past five years are shown in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM MALARIAL FEVER PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Charleston, S. C.	85.9	66.1	46.4	46.3	42.7
Jacksonville, Fla.	278.5	150.8	117.5	59.0	90.6
Meriden town, Conn.	35.1	40.9	40.4	20.0	16.5
Mobile, Ala.	56.1	45.1	51.0	26.6	33.2
Paducah, Ky.	235.0	146.7	119.3	121.2	118.4
Petersburg, Va.	27.5	91.7	45.8	55.0	55.0
San Antonio, Tex.	65.6	46.1	75.8	47.0	11.4
Savannah, Ga.	150.0	138.7	92.7	101.5	151.5
Wilmington, N. C.	246.8	264.7	178.8	206.1	116.0

The sex and age distribution of deaths returned from malarial fever in the registration area may be seen in the following table:

		NUMBER OF DEATHS FROM MALARIAL FEVER.					
SEX AND AGE.		Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate.....		1,791	1,980	1,738	1,410	1,391	1,321
Sex:							
Male.....		902	1,008	917	673	705	676
Female.....		889	972	821	737	686	645
Age:							
Under 1 year.....		167	209	138	126	130	115
1 year.....		91	99	95	69	68	74
2 years.....		63	59	58	52	51	48
3 years.....		50	47	45	35	32	32
4 years.....		33	29	36	29	24	19
Under 5 years.....		404	413	372	311	308	288
5 to 9 years.....		113	145	109	73	94	73
10 to 14 years.....		65	80	59	52	44	49
15 to 19 years.....		95	101	91	82	68	61
20 to 24 years.....		114	129	102	91	81	87
25 to 29 years.....		105	107	105	91	79	86
30 to 34 years.....		93	100	95	77	70	65
35 to 39 years.....		91	111	88	62	76	64
40 to 44 years.....		76	74	81	61	64	49
45 to 49 years.....		77	99	63	51	73	73
50 to 54 years.....		86	93	97	53	75	61
55 to 59 years.....		84	90	84	67	66	56
60 to 64 years.....		89	91	96	80	71	81
65 to 69 years.....		85	80	91	76	60	70
70 to 74 years.....		85	86	91	62	61	43
75 to 79 years.....		60	68	45	50	54	52
80 to 84 years.....		35	42	36	31	21	26
85 to 89 years.....		17	21	15	16	9	16
90 to 94 years.....		5	6	7	1	1	2
95 years and over.....		2	2	2	1	1	2
Unknown.....		7	12	3	7	7	6

A slight excess of deaths of males is shown for each year except 1903, but the relative excess is less for this disease than for typhoid fever. The largest number of deaths at any five-year period was for children under 5 years.

Smallpox.—By reference to Table III it will be seen that the number of deaths and the annual death rates from smallpox in the registration area of the United States have been rapidly diminishing since 1902. The number of deaths compiled for the year 1905 (308) is less than one-half of the number recorded for the preceding year, and the death rate of 0.9 per 100,000 of population shows how insignificant the disease has become as a factor of mortality. The mortality from smallpox in this country may be compared with that of certain foreign countries by means of the following table:

COUNTRY.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States.....	3.7	3.5	6.6	4.2	2.1	0.9
England and Wales.....	2.5	1.0	7.5	2.3	1.5	0.3
Scotland.....	2.8	6.0	2.0	1.0	4.0	(1)
Germany.....	0.1	0.1	(2)	(2)	(1)	(1)
Hungary.....	2.7	4.0	2.0	1.0	2.2	(1)
Belgium.....	10.0	4.0	9.0	23.0	(1)	(1)
Spain.....	26.6	28.0	30.0	25.1	15.2	(1)
Italy.....	9.3	10.0	7.0	18.0	9.3	1.4

¹ No figures available.

² Less than one-tenth.

The distribution of smallpox in the subdivisions of the registration area and in the principal cities may be seen in the following table:

AREA.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	3.7	3.5	6.6	4.2	2.1	0.9
Registration cities.....	4.6	4.4	7.9	5.4	2.5	1.1
Registration states.....	2.6	3.6	6.5	1.5	0.8	0.6
Cities in registration states.....	3.4	5.5	9.0	1.8	0.6	0.6
Rural part of registration states.....	1.5	1.3	3.4	1.2	1.1	0.5
Registration cities in other states.....	5.8	3.2	6.8	9.2	4.5	1.5
Registration states:						
Connecticut.....	0.4	0.4	1.5	0.1		
District of Columbia.....	0.7		0.3	0.7	0.3	3.0
Indiana.....	3.2	0.8	3.0	7.5	3.7	1.3
Maine.....	0.7	1.6	1.0	1.0	0.4	
Massachusetts.....	2.9	3.4	9.8	0.8	0.3	0.1
Michigan.....	1.0	1.1	1.6	1.2	1.1	2.9
New Hampshire.....	0.7	1.2	1.7		0.5	
New Jersey.....	6.2	7.2	21.6	0.8	1.1	(1)
New York.....	9.6	5.9	5.5	0.5	0.2	0.1
Rhode Island.....	2.0	1.1	8.2	0.7		
Vermont.....	0.3		0.6	0.9		
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.....	22.1	0.7	5.9	88.4	12.1	
Baltimore, Md.....	0.6		1.3	0.4	0.7	
Boston, Mass.....	13.2		32.9	2.2		0.2
Buffalo, N. Y.....	0.6	0.6	0.8	1.1		
Chicago, Ill.....	1.0	0.2	0.3	2.5	1.5	3.1
Cincinnati, Ohio.....	2.4	0.3	1.8	4.2	3.5	0.6
Cleveland, Ohio.....	14.9	5.1	57.8	5.5	1.4	
Columbus, Ohio.....	7.6		0.8	36.9		1.4
Denver, Colo.....		1.5				
Detroit, Mich.....	1.3	0.3	2.3	3.6	0.3	0.3

MORTALITY STATISTICS.

AREA.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.				
	Annual average: 1900 to 1901.	1901	1902	1903	1904 1905
Registration cities of 100,000 population or over in 1900—Cont'd.					
Fall River, Mass.	1.0	1.0	1.9	0.9	
Indianapolis, Ind.	12.9	1.1	9.1	52.1	0.5
Jersey City, N. J.	1.4	1.1	5.1	0.5	
Kansas City, Mo.	4.7	3.6	4.7	4.6	13.9
Louisville, Ky.	2.8	1.0	1.4	7.9	3.2 0.4
Memphis, Tenn.	5.5	9.4	4.6	1.8	7.7 0.8
Milwaukee, Wis.	0.3	0.3	0.7	0.3	0.3 0.3
Minneapolis, Minn.	3.1	0.5		3.7	6.8 0.4
New Haven, Conn.					
New Orleans, La.	31.8	17.8	1.4	1.3	1.9
New York, N. Y.	4.9	11.1	8.4	0.1	0.2 0.2
Bronx borough	45.9	145.3	88.2	1.2	0.1
Brooklyn borough	2.3	1.0	7.1	0.2	0.5 0.7
Manhattan borough	0.6	1.7	0.9		(1)
Queens borough	(1)	1.2			
Richmond borough	(1)		1.4		
Newark, N. J.	20.4	28.1	72.2	1.1	
Omaha, Nebr.	0.9	2.8	2.7		0.9
Paterson, N. J.	0.9	0.9	4.6		
Philadelphia, Pa.	13.5	13.5	16.2	20.6	16.2
Pittsburg, Pa.	27.3	1.2	36.5	91.3	5.7
Providence, R. I.	1.1	1.1	1.3		
Rochester, N. Y.	11.8		45.3	13.8	
St. Joseph, Mo.	3.7	6.6	8.3	0.9	1.8
St. Louis, Mo.	2.5	1.1	1.5	0.6	8.2 95.8
St. Paul, Minn.	2.3	0.6		8.7	1.1 0.5
San Francisco, Cal.	0.6	0.3		0.6	0.3
Scranton, Pa.	0.9		0.9	1.8	
Syracuse, N. Y.					
Toledo, Ohio	2.1		7.8	2.1	0.6
Washington, D. C.	0.7		6.3	0.7	0.3 3.0
Worcester, Mass.	0.8	3.3	0.8		

In the above table, as in the table for minor cities below, rates exceeding 40 per 100,000 of population are indicated by bold face type. The decrease in the death rate was shared by each principal subdivision of the registration area, except that the cities in registration states showed the same mortality in 1904 and 1905 (0.6 per 100,000 of population).

Several states—Connecticut, Maine, New Hampshire, Rhode Island, and Vermont—reported no deaths from smallpox for 1905. Of those reporting deaths from this cause the lowest rates per 100,000 of population occurred in the states of Massachusetts (0.1), New Jersey (less than 0.1), and New York (0.1); while the state of Michigan (2.9) showed a higher rate for 1905 than for any of the previous years shown.

In the larger cities the most serious epidemic in 1905 was in St. Louis, Mo., with a mortality of 95.8 per 100,000 of population from this cause. Next, but separated very widely from it, comes Kansas City, Mo., with a death rate of 13.9 per 100,000 of population, followed by Chicago, Ill., with a rate of 3.1, and Washington, D. C., with a rate of 3.

In the following table the death rates are given for minor cities of the registration area in which the mortality from smallpox exceeded 40 per 100,000 of population in any one of the past five years:

REGISTRATION CITY.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Bellaire, Ohio.		10.1	90.8		
Belleville, Ill.		33.1	250.9	10.8	
Ironton, Ohio.		8.3	41.6	49.7	
Jackson, Mich.			19.8	43.4	
Johnstown, Pa.		59.1	27.5	4.9	
Marietta, Ohio.			47.1		
Plymouth, Pa.	99.5				
Portsmouth, Ohio.	16.4	37.2	41.5		
Terre Haute, Ind.			50.0		
Washington, Ind.			129.1		
Woonsocket, R. I.	83.0				

The sex and age distribution of deaths from smallpox is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM SMALLPOX.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate.....	1,180	1,085	2,111	1,382	709	308
Sex:						
Male.....	743	660	1,355	872	446	202
Female.....	437	425	756	510	263	106
Age:						
Under 1 year.....	131	156	250	111	66	25
1 year.....	56	73	108	52	31	6
2 years.....	42	49	93	31	25	5
3 years.....	31	47	54	32	16	5
4 years.....	24	23	48	22	18	6
Under 5 years.....	284	348	553	278	156	47
5 to 9 years.....	52	59	104	41	21	10
10 to 14 years.....	22	18	31	18	14	4
15 to 19 years.....	62	36	96	80	46	16
20 to 24 years.....	150	115	230	213	81	39
25 to 29 years.....	153	113	272	191	96	44
30 to 34 years.....	113	101	201	137	75	38
35 to 39 years.....	101	85	182	146	56	28
40 to 44 years.....	72	65	131	91	44	23
45 to 49 years.....	51	45	95	56	33	21
50 to 54 years.....	35	21	66	44	26	13
55 to 59 years.....	26	28	42	28	16	10
60 to 64 years.....	15	13	30	14	13	3
65 to 69 years.....	16	16	27	14	13	4
70 to 74 years.....	7	6	13	10	4	3
75 to 79 years.....	6	6	13	3	4	1
80 to 84 years.....	3	4	6	4		1
85 to 89 years.....	1	1	2			
90 to 94 years.....			1			
95 years and over.....				1	1	1
Unknown.....	7	5	16	7	7	2

About twice as many deaths of males as of females are reported from this disease. The age period showing the maximum number of deaths is that under 5 years. In 1905, however, the number of deaths of infants under 5 years (47) is but slightly larger than the number of deaths at the age period 25 to 29 (44). A much less proportion of deaths of young children occurred from this cause in 1905 than in the other years shown in the table, a circumstance which may be characteristic of the diminishing prevalence of the disease.

Measles.—In Table III the deaths and death rates from measles are shown for the individual years 1901 to 1905, together with the annual average for the five-year period 1900-1904. The number of deaths recorded

from this disease for 1905 (2,557) was 1,102 less than the number for the preceding year, and also less than the number returned for any year since 1901.

In the following table the death rates from this cause for the registration area during recent years may be compared with those of certain European countries:

COUNTRY.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Registration area of United States.....	10.1	7.3	9.5	9.9	11.0	7.6
England and Wales.....	31.0	27.6	30.2	27.4	26.4	32.4
Scotland.....	33.2	37.0	31.0	25.0	32.7	(1)
Ireland.....	15.3	10.0	21.0	16.0	11.9	18.4
Germany.....	25.2	31.0	26.0	25.6	(1)	(1)
Norway.....	10.1	5.0	13.0	13.2	(1)	(1)
Sweden.....	9.5	7.0	12.0	(1)	(1)	(1)
Hungary.....	39.2	41.0	52.0	35.0	29.8	(1)
The Netherlands.....	38.1	52.0	46.0	23.0	43.9	21.3
Belgium.....	35.5	30.0	48.0	33.0	(1)	(1)
Switzerland.....	20.0	25.0	14.0	16.0	24.0	(1)
Spain.....	65.0	99.0	57.0	53.1	51.1	(1)
Italy.....	22.6	17.0	30.0	22.0	16.0	20.1

¹No figures available.

It appears that the average annual rate in the registration area of the United States is lower than that of European countries, with the exception of Norway and Sweden. As measles is a disease of children, the great majority of deaths from this cause occurring under the age of 5 years, it is necessary to take into consideration the age distribution of the population before exact comparisons can be made of international rates.

In the following table the distribution of the mortality from measles is given for the principal subdivisions of the registration area, the registration states, and the larger cities:

AREA.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area.....	10.1	7.3	9.5	9.9	11.0	7.6
Registration cities.....	11.0	7.5	11.0	11.3	11.7	8.5
Registration states.....	10.0	7.1	9.3	8.8	11.3	7.4
Cities in registration states.....	11.9	7.7	12.1	10.6	12.9	9.1
Rural part of registration states.....	7.7	6.9	5.7	6.4	9.3	5.3
Registration states in other states.....	10.2	7.2	9.9	12.0	10.5	7.8
Registration cities:						
Connecticut.....	12.4	7.9	4.8	22.2	8.2	5.4
District of Columbia.....	8.3	3.9	5.2	15.3	1.3	2.6
Indiana.....	8.5	8.0	4.5	6.4	18.6	0.5
Iowa.....	5.3	4.2	4.3	5.7	3.2	4.8
Massachusetts.....	9.8	8.0	11.5	9.3	8.7	8.4
Michigan.....	8.0	3.1	9.4	6.9	7.5	4.0
New Hampshire.....	4.8	1.4	4.8	9.9	1.6	14.4
New Jersey.....	7.7	3.6	11.0	2.9	9.9	5.1
New York.....	12.1	10.0	11.4	8.5	14.4	11.2
Rhode Island.....	16.7	3.6	3.1	30.0	3.4	7.5
Vermont.....	6.6	9.3	6.4	8.1	0.9	10.9
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.....	23.6	27.0	38.3	29.0	15.7	55.3
Baltimore, Md.....	6.7	1.4	8.2	15.6	1.7	15.4
Boston, Mass.....	17.1	21.5	12.5	10.5	22.9	12.6
Buffalo, N. Y.....	11.6	6.2	18.8	8.7	9.9	17.5
Chicago, Ill.....	9.7	10.2	8.2	13.4	2.8	12.8

17760-07-3

AREA.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Registration cities of 100,000 population or over in 1900—Cont'd.						
Cincinnati, Ohio.....	14.2	18.3	17.3	9.9	23.1	2.9
Cleveland, Ohio.....	5.2	4.1	4.5	2.9	12.2	2.3
Columbus, Ohio.....	9.1		16.6	11.8	7.9	
Denver, Colo.....	10.0	4.4	15.3	2.7	18.2	2.7
Detroit, Mich.....	12.6	4.1	22.9	4.8	12.9	0.9
Fall River, Mass.....	11.1	1.9	21.9	12.3	6.6	31.2
Indianapolis, Ind.....	4.3	2.8		7.1	8.3	0.5
Jersey City, N. J.....	6.9	7.6	6.9	8.1	4.8	4.7
Kansas City, Mo.....	6.5		14.7	1.7	10.2	1.1
Louisville, Ky.....	3.3	1.0	2.4		6.4	0.4
Memphis, Tenn.....	12.7	1.9	1.8	3.5	17.0	
Milwaukee, Wis.....	6.7	4.8	8.1	1.3	13.3	2.9
Minneapolis, Minn.....	3.5	7.5	1.3	7.5	0.8	0.8
New Haven, Conn.....	13.3	10.0	6.2	26.2	11.6	2.5
New Orleans, La.....	6.4	0.3	0.3	0.7	10.5	
New York, N. Y.....	16.3	10.2	17.5	11.4	21.6	11.1
Bronx borough.....	32.3	17.2	57.7	11.1	43.9	17.7
Brooklyn borough.....	18.1	11.5	18.5	12.0	23.8	12.3
Manhattan borough.....	14.3	9.0	13.7	11.1	19.7	10.3
Queens borough.....	6.4	1.9	5.9	11.7	1.1	6.1
Richmond borough.....	10.1	16.1	4.3	5.7	5.6	2.7
Newark, N. J.....	13.1	6.7	20.7	0.8	13.9	4.2
Omaha, Nebr.....	5.5		13.7	4.4	8.5	1.7
Paterson, N. J.....	6.5	0.9	17.6	0.9	12.7	2.7
Philadelphia, Pa.....	16.4	3.5	11.8	17.3	22.3	6.6
Pittsburg, Pa.....	30.2	17.3	54.3	20.1	24.4	37.3
Providence, R. I.....	22.7	1.7	3.8	50.7	3.1	2.5
Rochester, N. Y.....	6.5	9.0	0.6	16.0	0.6	15.9
St. Joseph, Mo.....	6.5	0.9	22.2	0.9	8.0	
St. Louis, Mo.....	7.3	2.4	1.0	23.3	5.1	51.6
St. Paul, Minn.....	4.5	7.1	6.8	7.1	1.6	0.5
San Francisco, Cal.....	9.4	14.1	12.2	9.3	6.9	0.8
Scranton, Pa.....	6.6	8.6	1.9	8.2	5.3	17.2
Syracuse, N. Y.....	7.2	0.9	5.4	11.1	4.3	5.1
Toledo, Ohio.....	7.1	5.1	11.3	3.4	8.6	1.3
Washington, D. C.....	8.3	3.9	5.2	15.3	1.3	2.6
Worcester, Mass.....	12.3	2.5	7.4	23.3	2.4	3.9

A general decrease is seen in the above table for each of the main subdivisions of the registration area in passing from 1904 to 1905, and for the rural part of the registration states the death rate, 5.3 per 100,000 of population, is the lowest of any year in the series.

Among the individual states there is great variation. Indiana showed a minimum mortality for the year, 0.5 per 100,000 of population, which is in marked contrast to the high death rate, 18.6 per 100,000 of population, shown for the preceding year. New Hampshire, with a rate of 14.4 for 1905, and Vermont with a rate of 10.9, showed high rates of mortality for the year as compared with those of 1904.

Among the individual cities the highest death rate for 1905 occurred in St. Louis, Mo. (51.6), the next in order being in Allegheny, Pa. (55.3), followed by Pittsburg, Pa. (37.3), and Fall River, Mass. (31.2). In these comparisons the same remarks apply as in the international comparisons; the age distribution of population should always be considered. For convenience all rates of 20 or more per 100,000 of population are indicated by bold face type.

The sex and age distribution of deaths from measles is shown for the registration area in the following table:

		NUMBER OF DEATHS FROM MEASLES.					
SEX AND AGE.		Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate		3,213	2,287	3,033	3,221	3,659	2,557
Sex:							
Male		1,653	1,212	1,601	1,680	1,874	1,297
Female		1,560	1,075	1,429	1,541	1,785	1,260
Age:							
Under 1 year		792	531	786	765	928	609
1 year		1,002	666	974	1,086	1,122	841
2 years		452	311	421	461	518	388
3 years		215	156	208	234	245	201
4 years		137	101	122	141	153	106
Under 5 years		2,597	1,767	2,511	2,636	2,966	2,155
5 to 9 years		276	182	254	305	310	202
10 years and over		336	336	267	277	379	196
Unknown		3	2	1	3	4	4

There is an excess of deaths of males in each year, but it is very slight for the year 1905. The largest number of deaths from measles in any single year of age is during the second year of life.

Scarlet fever.—The deaths and death rates from scarlet fever for the past five years are shown in Table III, according to which it appears that the number of deaths registered for 1905 from this cause (2,284) was the smallest of any number returned during recent years.

The death rates are given below and may be compared with corresponding rates for the leading European countries:

COUNTRY.	NUMBER OF DEATHS FROM SCARLET FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Registration area of United States.....	11.8	13.1	12.7	12.3	10.9	6.8
England and Wales	12.7	13.3	14.8	12.5	11.2	11.2
Scotland	10.8	13.0	12.0	9.0	6.0	(1)
Ireland	4.7	5.0	4.0	5.0	4.6	3.9
Germany	23.7	27.9	24.0	25.1	(1)	(1)
Norway	5.8	5.0	5.0	5.3	(1)	(1)
Sweden	8.7	9.0	8.0	(1)	(1)	(1)
Hungary	67.5	59.0	72.0	82.0	72.3	(1)
The Netherlands	2.6	2.0	2.0	2.0	3.2	3.4
Belgium	16.3	21.0	14.0	10.0	(1)	(1)
Switzerland	3.7	2.0	2.0	5.0	8.1	(1)
Spain	5.9	6.0	6.0	5.4	5.2	(1)
Italy	4.5	4.0	4.0	6.0	4.8	5.0

¹ No figures available.

There is a wide variation in the mortality from this disease in different countries, and the rate for the registration area of the United States for the five-year period (11.8) is slightly below the corresponding average of that shown for England and Wales (12.7) and slightly above that for Scotland (10.8). It is far higher than the rate for Ireland (4.7), but here, as in all other cases, the special age distribution of the population must be considered, as the majority of deaths from scarlet fever occurred at early ages.

In the following table the variations in the death rates from scarlet fever may be seen for the registration

area, its principal subdivisions, the registration states, and the larger registration cities, during recent years, all rates of 20 or more per 100,000 of population being distinguished by bold face type.

AREA.	NUMBER OF DEATHS FROM SCARLET FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	11.8	13.1	12.7	12.3	10.9	6.8
Registration cities	13.8	15.5	15.3	14.2	12.4	7.6
Registration states	11.8	13.5	11.9	12.3	11.6	6.8
Cities in registration states	15.6	18.5	16.6	16.2	15.1	8.4
Rural part of registration states	7.0	7.5	6.1	7.7	7.1	4.6
Registration cities in other states	12.0	12.5	14.1	12.3	9.7	6.8
Registration states:						
Connecticut	11.7	9.2	17.9	15.5	8.2	5.2
District of Columbia	3.1	3.9	2.1	0.7	3.7	3.6
Indiana	6.6	6.1	6.0	7.2	8.3	5.5
Maine	2.7	2.9	1.8	2.7	1.3	1.0
Massachusetts	12.3	13.9	10.7	17.7	5.2	4.2
Michigan	10.1	12.4	10.7	8.0	8.5	4.6
New Hampshire	4.8	12.8	0.5	2.6	2.3	0.9
New Jersey	13.6	9.8	11.6	14.9	21.1	8.7
New York	15.3	19.8	16.3	14.5	15.9	9.7
Rhode Island	9.4	4.8	6.2	12.8	14.9	7.1
Vermont	5.8	11.3	9.0	1.4	2.6	2.9
Registration cities of 100,000 population or over in 1900:						
Allaheny, Pa.	19.9	30.0	20.0	21.0	16.4	16.8
Baltimore, Md.	11.5	2.3	7.1	16.2	26.9	6.6
Boston, Mass.	22.1	30.1	17.4	12.4	7.8	8.2
Buffalo, N. Y.	6.9	12.3	3.0	7.4	4.3	4.2
Chicago, Ill.	15.1	11.1	26.4	16.3	7.8	4.1
Cincinnati, Ohio.	10.6	7.9	17.9	11.1	7.0	21.8
Cleveland, Ohio.	6.9	10.2	10.2	4.3	0.9	11.4
Columbus, Ohio.	10.6	14.7	6.8	12.5	10.1	2.1
Denver, Colo.	24.9	47.2	24.1	19.0	14.1	12.0
Detroit, Mich.	13.3	18.0	24.2	7.1	11.3	9.5
Fall River, Mass.	12.1	1.9	35.2	18.0	3.8	
Indianapolis, Ind.	4.8	5.7	3.8	5.1	1.0	4.2
Jersey City, N. J.	20.3	15.6	17.5	12.2	40.4	6.9
Kansas City, Mo.	10.6	16.8	8.8	8.1	11.4	2.2
Louisville, Ky.	3.3	2.4	2.4	6.0	3.2	3.6
Memphis, Tenn.	8.2	5.7	10.0	5.3	15.3	2.5
Milwaukee, Wis.	9.7	5.1	2.0	3.6	13.9	7.7
Minneapolis, Minn.	11.0	7.0	14.1	11.7	13.2	3.4
New Haven, Conn.	7.1	4.5	7.1	13.1	5.1	6.7
New Orleans, La.	7.1	21.3	4.7	2.7	0.7	2.6
New York, N. Y.	23.3	33.3	25.6	20.8	22.8	12.2
Bronx borough	37.7	44.2	82.1	70.7	68.8	26.1
Brooklyn borough	23.4	39.1	22.9	20.5	22.5	14.6
Manhattan borough	20.7	30.6	22.2	16.3	18.3	9.4
Queens borough	11.7	14.8	7.6	12.2	10.1	8.1
Richmond borough	14.4	14.7	25.0	4.3	26.5	8.2
Newark, N. J.	24.6	9.1	18.4	26.6	4.7	16.6
Omaha, Nebr.	10.0	12.2	12.8	11.5	8.8	6.6
Petersburg, N. J.	10.2	7.5	16.7	1.8	14.5	2.7
Philadelphia, Pa.	14.1	17.2	10.1	14.7	15.8	4.7
Pittsburg, Pa.	21.0	34.9	26.4	21.2	11.6	45.9
Providence, R. I.	10.3	5.0	4.3	13.2	22.2	9.1
Rochester, N. Y.	8.8	2.4	7.7	6.9	19.7	13.7
St. Joseph, Mo.	2.8	3.8	2.8	4.5	3.5	
St. Louis, Mo.	13.7	10.6	21.0	15.8	10.6	2.4
St. Paul, Minn.	8.5	10.0	9.6	13.6	4.2	9.6
San Francisco, Cal.	3.7	3.7	5.1	3.7	2.5	1.1
Saratoga, Pa.	22.4	7.6	2.8	5.5	2.7	14.6
Syracuse, N. Y.	8.0	4.5	5.4	1.8	26.0	35.0
Toledo, Ohio.	7.1	8.1	6.4	2.1	0.7	3.9
Washington, D. C.	3.1	3.9	2.1	0.7	3.7	3.6
Worcester, Mass.	12.3	10.8	13.1	5.6	2.4	3.1

From the above table it appears that the year 1905 was an unusually favorable one. Each of the principal subdivisions of the registration area showed a death rate from scarlet fever lower than that for any previous year shown in the table. The lowest rate (4.6) per 100,000 of population was that for the rural part

of registration states. Among the individual states the lowest death rate per 100,000 of population was that of New Hampshire (0.9).

The following states had a lower death rate from this cause in 1905 than in any other year shown: Connecticut (5.2), Indiana (5.5), Maine (1.0), Massachusetts (4.2), Michigan (4.6), New Jersey (8.7), New York (9.7). The only state that showed an increase over 1904 was Vermont (2.9), which rate, however, is only 50 per cent of the average annual mortality from scarlet fever in this state for the five-year period 1900-1904.

Among individual cities of 100,000 population or over, the highest mortality from scarlet fever in 1905 occurred in Pittsburg, Pa. (45.9), followed by Syracuse, N. Y. (35). The following cities of this class showed lower rates for 1905 than for any previous year shown in the table: Chicago, Ill. (4.1); Columbus, Ohio (2.1); Denver, Colo. (12); Fall River, Mass., no deaths; Jersey City, N. J. (6.9); Kansas City, Mo. (2.2); Memphis, Tenn. (2.5); Minneapolis, Minn. (3.4); New York, N. Y. (12.2); Omaha, Neb. (6.6); Philadelphia, Pa. (4.7); St. Joseph, Mo., no deaths; St. Louis, Mo. (2.4); San Francisco, Cal. (1.1). Only a few cities showed maximum rates for 1905: Cincinnati, Ohio (21.8); Cleveland, Ohio (11.4); Pittsburg, Pa. (45.9); Scranton, Pa. (14.6); Syracuse, N. Y. (35).

The following table shows the sex and age distribution of deaths in the registration area from scarlet fever:

SEX AND AGE.	NUMBER OF DEATHS FROM SCARLET FEVER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,778	4,113	4,011	3,991	3,610	2,284
Sex:						
Male	1,925	2,109	2,067	2,016	1,823	1,152
Female	1,853	2,004	1,974	1,975	1,787	1,132
Age:						
Under 1 year	197	210	219	179	189	120
1 year	425	483	458	420	412	216
2 years	551	591	608	536	510	359
3 years	538	589	519	511	508	324
4 years	451	513	465	481	426	243
Under 5 years	2,163	2,339	2,299	2,157	2,015	1,292
5 to 9 years	1,107	1,171	1,219	1,251	1,026	636
10 to 14 years	258	272	281	263	265	179
15 years and over	246	272	235	277	273	176
Unknown	4	6	4	3	1	1

Deaths of males slightly exceed deaths of females in each year. The maximum number of deaths by single years occurred during the third year of life (age 2 to 3 years), on the average and for each individual year except 1903, when a slight excess was shown for children aged 3 years and under 4.

Whooping cough.—The total number of deaths and death rates per 100,000 of population for the entire registration area may be found in Table III. The number compiled for 1905 (3,599) showed a marked increase over the preceding year (2,183), but the rate for 1905,

10.7 per 100,000 of population, was a little below the average annual rate for the five-year period 1900-1904 (11.3). The death rates from whooping cough in the registration area during recent years may be compared with those of certain foreign countries in the following table:

COUNTRY.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	11.3	9.8	12.1	15.9	6.6	10.7
England and Wales	32.1	31.3	29.7	28.5	35.3	25.5
Scotland	17.1	62.0	39.0	43.0	52.0	(1)
Ireland	24.5	25.0	23.0	24.0	35.2	13.2
Germany	32.2	37.0	35.0	28.7	(1)	(1)
Norway	17.9	15.0	21.0	19.4	(1)	(1)
Sweden	16.8	17.0	21.0	(1)	(1)	(1)
Hungary	43.2	36.0	65.0	18.0	26.8	(1)
The Netherlands	21.5	23.0	20.0	16.0	25.8	22.1
Belgium	10.9	35.0	38.0	39.0	(1)	(1)
Switzerland	20.5	25.0	15.0	17.0	24.4	(1)
Spain	23.5	21.0	23.0	21.2	21.4	(1)
Italy	20.2	21.0	22.0	20.0	17.8	17.2

(1) No figures available.

The mortality from whooping cough in the United States is less than it is in any of the countries shown in the above table, in some of which the mortality from this disease is a very considerable factor of the total death rate. It should be remembered that whooping cough is almost entirely confined to the first few years of life, so far as fatal cases are concerned, and that the specific death rates for this age period might show somewhat different relations.

In the following table the distribution of the mortality from whooping cough is given for the registration area, its main subdivisions, the registration states, and the larger cities:

AREA.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	11.3	9.8	12.1	15.9	6.6	10.7
Registration cities	12.1	10.5	13.1	17.4	6.9	11.7
Registration states	10.7	8.7	12.4	14.3	5.8	9.0
Cities in registration states	11.9	9.3	14.6	16.0	5.9	9.8
Rural part of registration states	9.1	7.9	9.6	12.1	5.7	7.9
Registration cities in other states	12.4	11.8	11.5	18.8	8.0	13.7
Registration states:						
Connecticut	14.7	11.5	15.5	25.2	6.6	7.4
District of Columbia	26.7	22.2	42.3	21.2	13.1	23.4
Indiana	9.5	8.5	9.1	10.6	6.0	10.8
Maine	9.1	4.3	7.3	15.3	1.7	3.5
Massachusetts	12.7	9.1	13.7	21.1	5.6	9.6
Michigan	9.2	6.6	10.6	15.2	5.7	4.5
New Hampshire	8.8	6.7	7.4	15.2	4.9	8.4
New Jersey	12.1	9.1	15.3	14.3	6.6	8.5
New York	9.4	8.5	11.9	10.1	5.4	9.5
Rhode Island	14.9	3.9	17.6	34.6	1.7	9.6
Vermont	7.5	11.0	9.8	4.3	6.6	11.5
Registration cities of 100,000 population or over in 1900:						
Albany, N. Y.	26.6	40.5	19.2	34.8	24.9	25.9
Baltimore, Md.	13.6	12.6	16.4	13.2	4.8	12.6
Boston, Mass.	17.6	12.0	23.3	26.1	7.5	9.7
Buffalo, N. Y.	9.9	17.6	7.5	15.0	2.0	15.7
Chicago, Ill.	12.6	12.6	13.3	13.7	7.2	18.3

AREA.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration cities of 100,000 popu- lation or over in 1900—Cont'd.						
Cincinnati, Ohio.....	5.4	5.8	6.7	6.9	2.0	16.6
Cleveland, Ohio.....	6.7	2.8	9.2	13.0	2.3	7.5
Columbus, Ohio.....	9.8	3.9	12.1	18.5	1.5	9.9
Denver, Colo.....	8.5	2.2	11.7	7.5	14.1	24.6
Detroit, Mich.....	11.6	10.2	18.9	18.7	2.2	4.0
Fall River, Mass.....	9.5		22.8	12.3	1.9	24.6
Indianapolis, Ind.....	7.0	2.8	9.1	11.6	1.0	5.2
Jersey City, N. J.....	12.4	9.4	18.4	10.1	12.8	9.9
Kansas City, Mo.....	6.5	1.8	12.4	9.8	4.0	7.8
Louisville, Ky.....	10.8	3.4	7.5	20.4	0.9	4.9
Memphis, Tenn.....	20.9	2.8	10.0	47.5	10.2	13.2
Milwaukee, Wis.....	8.1	3.4	8.7	17.1	3.6	12.8
Minneapolis, Minn.....	7.5	9.3	9.7	7.5	6.8	1.1
New Haven, Conn.....	21.3	23.6	20.4	20.1	11.1	8.4
New Orleans, La.....	5.7	8.2	4.4	9.3	3.6	9.7
New York, N. Y.....	10.0	6.5	15.8	8.4	5.4	9.3
Brooklyn borough.....	9.6	3.3	18.3	7.8	5.1	12.2
Brooklyn borough.....	11.9	7.7	17.1	9.7	5.8	9.4
Manhattan borough.....	8.7	6.4	14.2	7.2	5.2	8.5
Queens borough.....	9.9	4.3	15.8	12.2	5.3	13.6
Richmond borough.....	11.5	5.9	24.5	8.5	2.8	11.0
Newark, N. J.....	11.2	14.3	15.8	18.8	4.8	15.5
Omaha, Nebr.....	10.0	11.3	18.2	3.5	10.3	16.6
Paterson, N. J.....	10.2	9.4	9.3	16.5	5.4	2.7
Philadelphia, Pa.....	16.0	18.7	13.9	21.7	6.9	11.9
Pittsburg, Pa.....	20.1	29.1	23.7	48.7	19.6	35.1
Providence, R. I.....	16.8	7.2	14.1	30.1	1.0	4.0
Rochester, N. Y.....	4.7	4.2	4.7	4.6	0.6	10.4
St. Joseph, Mo.....	2.8	1.9	6.5		3.5	2.6
St. Louis, Mo.....	8.0	6.0	12.2	13.8	6.9	8.6
St. Paul, Minn.....	6.8	2.9	10.8	6.5	7.9	8.1
San Francisco, Cal.....	13.9	13.8	1.7	30.6	14.4	11.8
Scranton, Pa.....	8.4	14.3	15.9	4.6	6.2	6.9
Syracuse, N. Y.....	9.8	7.3	10.7	20.2	0.9	4.3
Toledo, Ohio.....	6.4	11.0	3.6	10.3		3.9
Washington, D. C.....	26.7	22.2	42.4	24.2	13.1	23.4
Worcester, Mass.....	16.4	13.3	21.3	12.1	11.1	19.5

In the above table death rates from whooping cough of 20 or more per 100,000 of population are indicated by bold face type. As the same limit is used for measles and scarlet fever, other important diseases of children, the areas having unusually high death rates from diseases of this class may be readily compared.

As an exception to the general rule for other diseases of epidemic character, the mortality from whooping cough showed an increase for the registration area and each one of its main subdivisions for the year 1905 over 1904, which was a year of exceptionally low mortality from this cause. The highest death rate occurred in the registration cities in nonregistration states (13.7). The rates for 1905 were lower than those for the corresponding areas in 1903 and also than the annual average for the five-year period 1900-1904, except for the registration cities in nonregistration states, in which the annual average for the five-year period was slightly lower.

Of the individual states, only Maine (5.5) and Michigan (4.5) showed lower death rates from whooping cough in 1905 than in the preceding year, and in only one state, Michigan, was the rate for the year lower than that for any of the years shown in the table. The other states showed an increase for 1905 over 1904, and in two instances, Indiana (10.8) and Vermont (11.5), the rates for 1905 were the highest of any in the series of five years.

Somewhat similar relations appear among the larger

registration cities, the majority showing increased death rates for 1905. Among those which showed higher rates from whooping cough in 1905 than for any other individual year stated above, were Chicago, Ill. (18.3); Cincinnati, Ohio (16.6); Denver, Colo. (24.6); Fall River, Mass. (24.6); New Orleans, La. (9.7), and Rochester, N. Y. (10.4). Three cities showed minimum rates for 1905: Minneapolis, Minn. (1.1); New Haven, Conn. (8.4); and Paterson, N. J. (2.7).

The following table gives the sex and age distribution of deaths from whooping cough, as returned from the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM WHOOPING COUGH.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	3,596	3,051	3,854	5,171	2,183	3,599
Sex:						
Male.....	1,617	1,344	1,707	2,374	967	1,624
Female.....	1,979	1,707	2,147	2,797	1,216	1,975
Age:						
Under 1 year.....	1,957	1,674	2,152	2,801	1,181	1,997
1 year.....	844	714	816	1,235	534	866
2 years.....	351	284	364	522	213	313
3 years.....	178	143	187	237	101	165
4 years.....	95	92	102	138	50	90
Under 5 years.....	3,424	2,907	3,651	4,936	2,082	3,461
5 to 9 years.....	133	116	150	190	78	111
10 years and over.....	32	24	47	86	20	25
Unknown.....	6	2	6	9	3	2

Whooping cough causes more deaths of females than of males. The age of maximum prevalence is during the first year of life, the number of deaths diminishing about 50 per cent with each successive year.

Diphtheria and croup.—The total number of deaths from diphtheria and croup compiled for the year 1905 was 8,039, of which 6,709 were due to diphtheria, and so reported, and 1,330, also due to diphtheria, were returned as due to "croup." These numbers, both for the aggregate and for the individual causes, were the lowest for any year shown in the following table, which gives the deaths and death rates per 100,000 of population for the years 1901 to 1905, together with the annual average for the quinquennial period 1900-1904:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	10,729	10,667	9,859	10,363	9,444	8,039
Diphtheria.....	8,712	8,431	8,101	8,658	7,898	6,709
Croup.....	2,010	2,233	1,758	1,705	1,546	1,330
CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	31.6	31.1	30.9	31.8	28.5	23.8
Diphtheria.....	27.3	27.0	25.4	26.6	23.8	19.9
Croup.....	6.3	7.1	5.5	5.2	4.7	3.9

The comparative mortality of the registration area and certain foreign countries from diphtheria and croup is shown in the following table:

COUNTRY.	Annual average: 1900 to 1901	1901	1902	1903	1904	1905
Registration area of United States	33.6	34.1	30.9	31.8	28.5	23.8
Germany	34.0	40.0	32.0	32.0	(1)	(1)
Norway	10.2	7.0	11.0	14.7	(1)	(1)
Sweden	45.2	51.0	31.0	(1)	(1)	(1)
Hungary	39.0	48.0	46.0	51.0	45.1	(1)
Belgium	24.8	26.0	26.0	20.0	(1)	(1)
Switzerland	23.2	32.0	22.0	16.0	17.7	(1)
Spain	30.6	31.0	28.0	25.3	20.6	(1)
Italy	14.8	17.0	14.0	12.0	13.5	12.7

¹ No figures available.

Much variation exists in the death rates from this cause in these countries, with a general tendency toward a decrease. The death rate of the registration area of the United States for the year 1905 is much lower than for any previous year of registration.

In the following table the distribution of the death rate from diphtheria and croup may be seen for the registration area, its main subdivisions, and the registration states and cities of 100,000 population or over. As in the table for minor cities, the rates exceeding 80 per 100,000 of population are indicated by bold face type. This standard appears to be somewhat high, as only three cases are shown in which the rates of the larger cities exceed this limit, although it is quite frequently exceeded by the rates of smaller cities:

AREA.	Annual average: 1900 to 1901	1901	1902	1903	1904	1905
The registration area	33.6	34.1	30.9	31.8	28.5	23.8
Registration cities	39.0	39.3	36.5	37.5	32.8	27.2
Registration states	32.7	33.4	29.7	31.0	28.3	23.6
Cities in registration states	42.7	43.1	39.8	41.5	38.5	30.1
Rural part of registration states	20.2	21.5	17.0	17.7	17.5	15.0
Registration cities in other states	35.3	35.1	33.2	33.4	27.1	24.2
Registration states:						
Connecticut	29.0	33.4	27.7	26.4	22.2	21.0
District of Columbia	21.3	36.7	17.3	8.5	17.4	16.2
Indiana	20.1	20.8	15.8	17.6	11.9	13.6
Maine	19.1	18.2	16.1	16.2	22.7	15.9
Massachusetts	35.7	41.1	31.0	30.3	21.5	22.2
Michigan	22.0	20.8	19.8	27.3	19.8	18.3
New Hampshire	21.6	20.7	37.5	21.9	16.5	18.6
New Jersey	11.3	36.5	35.0	38.6	47.8	32.5
New York	39.9	40.3	37.7	38.1	38.1	27.9
Rhode Island	39.6	44.2	35.4	42.9	30.9	28.7
Vermont	11.7	14.8	11.0	16.4	16.7	16.3
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.	46.5	37.5	32.4	82.6	51.3	19.6
Baltimore, Md.	32.6	33.1	21.1	20.0	20.8	17.2
Boston, Mass.	53.1	60.2	38.3	38.2	37.9	23.9
Buffalo, N. Y.	31.8	39.7	37.3	32.7	30.1	16.7
Chicago, Ill.	33.2	28.5	34.4	33.7	21.1	21.8
Cincinnati, Ohio	20.8	21.7	23.4	18.6	13.5	23.0
Cleveland, Ohio	46.8	43.8	52.6	48.4	31.1	25.2
Columbus, Ohio	12.1	7.0	9.1	5.2	17.3	21.6
Denver, Colo.	34.2	31.7	51.1	31.0	31.6	16.0
Detroit, Mich.	42.1	18.0	44.4	71.7	44.4	36.2

AREA.	Annual average: 1900 to 1901	1901	1902	1903	1904	1905
Registration cities of 100,000 population or over in 1900—Cont'd.						
Fall River, Mass.	32.3	23.8	47.5	40.8	27.5	26.5
Indianapolis, Ind.	18.8	20.5	16.1	17.7	9.3	9.9
Jersey City, N. J.	58.5	52.4	56.2	53.1	67.3	40.1
Kansas City, Mo.	21.7	21.0	11.2	13.3	27.8	25.7
Louisville, Ky.	33.0	51.8	41.0	32.4	18.2	13.0
Memphis, Tenn.	10.0	4.7	12.7	10.6	14.5	12.4
Milwaukee, Wis.	27.5	34.7	23.8	20.8	17.5	13.4
Minneapolis, Minn.	44.6	89.0	32.7	21.7	23.2	21.0
New Haven, Conn.	16.0	23.6	8.9	16.6	14.6	13.4
New Orleans, La.	14.2	14.4	14.9	12.0	15.4	13.6
New York, N. Y.	56.7	56.2	54.7	55.1	52.7	37.3
Brooklyn borough	57.7	47.5	52.0	62.9	57.1	72.9
Brooklyn borough	61.2	61.0	58.8	62.2	52.9	42.1
Manhattan borough	51.6	53.2	53.6	50.0	53.5	30.2
Queens borough	49.7	45.1	52.1	58.9	39.2	35.9
Richmond borough	49.0	52.8	28.8	34.0	44.6	21.7
Newark, N. J.	47.0	40.8	38.8	43.1	54.2	39.2
Omaha, Nebr.	14.6	13.2	11.6	8.8	14.5	10.8
Paterson, N. J.	40.8	26.3	45.5	46.8	42.6	36.8
Philadelphia, Pa.	51.1	49.3	38.5	45.1	39.3	32.9
Pittsburg, Pa.	50.1	48.9	48.6	61.7	46.2	27.5
Providence, R. I.	41.7	47.7	39.0	44.3	45.9	36.2
Rochester, N. Y.	34.1	13.2	8.2	64.5	52.5	51.4
St. Joseph, Mo.	10.2	11.4	8.3	5.4	8.9	9.5
St. Louis, Mo.	10.2	47.3	29.5	32.2	27.2	25.4
St. Paul, Minn.	27.7	30.6	34.5	11.4	26.3	32.5
San Francisco, Cal.	35.8	57.4	67.7	32.0	18.9	16.2
Scranton, Pa.	41.8	41.1	15.9	20.0	17.8	31.9
Syracuse, N. Y.	18.8	25.4	11.6	18.4	19.1	16.2
Toledo, Ohio	58.8	48.3	52.4	80.0	29.2	13.5
Washington, D. C.	24.3	36.7	17.3	8.5	17.1	16.2
Worcester, Mass.	17.2	15.0	7.4	8.9	7.1	10.9

The decline in the death rate from diphtheria and croup was common to all of the main subdivisions of the registration area, each one of which showed a lower death rate from this cause for the year 1905 than for any other year given in the preceding table. Of the registration states the following showed lower death rates for the year 1905 than for any year of the series: Maine (15.6), Massachusetts (22.2), Michigan (18.3), New Jersey (32.5), New York (27.9), Rhode Island (28.7). The District of Columbia (16.2) and the state of Vermont (16.3) also showed low rates, but not as low as in some recent years. Connecticut (24), Indiana (13.6), and New Hampshire (18.6), gave a slight increase over 1904, but were otherwise lower than in any previous year.

Many of the cities of 100,000 population or over showed lower death rates from diphtheria and croup in 1905 than in any other year of the period 1901-1903. These were Allegheny, Pa. (19.6); Baltimore, Md. (17.2); Boston, Mass. (23.9); Buffalo, N. Y. (16.7); Cleveland, Ohio (25.2); Denver, Colo. (16); Jersey City, N. J. (40.4); Louisville, Ky. (13); Milwaukee, Wis. (13.4); Minneapolis, Minn. (21); New York, N. Y. (37.3); Philadelphia, Pa. (32.9); Pittsburg, Pa. (27.5); Providence, R. I. (36.2); St. Louis, Mo. (25.4); San Francisco, Cal. (16.2); and Toledo, Ohio (13.5). Only one city of this class, Columbus, Ohio (24.6), showed a higher death rate from diphtheria and croup in 1905 than in any other individual year. The maximum death rate in 1905 for

any city of 100,000 population or over was that of Rochester, N. Y. (54.4), followed by Jersey City, N. J. (40.4); Newark, N. J. (39.2); New York, N. Y. (37.3); Paterson, N. J. (36.8); Detroit, Mich. (36.2); and Providence, R. I. (36.2).

The following table shows the minor cities of the registration area having death rates from diphtheria and croup exceeding 80 per 100,000 of population in one or more years of the period 1901-1905:

REGISTRATION CITY.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Allentown, Pa.	32.9	50.7	36.4	144.1	76.4
Annapolis, Md.	92.8	31.4	22.7		11.1
Appleton, Wis.	19.4	6.3	92.4	30.1	41.2
Bath, Me.	46.9	27.7	63.6	125.3	35.2
Battle Creek, Mich.	10.3	117.2	42.3	36.0	13.0
Bayonne, N. J.	31.8	73.9	83.2	59.5	33.1
Cumtlen, N. J.	81.4	36.8	31.1	87.9	40.8
Carbondale, Pa.	58.1	35.7	139.3	63.1	95.0
Chicopee, Mass.	51.6	102.2	45.5	40.0	51.5
Dunkirk, N. Y.		84.3	29.1	27.6	26.3
Elizabeth, N. J.	39.6	18.0	26.2	81.6	56.2
Escanaba, Mich.	10.1	29.1	112.1	18.0	
Frederick, Md.	31.9	84.1	72.7		70.2
Glocester, Mass.	26.8	99.7	167.4	42.3	42.3
Harrison, N. J.	135.9	130.6	25.1	40.4	62.4
Hazleton, Pa.	13.7	33.8	39.9	104.6	51.5
Hoboken, N. J.	42.9	69.6	80.9	73.2	47.4
Holyoke, Mass.	85.9	52.7	88.2	32.6	46.1
Ironwood, Mich.	51.1	121.7	150.9	20.0	39.6
Ishpeming, Mich.	7.8	104.5	124.7	43.0	26.7
Johnstown, Pa.	39.7	51.0	85.0	53.6	23.7
Leekport, N. Y.	41.8	17.7	87.8	92.7	31.1
Lowell, Mass.	121.1	79.0	34.8	36.9	21.1
Mahanoy City, Pa.	102.0	11.3	21.2	90.3	130.0
Manchester town, Conn.	92.3	63.2	17.7	60.6	59.4
Marlboro, Mass.	94.9	159.5	21.6	21.5	
Marquette, Mich.			95.1	9.1	
Millford town, Mass.	104.2	17.1	50.8	8.4	16.5
Mt. Carmel, Pa.	80.5	84.7	54.6	92.4	32.0
Nashua, N. H.	86.2	165.2	47.5	35.0	11.5
New Albany, Ind.	106.7	48.5	77.6	19.4	19.4
New Brunswick, N. J.	19.4	56.5	141.7	88.9	25.9
New London, Conn.	89.3	21.9	26.8	36.7	
Newport, Ky.	17.5	13.8	13.6	53.9	86.7
Norfolk, Va.	16.7	96.3	27.1	22.9	8.6
North Adams, Mass.	50.4	59.9	60.9	84.2	49.7
Perth Amboy, N. J.	118.9	71.5	101.7	69.0	73.4
Plymouth, Pa.	92.3	55.1	120.5	97.6	38.0
Port Jervis, N. Y.	42.3	63.1	52.2	176.5	41.3
Pottsville, Pa.	31.5	68.6	43.2	97.9	18.2
Pueblo, Colo.	42.1	79.6	88.9	40.5	13.1
Richmond, Ind.	27.2	156.3	5.3	31.8	
Salt Lake City, Utah.	90.1	81.4	91.0	46.5	76.4
Schenectady, N. Y.	84.8	64.7	43.3	31.2	18.9
Southbridge town, Mass.	39.1	19.2	9.4	203.6	227.3
Union, N. J.	96.5	25.1	43.0	30.0	29.4
Webster town, Mass.	33.2	86.1	72.5	20.5	59.9
Westfield town, Mass.	143.2	70.1	61.1	37.5	7.3
Winson, Minn.	40.5	25.0	5.0	84.1	113.1
Woonsocket, R. I.	41.4	69.1	91.8	28.7	43.5
Youngstown, Ohio.	54.3	29.6	26.6	47.9	85.4

The distribution of deaths from diphtheria and croup in the registration area is shown, by sex and by age, in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate.....	10,729	10,667	9,859	10,363	9,444	8,039
Sex:						
Male.....	5,460	5,316	5,067	5,310	4,827	4,011
Female.....	5,270	5,321	4,792	5,053	4,617	3,998
Age:						
Under 1 year.....	747	749	746	702	659	579
1 year.....	1,600	1,593	1,462	1,538	1,506	1,231
2 years.....	1,698	1,575	1,439	1,563	1,380	1,201
3 years.....	1,441	1,467	1,368	1,408	1,220	1,041
4 years.....	1,196	1,172	1,117	1,112	1,026	891
Under 5 years.....	6,585	6,536	6,072	6,323	5,791	4,916
5 to 9 years.....	2,964	2,891	2,692	2,917	2,533	2,159
10 to 14 years.....	638	615	572	611	610	497
15 years and over.....	526	551	509	492	496	431
Unknown.....	17	21	11	20	14	6

There were more deaths of males than of females from this cause, although in some years the excess was very slight. By ages the largest number of deaths in single years occurred during the second and third years of life.

Influenza.—The total number of deaths compiled from this cause in the registration area for the year 1905 was 6,426, a slight decrease from the number reported for the previous year, which was 6,724. There is some doubt as to just how far influenza should be selected in classifying as the primary cause when associated with returns of "pneumonia," "bronchopneumonia," and other possible sequelae. In many cases the existence of the "influenza" or "la grippe" as the primary cause may be very doubtful, and the deaths referred to it may have been nothing more or less than plain cases of pneumonia or bronchopneumonia, with no special influenzal element whatever. For this reason, the mortality ascribed to influenza should be studied in connection with that due to other acute diseases of the respiratory system, and physicians should avoid the use of the term in making out certificates of death except when the disease is definitely understood to be the cause of death, other conditions being simply contributory factors or complications. This caution is of especial importance in reporting the deaths of elderly persons, when there may be few well-marked diagnostic indications. Where a serious organic disease exists, influenza is usually merely a secondary cause.

The following table shows the mortality from influenza, per 100,000 of population, in the registration area, its main subdivisions, the registration states, and cities of 100,000 population or over. Rates exceeding 40 per 100,000 are indicated by bold face type:

AREA.	NUMBER OF DEATHS FROM INFLUENZA PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	20.8	32.3	10.1	18.6	20.3	19.0
Registration cities	17.3	25.8	8.3	16.2	16.7	15.0
Registration states	22.8	36.3	10.4	19.1	21.7	20.5
Cities in registration states	17.5	26.8	7.0	11.7	15.7	13.7
Rural part of registration states	29.1	47.9	11.6	24.7	29.5	29.1
Registration cities in other states	17.1	21.7	9.6	17.7	17.7	16.4
Registration states:						
Connecticut	42.3	60.3	13.1	32.8	36.4	26.5
District of Columbia	37.1	58.5	20.8	29.0	33.9	28.1
Indiana	21.3	39.3	12.4	15.9	20.7	21.8
Maine	28.8	42.7	17.1	26.8	23.6	36.1
Massachusetts	21.1	27.7	7.6	18.9	14.9	21.6
Michigan	22.8	43.4	12.3	18.0	25.0	22.5
New Hampshire	31.3	31.5	12.2	36.0	29.8	38.7
New Jersey	14.0	20.3	4.7	11.7	12.4	9.5
New York	20.8	35.6	9.4	17.1	22.1	15.8
Rhode Island	36.1	39.9	14.7	31.6	23.2	28.3
Vermont	36.1	44.1	21.1	31.3	44.5	51.5
Registration cities of 100,000 population or over in 1900:						
Albany, N. Y.	14.0	21.8	17.0	7.9	9.3	17.5
Baltimore, Md.	21.6	50.5	10.7	20.1	23.9	17.6
Boston, Mass.	17.6	21.7	4.4	13.4	10.0	11.9
Buffalo, N. Y.	10.2	18.5	4.1	9.3	7.5	6.6
Chicago, Ill.	11.9	15.9	8.4	11.0	10.9	10.0
Cincinnati, Ohio.	27.4	41.5	14.3	31.8	31.6	22.1
Cleveland, Ohio.	7.9	15.8	4.5	7.7	5.2	6.6
Columbus, Ohio.	15.9	21.1	12.1	10.3	13.0	15.5
Denver, Colo.	11.1	19.2	8.0	9.5	8.1	8.6
Detroit, Mich.	12.3	28.9	4.6	11.6	9.4	8.9
Fall River, Mass.	15.2	9.5	7.6	16.1	10.1	15.1
Indianapolis, Ind.	19.3	33.3	10.7	11.1	13.2	15.6
Jersey City, N. J.	9.7	16.5	1.8	6.8	11.0	4.7
Kansas City, Mo.	15.3	11.4	5.3	12.7	31.6	29.3
Louisville, Ky.	14.6	26.4	3.8	7.1	21.2	18.0
Memphis, Tenn.	36.1	15.2	26.4	33.4	42.6	31.3
Milwaukee, Wis.	14.1	23.2	3.7	21.4	16.2	7.7
Minneapolis, Minn.	6.2	6.5	2.6	10.9	4.0	5.0
New Haven, Conn.	28.5	12.6	6.2	15.7	36.0	20.2
New Orleans, La.	27.0	21.0	18.2	39.2	38.0	35.2
New York, N. Y.	13.0	19.9	5.0	11.0	14.2	8.6
Bronx borough	9.2	20.0	3.1	6.2	9.7	7.7
Brooklyn borough	11.1	17.3	6.1	11.3	15.7	10.3
Manhattan borough	12.7	21.2	4.7	9.4	13.3	7.5
Queens borough	12.9	21.7	1.8	9.1	16.1	7.1
Richmond borough	15.9	20.5	2.9	18.1	22.3	16.5
Newark, N. J.	13.9	13.1	5.4	15.8	11.4	6.7
Omaha, Nebr.	13.7	23.6	6.4	15.0	12.8	19.1
Paterson, N. J.	8.6	9.4	2.8	2.8	3.6	9.0
Philadelphia, Pa.	13.3	12.6	4.9	14.1	15.6	17.9
Pittsburg, Pa.	18.1	32.5	16.9	14.2	10.5	15.4
Providence, R. I.	35.7	11.1	16.8	38.5	18.0	18.6
Rochester, N. Y.	12.4	21.7	6.5	9.2	15.8	8.8
St. Joseph, Mo.	10.2	15.2	4.6	19.9	4.4	12.1
St. Louis, Mo.	16.5	15.1	5.5	26.3	25.3	21.7
St. Paul, Minn.	7.4	11.8	5.1	11.4	5.3	4.1
San Francisco, Cal.	11.4	16.1	10.2	15.7	4.7	8.2
Seranton, Pa.	19.6	31.4	10.2	8.2	33.8	11.2
Syracuse, N. Y.	12.5	30.0	1.8	10.6	12.1	8.5
Toledo, Ohio.	17.7	28.6	6.1	17.1	12.6	20.6
Washington, D. C.	37.1	58.5	20.8	29.0	33.9	28.1
Worcester, Mass.	13.9	28.2	6.5	9.7	2.4	7.0

There was a general decline in the death rate from influenza for 1905 as compared with 1904, although for none of the subdivisions were as low rates recorded for 1905 as for other recent years contained in the table. Unusually high rates are found chiefly in the first year of the series, although Vermont showed one for 1905 (51.5) which was greater than that recorded for any other year shown in the above table for that state. New Hampshire also had a high rate for this year (38.7), and increased rates for 1905 as compared with 1904 are shown by Indiana (24.8), Maine (36.1), Massachusetts (21.6), and Rhode Island (28.3).

The highest death rate from this cause in 1905 among the larger cities occurred in New Orleans, La. (35.2), next to which came Memphis, Tenn. (31.3), and then Washington, D. C. (28.4). The rate of Philadelphia, Pa., for this year (17.9) was higher than for any other year of the period, and that of St. Paul, Minn. (4.1), was lower than for any previous year reported.

The sex and age distribution of deaths from influenza is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM INFLUENZA.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	6,627	10,093	3,225	6,061	6,724	6,426
Sex:						
Male	2,935	4,498	1,471	2,635	3,072	2,886
Female	3,692	5,595	1,754	3,429	3,652	3,540
Age:						
Under 1 year	461	690	268	391	447	537
1 year	119	168	80	116	125	126
2 years	58	90	37	44	55	68
3 years	42	57	20	38	47	42
4 years	29	41	19	27	27	26
Under 5 years	709	1,046	424	616	701	799
5 to 9 years	80	115	52	76	80	91
10 to 14 years	61	75	32	63	74	69
15 to 19 years	111	176	57	106	124	96
20 to 24 years	118	217	70	147	171	132
25 to 29 years	150	256	60	128	156	121
30 to 34 years	175	266	89	161	173	154
35 to 39 years	199	310	83	190	217	162
40 to 44 years	223	308	111	227	225	196
45 to 49 years	211	351	128	218	210	230
50 to 54 years	307	468	137	291	327	288
55 to 59 years	352	535	207	303	365	343
60 to 64 years	506	788	218	492	485	474
65 to 69 years	627	941	310	566	611	570
70 to 74 years	735	1,056	339	651	774	739
75 to 79 years	781	1,255	362	724	719	761
80 to 84 years	675	1,060	298	592	657	664
85 to 89 years	352	536	154	294	387	365
90 to 94 years	127	207	58	99	138	121
95 years and over	36	58	13	29	45	40
Unknown	26	39	13	31	25	11

Dysentery.—The number of deaths from dysentery compiled for the year 1905 (2,588) slightly exceeds the number returned for the preceding year (2,567). The death rates for the registration area for these years are, however, precisely the same (7.7), and are somewhat lower than the rate of the annual average for the period 1900–1904, which was 9.4. The variations in mortality from this cause for the principal subdivisions of the registration area are shown in the following table:

AREA.	NUMBER OF DEATHS FROM DYSENTERY.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	2,990	3,331	3,187	2,378	2,567	2,588
Registration cities	1,973	2,232	2,196	1,646	1,704	1,574
Registration states	1,996	2,242	2,082	1,534	1,720	1,805
Cities in registration states	979	1,143	1,081	802	857	791
Rural part of registration states	1,017	1,099	991	732	863	1,014
Registration cities in other states	991	1,089	1,105	844	847	783

AREA.	NUMBER OF DEATHS FROM DYSENTERY PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	9.4	10.6	10.0	7.3	7.7	7.7
Registration cities	8.7	10.1	9.7	7.1	7.2	6.5
Registration states	9.7	11.0	10.1	7.3	8.1	8.3
Cities in registration states	8.5	10.2	9.5	6.8	7.1	6.4
Rural part of registration states	11.1	12.0	10.8	7.9	9.2	10.8
Registration cities in other states	8.8	9.9	9.8	7.3	7.2	6.5

The mortality from this cause in registration cities, including both cities in registration states and registration cities in nonregistration states, was lower in 1905 than in any other year shown. A slight increase occurred in the registration states as a whole, and especially in the rural part of such states.

There is considerable uncertainty as to the actual cause of many deaths reported from "dysentery," especially in temperate climates. Deaths from diarrhea and enterocolitis are undoubtedly so reported in many instances. The Monthly Bulletin of the New York state department of health, August, 1902, makes the following statement on this subject in a note on "Dysentery as a reported cause of death:"

During August there was reported to be an extensive epidemic of what was regarded as dysentery in towns in Westchester county. This has been investigated by bacteriologists connected with the state department laboratory and will be reported on later. Very likely in not a few of the cases the disease was rightly named. Epidemic dysentery has, however, been very infrequently brought to the notice of this department and must be of rare occurrence in this state. It has never been widespread, and the number of cases at one occurrence has been small. Sporadic cases occur and deaths from this cause are usually reported during the summer months. During August there were 125 deaths reported as from dysentery outside of New York city, of which 45 were in Westchester county; these latter were deaths in early and middle life. Elsewhere they were chiefly deaths in the senile period of life, a few being in infancy, very few being of deaths occurring at the middle period of life. There is no doubt that the term dysentery is very loosely used as a cause of death. While there is evident propriety in preserving the entity of this disease in statistical records of mortality, and of making a separate report upon it for systems of classification that are to be of universal application, a more exact limitation of its employment on death certificates in temperate regions is necessary to make its report of value. Of the 125 deaths reported from dysentery, constituting nearly 15 per cent of the diarrheal deaths among which they have been placed, it is doubtless true that not a few were enterocolitis, which statistically should not be a synonymous term, even though clinically in early life the two may be interrelated. It is frequently the case that diarrheal mortality at advanced age is reported as dysentery. In its common use among the people the term is loosely employed. It is improbable that a considerable proportion of the deaths thus reported during the month were rightly so named on the returns.

The age and sex distribution of deaths in the registration area returned as due to dysentery are given in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DYSENTERY.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	2,990	3,331	3,187	2,376	2,567	2,588
Sex:						
Male	1,468	1,621	1,534	1,176	1,234	1,257
Female	1,522	1,707	1,653	1,202	1,333	1,331
Age:						
Under 1 year	496	465	512	417	487	486
Under 5 years	1,041	1,076	1,126	857	929	928
5 to 14 years	106	131	123	77	71	88
15 to 24 years	92	144	76	56	50	58
25 to 34 years	131	163	135	104	95	61
35 to 44 years	119	160	168	112	120	109
45 to 64 years	560	561	537	407	406	390
65 years and over	959	1,079	990	757	888	950
Unknown	12	17	12	8	8	4

Deaths of females continue to exceed deaths of males from this cause. Over one-third of the deaths registered from dysentery were those of children under 5 years of age.

All other epidemic diseases.—The group entitled "all other epidemic diseases," as employed in Table 3 of the present report, differs somewhat from the group "other epidemic diseases," of the corresponding table for previous years. The diseases included under this head in the present report are shown by the following table, which gives the deaths and death rates from each individual title:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM ALL OTHER EPIDEMIC DISEASES.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
All other epidemic diseases..	5,103	5,429	5,188	4,174	4,756	5,076
Exanthematic typhus	3		7	1	2	3
Recurrent fever	2	4	2	1	3	1
Miliary fever	3		9	3	2	
Asiatic cholera						
Cholera nostras	530	563	516	374	397	419
Dysentery	2,990	3,331	3,187	2,376	2,567	2,588
Plague	23	36	41	17	7	
Yellow fever	4	2	1	17		438
Leprosy	5	6	5		1	8
Erysipelas	1,468	1,450	1,337	1,300	1,680	1,510
Other epidemic diseases	75	47	83	79	91	79
Total, exclusive of cholera nostras, dysentery, and erysipelas	115	85	118	122	112	529

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
All other epidemic diseases..	16.0	17.3	16.3	12.8	14.4	15.0
Exanthematic typhus	(1)		(1)	(1)	(1)	(1)
Recurrent fever	(1)	(1)	(1)	(1)	(1)	(1)
Miliary fever	(1)		(1)	(1)	(1)	
Asiatic cholera						
Cholera nostras	1.7	1.8	1.6	1.1	1.2	1.3
Dysentery	9.4	10.6	10.0	7.3	7.7	7.7
Plague	0.1	0.1	0.1	0.1	(1)	
Yellow fever	(1)	(1)	(1)	0.1		1.3
Leprosy	(1)	(1)	(1)	(1)	(1)	(1)
Erysipelas	4.6	4.6	4.2	4.0	5.1	4.5
Other epidemic diseases	0.2	0.2	0.3	0.2	0.3	0.2
Total, exclusive of cholera nostras, dysentery, and erysipelas	0.4	0.3	0.5	0.4	0.3	1.6

* Less than one-tenth.

As formerly used, the title "other epidemic diseases" in Table 3 included only the "total, exclusive of cholera nostras, dysentery, and erysipelas," embracing chiefly deaths from such rare diseases as exanthematic typhus, recurrent fever, miliary fever, Asiatic cholera (no deaths from which have occurred in the registration area since the beginning of these annual reports), plague, yellow fever, leprosy, and the "other epidemic diseases" of the International Classification, a title identical as to form but not precisely the same in its inclusion as that found in Table 3. Only a very small number of deaths were compiled under the group of rare diseases, averaging only 115 for the five-year period 1900-1904. It seemed advisable to make a distinctive title, "all other epidemic diseases," to avoid confusion with the title "other epidemic diseases" of the International Classification, and one which would include *all* of the diseases of the epidemic subclass not separately stated in Table 3, instead of relegating deaths from cholera nostras, dysentery, and erysipelas to "all other causes." In examining the preceding table it will be observed that some of the causes are of quite insignificant numerical importance, although from their very dangerous possibilities they are always given a prominent place in vital statistics prepared for sanitary and especially for quarantine purposes.

Exanthematic typhus caused only three deaths in 1905, according to the returns, and it is not certain that the attending physicians did not mean to report typhoid fever in some or all of these cases. The true typhus fever—the old ship or jail fever—is fortunately excessively rare in this country. The same statements apply to the one death from recurrent fever and to the few deaths reported from miliary fever in recent years, none of which, however, occurred in 1905.

It is very gratifying to observe that in 1905, for the first time in several years, no deaths were reported from plague. The largest number of deaths from this disease reported for any year since the inauguration of the annual reports was in 1903 (41), but the terrible ravages of this disease in India and the Far East fixes the attention of all sanitary officials, and especially those who guard the coasts of the nation, upon any appearance of the disease, no matter how apparently trivial.

Epidemic of yellow fever in 1905.—There was a sharp increase in the reported number of deaths from yellow fever in the registration area. No deaths from this cause were compiled for the year 1904, and the largest number for any year prior to 1904 since this series of annual reports began was that for 1903 (17). In 1905 there were 438 deaths in the registration area, corresponding to a death rate of 1.3 per 100,000 of population. This rate is a very low one as compared with those of other causes of death, but, like the plague, the coming of yellow fever means the coming of pestilence, and in the southern part of the United States

no disease carries as much terror, business loss, and inconvenience to the population.

It is unfortunate that the registration area does not include the entire United States, and especially that it does not include any of the Southern states as a whole. Nearly all of the deaths registered from this cause were reported from the city of New Orleans, La., concerning which a brief summary may be given. According to the returns received by the Bureau of the Census there were 434 deaths from yellow fever in the city of New Orleans, La., during the year 1905, of which 304 were deaths of males and 130 were deaths of females. The great majority of the deaths were of white persons, there being only 19 deaths of blacks from this disease—13 males and 6 females. Of the white decedents, there were 102 of native birth, 187 of foreign birth, and 2 of unknown nativity, and of the white female decedents 63 were native born and 61 foreign born. By months the deaths occurred as follows: July, 40; August, 217; September, 110; October, 61; November, 6. These numbers do not exactly agree with those given in the Biennial Report of the Louisiana State Board of Health, 1904-5, pages 39 and 40, according to which there were 56 deaths in July, 220 in August, 111 in September, 58 in October, and 6 in November, or a total of 451 deaths during the epidemic. The difference may come in part from the inclusion of a number of deaths, estimated at 20, at the outset of the epidemic, which were returned to the Bureau of the Census under designations other than yellow fever.

Tuberculosis.—The number of deaths and the death rates per 100,000 of population from tuberculosis in its various forms may be found in Table III. There were 65,352 deaths compiled from all forms of tuberculosis in 1905, of which number 56,770 were ascribed to tuberculosis of the lungs. It is probable that pulmonary tuberculosis also existed in many cases compiled under other forms of tuberculosis, especially under general tuberculosis. The percentage distribution of deaths from the various forms reported for the past five years, and for the quinquennial period 1900-1904, may be seen in the following table as returned for the registration area:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	62,142	61,599	58,938	61,487	66,797	65,352
Tuberculosis of lungs.....	54,998	54,735	52,079	53,910	58,763	56,770
Tuberculosis of larynx.....	517	527	541	539	570	610
Tuberculous meningitis.....	2,787	2,656	2,674	2,905	3,025	3,264
Abdominal tuberculosis.....	1,834	1,767	1,817	1,834	2,098	2,193
Pott's disease.....	463	442	421	516	519	563
Tuberculous abscess.....	52	48	39	72	62	61
White swelling.....	223	206	237	224	241	261
Tuberculosis of other organs.....	427	393	391	465	545	539
General tuberculosis.....	842	825	739	1,002	974	1,091

CAUSE OF DEATH.	PER CENT OF DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	100.0	100.0	100.0	100.0	100.0	100.0
Tuberculosis of lungs.....	88.5	88.9	88.4	87.7	88.0	86.9
Tuberculosis of larynx.....	0.8	0.9	0.9	0.9	0.9	0.9
Tuberculous meningitis.....	4.5	4.5	4.5	4.7	4.5	5.0
Abdominal tuberculosis.....	3.0	2.9	3.1	3.0	3.1	3.4
Pott's disease.....	0.7	0.7	0.7	0.8	0.8	0.9
Tuberculous abscess.....	0.1	0.1	0.1	0.1	0.1	0.1
White swelling.....	0.4	0.3	0.4	0.4	0.4	0.4
Tuberculosis of other organs.....	0.7	0.6	0.7	0.8	0.8	0.8
General tuberculosis.....	1.4	1.3	1.3	1.6	1.5	1.7

It appears that about 90 per cent of all deaths from tuberculosis are reported as due to pulmonary tuberculosis, and that the item next in importance, tuberculous meningitis, is responsible for about 5 per cent, or one-twentieth, of all deaths from this cause. The other forms are mainly unimportant as factors of mortality, and it is doubtful in many instances whether the returns relating to them indicate the proper classification with sufficient precision.

Tuberculosis of the lungs.—The number of deaths returned from pulmonary tuberculosis in the registration area for the year 1905 was 56,770, corresponding to a death rate of 168.2. Comparison may be made in Table III with the preceding years, and also with the rates for the other forms of tuberculosis, which are taken, together with pulmonary tuberculosis, to form the total deaths attributed to the underlying cause, the bacillus tuberculosis. Undoubtedly there are other deaths which are due directly or indirectly to this cause, but which are not returned with sufficient precision to be classified thereunder. Prominent among these are deaths from "hemorrhage of the lungs" and also from "debility" and "marasmus," not to speak of well-marked cases of pulmonary tuberculosis where the physicians ignore the actual cause of death and report some terminal condition, or even make a worthless return, such as "heart failure." There appears to be a prejudice occasionally existent in regard to making a proper statement of cause of death when due to tuberculosis, cancer, and similar diseases.

In the following table the death rate of the registration area from pulmonary tuberculosis may be compared with those of certain European countries during recent years:

COUNTRY.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States.....	172.3	174.9	163.2	165.7	177.3	168.2
England and Wales.....	125.1	126.4	123.3	120.3	121.0	114.0
Scotland.....	199.1	152.0	145.0	115.0	115.0	(1)
Ireland.....	218.5	215.0	212.0	217.0	225.1	209.9
Germany.....	181.2	195.0	188.0	176.1	(1)	(1)
N. Italy.....	200.4	195.0	190.0	198.2	(1)	(1)
The Netherlands.....	138.8	137.0	132.0	132.0	129.4	135.7
Belgium.....	127.7	135.0	132.0	102.0	(1)	(1)
Switzerland.....	199.7	187.0	187.0	188.0	188.2	(1)
Spain.....	141.3	191.0	186.9	113.6	130.8	(1)
Italy.....	117.0	111.0	101.0	111.6	117.1	118.2

(1) No figures available.

There is much uncertainty in comparing international statistics of tuberculosis, because all deaths may not be correctly reported, or returned in the same way by different countries. Undoubtedly in England and Wales many deaths are returned as due to "bronchitis" which would not be so returned in this country, but would probably be assigned to pulmonary tuberculosis. It is necessary in considering this cause, as well as many others, to take the entire classification into consideration, and ascertain whether certain diseases of similar character show like variations, or whether some terms are not favored at the expense of others in the original reports, or during the process of statistical compilation.

The distribution of pulmonary tuberculosis in the registration area, its main subdivisions, and among registration states and cities of 100,000 population and over, is given in the following table, prominence being given by bold face type to rates exceeding 230 per 100,000 of population:

AREA.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	172.3	174.9	163.2	165.7	177.3	168.2
Registration cities.....	189.6	191.9	180.4	183.6	195.5	181.4
Registration states.....	162.0	167.2	152.2	153.7	163.9	155.9
Cities in registration states.....	188.0	194.7	177.1	179.7	189.4	178.5
Rural part of registration states.....	129.5	133.6	120.7	120.7	131.1	126.2
Registration cities in other states.....	191.1	189.1	183.4	187.6	201.7	190.4
Registration states:						
Connecticut.....	154.1	163.3	147.1	145.5	144.0	147.8
District of Columbia.....	276.0	296.2	246.2	266.4	279.5	274.7
Indiana.....	161.9	163.3	152.4	151.3	169.4	148.5
Maine.....	115.8	155.5	139.5	129.2	117.5	121.6
Massachusetts.....	172.9	179.0	166.4	158.3	173.9	167.0
Michigan.....	87.8	88.4	81.1	85.3	91.3	88.4
New Hampshire.....	140.0	146.5	131.5	128.2	130.1	134.9
New Jersey.....	172.7	171.7	157.1	169.3	181.6	170.7
New York.....	178.8	186.8	166.8	170.7	179.7	173.7
Rhode Island.....	185.2	192.1	178.8	89.6	170.5	175.6
Vermont.....	121.3	131.0	119.7	115.0	114.6	122.3
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.....	141.7	131.3	118.2	126.8	146.7	123.2
Baltimore, Md.....	233.5	237.6	220.3	222.7	251.1	228.7
Boston, Mass.....	233.3	234.4	212.3	205.1	215.8	201.6
Buffalo, N. Y.....	123.1	126.8	117.6	122.0	135.7	130.0
Chicago, Ill.....	156.5	147.5	147.0	158.1	163.9	162.8
Cincinnati, Ohio.....	230.8	236.5	206.9	237.9	268.9	251.9
Cleveland, Ohio.....	125.9	108.1	117.4	131.8	143.8	127.7
Columbus, Ohio.....	308.8	206.4	196.0	217.0	214.0	190.1
El Paso, Tex.....	410.1	396.2	406.5	407.0	457.9	460.4
Detroit, Mich.....	113.0	110.3	115.7	107.6	118.7	106.6
Fall River, Mass.....	181.5	154.2	173.9	184.1	212.2	147.5
Indianapolis, Ind.....	121.8	129.5	167.9	185.6	206.2	165.4
Jersey City, N. J.....	233.2	217.8	208.4	228.2	259.4	203.3
Kansas City, Mo.....	200.6	188.8	177.7	203.4	235.0	201.4
Louisville, Ky.....	208.4	197.0	183.3	214.2	239.5	228.2
Memphis, Tenn.....	221.2	218.7	249.4	179.5	218.0	229.3
Milwaukee, Wis.....	128.6	133.9	102.1	127.6	141.4	133.9
Minneapolis, Minn.....	114.8	120.2	106.4	118.7	103.5	93.1
New Haven, Conn.....	179.7	193.2	187.7	161.9	163.5	157.1
New Orleans, La.....	326.3	306.2	325.9	317.7	338.9	316.5
New York, N. Y.....	221.7	228.8	207.8	211.6	230.4	211.1
Bronx borough.....	481.8	526.7	506.7	528.9	549.0	532.0
Brooklyn borough.....	200.8	206.2	189.0	189.0	202.2	178.8
Manhattan borough.....	211.9	215.3	191.8	195.8	200.6	197.4
Queens borough.....	152.7	175.3	135.7	130.1	111.9	137.0
Richmond borough.....	184.5	190.6	185.9	188.5	149.1	212.5
Newark, N. J.....	239.5	227.8	225.9	244.2	248.0	241.1
Omaha, Neb.....	103.0	90.4	100.2	118.2	106.0	83.8
Paterson, N. J.....	188.5	183.2	176.1	169.7	208.6	176.6
Philadelphia, Pa.....	215.6	211.4	199.1	217.2	231.6	204.6
Pittsburg, Pa.....	137.9	133.9	135.2	140.9	153.3	151.0
Providence, R. I.....	213.2	217.5	213.2	214.3	187.6	170.2
Rochester, N. Y.....	133.6	119.2	110.6	125.6	140.5	117.8
St. Joseph, Mo.....	71.1	81.5	87.1	59.7	62.8	68.4
St. Louis, Mo.....	195.9	192.3	181.0	186.5	230.5	221.0
St. Paul, Minn.....	108.7	120.7	104.7	94.3	105.7	112.7
San Francisco, Cal.....	285.0	292.7	284.2	289.4	274.8	275.9
Saratoga, Pa.....	96.1	91.8	86.7	100.2	104.2	90.4
Syracuse, N. Y.....	112.1	158.9	118.0	131.1	116.5	120.1
Toledo, Ohio.....	132.4	128.9	121.1	120.6	110.1	139.1
Washington, D. C.....	276.0	246.2	246.2	266.4	279.5	274.7
Worcester, Mass.....	179.9	191.9	165.2	170.6	168.0	171.7

For the registration area and each of its main subdivisions, as shown in the preceding table, there was a decline in the death rate from pulmonary tuberculosis in 1905, as compared with the preceding year, and the rates for the year were below the average for the preceding five-year period. In the registration states the highest death rate (274.7) was in the District of Columbia, which, however, is rather to be considered a registration city, being identical with the city of Washington. The tendencies as to increase and decrease were rather uniformly divided. In two instances, Indiana (148.5) and Maine (124.6), the death rates from pulmonary tuberculosis in 1905 were lower than for any preceding year given in the table.

Quite a number of the larger registration cities showed lower rates for 1905 than for any other year of the period shown. These were Allegheny, Pa. (123.2); Boston, Mass. (201.6); Detroit, Mich. (106.6); Fall River, Mass. (147.5); Indianapolis, Ind. (165.4); Jersey City, N. J. (203.3); Minneapolis, Minn. (93.1); New Haven, Conn. (157.1); Omaha, Nebr. (83.8); and Providence, R. I. (170.2). Only one city of this class, Denver, Colo. (460.4), had a higher rate for 1905 than for any other year of the five-year period. The highest rate shown for any of the larger cities for the year was that for Denver, Colo. (460.4), and the next highest was that for New Orleans, La. (316.5), followed by those for San Francisco, Cal. (275.9), Washington, D. C. (274.7), and Cincinnati, Ohio (251.9). It is quite evident that these statements of mortality, which are based upon total deaths occurring in the city without regard to length of residence of decedents and which very naturally show the very highest rate of mortality for cities to which many consumptives resort on account of their climatic advantages, must be used with great caution until it is practicable to eliminate deaths of invalids coming from other places.

The minor cities of the registration area having unusually high death rates from tuberculosis of the lungs of over 230 per 100,000 of population during any year from 1901 to 1905 are shown in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Adams town, Mass.	166.6	145.6	150.7	131.0	240.3
Albany, N. Y.	235.0	199.8	209.7	223.5	211.6
Alexandria, Va.	343.7	247.2	205.7	321.8	177.8
Annapolis, Md.	406.2	367.5	250.0	348.6	289.4
Atlanta, Ga.	251.9	283.1	229.9	262.2	265.8
Barre, Vt.	146.4	257.8	174.6	196.7	245.3
Bath, Me.	262.9	120.1	127.2	98.4	167.4
Bridgeton, N. J.	129.9	130.5	152.8	277.7	110.1
Carlisle, Pa.	234.0	149.6	195.5	201.3	141.1
Charleston, S. C.	373.9	382.3	387.1	363.3	353.9
Chillicothe, Ohio	213.4	187.8	148.3	212.4	123.0
Cohoes, N. Y.	275.7	191.9	220.8	241.3	174.5
Columbus, Ind.	205.5	178.3	233.8	287.6	271.6
Covington, Ky.	266.7	236.1	198.9	233.9	226.7
Danbury town, Conn.	216.5	164.3	195.1	143.8	179.7

REGISTRATION CITY—continued.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Danvers town, Mass.	277.6	210.0	271.1	245.6	386.2
Dover, N. H.	173.6	112.9	142.5	239.3	156.5
Evansville, Ind.	193.9	176.4	240.7	171.7	177.4
Frederick, Md.	212.6	378.3	280.5	287.6	193.0
Fresno, Cal.	324.5	218.8	231.4	243.7	240.7
Haverhill, Mass.	238.6	157.6	165.0	164.5	190.3
Hoboken, N. J.	245.9	223.3	241.2	286.4	258.1
Hudson, N. Y.	278.5	152.1	169.5	147.1	173.7
Huntington, Ind.	236.6	161.0	168.2	164.6	164.1
Ironton, Ohio.	293.6	309.0	224.5	119.0	255.5
Jacksonville, Fla.	328.8	426.6	285.7	406.8	447.6
Jacksonville, Ill.	202.8	264.4	267.2	219.7	235.3
Jeffersonville, Ind.	296.7	352.0	231.3	184.9	212.4
Key West, Fla.	337.3	330.3	224.6	267.4	316.1
Kokomo, Ind.	239.8	19.6	167.9	242.4	169.7
Lafayette, Ind.	185.8	189.3	230.2	243.0	191.2
Logansport, Ind.	248.6	226.5	131.8	207.4	130.1
Lynchburg, Va.	191.7	249.4	295.1	315.8	305.8
Manitowoc, Wis.	233.8	118.0	153.8	103.6	119.2
Middletown, N. Y.	189.8	166.8	177.4	265.1	165.8
Middletown town, Conn.	299.2	256.4	280.7	155.9	300.7
Mobile, Ala.	418.3	335.5	385.9	393.5	410.3
Morris town, N. J.	244.7	180.8	144.1	192.1	197.6
Nashville, Tenn.	268.0	314.2	246.8	353.4	332.4
New Albany, Ind.	276.3	218.1	227.8	237.6	213.3
New London, Conn.	206.4	240.3	182.0	215.1	154.3
Newburg, N. Y.	162.6	219.7	240.6	238.1	247.0
Norfolk, Va.	282.4	250.1	289.2	285.9	315.5
Norristown, Pa.	395.3	329.5	247.8	240.9	170.2
Oakland, Cal.	232.0	193.5	166.2	135.6	145.9
Ogdensburg, N. Y.	258.4	278.3	284.5	324.6	310.5
Orange, N. J.	228.3	292.0	308.1	287.8	329.5
Paducah, Ky.	315.8	371.6	305.4	307.5	337.0
Packskill, N. Y.	183.0	243.6	140.9	126.7	151.5
Petersburg, Va.	321.0	311.8	376.0	463.1	275.1
Plainfield, N. J.	137.6	201.7	174.1	252.4	178.7
Port Jervis, N. Y.	204.6	117.2	177.6	186.9	124.8
Portsmouth, N. H.	167.9	101.9	165.1	246.3	172.1
Portsmouth, Ohio.	190.8	191.3	269.5	217.6	182.8
Pueblo, Colo.	319.1	432.9	311.2	290.6	338.2
Raleigh, N. C.	305.7	301.4	373.2	349.2	325.6
Richmond, Va.	231.7	260.0	269.3	276.3	236.0
Richster, N. H.	221.6	299.5	182.1	213.6	300.0
Rockland, Me.	196.3	196.3	245.4	208.5	230.9
Rome, N. Y.	158.8	173.5	133.1	248.1	196.2
Sacramento, Cal.	358.4	247.8	252.1	285.8	286.3
San Antonio, Tex.	577.6	669.6	444.7	619.3	632.9
San Diego, Cal.	395.8	445.6	401.7	434.1	455.0
San Jose, Cal.	293.0	279.5	204.2	279.8	254.1
Saratoga Springs, N. Y.	247.5	205.6	203.7	201.8	200.0
Savannah, Ga.	372.2	324.6	310.7	345.3	280.8
Springfield, Ill.	287.0	239.3	204.3	242.7	188.8
Taunton, Mass.	212.7	212.8	167.8	196.9	239.0
Troy, N. Y.	324.0	255.5	271.8	288.1	262.2
Vincennes, Ind.	259.9	180.4	119.6	281.5	197.2
Wakefield town, Mass.	126.5	237.6	192.3	168.8	185.0
Ware town, Mass.	192.1	250.1	118.2	187.6	174.5
Washington, Ind.	227.3	309.4	150.6	199.0	191.0
Wilmington, N. C.	251.6	269.4	202.3	257.7	191.3
Winham town, Conn.	256.2	157.5	177.0	255.4	225.7
Woburn, Mass.	210.0	237.6	167.3	104.4	159.7

Excessively high death rates during four or more of the past five years are shown for Annapolis, Md.; Atlanta, Ga.; Charleston, S. C.; Danvers town, Mass.; Fresno, Cal.; Hoboken, N. J.; Jacksonville, Fla.; Key West, Fla.; Middletown town, Conn.; Mobile, Ala.; Nashville, Tenn.; Norfolk, Va.; Norristown, Pa.; Ogdensburg, N. Y.; Orange, N. J.; Paducah, Ky.; Petersburg, Va.; Pueblo, Colo.; Raleigh, N. C.; Richmond, Va.; Sacramento, Cal.; San Antonio, Tex.; San Diego, Cal.; San Jose, Cal.; Savannah, Ga.; and Troy, N. Y. It is at once apparent that many of these places are health resorts, to which invalids repair from many states in the effort to regain their health, and that the

deaths are not properly chargeable, so far as tending to show unusual natural prevalence of the disease, to the localities in which they happened to occur. It is impracticable, however, at present to attempt to charge deaths to the places where the fatal disease originated, the information not being always obtainable and no criteria having yet been established as to the length of residence which should determine such transfer of deaths. It should be remembered that at present the compilation of deaths is made with reference solely to the places in which they occurred.

The distribution of deaths from tuberculosis of the lungs by sex and by periods of age is shown for the registration area in the following table:

NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS.						
SEX AND AGE.	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	54,998	54,735	52,079	53,910	58,763	56,770
Sex:						
Male	29,617	29,569	28,250	29,061	31,833	31,047
Female	25,381	25,166	23,829	24,849	26,930	25,723
Age:						
Under 1 year.....	783	807	702	723	817	767
1 year.....	424	435	372	411	427	441
2 years.....	241	224	232	235	245	226
3 years.....	165	149	153	175	141	137
4 years.....	122	150	124	108	100	101
Under 5 years.....	1,735	1,765	1,583	1,552	1,730	1,612
5 to 9 years.....	494	490	417	472	503	499
10 to 14 years.....	869	850	818	785	991	863
15 to 19 years.....	4,086	3,897	3,765	4,081	4,637	4,416
20 to 24 years.....	7,440	7,601	7,212	7,472	8,218	7,983
25 to 29 years.....	8,323	8,311	7,819	8,153	8,789	8,306
30 to 34 years.....	7,505	7,298	6,987	7,190	7,785	7,521
35 to 39 years.....	6,232	6,167	5,872	6,131	6,701	6,571
40 to 44 years.....	4,817	4,862	4,715	4,685	5,222	5,083
45 to 49 years.....	3,540	3,569	3,342	3,589	3,905	3,962
50 to 54 years.....	2,811	2,808	2,660	2,758	3,018	3,007
55 to 59 years.....	2,147	2,147	2,017	2,151	2,216	2,167
60 to 64 years.....	1,772	1,791	1,658	1,731	1,872	1,749
65 to 69 years.....	1,345	1,418	1,264	1,274	1,338	1,351
70 to 74 years.....	891	908	877	833	896	842
75 to 79 years.....	546	569	520	515	511	472
80 to 84 years.....	210	212	201	196	200	204
85 to 89 years.....	71	81	69	64	62	58
90 to 94 years.....	14	13	20	11	11	11
95 years and over.....	5	6	6	5	4	3
Unknown.....	146	172	147	159	128	87

The deaths of males considerably exceed the deaths of females for each of the years and for the quinquennial period. The five-year age period showing the largest number of deaths from consumption for each year is from 25 to 29 years, inclusive.

Veneral diseases.—The number of deaths from venereal diseases, according to the transcripts received, was 1,596 in 1905, a slight increase over the preceding year. The death rates for the registration area were the same in 1905 and 1904, namely, 4.7 per 100,000 of population.

The relative mortality of the various subdivisions of the registration area may be seen in the following table:

AREA.	NUMBER OF DEATHS FROM VENEREAL DISEASES.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	1,266	1,161	1,163	1,393	1,569	1,596
Registration cities	1,111	1,020	1,022	1,213	1,387	1,441
Registration states	658	613	629	729	778	716
Cities in registration states	501	472	488	549	596	591
Rural part of registration states	155	141	141	180	182	155
Registration cities in other states	608	548	534	661	791	850

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	4.0	3.7	3.6	4.3	4.7	4.7
Registration cities	4.9	4.6	4.5	5.2	5.8	5.9
Registration states	3.2	3.0	3.0	3.5	3.6	3.4
Cities in registration states	4.4	4.2	4.3	4.7	5.0	4.8
Rural part of registration states	1.7	1.5	1.5	1.9	1.9	1.6
Registration cities in other states	5.4	5.0	4.7	5.8	6.7	7.1

Deaths from venereal diseases are shown in the following table by sex and age, as returned from the registration area for the years 1901 to 1905, together with the annual average for the five-year period, 1900–1904:

NUMBER OF DEATHS FROM VENEREAL DISEASES.						
SEX AND AGE.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	1,266	1,161	1,163	1,393	1,569	1,596
Sex:						
Male	728	671	678	803	897	936
Female	539	490	485	590	672	660
Age:						
Under 1 year.....	657	602	622	676	815	880
Under 5 years.....	715	661	673	724	888	916
5 to 14 years.....	14	16	11	14	22	9
15 to 24 years.....	68	56	59	90	92	88
25 to 34 years.....	110	114	119	162	192	173
35 to 44 years.....	137	124	125	177	151	116
45 to 64 years.....	163	151	146	179	175	194
65 years and over.....	33	30	27	42	43	38
Unknown.....	6	6	3	5	6	2

The returns compiled under this head would indicate that deaths of males exceed deaths of females from this group of causes; but it is not likely that any dependence can be placed upon the apparent showing, because it is very probable that a larger proportion of deaths of females than of males is classified under the results of venereal affections tabulated elsewhere.

Cancer.—The number of deaths and the death rates from the various forms of cancer specified by the International Classification may be seen in Table III. There were, in 1905, 24,330 deaths reported from this cause,

a larger number than for any previous year, and the death rates showed a progressive increase for the period covered.

The following table presents the distribution of the various forms of cancer:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM VARIOUS FORMS OF CANCER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	21,221	20,171	20,847	22,325	23,395	24,330
Cancer of mouth	618	612	583	661	737	792
Cancer of stomach and liver	7,687	7,095	7,183	8,193	8,744	8,939
Cancer of intestines	2,138	2,157	2,239	2,131	2,399	2,732
Cancer of female genital organs	3,075	2,919	3,033	3,289	3,436	3,637
Cancer of breast	1,729	1,617	1,750	1,787	2,030	2,010
Cancer of skin	697	683	688	752	758	818
Cancer of other or unspecified organs	5,281	5,058	5,071	5,509	5,291	5,402

CAUSE OF DEATH.	PER CENT.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	100.0	100.0	100.0	100.0	100.0	100.0
Cancer of mouth	2.9	3.0	2.8	3.0	3.2	3.3
Cancer of stomach and liver	36.2	35.2	35.9	36.7	37.4	36.7
Cancer of intestines	10.1	10.7	10.7	9.6	10.3	11.2
Cancer of female genital organs	14.5	14.5	14.5	14.7	14.7	14.9
Cancer of breast	8.1	8.2	8.4	8.0	8.7	8.3
Cancer of skin	3.3	3.4	3.3	3.4	3.2	3.4
Cancer of other or unspecified organs	24.9	25.1	24.3	24.7	22.6	22.2

It appears from the above table that there was a slight increase for 1905 in the proportion of deaths from all forms of definitely specified cancer, as compared with the preceding five-year period.

The following table gives the comparative death rates in recent years from cancer in the registration area of the United States, and in certain European countries. With few exceptions a general increase in the death rate from this disease is observed from year to year.

COUNTRY.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	66.5	61.5	65.3	68.6	70.6	72.1
England and Wales	85.4	84.2	84.4	87.2	87.9	88.5
Scotland	82.1	82.0	83.0	84.0	84.7	(1)
Ireland	65.8	65.0	65.0	69.0	69.4	74.9
Germany	70.3	75.0	75.0	72.7	(1)	(1)
Norway	91.6	95.0	88.0	93.2	(1)	(1)
Hungary	38.1	36.0	35.0	39.0	40.6	(1)
The Netherlands	95.5	91.0	95.0	93.0	97.9	101.2
Switzerland	120.3	125.0	127.0	131.0	130.3	(1)
Spain	13.2	12.0	13.0	11.2	16.6	(1)
Italy	53.8	53.0	51.0	54.0	56.6	57.6

¹ No figures available.

In the following table the distribution of the mortality from cancer is given for the registration area of the

United States, its principal subdivisions, the registration states, and larger cities, rates of 80 or over being indicated by bold face type:

AREA.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	66.5	61.5	65.3	68.6	70.6	72.1
Registration cities	67.2	65.2	66.2	69.5	71.6	72.5
Registration states	67.5	66.2	66.1	69.7	71.1	73.6
Cities in registration states	69.8	69.0	68.1	72.3	74.0	75.7
Rural part of registration states	61.7	62.7	63.2	66.1	68.0	70.9
Registration cities in other states	64.5	61.3	64.0	66.6	69.2	69.3
Registration states:						
Connecticut	70.6	70.3	68.3	78.4	68.8	75.9
District of Columbia	74.5	70.2	74.9	75.4	76.5	75.9
Indiana	47.0	44.1	47.9	49.3	50.4	53.3
Maine	83.0	82.4	80.7	85.0	86.3	92.9
Massachusetts	79.6	76.7	77.4	80.9	88.0	89.3
Michigan	63.2	60.0	59.6	67.5	67.4	64.2
New Hampshire	79.8	87.7	81.2	77.5	80.4	83.7
New Jersey	66.3	58.2	53.5	59.3	57.6	63.2
New York	70.2	69.8	68.9	71.7	73.8	76.1
Rhode Island	78.1	72.3	72.3	77.3	86.6	80.4
Vermont	81.5	70.5	69.1	93.7	87.0	81.2
Registration cities of 100,000 population or over in 1900:						
Albany, Pa.	43.5	48.0	49.1	37.7	44.9	49.7
Baltimore, Md.	75.2	70.5	77.9	73.0	86.5	81.1
Boston, Mass.	89.6	88.2	87.5	93.2	95.7	105.0
Buffalo, N. Y.	68.7	73.3	66.5	75.2	72.3	88.1
Chicago, Ill.	63.5	63.7	64.7	61.4	64.0	65.6
Cincinnati, Ohio	78.1	77.8	78.0	83.5	80.0	73.7
Cleveland, Ohio	58.2	59.4	51.3	62.2	61.1	61.3
Columbus, Ohio	65.1	51.2	65.1	67.2	72.8	73.2
Denver, Colo.	65.5	70.8	65.7	63.2	72.0	86.5
Detroit, Mich.	70.9	63.3	61.0	78.2	74.6	68.5
Fall River, Mass.	60.8	69.5	51.3	66.4	63.5	69.0
Indianapolis, Ind.	57.8	50.7	61.2	55.6	59.6	51.4
Jersey City, N. J.	51.6	52.0	46.6	56.7	54.1	66.2
Kansas City, Mo.	55.3	46.7	59.4	55.5	72.7	61.4
Louisville, Ky.	59.4	54.7	62.2	55.6	61.6	56.6
Memphis, Tenn.	37.3	28.3	36.4	44.9	29.8	31.6
Milwaukee, Wis.	67.3	67.1	60.9	70.9	74.3	64.9
Minneapolis, Minn.	58.7	57.8	52.6	67.9	57.6	62.6
New Haven, Conn.	78.3	88.9	82.7	79.4	71.9	92.4
New Orleans, La.	73.6	70.0	71.9	79.8	82.9	84.0
New York, N. Y.	68.5	69.1	66.6	69.5	71.4	72.3
Bronx borough	62.0	61.9	58.5	67.0	61.0	70.7
Brooklyn borough	62.7	62.1	63.9	63.0	64.9	67.6
Manhattan borough	74.3	75.8	71.0	75.1	78.3	77.7
Queens borough	47.4	41.4	47.1	51.1	47.7	50.5
Richmond borough	82.1	92.4	66.3	83.6	89.2	67.2
Newark, N. J.	68.6	75.3	63.8	71.6	70.3	69.9
Omaha, Nebr.	51.9	56.5	46.5	47.6	62.4	72.2
Patterson, N. J.	63.1	73.3	51.8	61.2	63.5	73.5
Philadelphia, Pa.	69.9	62.3	67.0	71.9	78.7	77.0
Pittsburg, Pa.	51.9	41.6	64.9	57.1	50.7	54.9
Providence, R. I.	85.0	82.1	87.7	80.8	96.9	97.2
Rochester, N. Y.	80.6	86.0	88.9	78.9	86.9	93.9
St. Joseph, Mo.	30.6	31.3	23.1	26.3	43.1	27.7
St. Louis, Mo.	62.2	55.3	65.0	73.2	69.5	73.5
St. Paul, Minn.	55.5	46.5	51.5	58.9	60.5	57.9
San Francisco, Cal.	124.0	115.2	128.3	125.3	131.3	125.0
Scranton, Pa.	42.0	43.0	51.3	41.6	35.6	33.6
Syracuse, N. Y.	76.0	69.9	76.9	81.8	69.3	81.1
Toledo, Ohio	57.4	59.3	57.4	54.8	62.4	67.6
Washington, D. C.	71.5	70.2	74.9	75.4	76.5	75.9
Worcester, Mass.	72.8	61.0	61.6	69.2	101.4	80.4

The death rates from this disease in 1905 were higher for each of the main subdivisions of the registration area than for any previous year given in the table, and a very marked increase is apparent over the average annual rate for the quinquennial period 1900-1904. The same remark applies to five of the registration states, whose rates for 1905 were the highest for the series of years: Indiana (55.3), Maine (92.9), Massachusetts (89.3), New Jersey (63.2), New York (76.1). Three states and the District of Columbia, whose popu-

lation is urban, showed a decrease for the year as compared with 1904, although the rates are in each case higher than the five-year average. They are District of Columbia (75.9), Michigan (64.2), Rhode Island (80.4), and Vermont (84.2). The highest mortality shown by any state for the year was that of Maine (92.9), followed by Massachusetts (89.3), while the lowest rates were shown by Indiana (55.3) and New Jersey (63.2).

Among the larger registration cities a large number showed higher rates for 1905 than for the previous years: Allegheny, Pa. (49.7); Boston, Mass. (105.6); Buffalo, N. Y. (88.1); Chicago, Ill. (65.6); Cleveland, Ohio (64.3); Columbus, Ohio (73.2); Denver, Colo. (86.5); Jersey City, N. J. (66.2); New Haven, Conn. (92.4); New Orleans, La. (84.9); New York, N. Y. (72.3); Omaha, Nebr. (72.2); Paterson, N. J. (73.5); Providence, R. I. (97.2); Rochester, N. Y. (93.9); St. Louis, Mo. (73.5); and Toledo, Ohio (67.6). Only two cities showed lower rates for 1905 than for previous years—Cincinnati, Ohio (73.7), and Scranton, Pa. (33.6). The highest death rate from cancer for any of the larger cities was that of San Francisco, Cal. (125), and then in order, Boston, Mass. (105.6); Providence, R. I. (97.2); Rochester, N. Y. (93.9); and New Haven, Conn. (92.4). The lowest rate was shown for St. Joseph, Mo. (27.7), and the next lowest for Scranton, Pa. (33.6).

The possibility that sufferers from cancer may resort to a city from its adjacent territory for the purpose of operation, and deaths resulting therefrom be charged to the death rate of the city, and also the peculiarities of various urban populations, especially with reference to age distribution, must be considered before the true incidence of mortality from this cause in the different cities can be determined.

Sex and age distribution of deaths from cancer for the registration area is as follows:

NUMBER OF DEATHS FROM CANCER.						
SEX AND AGE.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	21,221	20,171	20,847	22,325	23,395	24,330
Sex:						
Male	8,620	7,706	7,798	8,422	8,881	9,189
Female	13,201	12,465	13,049	13,903	14,514	15,141
Age:						
Under 1 year.....	27	27	33	22	29	24
1 year.....	17	17	15	17	18	18
2 years.....	23	25	28	22	19	18
3 years.....	22	19	23	22	21	18
4 years.....	18	20	20	17	22	23
Under 5 years.....	108	108	119	100	111	101
5 to 9 years.....	48	40	51	55	53	60
10 to 14 years.....	46	32	51	41	46	48
15 to 19 years.....	81	66	95	88	99	99
20 to 24 years.....	141	113	123	140	158	153
25 to 29 years.....	283	289	266	306	275	290
30 to 34 years.....	549	531	535	522	637	629
35 to 39 years.....	1,662	991	1,021	1,138	1,057	1,176
40 to 44 years.....	1,641	1,647	1,569	1,683	1,825	1,805
45 to 49 years.....	2,078	2,031	2,041	2,157	2,260	2,463
50 to 54 years.....	2,566	2,461	2,589	2,699	2,744	2,845
55 to 59 years.....	2,698	2,551	2,619	2,836	2,941	3,036
60 to 64 years.....	2,845	2,594	2,773	3,062	3,191	3,215
65 to 69 years.....	2,546	2,414	2,490	2,707	2,816	3,014
70 to 74 years.....	2,082	1,926	1,940	2,211	2,438	2,430
75 to 79 years.....	1,387	1,311	1,353	1,450	1,545	1,656
80 to 84 years.....	702	646	719	737	777	810
85 to 89 years.....	266	248	281	273	271	310
90 to 94 years.....	68	58	73	74	85	81
95 years and over.....	14	19	10	17	15	20
Unknown.....	68	71	68	89	64	39

As usual the deaths of females largely exceed deaths of males from this cause. An increasing number of deaths is shown with advancing years until the population becomes too much diminished to maintain the numerical increase. The largest number of deaths is at the age period 60 to 64 years for each of the years shown.

Rheumatism.—Under the accepted statistical classification rheumatism is of much less importance as a cause of death than as a cause of sickness. Many deaths from forms of organic heart disease, due primarily to rheumatic infection, are not compiled under rheumatism according to the International Classification, but are placed under diseases of the circulatory system. For this reason mortality statistics do not adequately show the true prevalence of this class of diseases. An attempt is made to distinguish between acute and chronic forms of rheumatism, but as yet the returns can not be considered as fully trustworthy even in this respect. Under chronic rheumatism are included many deaths returned simply as due to "rheumatism," without specification as to whether the affection was acute or chronic. The number of such returns has been diminishing since 1900 in accordance with the efforts made by the Bureau of the Census to secure greater precision of statement. In 1900 over one-half of all the deaths returned from all forms of rheumatism were included under chronic rheumatism and gout, while in 1905 only one-third of the total number were so included.

CAUSE OF DEATH.	NUMBER OF DEATHS FROM FORMS OF RHEUMATISM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	2,910	2,985	2,661	2,785	3,187	2,827
Acute articular rheumatism.....	1,569	1,510	1,366	1,594	2,100	1,918
Chronic rheumatism and gout.....	1,311	1,475	1,295	1,191	1,087	909

In the following table the number of deaths from rheumatism and the death rate per 100,000 of population may be seen for the registration area and its main subdivisions:

NUMBER OF DEATHS FROM RHEUMATISM.						
AREA.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	2,910	2,985	2,661	2,785	3,187	2,827
Registration cities.....	2,049	2,137	1,797	2,017	2,287	1,969
Registration states.....	1,908	1,919	1,759	1,772	2,053	1,846
Cities in registration states.....	1,047	1,101	895	1,004	1,153	988
Rural part of registration states.....	861	818	861	768	900	858
Registration cities in other states.....	1,601	1,036	962	1,013	1,134	981

NUMBER OF DEATHS PER 100,000 OF POPULATION.						
AREA.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	9.1	9.5	8.3	8.6	9.6	8.4
Registration cities.....	9.0	9.6	7.9	8.7	9.6	8.1
Registration states.....	9.2	9.6	8.5	8.4	9.6	8.5
Cities in registration states.....	9.1	9.8	7.8	8.5	9.6	8.0
Rural part of registration states.....	9.4	9.3	9.1	8.3	9.6	9.1
Registration cities in other states.....	8.9	9.4	8.0	8.8	9.6	8.1

It will be noted that the death rate from rheumatism was precisely the same in the year 1904 for each subdivision, namely, 9.6 per 100,000 of population. This rate fell to 8.4 in 1905 for the registration area as a whole, the greatest decrease in the mortality being in the cities of registration states and the least in the rural part of registration states.

In the following table the total number of deaths from rheumatism in all forms, as classified under the system now in use, is stated for the five years 1901 to 1905, together with the average for the quinquennial period 1900-1904, by sex and periods of age:

SEX AND AGE.	NUMBER OF DEATHS FROM RHEUMATISM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	2,910	2,985	2,661	2,785	3,187	2,827
Sex:						
Male	1,430	1,503	1,312	1,346	1,558	1,407
Female	1,480	1,482	1,349	1,439	1,629	1,420
Age:						
Under 1 year.....	32	39	26	25	36	39
Under 5 years.....	101	108	89	99	118	121
5 to 14 years.....	365	361	303	315	481	392
15 to 24 years.....	290	282	258	287	319	287
25 to 34 years.....	260	267	236	261	285	272
35 to 44 years.....	291	293	271	264	330	280
45 to 64 years.....	716	783	699	702	750	709
65 years and over.....	842	880	794	817	865	764
Unknown.....	9	8	8	10	9	2

Practically the same number of deaths were returned for males and females for the year 1905 and also for the preceding quinquennial period. About one-half of all deaths reported from this cause are of persons aged 45 years and over. If the results of rheumatism, including organic heart diseases due to this factor, were included, it is probable that a much larger proportion of deaths at older ages would be indicated from this cause.

Diabetes.—There were 4,397 deaths returned from diabetes from the registration area for the year 1905, a number slightly greater, as shown in Table III, than that recorded for the preceding years. The death rate per 100,000 of population in 1905 (13) was about the same as in 1904 (12.9). In the following table the distribution of mortality from this cause is given for the various divisions of the registration area and for the cities of over 100,000 population in 1900:

AREA.	NUMBER OF DEATHS FROM DIABETES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	10.9	10.3	10.4	11.3	12.9	13.0
Registration cities.....	10.6	10.1	9.9	11.0	12.7	13.0
Registration states.....	12.2	11.5	11.7	12.6	11.2	11.1
Cities in registration states.....	12.6	12.1	11.8	13.0	14.9	11.8
Rural part of registration states.....	11.8	10.8	11.5	12.1	13.3	13.2
Registration cities in other states.....	8.6	8.0	8.0	8.9	10.4	11.1
Registration states:						
Connecticut.....	14.1	12.8	12.9	13.3	17.1	14.9
District of Columbia.....	10.7	10.2	10.7	12.3	12.1	15.5
Indiana.....	8.6	8.0	8.8	8.6	9.7	10.0
Maine.....	12.7	12.6	12.6	13.1	14.7	16.5
Massachusetts.....	13.7	11.7	13.6	14.1	15.8	15.9
Michigan.....	11.5	10.5	12.1	11.3	13.4	11.0
New Hampshire.....	14.8	11.6	12.2	18.9	14.3	17.9
New Jersey.....	9.5	8.8	8.9	10.3	11.1	11.8
New York.....	13.1	12.8	12.2	13.6	15.5	15.5
Rhode Island.....	15.1	18.9	11.8	15.7	15.8	17.1
Vermont.....	15.3	16.8	12.4	14.1	21.3	18.0
Registration cities of 100,000 population or over in 1900:						
Albany, N. Y.....	5.2	2.3	3.7	7.2	7.1	3.5
Baltimore, Md.....	9.9	10.1	8.6	10.4	11.9	11.4
Boston, Mass.....	15.1	14.3	13.9	14.1	18.5	17.3
Buffalo, N. Y.....	14.6	11.2	13.3	16.1	19.1	16.7
Chicago, Ill.....	8.5	8.2	8.4	9.2	10.0	11.2
Cincinnati, Ohio.....	9.0	9.8	6.7	9.0	10.3	11.4
Cleveland, Ohio.....	5.9	5.9	5.2	7.2	7.3	8.2
Columbus, Ohio.....	8.3	3.9	9.8	9.6	10.1	10.6
Denver, Colo.....	12.1	11.1	13.9	9.5	12.8	14.6
Detroit, Mich.....	11.3	12.6	11.9	10.3	11.7	11.1
Fall River, Mass.....	11.4	6.7	14.3	16.1	12.3	13.2
Indianapolis, Ind.....	9.6	9.7	7.0	10.6	8.8	11.3
Jersey City, N. J.....	8.3	7.6	7.4	11.3	8.8	9.9
Kansas City, Mo.....	6.5	6.6	6.5	5.2	10.2	10.0
Louisville, Ky.....	7.5	5.3	10.8	6.9	8.2	10.3
Memphis, Tenn.....	4.6	2.8	3.6	2.6	9.1	1.6
Milwaukee, Wis.....	9.4	9.2	9.1	10.6	11.1	12.8
Minneapolis, Minn.....	7.9	10.3	6.6	7.9	8.8	15.3
New Haven, Conn.....	15.1	17.2	7.1	20.1	11.6	17.6
New Orleans, La.....	6.1	8.2	5.7	6.0	7.5	6.5
New York, N. Y.....	13.7	14.0	12.9	13.7	16.1	16.4
Brooklyn borough.....	15.3	12.1	13.1	15.6	22.0	14.0
Brooklyn borough.....	11.8	10.5	12.0	12.3	13.8	15.3
Manhattan borough.....	15.2	16.7	13.9	14.4	17.8	17.6
Queens borough.....	9.4	10.5	8.2	11.1	11.6	11.6
Richmond borough.....	14.4	11.7	10.1	19.8	12.5	24.3
Newark, N. J.....	11.2	8.7	10.4	12.4	11.0	12.7
Omaha, Neb.....	6.4	8.8	3.6	6.2	7.7	7.5
Patterson, N. J.....	9.3	12.2	8.4	7.5	11.8	11.7
Philadelphia, Pa.....	9.8	9.1	7.8	11.3	12.6	14.0
Pittsburg, Pa.....	4.7	3.6	6.2	4.1	4.8	5.5
Providence, R. I.....	16.2	21.1	10.8	18.5	18.0	14.6
Rochester, N. Y.....	13.5	12.6	11.8	10.3	18.6	23.3
St. Joseph, Mo.....	4.6	4.7	4.6	1.8	4.4	1.7
St. Louis, Mo.....	6.8	7.1	4.7	7.7	8.6	10.4
St. Paul, Minn.....	7.4	5.3	5.1	7.6	10.5	10.7
San Francisco, Cal.....	17.6	18.1	16.8	18.5	20.3	20.0
Seranton, Pa.....	9.3	8.6	9.3	8.2	9.8	10.3
Syracuse, N. Y.....	11.6	5.2	15.2	14.1	12.1	15.4
Toledo, Ohio.....	10.6	11.0	11.3	9.6	12.0	7.1
Washington, D. C.....	10.7	10.2	10.7	12.3	12.4	15.5
Worcester, Mass.....	13.1	10.8	9.0	10.5	19.8	14.8

The death rate from this disease in the registration area was higher for the year 1905 than for any previous

year in the preceding table, which statement is also true of the registration cities, and especially the registration cities in nonregistration states. The registration states as a whole, including both the cities and the rural portion, showed a slight decrease in 1905 as compared with 1904. In the table rates of 20 per 100,000 or more are distinguished by bold face type.

In the following table the age and sex distribution of deaths due to diabetes is stated for the registration area:

NUMBER OF DEATHS FROM DIABETES.						
SEX AND AGE.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,492	3,212	3,312	3,681	4,259	4,397
Sex:						
Male	1,731	1,593	1,638	1,789	2,120	2,131
Female	1,758	1,619	1,674	1,892	2,139	2,263
Age:						
Under 5 years	58	66	69	40	61	58
5 to 9 years	77	74	78	78	89	90
10 to 14 years	110	109	101	109	133	121
15 to 19 years	102	90	101	98	111	121
20 to 24 years	102	85	103	105	102	112
25 to 29 years	127	127	108	145	145	131
30 to 34 years	135	148	112	141	142	113
35 to 39 years	140	142	126	148	166	167
40 to 44 years	169	173	173	167	187	196
45 to 49 years	217	220	184	225	288	273
50 to 54 years	329	308	299	333	421	425
55 to 59 years	389	343	367	432	483	607
60 to 64 years	456	411	441	491	570	616
65 to 69 years	423	346	397	476	519	581
70 to 74 years	332	276	326	337	436	421
75 to 79 years	201	161	205	206	283	274
80 to 84 years	85	75	80	101	105	108
85 to 89 years	25	19	24	30	30	34
90 to 94 years	5	2	5	6	6	6
95 years and over	1	1		1		2
Unknown	9	6	10	9	9	5

A slight excess of deaths of females over males is shown for each year. The maximum number of deaths by quinquennial age periods is invariably that for the period 60 to 64 years.

Alcoholism.—The title "alcoholism" of the International Classification includes the acute and chronic forms, but does not include certain organic lesions resulting from the use of liquor, such as cirrhosis of the liver. In the following table may be found a statement of the total number of deaths returned for the registration area and its main subdivisions, and also the corresponding death rates per 100,000 of population:

NUMBER OF DEATHS FROM ALCOHOLISM.						
AREA.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	1,973	1,870	1,943	2,163	1,927	2,106
Registration cities	1,659	1,591	1,614	1,796	1,608	1,752
Registration states	1,115	1,016	1,080	1,290	1,128	1,293
Cities in registration states	802	737	781	923	809	859
Rural part of registration states	314	279	299	367	319	354
Registration cities in other states	858	854	863	873	799	813

AREA.	NUMBER OF DEATHS FROM ALCOHOLISM PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	6.2	6.0	6.1	6.6	5.8	6.2
Registration cities	7.3	7.2	7.2	7.7	6.8	7.2
Registration states	5.4	5.0	5.2	6.1	5.3	6.0
Cities in registration states	7.0	6.6	6.8	7.9	6.7	7.6
Rural part of registration states	3.4	3.1	3.3	4.0	3.4	3.8
Registration cities in other states	7.6	7.8	7.7	7.6	6.8	6.7

The total death rate from alcoholism for the year 1905 (6.2 per 100,000 of population), showed a slight increase over the preceding year (5.8), but was precisely the same as the average for the preceding quinquennial period, 1900-1904. As compared with the rates of that period, an increase is shown in 1905 for the registration states as a whole, the cities in registration states, and the rural part of registration states, while a slight diminution is shown for registration cities, dependent upon a considerable decrease in registration cities in nonregistration states.

The sex and age distribution of deaths from alcoholism in the registration area may be seen in the following table:

NUMBER OF DEATHS FROM ALCOHOLISM.						
SEX AND AGE.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	1,973	1,870	1,943	2,163	1,927	2,106
Sex:						
Male	1,690	1,598	1,650	1,883	1,651	1,818
Female	283	272	293	280	273	288
Age:						
Under 5 years	4	7	6	4	3	1
5 to 14 years	3	4	3	1	2	8
15 to 24 years	44	49	33	54	43	52
25 to 34 years	408	381	415	457	377	421
35 to 44 years	657	617	656	732	632	690
45 to 64 years	717	672	692	770	738	782
65 years and over	118	122	110	124	117	138
Unknown	21	18	28	21	15	14

Deaths of males compiled under this title largely exceed deaths of females. It will be noted that some very young children are here included, averaging four under 5 years of age for the period 1900 to 1904. It is not likely that such deaths are properly chargeable to alcoholism, although the compilation, which is made on the basis of the official transcripts and in strict accordance with the nomenclature of the International Classification, brings them into prominence. The figures point to a margin of error which attends all statistical compilation, and may indicate both the need for greater care in the examination of original returns and in the preparation and comparison of transcripts, and also the necessity for making adequate provision

in the scheme of classification for the treatment of such anomalous cases.

DISEASES OF THE NERVOUS SYSTEM.

The total number of deaths returned and classified under diseases of the nervous system was 61,556 for the entire registration area during the year 1905. This number shows a slight increase over the number compiled for the previous year and also as compared with the annual average for the quinquennial period 1900-1904. As indicated, however, in the following table, which presents the distribution of deaths and death rates for the main subdivisions of the registration area, the death rate from diseases of the nervous system was somewhat less for 1905 than for the preceding quinquennial period:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	60,575	60,431	59,313	58,319	60,581	61,556
Registration cities.....	42,690	42,557	42,362	41,046	42,571	43,802
Registration states.....	39,350	39,550	38,260	38,152	40,626	41,681
Cities in registration states.....	21,665	21,476	21,219	20,879	22,689	23,927
Rural part of registration states.....	17,885	18,071	17,011	17,273	18,007	17,754
Registration cities in other states.....	21,025	20,881	21,053	20,167	19,885	19,875

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	189.7	193.1	185.9	179.2	182.8	182.3
Registration cities.....	187.8	191.1	186.2	176.3	178.9	179.8
Registration states.....	191.4	191.7	185.2	181.6	190.5	192.0
Cities in registration states.....	188.9	192.0	185.2	177.7	188.7	191.3
Rural part of registration states.....	191.5	198.0	185.1	186.5	192.8	188.9
Registration cities in other states.....	186.6	190.2	187.2	175.0	168.9	165.0

The number of deaths returned from the entire registration area is given by sex and periods of age in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	60,575	60,431	59,313	58,319	60,581	61,556
Sex:						
Male.....	32,444	32,416	31,822	31,251	32,318	32,950
Female.....	28,131	28,015	27,491	27,068	28,263	28,606
Age:						
Under 1 year.....	11,751	12,363	11,673	10,277	10,268	10,017
Under 5 years.....	17,266	17,913	16,955	15,011	15,311	15,313
5 to 14 years.....	2,369	2,350	2,080	2,198	2,574	3,057
15 to 24 years.....	1,829	1,809	1,718	1,749	1,883	2,128
25 to 34 years.....	2,425	2,457	2,410	2,269	2,398	2,412
35 to 44 years.....	3,832	3,851	3,920	3,809	3,752	3,892
45 to 64 years.....	13,372	13,161	13,222	13,529	13,970	14,110
65 years and over.....	19,285	18,725	18,797	19,569	20,521	20,511
Unknown.....	197	229	211	185	172	103

Deaths of males considerably exceed deaths of females for each of the years and for the five-year period. The exact relation of the mortality of the sexes must be considered in connection with the sex distribution of the constituent population, concerning which no estimates have been made for the postcensal years contained in the table. Under age distribution it will be noted that considerably fewer deaths are reported under the age of 1 year, and especially under 5 years, for the year 1905, than for the first year of the period. This is due largely to the diminution in the deaths reported from "convulsions," a title to which are assigned many deaths of children from acute intestinal diseases of which the "convulsions" are merely symptomatic, and which do not properly belong among diseases of the nervous system. The decrease in deaths compiled under this title may be examined in Table III.

Meningitis.—Deaths from tuberculous meningitis, as far as specified, are included under tuberculosis, a separate subdivision being made for this purpose. Many such deaths are probably reported as due simply to "meningitis," without qualification, so that no clue whatever is given to the fact that the disease was tuberculous. For similar reasons it is practically impossible to insure a distinct separation between sporadic cases of meningitis, those depending on traumatism not expressed in the certificate, or other causes, and the definite infectious disease, epidemic cerebro-spinal meningitis or cerebro-spinal fever. For this reason all deaths from meningitis, exclusive of those actually reported from tuberculous meningitis and traumatic meningitis, are best considered together, although the figures given in the following table, which attempts to make the distinction between simple meningitis and epidemic cerebro-spinal meningitis, may be considered in connection with the aggregate:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM MENINGITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	10,551	10,430	9,981	9,213	10,553	11,654
Simple meningitis.....	8,452	8,643	8,259	7,295	7,269	6,540
Epidemic cerebro-spinal meningitis.....	2,099	1,787	1,722	1,918	3,284	5,114

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	33.0	33.3	31.3	28.3	31.8	34.5
Simple meningitis.....	26.5	27.6	25.9	22.4	21.9	19.4
Epidemic cerebro-spinal meningitis.....	6.6	5.7	5.4	5.9	9.9	15.1

According to the compilation epidemic cerebro-spinal meningitis shows a marked increase for the year 1905.

The rate, 15.1 per 100,000 of population, was nearly three times that shown for the years from 1901 to 1903. The rise began in 1904, and should be considered in examining the rates for total meningitis shown in other tables.

The mortality from meningitis was distributed through the main subdivisions of the registration area, the registration states, and large cities of 100,000 population and over, as follows, all rates in excess of 50 per 100,000 of population being distinguished by bold face type:

AREA.	NUMBER OF DEATHS FROM MENINGITIS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	33.0	33.3	31.3	28.3	31.8	31.5
Registration cities	36.4	36.1	35.2	31.0	35.6	38.9
Registration states	32.9	32.8	29.7	27.8	31.1	39.0
Cities in registration states	36.6	38.6	36.2	32.8	33.3	51.1
Rural part of registration states	21.7	25.8	21.6	21.5	22.2	22.6
Registration cities in other states	35.2	31.2	31.2	29.2	27.8	26.5
Registration states:						
Connecticut	37.4	33.3	31.6	34.4	42.7	50.7
District of Columbia	25.3	23.6	26.1	17.1	22.8	19.1
Indiana	27.2	29.1	23.9	21.4	26.7	22.4
Maine	36.8	41.5	31.9	33.8	29.4	27.8
Massachusetts	38.9	39.8	38.0	27.6	32.8	42.6
Michigan	17.9	18.1	15.6	15.3	15.6	18.5
New Hampshire	41.6	40.2	45.1	37.7	30.8	70.8
New Jersey	43.8	43.9	40.2	40.6	40.4	46.7
New York	33.3	31.3	27.6	25.8	41.8	47.4
Rhode Island	37.0	47.2	42.1	21.4	24.5	26.7
Vermont	34.4	40.6	33.3	27.1	32.7	28.9
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.	41.3	42.0	32.4	39.8	38.4	32.9
Baltimore, Md.	30.4	28.3	29.9	25.4	26.4	27.6
Boston, Mass.	38.3	38.9	38.6	35.4	33.6	46.9
Buffalo, N. Y.	34.6	33.3	33.7	32.4	27.4	30.2
Chicago, Ill.	31.4	31.5	32.8	30.3	24.2	23.1
Cincinnati, Ohio.	55.2	58.0	54.0	44.2	50.4	43.1
Cleveland, Ohio.	37.9	39.2	39.7	32.3	31.1	32.5
Columbus, Ohio.	40.9	38.0	49.2	36.2	31.6	32.4
Denver, Colo.	39.2	56.8	30.6	35.3	26.9	25.9
Detroit, Mich.	30.2	31.3	26.9	26.5	27.1	28.0
Fall River, Mass.	58.0	59.0	60.8	57.9	47.4	49.2
Indianapolis, Ind.	38.0	40.5	25.7	32.4	12.5	33.6
Jersey City, N. J.	69.1	61.9	70.6	55.8	74.7	62.4
Kansas City, Mo.	37.6	30.0	41.8	38.7	34.1	29.6
Louisville, Ky.	44.8	42.4	35.3	33.3	42.0	48.5
Memphis, Tenn.	30.0	31.1	27.3	23.8	31.5	27.2
Milwaukee, Wis.	27.2	29.6	28.8	26.4	20.4	22.7
Minneapolis, Minn.	23.0	23.3	23.8	18.0	17.2	15.3
New Haven, Conn.	40.9	36.3	41.8	47.1	46.2	119.3
New Orleans, La.	39.5	39.4	40.9	28.3	36.7	36.5
New York, N. Y.	38.2	33.1	30.1	26.7	56.8	63.3
Bronx borough	36.7	31.7	32.8	26.7	52.5	43.4
Brooklyn borough	30.0	30.3	20.6	18.6	36.0	44.8
Manhattan borough	41.9	36.1	35.4	32.5	74.7	81.5
Queens borough	28.1	23.5	35.7	25.0	26.5	37.9
Richmond borough	27.1	27.9	28.8	11.3	23.7	23.3
Newark, N. J.	60.5	61.4	57.3	53.6	56.4	56.8
Omaha, Nebr.	23.7	28.6	22.8	17.0	13.7	7.5
Paterson, N. J.	64.1	71.4	60.3	63.3	50.8	63.8
Philadelphia, Pa.	25.6	30.9	30.7	15.9	15.6	15.7
Pittsburg, Pa.	38.3	34.3	35.0	35.9	35.1	31.0
Providence, R. I.	30.3	38.8	32.5	22.7	20.6	28.7
Rochester, N. Y.	38.3	45.1	35.9	27.1	32.2	30.2
St. Joseph, Mo.	13.9	26.5	13.9	12.7	8.6	13.0
St. Louis, Mo.	25.5	31.0	24.5	23.9	26.6	18.8
St. Paul, Minn.	23.2	21.2	19.2	16.9	27.3	17.8
San Francisco, Cal.	31.9	36.6	34.1	23.6	23.9	22.8
Scranton, Pa.	42.9	47.8	48.5	33.7	40.1	22.4
Syracuse, N. Y.	34.8	31.8	39.3	27.3	27.7	35.0
Toledo, Ohio.	29.7	22.3	26.2	29.5	29.2	23.8
Washington, D. C.	25.3	23.6	26.1	17.1	22.8	19.1
Worcester, Mass.	36.8	34.9	36.8	46.7	29.6	33.9

The death rate from the various causes included in the general term "meningitis" showed an increase for all of the main subdivisions of the registration area for 1905 over 1904, except for the registration cities in non-

registration states. For the registration cities as a class, the registration states, and the cities in registration states, as well as for the entire registration area, the death rate from this disease was higher in 1905 than for any preceding year shown in the table. The same statement applies to the rates for the following states: Connecticut (50.7); Massachusetts (42.6); Michigan (18.5); New Hampshire (70.8); New Jersey (46.7); and New York (47.4). The lowest rate shown in Maine for any individual year was that for 1905 (27.8). For the five years 1901 to 1905 the greatest mortality occurred in the last year among the following cities: Boston, Mass. (46.9); Jersey City, N. J. (92.4); New Haven, Conn. (119.3); and New York, N. Y. (63.3). In the following cities the death rate was lower for 1905 than for any other year shown: Chicago, Ill. (23.4); Cincinnati, Ohio (43.1); Columbus, Ohio (32.4); Denver, Colo. (25.9); Kansas City, Mo. (29.6); Minneapolis, Minn. (15.3); Omaha, Nebr. (7.5); Pittsburg, Pa. (31.0); St. Louis, Mo. (18.8); San Francisco, Cal. (22.8); Scranton, Pa. (22.4); and Toledo, Ohio (23.8). The highest death rate from this cause during 1905 for any of the larger cities was that of New Haven, Conn. (119.3), followed by Jersey City, N. J. (92.4), and New York, N. Y. (63.3).

The age and sex distribution of deaths compiled from meningitis for the registration area is as follows:

SEX AND AGE.	NUMBER OF DEATHS FROM MENINGITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	10,551	10,430	9,981	9,213	10,553	11,654
Sex:						
Male	5,769	5,721	5,469	4,996	5,792	6,461
Female	4,782	4,706	4,512	4,217	4,761	5,193
Age:						
Under 1 year	3,548	3,581	3,550	3,161	3,179	3,039
1 year	1,672	1,672	1,556	1,485	1,556	1,567
2 years	802	793	757	722	792	923
3 years	480	484	428	416	510	621
4 years	336	312	290	243	395	441
Under 5 years	6,239	6,432	6,581	6,057	6,432	6,591
5 to 9 years	919	810	791	763	1,091	1,456
10 to 14 years	437	365	358	367	570	748
15 to 19 years	365	327	317	282	495	623
20 to 24 years	285	295	288	240	309	429
25 to 29 years	252	237	210	207	239	325
30 to 34 years	236	237	231	203	223	295
35 to 39 years	219	229	221	196	201	234
40 to 44 years	197	220	169	183	199	230
45 to 49 years	172	169	162	162	192	164
50 to 54 years	111	144	137	136	136	147
55 to 59 years	117	121	114	107	117	113
60 to 64 years	105	113	101	106	101	112
65 to 69 years	89	84	87	81	69	71
70 to 74 years	67	69	69	56	61	47
75 to 79 years	46	52	44	34	47	33
80 to 84 years	33	35	30	32	30	22
85 to 89 years	13	13	14	11	13	1
90 to 94 years	3	3	1	2	2	2
95 years and over	2	5	1	1	2	2
Unknown	22	30	19	17	20	6

Deaths of males exceed deaths of females from this cause in each year. A very large proportion of the deaths are of infants under 1 year and of children under 5 years of age. The numbers diminish with advancing age periods. Probably many deaths assigned to this cause are in reality of traumatic origin and should be tabulated under the head "violence." That they are not

so assigned is due to the failure of coroners and physicians to state the primary as well as the immediate cause of death.

Apoplexy and paralysis.—The aggregate number of deaths in the registration area during the year 1905, from apoplexy and paralysis was 30,371. and the death rate per 100,000 of population from the two causes was 89.9, slightly lower than the death rate for the preceding year, 91.3, and that for the quinquennial period 1900–1904, which was 90.9.

The two titles of the International Classification, “apoplexy,” or, with closer adherence to the French nomenclature, “cerebral congestion and hemorrhage,” and “paralysis,” corresponding to “paralysis without indicated cause,” are considered jointly, because under them are included many deaths due to practically identical conditions. While many forms of paralysis not due to cerebral hemorrhage are no doubt returned and compiled under paralysis, owing to absence of proper specification, presumably a large proportion of deaths so reported is due more or less remotely to cerebral hemorrhage and should have been so specified in the original returns. It is perhaps a result of greater precision in the transcripts upon which the compilation is based that while the death rate from apoplexy for the year 1905 (72.2) is slightly greater than the rate for the five-year period 1900 to 1904 (69), showing a progressive increase for each of the years given in the following table, the rate for paralysis was lowest for the year 1905 (17.7) and diminished each year as compared with the preceding year shown:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	29,009	28,610	28,536	28,920	30,259	30,371
Apoplexy.....	22,033	21,390	21,862	22,311	23,828	24,390
Paralysis.....	6,977	7,220	6,674	6,609	6,431	5,981

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	90.9	91.5	89.4	88.9	91.3	89.9
Apoplexy.....	69.0	68.4	68.5	68.6	71.9	72.2
Paralysis.....	21.9	23.1	20.9	20.3	19.4	17.7

In the following table the distribution of deaths and death rates according to the principal subdivisions of the registration area may be seen:

AREA.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	29,009	28,610	28,536	28,920	30,259	30,371
Registration cities.....	18,937	18,652	18,891	18,776	19,618	20,038
Registration states.....	20,231	19,982	19,772	20,257	21,111	21,151
Cities in registration states.....	10,159	10,024	10,130	10,141	10,793	11,118
Rural part of registration states.....	10,073	9,958	9,642	10,114	10,621	10,333
Registration cities in other states.....	8,778	8,628	8,761	8,635	8,845	8,920

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	90.9	91.5	89.4	88.9	91.3	89.9
Registration cities.....	83.3	84.2	83.1	80.6	82.5	82.2
Registration states.....	97.9	98.1	95.7	96.5	100.2	98.8
Cities in registration states.....	88.6	89.7	88.3	86.3	89.8	90.3
Rural part of registration states.....	109.6	109.2	101.9	109.5	113.7	109.9
Registration cities in other states.....	77.9	78.6	77.9	74.9	75.1	74.1

The number of deaths from apoplexy and paralysis in 1905 (30,371) slightly exceeded the number in the preceding year (30,259); but the death rate, as based upon an estimated increase of population, diminished from 91.3 in 1904 to 89.9 in 1905. The latter rate is slightly lower than the rate for the quinquennial period, 1900–1904, which was 90.9. In the subdivisions of the registration area a decrease from the preceding year appeared, except for the cities in registration states.

Statement is made in the following table of the distribution by sex and periods of age of the total number of deaths from apoplexy and paralysis returned for the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	29,009	28,610	28,536	28,920	30,259	30,371
Sex:						
Male.....	14,625	14,463	14,357	14,592	15,194	15,155
Female.....	14,385	14,147	14,179	14,328	15,065	15,216
Age:						
Under 1 year.....	698	804	676	601	564	533
Under 5 years.....	1,076	1,213	1,040	913	810	772
5 to 14 years.....	209	252	195	164	169	152
15 to 24 years.....	325	343	308	313	271	278
25 to 34 years.....	727	747	710	690	684	613
35 to 44 years.....	1,670	1,704	1,709	1,646	1,618	1,681
45 to 64 years.....	9,240	9,120	9,166	9,210	9,739	9,773
65 years and over.....	15,656	15,111	15,251	15,885	16,813	17,008
Unknown.....	106	120	127	99	100	64

The number of deaths of males very slightly exceeds the number of deaths of females from these two causes for each year, except 1905, shown in the above table and

for the quinquennial average, 1900-1904. Slightly more than one-half of the total number of deaths occurring during the five-year period were of persons aged 65 years and over, and the proportion of deaths of elderly persons was greater than usual in 1905. Of the 533 deaths of infants under 1 year of age in 1905, 485 were charged to apoplexy, being returned for the most part from cerebral hemorrhage or cerebral congestion. Probably the great majority of these deaths were due to injuries received during birth.

DISEASES OF THE CIRCULATORY SYSTEM.

The number of deaths compiled from all forms of diseases of the circulatory system continues to show an increase for 1905, as for each of the preceding years. In the following table the distribution of deaths among the main subdivisions of the registration area and the death rates per 100,000 of population are given in detail:

NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM.						
AREA.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	50,051	46,250	49,233	52,275	57,220	58,503
Registration cities.....	35,251	32,506	35,081	35,743	40,191	41,497
Registration states.....	33,649	31,103	33,043	35,188	38,690	39,435
Cities in registration states.....	18,882	17,449	18,891	19,656	21,661	22,429
Rural part of registration states.....	14,797	13,654	14,152	15,532	17,029	17,006
Registration cities in other states.....	16,402	15,147	16,190	17,087	18,530	19,068

NUMBER OF DEATHS PER 100,000 OF POPULATION.						
AREA.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	156.8	147.8	154.3	160.7	172.7	173.3
Registration cities.....	155.1	147.1	154.4	157.9	168.9	170.1
Registration states.....	162.9	153.1	159.9	167.5	181.1	181.6
Cities in registration states.....	164.4	156.0	164.7	167.3	180.2	182.2
Rural part of registration states.....	160.9	142.6	154.0	167.7	182.3	180.9
Registration cities in other states.....	145.6	137.9	143.9	148.3	157.4	158.3

The increase in the death rate for 1905 was but slight as compared with the amounts of increase shown by preceding years. A diminution was shown in the death rate of the rural part of registration states, being the first decrease from one year to another indicated for any subdivision shown in the above table.

The number of deaths in the registration area, by sex and periods of age, is given in the following table for

the year 1905, the years immediately preceding, and the annual average for the five-year period 1900-1904:

NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM.						
SEX AND AGE.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate.....	50,051	46,250	49,233	52,275	57,220	58,503
Sex:						
Male.....	26,602	21,569	26,827	27,812	30,355	30,775
Female.....	23,450	21,681	22,706	24,463	26,865	27,728
Age:						
Under 1 year.....	1,161	1,109	1,193	1,074	1,116	1,191
Under 5 years.....	1,582	1,506	1,622	1,438	1,522	1,577
5 to 14 years.....	1,476	1,361	1,475	1,351	1,606	1,582
15 to 24 years.....	2,024	1,982	1,950	2,007	2,161	2,138
25 to 34 years.....	3,078	2,963	3,105	3,110	3,221	3,251
35 to 44 years.....	4,666	4,347	4,691	4,871	5,098	5,298
45 to 64 years.....	15,923	14,828	15,697	16,592	18,140	18,586
65 years and over.....	21,125	19,084	20,500	22,703	25,305	25,968
Unknown.....	177	179	190	197	167	103

The deaths of males markedly exceed the deaths of females from this group of causes in each year and in the quinquennial average. The number of deaths at the more advanced age periods shows an increase in recent years, which is somewhat greater in proportion to the number of deaths than the increase in the general mortality from circulatory diseases.

Heart disease.—There were 44,723 deaths from heart disease, including definitely specified forms of organic heart disease, as mitral regurgitation and the like, as well as deaths simply returned as "heart disease" and "heart trouble," but not as "heart failure," the latter term being considered as practically equivalent to cause unknown. The number of deaths compiled under this head and the annual death rates have been increasing for some years past, although a decrease in the rate is indicated for 1905 as compared with the preceding year. In the following table the distribution of deaths and death rates per 100,000 of population is given for the registration area and its main subdivisions:

NUMBER OF DEATHS FROM HEART DISEASE.						
AREA.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	38,510	35,586	37,577	40,704	41,472	44,723
Registration cities.....	26,395	24,378	26,004	27,901	30,436	30,803
Registration states.....	26,376	24,413	25,710	27,872	30,721	30,789
Cities in registration states.....	14,261	13,205	14,137	15,069	16,688	16,869
Rural part of registration states.....	12,115	11,208	11,573	12,803	14,036	13,920
Registration cities in other states.....	12,131	11,173	11,867	12,832	13,748	13,934

AREA.	NUMBER OF DEATHS FROM HEART DISEASE PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area.....	120.6	113.7	117.8	125.1	131.2	132.5
Registration cities.....	116.1	110.0	111.5	119.9	127.9	126.5
Registration states.....	127.7	120.2	121.4	122.6	143.8	111.8
Cities in registration states.....	121.4	118.1	123.2	128.2	138.8	137.0
Rural part of registration states.....	131.8	122.8	125.9	138.2	150.3	148.1
Registration cities in other states.....	107.7	101.7	105.5	111.3	116.8	115.7

In the above table it will be noted that each subdivision of the registration area shows a decreased death rate for 1905 as compared with the preceding year. From 1901 to 1904 an increase is shown for each subdivision with each successive year. The slight check in the increasing prevalence of organic heart disease, as shown by the statistical returns, would seem to be uniformly applicable to the registration territory.

The age and sex distribution of deaths in the registration area from heart disease is given in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM HEART DISEASE.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	38,510	35,586	37,577	40,704	44,472	44,723
Sex:						
Male	20,258	18,782	20,053	21,409	23,280	23,594
Female	18,252	16,804	17,524	19,295	21,192	21,119
Age:						
Under 1 year.....	733	691	713	671	710	726
Under 5 years.....	978	923	981	895	967	945
5 to 14 years.....	1,011	925	978	965	1,169	1,192
15 to 24 years.....	1,447	1,381	1,379	1,800	1,621	1,617
25 to 34 years.....	2,215	2,075	2,213	2,319	2,396	2,418
35 to 44 years.....	3,544	3,251	3,531	3,807	3,978	4,083
45 to 64 years.....	12,552	11,716	12,362	13,216	14,480	14,556
65 years and over.....	16,620	15,168	16,011	17,831	19,721	19,821
Unknown.....	111	117	119	151	131	91

The marked increase in deaths classified under this title is shared by both sexes, so that no special change occurs in their relative proportion. As stated under diseases of the circulatory system, of which organic heart diseases form the principal constituent, the proportion of deaths of elderly persons showed an increase for 1904 and 1905 somewhat greater than the increase in the total number of deaths from this cause.

The figures shown are doubtless excessive, owing to the fact that many unqualified statements of "heart disease" and "heart trouble" are assigned to this title under the International Classification, although it is probable that "heart failure," rather than organic heart disease, was meant in many instances. As commented upon under the subject of rheumatism, many deaths primarily due to rheumatic affections are assigned to this title. There were also 726 deaths of children under 1 year of age in the year 1905 which were charged to this title. Doubtless the majority of these were caused by congenital heart disease or malformation and

are assigned here only because of incomplete statements of cause of death on the certificates.

DISEASES OF THE RESPIRATORY SYSTEM.

The total number of deaths from diseases of the respiratory system should be considered in connection with deaths from pulmonary tuberculosis and influenza in addition to the number compiled under this class. The figures showing the deaths and death rates for the registration area and its main subdivisions include only the "diseases of the respiratory system," as given in Table III, and are shown in the following table:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	73,969	72,080	71,027	70,930	76,975	69,445
Registration cities	58,443	55,541	56,812	56,765	61,476	51,561
Registration states	46,180	46,124	44,118	43,945	48,678	43,966
Cities in registration states	30,934	29,585	29,933	29,780	33,179	29,081
Rural part of registration states	15,526	16,539	14,185	14,165	15,499	14,884
Registration cities in other states	27,488	25,956	26,909	26,985	28,297	25,450

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	231.7	230.3	222.6	218.0	232.3	205.7
Registration cities	237.1	230.6	230.2	213.9	258.3	221.0
Registration states	225.0	227.1	213.5	209.1	227.9	202.5
Cities in registration states	269.9	264.5	261.0	253.4	276.0	236.2
Rural part of registration states	168.9	181.2	151.3	152.9	166.0	158.3
Registration cities in other states	241.0	236.4	239.3	231.1	240.4	211.5

The total number of deaths classed under this group (69,445) was the smallest of any year shown, and the death rate (205.7) indicated a marked diminution from the preceding year (232.3). This decrease was shared by all of the subdivisions of the registration area.

Respiratory diseases show the following age and sex distribution in the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	73,969	72,080	71,027	70,930	76,975	69,445
Sex:						
Male	39,589	38,207	38,186	37,780	42,092	37,441
Female	34,379	33,873	32,841	33,150	34,883	32,004
Age:						
Under 1 year.....	16,551	15,461	17,366	15,736	17,038	16,512
Under 5 years.....	27,961	25,509	29,168	26,379	27,946	26,561
5 to 14 years.....	2,591	2,594	2,588	2,445	2,357	2,066
15 to 24 years.....	3,544	3,410	3,179	3,163	3,403	2,879
25 to 34 years.....	4,820	4,912	4,388	4,683	5,018	4,214
35 to 44 years.....	5,722	5,773	5,217	5,458	6,369	5,112
45 to 64 years.....	13,110	13,148	11,762	12,579	14,243	12,223
65 years and over.....	16,238	16,521	14,527	16,036	17,430	15,981
Unknown.....	185	213	188	187	169	100

The total number of deaths of males classed under this title considerably exceeds the number of deaths of

females for each individual year and for the five-year period. A diminution is shown in the number of deaths from this class of diseases for each one of the age periods given in the table above as compared with the preceding year.

Bronchitis.—An attempt is made in the detailed classification of causes of death to state separately the number of deaths reported from acute and chronic bronchitis, but the fact that in many cases of deaths from "bronchitis" the exact form is not specified by the attending physician renders their complete separation quite out of the question. There would appear, however, to be a well-marked difference in the character of deaths thus classified, at least as far as sex distribution is concerned, as shown by the following table:

CAUSE OF DEATH AND SEX.	NUMBER OF DEATHS FROM BRONCHITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Acute bronchitis: Both sexes.....	7,303	7,010	7,588	6,812	6,910	6,598
Males.....	3,745	3,577	3,890	3,417	3,517	3,399
Females.....	3,558	3,433	3,698	3,395	3,393	3,199
Chronic bronchitis: Both sexes.....	5,274	5,425	4,993	5,005	5,021	4,711
Males.....	2,296	2,317	2,230	2,175	2,211	2,110
Females.....	2,978	3,078	2,763	2,830	2,810	2,601

In the above table the number of deaths of males classified under acute bronchitis was larger than the number of deaths of females classified under this cause for the year 1905 and for each of the preceding years shown in the table, while for chronic bronchitis there was a much more marked excess of deaths of females.

The following table shows the number of deaths from all forms of bronchitis and the death rates per 100,000 of population for the registration area and its principal subdivisions:

AREA.	NUMBER OF DEATHS FROM BRONCHITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area.....	12,577	12,465	12,581	11,817	11,931	11,309
Registration cities.....	9,127	9,763	10,129	9,275	9,100	8,716
Registration states.....	8,079	8,174	8,112	7,548	7,571	7,120
Cities in registration states.....	5,129	5,163	5,060	4,396	5,010	4,557
Rural part of registration states.....	2,650	2,762	2,452	2,392	2,531	2,563
Registration cities in other states.....	4,498	4,294	4,469	4,339	4,360	4,189

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area.....	39.1	39.8	39.4	36.1	36.1	33.5
Registration cities.....	43.7	45.7	44.6	39.8	39.5	35.9
Registration states.....	39.1	40.2	39.3	35.7	35.4	32.8
Cities in registration states.....	47.3	48.3	49.4	42.0	41.9	37.0
Rural part of registration states.....	28.8	30.3	26.7	27.8	27.1	27.3
Registration cities in other states.....	39.9	39.1	39.8	37.6	37.0	34.8

There were fewer deaths from bronchitis in 1905 than in any preceding year shown in the table, and the death rate, 33.5 per 100,000 of population, was lower than the average death rate of the preceding quinquennial period, 39.4. Each of the subdivisions of the registration area shows a diminished mortality, except the rural part of registration states.

The distribution of deaths from bronchitis by age and sex is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM BRONCHITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate.....	12,577	12,465	12,581	11,817	11,931	11,309
Sex:						
Male.....	6,010	5,921	6,120	5,622	5,728	5,509
Female.....	6,536	6,511	6,461	6,225	6,203	5,800
Age:						
Under 1 year.....	4,499	4,278	4,758	4,037	4,236	4,112
Under 5 years.....	6,350	6,102	6,618	5,731	5,857	5,626
5 to 14 years.....	226	210	250	191	175	182
15 to 24 years.....	195	193	208	196	162	118
25 to 34 years.....	211	279	216	206	198	183
35 to 44 years.....	295	330	300	360	262	242
45 to 64 years.....	1,385	1,448	1,361	1,331	1,281	1,162
65 years and over.....	3,853	3,813	3,570	3,901	3,976	3,750
Unknown.....	23	30	28	19	20	16

The sex distribution of the total number of deaths compiled under this title shows an excess of deaths of females on the average, with considerable variations in the relative proportions in individual years. The figures may be compared with the sex distribution of the component elements—acute bronchitis and chronic bronchitis—as given in a preceding table. The age distribution of the deaths returned shows how strikingly this disease affects the extremes of life. Out of the average annual number of deaths from bronchitis (12,577) for the five-year period 1900–1904, 10,212, or 81.2 per cent, were of persons under 5 years of age or 65 years of age and upward.

Pneumonia.—As shown by Table III, the total number of deaths from pneumonia, exclusive of the number stated for bronchopneumonia, was 39,068 for the year 1905, corresponding to a death rate of 115.7 per 100,000 of population. This number and this rate are lower than those of any of the individual years shown in the table and considerably below the annual averages for the five-year period 1900–1904, which were 42,986 deaths and 134.6 per 100,000 of population, respectively.

While it was intended in the construction of the International Classification to confine the term pneumonia to what is more properly qualified as lobar or croupous pneumonia, the accuracy of the compilation is considerably impaired by the inclusion of deaths returned simply from "pneumonia," without qualification, under this head. Such deaths are quite as likely to belong to bronchopneumonia, and the recent practice of the Registrar-General of England and Wales in providing a separate title of the classification for unqualified pneumonia is to be commended, and should be adopted in the next revision of the international system.

In the following table the distribution of the mortality from pneumonia, exclusive of bronchopneumonia as far as the character of the returns and the system of compilation render such exclusion possible, is indicated for the registration area, its principal subdivisions, and the registration states and cities of over 100,000 of population in 1900:

AREA.	NUMBER OF DEATHS FROM PNEUMONIA PER 100,000 OF POPULATION.					
	Annual average: 1901 to 1905.	1901	1902	1903	1904	1905
The registration area	131.6	133.3	124.5	122.2	135.7	115.7
Registration cities	148.7	143.5	138.2	136.6	150.7	124.6
Registration states	128.1	129.5	116.2	113.1	130.2	112.5
Cities in registration states	150.8	146.5	136.6	131.4	155.7	127.7
Rural part of registration states	99.8	108.6	90.6	86.1	97.3	92.7
Registration cities in other states	146.6	140.4	139.7	138.8	145.7	121.5
Registration states:						
Connecticut	119.7	107.6	99.1	107.9	111.2	110.0
District of Columbia	137.7	119.2	126.9	137.4	146.3	139.0
Indiana	90.2	102.7	78.0	68.8	92.2	81.1
Maine	126.8	123.8	120.5	121.2	124.9	118.8
Massachusetts	128.4	127.4	123.2	127.9	121.6	125.8
Michigan	87.4	99.1	85.9	80.1	80.0	72.6
New Hampshire	135.2	131.8	128.8	124.4	110.4	110.9
New Jersey	132.1	125.5	116.5	117.9	154.3	116.2
New York	133.6	153.5	135.8	128.6	158.7	124.9
Rhode Island	136.3	129.2	119.1	138.4	136.9	152.7
Vermont	136.2	141.8	136.2	116.1	124.7	142.6
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.	226.6	220.6	276.4	227.4	181.6	217.7
Baltimore, Md.	161.5	149.7	148.3	140.2	155.7	140.4
Boston, Mass.	157.8	146.4	154.5	159.9	154.1	160.4
Buffalo, N. Y.	88.1	90.7	83.9	86.4	94.9	87.0
Chicago, Ill.	165.0	139.2	143.8	160.4	154.7	123.5
Cincinnati, Ohio	133.4	131.6	118.9	120.2	164.0	128.4
Cleveland, Ohio	137.6	128.9	137.6	130.1	129.7	111.6
Columbus, Ohio	121.1	97.8	118.0	150.6	118.9	129.6
Denver, Colo.	185.1	222.8	161.3	139.4	214.6	147.0
Detroit, Mich.	107.1	112.4	106.4	109.8	94.8	82.9
Fall River, Mass.	145.4	101.9	143.6	190.7	134.5	183.4
Indianapolis, Ind.	113.0	116.8	83.7	99.6	126.0	102.7
Jersey City, N. J.	181.2	154.5	157.6	179.6	222.6	147.0
Kansas City, Mo.	202.4	155.8	172.4	182.6	321.8	171.8
Louisville, Ky.	164.1	170.2	138.5	140.0	203.5	150.9
Memphis, Tenn.	170.2	111.2	101.9	132.9	212.8	135.3
Milwaukee, Wis.	103.4	90.3	89.7	98.6	103.1	63.9
Minneapolis, Minn.	71.6	77.4	75.1	70.0	58.0	69.1
New Haven, Conn.	124.5	108.0	100.6	182.6	120.7	147.9
New Orleans, La.	156.7	147.1	148.6	135.7	166.2	134.7
New York, N. Y.	206.5	200.1	190.5	164.1	215.4	148.6
Brooklyn borough	168.6	152.3	156.8	128.7	168.2	121.1
Brooklyn borough	195.8	203.2	175.4	150.7	193.0	148.8
Manhattan borough	222.8	208.6	188.0	182.0	241.4	151.1
Queens borough	170.8	170.4	181.9	131.2	165.7	129.4
Richmond borough	160.0	182.0	132.6	103.4	182.6	141.2
Newark, N. J.	152.5	142.2	129.1	133.9	178.4	118.3
Omaha, Nebr.	93.8	97.0	85.6	80.3	85.6	65.6
Paterson, N. J.	152.3	148.4	144.8	160.6	176.9	120.1
Philadelphia, Pa.	156.6	157.8	154.8	143.2	137.8	97.9
Pittsburg, Pa.	215.3	197.0	255.0	227.2	195.0	211.4
Providence, R. I.	143.4	121.5	126.1	156.3	144.8	158.6
Rochester, N. Y.	91.2	101.1	61.8	93.9	102.1	96.1
St. Joseph, Mo.	77.8	76.8	98.2	51.6	108.9	98.7
St. Louis, Mo.	162.9	158.6	160.7	139.3	172.3	139.9
St. Paul, Minn.	69.6	60.6	74.7	71.4	68.3	58.9
San Francisco, Cal.	116.1	120.1	107.2	124.2	107.7	125.3
Scranton, Pa.	168.9	196.9	126.9	136.7	187.9	160.2
Syracuse, N. Y.	89.4	76.3	63.5	104.7	105.7	101.6
Toledo, Ohio	78.6	78.4	80.0	74.0	61.8	68.9
Washington, D. C.	157.7	119.2	126.9	137.4	146.3	159.0
Worcester, Mass.	139.8	141.2	125.1	146.6	131.8	131.1

In the preceding table all rates of 225 per 100,000 of population or more are indicated by bold face type.

Each one of the main subdivisions of the registration area showed a lower death rate from pneumonia for the year 1905 than for any other individual year given in

the preceding table, with the exception of the rural part of the registration states, in which lower rates were reported for the years 1902 and 1903.

For the registration states the highest death rate for the year was that of Rhode Island (152.7), and the next was that of Vermont (142.6). The rates for each of these states in 1905 were greater than for any of the previous years. The lowest death rates of the series of years occurred in 1905 in the following states: Maine (118.8); Michigan (72.5); New Jersey (116.2); and New York (124.9). The lowest death rate of the year from pneumonia was that of Michigan (72.5), with Indiana next (81.1). For the larger registration cities there was generally a decreased mortality for 1905 as compared with 1904, and, in the following cases, for any previous year given in the table: Chicago, Ill. (123.5); Cleveland, Ohio (111.6); Detroit, Mich. (82.9); Jersey City, N. J. (147); Milwaukee, Wis. (63.9); New Orleans, La. (134.7); New York, N. Y. (148.6); Newark, N. J. (118.3); Omaha, Nebr. (65.5); Paterson, N. J. (120.1); Philadelphia, Pa. (97.9); and St. Louis, Mo. (130.9). Only four cities of this class showed highest rates for 1905: Boston, Mass. (160.4); New Haven, Conn. (147.9); Providence, R. I. (158.6), and San Francisco, Cal. (125.3).

Minor cities of the registration area in which the death rate for pneumonia was 225 or over per 100,000 of population for one or more of the years of the period 1901-1905 are shown in the following table, rates above the limit stated being indicated by bold face type:

REGISTRATION CITY.	NUMBER OF DEATHS FROM PNEUMONIA PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Alexandria, Va.	261.2	212.3	192.0	205.4	191.5
Amesbury town, Mass.	310.3	65.1	88.0	223.0	169.7
Ashtabula, Ohio	179.6	217.9	176.3	315.2	213.8
Atlanta, Ga.	211.1	267.2	224.8	292.6	261.9
Bellaire, Ohio	373.2	272.4	121.1	262.3	262.3
Clinton town, Mass.	95.9	141.3	240.0	181.6	91.6
Danvers town, Mass.	312.3	182.9	361.4	368.4	165.6
Hoboken, N. J.	159.1	144.0	158.7	219.0	209.3
Leadville, Colo.	623.9	442.9	328.9	474.3	400.3
McKeesport, Pa.	250.2	243.7	167.2	168.2	202.3
Mahanoy City, Pa.	247.7	143.4	218.8	145.9	136.9
Mt. Carmel, Pa.	182.9	296.5	163.7	204.6	102.3
Nashville, Tenn.	177.0	231.0	136.9	167.2	162.7
Ogdensburg, N. Y.	170.0	122.2	237.1	182.6	141.7
Orange, N. J.	153.4	150.5	165.9	241.2	137.9
Ottawa, Ill.	233.0	129.8	82.7	109.2	117.2
Paducah, Ky.	185.5	180.9	176.6	256.3	214.0
Plymouth, Pa.	206.0	206.8	308.1	182.2	170.8
Portsmouth, N. H.	242.6	148.2	137.8	146.0	126.8
Pueblo, Colo.	284.0	419.0	318.1	260.2	213.4
Savannah, Ga.	190.1	137.3	230.2	132.4	124.6
Savannah, Ga.	159.0	163.9	146.7	156.0	258.6
South Bethlehem, Pa.	147.8	159.1	226.6	242.8	197.1

Remarkably high death rates are shown for each year given in the preceding table for Leadville, Colo., and persistently high rates appear for Atlanta, Ga., Bellaire, Ohio, and Pueblo, Colorado.

In the following table the age and sex distribution of deaths from pneumonia for the registration area may be seen.

SEX AND AGE.	NUMBER OF DEATHS FROM PNEUMONIA.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	42,986	41,715	39,713	39,764	41,957	39,068
Sex:						
Male	23,792	22,878	22,055	22,034	25,622	21,820
Female	19,194	18,837	17,658	17,730	19,335	17,248
Age:						
Under 1 year	7,126	6,438	7,249	6,367	6,899	6,613
1 year	3,327	2,863	3,420	2,916	3,002	2,661
2 years	1,413	1,226	1,417	1,232	1,246	1,077
3 years	743	710	749	610	632	554
4 years	468	485	468	391	405	344
Under 5 years	13,079	11,752	13,333	11,519	12,181	11,279
5 to 9 years	1,124	1,076	1,118	1,024	1,010	824
10 to 14 years	543	544	506	495	542	451
15 to 19 years	1,011	1,042	939	919	1,039	912
20 to 24 years	1,478	1,501	1,358	1,372	1,566	1,273
25 to 29 years	1,762	1,773	1,521	1,755	1,841	1,495
30 to 34 years	1,915	1,896	1,671	1,850	2,139	1,743
35 to 39 years	2,206	2,173	1,949	2,129	2,523	2,163
40 to 44 years	2,170	2,165	1,929	1,999	2,569	2,400
45 to 49 years	2,083	2,002	1,837	1,977	2,389	2,023
50 to 54 years	2,233	2,160	1,965	2,136	2,555	2,091
55 to 59 years	2,200	2,217	1,963	2,002	2,459	2,035
60 to 64 years	2,120	2,414	2,060	2,276	2,720	2,318
65 to 69 years	2,435	2,462	2,112	2,306	2,592	2,280
70 to 74 years	2,215	2,367	1,923	2,063	2,327	2,210
75 to 79 years	1,875	1,922	1,618	1,747	2,016	1,833
80 to 84 years	1,288	1,344	1,151	1,234	1,371	1,176
85 to 89 years	605	610	510	581	711	635
90 to 94 years	178	193	153	179	199	194
95 years and over	48	43	38	54	62	58
Unknown	117	129	111	117	113	62

Deaths of males considerably exceed deaths of females for each year shown. A very large proportion of the deaths are of infants under 1 year of age and of children under 5 years. Probably many deaths returned from "pneumonia," without further qualification, and compiled in the preceding table, are really due to bronchopneumonia. For this reason the age distribution of the deaths compiled from this cause may be considerably different from the true age distribution of the mortality from lobar or croupous pneumonia.

DISEASES OF THE DIGESTIVE SYSTEM.

The total number of deaths from diseases of the digestive system, which group embraces the individual causes shown in Table III, was 68,940 for the entire registration area during the year 1905.

The following table shows the distribution of deaths and death rates from this class of causes for the registration area and its main subdivisions:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	64,219	62,950	61,192	61,219	66,125	68,940
Registration cities	19,508	18,484	17,821	17,671	21,856	23,313
Registration states	40,771	40,526	38,021	38,069	41,127	43,583
Cities in registration states	28,069	26,060	24,650	24,321	27,158	27,986
Rural part of registration states	14,711	14,466	13,371	13,548	14,269	15,597
Registration cities in other states	23,448	22,421	23,171	23,150	24,638	25,357

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	201.1	201.2	191.8	188.2	199.6	201.2
Registration cities	217.8	218.7	210.5	201.8	217.9	219.0
Registration states	197.3	199.5	184.0	181.2	193.9	200.7
Cities in registration states	227.3	233.0	214.9	205.7	223.9	227.3
Rural part of registration states	160.0	158.5	145.5	146.3	152.8	165.9
Registration cities in other states	208.1	201.2	206.0	200.9	209.8	210.5

Both 1904 and 1905 show a considerably greater number of deaths than the preceding three years from diseases of the digestive system. The death rates were 199.6 and 204.2, respectively, as compared with 201.1 for the quinquennial period 1900-1904. From 1904 to 1905 the mortality increased in each subdivision shown in the above table.

The total number of deaths from diseases of the digestive system shows the following distribution by sex and periods of age for the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	61,219	62,950	61,192	61,219	66,125	68,940
Sex:						
Male	33,549	32,897	32,033	32,080	34,577	36,533
Female	30,669	30,053	29,159	29,139	31,548	32,407
Age:						
Under 1 year	27,058	26,185	24,758	24,967	28,218	30,631
Under 5 years	31,976	34,049	32,513	32,033	36,052	39,017
5 to 14 years	2,132	2,112	2,027	2,107	2,304	2,226
15 to 24 years	2,669	2,671	2,598	2,640	2,706	2,624
25 to 34 years	3,381	3,307	3,352	3,306	3,319	3,291
35 to 44 years	3,861	3,767	3,850	3,931	3,909	3,918
45 to 64 years	8,712	8,725	8,618	8,683	9,093	8,982
65 years and over	8,288	8,159	8,027	8,420	8,642	8,816
Unknown	115	160	147	136	133	63

Deaths of males outnumber deaths of females from this class of causes. The number of deaths of infants under 1 year, due chiefly to diarrheal diseases of this class, was larger than for any preceding year shown in the above table. The same statement is true of the total number of deaths of children under 5 years of age, while for higher age periods up to 64 years the deaths returned compare favorably with any previous year.

Diarrhea and enteritis.—In addition to the deaths returned and compiled from diarrhea, enteritis, cholera infantum, and the various forms of acute intestinal diseases included under this title of the International Classification, it is probable that, as noted in the discussion of that disease, some deaths reported from dysentery also properly belong here. The great majority of deaths from diarrhea and enteritis are those of children under 2 years of age, which period constitutes a separate division of the classification, as seen in Table III. In the following table the relative number of deaths at ages under and over 2 years may be seen for the years 1901 to 1905, and also the average for the five-year period 1900 to 1904:

AGE.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	36,021	35,596	33,627	33,035	36,861	39,399
Under 2 years.....	29,183	28,523	26,903	26,697	30,315	33,032
2 years and over	6,838	7,073	6,724	6,338	6,546	6,367

The following table exhibits the mortality from diarrhea and enteritis for the subdivisions of the registration area, registration states, and registration cities of 100,000 population or over. Rates of 175 or more per 100,000 of population are indicated by bold face type.

AREA.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	112.8	113.8	105.4	101.5	111.3	116.7
Registration cities	126.0	127.5	119.7	111.6	125.8	128.5
Registration states	113.4	116.3	103.1	98.8	110.2	117.3
Cities in registration states	139.9	145.6	129.5	122.6	138.2	141.1
Rural part of registration states	80.3	80.3	70.0	68.6	71.1	86.1
Registration cities in other states	111.8	109.1	109.6	106.6	113.2	115.6
Registration states:						
Connecticut	122.3	107.1	111.7	106.3	119.5	132.7
District of Columbia	156.0	165.4	159.9	135.4	139.6	141.6
Indiana	82.8	87.7	78.5	73.2	78.1	79.0
Maine	83.3	96.1	64.8	75.1	68.8	96.2
Massachusetts	123.0	117.7	115.1	117.2	111.4	129.1
Michigan	90.7	91.5	71.9	86.1	80.4	97.8
New Hampshire	101.4	108.9	81.6	99.7	95.9	112.3
New Jersey	121.2	123.5	112.1	95.7	131.5	123.5
New York	123.7	131.8	113.1	101.7	125.1	129.1
Rhode Island	177.4	181.2	175.2	175.2	199.0	148.1
Vermont	66.8	67.9	45.7	72.5	65.8	84.5
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa.	161.6	126.1	165.1	152.1	205.0	182.0
Baltimore, Md.	151.6	167.9	151.0	126.5	113.1	158.2
Boston, Mass.	128.6	131.4	123.9	120.0	112.5	122.3
Buffalo, N. Y.	133.4	138.5	116.2	125.4	110.6	126.3
Chicago, Ill.	120.5	125.1	120.5	119.2	111.5	128.9
Cincinnati, Ohio	112.5	106.5	110.5	104.2	135.6	101.0
Cleveland, Ohio	120.7	101.4	118.3	127.0	136.3	137.0
Columbus, Ohio	68.1	55.1	67.3	66.4	80.7	61.9
Denver, Colo.	68.3	68.6	77.3	76.8	52.1	63.9
Detroit, Mich.	129.9	135.5	116.7	122.4	113.0	105.0
Fall River, Mass.	320.3	306.5	314.6	331.0	301.2	352.7
Indianapolis, Ind.	83.6	69.5	75.1	90.0	79.1	60.8
Jersey City, N. J.	160.3	167.7	144.3	126.5	160.0	155.6
Kansas City, Mo.	72.9	71.9	65.9	78.0	61.3	66.4
Louisville, Ky.	72.6	63.8	68.3	71.9	79.8	70.1
Memphis, Tenn.	121.9	128.2	145.6	132.8	109.0	108.1
Milwaukee, Wis.	111.1	106.6	98.1	106.5	115.1	114.7
Minneapolis, Minn.	53.9	69.9	42.0	48.6	65.2	55.7
New Haven, Conn.	123.0	126.1	117.7	116.9	114.7	136.1
New Orleans, La.	159.4	145.4	151.7	157.7	155.7	164.4
New York, N. Y.	169.6	190.5	156.3	126.7	172.8	168.0
Bronx borough	130.2	121.8	148.5	100.8	133.3	125.9
Brooklyn borough	182.1	176.1	165.5	156.8	180.7	175.3
Manhattan borough	161.2	179.6	119.2	138.5	169.4	161.3
Queens borough	174.9	185.8	150.9	141.0	199.1	191.6
Richmond borough	216.2	238.0	227.7	180.9	199.3	230.3
Newark, N. J.	130.2	141.0	127.9	91.5	142.5	132.7
Omaha, Neb.	52.8	46.2	68.3	26.4	58.1	34.8
Paterson, N. J.	137.4	133.4	129.0	100.0	156.9	148.8
Philadelphia, Pa.	112.7	104.6	96.5	113.1	123.6	141.5
Pittsburg, Pa.	212.3	217.7	228.6	198.2	203.5	193.6
Providence, R. I.	171.0	180.3	165.0	182.1	152.6	118.8
Rochester, N. Y.	64.7	67.4	62.4	56.5	55.3	91.5
St. Joseph, Mo.	38.9	46.5	43.5	33.5	32.7	44.2
St. Louis, Mo.	91.8	93.4	85.7	98.1	87.1	81.3
St. Paul, Minn.	55.5	60.6	41.3	41.1	65.2	52.3
San Francisco, Cal.	78.2	82.4	76.8	73.6	76.9	68.0
Scranton, Pa.	133.4	90.8	110.1	123.0	162.9	167.9
Syracuse, N. Y.	81.3	78.1	82.2	80.1	62.4	100.7
Toledo, Ohio	101.3	99.6	103.4	97.3	80.4	100.5
Washington, D. C.	156.0	165.4	159.9	135.4	139.6	111.6
Worcester, Mass.	119.4	119.6	91.8	126.4	77.7	131.9

In examining the rates shown in the preceding table, it will be remembered that the incidence of the diseases grouped together under this classification falls very largely upon children under 2 years of age, and that the specific death rates with reference to the population of this class are immensely higher than the general death rates based upon total population. It has not been practicable to make estimates of population with reference to age distribution, and hence it is necessary to employ the general death rates, although they are particularly undesirable for this class of diseases.

As measured by the general death rate, the incidence of diarrheal diseases was greater in 1905 for the registration area and for each of its main subdivisions than for any previous year stated in the preceding table, except in the cities in registration states, where it was greater in 1901. This maximum prevalence, as measured by the general death rate, was also shared by the following states: Connecticut (132.7); Maine (96.2); Massachusetts (129.1); Michigan (97.8); New Hampshire (112.3); and Vermont (84.5). Rhode Island was the only state in which the death rate for 1905 (148.1) was lower than the death rate for any preceding year shown in the table, and even then the mortality was the highest shown for any state.

As the mortality from these diseases may be taken as a rough measure of sanitary efficiency, being subject to correction by further study of the specific death rates based on population under 2 years of age and special climatic conditions, it is of great interest to observe the variations from year to year among the individual cities. Those showing lower rates for 1905 than for the previous years included in the table are the following: Cincinnati, Ohio (104); Detroit, Mich. (105); Indianapolis, Ind. (60.8); Memphis, Tenn. (108.1); Pittsburg, Pa. (193.6); Providence, R. I. (118.8); St. Louis, Mo. (81.3); and San Francisco, Cal. (68). Cities showing the highest rate of the series for the last year, 1905, were: Chicago, Ill. (128.9); Cleveland, Ohio (137); Fall River, Mass. (352.7); New Orleans, La. (164.4); Philadelphia, Pa. (144.5); Rochester, N. Y. (94.5); Scranton, Pa. (167.9); Syracuse, N. Y. (100.7); and Worcester, Mass. (131.9).

The range of variation is very great between the highest and lowest general death rates which, however, are only to be taken as suggestive prior to confirmation by examination of specific rates. The highest rate in 1905 was that shown for Fall River, Mass. (352.7), followed by Pittsburg, Pa. (193.6), Allegheny, Pa. (182), and New York, N. Y. (168).

Minor cities of the registration area in which the death rate from diarrhea and enteritis exceeded 175 per 100,000 of total population for one or more of the years of the period 1901 to 1905 are shown in the following table, rates above the limit stated being indicated by bold face type:

REGISTRATION CITY.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Adams town, Mass.	157.8	221.2	209.3	237.4	208.2
Alexandria, Va.	103.1	192.2	123.4	181.9	82.1
Annapolis, Md.	101.5	252.6	79.5	217.4	133.6
Ansania, Conn.	185.9	167.3	131.5	139.6	187.7
Atlanta, Ga.	111.2	181.3	169.9	198.4	113.1
Auburn, Me.	194.9	131.3	119.6	148.2	163.1
Baltimore, N. J.	181.9	120.4	171.7	237.0	184.6
Bellair, Ohio	100.9	221.9	111.0	262.3	100.9
Berlin, N. H.	287.2	100.8	306.7	228.3	218.0
Biddeford, Me.	306.5	266.9	120.1	121.8	135.3
Bridgeport, Conn.	184.4	161.4	119.8	155.3	169.4
Bristol town, Conn.	30.7	128.8	135.6	161.2	259.9
Burlington, Vt.	178.5	133.7	116.1	172.8	212.0
Central Falls, R. I.	185.4	210.9	322.2	172.0	282.8
Charleston, S. C.	322.1	350.5	305.0	377.6	391.2
Chicopee, Mass.	149.7	275.8	217.4	200.1	237.7
Clinton town, Mass.	118.0	89.3	157.5	136.2	183.1
Cohoes, N. Y.	150.4	108.5	158.3	116.5	211.9
Dover, N. H.	196.2	112.9	37.5	89.7	223.6
Dubois, Pa.	165.0	169.7	183.7	131.3	81.9
Dunkirk, N. Y.	154.1	138.0	196.2	103.6	92.1
Elizabeth, N. J.	189.6	156.8	124.2	221.0	110.5
Escanaba, Mich.	110.9	174.4	140.1	225.3	417.9
Fresno, Cal.	118.7	117.2	138.8	182.8	150.4
Greenwich town, Conn.	145.4	135.2	54.8	184.8	121.3
Hammond, Ind.	46.1	44.0	182.3	107.4	115.9
Holyoke, Mass.	211.8	219.4	252.9	242.4	166.2
Iron Mountain, Mich.	88.1	246.8	137.1	198.0	403.8
Iroquois, Mich.	224.0	172.4	201.2	49.9	128.7
Ishpeming, Mich.	155.7	136.7	241.1	137.7	142.7
Key West, Fla.	309.2	395.3	350.0	338.0	330.6
Lawrence, Mass.	234.2	201.4	228.2	201.3	201.2
Lowell, Mass.	219.1	223.3	279.2	249.7	285.6
McKeesport, Pa.	171.5	151.4	128.0	183.1	133.3
Mahanoy City, Pa.	225.8	236.6	218.8	340.5	246.3
Manchester, N. H.	264.3	220.0	248.2	186.7	249.1
Marquette, Mich.	167.7	106.2	76.1	112.5	184.9
Montclair, N. J.	173.1	151.1	162.3	251.8	317.7
Morristown, N. J.	43.7	43.0	110.2	125.3	321.1
Mt. Carmel, Pa.	226.8	310.6	197.9	158.1	117.0
Mt. Vernon, N. Y.	195.7	122.3	55.4	107.5	81.2
Nashville, Tenn.	153.7	143.0	136.9	214.9	116.0
Naugatuck, Conn.	118.5	131.5	109.8	200.8	189.0
New Bedford, Mass.	222.1	204.8	278.8	252.9	212.5
New Britain town, Conn.	120.2	216.4	206.7	169.4	204.3
New Brunswick, N. J.	101.8	122.3	169.1	191.1	190.2
New Rochelle, N. Y.	113.5	64.8	55.1	93.5	176.6
Newburg, N. Y.	146.7	91.1	97.0	88.3	212.8
Niagara Falls, N. Y.	139.1	134.8	169.2	179.7	158.9
Norfolk, Va.	205.0	211.2	159.1	171.2	168.9
Orange, N. J.	112.7	172.5	126.4	217.8	180.1
Paducah, Ky.	185.5	200.5	200.4	139.8	77.4
Passaic, N. J.	206.7	241.0	203.5	326.1	224.6
Pawtucket, R. I.	147.3	156.5	179.8	117.5	151.4
Peekskill, N. Y.	119.0	234.9	99.5	205.8	113.6
Perth Amboy, N. J.	263.7	214.5	168.0	148.4	220.1
Petersburg, Va.	233.8	288.9	210.9	270.5	210.9
Plymouth, Pa.	184.7	137.8	207.5	169.1	113.9
Pottsville, Pa.	50.4	71.9	61.8	146.8	230.2
Pueblo, Colo.	80.7	245.9	236.0	131.8	141.2
Raleigh, N. C.	218.4	310.8	93.3	249.5	254.8
Richmond, Va.	158.0	205.2	151.4	181.9	173.6
Salem, Mass.	162.6	111.9	157.0	195.8	236.5
San Antonio, Tex.	228.7	320.6	217.2	236.7	220.8
Sault Ste. Marie, Mich.	204.4	263.8	222.9	148.7	205.7
Schenectady, N. Y.	161.1	148.6	175.2	172.5	149.5
South Bethlehem, Pa.	177.3	166.3	198.2	256.6	71.8
Southbridge town, Mass.	137.0	151.6	184.5	120.3	336.4
Steeleton, Pa.	72.8	205.5	214.8	127.6	297.5
Stonington town, Conn.	138.3	215.6	111.8	132.1	130.2
Taunton, Mass.	132.2	135.4	148.4	161.4	206.7
Torrington town, Conn.	76.4	123.8	160.0	99.9	191.6
Traverse City, Mich.	91.3	77.5	148.1	195.8	91.1
Union, N. J.	111.5	166.8	110.6	180.3	141.1
Vernon town, Conn.	35.5	118.8	83.5	155.7	180.3
Ware town, Mass.	228.1	381.2	91.6	152.5	107.8
Waterbury town, Conn.	194.6	224.8	150.2	214.4	232.9
Webster town, Mass.	165.8	188.0	157.4	143.2	119.7
Westfield town, Mass.	71.6	54.6	206.3	112.4	75.5
Wilmington, N. C.	213.6	236.3	171.1	229.6	237.9
Windham town, Conn.	187.2	39.4	186.9	147.3	255.1
Woonsocket, R. I.	317.2	271.8	202.6	149.7	255.7
Yonkers, N. Y.	104.7	189.4	167.8	187.3	229.1
Youngstown, O. Io.	95.6	163.8	171.8	153.7	182.5

Minor cities or, in some cases, densely populated urban areas not incorporated as cities, showing persistently high death rates from diarrhea and enteritis for four or five years of the last quinquennium are: Adams town, Mass.; Berlin, N. H.; Central Falls, R. I.; Charleston, S. C.; Chicopee, Mass.; Holyoke, Mass.; Key West, Fla.; Lawrence, Mass.; Lowell, Mass.; Mahanoy City, Pa.; Manchester, N. H.; New Bedford, Mass.; Passaic, N. J.; Petersburg, Va.; Raleigh, N. C.; San Antonio, Tex.; Sault Ste. Marie, Mich.; Waterbury, Conn.; Wilmington, N. C.; and Woonsocket, R. I. The highest general death rate from this disease among the minor cities in 1905 was that of Escanaba, Mich. (417.9), followed closely by Iron Mountain, Mich. (403.8), and Charleston, S. C. (391.2).

The following table shows the sex and age distribution of deaths occurring in the registration area from diarrhea and enteritis:

SEX AND AGE.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS.					
	Annual Average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	36,021	35,596	33,627	33,035	36,861	39,399
Sex:						
Male	19,040	18,860	17,739	17,530	19,442	21,091
Female	16,981	16,736	15,888	15,505	17,422	18,308
Age:						
Under 1 year	21,077	23,357	21,912	22,202	25,286	27,455
1 year	5,107	5,166	4,991	4,495	5,029	5,677
2 years	1,023	999	1,072	977	975	1,051
3 years	354	291	328	324	424	363
4 years	197	202	192	172	207	212
Under 5 years	30,758	30,015	28,495	28,170	31,921	34,653
5 to 9 years	330	336	334	282	331	333
10 to 14 years	128	158	121	105	126	90
15 to 19 years	113	127	115	91	91	99
20 to 24 years	162	182	149	144	140	121
25 to 29 years	190	211	178	171	156	136
30 to 34 years	197	202	213	184	150	157
35 to 39 years	221	222	246	180	209	187
40 to 44 years	216	256	208	191	169	182
45 to 49 years	241	226	241	232	230	207
50 to 54 years	300	326	310	290	262	225
55 to 59 years	357	395	347	316	320	287
60 to 64 years	452	504	471	404	398	407
65 to 69 years	522	555	487	489	503	458
70 to 74 years	572	617	524	537	582	529
75 to 79 years	517	544	496	489	512	526
80 to 84 years	406	385	396	405	416	409
85 to 89 years	197	195	177	201	202	264
90 to 94 years	68	74	55	70	82	82
95 years and over	24	18	11	31	24	22
Unknown	51	48	53	50	40	13

An excess of deaths of males is shown for each year. The large proportion of deaths of infants and children from this class of causes is clearly indicated.

Cirrhosis of the liver.—Many deaths included under this title are from alcoholic cirrhosis and should properly be considered in connection with alcoholism, in order to give the total mortality due to excessive use of alcohol.

As shown in the following table, which gives the number of deaths from this cause and the death rates per 100,000 of population for the registration area and its chief subdivisions, there was a slight decrease in the death rate from this disease from 1904 to 1905, although both years exceed the five-year average:

AREA.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	4,489	4,265	4,460	4,731	5,020	4,994
Registration cities	3,620	3,461	3,618	3,813	4,018	4,044
Registration states	2,723	2,647	2,671	2,831	2,958	3,041
Cities in registration states	1,843	1,813	1,829	1,916	1,986	2,091
Rural part of registration states	869	801	842	918	972	950
Registration cities in other states	1,767	1,618	1,789	1,897	2,032	1,953

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	14.1	13.6	14.0	14.5	15.1	14.8
Registration cities	15.9	15.6	15.9	16.1	17.0	16.6
Registration states	13.2	13.0	12.9	13.5	13.8	14.0
Cities in registration states	16.2	16.5	15.9	16.3	16.5	17.0
Rural part of registration states	9.5	8.8	9.2	9.9	10.4	10.1
Registration cities in other states	15.7	14.7	15.9	16.5	17.5	16.2

Deaths returned for the registration area as due to cirrhosis of the liver were distributed as follows, by sex and age periods:

SEX AND AGE.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	4,489	4,265	4,460	4,731	5,020	4,994
Sex:						
Male	2,917	2,812	2,944	3,146	3,276	3,313
Female	1,513	1,453	1,516	1,585	1,744	1,681
Age:						
Under 1 year	16	18	12	16	16	8
Under 5 years	27	28	27	27	31	28
5 to 14 years	23	19	27	22	23	22
15 to 24 years	56	60	65	51	51	61
25 to 34 years	321	306	334	326	336	346
35 to 44 years	627	736	765	881	960	864
45 to 64 years	2,130	2,022	2,119	2,251	2,395	2,420
65 years and over	1,092	1,029	1,113	1,156	1,207	1,216
Unknown	12	15	10	11	14	7

Deaths of males in 1905 were nearly double the deaths of females, corresponding to the relations shown in the quinquennial average. The age distribution likewise shows a quite uniform proportion of deaths at each specified period, nearly one-half of all decedents being between the ages of 45 and 64 years.

Peritonitis.—The total number of deaths in the registration area and its main subdivisions, together with death rates per 100,000 of population, are stated in the following table:

AREA.	NUMBER OF DEATHS FROM PERITONITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	3,844	4,091	3,824	3,333	3,331	3,105
Registration cities	2,811	3,019	2,891	2,563	2,321	2,177
Registration states	2,249	2,391	2,119	1,981	1,991	1,881
Cities in registration states	1,247	1,319	1,189	1,151	1,051	953
Rural part of registration states	1,003	1,072	930	830	940	928
Registration cities in other states	1,591	1,709	1,705	1,352	1,340	1,221

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	12.0	13.1	12.0	10.2	10.1	9.2
Registration cities	12.5	13.6	12.7	10.8	10.1	8.9
Registration states	10.9	11.8	10.3	9.1	9.3	8.7
Cities in registration states	10.9	11.8	10.4	9.8	8.8	7.7
Rural part of registration states	10.9	11.7	10.1	9.0	10.0	9.9
Registration cities in other states	14.1	15.5	15.2	11.7	11.4	10.2

There has been a constant decrease in the death rate from peritonitis, dependent probably to a considerable extent upon greater care in making out certificates of deaths and their acceptance by the local registration offices. Wherever the cause of peritonitis can be ascertained it should be stated, as a more specific statement will frequently enable the death to be properly classified elsewhere than under peritonitis. Many deaths reported from this cause may be due to puerperal septiemia, appendicitis, etc.

The distribution of deaths returned from peritonitis, not of a traumatic character or otherwise specified, for the registration area, may be seen, in connection with their sex and age distribution, in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM PERITONITIS.					
	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	3,844	4,091	3,824	3,333	3,331	3,105
Sex:						
Male	1,414	1,541	1,413	1,232	1,220	1,144
Female	2,429	2,550	2,411	2,101	2,111	1,961
Age:						
Under 1 year	189	218	196	144	155	140
Under 5 years	327	374	329	255	266	286
5 to 14 years	369	346	360	347	331	297
15 to 24 years	734	697	639	630	643	568
25 to 34 years	855	872	860	710	689	648
35 to 44 years	598	594	625	572	496	507
45 to 64 years	630	697	660	551	586	512
65 years and over	337	376	339	259	307	283
Unknown	13	21	12	9	13	4

MORTALITY STATISTICS.

The considerable excess of deaths of females in each year and in the quinquennial period suggests that many of these cases may be in reality due to the results of puerperal infection or other affections of the reproductive system. This supposition is supported by the increased number of deaths during the childbearing period from this cause. The diminution in the total number of deaths returned during recent years shown may depend largely upon greater precision in specifying the primary cause of the "peritonitis."

Appendicitis.—The number of deaths from appendicitis compiled in 1905 was 4,062, a slight increase over the preceding year. In the following table the distribution of the deaths and also the death rates per 100,000 of population are given for the principal subdivisions of the registration area:

AREA.	NUMBER OF DEATHS FROM APPENDICITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	3,374	3,131	3,216	3,589	3,916	4,062
Registration cities	2,759	2,533	2,629	2,965	3,367	3,410
Registration states	1,927	1,791	1,825	2,031	2,224	2,256
Cities in registration states	1,313	1,216	1,238	1,407	1,545	1,601
Rural part of registration states	615	578	587	624	679	652
Registration cities in other states	1,446	1,337	1,391	1,558	1,722	1,806

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	10.6	10.0	10.1	11.0	11.9	12.0
Registration cities	12.1	11.5	11.6	12.7	13.7	14.0
Registration states	9.3	8.8	8.8	9.7	10.4	10.4
Cities in registration states	11.5	10.9	10.8	12.0	12.9	13.0
Rural part of registration states	6.7	6.3	6.4	6.7	7.3	6.9
Registration cities in other states	12.8	12.2	12.4	13.5	14.6	15.0

The mortality from appendicitis is greater for the year 1905 in each of the subdivisions of the registration area than it was during the five-year period 1900-1904, the increase from 6.7 to 6.9 in the rural part of the registration states, however, being quite considerable. Some part of this increase is probably due to transfer of deaths formerly compiled under peritonitis, which are now more accurately assigned, owing to the greater precision of statement required by many local registration offices. With only two exceptions, there has been an increase in the recorded mortality from this cause in each subdivision for each year stated in the above table.

The distribution of the deaths from appendicitis in the registration area, by sex and age, is as follows:

SEX AND AGE.	NUMBER OF DEATHS FROM APPENDICITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,374	3,131	3,216	3,589	3,916	4,062
Sex						
Male	2,076	1,932	1,987	2,216	2,370	2,372
Female	1,298	1,199	1,229	1,373	1,576	1,690
Age						
Under 1 year	15	19	18	11	12	14
Under 5 years	82	73	81	81	102	101
5 to 14 years	768	715	674	831	916	958
15 to 24 years	903	826	863	969	1,081	1,010
25 to 34 years	635	593	591	707	699	798
35 to 44 years	423	397	406	465	470	498
45 to 64 years	428	398	445	393	503	510
65 years and over	126	121	135	127	136	156
Unknown	10	8	15	13	9	1

For each year a decided excess of deaths of males is shown. The number of deaths is greatest during the period of life from 15 to 24 years and exhibits relatively less frequency at the older ages than deaths returned from peritonitis, as shown in the table giving the age distribution of deaths from the latter disease.

DISEASES OF THE GENITO-URINARY SYSTEM.

This group comprises a large and diverse class of causes of death, some being diseases peculiar to males and some to females, as shown in the list embraced under this division of the classification in Table III. The great bulk of the deaths here compiled are those attributed to Bright's disease and nephritis.

In the following table a comparative statement is given of the deaths and corrected death rates per 100,000 of population from this class of diseases for the registration area and its main subdivisions:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	35,825	33,489	34,608	38,013	40,450	41,361
Registration cities	27,878	25,976	26,944	29,752	31,721	32,567
Registration states	22,900	21,650	22,149	23,882	25,629	25,807
Cities in registration states	14,953	14,137	14,485	15,621	16,903	17,013
Rural part of registration states	7,947	7,513	7,664	8,261	8,726	8,794
Registration cities in other states	12,926	11,839	12,459	14,131	14,821	15,554

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	112.2	107.0	108.5	116.8	122.1	122.5
Registration cities	122.6	117.2	118.6	127.8	133.3	133.7
Registration states	110.8	106.5	107.2	113.7	120.0	118.9
Cities in registration states	130.4	126.1	126.3	132.9	140.6	138.2
Rural part of registration states	86.4	82.3	83.4	89.2	93.4	93.6
Registration cities in other states	114.7	107.8	110.8	122.6	125.9	129.1

It appears in the preceding table that the number of deaths compiled from diseases of the genito-urinary system for the year 1905 (41,361) slightly exceeded the number for the preceding year (40,450). The death rates were 122.1 and 122.5 for the years 1904 and 1905, respectively. Each of these years shows a marked increase in mortality from this group of causes as compared with the rates for the years 1901 to 1903, and with the annual average for the five-year period 1900 to 1904, which was only 112.2. Compared with the annual average, an increase is shown in each subdivision of the registration area for the past two years.

The distribution of the deaths from diseases of the genito-urinary system in the registration area, by sex and age periods, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	35,825	33,489	34,608	38,013	40,450	41,361
Sex:						
Male	19,703	18,353	19,135	20,870	22,322	22,531
Female	16,123	15,136	15,473	17,143	18,128	18,830
Age:						
Under 1 year.....	538	515	549	499	519	582
Under 5 years.....	1,103	1,120	1,171	1,016	1,100	1,101
5 to 14 years.....	718	710	709	713	756	658
15 to 24 years.....	1,773	1,718	1,719	1,845	1,889	1,835
25 to 34 years.....	3,332	3,195	3,318	3,431	3,541	3,700
35 to 44 years.....	4,608	4,386	4,413	4,861	5,087	5,096
45 to 64 years.....	12,078	11,102	11,623	12,956	13,795	14,353
65 years and over.....	12,090	11,113	11,526	13,043	14,184	14,470
Unknown	96	115	69	118	98	55

The number of deaths of males exceeds the number of deaths of females from this class of causes for each of the years shown, as well as for the quinquennial period. The heavy incidence of deaths from diseases of the genito-urinary system among elderly persons is clearly indicated.

Bright's disease and nephritis.—This group of causes includes both the acute and chronic forms of certain diseases of the kidneys, some of which are of quite indefinite character. Such a term as "uremia," for example, is entirely inadequate as a cause of death. Taken together, however, the group is an important one, and especially so from its apparent tendency to increase. In order to convey a better understanding of the actual inclusion of causes compiled under this title, the following table has been prepared showing the number of deaths and percentages embraced under certain individual terms:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	30,139	28,005	29,119	31,811	34,381	35,196
Acute nephritis.....	2,887	2,498	2,983	3,173	3,470	3,565
Acute Bright's disease.....	520	497	546	580	608	558
Acute nephritis.....	2,367	2,001	2,437	2,593	2,862	3,007
Bright's disease.....	27,252	25,507	26,136	28,641	30,911	31,631
Bright's disease (unqualified).....	6,163	6,419	6,064	5,775	5,717	5,381
Chronic Bright's disease.....	1,409	1,399	1,534	1,843	2,018	1,895
Nephritis (unqualified).....	6,076	5,819	5,672	6,175	6,074	5,999
Chronic nephritis.....	10,475	8,932	9,836	12,121	14,102	15,130
Uremia (unqualified).....	2,929	2,938	3,030	2,724	2,700	2,926

CAUSE OF DEATH.	PER CENT.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	100.0	100.0	100.0	100.0	100.0	100.0
Acute nephritis.....	9.6	8.9	10.2	10.0	10.1	10.1
Acute Bright's disease.....	1.7	1.8	1.9	1.8	1.8	1.6
Acute nephritis.....	7.9	7.1	8.4	8.2	8.3	8.5
Bright's disease.....	90.4	91.1	89.8	90.0	89.9	89.9
Bright's disease (unqualified).....	20.4	22.9	20.8	18.2	16.6	15.3
Chronic Bright's disease.....	5.3	5.0	5.3	5.8	5.9	5.4
Nephritis (unqualified).....	20.2	20.8	19.5	19.1	17.7	17.0
Chronic nephritis.....	34.8	31.9	33.8	38.1	41.9	43.8
Uremia (unqualified).....	9.7	10.5	10.1	8.6	7.9	8.3

It will be seen that about 90 per cent of the deaths were compiled under Bright's disease and about 10 per cent under acute nephritis, the majority of the latter being returned as such. Under Bright's disease, the indefinite returns, "Bright's disease," unqualified, "nephritis," unqualified, and "uremia," show a tendency to decrease, while the terms accepted as satisfactory by registration officials at present, namely, "chronic Bright's disease" and "chronic nephritis," hold their own or show a marked increase. Nothing can be inferred from the above figures as to the exact forms of the disease, but the tendency of physicians to use certain expressions in the certificates which constitute the basis of the mortality statistics is indicated. A statement of the duration of the disease, for which provision is made on the standard certificate, would also lead to greater accuracy of assignment.

The distribution of the mortality from Bright's disease and nephritis is shown for the registration area its

main subdivisions, the registration states, and cities of 100,000 population and over, in the following table:

AREA.	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS PER 100,000 OF POPULATION.					
	Annual average, 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	94.4	89.5	91.3	97.8	103.8	104.3
Registration cities	104.1	99.3	100.8	107.7	114.3	114.4
Registration states	93.5	89.6	90.2	95.9	102.3	101.5
Cities in registration states	112.5	109.0	108.4	114.2	122.0	119.4
Rural part of registration states	69.7	65.8	67.6	72.8	76.9	78.1
Registration cities in other states	96.1	89.3	93.2	101.1	106.4	109.2
Registration states:						
Connecticut	94.4	84.8	92.0	93.1	103.7	99.3
District of Columbia	126.9	125.6	115.5	131.3	147.3	159.1
Indiana	52.9	49.6	52.1	53.9	59.5	59.0
Iowa	83.4	80.4	80.7	90.3	89.9	89.6
Massachusetts	78.5	76.7	71.3	81.2	85.0	86.5
Michigan	52.6	46.6	52.5	55.1	59.6	62.2
New Hampshire	80.7	71.4	79.1	87.4	92.8	101.8
New Jersey	97.7	93.9	96.5	101.1	100.6	108.1
New York	121.0	121.2	119.1	125.5	135.0	129.1
Rhode Island	125.8	118.3	116.9	138.2	137.9	140.6
Vermont	81.0	74.0	80.9	85.6	92.5	92.8
Registration cities of 100,000 population or over in 1900:						
Allentown, Pa.	46.5	45.8	48.6	44.9	51.3	61.6
Baltimore, Md.	137.2	123.4	127.1	111.2	163.4	163.3
Boston, Mass.	82.1	82.6	79.0	85.5	81.9	82.6
Buffalo, N. Y.	84.8	80.3	78.1	88.3	94.6	92.1
Chicago, Ill.	86.6	71.6	85.4	99.2	99.9	111.4
Cincinnati, Ohio	121.0	122.0	117.4	124.1	131.8	122.9
Cleveland, Ohio	69.6	67.0	66.5	79.3	78.2	82.8
Columbus, Ohio	65.1	61.3	61.3	76.8	54.1	61.0
Denver, Colo.	101.1	98.1	102.2	99.3	114.3	121.7
Detroit, Mich.	66.0	57.5	65.6	75.3	69.3	76.5
Fall River, Mass.	85.5	100.9	77.9	91.1	87.1	92.7
Indianapolis, Ind.	64.8	56.4	55.3	53.2	76.7	66.4
Jersey City, N. J.	113.9	104.9	110.6	120.2	117.4	133.2
Kansas City, Mo.	85.3	77.3	84.7	91.9	101.0	81.8
Louisville, Ky.	95.7	92.0	96.6	103.4	103.1	111.8
Memphis, Tenn.	102.8	113.1	83.7	90.6	123.4	111.7
Milwaukee, Wis.	90.7	49.1	46.9	55.4	61.0	61.4
Minneapolis, Minn.	58.7	54.5	57.4	60.4	61.6	66.8
New Haven, Conn.	97.3	94.1	96.1	82.0	121.8	108.1
New Orleans, La.	187.1	163.6	168.5	214.6	196.6	200.9
New York, N. Y.	161.5	162.1	155.4	159.4	171.0	160.5
Brooklyn borough	138.5	137.4	132.8	129.1	160.9	137.7
Brooklyn borough	150.6	155.5	152.1	114.3	151.7	145.1
Manhattan borough	174.6	171.8	163.5	177.1	187.4	175.9
Queens borough	121.1	130.3	121.7	111.2	126.0	125.4
Richmond borough	167.2	162.7	111.2	163.0	210.4	181.0
Newark, N. J.	136.7	132.3	131.8	145.2	139.2	131.3
Omaha, Nebr.	47.4	43.3	52.8	41.5	61.1	53.1
Pittsburgh, Pa.	88.2	65.8	81.5	82.6	101.6	102.2
Philadelphia, Pa.	141.3	137.8	136.3	150.0	160.0	165.7
Pittsburg, Pa.	68.1	56.5	65.8	58.8	55.5	60.4
Providence, R. I.	135.3	122.6	126.1	151.0	152.0	148.0
Rochester, N. Y.	88.3	68.0	91.8	89.3	101.6	101.1
St. Joseph, Mo.	34.3	28.5	34.3	38.0	32.7	37.2
St. Louis, Mo.	116.7	111.1	117.4	111.7	123.6	114.4
St. Paul, Minn.	55.5	52.4	56.6	52.9	51.5	52.8
San Francisco, Cal.	112.1	99.7	102.4	128.4	123.2	123.1
Seranton, Pa.	72.8	55.5	57.8	72.9	83.7	81.4
Syracuse, N. Y.	92.1	69.0	79.6	92.5	101.4	100.7
Toledo, Ohio	57.7	51.9	57.4	56.9	67.7	63.1
Washington, D. C.	126.9	125.6	115.5	131.3	147.3	159.1
Worcester, Mass.	66.7	74.8	60.5	67.6	78.5	71.1

In the above table areas showing a death rate of 150 or over per 100,000 of population are indicated by bold face type. There was a general increase of mortality for the year 1905 over the preceding year and, in fact, for each of the principal subdivisions as compared with any previous year shown in the table, with the exception of the registration states and registration cities contained therein for 1904.

The distribution by sex and age of deaths returned

from Bright's disease and nephritis for the registration area appears in the following table:

SEX AND AGE	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS.					
	Annual average, 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	30,139	28,005	29,119	31,811	31,381	35,196
Sex:						
Male	16,867	15,624	16,422	17,792	19,362	19,502
Female	13,272	12,381	12,697	14,022	15,019	15,694
Age:						
Under 1 year	439	447	452	408	450	485
1 year	148	151	149	146	163	145
2 years	135	117	114	123	128	138
3 years	135	119	171	126	136	113
4 years	116	151	133	87	96	93
Under 5 years	973	998	1,019	890	973	974
5 to 9 years	403	378	400	386	374	317
10 to 14 years	310	285	279	318	350	292
15 to 19 years	496	473	496	532	528	519
20 to 24 years	888	863	853	898	953	882
25 to 29 years	1,178	1,149	1,201	1,151	1,219	1,301
30 to 34 years	1,385	1,336	1,359	1,451	1,472	1,600
35 to 39 years	1,738	1,627	1,693	1,808	1,911	1,916
40 to 44 years	2,040	1,932	1,918	2,136	2,267	2,290
45 to 49 years	2,352	2,069	2,176	2,394	2,610	2,677
50 to 54 years	2,637	2,380	2,574	2,789	3,037	3,122
55 to 59 years	2,775	2,521	2,744	3,003	3,110	3,334
60 to 64 years	3,121	2,889	2,896	3,360	3,625	3,827
65 to 69 years	3,074	2,906	2,938	3,251	3,607	3,748
70 to 74 years	2,858	2,589	2,761	3,065	3,426	3,359
75 to 79 years	2,123	1,916	2,056	2,282	2,528	2,716
80 to 84 years	1,185	1,068	1,120	1,331	1,445	1,475
85 to 89 years	466	392	418	512	625	659
90 to 94 years	113	81	97	144	163	165
95 years and over	31	33	23	41	37	40
Unknown	76	90	56	96	79	44

Deaths of males from this group of causes greatly exceed those of females. The quinquennial period of age giving the maximum number of deaths is for 1905 and the two years preceding, as well as for the five-year period 1900-1904, from 60 to 64 years. In 1901 and 1902 the largest number of deaths was in the following age period, 65 to 69 years.

VIOLENCE.

As fully explained in the text on this subject in the preceding report, Mortality Statistics, 1900 to 1904, the statistics relating to violence are in a very unsatisfactory condition, especially as regards the comparative incidence of the subdivisions of this class. The classification also, as shown in Table III, is not based throughout on the same principle, and its practical application, if reasonably accurate results are to be hoped for, depends upon unremitting attention on the part of local registration officials to the end that physicians and coroners afford the necessary information for satisfactory statistical compilation in all deaths reported from violent causes.

Very frequently it is impossible to know from the transcript received at the Bureau of the Census whether the violence causing death was the result of suicide, homicide, or accident. Many cases requiring further specification have been returned for correction, and the cordial cooperation of state and city registration authorities supplying the original information has

usually been granted, with the result that the compilation of this class of causes is yearly improving in accuracy. It will be some time, however, before it attains a comparatively fixed basis of precision, and until that time the various definite forms of death from violence—as, for example, suicide—may be expected to show an apparent increase due to the diminished number of indefinite returns received from year to year.

In the following table the total number of deaths from violence, including accidental deaths, suicides, and homicides, and all deaths from external causes, are stated for the registration area and its main subdivisions, together with death rates per 100,000 of population:

NUMBER OF DEATHS FROM VIOLENCE.						
AREA.	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	33,236	33,330	31,135	35,542	36,644	37,778
Registration cities	25,451	25,642	23,915	27,226	28,058	28,865
Registration states	19,858	20,161	18,294	20,894	22,461	22,590
Cities in registration states	12,072	12,476	11,074	12,578	13,875	13,677
Rural part of registration states	7,785	7,688	7,220	8,316	8,586	8,913
Registration cities in other states	13,378	13,166	12,841	14,648	14,183	15,188

NUMBER OF DEATHS PER 100,000 OF POPULATION.						
AREA.	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
The registration area	104.1	106.5	97.6	109.2	110.6	111.9
Registration cities	112.0	115.7	105.3	117.0	117.9	118.5
Registration states	96.1	99.3	88.5	99.4	105.1	101.0
Cities in registration states	105.3	111.5	96.5	107.0	115.4	111.1
Rural part of registration states	84.7	84.2	78.6	89.8	91.9	91.8
Registration cities in other states	118.7	119.9	114.2	127.1	120.5	126.1

The number of deaths from violence for the year 1905 (37,778) as compiled on the basis of the transcripts received exceeded the number returned for any previous year given in the above table. The death rate was 111.9 as compared with 110.6 for 1904, and 104.1 for the quinquennial period 1900-1904. An increased death rate over the preceding five-year period is shown by all of the subdivisions of the registration area.

The age and sex distribution of the total number of deaths from violence in the registration area is as follows:

NUMBER OF DEATHS FROM VIOLENCE.						
SEX AND AGE.	Annual average: 1900 to 1901.	1901	1902	1903	1904	1905
Aggregate	33,236	33,330	31,135	35,542	36,644	37,778
Sex:						
Male	25,191	24,938	23,955	26,897	27,472	28,783
Female	8,045	8,392	7,180	8,645	9,172	8,995
Age:						
Under 1 year	2,307	2,317	2,009	2,491	2,782	3,148
Under 5 years	4,314	4,419	3,827	4,473	4,960	5,266
5 to 14 years	2,653	2,543	2,470	2,821	2,943	2,813
15 to 24 years	4,518	4,208	4,393	4,911	4,953	5,272
25 to 34 years	5,462	5,174	5,220	6,088	5,922	6,184
35 to 44 years	5,232	5,121	5,009	5,637	5,650	5,776
45 to 64 years	6,746	7,152	6,308	7,056	7,411	7,571
65 years and over	3,857	4,159	3,497	4,096	4,311	4,505
Unknown	454	554	401	477	411	291

The usual marked excess of deaths of males is shown and also the characteristic age distribution. Probably, these figures are too low, owing to failure in many instances to state that traumatic agencies were the exciting causes in cases where unqualified statements of meningitis, peritonitis, cerebral hemorrhage, and the like, are all that appear on the certificates.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES.

61

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905.

REGISTRATION AREA.	POPULATION ON JUNE 1—					REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905		1901	1902	1903	1904	1905
SUMMARIES.											
The registration area	31,292,130	31,908,635	32,536,989	33,135,453	33,757,814	Clinton town, Mass.	13,555	13,443	13,331	13,218	13,105
Registration cities	22,165,897	22,717,391	23,275,377	23,795,988	24,358,177	Cohoes, N. Y.	23,940	23,970	24,001	24,032	24,063
Registration states	20,311,168	20,661,597	21,012,027	21,362,457	21,712,888	Columbia, Pa.	12,458	12,660	12,832	13,079	13,251
Cities in registration states	11,181,935	11,470,536	11,750,615	12,022,992	12,313,254	Columbus, Ind.	8,271	8,412	8,553	8,694	8,835
Rural part of registration states	9,126,233	9,191,061	9,261,412	9,339,465	9,399,631	Columbus, Ohio.	128,869	132,178	135,487	138,796	142,105
Registration cities in other states	10,980,962	11,247,058	11,524,962	11,772,996	12,044,923	Concord, N. H.	19,895	20,158	20,421	20,684	20,947
REGISTRATION STATES.											
Connecticut	921,636	940,852	957,068	973,281	989,500	Corning, N. Y.	11,536	12,011	12,486	12,962	13,438
District of Columbia	283,551	288,381	293,217	298,040	302,883	Cortland, N. Y.	9,350	9,656	10,322	10,838	11,194
Indiana	2,548,568	2,581,274	2,613,680	2,646,086	2,678,492	Covington, Ky.	43,495	44,052	44,759	45,318	45,877
Maine	697,801	701,142	704,490	707,818	711,156	Danbury town, Conn.	19,474	19,474	19,474	19,474	19,474
Massachusetts	2,815,012	2,881,679	2,921,316	2,961,013	3,003,680	Danvers town, Mass.	8,648	8,750	8,854	8,958	9,063
Michigan	2,448,240	2,475,498	2,502,757	2,530,016	2,557,275	Davenport, Iowa	36,162	37,070	37,979	38,888	39,797
New Hampshire	415,091	418,600	422,106	425,612	429,118	Dayton, Ohio	87,744	90,155	92,716	95,133	98,530
New Jersey	1,935,763	1,957,858	2,039,953	2,092,048	2,144,143	Decatur, Ill.	21,051	21,473	21,772	22,096	22,395
New York	7,428,576	7,588,259	7,747,912	7,907,625	8,067,308	Denver, Colo.	135,546	137,041	147,111	148,714	150,317
Rhode Island	438,861	449,166	459,471	469,776	480,082	Detroit, Mich.	293,675	301,647	309,619	317,591	325,563
Vermont	314,763	315,885	317,007	318,129	319,251	Dover, N. H.	13,249	13,291	13,333	13,375	13,417
REGISTRATION CITIES.											
Adams town, Mass.	11,401	11,674	11,944	12,215	12,486	Dubois Pa.	9,698	10,021	10,344	10,667	10,990
Alameda, Cal.	16,991	17,524	18,054	18,581	19,111	Duluth, Minn.	55,343	57,757	60,152	62,547	64,942
Albany, N. Y.	91,882	95,613	99,344	103,075	106,806	Dunkirk, N. Y.	12,332	13,048	13,764	14,480	15,197
Alexandria, Va.	14,517	14,566	14,585	14,604	14,623	Eau Claire, Wis.	17,761	18,005	18,249	18,493	18,737
Allentown, Pa.	133,280	135,672	138,061	140,456	142,848	Elizabeth, N. J.	53,805	55,481	57,157	58,833	60,509
Allentown, Pa.	36,435	37,461	38,483	39,532	40,571	Elkhart, Ind.	15,591	15,973	16,355	16,737	17,119
Altoona, Pa.	39,837	40,701	41,515	42,566	43,557	Elmhurst, N. Y.	35,682	35,692	35,702	35,713	35,724
Amesbury town, Mass.	9,347	9,221	9,091	8,967	8,810	Elwood, Ind.	13,997	15,044	16,091	17,138	18,185
Amsterdam, N. Y.	22,316	22,711	23,076	23,441	23,807	Erie, Pa.	53,943	55,153	56,363	57,573	58,783
Anderson, Ind.	21,122	22,066	23,010	23,951	24,898	Escanaba, Mich.	9,936	10,323	10,710	11,098	11,485
Ann Arbor, Mich.	11,531	11,553	14,576	14,599	14,622	Evansville, Ind.	59,832	60,657	61,482	62,307	63,132
Annapolis, Md.	8,617	8,709	8,801	8,893	8,985	Everett, Mass.	25,291	26,246	27,201	28,156	29,111
Ansonia, Conn.	12,915	13,119	13,383	13,617	13,851	Fall River, Mass.	105,042	105,222	105,402	105,582	105,762
Appleton, Wis.	15,468	15,851	16,231	16,617	17,000	Findlay, Ohio.	17,613	17,613	17,613	17,613	17,613
Arlington town, Mass.	8,516	9,029	9,212	9,455	9,668	Fitchburg, Mass.	31,829	32,127	32,425	32,723	33,021
Ashtabula, Ohio.	13,360	13,771	14,182	14,593	15,001	Flint, Mich.	13,848	14,193	14,538	14,884	15,229
Atlanta, Ga.	92,098	91,324	90,550	89,776	89,002	Fort Wayne, Ind.	46,087	47,059	48,031	49,003	49,975
Atlantic City, N. J.	29,789	31,740	33,691	35,642	37,593	Framingham town, Mass.	11,351	11,400	11,449	11,498	11,548
Atleboro town, Mass.	11,608	11,881	12,154	12,428	12,702	Frederick, Md.	9,406	9,516	9,626	9,736	9,846
Auburn, N. Y.	30,781	31,217	31,653	32,090	32,527	Fresno, Cal.	12,635	12,800	12,965	13,130	13,295
Augusta, Me.	11,799	11,915	12,031	12,147	12,263	Gardner town, Mass.	11,532	11,592	11,652	11,712	11,772
Aurora, Ill.	21,593	25,039	28,485	31,931	35,377	Geneva, N. Y.	10,778	11,123	11,469	11,815	12,161
Baltimore, Md.	516,109	523,861	531,613	538,765	546,217	Glens Falls, N. Y.	13,020	13,427	13,834	14,242	14,650
Bangor, Me.	22,125	22,400	22,675	22,950	23,225	Gloucester, Mass.	26,099	26,077	26,055	26,033	26,011
Barre, Vt.	8,878	9,308	9,738	10,168	10,598	Gloversville, N. Y.	18,394	18,440	18,486	18,532	18,578
Bath, Me.	10,652	10,827	11,002	11,177	11,352	Grand Rapids, Mich.	89,603	91,641	93,679	95,718	97,756
Battle Creek, Mich.	19,475	20,387	21,300	22,213	23,126	Green Bay, Wis.	19,518	20,352	21,186	22,020	22,854
Bay City, Mich.	27,632	27,636	27,610	27,614	27,614	Greenwich town, Conn.	12,376	12,580	12,784	12,988	13,192
Bayonne, N. J.	31,630	36,538	38,446	40,354	42,262	Hamilton, Ohio.	24,540	25,166	25,792	26,418	27,044
Belair, Ohio.	9,912	9,912	9,912	9,912	9,912	Hammond, Ind.	13,006	13,636	14,266	14,896	15,526
Bellefonte, Pa.	17,696	17,908	18,120	18,332	18,544	Harrisburg, Pa.	51,095	52,023	52,951	53,879	54,807
Beloit, Wis.	10,919	11,403	11,887	12,371	12,855	Harrison, N. J.	11,041	11,486	11,931	12,377	12,823
Bennington town, Vt.	8,197	8,361	8,525	8,689	8,853	Hartford, Conn.	82,512	85,174	87,836	90,498	93,160
Berlin, N. H.	9,402	9,918	10,434	10,950	11,466	Haverhill, Mass.	37,306	37,437	37,568	37,699	37,830
Beverly, Mass.	14,151	14,419	14,687	14,955	15,223	Hazletton, Pa.	14,581	14,819	15,057	15,295	15,533
Biddeford, Me.	10,315	10,485	10,655	10,825	10,995	Hoboken, N. J.	60,584	61,505	62,426	63,347	64,268
Binghamton, N. Y.	40,336	41,026	41,716	42,406	43,096	Holyoke, Mass.	46,556	47,400	48,244	49,089	49,934
Boston, Mass.	567,789	574,686	581,581	588,482	595,380	Hudson, N. Y.	9,685	9,862	10,039	10,216	10,394
Bridgeport, Conn.	73,209	75,422	77,635	79,848	82,061	Huntington, Ind.	9,722	9,938	10,104	10,325	10,541
Bridgeport, N. J.	13,856	13,798	13,740	13,682	13,621	Hyde Park town, Mass.	13,497	13,750	14,003	14,256	14,510
Bristol town, Conn.	9,869	10,095	10,321	10,547	10,773	Indianapolis, Ind.	175,537	186,410	197,705	208,772	219,188
Brookton, Mass.	41,609	43,155	44,701	46,247	47,791	Iron Mountain, Mich.	9,078	9,814	10,550	11,286	12,022
Brookline town, Mass.	20,635	21,335	22,035	22,735	23,435	Ironton, Ohio.	11,921	11,974	12,027	12,080	12,133
Buffalo, N. Y.	357,292	362,197	367,102	372,008	376,914	Ironwood, Mich.	9,783	9,861	9,940	10,019	10,098
Burlington, Iowa	23,624	24,017	24,410	24,804	25,198	Ishpeming, Mich.	12,847	12,439	12,031	11,623	11,215
Burlington, Vt.	19,045	19,450	19,855	20,260	20,665	Ithaca, N. Y.	13,408	13,680	13,952	14,224	14,496
Cambridge, Mass.	92,995	94,104	95,214	96,324	97,434	Jackson, Mich.	25,210	25,240	25,270	25,300	25,330
Camden, N. J.	77,120	78,903	80,686	82,469	84,252	Jacksonville, Fla.	29,803	31,177	32,551	33,925	35,301
Canton, Ohio	31,115	31,363	32,011	32,659	33,307	Jacksonville, Ill.	15,292	15,506	15,720	15,934	16,148
Carbondale, Pa.	13,776	14,016	14,256	14,496	14,736	Jamestown, N. Y.	23,514	24,136	24,759	25,382	26,005
Carlisle, Pa.	9,827	10,028	10,229	10,430	10,631	Jefferson City, Ind.	10,785	10,796	10,807	10,818	10,829
Central Falls, R. I.	18,472	18,678	18,884	19,090	19,296	Jersey City, N. J.	211,686	216,539	221,392	227,445	232,699
Charleston, S. C.	55,892	55,977	56,062	56,147	56,232	Johnstown, N. Y.	10,057	9,984	9,911	9,838	9,765
Chelsea, Mass.	31,715	35,358	36,001	36,645	37,289	Johnstown, Pa.	37,800	38,890	39,980	41,070	42,160
Chicago, Ill.	1,757,010	1,815,445	1,873,880	1,932,315	1,990,750	Kalamazoo, Mich.	25,748	27,092	28,437	29,782	31,127
Chicopee, Mass.	19,371	19,576	19,781	19,986	20,191	Kansas City, Mo.	166,856	169,960	173,064	176,178	179,272
Chillicothe, Ohio	13,145	13,314	13,483	13,652	13,821	Keene, N. H.	9,337	9,509	9,681	9,853	10,025
Chippewa Falls, Wis.	8,277	8,377	8,477	8,577	8,677	Key West, Fla.	17,790	18,467	19,144	19,821	20,498
Cincinnati, Ohio	327,746	329,590	332,934	341,444	343,337	Kingston, N. Y.	24,710	24,885	25,060	25,235	25,410
Cleveland, Ohio	392,400	403,032	414,950	425,632	437,114	Kokoma, Ind.	10,844	11,079	11,314	11,549	11,784
						Laconia, N. H.	8,042	8,042	8,042	8,042	8,042
						Lafayette, Ind.	18,303	18,490	18,677	18,864	19,051
						Lancaster, Pa.	42,404	43,349	44,294	45,239	46,184
						Lansing, Mich.	17,432	18,380	19,328	20,276	21,224
						Lawrence, Mass.	64,057	65,585	67,033	68,511	70,020
						Leadville, Colo.	12,662	12,869	13,076	13,283	13,490
					</						

TABLE 1.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—					REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905		1901	1902	1903	1904	1905
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.					
Leominster town, Mass.	12,773	13,154	13,535	13,916	14,297	Orange, N. J.	24,533	24,925	25,317	25,709	26,101
Lima, Ohio	22,297	24,871	25,517	26,394	27,048	Ottawa, Ill.	10,688	10,788	10,888	10,988	11,088
Lincoln, Nebr.	41,492	42,800	44,158	45,516	46,874	Ottumwa, Iowa	18,563	18,930	19,447	19,447	19,447
Lockport, N. Y.	16,750	16,919	17,088	17,258	17,428	Owosso, Mich.	8,808	8,920	9,032	9,145	9,257
Logansport, Ind.	16,492	16,780	17,068	17,356	17,644	Paducah, Ky.	19,940	20,452	20,955	21,458	21,961
Louisville, Ky.	208,588	212,722	215,722	219,191	222,660	Passaic, N. J.	29,989	31,951	33,913	35,875	37,837
Lowell, Mass.	94,933	94,987	94,921	94,905	94,880	Paterson, N. J.	106,442	107,713	108,985	110,257	111,529
Lynchburg, Va.	20,850	20,850	21,350	21,850	22,350	Pawtucket, R. I.	40,061	40,891	41,721	42,551	43,381
Lynn, Mass.	70,218	71,921	73,630	75,336	77,042	Peabody town, Mass.	11,838	12,153	12,468	12,783	13,098
McKeesport, Pa.	35,576	36,925	38,274	39,623	40,972	Peekskill, N. Y.	10,926	11,404	12,062	12,631	13,200
Madison, Wis.	19,991	20,818	21,645	22,473	23,301	Perth Amboy, N. J.	19,338	20,077	22,610	22,651	25,895
Mahanoy City, Pa.	13,726	13,948	14,170	14,392	14,614	Peru, Ind.	10,607	10,792	10,977	11,162	11,347
Manchester, N. H.	58,273	59,539	60,845	62,131	63,417	Petersburg, Va.	21,810	21,810	21,810	21,810	21,810
Manchester town, Conn.	10,839	11,077	11,315	11,553	11,791	Philadelphia, Pa.	1,318,370	1,343,043	1,367,716	1,392,389	1,417,062
Manitowoc, Wis.	11,975	12,164	12,353	12,543	12,733	Phillipsburg, N. J.	10,412	10,772	11,132	11,492	11,852
Marquette, Mich.	10,200	10,361	10,521	10,681	10,841	Pittsburg, Pa.	329,425	337,234	345,043	352,852	360,661
Mankato, Minn.	10,678	10,757	10,836	10,916	10,996	Pittsfield, Mass.	22,413	23,000	23,707	24,354	25,001
Marietta, Ohio	13,856	14,364	14,872	15,380	15,888	Plainfield, N. J.	15,988	16,008	17,228	17,848	18,468
Marietta, Wis.	16,027	15,859	15,691	15,523	15,355	Plymouth, Pa.	14,080	14,511	14,942	15,373	15,804
Marion, Ind.	18,194	19,051	21,105	22,052	23,000	Plymouth town, Mass.	9,897	10,202	10,507	10,813	11,119
Marlboro, Mass.	13,701	13,794	13,887	13,980	14,073	Pontiac, Mich.	10,047	10,326	10,605	10,884	11,163
Marquette, Mich.	10,200	10,361	10,521	10,681	10,841	Port Huron, Mich.	19,375	19,592	19,810	20,028	20,246
Massillon, Ohio	12,129	12,314	12,499	12,684	12,869	Port Jervis, N. Y.	9,447	9,509	9,571	9,633	9,695
Meadville, Pa.	10,368	10,445	10,522	10,599	10,676	Portland, Me.	50,982	51,819	52,656	53,493	54,330
Medford, Mass.	18,532	18,820	19,108	19,397	19,686	Portland, Oreg.	93,169	95,912	98,655	101,398	104,141
Melrose, Mass.	13,228	13,494	13,761	14,028	14,295	Portsmouth, N. H.	10,718	10,799	10,880	10,961	11,042
Memphis, Tenn.	106,103	109,886	113,669	117,452	121,235	Portsmouth, Ohio	18,344	18,818	19,292	19,766	20,240
Menominee, Mich.	11,958	11,958	11,958	11,958	11,958	Pottstown, Pa.	13,737	13,737	13,737	13,737	13,737
Meriden town, Conn.	29,022	29,349	29,676	30,003	30,330	Pottsville, Pa.	15,869	16,028	16,187	16,346	16,505
Michigan City, Ind.	15,257	15,664	16,071	16,478	16,885	Poughkeepsie, N. Y.	24,252	24,475	24,698	24,921	25,144
Middletown, N. Y.	14,754	14,986	15,218	15,450	15,682	Providence, R. I.	180,204	184,811	189,419	194,027	198,635
Middletown, Ohio	9,230	9,245	9,260	9,275	9,290	Pueblo, Colo.	28,517	28,877	29,237	29,597	30,457
Middletown town, Conn.	17,714	17,942	18,170	18,398	18,626	Quincy, Ill.	36,728	37,204	37,680	38,156	38,632
Milford town, Mass.	11,521	11,667	11,813	11,959	12,105	Quincy, Mass.	24,734	25,569	26,404	27,240	28,076
Millville, N. J.	10,843	11,103	11,363	11,623	11,884	Raleigh, N. C.	13,740	13,837	13,934	14,031	14,128
Millwaukee, Wis.	290,528	298,603	306,678	314,753	322,828	Reading, Pa.	80,991	82,021	83,051	84,081	85,111
Minneapolis, Minn.	214,560	226,420	238,281	250,142	262,003	Revere town, Mass.	10,847	11,300	11,753	12,206	12,659
Mobile, Ala.	39,268	39,947	40,626	41,305	41,984	Richmond, Ind.	18,388	18,550	18,712	18,874	19,036
Montclair, N. J.	14,443	14,924	15,405	15,886	16,367	Richmond, Va.	85,416	85,782	86,148	86,514	86,880
Morristown, N. J.	11,442	11,618	11,794	11,970	12,146	Rochester, N. H.	8,573	8,680	8,787	8,894	9,001
Mt. Carmel, Pa.	13,672	14,165	14,658	15,151	15,644	Rochester, N. Y.	166,261	169,915	173,569	177,223	180,877
Mt. Vernon, N. Y.	21,968	22,708	23,448	24,189	24,930	Rockland, Me.	8,150	8,150	8,150	8,150	8,150
Muncie, Ind.	21,092	22,050	23,008	23,966	24,924	Rome, N. Y.	15,740	16,137	16,534	16,931	17,328
Muscatine, Iowa	14,275	14,478	14,681	14,884	15,087	Rutland, Vt.	11,576	11,653	11,730	11,807	11,884
Muskegon, Mich.	20,837	20,857	20,877	20,897	20,917	Sacramento, Cal.	29,572	29,862	30,152	30,442	30,732
Nashua, N. H.	24,357	24,816	25,275	25,734	26,193	Saginaw, Mich.	43,411	44,477	45,543	46,610	47,676
Nashville, Tenn.	81,335	81,805	82,275	82,745	83,215	St. Joseph, Mo.	105,479	107,979	110,479	112,979	115,479
Natick town, Mass.	9,512	9,536	9,560	9,584	9,608	St. Louis, Mo.	587,585	599,932	612,279	624,626	636,973
Newark, N. J.	10,973	11,465	11,957	12,449	12,941	St. Paul, Minn.	109,856	116,647	123,438	130,229	137,020
New Albany, Ind.	20,628	20,628	20,628	20,628	20,628	Salem, Mass.	36,290	36,624	36,958	37,292	37,626
New Bedford, Mass.	64,826	67,210	69,594	71,978	74,362	Salt Lake City, Utah	54,400	55,269	56,138	57,007	57,876
New Britain town, Conn.	29,122	30,042	30,962	31,882	32,802	San Antonio, Tex.	54,886	56,451	58,016	59,581	61,146
New Brunswick, N. J.	20,631	21,256	21,881	22,507	23,132	San Diego, Cal.	17,940	18,180	18,420	18,660	18,900
New Haven, Conn.	110,227	112,427	114,627	116,827	119,027	San Francisco, Cal.	347,161	351,540	355,919	360,298	364,677
New London, Conn.	17,927	18,306	18,685	19,064	19,443	San Jose, Cal.	21,844	22,188	22,532	22,876	23,220
New Orleans, La.	291,611	296,118	300,625	305,132	309,639	Saratoga Springs, N. Y.	12,527	12,645	12,763	12,881	12,999
New Rochelle, N. Y.	15,833	16,586	17,339	18,092	18,845	Sault Ste. Marie, Mich.	10,764	10,990	11,216	11,442	11,668
New York, N. Y.	3,549,840	3,662,480	3,775,121	3,887,762	4,000,403	Savannah, Ga.	53,550	53,456	53,362	53,268	53,174
Bronx borough	214,724	228,941	243,158	257,375	271,592	Schenectady, N. Y.	35,388	37,004	38,620	40,236	41,852
Brooklyn borough	1,204,286	1,241,991	1,279,696	1,317,401	1,355,106	Seranton, Pa.	104,003	107,180	110,357	113,534	116,711
Manhattan borough	1,900,640	1,951,227	2,001,794	2,052,361	2,102,928	Seattle, Wash.	84,454	88,237	92,020	95,803	99,586
Queens borough	161,966	170,934	179,902	188,870	197,838	Sioux City, Iowa	34,679	36,247	37,815	39,383	40,952
Richmond borough	68,204	69,387	70,571	71,755	72,939	Somerville, Mass.	63,168	64,094	65,020	65,946	66,872
Newark, N. J.	252,415	260,200	268,005	275,810	283,615	South Bend, Ind.	37,400	38,876	40,352	41,778	43,204
Newark, Ohio	18,546	18,935	19,324	19,713	20,102	South Bethlehem, Pa.	13,535	13,829	14,123	14,417	14,711
Newburg, N. Y.	25,218	25,493	25,768	26,043	26,318	Southbridge town, Mass.	10,220	10,415	10,610	10,805	11,000
Newburyport, Mass.	14,517	14,596	14,675	14,754	14,833	Spokane, Wash.	38,541	40,234	41,927	43,620	45,313
Newcastle, Pa.	29,757	31,175	32,593	34,011	35,429	Springfield, Ill.	34,843	35,527	36,211	36,895	37,579
Newport, Ky.	26,639	28,977	29,315	29,653	30,091	Springfield, Mass.	64,355	66,651	68,947	71,243	73,540
Newport, R. I.	22,969	23,479	23,989	24,499	25,009	Stamford town, Conn.	19,153	19,467	19,781	20,095	20,409
Newton, Mass.	34,235	34,883	35,531	36,179	36,827	Steelton, Pa.	12,370	12,654	12,938	13,222	13,506
Niagara Falls, N. Y.	20,852	22,247	23,642	25,037	26,432	Stonington town, Conn.	8,676	8,812	8,948	9,084	9,220
Norfolk, Va.	47,799	53,974	55,318	56,662	58,006	Suva, N. Y.	32,183	33,275	34,367	35,459	36,551
Norristown, Pa.	22,512	22,759	23,006	23,253	23,500	Tacoma, Wash.	110,125	111,876	113,627	115,378	117,129
North Adams, Mass.	23,790	23,580	23,370	23,160	22,950	Taunton, Mass.	36,746	36,934	37,122	37,310	37,498
Northampton, Mass.	18,905	19,108	19,311	19,514	19,717	Terre Haute, Ind.	31,023	31,009	30,995	30,981	30,967
Norwalk town, Conn.	20,151	20,370	20,589	20,808	21,027	Tiffin, Ohio	37,319	37,965	38,611	39,257	39,903
Norwich town, Conn.	24,796	24,955	25,114	25,273	25,432	Toledo, Ohio	109,980	111,023	112,066	113,109	114,152
Oakland, Cal.	68,102	69,244	70,386	71,528	72,670	Torrington town, Conn.	13,094	13,735	14,376	15,017	15,658
Ogdenburg, N. Y.	14,708	14,734	14,761	14,788	14,815						
Olean, N. Y.	9,585	9,708	9,831	9,954	10,077						
Omaha, Nebr.	106,157	109,739	113,361	116,983	120,605						

SUMMARY AND RATE TABLES.

63

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—					REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905		1901	1902	1903	1904	1905
REGISTRATION CITIES—Continued.						INDIANA RURAL—Continued.					
Traverse City, Mich.....	9,864	10,321	10,779	11,237	11,695	Jackson county.....	26,882	27,131	27,380	27,630	27,879
Trenton, N. J.....	75,481	77,655	79,829	82,003	84,180	Jasper county.....	14,003	14,014	15,225	15,536	15,847
Troy, N. Y.....	75,299	75,542	75,785	76,028	76,271	Jay county.....	27,152	27,486	27,820	28,154	28,488
Union, N. J.....	15,550	16,913	16,277	16,641	17,005	Jefferson county.....	22,754	22,583	22,436	22,278	22,119
Utica, N. Y.....	57,835	59,288	60,741	62,194	63,647	Jennings county.....	15,872	15,987	16,102	16,217	16,332
Vernon town, Conn.....	8,450	8,417	8,384	8,351	8,318	Johnson county.....	20,289	20,355	20,421	20,487	20,553
Vincennes, Ind.....	10,529	10,529	10,529	11,012	11,155	Knox county.....	22,827	23,157	23,487	23,817	24,147
Wabash, Ind.....	8,829	9,060	9,291	9,522	9,753	Kosciusko county.....	29,155	29,201	29,247	29,293	29,339
Wakefield town, Mass.....	9,485	9,680	9,876	10,072	10,268	Lagrange county.....	15,251	15,218	15,185	15,152	15,119
Wallingford town, Conn.....	9,243	9,485	9,727	9,969	10,211	Lake county.....	26,287	27,038	27,829	28,600	29,371
Waltham, Mass.....	24,041	24,601	25,161	25,721	26,282	Laporte county.....	23,523	23,510	23,497	23,484	23,471
Ware town, Mass.....	8,329	8,395	8,461	8,527	8,594	Lawrence county.....	26,323	26,917	27,511	28,105	28,699
Washington, D. C.....	283,551	288,384	293,217	298,050	302,883	Madison county.....	38,749	40,156	41,564	42,970	44,377
Washington, Ind.....	8,900	9,049	9,208	9,367	9,526	Marion county.....	27,298	27,032	16,343	14,883	13,964
Waterbury, Conn.....	52,935	54,727	56,521	58,315	60,109	Marshall county.....	25,249	25,379	25,509	25,639	25,769
Watertown, N. Y.....	22,412	23,128	23,844	24,560	25,276	Martin county.....	14,785	14,859	14,933	15,007	15,081
Watertown town, Mass.....	10,016	10,326	10,636	10,947	11,258	Miami county.....	17,989	18,056	18,123	18,190	18,257
Webster town, Mass.....	9,046	9,280	9,512	9,745	9,978	Monroe county.....	21,193	21,513	21,833	22,153	22,473
West Bay City, Mich.....	13,089	13,059	13,028	12,997	12,966	Montgomery county.....	29,324	29,660	29,996	30,332	30,668
Westfield town, Mass.....	12,570	12,830	13,090	13,350	13,611	Morgan county.....	20,638	20,819	21,000	21,182	21,363
Weymouth town, Mass.....	11,376	11,428	11,480	11,532	11,584	Newton county.....	10,613	10,778	10,943	11,108	11,273
Wheeling, W. Va.....	39,314	39,750	40,186	40,622	41,058	Noble county.....	23,530	23,567	23,604	23,641	23,678
Wichita, Kans.....	24,472	28,163	31,854	35,545	39,236	Ohio county.....	4,701	4,678	4,655	4,632	4,609
Williamsport, Pa.....	28,920	29,083	29,246	29,409	29,572	Orange county.....	17,072	17,290	17,508	17,726	17,944
Wilmington, Del.....	77,750	79,000	80,250	81,500	82,750	Owen county.....	15,160	15,171	15,182	15,193	15,204
Wilmington, N. C.....	21,068	21,160	21,252	21,344	21,436	Parke county.....	23,270	23,540	23,810	24,080	24,351
Windham town, Conn.....	10,148	10,159	10,170	10,181	10,192	Perry county.....	18,832	18,886	18,940	18,994	19,048
Winona, Minn.....	19,838	19,962	20,086	20,210	20,334	Pike county.....	20,680	20,874	21,068	21,262	21,456
Woburn, Mass.....	14,283	14,312	14,342	14,372	14,402	Porter county.....	19,287	19,399	19,511	19,623	19,735
Woonsocket, R. I.....	29,002	29,800	30,598	31,397	32,196	Posey county.....	22,413	22,493	22,573	22,653	22,733
Worcester, Mass.....	120,363	122,366	124,369	126,372	128,375	Pulaski county.....	14,313	14,593	14,873	15,153	15,433
Yonkers, N. Y.....	59,427	61,323	63,219	65,115	67,011	Putnam county.....	21,392	21,396	21,400	21,404	21,408
Youngstown, Ohio.....	46,052	47,219	48,386	49,553	50,720	Randolph county.....	28,710	28,767	28,824	28,881	28,938
CONNECTICUT RURAL.						Ripley county.....	19,934	19,987	20,040	20,093	20,146
Fairfield county.....	43,252	43,714	44,176	44,638	45,100	Rush county.....	20,259	20,370	20,481	20,592	20,703
Hartford county.....	67,968	68,752	69,536	70,320	71,104	St. Joseph county.....	23,123	23,289	23,455	23,621	23,787
Litchfield county.....	51,591	51,908	52,225	52,542	52,859	St. Lawrence county.....	8,354	8,401	8,448	8,495	8,542
Middlesex county.....	24,270	24,266	24,262	24,258	24,254	Shelby county.....	26,505	26,609	26,713	26,817	26,921
New Haven county.....	49,861	50,643	51,425	52,207	52,989	Spencer county.....	22,442	22,477	22,512	22,547	22,582
New London county.....	31,971	31,909	31,847	31,785	31,723	Stark county.....	10,740	11,049	11,358	11,667	11,976
Tolland county.....	16,017	15,994	15,971	15,948	15,925	Steuben county.....	15,293	15,367	15,441	15,515	15,589
Windham county.....	36,883	37,042	37,201	37,360	37,519	Sullivan county.....	26,418	26,831	27,244	27,657	28,070
INDIANA RURAL.						Switzerland county.....	11,773	11,796	11,819	11,842	11,865
Adams county.....	22,437	22,642	22,847	23,052	23,257	Tipton county.....	20,714	20,885	21,056	21,227	21,398
Allen county.....	32,241	32,328	32,414	32,499	32,585	Union county.....	6,722	6,696	6,670	6,644	6,618
Bartholomew county.....	16,396	16,328	16,260	16,192	16,124	Vanderburg county.....	13,133	13,504	13,875	14,246	14,617
Benton county.....	13,245	13,367	13,489	13,611	13,733	Vermilion county.....	15,462	15,672	15,882	16,092	16,302
Blackford county.....	17,888	18,563	19,238	19,913	20,588	Vigo county.....	25,900	26,438	26,976	27,514	16,032
Boone county.....	26,296	26,271	26,246	26,221	26,196	Wabash county.....	19,507	19,397	19,287	19,177	19,067
Brown county.....	9,060	9,611	9,553	9,495	9,437	Warren county.....	11,413	11,455	11,497	11,539	11,581
Carroll county.....	19,916	19,939	19,962	19,985	20,008	Warrick county.....	22,446	22,563	22,680	22,797	22,914
Cass county.....	18,392	18,443	18,494	18,545	18,596	Washington county.....	19,488	19,567	19,646	19,725	19,804
Clark county.....	21,208	21,355	21,502	21,649	21,796	Wayne county.....	20,716	20,688	20,660	20,632	20,604
Clay county.....	34,660	35,035	35,410	35,785	36,160	Wells county.....	23,643	23,837	24,031	24,225	24,419
Clinton county.....	28,285	28,308	28,331	28,354	28,377	White county.....	19,485	19,832	20,179	20,526	20,873
Crawford county.....	13,429	13,382	13,335	13,288	13,241	Whitley county.....	17,284	17,240	17,196	17,152	17,108
Davies county.....	21,483	21,603	21,723	21,843	21,963	MAINE RURAL.					
Dearborn county.....	22,077	21,960	21,843	21,726	21,609	Androscoggin county.....	54,769	55,296	55,822	56,350	56,877
Decatur county.....	19,542	19,566	19,590	19,614	19,638	Aroostook county.....	61,800	62,976	64,091	65,206	66,321
Dekalb county.....	25,851	25,901	25,951	26,001	26,051	Cumberland county.....	50,680	50,817	50,953	51,089	51,229
Delaware county.....	29,581	30,472	31,363	32,254	33,145	Franklin county.....	18,583	18,722	18,861	19,000	19,139
Dubuque county.....	20,367	20,377	20,387	20,397	20,407	Hancock county.....	37,234	37,227	37,220	37,213	37,206
Elkhart county.....	30,046	30,240	30,432	30,625	30,818	Kennebec county.....	47,629	47,624	47,619	47,614	47,609
Fayette county.....	13,582	13,669	13,756	13,843	13,930	Knox county.....	22,149	22,042	21,935	21,827	21,720
Floyd county.....	9,556	9,622	9,688	9,754	9,820	Lincoln county.....	19,436	19,203	19,070	18,936	18,803
Fountain county.....	21,635	21,824	22,013	22,202	22,391	Oxford county.....	32,403	32,568	32,733	32,898	33,063
Franklin county.....	16,190	15,992	15,794	15,596	15,398	Penobscot county.....	54,439	54,322	54,204	54,086	53,968
Fulton county.....	17,324	17,595	17,866	18,137	18,408	Piscataquis county.....	17,031	17,113	17,195	17,276	17,358
Gibson county.....	30,617	31,135	31,653	32,171	32,689	Sagadahoc county.....	9,766	9,679	9,592	9,504	9,417
Grant county.....	38,819	40,282	41,745	43,208	44,671	Somerset county.....	33,971	34,093	34,215	34,337	34,459
Greene county.....	28,945	29,360	29,775	30,190	30,605	Waldo county.....	23,828	23,471	23,114	22,757	22,400
Hamilton county.....	30,293	30,672	31,051	31,430	31,809	Washington county.....	45,307	45,382	45,457	45,532	45,607
Hancock county.....	19,325	19,461	19,597	19,733	19,869	York county.....	48,776	48,811	48,848	48,884	48,919
Harrison county.....	21,794	21,886	21,978	22,070	22,162	MASSACHUSETTS RURAL.					
Hendricks county.....	21,271	21,250	21,229	21,208	21,187	Barnstable county.....	27,627	27,428	27,229	27,030	26,831
Henry county.....	25,209	25,330	25,451	25,572	25,693	Berkshire county.....	38,592	38,617	38,642	38,667	38,692
Howard county.....	17,970	17,974	17,978	17,982	17,986	Bristol county.....	42,975	43,597	44,219	44,841	45,463
Huntington county.....	19,305	19,215	19,125	19,035	18,945	Dukes county.....	4,559	4,537	4,515	4,493	4,471
						Essex county.....	69,392	69,976	70,559	71,142	71,722

MORTALITY STATISTICS.

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—					REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905		1901	1902	1903	1904	1905
MASSACHUSETTS RURAL—Continued.						MICHIGAN RURAL—Continued.					
Franklin county.....	41,039	42,069	42,501	42,931	43,362	Presque Isle county.....	9,333	9,846	10,359	10,872	11,384
Hampden county.....	36,833	37,310	37,787	38,263	38,737	Roscommon county.....	1,773	1,759	1,745	1,731	1,717
Hampshire county.....	32,267	32,619	32,972	33,324	33,676	Saginaw county.....	38,924	38,970	39,016	39,061	39,107
Middlesex county.....	96,112	97,450	98,782	100,412	101,840	St. Clair county.....	35,956	35,841	35,725	35,609	35,493
Nantucket county.....	2,991	2,976	2,961	2,946	2,930	St. Joseph county.....	23,724	23,559	23,394	23,229	23,064
Norfolk county.....	84,496	85,855	87,215	88,574	89,930	Sanilac county.....	35,008	34,962	34,915	34,867	34,820
Plymouth county.....	65,268	66,206	67,144	68,082	69,019	Schoolcraft county.....	8,073	8,258	8,443	8,628	8,812
Suffolk county.....	6,256	6,453	6,646	6,840	7,034	Shiawassee county.....	25,020	24,890	24,718	24,566	24,416
Worcester county.....	129,741	129,550	129,357	129,166	128,975	Tuscola county.....	35,907	35,926	35,944	35,961	35,978
MICHIGAN RURAL.						Van Buren county.....	33,696	34,119	34,543	34,965	35,387
Alcona county.....	5,660	5,688	5,686	5,684	5,683	Washtenaw county.....	32,985	32,717	32,447	32,177	31,908
Alcona county.....	6,034	6,201	6,368	6,535	6,702	Wayne county.....	64,627	66,163	67,700	69,236	70,772
Alcona county.....	38,846	38,881	38,915	38,948	38,982	Wexford county.....	17,438	18,031	18,624	19,217	19,810
Alcona county.....	18,627	19,000	19,374	19,748	20,122	NEW HAMPSHIRE RURAL.					
Antrim county.....	16,340	16,112	15,884	15,655	15,427	Belknap county.....	11,404	11,324	11,244	11,163	11,083
Arene county.....	9,911	10,002	10,093	10,184	10,275	Carroll county.....	16,772	16,649	16,526	16,403	16,280
Baraga county.....	4,516	4,712	4,908	5,104	5,300	Cheshire county.....	22,158	22,160	22,162	22,163	22,165
Baraga county.....	22,392	22,370	22,348	22,325	22,302	Cook county.....	20,692	20,502	20,312	20,121	19,931
Baraga county.....	21,925	22,218	22,512	22,806	23,100	Grafton county.....	41,207	41,570	41,932	42,295	42,658
Benzie county.....	9,961	10,237	10,513	10,790	11,066	Hillshire county.....	31,948	32,142	32,337	32,531	32,724
Berrien county.....	49,222	49,278	49,334	49,390	49,446	Merrimack county.....	32,835	32,871	32,908	32,946	32,983
Branch county.....	27,458	27,105	26,751	26,397	26,043	Rockingham county.....	40,547	40,613	40,678	40,745	40,811
Calhoun county.....	30,733	30,753	30,771	30,789	30,807	Strafford county.....	17,605	17,546	17,487	17,428	17,369
Cass county.....	20,665	20,454	20,242	20,030	19,818	Sullivan county.....	18,080	18,151	18,222	18,293	18,364
Charlevoix county.....	14,536	15,116	15,697	16,278	16,859	NEW JERSEY RURAL.					
Cheboygan county.....	15,951	16,386	16,821	17,256	17,691	Atlantic county.....	19,305	20,046	20,787	21,528	22,269
Chippewa county.....	10,770	10,741	10,712	10,683	10,654	Bergen county.....	82,753	87,065	91,377	95,691	100,003
Clare county.....	8,567	8,774	8,981	9,189	9,396	Burlington county.....	59,001	59,761	60,521	61,281	62,042
Clinton county.....	25,154	25,172	25,190	25,208	25,226	Camden county.....	33,006	34,304	35,599	36,896	38,192
Crawford county.....	3,170	3,398	3,626	3,854	4,082	Cape May county.....	14,038	14,876	15,715	16,553	17,390
Delta county.....	14,733	15,134	15,535	15,936	16,337	Cumberland county.....	26,677	26,658	26,640	26,622	26,602
Dickinson county.....	9,073	9,408	9,743	10,078	10,413	Essex county.....	77,838	79,290	80,742	82,194	83,646
Eaton county.....	31,428	31,188	30,947	30,706	30,465	Gloucester county.....	32,419	32,933	33,448	33,963	34,477
Emmet county.....	16,421	16,911	17,401	17,892	18,382	Hudson county.....	65,324	68,901	72,478	76,055	79,632
Genesee county.....	28,104	28,086	27,977	27,868	27,761	Hunterdon county.....	34,258	34,008	33,759	33,509	33,258
Gladwin county.....	7,073	7,582	8,091	8,601	9,110	Livingston county.....	22,914	23,771	24,628	25,485	26,342
Gogebic county.....	7,094	7,156	7,217	7,278	7,339	Middlesex county.....	43,247	44,438	45,630	46,820	48,008
Grand Traverse county.....	11,295	11,519	11,742	11,965	12,188	Monmouth county.....	83,229	84,401	85,574	86,747	87,919
Grafton county.....	30,050	30,212	30,374	30,536	30,698	Morris county.....	54,260	54,648	55,036	55,424	55,812
Hillsdale county.....	29,858	29,851	29,844	29,837	29,830	Ocean county.....	19,973	20,190	20,407	20,624	20,841
Houghton county.....	67,204	68,344	69,485	70,625	71,766	Pasadena county.....	22,903	23,802	24,701	25,599	26,497
Huron county.....	34,337	34,354	34,370	34,385	34,401	Salem county.....	25,681	25,832	25,984	26,135	26,287
Ingham county.....	23,334	23,333	23,331	23,329	23,327	Somerset county.....	33,612	34,276	34,941	35,605	36,270
Ionia county.....	34,403	34,477	34,551	34,625	34,700	Sussex county.....	23,973	23,811	23,650	23,489	23,328
Iosco county.....	10,319	10,392	10,466	10,540	10,614	Union county.....	33,132	34,408	35,684	36,958	38,234
Iron county.....	8,974	8,958	8,942	8,925	8,909	Warren county.....	27,893	28,057	28,221	28,385	28,549
Isabella county.....	23,114	23,444	23,774	24,104	24,434	NEW YORK RURAL.					
Jackson county.....	22,738	22,433	22,127	21,821	21,515	Albany county.....	33,403	33,617	33,831	34,045	34,259
Kalamazoo county.....	19,926	19,945	19,962	19,980	19,998	Allegany county.....	41,818	42,185	42,552	42,919	43,286
Kalkaska county.....	7,251	7,370	7,489	7,608	7,726	Broome county.....	29,647	29,790	29,933	30,077	30,220
Kent county.....	42,305	42,460	42,616	42,770	42,925	Cattaraugus county.....	56,118	56,054	55,990	55,925	55,860
Keweenaw county.....	3,549	3,881	4,213	4,546	4,878	Cayuga county.....	35,476	35,062	34,648	34,234	33,819
Lake county.....	4,967	4,977	4,988	4,999	5,009	Chautauque county.....	54,112	54,417	54,721	55,025	55,328
Lapeer county.....	27,494	27,346	27,198	27,050	26,902	Chemung county.....	18,086	17,780	17,474	17,167	16,860
Leelanau county.....	10,623	10,690	10,758	10,826	10,893	Chenango county.....	36,613	36,658	36,704	36,750	36,796
Lenawee county.....	48,579	48,752	48,925	49,097	49,269	Clinton county.....	47,634	47,837	48,040	48,244	48,447
Livingston county.....	19,411	19,157	18,903	18,649	18,395	Columbia county.....	33,444	33,205	32,966	32,727	32,487
Luce county.....	3,207	3,432	3,657	3,882	4,106	Cortland county.....	18,585	18,608	18,631	18,654	18,677
Mackinac county.....	7,859	7,975	8,111	8,247	8,383	Delaware county.....	46,450	46,487	46,524	46,561	46,598
Macomb county.....	33,207	33,170	33,133	33,096	33,059	Dutchess county.....	57,802	58,142	58,482	58,821	59,160
Manistee county.....	27,686	27,515	27,344	27,173	27,003	Essex county.....	84,442	87,586	90,730	93,873	97,016
Marquette county.....	17,877	17,826	17,774	17,722	17,671	Franklin county.....	31,656	31,406	31,156	30,906	30,656
Mason county.....	19,065	19,246	19,427	19,608	19,788	Fulton county.....	43,657	44,460	45,263	46,067	46,870
Mcosta county.....	20,574	20,455	20,336	20,216	20,097	Genesee county.....	14,251	14,138	14,025	13,912	13,799
Menominee county.....	14,513	14,798	15,084	15,369	15,655	Greene county.....	34,820	35,078	35,336	35,595	35,853
Midland county.....	14,488	14,537	14,586	14,636	14,685	Hamilton county.....	31,383	31,287	31,191	31,095	30,999
Missaukee county.....	9,547	9,786	10,025	10,264	10,503	Herkimer county.....	4,940	4,932	4,924	4,916	4,908
Monroe county.....	32,795	32,837	32,879	32,921	32,962	Hoffman county.....	51,566	52,084	52,602	53,120	53,638
Montcalm county.....	32,840	33,006	33,173	33,340	33,507	Jefferson county.....	55,013	54,975	54,937	54,899	54,861
Montmorency county.....	3,304	3,374	3,444	3,515	3,585	Lewis county.....	27,251	27,074	26,897	26,720	26,543
Muskegon county.....	16,283	16,348	16,411	16,476	16,540	Livingston county.....	37,110	37,160	37,210	37,260	37,310
Newaygo county.....	17,840	18,047	18,254	18,461	18,668	Madison county.....	40,333	40,121	39,908	39,695	39,482
Oakland county.....	34,684	34,943	35,202	35,461	35,720	Monroe county.....	55,927	56,006	56,085	56,164	56,243
Ogemaw county.....	16,912	17,150	17,388	17,626	17,864	Montgomery county.....	25,586	25,665	25,744	25,823	25,902
Ontonagon county.....	6,439	6,681	6,923	7,165	7,407	Nassau county.....	58,234	61,000	63,777	66,554	69,331
Oscoda county.....	18,052	18,245	18,438	18,631	18,824	Niagara county.....	39,247	39,570	39,893	40,216	40,539
Oscoda county.....	1,573	1,678	1,783	1,888	1,993	Oueda county.....	60,759	60,442	60,125	59,808	59,491
Otsego county.....	6,411	6,707	6,973	7,239	7,505						
Ottawa county.....	40,301	40,934	41,567	42,199	42,832						

SUMMARY AND RATE TABLES.

65

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—					REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905		1901	1902	1903	1904	1905
NEW YORK RURAL—						RHODE ISLAND					
Continued.						RURAL.					
Onondaga county.....	60,500	60,640	60,780	60,920	61,060	Bristol county.....	13,524	13,905	14,287	14,668	15,048
Ontario county.....	39,386	39,600	39,813	40,026	40,239	Rom county.....	30,814	31,651	32,488	33,325	34,163
Orange county.....	55,455	55,902	56,349	56,796	57,243	Newport county.....	10,334	10,510	10,685	10,859	11,034
Oswego county.....	30,412	30,659	30,906	31,153	31,400	Providence county.....	69,209	71,052	72,834	74,616	76,398
Otsego county.....	48,755	48,571	48,387	48,203	48,019	Washington county.....	24,271	24,389	24,506	24,624	24,742
Putnam county.....	13,849	13,912	13,975	14,038	14,101	VERMONT RURAL.					
Rensselaer county.....	46,418	46,196	45,973	45,750	45,527	Addison county.....	21,875	21,838	21,801	21,764	21,727
Rockland county.....	39,619	40,941	42,262	43,583	44,905	Bennington county.....	13,634	13,596	13,558	13,520	13,482
St. Lawrence county.....	74,841	75,281	75,720	76,159	76,598	Caledonia county.....	24,476	24,571	24,666	24,761	24,856
Saratoga county.....	48,810	48,911	49,011	49,200	49,331	Chittenden county.....	20,976	20,993	21,008	21,023	21,041
Schenectady county.....	16,318	9,467	10,615	11,762	12,910	Essex county.....	7,910	7,764	7,618	7,472	7,326
Schoharie county.....	26,525	26,197	25,868	25,537	25,207	Franklin county.....	30,242	30,286	30,331	30,375	30,419
Schuyler county.....	15,654	15,498	15,341	15,183	15,025	Grand Isle county.....	4,524	4,586	4,648	4,710	4,772
Seneca county.....	27,982	27,850	27,718	27,586	27,454	Lamoille county.....	12,235	12,181	12,127	12,074	12,020
Steuben county.....	71,295	70,829	70,364	69,898	69,432	Orange county.....	19,287	19,261	19,235	19,210	19,184
Suffolk county.....	79,650	81,719	83,788	85,857	87,926	Orleans county.....	22,016	22,008	22,000	21,992	21,984
Sullivan county.....	32,773	33,341	33,909	34,477	35,045	Rutland county.....	32,515	32,319	32,123	31,926	31,730
Tioga county.....	27,715	27,450	27,244	27,007	26,770	Washington county.....	28,429	28,609	28,789	28,969	29,150
Tompkins county.....	20,450	20,207	19,963	19,718	19,475	Windham county.....	26,671	26,682	26,693	26,704	26,715
Ulster county.....	63,351	62,821	62,288	61,755	61,221	Windsor county.....	32,277	32,329	32,382	32,433	32,485
Warren county.....	17,295	17,260	17,225	17,190	17,155						
Washington county.....	45,940	46,256	46,573	46,890	47,207						
Wayne county.....	48,711	48,762	48,811	48,866	48,918						
Westchester county.....	93,897	97,774	101,650	105,523	109,397						
Wyoming county.....	30,580	30,747	30,914	31,081	31,248						
Yates county.....	20,114	19,910	19,706	19,502	19,298						

TABLE II.—DEATH RATES IN EACH REGISTRATION CITY PER 1,000 OF POPULATION: 1901 TO 1905.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.						REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905		Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Adams town, Mass.....	16.5	15.5	18.4	15.3	16.4	17.9	Bristol town, Conn.....	15.2	12.3	14.4	16.4	17.1	15.5
Alameda, Cal.....	14.1	17.5	18.0	9.9	10.7	12.0	Brookline town, Mass.....	12.3	12.0	11.2	11.2	12.4	13.0
Albany, N. Y.....	18.5	18.8	17.1	18.8	19.0	18.5	Brookline town, Mass.....	11.2	11.0	11.2	10.4	10.6	11.1
Alexandria, Va.....	23.0	23.9	20.9	21.9	23.1	21.0	Buffalo, N. Y.....	15.4	15.4	14.7	16.0	16.0	15.6
Allegheny, Pa.....	18.3	17.2	19.0	19.0	17.8	18.8	Burlington, Iowa.....	14.1	14.8	14.2	12.3	14.7	12.1
Allentown, Pa.....	16.8	14.3	18.6	14.3	19.0	17.1	Burlington, Vt.....	17.7	17.4	16.3	19.2	18.0	21.0
Altoona, Pa.....	16.7	15.5	14.8	18.7	16.9	17.9	Cambridge, Mass.....	15.5	16.5	14.8	15.0	14.5	14.8
Amesbury town, Mass.....	16.4	17.4	15.5	15.6	17.8	15.5	Canton, N. J.....	17.7	18.1	17.4	15.9	19.0	16.2
Amsterdam, N. Y.....	15.4	14.3	15.3	15.2	15.1	15.3	Canton, Ohio.....	11.4	11.5	11.2	11.3	11.2	11.0
Anderson, Ind.....	14.2	16.4	15.1	11.6	13.8	10.6	Carbondale, Pa.....	17.9	16.4	18.9	16.3	17.7	19.1
Ann Arbor, Mich.....	14.6	15.1	16.2	13.7	14.5	17.1	Carlisle, Pa.....	17.1	18.5	13.3	16.1	16.1	14.2
Annapolis, Md.....	22.2	20.3	20.3	18.3	24.4	21.3	Central Falls, R. I.....	16.8	16.3	15.4	17.9	14.6	18.7
Ansonia, Conn.....	15.4	14.2	14.0	15.6	12.6	14.4	Charleston, S. C.....	31.3	31.5	31.1	28.8	30.0	29.0
Appleton, Wis.....	11.7	9.3	11.2	12.7	12.5	11.6	Chelsea, Mass.....	18.2	16.8	18.6	17.7	18.7	18.7
Arlington town, Mass.....	12.8	12.8	11.3	12.1	12.2	11.9	Chicago, Ill.....	14.6	13.9	14.6	15.3	13.8	13.8
Ashtabula, Ohio.....	15.8	16.0	15.4	14.0	16.4	14.0	Chicopee, Mass.....	19.3	17.6	20.3	20.4	17.0	17.6
Atlanta, Ga.....	22.3	21.9	22.3	21.1	23.9	24.1	Chillicothe, Ohio.....	17.0	18.6	17.1	15.4	13.6	13.3
Atlantic City, N. J.....	16.3	18.5	16.5	15.1	14.8	16.7	Chippewa Falls, Wis.....	12.8	11.2				
Attleboro town, Mass.....	13.6	11.5	12.7	14.5	14.2	13.7	Cincinnati, Ohio.....	19.1	19.5	18.1	18.8	20.8	19.2
Auburn, N. Y.....	15.7	13.5	15.2	16.9	15.5	15.9	Cleveland, Ohio.....	16.1	15.2	15.8	16.6	15.4	14.7
Augusta, Me.....	23.7	22.8	23.4	21.8	25.2	23.5	Clinton town, Mass.....	15.7	16.5	17.0	16.4	13.4	16.4
Aurora, Ill.....	14.0	15.0	12.7	12.6	13.6	11.8	Cohoes, N. Y.....	19.2	19.6	18.1	19.4	19.1	21.5
Baltimore, Md.....	20.1	20.3	19.6	19.1	20.1	19.6	Columbia, Pa.....	16.2	17.4	15.2	13.7	14.5	11.6
Bangor, Me.....	17.4	17.9	17.1	16.7	19.5	18.1	Columbus, Ind.....	17.0	16.9	15.5	14.0	17.1	14.8
Barre, Vt.....	15.3	13.5	14.1	15.7	12.7	15.5	Columbus, Ohio.....	16.0	14.3	15.9	16.9	16.0	15.7
Bath, Me.....	15.6	14.0	14.9	16.4	15.3	14.4	Concord, N. H.....	16.9	14.0	17.4	17.7	18.2	17.8
Battle Creek, Mich.....	15.9	15.9	16.6	18.1	14.4	14.7	Corning, N. Y.....	15.1	15.5	11.7	15.8	15.7	15.9
Bay City, Mich.....	13.3	12.7	12.4	13.8	14.1	12.6	Cortland, N. Y.....	13.1	14.7	9.6	14.4	13.3	9.9
Bayonne, N. J.....	17.0	16.8	15.9	17.7	17.6	15.9	Covington, Ky.....	18.6	22.0	17.9	15.1	18.6	17.6
Bellaire, Ohio.....	19.7	19.6	21.9	15.6	23.2	18.1	Danbury town, Conn.....	16.7	15.4	17.3	17.4	15.6	17.3
Belleville, Ill.....	16.9	15.3	15.9	17.6	20.6	15.9	Danvers town, Mass.....	23.9	25.8	22.7	27.1	31.8	28.5
Beloit, Wis.....	13.3	13.5	13.2	14.9	11.3	13.5	Davenport, Iowa.....	14.4	15.6	13.8	14.6	13.4	14.2
Bennington town, Vt.....	14.8	16.7	11.6	13.7	16.5	18.5	Dayton, Ohio.....	14.9	16.1	14.5	13.8	14.6	14.4
Berlin, N. H.....	16.1	13.1	11.5	16.3	16.7	14.7	Deatur, Ill.....	14.4	14.4	14.4	12.9	14.6	11.9
Beverly, Mass.....	14.0	13.1	13.5	14.8	14.1	16.4	Denver, Colo.....	19.2	20.0	19.1	18.4	19.6	19.2
Biddeford, Me.....	20.3	20.0	20.6	18.4	19.6	16.7	Detroit, Mich.....	15.6	15.3	15.6	15.8	14.9	14.4
Binghamton, N. Y.....	17.2	16.4	17.4	15.0	18.7	18.3	Dover, N. H.....	17.1	17.6	15.0	16.0	18.0	19.6
Boston, Mass.....	19.2	19.9	19.1	18.3	18.3	18.5	Dubois, Pa.....	16.7	16.3	16.1	14.6	14.3	11.4
Bridgeport, Conn.....	16.8	16.8	16.2	17.0	16.5	16.5	Duluth, Minn.....	13.4	13.3	13.1	14.4	11.6	12.9
Bridgeport, N. J.....	15.1	13.1	14.1	14.8	17.3	14.0	Dunkirk, N. Y.....	16.3	12.6	16.4	17.2	18.9	14.9

MORTALITY STATISTICS.

TABLE II.—DEATH RATES IN EACH REGISTRATION CITY PER 1,000 OF POPULATION: 1901 TO 1905—Continued.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.						REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905		Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Eau Claire, Wis.	11.7	12.7	11.4	10.0	12.5	10.1	Mankato, Minn.	13.2	13.7	13.6	13.3	12.8	15.2
Elizabeth, N. J.	17.5	17.9	15.2	16.4	18.6	15.6	Marietta, Ohio	14.2	18.1	12.5	13.0	11.6	12.0
Elkhart, Ind.	12.4	12.2	11.5	12.8	13.4	12.5	Marionette, Wis.	11.9	10.8	12.7	12.2	9.5	13.2
Elmira, N. Y.	15.1	15.8	13.6	14.7	15.5	15.5	Marion, Ind.	13.7	14.1	13.3	12.6	14.8	11.2
Elwood, Ind.	10.8	12.7	11.6	9.9	9.2	8.6	Marlboro, Mass.	14.5	15.7	14.2	14.0	12.9	14.9
Erie, Pa.	14.9	15.5	15.0	13.3	15.1	15.8	Marquette, Mich.	15.6	12.5	12.9	18.0	15.8	16.5
Escanaba, Mich.	19.0	16.2	17.4	16.0	21.6	21.9	Musillon, Ohio	13.0	15.7	11.3	10.1	12.2	10.7
Evansville, Ind.	13.7	13.0	12.0	12.9	14.9	13.6	Meadville, Pa.	14.9	16.9	13.8	14.6	12.9	13.7
Everett, Mass.	13.9	15.2	14.6	11.8	12.3	13.9	Medford, Mass.	12.5	13.5	11.6	11.9	11.9	13.5
Fall River, Mass.	20.7	18.8	21.0	22.2	19.6	19.0	Melrose, Mass.	13.0	12.5	13.3	10.9	13.4	13.4
Findlay, Ohio.	13.2	12.0	11.2	11.8	14.1	12.8	Memphis, Tenn.	19.2	18.4	18.0	17.8	19.5	17.9
Fitchburg, Mass.	14.3	15.0	14.1	14.1	12.9	13.7	Menominee, Mich.	13.1	12.7	11.8	15.6	11.5	13.4
Flint, Mich.	13.4	14.0	13.7	14.4	13.0	15.0	Meriden town, Conn.	14.1	14.3	12.9	14.2	13.9	13.2
Fort Wayne, Ind.	14.3	14.4	13.5	15.5	13.7	13.7	Michigan City, Ind.	13.4	12.8	12.0	16.3	12.9	11.0
Framingham town, Mass.	14.8	14.5	13.9	14.7	13.3	17.3	Middletown, N. Y.	19.4	19.5	19.5	16.8	22.1	18.4
Frederick, Md.	21.8	22.2	24.4	23.7	19.3	20.5	Middletown, Ohio	13.2	12.6	15.8	12.5	11.9	11.5
Fresno, Cal.	19.6	20.3	18.1	21.4	19.1	20.9	Middletown town, Conn.	19.2	20.9	20.0	25.5	11.3	24.1
Gardner town, Mass.	14.5	14.5	13.9	17.1	15.2	14.3	Millford town, Mass.	15.1	15.5	15.6	13.5	14.0	15.1
Geneva, N. Y.	14.5	13.9	13.8	13.7	15.2	13.9	Millville, N. J.	14.6	14.5	15.6	13.3	15.2	13.6
Glens Falls, N. Y.	16.3	21.4	14.2	12.5	14.1	14.7	Milwaukee, Wis.	13.6	13.2	12.6	13.5	13.6	13.0
Gloucester, Mass.	17.7	16.4	18.6	19.2	17.9	15.2	Minneapolis, Minn.	10.6	11.7	10.0	10.4	9.6	9.4
Gloversville, N. Y.	13.9	14.8	12.7	15.3	14.0	12.6	Mobile, Ala.	24.4	23.8	22.5	23.2	25.4	25.2
Grand Rapids, Mich.	13.4	12.9	12.3	13.4	14.8	14.3	Montclair, N. J.	17.5	16.8	15.9	17.7	19.6	17.7
Green Bay, Wis.	14.0	13.8	11.5	13.8	14.8	15.0	Morristown, N. J.	18.1	18.2	16.7	18.0	19.4	20.1
Greenwich town, Conn.	16.2	13.9	16.9	15.7	16.4	17.2	Mt. Carmel, Pa.	20.8	21.0	22.7	13.8	17.8	14.5
Hamilton, Ohio.	15.0	14.5	15.4	14.1	15.6	12.2	Mt. Vernon, N. Y.	15.4	17.8	14.8	11.6	14.4	13.0
Hammond, Ind.	14.8	14.6	15.5	16.1	12.9	13.8	Muncie, Ind.	15.5	13.7	15.1	15.9	15.6	15.2
Harrisburg, Pa.	10.5	18.0	16.2	15.1	15.2	14.8	Muscatine, Iowa	13.5	13.6	11.5	12.3	13.9	13.9
Harrison, N. J.	19.1	20.8	18.6	17.5	15.7	18.4	Muskegon, Mich.	12.7	12.1	11.9	12.5	13.3	12.8
Hartford, Conn.	16.6	16.6	15.3	16.3	16.6	16.4	Nashua, N. H.	16.9	17.3	18.0	15.2	14.4	14.3
Haverhill, Mass.	15.4	14.9	15.9	15.6	14.7	16.0	Nashville, Tenn.	22.1	20.2	22.1	20.8	23.8	21.9
Hazleton, Pa.	14.7	13.0	14.9	13.7	15.8	15.3	Natick town, Mass.	14.3	15.8	16.0	13.5	12.8	15.5
Hoboken, N. J.	20.2	18.8	18.7	18.2	22.2	20.7	Naugatuck, Conn.	15.0	12.4	17.0	13.8	14.4	11.7
Holyoke, Mass.	18.2	18.8	16.2	17.7	16.9	16.5	New Albany, Ind.	17.5	18.1	17.0	17.0	17.7	16.7
Hudson, N. Y.	19.3	19.3	18.3	17.5	19.8	19.6	New Bedford, Mass.	20.5	19.3	20.3	23.0	19.0	17.4
Huntington, Ind.	14.2	13.2	12.0	15.0	16.7	10.2	New Britain town, Conn.	16.2	14.1	13.8	17.5	15.2	16.3
Hyde Park town, Mass.	13.2	13.3	11.9	12.5	14.3	13.6	New Brunswick, N. J.	18.9	17.9	18.9	17.0	19.8	18.6
Indianapolis, Ind.	15.8	15.4	14.3	15.8	16.3	14.1	New Haven, Conn.	17.4	17.9	16.7	17.0	17.2	18.7
Iron Mountain, Mich.	14.0	14.5	12.7	15.0	12.8	17.9	New London, Conn.	19.6	18.4	19.4	19.2	21.1	17.9
Ironton, Ohio	16.4	19.4	19.6	14.1	13.4	16.9	New Orleans, La.	23.1	22.3	22.3	22.3	23.7	23.7
Ironwood, Mich.	14.7	14.8	18.6	16.9	7.2	13.8	New Rochelle, N. Y.	14.4	17.2	13.0	11.1	13.9	13.0
Ishpeming, Mich.	13.2	12.0	15.1	14.3	11.4	15.1	New York, N. Y.	19.4	19.9	18.6	18.0	20.1	18.4
Ithaca, N. Y.	10.1	14.5	14.3	19.3	15.4	14.4	Bronx borough	20.7	22.0	21.6	19.4	21.5	20.3
Jackson, Mich.	13.7	13.7	14.1	13.3	14.7	16.4	Brooklyn borough	18.7	19.3	18.1	17.3	18.8	17.6
Jacksonville, Fla.	27.6	26.7	28.2	27.0	26.6	28.7	Manhattan borough	20.0	20.2	18.7	18.5	21.2	18.8
Jacksonville, Ill.	21.8	22.9	23.5	23.7	21.3	18.3	Queens borough	16.5	17.3	16.3	14.8	16.1	16.1
Jamestown, N. Y.	12.1	12.5	10.3	12.3	12.6	12.2	Richmond borough	19.3	19.8	18.5	17.1	20.4	19.2
Jeffersonville, Ind.	20.2	23.0	20.4	19.8	18.5	16.7	Newark, N. J.	19.2	19.2	18.9	18.4	19.5	17.7
Jersey City, N. J.	19.6	19.2	18.7	18.7	20.8	19.0	Newark, Ohio	14.1	13.0	13.2	11.6	17.2	17.6
Johnstown, N. Y.	12.7	11.3	12.2	15.7	12.8	14.6	Newburg, N. Y.	19.3	17.4	18.6	18.3	20.1	19.0
Johnstown, Pa.	17.7	17.1	17.5	17.9	14.7	14.8	Newburyport, Mass.	19.5	19.1	19.9	18.0	18.9	19.4
Kalamazoo, Mich.	17.1	18.1	14.8	17.4	16.6	17.7	Newcastle, Pa.	14.2	12.9	15.9	13.6	12.8	14.8
Kansas City, Mo.	17.1	16.1	15.8	17.4	19.7	16.9	Newport, Ky.	16.3	17.3	13.6	13.1	15.7	19.3
Keene, N. H.	14.5	18.1	12.6	13.5	14.2	16.8	Newport, R. I.	16.4	16.8	18.1	15.0	13.9	16.0
Key West, Fla.	22.3	23.1	22.3	20.0	21.0	21.4	Newton, Mass.	12.8	12.8	12.6	12.6	11.4	13.2
Kingston, N. Y.	17.8	19.0	15.5	17.0	17.6	18.9	Niagara Falls, N. Y.	16.3	16.1	16.9	15.6	16.6	16.0
Kokomo, Ind.	15.9	14.8	14.4	17.0	17.4	15.5	Norfolk, Va.	22.5	22.1	22.0	20.2	20.9	21.0
Laconia, N. H.	18.2	18.5	16.9	20.4	17.7	19.0	Norristown, Pa.	23.9	26.5	24.9	24.6	24.3	22.3
Lafayette, Ind.	17.8	16.4	18.6	17.1	18.4	18.1	North Adams, Mass.	15.7	15.9	14.9	18.6	16.4	14.2
Lancaster, Pa.	15.0	16.2	13.3	13.6	14.9	13.4	Northampton, Mass.	16.3	17.2	13.8	14.5	17.6	16.6
Lansing, Mich.	12.5	13.0	12.6	11.0	11.5	12.6	Norwalk town, Conn.	15.4	14.6	14.4	15.8	15.2	16.7
Lawrence, Mass.	17.9	17.6	17.8	17.1	16.7	19.8	Norwich town, Conn.	18.0	19.1	15.2	19.7	16.4	18.0
Leadville, Colo.	20.1	20.7	17.6	14.9	19.2	15.6	Oakland, Cal.	15.9	16.2	16.6	15.6	15.0	15.7
Leavenworth, Kans.	15.2	13.4	14.8	14.7	15.2	15.8	Ogdensburg, N. Y.	21.8	21.1	22.3	23.4	24.9	24.7
Leominster town, Mass.	12.9	12.3	11.8	13.2	12.6	14.3	Olean, N. Y.	12.1	11.8	10.1	10.4	13.5	11.7
Lima, Ohio	15.7	18.6	13.5	13.6	13.6	12.0	Omaha, Nebr.	11.3	11.6	11.9	9.7	11.5	10.8
Lincoln, Nebr.	10.4	12.4	9.5	8.9	10.0	8.8	Orange, N. J.	19.7	17.4	20.0	20.7	21.4	21.2
Lockport, N. Y.	15.7	17.1	12.8	16.5	16.5	14.9	Ottawa, Ill.	13.5	15.8	13.1	12.8	11.3	12.4
Logansport, Ind.	17.2	17.9	17.8	15.4	17.9	18.4	Ottumwa, Iowa	12.5	11.4	11.1	13.2		
Louisville, Ky.	18.8	18.4	18.0	18.6	19.8	18.1	Owosso, Mich.	10.1	12.1	11.7	7.2	6.6	11.3
Lowell, Mass.	20.0	21.5	20.5	20.5	18.2	20.0	Paducah, Ky.	23.4	24.6	23.0	20.4	20.7	19.4
Lynchburg, Va.	21.6	19.3	20.3	19.5	21.8	21.9	Passaic, N. J.	19.3	18.0	17.7	19.2	18.4	18.2
Lynn, Mass.	14.9	14.5	14.1	14.7	15.0	16.4	Paterson, N. J.	17.2	17.6	16.6	16.0	18.0	16.6
McKeesport, Pa.	18.6	18.2	20.2	17.6	18.4	18.2	Pawtucket, R. I.	17.2	16.6	18.0	15.9	16.0	16.7
Madison, Wis.	10.9	11.9	8.7	11.0	12.1	9.5	Peabody town, Mass.	15.1	16.5	13.4	15.2	12.3	13.1
Mahanoy City, Pa.	23.6	24.8	18.0	22.3	23.1	21.1	Peckskill, N. Y.	18.6	20.8	22.5	15.3	15.4	15.5
Malden, Mass.	14.1	14.1	13.9	14.3	13.2	13.3	Perth Amboy, N. J.	13.8	16.0	13.8	11.4	12.1	12.1
Manchester, N. H.	17.9	18.5	17.7	17.5	15.7	20.4	Peru, Ind.	13.0	12.7	13.9	9.3	12.8	10.5
Manchester town, Conn.	11.7	12.6	10.3	10.9	11.1	15.4	Petersburg, Va.	27.5	26.5	25.3	25.2	30.5	24.4
Manitowoc, Wis.	14.0	14.3	13.6	11.3	13.3	13.4	Philadelphia, Pa.	18.8	18.1	17.6	18.8	18.8	17.7
							Phillipsburg, N. J.	14.3	15.1	14.5	13.1	12.9	10.1
							Pittsburg, Pa.	20.7	20.0	22.0	21.7	19.8	20.0

SUMMARY AND RATE TABLES.

67

TABLE II.—DEATH RATES IN EACH REGISTRATION CITY PER 1,000 OF POPULATION: 1901 TO 1905—Continued.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.						REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905		Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Pittsfield, Mass.	15.8	15.7	15.1	15.2	16.3	16.5	SpoFane, Wash.	14.9	12.3	13.9	17.7	15.9	15.5
Plainfield, N. J.	16.5	16.5	15.5	15.6	16.4	16.0	Springfield, Ill.	18.6	19.3	18.0	16.5	21.4	16.8
Plymouth, Pa.	16.8	17.5	11.7	19.3	15.5	12.5	Springfield, Mass.	16.1	14.6	15.2	16.0	16.2	15.3
Plymouth town, Mass.	14.4	15.9	13.3	13.0	14.2	14.6	Stamford town, Conn.	19.0	19.0	17.7	19.1	21.3	22.2
Pontiac, Mich.	17.2	16.5	16.6	20.4	16.4	17.5	Steelton, Pa.	16.6	12.9	19.6	20.2	14.5	17.0
Port Huron, Mich.	12.9	13.8	13.3	11.5	11.4	13.7	Stonington town, Conn.	16.7	15.7	15.1	16.1	19.8	17.2
Port Jervis, N. Y.	17.4	18.1	16.3	17.3	18.9	16.0	Superior, Wis.	11.6	11.6	11.5	12.0	9.0	9.0
Portland, Me.	18.8	17.8	18.1	18.2	19.0	17.5	Syracuse, N. Y.	14.4	14.1	13.3	14.3	15.2	15.5
Portland, Oreg.	12.1	12.4	11.7	12.7	13.5	13.7	Tacoma, Wash.	12.9	13.7	15.2	11.0	11.1	10.9
Portsmouth, N. H.	18.5	20.0	20.0	18.8	14.4	16.6	Taunton, Mass.	19.7	18.2	18.4	20.9	20.3	21.8
Portsmouth, Ohio.	16.2	15.0	15.6	17.2	14.9	14.0	Terre Haute, Ind.	18.2	18.5	19.5	15.6	21.1	15.0
Pottstown, Pa.	15.5	14.9	14.6	15.0	15.9	15.5	Tiffin, Ohio.	13.6	13.1	15.3	12.5	13.7	12.8
Pottsville, Pa.	17.2	18.1	15.6	15.9	19.8	20.0	Toledo, Ohio.	14.5	14.0	14.3	14.7	13.7	13.7
Poughkeepsie, N. Y.	19.3	17.5	17.3	18.2	20.9	17.3	Torrington town, Conn.	12.1	13.1	9.7	11.8	10.3	13.2
Providence, R. I.	19.5	19.1	18.4	20.6	18.5	17.5	Traverse City, Mich.	17.8	18.9	17.5	17.6	19.5	17.9
Pueblo, Colo.	26.2	22.3	34.6	27.3	23.9	23.4	Trenton, N. J.	17.2	15.6	17.1	17.6	18.1	16.8
Quincy, Ill.	15.1	14.8	15.1	14.7	15.4	14.7	Troy, N. Y.	21.1	21.3	18.7	19.3	21.6	21.5
Quincy, Mass.	14.0	13.1	16.0	13.6	12.8	13.1	Union, N. J.	16.1	16.7	16.4	15.2	17.2	17.8
Raleigh, N. C.	25.4	29.0	26.2	19.2	22.5	24.8	Utica, N. Y.	18.9	15.9	17.7	17.4	20.0	18.1
Reading, Pa.	16.7	17.4	15.8	15.1	15.7	14.9	Vernon town, Conn.	14.7	12.1	14.6	15.3	14.5	14.1
Revere town, Mass.	13.1	12.7	13.3	12.3	12.7	11.8	Vincennes, Ind.	17.7	18.6	16.3	12.1	21.0	18.8
Richmond, Ind.	17.4	16.6	21.2	15.4	16.6	13.1	Wabash, Ind.	12.1	12.3	13.9	9.4	12.8	10.2
Richmond, Va.	25.7	24.6	25.5	25.4	24.0	22.1	Wakefield town, Mass.	12.9	13.7	14.7	11.5	11.9	13.9
Rochester, N. H.	16.7	13.9	14.4	16.2	16.9	17.2	Wallingford town, Conn.	13.3	12.6	10.8	14.9	14.2	11.6
Rochester, N. Y.	14.4	14.4	13.5	14.7	15.0	15.3	Waltham, Mass.	14.0	14.5	13.3	13.9	13.0	13.8
Rockland, Me.	19.2	19.6	15.8	19.9	20.4	18.9	Ware town, Mass.	16.6	17.0	17.5	12.5	14.7	14.8
Rome, N. Y.	17.2	18.6	15.9	16.9	17.2	18.3	Washington, D. C.	20.9	21.4	20.1	20.3	20.8	20.5
Rutland, Vt.	18.6	17.7	17.8	20.5	19.9	16.1	Washington, Ind.	14.2	16.4	15.5	12.0	12.8	13.3
Sacramento, Cal.	20.1	20.6	19.7	18.7	20.1	22.8	Waterbury town, Conn. ¹	17.0	16.9	17.1	16.7	15.3	15.9
Saginaw, Mich.	13.4	13.9	13.0	12.6	13.0	12.7	Watertown, N. Y.	15.5	15.4	12.7	14.4	16.7	15.1
St. Joseph, Mo.	7.6	7.6	8.7	6.5	7.9	7.6	Watertown town, Mass.	12.8	12.3	12.7	11.5	12.7	12.1
St. Louis, Mo.	18.1	18.0	17.3	18.2	18.8	16.9	Watervliet, N. Y.	16.6	17.2	14.7	16.4	15.8	19.5
St. Paul, Minn.	10.0	10.4	10.0	9.7	10.0	10.0	Webster town, Mass.	15.8	14.4	17.0	16.1	14.9	15.2
Salem, Mass.	18.9	17.5	17.9	20.1	18.9	19.7	West Bay City, Mich.	13.7	12.7	14.6	12.5	12.2	(9)
Salt Lake City, Utah.	17.8	15.9	19.2	19.4	18.3	18.3	Westfield town, Mass.	17.1	17.9	16.3	17.1	15.2	15.6
San Antonio, Tex.	24.4	24.7	26.6	22.5	25.3	24.5	Weymouth town, Mass.	15.1	14.2	13.8	16.7	14.2	15.0
San Diego, Cal.	21.5	21.2	20.8	20.8	25.0	24.2	Wheeling, W. Va.	16.4	17.4	16.1	15.6	17.5	15.3
San Francisco, Cal.	21.0	20.6	21.6	21.3	20.8	20.1	Wichita, Kans.	15.4	16.8	14.7	14.1	15.5	16.1
San Jose, Cal.	15.9	15.8	15.7	15.0	18.1	15.7	Williamsport, Pa.	13.2	11.9	13.7	13.3	14.9	16.3
Saratoga Springs, N. Y.	21.7	24.2	22.2	19.3	21.5	20.5	Wilmington, Del.	17.7	17.3	17.3	17.9	15.6	16.6
Sault Ste. Marie, Mich.	18.8	18.7	21.0	19.4	14.3	16.5	Wilmington, N. C.	28.2	27.0	28.5	28.7	28.1	25.0
Savannah, Ga.	27.3	29.6	26.1	23.6	26.0	25.6	Windham town, Conn.	18.1	16.6	15.8	17.0	19.6	21.2
Schenectady, N. Y.	15.6	18.0	13.8	15.7	14.4	13.6	Winona, Minn.	12.6	12.8	10.3	11.8	14.2	12.7
Scranton, Pa.	16.7	16.3	14.0	14.9	17.9	18.2	Woburn, Mass.	15.9	14.9	16.0	16.0	13.6	15.2
Seattle, Wash.	11.8	10.8	12.3	12.1	12.6	11.5	Woonsocket, R. I.	17.0	16.5	18.3	16.0	14.8	15.2
Sioux City, Iowa.	12.2	11.5	13.0	11.4	12.4	12.7	Worcester, Mass.	16.9	17.1	15.8	17.0	16.2	17.7
Somerville, Mass.	14.4	13.2	13.8	14.4	14.2	13.9	Yonkers, N. Y.	16.3	16.4	16.2	15.0	17.1	16.6
South Bend, Ind.	13.0	13.3	12.7	12.0	13.9	15.2	Youngstown, Ohio.	17.1	16.4	18.6	19.5	16.5	19.3
South Bethlehem, Pa.	17.3	19.1	14.0	17.9	16.7	11.3							
Southbridge town, Mass.	17.6	15.6	15.9	16.3	17.4	17.8							

¹ Town and city made coextensive January 1, 1902.² Annexed to Bay City April 1, 1905.

MORTALITY STATISTICS.

TABLE III.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
All causes.....	528,511	518,207	508,640	524,415	551,354	545,533	1,655.3	1,656.0	1,594.1	1,611.8	1,663.9	1,616.0
I.—General diseases.....	145,382	145,527	138,514	146,082	149,549	145,263	455.3	465.1	434.1	449.0	451.3	430.3
A.—Epidemic diseases.....	46,788	48,832	44,029	46,925	43,033	39,089	146.5	156.1	138.0	144.2	129.9	115.8
Typhoid fever.....	10,771	10,127	10,980	11,149	10,557	9,479	33.7	32.4	34.4	34.3	31.9	28.1
Exanthematic typhus.....	3	2	2	1	2	3	(1)	(1)	(1)	(1)	(1)	(1)
Recurrent fever.....	2	4	2	1	3	1	(1)	(1)	(1)	(1)	(1)	(1)
Malarial fever.....	1,791	1,980	1,738	1,410	1,391	1,321	5.6	6.3	5.4	4.3	4.2	3.9
Smallpox.....	1,180	1,085	2,111	1,382	709	308	3.7	3.5	6.6	4.2	2.1	0.9
Measles.....	3,213	2,287	3,033	3,221	3,659	2,557	10.1	7.3	9.5	9.9	11.0	7.6
Scarlet fever.....	3,778	4,113	4,031	3,991	3,610	2,284	11.8	13.1	12.7	12.3	10.9	6.8
Whooping cough.....	3,596	3,651	3,854	5,171	2,183	3,599	11.3	9.8	12.1	15.9	6.6	10.7
Diphtheria and croup.....	10,729	10,647	9,859	10,363	9,444	8,039	33.6	34.1	30.9	31.8	28.5	23.8
Diphtheria.....	8,719	8,434	8,101	8,655	7,898	6,709	27.3	27.0	25.4	26.6	23.8	19.9
Croup.....	2,010	2,233	1,758	1,705	1,546	1,330	6.3	7.1	5.5	5.2	4.7	3.9
Influenza.....	6,627	10,093	3,225	6,044	6,724	6,426	20.8	32.3	10.1	18.6	20.3	19.0
Military fever.....	3		9	3	2		(1)	(1)	(1)	(1)	(1)	(1)
Asiatic cholera.....							(1)	(1)	(1)	(1)	(1)	(1)
Cholera nostras.....	530	553	516	374	397	449	1.7	1.8	1.6	1.1	1.2	1.3
Dysentery.....	2,990	3,331	3,187	2,378	2,567	2,588	9.4	10.6	10.0	7.3	7.7	7.7
Plague.....	23	26	41	17	7		0.1	0.1	0.1	0.1	(1)	(1)
Yellow fever.....	4	2	1	17			(1)	(1)	(1)	(1)	(1)	(1)
Leprosy.....	5	6	5			438	(1)	(1)	(1)	(1)	(1)	1.3
Erysipelas.....	1,468	1,450	1,337	1,300	1,680	1,510	4.6	4.6	4.2	4.0	5.1	4.5
Other epidemic diseases.....	75	47	83	79	94	79	0.2	0.2	0.3	0.2	0.3	0.2
B.—Other general diseases.....	98,594	96,695	94,485	99,157	106,516	106,174	308.8	309.0	296.1	304.8	321.5	311.5
Septicæmia.....	2,158	2,290	2,281	1,754	1,886	1,780	6.8	7.3	7.1	5.4	5.7	5.3
Glanders and farcy.....	5	2	7	12	3	3	(1)	(1)	(1)	(1)	(1)	(1)
Malignant pustule and carbuncle.....	25	32	16	22	20	20	0.1	0.1	0.1	0.1	0.1	0.1
Rabies.....	40	41	45	43	38	44	0.1	0.1	0.1	0.1	0.1	0.1
Actinomycosis, trichinosis, etc.....	13	6	18	12	18	15	(1)	(1)	(1)	(1)	(1)	(1)
Pellagra.....	1			2			(1)	(1)	(1)	(1)	(1)	(1)
Tuberculosis (all forms).....	62,142	61,509	58,938	61,487	66,797	65,352	194.6	196.9	184.7	189.0	201.6	193.6
Tuberculosis of lungs.....	54,998	54,735	52,079	53,910	58,763	56,770	172.3	174.9	165.7	168.7	177.3	168.2
Tuberculosis of larynx.....	517	527	541	539	570	610	1.6	1.7	1.7	1.7	1.7	1.8
Tuberculous meningitis.....	2,787	2,656	2,674	2,905	3,025	3,264	8.7	8.5	8.4	8.9	9.1	9.7
Abdominal tuberculosis.....	1,834	1,767	1,817	1,854	2,098	2,193	5.7	5.6	5.7	5.7	6.3	6.5
Pott's disease.....	463	442	421	516	519	563	1.5	1.4	1.3	1.6	1.6	1.7
Tuberculous abscess.....	52	48	39	62	61	61	0.2	0.2	0.1	0.2	0.2	0.2
White swelling.....	223	206	237	224	241	261	0.7	0.7	0.7	0.7	0.7	0.8
Tuberculosis of other organs.....	427	393	391	465	545	539	1.3	1.2	1.2	1.4	1.6	1.6
General tuberculosis.....	842	825	739	1,002	974	1,091	2.6	2.6	2.3	3.1	2.9	3.2
Scrofula.....	160	168	145	153	124	126	0.5	0.5	0.5	0.5	0.4	0.4
Venereal diseases.....	1,266	1,161	1,163	1,393	1,569	1,596	4.0	3.7	3.6	4.3	4.7	4.7
Syphilis.....	1,234	1,137	1,131	1,368	1,507	1,534	3.9	3.6	3.5	4.2	4.5	4.5
Gonorrhœa of the adult.....	16	14	15	12	28	27	0.1	(1)	(1)	(1)	0.1	0.1
Gonorrhœal infections of children (under 5 years).....	16	10	17	13	34	35	0.1	(1)	0.1	(1)	0.1	0.1
Cancer.....	21,224	20,171	20,847	22,325	23,395	24,330	66.5	64.5	65.3	68.6	70.6	72.1
Cancer of mouth.....	618	612	583	661	737	792	1.9	2.0	1.8	2.0	2.2	2.3
Cancer of stomach and liver.....	7,687	7,095	7,483	8,193	8,744	8,939	24.1	22.7	23.5	25.2	26.4	26.5
Cancer of intestines.....	2,138	2,137	2,239	2,134	2,399	2,732	6.7	6.9	7.0	6.6	7.2	8.1
Cancer of female genital organs.....	3,075	2,910	3,033	3,289	3,436	3,637	9.6	9.3	9.5	10.1	10.4	10.8
Cancer of breast.....	1,729	1,647	1,740	1,787	2,030	2,010	5.4	5.3	5.5	5.5	6.1	6.0
Cancer of skin.....	697	683	688	732	738	738	2.2	2.2	2.2	2.3	2.3	2.4
Cancer of other or unspecified organs.....	3,281	5,058	5,071	5,509	5,291	5,402	16.5	16.2	15.9	16.9	16.0	16.0
Rheumatism.....	504	505	459	531	444	501	1.6	1.6	1.4	1.6	1.3	1.5
Acute articular rheumatism.....	2,910	2,985	2,661	2,785	3,187	2,827	9.1	9.5	8.3	18.6	9.6	8.4
Chronic rheumatism and gout.....	1,569	1,510	1,366	1,594	2,100	1,918	5.0	4.8	4.3	4.9	5.7	5.7
Diabetes.....	1,311	1,475	1,285	1,191	1,087	909	4.1	4.7	4.1	3.7	3.3	2.7
Exophthalmic goiter.....	192	185	168	235	247	256	0.6	0.6	0.5	0.7	0.7	0.8
Addison's disease.....	148	149	149	156	147	147	0.5	0.5	0.5	0.5	0.4	0.4
Leukæmia.....	390	324	371	396	400	480	1.1	1.0	1.2	1.2	1.4	1.4
Anæmia, chlorosis.....	1,567	1,562	1,524	1,512	1,607	1,687	4.9	5.0	5.0	5.0	5.8	6.2
Alcoholism.....	1,973	1,870	1,943	2,163	1,927	2,106	6.2	6.0	6.1	6.6	6.6	6.2
Lead poisoning.....	81	71	94	100	81	87	0.3	0.2	0.3	0.3	0.2	0.3
Other occupational poisonings.....	152	147	157	189	170	169	0.5	0.5	0.5	0.6	0.5	0.5
Other chronic poisonings.....	48	48	44	44	44	44	0.2	0.2	0.1	0.2	0.2	0.1
Scurvy.....	128	164	142	140	137	205	0.4	0.5	0.4	0.4	0.4	0.6
Other general diseases.....												
II.—Diseases of nervous system.....	60,575	60,431	59,313	58,319	60,381	61,556	189.7	193.1	185.9	179.2	182.8	182.3
Encephalitis.....	743	831	716	609	530	465	2.3	2.7	2.2	1.9	1.6	1.4
Meningitis.....	10,551	10,430	9,981	9,213	10,533	11,654	33.0	33.3	31.3	28.3	31.8	34.5
Simple meningitis.....	8,643	8,430	8,239	7,283	7,139	6,440	26.5	25.6	25.9	22.4	21.0	19.4
Epidemic cerebro-spinal meningitis.....	2,699	1,787	1,722	1,918	3,284	5,114	6.6	5.7	5.4	5.9	9.9	15.1
Locomotor ataxia.....	728	722	691	813	820	883	2.3	2.3	2.2	2.5	2.5	2.6
Other diseases of spinal cord.....	1,510	1,428	1,454	1,685	1,653	1,724	4.6	4.6	4.7	4.6	5.1	5.1
Apoplexy.....	22,633	21,390	21,862	22,311	23,828	24,390	69.0	68.4	68.5	68.6	71.9	72.2
Softening of brain.....	1,238	1,241	1,197	1,238	1,230	1,042	3.9	4.0	3.8	3.9	3.8	3.1
Paralysis.....	6,977	7,220	6,674	6,609	6,431	5,981	21.9	23.1	20.9	20.3	19.4	17.7
General paralysis of insane.....	2,135	2,069	2,208	2,152	2,263	2,450	6.7	6.6	7.0	6.6	6.8	7.3
Other forms of mental disease.....	1,227	1,232	1,207	1,292	1,139	1,036	3.8	3.9	3.8	3.8	3.4	3.1
Other diseases of brain.....	1,480	1,550	1,445	1,456	1,341	1,436	4.6	5.0	4.5	4.5	4.0	4.3
Epilepsy.....	1,446	1,417	1,483	1,512	1,481	1,367	4.5	4.6	4.6	4.6	4.0	4.0
Convulsions.....	8,030	8,517	7,987	6,833	6,802	6,677	25.2	27.2	25.0	21.0	20.5	19.8
Convulsions (nonpuerperal).....	411	438	367	357	310	346	1.3	1.4	1.2	1.1	0.9	1.0
Convulsions of children (under 5 years).....	7,619	8,079	7,620	6,476	6,492	6,331	23.9	25.8	23.9	19.9	19.6	18.8
Tetanus.....	1,214	1,129	1,158	1,326	1,105	1,033	3.8	3.6	3.6	4.1	3.3	3.1
Chorea.....	86	85	85	88	80	87	0.3	0.3	0.3	0.3	0.2	0.3
Other diseases of nervous system.....	807	846	825	782	782	787	2.5	2.7	2.6	2.3	2.3	2.3
Diseases of eye and adnexa.....	21	20	15	22	26	26	0.1	0.1	(1)	0.1	0.1	0.1
Diseases of ear.....	349	293	295	437	525	515	1.1	0.9	0.9	1.3	1.6	1.5

1 Less than one-tenth.

SUMMARY AND RATE TABLES.

69

TABLE III.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
III.—Diseases of circulatory system.....	50,051	46,250	49,233	52,275	57,220	58,503	156.8	147.8	154.3	160.7	172.7	173.3
Pericarditis.....	720	748	753	664	624	594	2.3	2.4	2.4	2.0	1.9	1.8
Endocarditis.....	3,513	3,299	3,681	3,202	3,880	4,265	11.1	10.5	11.5	9.8	11.7	12.6
Heart disease.....	38,510	35,586	37,577	40,704	44,472	44,723	120.6	113.7	117.8	125.1	134.2	132.5
Angina pectoris.....	2,078	1,981	2,080	2,192	2,180	2,281	6.5	6.3	6.5	6.7	6.6	6.8
Diseases of arteries.....	2,112	2,132	2,029	2,908	3,316	4,145	8.2	6.8	8.2	8.9	10.6	12.3
Embolism and thrombosis.....	1,327	1,261	1,306	1,459	1,401	1,417	4.2	4.0	4.1	4.5	4.2	4.2
Diseases of veins.....	172	175	153	176	202	222	0.5	0.6	0.5	0.5	0.6	0.7
Diseases of lymphatics.....	65	57	53	58	83	73	0.2	0.2	0.2	0.2	0.3	0.2
Hemorrhages.....	978	959	945	862	826	719	3.1	3.1	3.0	2.6	2.5	2.1
Other diseases of circulatory system.....	46	52	56	60	36	59	0.1	0.2	0.2	0.2	0.1	0.2
IV.—Diseases of respiratory system.....	73,969	72,080	71,027	70,930	76,975	69,445	231.7	230.3	222.6	218.0	232.3	205.7
Diseases of nasal fossa.....	60	95	72	57	44	88	0.2	0.3	0.2	0.2	0.1	0.3
Diseases of larynx.....	819	838	837	787	710	610	2.6	2.7	2.6	2.4	2.1	1.8
Laryngitis.....	442	490	456	397	349	258	1.4	1.6	1.4	1.2	1.1	0.8
Other diseases of larynx.....	377	348	381	390	361	352	1.2	1.1	1.2	1.2	1.1	1.0
Diseases of thyroid body.....	88	90	93	93	97	110	0.3	0.3	0.3	0.3	0.3	0.3
Bronchitis.....	12,577	12,465	12,581	11,847	11,931	11,309	39.4	39.8	39.4	36.4	36.0	33.5
Acute bronchitis.....	7,303	7,040	7,588	6,842	6,910	6,308	22.9	22.5	23.8	21.0	20.9	19.5
Chronic bronchitis.....	5,274	5,425	4,993	5,005	5,021	4,711	16.5	17.3	15.6	15.4	15.2	14.0
Pneumonia.....	52,779	50,499	49,808	50,728	57,176	50,076	163.3	161.7	156.3	155.9	172.6	150.1
Bronchopneumonia.....	9,793	8,594	10,153	10,944	12,219	11,608	30.7	28.4	31.8	33.7	36.9	34.4
Pneumonia.....	42,986	41,715	39,715	39,784	44,957	39,068	131.6	133.3	124.5	122.2	135.7	115.7
Pleurisy.....	1,484	1,469	1,442	1,463	1,288	1,627	4.6	4.7	4.5	4.5	4.8	4.8
Congestion of lungs.....	3,044	3,254	2,978	2,885	2,597	2,297	9.3	10.4	9.3	8.9	7.8	6.8
Gangrene of lungs.....	156	172	196	132	157	174	0.5	0.5	0.6	0.4	0.5	0.5
Asthma.....	1,270	1,259	1,264	1,262	1,207	1,109	4.0	4.0	4.0	3.9	3.6	3.3
Emphysema.....	243	268	257	247	189	176	0.8	0.9	0.8	0.8	0.6	0.5
Other diseases of respiratory system.....	1,449	1,561	1,439	1,429	1,269	1,269	4.5	5.0	4.5	4.4	3.8	3.8
Hemorrhage of lungs.....	783	844	773	733	675	707	2.5	2.7	2.4	2.3	2.0	2.1
Other diseases of respiratory system.....	666	717	666	676	594	562	2.1	2.3	2.1	2.1	1.8	1.7
V.—Diseases of digestive system.....	64,219	62,950	61,192	61,219	66,125	68,940	201.1	201.2	191.8	188.2	199.6	204.2
Diseases of mouth.....	249	256	229	235	256	222	0.8	0.8	0.7	0.7	0.8	0.7
Diseases of pharynx.....	487	469	461	439	520	477	1.5	1.5	1.4	1.3	1.6	1.4
Tonsillitis.....	288	285	258	255	290	270	0.9	0.9	0.8	0.8	0.9	0.8
Other diseases of pharynx.....	198	184	203	181	230	207	0.6	0.6	0.6	0.6	0.7	0.6
Diseases of esophagus.....	113	98	126	113	110	117	0.4	0.3	0.4	0.3	0.3	0.3
Ulcer of stomach.....	106	871	505	905	1,044	1,094	2.8	2.8	2.8	2.8	3.2	3.2
Other diseases of stomach.....	5,860	5,604	5,562	5,788	5,943	6,031	18.4	17.3	17.4	17.8	17.4	17.9
Gastritis.....	3,854	3,764	3,693	3,707	3,710	3,585	12.1	12.0	11.6	11.7	11.2	10.6
Other diseases of stomach.....	2,005	1,840	1,869	1,991	2,233	2,446	6.3	5.9	5.9	6.1	6.7	7.2
Dentition.....	349	342	321	210	173	209	1.1	1.1	1.0	0.6	0.5	0.6
Diarrhea and enteritis.....	36,021	35,596	33,627	33,035	36,564	39,399	112.8	113.8	105.4	101.5	111.3	116.7
Diarrhea and enteritis (under 2 years).....	29,183	28,323	26,903	26,097	30,315	33,032	91.4	91.2	84.3	82.1	91.5	97.8
Diarrhea and enteritis (2 years and over).....	6,838	7,273	6,724	6,938	6,249	6,367	21.4	22.6	21.1	19.5	19.8	18.9
Intestinal parasites.....	33	41	35	29	37	48	0.1	0.1	0.1	0.1	0.1	0.1
Hernia.....	1,313	1,316	1,412	1,405	1,413	1,401	4.1	4.1	4.1	4.3	4.2	4.2
Obstruction of intestines.....	2,765	2,666	2,691	2,844	3,040	3,219	8.7	8.5	8.4	8.7	9.2	9.5
Other diseases of intestines.....	938	911	926	915	932	1,013	2.9	3.0	2.9	2.8	2.8	3.0
Acute yellow atrophy of liver.....	123	104	144	119	143	147	0.4	0.3	0.5	0.4	0.4	0.4
Hydatid tumors of liver.....	11	8	11	9	12	14	(1)	(1)	(1)	(1)	(1)	(1)
Cirrhosis of liver.....	4,489	4,265	4,460	4,731	5,029	4,994	14.1	13.6	14.0	14.5	15.1	14.8
Biliary calculi.....	681	500	468	795	832	883	2.0	1.6	2.1	2.4	2.5	2.6
Other diseases of liver.....	2,831	2,558	2,483	2,545	2,289	2,583	7.9	8.2	7.8	7.8	7.1	6.8
Diseases of spleen.....	85	82	89	88	76	90	0.3	0.3	0.3	0.3	0.2	0.3
Peritonitis.....	3,844	4,091	3,824	3,333	3,331	3,105	12.0	13.1	12.0	10.2	10.1	9.2
Appendicitis.....	3,374	3,131	3,216	3,589	3,946	4,062	10.6	10.0	10.1	11.0	11.9	12.0
Other diseases of digestive system.....	76	85	95	85	101	101	0.2	0.2	0.3	0.3	0.3	0.3
VI.—Diseases of genito-urinary system.....	33,825	33,489	34,608	38,013	40,450	41,361	112.2	107.0	108.5	116.8	122.1	122.5
Nephritis and Bright's disease.....	30,139	28,005	29,119	31,814	34,381	35,196	94.4	89.5	91.3	97.8	103.8	104.3
Acute nephritis.....	2,887	2,498	2,983	3,173	3,470	3,365	9.0	8.0	9.3	9.8	10.5	10.6
Bright's disease.....	27,252	25,507	26,136	28,641	30,911	31,831	85.4	81.5	81.9	88.0	93.3	93.7
Other diseases of kidneys.....	943	947	938	917	923	906	3.0	3.0	2.9	2.8	2.8	2.7
Calculi of urinary tract.....	139	126	150	151	154	193	0.4	0.4	0.5	0.5	0.5	0.6
Diseases of bladder.....	1,453	1,350	1,432	1,450	1,408	1,257	4.7	4.9	4.5	4.5	4.2	3.7
Diseases of urethra, urinary abscess, etc.....	130	119	122	140	146	182	0.4	0.4	0.4	0.4	0.4	0.5
Diseases of prostate.....	730	621	666	1,012	927	1,083	2.3	2.0	2.1	3.1	2.8	3.2
Nonvenereal diseases of male genital organs.....	33	27	32	47	39	21	0.1	0.1	0.1	0.1	0.1	0.1
Metritis.....	74	51	82	71	86	100	0.2	0.2	0.3	0.2	0.3	0.3
Uterine hemorrhage (nonpuerperal).....	92	107	84	87	79	86	0.3	0.3	0.3	0.3	0.2	0.3
Uterine tumor.....	539	529	536	608	620	611	1.7	1.7	1.7	1.9	1.9	1.8
Other diseases of uterus.....	478	462	440	485	489	496	1.5	1.5	1.4	1.7	1.5	1.5
Ovarian tumor.....	412	428	439	433	440	440	1.3	1.3	1.3	1.3	1.3	1.3
Other diseases of female genital organs.....	608	540	571	714	743	786	1.9	1.7	1.8	2.2	2.2	2.3
Diseases of tubes.....	491	407	460	583	654	692	1.5	1.3	1.4	1.8	2.0	2.0
Other diseases of female genital organs.....	117	133	111	131	89	94	0.4	0.4	0.3	0.4	0.3	0.3
Nonpuerperal diseases of breast (cancer excepted).....	16	14	8	18	22	24	0.1	(1)	(1)	0.1	0.1	0.1
VII.—Childbirth (the puerperal state).....	4,448	4,294	4,164	4,569	5,109	5,077	13.9	13.7	13.0	14.0	15.4	15.0
Accidents of pregnancy.....	547	526	535	570	579	537	1.7	1.7	1.7	1.8	1.7	1.6
Puerperal hemorrhage.....	296	287	284	341	360	413	0.9	0.9	0.9	1.0	1.1	1.2
Other accidents of labor.....	285	306	283	280	321	286	0.9	1.0	0.9	0.9	1.0	0.8
Puerperal septicemia.....	1,949	1,882	1,813	1,992	2,291	2,309	6.1	6.0	5.7	5.9	6.9	6.8
Puerperal convulsions.....	849	803	768	929	1,075	981	2.7	2.6	2.4	2.9	3.2	2.9
Puerperal phlegmasia alba dolens.....	3	1	2	5	3	7	(1)	(1)	(1)	(1)	(1)	(1)
Other puerperal accidents.....	517	488	478	452	479	542	1.6	1.6	1.5	1.4	1.4	1.6
Puerperal diseases of breast.....	1	1	1	1	2	2	(1)	(1)	(1)	(1)	(1)	(1)

1 Less than one-tenth.

MORTALITY STATISTICS.

TABLE III.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
VIII.—Diseases of skin.....	2,403	2,419	2,269	2,470	2,397	2,406	7.5	7.7	7.1	7.6	7.2	7.1
Gangrene.....	1,423	1,460	1,327	1,482	1,500	1,518	4.5	4.7	4.2	4.6	4.5	4.5
Carbuncle.....	192	166	154	151	131	142	0.5	0.5	0.5	0.5	0.4	0.4
Abscess.....	507	464	448	547	476	432	1.6	1.5	1.4	1.7	1.4	1.3
Other diseases of skin.....	322	329	340	290	287	314	1.0	1.1	1.1	0.9	0.9	0.9
IX.—Diseases of locomotor system.....	861	807	849	980	960	1,036	2.7	2.6	2.7	3.0	3.0	3.1
Diseases of bones.....	721	642	715	829	861	929	2.3	2.1	2.2	2.5	2.6	2.8
Diseases of joints.....	72	79	57	93	82	66	0.2	0.3	0.2	0.3	0.2	0.2
Amputation.....	44	47	45	39	27	18	0.1	0.2	0.1	0.1	0.1	0.1
Other diseases of organs of locomotion.....	24	39	32	19	20	23	0.1	0.1	0.1	0.1	0.1	0.1
X.—Malformations.....	3,768	3,453	3,440	4,025	4,382	4,588	11.8	11.0	10.8	12.4	13.2	13.6
Hydrocephalus.....	554	571	400	533	541	499	1.7	1.8	1.5	1.6	1.6	1.5
Congenital malformation of heart (cyanosis).....	2,023	1,794	1,875	2,141	2,334	2,706	6.3	5.7	5.9	6.6	7.3	8.0
Other congenital malformations.....	1,191	1,088	1,075	1,351	1,407	1,383	3.7	3.5	3.4	4.2	4.2	4.1
XI.—Diseases of early infancy.....	22,540	20,722	21,811	22,514	24,001	23,617	70.6	66.2	68.4	69.2	72.4	70.0
Premature birth.....	9,875	8,615	9,087	10,143	11,361	11,102	30.9	27.5	28.5	31.2	34.3	32.9
Congenital debility.....	6,968	6,593	6,931	6,942	6,862	10,626	21.8	21.0	21.7	21.3	20.7	31.5
Other diseases of early infancy.....	875	799	755	597	860	860	2.7	2.6	2.4	2.9	2.9	2.5
Lack of care.....	4,822	4,745	5,038	4,492	4,807	1,020	15.1	15.2	15.8	13.8	14.5	3.0
XII.—Old age.....	14,042	14,758	14,225	12,780	12,938	12,301	44.0	47.2	44.6	39.3	39.0	36.4
XIII.—Violence.....	33,236	33,336	31,135	35,542	36,644	37,778	104.1	106.5	97.6	109.2	110.6	111.9
Suicide.....	4,167	3,824	4,054	4,510	4,912	5,438	13.1	12.2	12.7	13.9	14.8	16.1
Suicide by poison.....	1,389	1,254	1,344	1,627	1,695	1,820	4.4	4.0	4.2	5.0	5.1	5.4
Suicide by asphyxia.....	297	245	280	368	414	510	0.9	0.8	0.9	1.1	1.2	1.5
Suicide by hanging or strangulation.....	646	608	620	625	772	794	2.0	1.9	1.9	1.9	2.3	2.4
Suicide by drowning.....	212	210	223	204	242	276	0.7	0.7	0.7	0.6	0.7	0.8
Suicide by firearms.....	988	913	953	1,052	1,185	1,435	3.1	2.9	3.0	3.2	3.6	4.3
Suicide by cutting instruments.....	234	209	221	287	273	306	0.7	0.7	0.7	0.7	0.8	0.9
Suicide by jumping from high places.....	50	14	15	69	66	54	0.2	0.1	0.1	0.2	0.2	0.2
Suicide by crushing.....	17	14	15	23	22	26	0.1	(1)	(1)	0.1	0.1	0.1
Other suicides.....	332	330	353	243	211	211	1.0	1.1	1.1	0.7	0.7	0.6
Fractures.....	2,770	2,648	2,718	2,944	2,807	2,489	8.7	8.5	8.5	9.0	8.7	7.4
Dislocations.....	52	49	58	50	41	50	0.2	0.2	0.2	0.2	0.1	0.1
Burns and scalds.....	2,649	2,685	2,575	2,667	2,745	2,846	8.3	8.6	8.1	8.2	8.3	8.4
Burning by corrosive substances.....	10	10	13	15	11	8	(1)	(1)	(1)	(1)	(1)	(1)
Heat and sunstroke.....	1,265	4,012	290	520	235	881	4.0	12.8	(1)	(1)	(1)	(1)
Cold and freezing.....	173	154	103	184	227	228	0.5	0.5	0.5	0.6	0.7	0.7
Lightning.....	101	127	108	92	81	80	0.3	0.4	0.3	0.3	0.2	0.2
Drowning.....	3,389	3,350	3,244	3,418	3,378	3,389	10.6	10.8	10.2	10.5	10.2	10.0
Inhalation of poisonous gases.....	1,242	786	950	1,715	2,167	1,306	3.9	2.5	3.0	5.3	6.5	3.9
Other accidental poisonings.....	1,428	1,234	1,374	1,551	1,632	1,269	4.5	3.9	4.3	4.8	4.9	3.8
Accidental traumatism.....	11,319	10,300	11,091	13,038	13,366	14,223	35.5	32.9	34.8	40.1	40.3	42.1
Accidental gunshot wounds.....	1,172	1,082	1,196	1,151	1,294	823	3.7	3.5	3.7	3.5	3.9	2.4
Injuries by machinery.....	240	196	281	280	320	348	0.8	0.6	0.9	0.9	1.0	1.0
Injuries in mines and quarries.....	254	274	190	305	320	401	0.8	0.9	0.9	0.9	1.0	1.5
Railroad accidents and injuries.....	4,540	4,102	4,485	5,484	5,084	5,731	14.3	13.1	14.1	16.9	15.3	17.0
Injuries by vehicles and horses.....	696	557	600	907	949	1,168	2.2	1.8	2.1	2.8	2.9	3.5
Other accidental traumatism.....	4,396	4,089	4,270	4,911	4,852	5,549	14.5	13.0	14.0	14.7	14.9	16.4
Other external violence.....	4,637	4,081	4,459	4,793	5,390	5,662	13.8	13.1	13.4	15.1	16.3	16.8
Suffocation.....	517	551	439	504	555	548	1.6	1.8	1.4	1.5	1.7	1.6
Injuries at birth.....	1,411	1,134	1,304	1,669	1,899	2,166	4.4	3.6	4.1	5.1	5.7	6.4
Homicide.....	774	709	734	834	935	1,540	2.4	2.3	2.3	2.6	2.8	4.6
Other external violence.....	1,934	1,687	1,952	1,786	1,563	1,205	6.1	5.4	6.2	5.5	4.7	3.8
Starvation, privation, etc.....	35	40	38	36	30	22	0.1	0.1	0.1	0.1	0.1	0.1
XIV.—Ill-defined causes.....	17,191	17,697	16,860	14,097	13,903	13,662	53.8	56.6	52.8	45.2	42.2	40.5
"Dropsy".....	1,552	1,580	1,609	1,221	1,144	1,002	4.9	5.0	5.0	3.8	3.5	3.0
"Heart failure".....	2,346	2,141	2,067	2,189	1,924	1,924	7.3	6.8	6.5	6.7	6.5	5.7
Sudden death.....	108	109	139	118	96	152	0.3	0.3	0.4	0.4	0.3	0.5
Unspecified or ill-defined causes.....	1,510	1,739	1,536	1,410	1,105	1,202	4.7	5.6	4.8	4.3	3.3	3.0
Inanition (over 3 months of age).....	2,110	2,176	2,196	1,892	1,873	2,117	6.6	7.0	6.9	5.8	5.7	6.3
Debility (over 3 months of age).....	2,307	2,510	2,263	2,003	1,499	1,585	7.5	8.0	7.1	6.2	4.5	4.7
Marasmus (over 3 months of age).....	4,603	5,113	5,008	4,163	4,298	4,290	15.4	16.3	15.7	12.8	13.0	12.7
Fever.....	288	288	269	230	218	156	0.9	0.9	0.8	0.7	0.7	0.5
Cause unknown.....	1,976	2,041	1,753	1,471	1,503	1,234	6.2	6.5	5.5	4.5	4.8	3.7

(1) Less than one-tenth.

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.													
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
SUMMARIES.													
The registration area.....	1901 1,656.0	32.4	6.3	3.5	7.3	13.1	9.8	34.1	32.3		174.9	21.9	64.5
1902	1,594.1	34.4	5.4	6.6	9.5	12.7	12.1	30.9	10.1		163.2	21.5	65.3
1903	1,611.8	34.3	4.3	4.2	9.9	12.3	15.9	31.8	18.6		165.7	23.3	68.6
1904	1,663.9	31.9	4.2	2.1	11.0	10.9	6.6	28.5	20.3		177.3	24.2	70.6
1905	1,616.0	28.1	3.9	0.9	7.6	6.8	10.7	23.8	19.0	15.0	168.2	25.4	72.1
Registration cities.....	1901 1,738.7	33.8	6.9	4.4	7.5	15.5	10.5	39.3	25.8		191.9	24.4	65.2
1902	1,697.7	37.5	5.9	7.9	11.0	15.3	13.1	36.5	8.3		180.4	24.0	66.2
1903	1,708.8	38.1	4.6	5.4	11.3	14.2	17.4	37.5	16.2		183.6	25.8	69.5
1904	1,750.8	35.1	4.6	2.5	11.7	12.4	6.9	32.8	16.7		195.5	26.9	71.6
1905	1,687.6	30.1	4.1	1.1	8.5	7.6	11.7	27.2	15.0	14.4	184.4	27.8	72.5
Registration states.....	1901 1,635.6	27.5	5.0	3.6	7.4	13.5	8.7	33.4	36.3		167.2	22.0	60.2
1902	1,542.2	26.3	4.0	6.5	9.3	11.9	12.4	29.7	10.4		152.2	21.3	66.1
1903	1,557.7	24.6	3.0	1.5	8.8	12.3	14.3	31.0	19.1		153.7	22.9	69.7
1904	1,637.7	23.8	2.9	0.8	11.3	11.6	5.8	29.3	21.7		163.9	23.9	71.4
1905	1,592.9	22.4	2.5	0.6	7.4	6.8	9.0	23.6	20.5	14.7	155.9	24.5	73.6
Cities in registration states.....	1901 1,782.7	26.5	4.9	5.5	7.7	18.5	9.3	43.1	26.8		194.7	26.9	69.0
1902	1,705.8	25.8	3.7	9.0	12.1	16.6	14.6	39.8	7.0		177.4	26.2	68.4
1903	1,707.3	24.6	2.5	1.8	10.6	10.2	16.0	41.5	14.7		179.7	27.6	72.3
1904	1,789.3	24.0	2.6	0.6	12.9	15.1	5.9	38.5	15.7		189.4	28.8	74.0
1905	1,716.8	22.0	1.8	0.6	9.1	8.4	9.8	30.1	13.7	13.1	178.5	28.7	75.7
Rural part of registration states.....	1901 1,455.3	28.8	5.0	1.3	6.9	7.5	7.9	21.5	47.9		133.6	16.0	62.7
1902	1,357.9	26.9	4.3	3.4	5.7	6.1	9.6	17.0	14.6		120.7	15.3	63.2
1903	1,367.8	24.5	3.7	1.2	6.4	7.3	12.1	17.7	24.7		120.7	17.0	66.4
1904	1,442.6	23.7	3.3	1.1	9.3	7.1	5.7	17.5	29.5		131.1	17.6	68.0
1905	1,430.6	23.0	3.5	0.5	5.3	4.6	7.9	15.0	29.4	16.7	126.2	19.1	70.9
Registration cities in other states.....	1901 1,693.9	41.4	8.8	3.2	7.2	12.5	11.8	35.4	24.7		189.1	21.8	61.3
1902	1,689.4	49.3	8.2	6.8	9.9	14.1	11.5	33.2	9.6		183.4	21.8	64.0
1903	1,710.4	51.9	6.7	9.2	12.0	12.3	18.8	33.4	17.7		187.6	24.0	66.6
1904	1,711.5	46.4	6.6	4.5	10.5	9.7	8.0	27.1	17.7		201.7	24.9	69.2
1905	1,657.7	38.3	6.4	1.5	7.8	6.8	13.7	24.2	16.4	15.7	190.4	27.0	69.3
REGISTRATION STATES.													
Connecticut.....	1901 1,607.8	30.1	11.2	0.4	7.0	9.2	11.5	33.4	60.3		163.3	18.5	70.3
1902	1,529.0	21.8	9.4	1.5	4.8	17.9	15.5	27.7	13.1		147.1	17.9	68.3
1903	1,618.7	21.7	5.5	0.1	22.2	15.5	25.2	26.4	32.8		145.5	21.8	76.4
1904	1,591.4	17.3	4.7		8.2	8.2	6.6	22.2	36.4		144.0	20.9	68.8
1905	1,646.2	21.6	6.7		5.4	5.2	7.4	24.0	26.5	18.4	147.8	24.0	75.9
District of Columbia.....	1901 2,135.4	61.4	15.2		3.9	3.9	22.2	36.7	58.5		296.2	33.9	70.2
1902	2,005.0	79.1	11.1	0.3	5.2	2.1	42.3	17.3	20.8		246.2	34.7	74.9
1903	2,027.5	48.8	7.5	0.7	15.3	0.7	24.2	8.5	29.0		266.4	37.5	75.4
1904	2,083.9	47.0	4.0	0.3	1.3	3.7	13.1	17.4	33.9		279.5	37.6	76.5
1905	2,047.3	48.2	3.6	3.0	2.6	3.6	23.4	16.2	28.4	7.9	274.7	43.6	75.9
Indiana.....	1901 1,378.3	46.7	0.3	0.8	8.0	6.1	9.7	20.8	39.3		163.3	19.4	44.1
1902	1,276.4	49.0	7.4	3.0	4.5	6.0	9.1	15.8	12.4		152.4	18.5	47.9
1903	1,218.4	40.7	5.9	7.5	6.4	7.2	10.6	17.6	15.9		151.3	20.1	49.3
1904	1,353.0	40.7	5.6	3.7	18.6	8.3	6.0	11.9	20.7		169.4	22.0	50.4
1905	1,284.0	37.3	5.1	1.3	0.5	5.5	10.8	13.6	24.8	19.6	148.5	21.7	55.3
Maine.....	1901 1,607.2	32.2	1.6		4.2	2.9	4.3	18.2	42.7		155.5	26.4	82.4
1902	1,542.5	24.5	3.0	1.6	4.3	1.8	7.3	16.1	17.4		139.5	28.2	86.7
1903	1,592.1	32.5	1.6	1.0	5.7	2.7	15.3	16.2	26.8		129.2	24.6	85.0
1904	1,649.9	35.3	1.5	0.4	3.2	1.3	7.8	22.7	23.6		147.5	25.3	86.3
1905	1,622.3	22.4	1.8		4.8	1.0	5.5	15.6	36.1	11.1	124.6	30.9	92.9
Massachusetts.....	1901 1,694.4	19.9	3.2	3.4	8.0	13.9	0.1	41.1	27.7		179.0	23.8	76.7
1902	1,646.6	18.5	2.0	9.8	11.5	10.7	13.7	31.0	7.6		166.4	23.1	77.4
1903	1,670.9	18.1	2.2	0.8	9.3	17.7	21.1	30.3	18.9		158.3	24.8	80.9
1904	1,634.0	16.7	2.0	0.3	8.7	5.2	5.6	24.5	14.9		173.6	25.7	88.0
1905	1,676.0	18.0	1.4	0.1	8.4	4.2	0.6	22.2	21.6	12.4	163.1	29.6	89.3
Michigan.....	1901 1,341.9	26.3	4.6	1.1	3.1	12.4	6.6	20.8	43.4		88.4	15.1	60.0
1902	1,266.9	24.5	4.0	1.6	9.4	10.7	10.6	19.8	12.3		84.1	14.0	59.6
1903	1,323.3	24.1	2.6	1.2	0.9	8.0	15.2	27.3	18.0		85.3	16.1	67.5
1904	1,359.0	25.2	2.6	1.1	7.5	8.3	5.7	19.8	25.0		91.3	16.6	67.4
1905	1,350.7	24.2	2.3	2.9	4.0	4.6	4.5	18.3	22.5	13.0	88.4	16.5	64.2
New Hampshire.....	1901 1,675.8	18.8	1.7	1.2	1.4	12.8	6.7	20.7	34.5		146.5	18.8	87.7
1902	1,588.4	18.1	0.5	1.7	4.8	0.5	7.4	37.5	12.2		134.5	16.0	81.2
1903	1,650.8	24.4	1.9		9.9	2.6	13.2	24.9	36.0		128.2	17.8	77.5
1904	1,597.7	18.6	2.1	0.5	1.6	2.3	4.9	16.5	29.8		140.1	19.7	80.4
1905	1,605.1	15.4	1.6		14.4	0.9	8.4	18.6	38.7	14.2	134.9	16.5	83.7
New Jersey.....	1901 1,642.3	19.5	4.4	7.2	3.6	9.8	9.1	36.5	20.3		171.7	20.7	58.2
1902	1,578.7	21.6	3.2	21.6	11.0	11.6	15.3	33.0	4.7		157.1	19.0	53.5
1903	1,567.5	19.5	3.1	0.8	2.9	14.9	14.3	38.6	11.7		169.3	19.8	58.3
1904	1,690.8	18.6	2.8	1.1	9.9	21.1	6.6	47.8	12.4		181.6	25.5	57.6
1905	1,581.6	16.4	2.4	(*)	5.1	8.7	8.5	32.5	9.5	16.7	170.7	26.8	63.2
New York.....	1901 1,769.7	24.9	3.8	5.9	10.0	19.8	8.5	40.3	35.6		166.8	24.2	69.8
1902	1,642.8	23.2	3.1	5.8	11.4	16.5	11.9	37.7	9.4		160.8	23.9	68.9
1903	1,646.9	22.2	2.1	0.5	8.5	14.5	10.1	38.1	17.4		170.7	25.2	71.7
1904	1,793.9	21.3	2.3	0.2	14.4	15.9	5.4	38.1	22.1		179.7	25.0	73.8
1905	1,701.0	19.9	1.7	0.1	11.2	9.7	9.5	27.9	15.8	14.0	173.7	24.2	76.1
Rhode Island.....	1901 1,812.6	23.5	8.0	1.1	3.6	4.8	3.9	44.2	39.9		192.1	30.1	72.7
1902	1,770.6	20.3	5.8	8.2	5.1	6.2	17.6	35.4	14.7		178.8	30.5	82.4
1903	1,880.0	17.6	6.1	0.7	30.0	12.8	34.6	42.9	34.6		180.0	36.1	77.3
1904	1,724.2	14.9	4.3		3.4	14.9	1.7	30.9	23.2		170.5	38.7	80.6
1905	1,709.7	17.1	3.3		7.5	7.1	9.6	28.7	28.3	17.3	175.6	38.3	80.4

* Shown for 1905 only.

* Less than one-tenth.

SUMMARY AND RATE TABLES.

73

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
1.6	10.3	33.3	139.8	147.8	133.3	97.0	113.8	87.4	80.5	66.2	12.2	94.3	50.0	152.9	6.5
1.4	10.4	31.3	154.6	154.3	124.5	98.1	105.4	86.4	91.3	68.4	12.7	84.9	47.3	145.9	5.5
1.6	11.3	28.3	150.9	160.7	122.2	95.8	101.5	80.6	97.8	69.2	13.9	95.4	40.6	142.4	4.5
1.3	12.9	31.8	151.0	172.7	135.7	96.6	111.3	88.3	103.8	72.4	14.8	95.8	37.4	145.6	4.8
1.5	13.0	34.5	147.8	173.3	115.7	90.0	116.7	87.5	104.3	70.0	16.1	93.8	36.8	127.9	3.7
1.5	10.1	36.4	154.6	147.1	143.5	107.1	127.5	91.2	99.3	73.3	13.7	102.0	51.4	149.4	5.5
1.4	9.9	35.2	151.0	154.4	138.2	112.0	119.7	90.8	100.8	73.4	14.4	90.9	50.2	142.9	4.3
1.6	11.0	31.0	145.3	157.9	136.6	107.3	114.6	90.2	107.7	73.1	15.6	101.3	43.0	140.3	3.6
1.2	12.7	35.6	143.3	168.9	150.7	107.6	125.8	92.1	114.3	79.9	16.7	101.2	38.7	141.9	3.5
1.5	13.0	38.0	140.9	170.4	124.6	99.4	128.5	90.5	114.4	76.5	17.9	100.6	38.1	125.3	2.8
1.6	11.5	32.8	161.9	153.1	129.5	97.6	116.3	83.2	89.6	66.1	10.4	88.9	45.5	151.2	5.5
1.4	11.7	29.7	155.5	159.9	116.2	97.4	103.1	80.9	90.2	68.1	10.3	78.3	40.5	144.1	5.0
1.7	12.6	27.8	153.7	167.5	113.1	96.0	98.8	82.4	95.8	66.9	11.3	88.2	36.4	140.1	4.3
1.4	14.2	34.1	156.4	181.1	130.2	97.7	110.2	83.7	102.3	70.8	12.2	92.9	33.7	145.4	4.9
1.5	14.1	39.0	153.0	181.6	112.5	89.9	117.3	83.4	101.5	69.1	13.5	90.5	33.9	127.1	3.4
1.5	12.1	38.6	153.4	156.0	146.5	118.1	145.6	87.4	109.0	80.0	11.7	99.8	44.6	142.8	2.7
1.3	11.8	36.2	149.1	164.7	136.6	124.3	120.6	85.3	108.4	81.8	11.7	84.9	40.7	136.6	2.2
1.6	13.0	32.8	144.8	167.3	134.4	119.0	122.6	86.1	114.2	82.8	12.8	94.3	37.7	134.3	2.2
1.2	14.9	43.3	145.4	180.2	155.7	120.3	138.2	87.7	122.0	84.2	13.9	101.5	33.3	137.7	2.4
1.4	14.8	51.1	143.2	182.2	127.7	108.5	141.1	86.1	119.4	81.3	15.0	96.0	34.2	121.4	1.6
1.9	10.8	25.8	172.3	149.6	108.6	72.6	80.3	78.2	65.8	49.0	8.7	75.5	46.6	161.6	8.9
1.5	11.5	21.6	163.4	151.0	90.6	63.8	70.0	75.8	57.6	40.2	8.5	70.0	40.2	151.4	8.5
1.8	12.1	18.0	161.0	167.7	86.1	66.9	68.6	77.7	72.8	40.7	9.4	80.4	34.9	147.4	6.9
1.6	13.3	22.2	170.0	182.3	97.3	68.6	74.1	78.7	76.9	53.5	10.1	81.8	34.2	155.2	8.1
1.5	13.2	23.1	165.7	180.9	92.7	65.6	80.1	79.8	78.1	53.1	11.6	83.3	33.5	134.6	5.8
1.6	8.0	34.2	155.9	137.9	140.4	96.0	109.1	95.1	89.3	66.5	15.7	104.2	58.4	156.0	8.4
1.5	8.0	34.2	153.0	143.9	139.7	96.5	109.6	96.4	93.2	68.8	17.2	97.0	59.9	149.2	6.4
1.5	8.9	29.2	145.8	148.3	138.8	95.3	106.6	94.3	101.1	73.4	18.6	108.5	48.3	146.6	4.9
1.3	10.4	27.8	141.1	157.4	145.7	94.7	113.2	96.6	106.4	75.5	19.5	100.9	41.1	146.1	4.6
1.5	11.1	26.5	138.5	158.3	121.5	90.1	113.6	94.9	109.2	71.5	20.7	103.4	42.1	129.3	4.1
2.3	12.8	33.3	166.6	162.8	107.6	80.5	107.1	81.3	84.8	74.1	10.8	89.0	16.4	145.7	7.6
1.3	12.9	34.6	167.4	168.8	99.1	76.0	114.7	82.6	92.0	74.7	11.6	84.4	21.0	139.4	3.5
1.7	13.3	46.4	165.4	180.7	107.0	90.0	106.3	85.2	93.1	75.1	12.3	100.1	22.3	135.7	2.1
2.1	17.1	42.7	163.8	184.6	111.2	77.2	119.5	87.7	105.7	74.3	15.2	98.1	17.6	136.9	6.4
1.3	14.9	50.7	173.3	199.8	110.0	80.0	132.7	87.8	99.3	67.9	16.2	106.3	21.2	117.9	4.2
0.3	10.2	23.6	207.4	224.7	110.2	125.9	165.4	97.0	125.6	105.4	10.2	100.9	39.5	177.7	0.3
0.7	10.7	26.4	183.1	203.2	126.9	141.8	159.9	91.9	115.5	116.2	13.2	72.5	38.8	169.9	0.3
0.7	12.3	17.1	200.5	223.1	137.4	128.6	135.4	104.0	131.3	112.5	20.1	82.2	39.2	168.8	0.3
1.0	12.4	22.8	205.7	224.4	146.3	120.8	139.6	105.0	147.3	107.7	21.1	97.0	37.6	181.3	0.7
1.0	15.5	19.1	184.6	225.2	139.0	111.9	141.6	106.6	159.1	99.4	19.8	105.7	31.7	155.8	
1.3	8.0	29.1	140.0	97.4	102.7	67.9	87.7	81.1	49.6	72.2	7.4	63.9	53.9	141.7	4.9
0.7	8.8	23.9	124.2	100.0	78.0	57.1	78.5	79.0	52.1	81.9	7.1	63.2	45.7	143.8	6.4
1.0	8.6	21.4	124.2	111.5	68.8	55.0	73.2	76.5	53.5	71.8	7.9	71.8	33.6	119.2	3.8
1.6	9.7	26.7	132.6	120.6	92.2	62.0	78.1	79.7	59.5	78.4	8.6	71.2	33.8	136.5	4.5
1.7	10.0	22.4	127.7	124.6	81.1	55.1	79.0	81.2	59.0	67.3	12.5	70.7	31.6	112.7	3.4
1.9	12.6	41.3	189.5	175.0	123.8	70.9	96.1	77.5	80.4	34.1	11.3	62.9	55.3	173.5	30.7
1.3	12.6	34.0	195.4	179.0	120.5	71.0	64.8	75.2	80.7	48.5	10.3	63.3	48.5	182.6	23.5
2.0	13.1	33.8	195.9	183.5	121.2	67.4	75.4	80.6	90.3	55.7	10.8	65.0	50.2	179.8	24.8
1.1	14.7	29.4	189.9	194.7	124.9	73.9	68.8	85.2	89.9	62.2	12.9	82.5	44.8	188.2	31.9
1.7	16.5	27.8	194.8	195.9	118.8	69.5	96.2	86.3	89.6	65.9	11.7	68.2	39.2	174.1	19.4
2.4	11.7	39.8	165.8	183.4	127.4	90.2	117.7	77.5	76.7	91.5	10.7	81.0	52.9	153.2	4.4
1.8	13.6	38.0	165.9	192.7	123.2	95.8	115.1	73.2	74.3	92.7	9.3	73.4	53.8	117.7	4.4
2.1	14.4	37.6	158.8	199.1	127.0	93.6	117.2	75.2	81.2	95.0	10.8	78.4	43.9	149.2	4.2
1.3	15.8	32.8	160.8	211.3	121.6	88.1	114.4	74.9	85.0	93.8	10.2	80.7	30.8	144.6	2.7
1.9	15.9	42.6	162.8	226.1	125.8	83.3	120.1	77.4	86.5	85.7	10.6	86.6	34.8	125.0	1.9
1.5	10.5	18.1	147.0	133.8	99.1	80.8	91.5	86.6	46.6	45.4	9.0	82.9	35.8	158.6	12.9
1.5	12.1	15.6	139.0	147.8	85.9	75.4	74.9	86.4	52.5	48.0	9.3	78.0	28.4	148.9	12.6
2.5	11.3	15.3	146.8	152.1	80.1	74.4	86.1	88.3	55.1	50.3	9.8	86.9	29.3	150.5	12.3
2.1	13.4	15.5	149.9	164.0	80.0	74.4	80.4	90.5	59.6	53.4	11.8	84.1	30.6	164.1	14.7
1.3	11.0	18.5	148.0	160.3	72.5	75.2	97.8	92.6	62.2	57.1	11.3	82.4	40.7	143.9	10.8
2.1	11.6	40.2	208.4	187.2	131.8	93.5	108.9	74.9	74.4	36.1	11.8	63.6	73.5	187.7	19.3
2.1	12.2	45.1	210.7	198.5	128.8	82.7	84.6	81.7	79.1	37.7	6.7	54.0	61.9	176.0	12.2
3.1	18.9	37.7	200.4	216.0	124.4	77.5	99.7	82.7	87.4	34.8	11.1	86.5	46.4	178.9	6.9
1.4	14.3	30.8	198.1	213.6	110.4	78.3	95.9	86.9	92.8	41.1	10.8	72.1	44.7	184.4	5.6
2.8	17.9	70.8	189.5	219.5	110.9	66.4	112.3	92.5	101.8	50.1	10.3	76.7	48.7	172.2	5.1
1.3	8.8	43.9	189.1	141.8	125.5	97.9	123.5	81.5	93.9	72.1	12.3	110.4	59.5	117.5	2.3
0.9	8.9	40.2	181.7	149.8	116.5	104.9	112.1	78.3	96.5	69.3	11.2	83.7	58.6	110.8	1.9
0.5	10.3	40.6	177.4	148.9	117.9	93.4	95.7	80.9	101.1	71.0	13.5	97.2	51.8	112.5	1.6
1.0	11.1	40.4	172.7	159.6	154.8	101.3	131.5	80.1	100.6	73.1	14.2	94.9	45.7	121.9	2.6
1.3	11.8	46.7	158.9	156.3	116.2	91.1	123.5	76.8	108.1	68.0	15.6	100.1	44.1	101.2	1.3
1.5	12.8	31.3	156.9	159.8	153.5	119.1	131.8	85.8	121.2	61.0	10.8	101.7	40.8	151.3	0.6
1.5	12.2	27.6	150.7	166.7	135.8	121.2	113.1	82.1	119.1	60.9	11.8	86.3	34.6	139.8	0.9
1.8	15.5	25.8	146.1	174.3	128.6	120.6	101.7	83.1	125.5	64.3	12.1	96.1	33.5	138.0	0.7
1.2	15.5	41.8	152.0	195.7	158.7	124.7	125.1	85.0	135.0	65.8	13.0	109.6	33.6	140.6	0.5
1.3	15.5	47.4	147.2	189.2	124.9	111.4	129.1	82.9	129.1	68.5	15.1	99.6	30.5	125.0	0.4
1.4	18.9	47.2	154.0	161.8	129.2	100.5	181.2	94.3	118.3	81.6	12.3	85.9	24.6	169.1	8.7
1.6	11.8	42.1	152.5	170.5	119.1	104.2	175.2	97.5	116.9	71.7	12.0	84.6	20.7	183.2	2.0
0.4	15.7	24.4	146.3	174.5	138.4	118.8	175.2	96.9	138.2	71.0	11.1	94.7	24.8	165.0	2.4
0.6	15.8	24.5	153.3	176.7	136.9	106									

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION STATES—Continued.														
Vermont.....	1901	1,658.2	28.7	1.5		9.3	11.3	11.0	14.8	44.1		134.0	17.7	70.5
	1902	1,504.8	19.1	1.2	0.6	6.4	9.0	9.8	11.0	21.1		119.7	16.8	69.1
	1903	1,622.2	24.8	1.4	0.9	8.4	1.4	4.3	16.4	34.3		115.0	19.9	93.7
	1904	1,601.7	28.9	1.7		0.9	2.6	6.6	16.7	44.5		114.6	20.4	87.0
	1905	1,701.6	24.6	1.7		10.9	2.9	11.5	16.3	51.5	10.3	122.3	18.0	84.2
REGISTRATION CITIES.														
Adams town, Mass.....	1901	1,552.1	35.1				35.1		52.6	26.3		166.6		61.4
	1902	1,841.7	42.8				17.1	34.3	8.6			145.6	17.1	51.4
	1903	1,532.2	25.1				58.6	8.4	25.1			150.7	8.4	67.0
	1904	1,637.3	32.7		8.2	8.2			40.9	16.4		131.0		65.5
	1905	1,786.0	80.1			40.0	16.0	80.1	24.0	48.1	8.0	240.3	24.0	40.0
Alameda, Cal.....	1901	1,747.7	17.6	5.9			5.9	11.8	47.1			170.6	11.8	70.6
	1902	1,797.5	22.8	5.7					39.9			142.7	30.9	108.4
	1903	991.5	33.2	5.5			5.5	5.5	22.2	5.5		60.9	22.2	60.0
	1904	1,065.4				5.4	10.8		10.8			120.1	26.0	86.1
	1905	1,257.0	36.6					26.2	5.2		5.2	130.8	36.6	73.2
Albany, N. Y.....	1901	1,675.0	21.1	1.1		1.1	4.2	3.2	43.2	37.9		235.0	39.0	91.7
	1902	1,705.8	32.4	1.0	10.5		3.1	7.3	27.2	20.9		199.8	17.8	89.9
	1903	1,881.8	19.7	1.0	2.1	10.4	21.8	21.8	15.6	38.4		209.7	27.0	98.6
	1904	1,902.7	17.5	3.1			9.3	4.1	10.3	34.0		223.5	25.8	109.2
	1905	1,851.6	19.4	1.0		13.3	2.0	9.2	16.4	20.4	9.2	211.6	32.7	95.1
Alexandria, Va.....	1901	2,385.4	27.5	13.7				6.9	68.7	82.5		343.7	6.9	68.7
	1902	2,093.9	68.7	13.7		6.9			20.6	27.5		247.2	6.9	34.3
	1903	2,187.2	61.7	6.9		6.9			34.3	20.5		205.7	13.7	27.4
	1904	2,314.4	102.7					6.8	41.1	41.1		321.8	13.7	54.8
	1905	2,090.4	41.0					6.8	41.0	20.5	6.8	177.8	27.4	47.9
Allegheny, Pa.....	1901	1,721.9	75.0	1.5	0.7	27.0	30.0	40.5	37.5	21.8		131.3	26.3	48.0
	1902	1,806.5	121.6	1.5	5.9	38.3	20.6	19.2	32.4	17.0		148.2	25.1	49.4
	1903	1,869.1	102.9		88.4	29.0	21.0	34.8	82.6	7.9		126.8	29.7	37.7
	1904	1,779.2	123.2		12.1	15.7	16.4	24.9	51.3	9.3		146.7	26.3	44.9
	1905	1,878.2	126.7	0.7		55.3	16.8	25.9	19.6	17.5	15.4	123.2	32.9	49.7
Allentown, Pa.....	1901	1,427.2	40.7	2.7					32.9	16.5		151.0	8.2	41.2
	1902	1,857.8	180.5			5.3	24.0	13.3	50.7	2.7		170.8	18.7	64.1
	1903	1,429.2	33.8				20.8	10.4	30.4	7.8		109.1	7.8	62.4
	1904	1,901.3	32.0			5.0	68.3	5.0	144.1	7.6		131.5	10.1	48.1
	1905	1,708.1	41.9					7.4	76.4	2.5	34.5	162.7	7.4	69.0
Altoona, Pa.....	1901	1,551.3	32.6			7.5	22.6	5.0	50.2	12.6		108.0	10.0	52.7
	1902	1,451.5	24.5		4.9	22.1	7.4	4.9	34.4			110.6	22.1	41.8
	1903	1,847.8	40.7		19.1	9.6	28.7	21.5	47.8	7.2		95.7	9.6	57.4
	1904	1,689.1	60.9			18.7	16.4	18.7	35.1	16.4		98.4	32.8	60.9
	1905	1,791.2	68.0	2.2		11.0	15.4	35.1	35.1	4.4	8.8	116.3	30.7	52.7
Amesbury town, Mass.....	1901	1,743.9	10.7				21.4	21.4	32.1	64.2		181.9		64.2
	1902	1,550.8	21.7		10.8	43.4	43.4		10.8	32.5		216.9		130.1
	1903	1,561.5	33.0				33.0			11.0		99.0	11.0	121.0
	1904	1,784.3	55.8					22.3		11.2		189.6	11.2	133.8
	1905	1,549.8	45.2						11.3	22.6	33.9	203.6		33.9
Amsterdam, N. Y.....	1901	1,432.0	22.4			9.0			17.9	31.3		156.6	9.0	80.6
	1902	1,532.3	17.6				193.7		13.2	4.4		136.5	17.6	35.2
	1903	1,716.1	47.7			8.7	112.7	21.7	21.7	13.0		151.7	17.3	65.0
	1904	1,514.4	12.8	4.3		8.5	8.5	4.3	8.5	8.5		157.8	21.3	81.1
	1905	1,533.2	21.0			21.0			4.2	12.6	16.8	134.4	16.8	63.0
Anderson, Ind.....	1901	1,638.1	71.0			4.7	14.2	14.2	47.3	47.3		227.3	37.9	61.6
	1902	1,506.1	68.0			13.6	27.2	4.5	45.3			154.1	45.3	49.8
	1903	1,164.7	26.1				8.7		21.7	13.0		165.2	39.1	34.8
	1904	1,381.8	37.6	8.3		29.2	12.5		33.4			196.2	45.9	12.5
	1905	1,064.3	24.1	4.0					8.0	20.1	16.1	132.5	16.1	40.2
Ann Arbor, Mich.....	1901	1,507.1	6.9					6.9	20.6	34.4		110.1	48.2	123.9
	1902	1,621.7	20.6	6.9				6.9	13.7			89.3	48.1	164.9
	1903	1,395.3	6.9				27.4	6.9	6.9	13.7		54.9	27.4	144.1
	1904	1,452.2	13.7			13.7			13.7			89.1	27.4	116.5
	1905	1,709.8	13.7							41.0	6.8	143.6	13.7	150.5
Annapolis, Md.....	1901	2,030.9	23.2	11.6					92.8	127.7		406.2	58.0	34.8
	1902	2,032.4	57.4	11.5					34.4	34.4		367.5	34.4	91.9
	1903	1,829.3	34.1	22.7					22.7	68.2		250.0	34.1	79.5
	1904	2,440.1	67.5				11.2	11.2	11.1	44.5	22.3	348.6	11.2	78.7
	1905	2,123.8	77.9						11.1			289.4		22.3
Ansonia, Conn.....	1901	1,424.7	15.5	7.7		7.7		15.5	38.7	31.0		154.9	31.0	38.7
	1902	1,399.3	7.6	15.2			15.2	38.0	76.1	7.6		174.9	22.8	30.4
	1903	1,561.7	44.8	7.5		7.5	67.2		37.4	59.8		171.9	22.4	52.3
	1904	1,293.1	7.3				7.3		51.4			168.9	7.3	36.7
	1905	1,443.9	36.1						28.9	21.7	7.2	101.1	14.4	57.8
Appleton, Wls.....	1901	931.0	19.4			6.5			19.4	12.9		155.2	6.5	38.8
	1902	1,116.6	18.9			25.2	6.3		6.3			69.4		69.4
	1903	1,268.9	6.2		6.2		6.2	18.5	92.4	12.3		129.4	18.5	92.4
	1904	1,245.7	12.0				6.0	12.0	30.1	6.0		126.4	24.1	66.2
	1905	1,164.7	17.6		5.9			29.4	41.2		11.8	100.0	11.8	58.8
Arlington town, Mass.....	1901	1,281.8	34.0			11.3			34.0	11.3		136.1	22.7	56.7
	1902	1,129.7					10.8	21.6	11.1	11.1		166.1		110.8
	1903	1,211.2					10.8		21.6	10.8		97.4	32.5	54.1
	1904	1,216.3					10.6					148.1	74.0	84.6
	1905	1,189.5	10.3				10.3			20.7		103.4	31.0	93.1

¹ Shown for 1907 only.

SUMMARY AND RATE TABLES.

75

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menigitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
3.2	16.8	40.6	199.8	175.2	141.8	86.1	67.9	78.3	74.0	61.5	10.1	61.2	56.6	224.8	17.4
2.3	12.4	35.3	174.3	171.1	136.2	86.7	45.7	84.1	80.9	66.5	7.5	65.9	42.5	192.0	17.6
2.3	14.1	27.1	208.7	202.9	116.1	88.2	73.5	96.5	85.6	65.1	10.7	84.1	33.1	180.4	13.3
1.7	21.3	32.7	175.2	199.1	124.7	84.2	65.8	94.8	92.5	58.0	12.9	69.5	36.5	193.3	14.6
2.0	18.0	28.9	200.4	215.6	142.6	82.2	84.5	89.9	92.8	64.4	12.3	62.2	40.1	180.7	10.0
8.8	8.8	61.4	149.1	166.6	96.5	43.8	157.8	26.3	87.7	157.8	8.8	52.6	43.8	105.2	
8.6	8.6	51.4	137.1	111.4	137.1	68.5	291.2	128.5	60.0	179.9	17.1	85.7	111.4	128.5	8.6
41.9	108.8	108.8	108.8	108.8	100.5	58.6	269.3	67.0	33.5	209.3	8.4	67.0	50.2	117.2	8.4
57.3	131.0	131.0	131.0	131.0	139.2	98.2	237.4	114.6	49.1	171.9	16.4	24.6	40.9	147.4	
24.0	16.0	184.2	152.2	152.2	96.1	64.1	208.2	80.1	64.1	120.1	24.0	48.1	40.0	64.1	
29.4	82.4	158.9	241.3	135.3	64.7	53.0	141.2	141.2	141.2	53.0	5.9	105.9	47.1	135.3	11.8
17.1	17.1	142.7	313.9	148.4	85.6	34.3	97.0	114.1	114.1	102.7	28.6	74.2	39.9	216.8	5.7
5.5	22.2	121.9	110.8	72.0	66.5	16.6	94.2	49.9	49.9	33.2		66.5	99.7	99.7	11.1
10.8	10.8	139.9	182.9	59.2	37.7	48.4	75.3	69.9	69.9	10.8	5.4	32.3	16.1	75.3	21.5
15.7	26.2	115.1	204.0	104.6	68.0	41.9	68.0	109.9	109.9	52.3	20.9	52.3	5.2	88.9	
2.1	2.1	36.9	220.3	246.6	103.3	130.7	66.4	118.0	156.0	30.6	4.2	84.2	58.0	137.0	1.1
2.1	15.7	31.4	187.2	210.2	122.4	103.5	59.6	114.0	154.8	27.2		92.0	42.9	131.8	1.0
1.2	10.4	28.0	187.9	248.0	128.7	100.7	69.5	115.2	160.9	46.7	18.7	89.2	56.0	154.7	
4.1	17.5	33.0	177.2	238.6	127.7	95.8	90.7	122.6	201.9	34.0	11.3	91.7	42.2	157.6	
2.0	19.4	49.1	189.1	252.5	89.0	102.2	71.6	123.7	185.1	31.7	16.4	105.3	31.7	152.3	
6.9	6.9	34.4	247.5	192.5	261.2	110.0	103.1	48.1	171.9	68.7	6.9	89.4	165.0	130.6	123.7
6.9	48.0	195.8	144.0	123.6	212.8	89.2	192.2	54.9	178.5	89.2	13.7	96.1	144.2	171.7	
13.7	20.5	191.7	157.5	237.4	184.9	68.4	184.9	89.0	157.7	96.0		157.7	144.0	178.3	164.5
0.7	2.3	42.0	139.6	104.3	220.6	136.6	126.1	103.5	191.5	109.4	20.5	136.8	82.1	157.3	88.9
1.5	3.7	32.4	148.9	105.4	276.4	137.9	165.1	112.0	48.6	74.4	11.8	120.1	37.5	120.1	1.5
0.7	7.2	39.8	139.1	102.1	227.4	107.9	152.1	107.2	44.9	73.2	14.5	126.0	72.4	120.2	3.6
0.7	7.1	38.4	151.6	116.1	181.6	96.8	295.0	91.1	51.3	81.9	13.5	89.7	67.6	116.0	
0.7	3.5	32.9	140.7	105.0	217.7	126.0	182.0	95.9	61.6	97.3	19.6	120.4	71.4	119.7	
2.7	19.2	30.2	238.8	151.0	140.0	49.4	43.9	71.4	63.1	52.1	8.2	60.4	120.8	76.8	
2.7	18.7	53.4	176.2	157.5	122.8	32.0	90.8	74.7	80.1	82.7	8.0	77.4	181.2	154.8	2.7
2.5	10.4	36.4	174.1	145.5	93.5	41.6	90.9	106.5	44.2	75.4	15.6	78.0	119.5	96.1	13.0
2.5	2.5	43.0	192.2	179.5	141.6	45.5	63.2	108.7	116.3	123.9	10.1	55.6	222.5	134.0	7.6
17.3	27.1	197.2	133.1	155.3	61.6	115.8	69.0	98.6	98.6	86.3	4.9	103.5	115.8	120.8	
5.0	15.1	32.6	190.8	75.3	173.2	70.3	87.9	90.4	55.2	77.8	10.0	118.0	120.5	125.5	2.5
2.4	4.9	39.3	186.7	113.0	93.4	29.5	68.8	46.7	54.1	117.9	4.9	211.3	85.8	127.8	19.7
2.4	4.8	62.2	200.9	107.6	181.8	55.0	74.1	47.8	76.5	251.1	16.7	233.5	86.1	102.8	7.2
2.3	11.7	32.8	187.4	140.6	185.1	82.0	96.1	86.7	91.4	72.6	4.7	110.1	77.3	140.6	9.4
13.2	39.5	186.6	111.9	142.7	83.4	90.0	83.4	83.4	85.6	76.8	19.8	270.0	65.9	140.5	2.2
10.8	10.7	74.9	117.7	267.5	310.3	53.5	74.9	10.7	128.4	74.9		96.3	32.1	96.3	
33.0	54.2	119.3	216.9	65.1	32.5	65.1	43.4	43.4	184.4	54.2	10.8	65.1	32.5	86.8	
22.3	175.9	318.9	88.0	11.0	11.0	77.0	77.0	77.0	121.0	55.0		33.0	88.0	175.9	
33.9	200.7	267.6	223.0	33.5	100.4	44.6	44.6	44.6	89.2	122.7		66.9	44.6	100.4	
9.0	22.4	210.3	94.0	161.1	107.4	67.1	49.2	53.7	135.7	113.1		79.9	45.2	101.8	
4.4	48.4	167.3	127.7	96.9	61.6	118.9	114.5	44.0	53.7	53.7	22.4	89.5	40.3	125.4	
4.3	39.0	134.3	169.0	138.7	117.0	121.3	60.7	86.7	44.0	61.6	17.6	79.3	61.6	110.1	
12.8	64.0	166.4	157.8	85.3	89.6	110.9	102.4	85.3	99.7	99.7	4.3	121.3	43.3	117.0	
25.2	117.6	247.8	130.2	79.8	105.0	105.0	105.0	105.0	68.0	75.6		121.8	63.0	105.0	4.2
4.7	66.3	156.2	66.3	113.6	75.8	132.6	80.5	56.8	56.8	71.0	33.2	80.5	66.3	104.1	
13.6	58.9	95.2	95.2	108.8	49.8	58.9	99.7	49.8	140.6	9.1		108.8	63.4	136.0	4.5
4.3	30.4	82.6	95.6	39.1	78.2	82.6	69.5	56.5	43.5	8.7		91.3	31.8	134.7	4.3
4.2	37.6	108.5	150.3	71.0	54.3	71.0	75.1	66.8	54.3	20.9		96.0	50.1	141.9	4.2
4.0	8.0	36.1	88.4	108.4	56.2	48.2	72.3	28.1	64.3	16.1		80.3	40.2	92.4	
6.9	20.6	13.8	130.8	137.6	144.5	75.7	68.8	151.4	34.4	27.5	6.9	75.7	27.5	227.1	6.9
13.7	6.9	13.7	151.2	226.8	151.2	55.0	55.0	137.4	89.3	20.6		68.7	27.5	214.0	
6.9	6.9	13.7	157.8	192.1	75.3	68.6	68.6	130.4	41.2	27.4		48.0	27.4	185.2	
6.8	27.4	6.8	171.3	223.9	41.1	54.8	20.5	130.2	116.5	47.9		68.5	20.5	191.8	
6.8	6.8	13.7	184.7	239.9	102.6	75.2	27.4	191.5	88.9	27.4	20.5	47.9	82.1	198.3	6.8
11.6			208.9	104.5	81.2	104.5	104.5	127.7	58.0	81.2		139.2	58.0	162.5	34.8
11.5			218.2	57.4	91.9	91.9	252.6	57.4	114.8	103.3		103.3	91.9	206.7	
11.4	56.8	102.3	193.2	56.8	56.8	79.5	68.2	68.2	96.9	125.0		125.0	136.3	136.3	
11.1	33.7	258.6	135.0	90.0	123.7	247.4	78.7	78.7	179.9	101.2	22.5	137.4	179.9	168.7	
11.1	44.5	222.6	133.6	55.6	155.8	133.6	66.8	66.8	211.5	77.9	22.3	155.8	222.6	133.6	
15.5	92.9	116.1	85.1	108.4	54.2	185.9	46.5	46.5	92.9	69.7	15.5	46.5	15.5	116.1	23.2
38.0	98.9	83.7	97.1	45.6	114.1	167.3	38.0	38.0	83.7	15.2		83.7	22.8	159.7	22.8
119.6	82.2	97.1	29.9	74.7	134.5	104.6	80.6	80.6	82.2	104.6		89.7	14.9	134.5	22.8
14.7	80.8	117.5	73.5	88.1	66.1	139.6	80.8	80.8	58.8	58.8	7.3	51.4	7.3	122.2	7.3
21.7	93.9	115.5	115.5	108.3	187.7	80.6	80.6	80.6	72.2	43.3		63.0	72.2	79.4	36.1
25.9	25.9	122.8	51.7	51.7	32.3	51.7	45.3	45.3	6.5	58.2	6.5	32.3	32.3	116.4	12.9
18.9	18.9	82.0	88.3	94.6	44.2	56.8	75.7	75.7	44.2	75.7		31.5	94.6	189.3	6.3
12.3	43.1	160.2	80.1	61.6	30.8	49.3	80.1	80.1	67.8	43.1		73.9	55.4	98.6	30.8
12.0	30.1	156.5	90.3	66.2	48.1	30.1	72.2	72.2	36.1	90.3	6.0	66.2	60.2	180.5	18.1
17.6	17.6	135.3	76.5	58.8	64.7	47.1	82.4	82.4	35.3	82.4	29.4	29.4	76.5	135.3	
22.7	68.1	58.8	124.8	68.1	68.1	90.7	45.4	45.4	34.0	68.1		80.7	56.7	136.1	11.3
11.1	55.4	77.5	177.2	124.8	22.2	22.2	77.5	77.5	44.3	44.3	11.1	55.4	22.2	66.5	
10.8	32.5	43.3	140.7	194.6	10.8	21.6	10.8	97.4	86.6	32.5		21.6	43.3	119.0	
10.6	10.6	21.2	74.0	222.1	63.5	21.2	74.0	84.6	31.7	63.5	31.7	42.3	31.7	105.8	10.6
20.7	10.3	134.5	155.2	124.1	20.7	72.4	72.4	20.7	62.1	72.4	10.3	82.7	20.7	113.8	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.													
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Ashtabula, Ohio.....	1901 1,601.8	44.9			50.9		7.5	15.0			104.8	7.5	44.9
	1902 1,539.5	36.3			7.3		21.8	29.0	15.0		152.5	21.8	29.0
	1903 1,396.1	49.4		7.0	7.0		63.5	14.1	21.2		134.0	7.0	49.4
	1904 1,644.6	137.1			27.4		13.7		20.5		95.9	6.9	41.1
	1905 1,399.6	60.0			6.7				6.7		80.0	13.3	60.0
Atlanta, Ga.....	1901 2,186.8	77.1	11.9		33.7	23.9	19.5	28.2	46.7		251.9	15.2	39.1
	1902 2,228.5	68.9	6.4	4.2	7.4	10.6	26.3	21.2	21.2		283.1	12.7	58.3
	1903 2,113.9	66.3	12.4	6.2	12.4	3.1	13.5	23.8	45.6		229.9	7.2	52.8
	1904 2,388.2	60.8	7.1	9.1	7.1	4.0	36.4	31.4	52.6		262.2	21.3	51.6
	1905 2,414.8	70.1	6.8		19.5	1.9	23.4	51.6	50.6	49.7	265.8	25.3	50.6
Atlantic City, N. J.....	1901 1,846.3	23.5	3.4			3.4	33.6	26.9	23.5		151.1	33.6	50.4
	1902 1,647.8	15.8	3.2		3.2	3.2	6.3	22.1	6.3		88.2	25.2	44.1
	1903 1,513.8	38.6				3.0	35.6	23.7			127.6	26.7	50.5
	1904 1,478.6	25.3				2.8		39.3	8.4		115.0	19.6	53.3
	1905 1,665.2	18.6				5.3	10.6	16.0	8.0	10.6	122.4	31.9	69.2
Attleboro town, Mass.....	1901 1,145.8	8.6						25.8	25.8		146.5	8.6	60.3
	1902 1,270.9	8.4					8.4	25.3			134.7	16.8	92.6
	1903 1,448.1	24.7				8.2	24.7		8.2		164.6		115.2
	1904 1,424.2	8.0	8.0					24.1	8.0		136.8	32.2	96.6
	1905 1,369.9	7.9			7.9	7.9	7.9	23.6	7.9	7.9	149.6	25.6	63.0
Auburn, N. Y.....	1901 1,354.7	22.7			3.2	6.5	6.5	9.7	26.0		133.2	26.0	45.5
	1902 1,515.2	6.4		16.0			10.0	19.2	9.6		92.0	16.0	108.9
	1903 1,687.0	25.3			3.2	6.3		50.5	19.0		180.1	19.0	123.2
	1904 1,548.8	24.9	6.2		3.1	3.1		43.6	21.8		152.7	15.6	96.6
	1905 1,589.4	18.4	3.1		27.7	6.1	9.2	24.6	30.7	9.2	119.9	40.0	77.9
Augusta, Me.....	1901 2,279.9	84.8	8.5					8.5	17.0		186.5	8.5	59.3
	1902 2,341.6	50.4	8.4		16.8		33.6	8.4	16.8		117.5	42.0	42.0
	1903 2,377.2	232.7		8.3	8.3	83.1	16.6				124.7	33.3	106.5
	1904 2,519.1	49.4						8.2			222.3	8.2	57.6
	1905 2,348.5	48.9	8.2					24.5	32.6	8.2	154.9	16.3	81.5
Aurora, Ill.....	1901 1,504.5	48.8	4.1		12.2	24.4	20.3	20.3	20.3		154.5	16.2	89.5
	1902 1,274.0	39.9				4.0	8.0	8.0			99.8	12.0	63.9
	1903 1,263.5	15.7	3.9				3.9	3.9			94.2	19.6	74.6
	1904 1,361.3	46.3		3.9				50.1	7.7		119.5	15.4	92.6
	1905 1,175.3	7.6					15.2	15.2	7.6	11.4	91.0	37.9	75.8
Baltimore, Md.....	1901 2,029.8	28.7	7.7		1.4	2.3	12.6	33.1	50.5		237.6	33.3	76.5
	1902 1,957.6	42.0	6.1	1.3	8.2	7.1	16.4	24.1	10.7		220.3	32.3	77.9
	1903 1,908.9	35.0	4.1	0.4	15.6	16.2	13.2	29.0	20.1		222.7	35.0	73.0
	1904 2,007.4	37.5	4.8	0.7	1.7	26.9	4.8	20.8	23.9		251.1	32.3	86.5
	1905 1,958.6	35.7	3.3		15.4	6.6	12.6	17.2	17.6	11.9	228.7	40.6	81.1
Bangor, Me.....	1901 1,794.4	104.0				4.5		9.0	40.7		189.8	49.7	72.3
	1902 1,709.8	35.7	4.5					13.4	13.4		178.6	35.7	120.5
	1903 1,667.0	44.1			4.4			13.2	17.6		141.1	26.5	82.8
	1904 1,947.7	187.4	4.3					13.1	8.7		204.8	43.6	104.6
	1905 1,812.7	77.5	8.6		8.6				38.8	8.6	163.6	51.7	133.5
Barre, Vt.....	1901 1,351.7	22.5			11.3	101.4		33.8			146.4	22.5	45.1
	1902 1,407.4	43.0				107.4		10.7			257.8		21.5
	1903 1,571.2	20.5			30.8			41.1	20.5		174.6	30.8	
	1904 1,268.7					29.5	39.3	9.8	19.7		106.7	29.5	19.7
	1905 1,547.5	37.7			9.4	18.9		18.9	9.4		245.3	28.3	28.3
Bath, Me.....	1901 1,398.8	9.4							46.9	18.7	262.9	9.4	56.3
	1902 1,457.6	18.5					0.2		27.7		120.1	37.0	55.4
	1903 1,636.0	9.1						63.6	18.2		127.2	9.1	72.7
	1904 1,529.9	26.8						125.3	17.9		98.4	35.8	62.6
	1905 1,444.7	8.8			8.8			35.2	8.8	17.6	167.4	8.8	88.1
Battle Creek, Mich.....	1901 1,586.6	56.5	10.3		5.1			10.3	35.9		102.7	20.5	118.1
	1902 1,662.8	14.7	9.8					147.2	14.7		98.1	19.6	98.1
	1903 1,812.2	42.3	4.7			4.7	32.9	42.3	37.6		122.1	11.1	126.7
	1904 1,440.6	22.5	4.5		13.5		4.5	36.0	4.5		112.6	13.5	94.5
	1905 1,474.5	38.9	4.3	4.3				13.0	13.0	21.6	147.0	17.3	73.5
Bay City, Mich.....	1901 1,273.9	25.3	3.6			14.5	32.6	25.3	79.6		86.9	39.8	39.8
	1902 1,241.1	36.2			3.6	3.6	14.5	10.9	3.6		112.2	7.2	57.9
	1903 1,382.1	54.3			54.3		14.5	28.9	3.6		97.7	14.5	65.1
	1904 1,407.2	43.4	3.6	7.2	21.7	3.6		39.8	36.2		119.4	18.1	61.5
	1905 1,260.6	24.6	4.9		7.4	4.9	2.5	17.2	2.5	12.3	98.5	14.8	68.9
Bayonne, N. J.....	1901 1,677.7	11.6		5.8	31.8	11.6	2.9	31.8	26.0		173.3	23.1	49.1
	1902 1,592.9	24.6	2.7		19.2	10.9	10.9	73.9	5.5		156.0	16.4	43.8
	1903 1,768.7	20.8	2.6			39.0	15.6	83.2			166.5	20.8	54.6
	1904 1,764.4	27.3	2.5		22.3	29.7	19.8	59.5			151.2	22.3	42.1
	1905 1,585.3	11.8	2.4		2.4	4.7	11.8	33.1	2.4	35.5	151.4	28.4	37.9
Bellaire, Ohio.....	1901 1,957.2	20.2				10.1	10.1	20.2	40.3		211.9	20.2	50.4
	1902 2,189.3	90.8						10.1	20.2		131.2	20.2	80.7
	1903 1,563.8	60.5		90.8				30.3	10.1		90.8	10.1	20.2
	1904 2,320.4	40.4			50.4	10.1	80.7	60.5	30.3		141.3		50.4
	1905 1,805.9	20.2				10.1	10.1	20.2	10.1		201.8	30.3	50.4
Belleville, Ill.....	1901 1,325.8	56.5	5.6		5.6	11.3		45.2	11.3		113.0	22.6	62.2
	1902 1,383.8	39.1				27.9	5.6	55.9	22.3		167.5	5.6	83.8
	1903 1,735.0	77.3	16.6	33.1	44.2	22.1	5.5	11.0	11.0		132.5	27.0	126.9
	1904 2,056.5	49.1	10.9	250.9	5.5		21.8	5.5	10.9		180.0	16.4	76.4
	1905 1,590.8	48.5		10.8			5.4	27.0	10.8	10.8	102.5	16.2	102.5

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

77

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
7.5	7.5	15.0	127.2	142.2	179.6	15.0	112.3	127.2	44.9	82.3	15.0	194.6	37.4	187.1	7.5
7.3	7.3	7.3	213.3	145.2	217.9	29.0	36.3	101.7	50.8	116.2	29.0	138.0	58.1	87.1	7.3
6.9	6.9	27.4	105.8	84.6	176.3	28.2	119.9	42.3	7.0	56.4	7.0	102.2	49.4	176.3	14.1
6.7	6.7	6.7	164.5	54.8	315.2	27.4	116.5	23.5	6.9	89.1	27.4	185.0	109.6	143.9	
			153.3	86.6	213.3	26.7	73.3	80.0	13.3	73.3	20.0	233.3	46.7	126.6	6.7
	5.4	29.3	235.6	124.9	211.1	89.0	141.2	122.7	105.3	78.2	5.4	92.3	162.9	195.4	10.9
4.2	6.4	32.9	207.8	114.4	267.2	82.7	181.3	114.5	123.0	70.0	6.1	92.2	145.2	246.0	17.0
2.1	7.2	24.9	216.5	164.7	221.8	83.9	109.9	140.9	133.0	81.8	6.2	52.2	91.1	171.9	29.0
2.0	15.2	29.4	189.3	152.9	262.6	92.1	198.4	139.7	161.0	82.0	2.0	122.5	116.4	204.6	39.5
3.9	13.6	32.1	219.1	146.1	261.9	105.2	143.1	140.2	168.4	100.3	22.4	146.1	100.3	162.6	34.1
10.1	20.1	40.3	184.6	221.6	107.4	120.8	94.0	130.9	154.4	90.6		117.5	83.9	117.5	3.4
	9.5	28.4	163.8	217.4	91.5	97.7	97.7	126.0	148.1	91.4		113.4	94.5	114.9	3.2
	11.9	29.7	201.8	157.3	92.0	74.2	68.3	71.2	118.7	77.2	5.9	121.7	59.4	124.7	
	14.0	28.1	176.8	188.0	70.1	61.7	87.0	101.0	117.8	67.3	16.8	106.6	56.1	117.8	5.6
	13.3	16.0	135.7	223.4	119.7	85.1	66.5	111.7	178.2	114.4	16.0	101.1	58.5	130.3	2.7
	17.2	25.8	86.1	91.8	86.1	86.1	51.7	43.1	68.9	86.1	8.6	68.9	25.8	120.6	
	16.8	58.9	117.8	67.3	109.4	58.9	92.6	50.5	67.3	67.3	16.8	75.8	25.3	159.9	
	24.7	65.8	106.9	164.6	139.9	65.8	106.9	49.4	74.0	65.8		65.8	49.4	123.4	
	24.1	72.4	141.8	132.9	64.4	56.3	88.5	64.4	72.4	136.8	8.0	120.7	8.0	96.6	
	15.7	78.7	157.5	141.7	102.3	94.5	63.0	39.4	70.9	110.2	7.9	70.9	7.9	94.5	7.9
6.5	22.7	19.5	146.2	152.7	130.0	65.0	87.7	84.5	74.7	52.0	3.2	94.2	22.7	113.7	
3.2	12.8	25.6	157.0	210.3	137.7	60.9	124.9	108.9	57.7	38.4	12.8	57.7	19.2	173.0	
	6.3	6.3	180.1	214.8	151.6	53.7	91.8	97.9	44.2	63.2	15.8	85.3	53.7	192.7	
	12.5	43.6	124.6	262.6	124.6	56.1	90.4	71.7	84.1	71.7	18.7	96.6	9.3	174.5	
	15.1	36.9	206.0	199.8	117.6	46.1	132.2	61.5	70.7	40.0	21.5	52.3	24.6	169.1	
	8.5	42.3	728.9	186.5	59.3	169.5	194.9	42.3	93.2	42.3		59.3	81.8	186.5	8.5
	33.6	755.3	209.8	176.2	176.2	160.7	134.3	92.3	83.9	67.1	8.4	83.9	92.3	159.5	8.4
8.3	38.2	664.9	141.7	116.4	71.8	149.6	83.1	49.9	49.9	66.5	33.3	41.6	91.4	221.4	
	16.5	675.1	197.6	123.5	189.3	148.2	115.2	90.5	107.0	24.7	107.0	107.0	74.1	271.7	16.5
8.2	40.8	57.1	758.4	220.2	97.9	73.4	163.1	73.4	97.9	106.0		89.7	73.4	106.0	8.2
8.1	12.2	40.7	183.0	85.4	146.4	61.0	109.8	105.7	52.9	28.5	28.5	61.0	32.5	138.2	
	12.0	35.9	143.8	127.8	107.8	75.9	51.9	91.9	55.9	35.9	8.0	79.9	67.9	131.5	12.0
3.9	7.9	43.2	129.5	102.0	129.5	82.4	39.2	91.2	54.9	66.7	19.6	86.4	52.4	104.2	
3.9	23.1	57.8	165.8	73.3	111.8	42.4	46.3	100.3	69.4	46.3	19.3	61.7	73.3	124.4	7.7
	15.2	34.1	147.9	79.6	79.6	45.5	53.1	87.2	49.3	64.5	26.5	45.5	72.0	113.7	
0.8	10.1	28.3	188.6	138.8	149.7	134.0	167.9	93.1	123.4	121.8	10.3	122.6	66.6	188.6	1.5
0.9	8.8	29.9	179.1	164.7	148.3	122.2	151.0	103.1	127.1	137.3	11.1	85.1	68.5	173.7	0.4
2.1	10.4	25.4	174.5	160.5	140.2	127.2	126.5	88.3	141.2	122.3	9.4	85.3	62.1	167.7	1.5
1.3	11.9	26.4	171.9	182.8	155.7	129.0	113.1	96.3	163.4	121.6	14.1	83.7	52.2	159.8	0.2
0.7	11.4	27.6	163.1	179.2	140.4	132.7	158.2	86.4	163.3	122.1	15.0	96.1	59.9	131.3	0.4
	13.6	27.1	216.9	253.1	131.1	76.8	36.2	149.2	85.9	13.6	9.0	58.8	72.3	162.7	27.1
	17.9	40.2	129.5	212.1	100.7	89.3	26.8	66.9	102.6	22.3	22.3	102.7	75.9	206.9	8.9
	17.6	39.7	154.4	220.5	220.5	61.8	97.0	97.0	83.8	30.9	8.8	70.6	52.9	167.6	4.4
	17.4	17.4	152.5	230.9	215.5	65.4	52.3	100.2	78.4	69.7	13.1	130.7	21.8	161.2	52.3
4.3	17.2	17.2	219.6	202.4	137.8	90.4	68.9	94.7	103.3	30.1	12.9	120.6	25.8	172.2	4.3
	21.5	112.6	90.1	56.3	56.3	67.6	78.8	101.4	45.1	112.6	11.3	45.1	22.5	157.7	11.3
	10.3	75.2	96.7	75.2	75.2	139.7	21.5	107.4	43.0	75.2	21.5	64.5	53.7	173.2	21.5
9.8	9.8	82.2	123.2	123.2	113.0	174.6	113.0	102.7	41.1	102.7	10.3	20.5	39.3	154.0	20.5
	9.4	78.7	108.2	59.0	137.7	118.1	59.0	68.6	29.5	39.3	9.4	39.3	39.3	108.2	
	9.4	47.2	151.0	56.6	179.3	122.7	66.1	28.3	18.9	169.8		9.4	84.9	104.8	9.4
9.4	18.8	37.5	169.0	150.2	75.1	112.7	28.2	37.5	112.7	37.5	9.4	28.2	28.2	131.4	9.4
9.2	37.0	27.7	83.1	212.4	101.6	110.8	46.2	55.4	138.6	83.1	9.2	92.4	27.7	184.7	
	27.3	45.4	163.6	227.2	173.7	90.9	81.8	72.7	127.2	100.0	18.2	81.8	9.1	109.1	9.1
	8.8	26.8	196.8	106.8	125.3	89.5	26.8	89.5	125.3	26.8	8.9	125.3	8.9	114.4	
		8.8	220.2	211.4	149.8	79.3	61.7	44.0	88.1	35.2	17.6	26.4		149.8	
10.3	10.3	5.1	215.7	169.4	66.8	56.5	51.3	118.1	77.0	25.7	30.8	87.3	61.6	236.2	5.1
4.9	4.9	10.6	161.9	161.9	117.7	83.4	63.8	137.4	73.5	73.5	9.8	122.6	54.0	166.8	4.9
4.7	28.2	18.8	192.5	187.8	112.7	79.8	108.0	93.8	98.5	65.7	14.1	145.5	61.0	173.7	
	31.5	4.5	141.1	162.1	126.1	40.5	49.5	126.1	85.5	58.5	18.0	72.0	54.0	162.1	
	30.3		185.9	203.2	77.8	47.6	77.8	90.8	82.2	64.9	13.0	69.2	73.5	121.1	
	18.1	90.5	112.2	133.9	90.5	72.4	97.7	119.4	65.1	29.0		43.4	14.5	130.3	
	14.5	130.3	137.9	137.9	90.5	108.5	39.8	119.4	50.6	34.2	3.6	86.8	28.9	137.5	
3.6	10.9	119.4	130.2	140.2	72.4	76.0	101.3	119.4	39.8	68.7	10.9	108.5	21.7	148.3	3.6
7.2	7.2	97.7	184.5	118.2	57.9	90.4	72.4	112.2	79.6	47.0	18.1	65.1	25.3	180.9	
	9.8	9.8	135.4	118.2	51.7	81.3	105.9	88.6	36.9	78.8	22.2	93.6	9.8	160.0	
	2.9	43.3	124.2	86.6	135.7	196.4	181.9	101.1	80.9	57.8	11.6	129.9	78.0	80.9	
	5.5	38.3	142.3	120.4	117.7	175.2	120.4	71.2	93.8	76.6	5.5	106.7	54.7	88.3	
	7.8	52.0	158.7	98.2	158.7	158.7	171.7	83.2	117.0	70.2	18.2	145.7	15.6	111.8	
	2.5	47.1	136.3	111.5	146.2	161.1	237.0	74.3	96.6	96.6	12.4	116.5	29.7	118.9	
	7.1	47.3	125.4	108.8	108.8	111.2	184.6	99.4	104.1	106.5	23.7	137.2	35.5	63.9	
	70.6	181.6	80.7	373.2	80.7	100.9	141.2	20.2	70.6		131.2	181.6	131.2	10.1	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES--Continued.														
Beloit, Wis.....	1901	1,346.3	9.2	9.2			18.3	27.5		64.1		183.2	9.2	55.0
	1902	1,315.4	8.8				17.5	8.8				131.5		52.6
	1903	1,489.0	16.8			50.5	16.8	8.4	8.4	58.9		159.8	25.2	58.9
	1904	1,131.7	8.1						8.1	8.1		97.0	24.3	72.8
	1905	1,345.8	23.3			7.8		7.8	23.3	7.8	7.8	147.8	15.6	54.5
Bennington town, Vt.....	1901	1,671.3	36.6			61.0		24.4	24.4	12.2		97.6	12.2	61.0
	1902	1,140.1	12.0							12.0		95.7	12.0	83.7
	1903	1,372.4	35.3						35.3	11.7		129.0	23.5	58.6
	1904	1,645.8	34.5							57.6		172.6	46.0	80.6
	1905	1,852.5	67.8			33.9	22.6			56.5	11.3	169.4	45.2	90.4
Berlin, N. H.....	1901	1,308.2	63.9		21.3		10.6					148.9	10.6	42.5
	1902	1,149.4	20.2			40.3			20.2			70.6	10.1	20.2
	1903	1,629.3	38.3					9.6	19.2			76.7	9.6	9.6
	1904	1,671.2	54.8		9.1	9.1		54.8	27.4			82.2	27.4	54.8
	1905	1,473.9	8.7			34.9			8.7	8.7	26.2	52.3	17.4	61.1
Beverly, Mass.....	1901	1,314.4	7.1				42.4		21.2	28.3		176.7	21.2	113.1
	1902	1,345.4	20.8						6.9			152.6	20.8	111.0
	1903	1,477.5	20.4			27.2		20.4	27.2	34.0		129.4	68.1	61.3
	1904	1,410.9	13.4	6.7				6.7	13.4	6.7		120.4	46.8	86.9
	1905	1,635.7	32.8				6.6	6.6	46.0	13.1	13.1	111.7	13.1	111.7
Biddeford, Me.....	1901	2,004.3	116.5	6.1				6.1	18.4	30.6		214.5	24.5	79.7
	1902	2,062.5	60.7			12.1			30.3	6.1		212.3	12.1	66.7
	1903	1,837.3	54.0					90.1	42.0			186.1	36.0	66.1
	1904	1,961.4	65.4					11.9	35.7	5.9		196.1	17.8	41.6
	1905	1,671.1	76.5					5.9	53.0	5.9	11.8	117.7	53.0	23.5
Binghamton, N. Y.....	1901	1,043.7	52.1	2.5		5.0	7.4	12.4	42.1	57.0		131.4	9.9	81.8
	1902	1,740.4	29.2	9.7	7.3		21.9	0.7	48.7	7.3		219.4	14.6	70.7
	1903	1,503.0	12.0	2.4		2.4	2.4	7.2	19.2	19.2		141.4	14.4	83.9
	1904	1,876.0	9.4	4.7		42.4	9.4	4.7	40.1	21.2		193.4	14.1	94.3
	1905	1,830.8	10.2	2.3		2.3	27.8	2.3	11.6	13.9	20.9	164.7	18.6	90.5
Boston, Mass.....	1901	1,989.6	23.8	1.6	13.2	21.5	39.1	12.0	60.2	24.7		234.4	37.5	88.2
	1902	1,913.9	22.1	1.4	32.9	12.5	17.4	23.3	38.3	4.4		212.3	37.6	87.5
	1903	1,831.0	20.5		2.2	10.5	12.4	26.1	38.2	13.4		205.1	34.6	93.2
	1904	1,827.2	23.6	0.5		22.9	7.8	7.5	37.9	10.0		215.8	32.6	95.7
	1905	1,845.4	20.8	0.5	0.2	12.6	8.2	9.7	23.9	11.9	10.2	201.6	41.5	105.6
Bridgeport, Conn.....	1901	1,681.5	26.0	8.2		2.7	23.2	19.1	24.6	42.3		229.5	17.8	71.0
	1902	1,624.2	23.9	6.6		2.7	19.9	25.2	47.7	8.0		167.1	23.9	76.9
	1903	1,702.8	14.2	1.3		25.8	14.2	34.8	34.8	7.7		171.3	28.3	86.3
	1904	1,650.6	17.5	5.0		10.0	21.3	7.5	30.1	8.8		191.6	31.3	61.4
	1905	1,653.6	13.4	2.4		9.7	8.5	7.3	28.0	13.4	12.2	203.5	34.1	45.1
Bridgeton, N. J.....	1901	1,306.3	21.7	7.2			14.4	7.2	7.2	36.1		129.9	7.2	72.2
	1902	1,413.2	21.7									130.5	14.5	43.5
	1903	1,477.4	21.8				7.3		43.7	7.3		152.8		65.5
	1904	1,732.2	43.9			21.9	14.6		14.6	7.3		277.7	21.9	43.9
	1905	1,401.9	29.4	7.3					7.3	14.7	22.0	110.1	22.0	66.1
Bristol town, Conn.....	1901	1,226.1	40.6		10.1			10.1	20.3	81.1		172.3		60.8
	1902	1,436.4	19.8	29.7						29.7		89.2	29.7	49.5
	1903	1,637.4	126.0	9.7		38.7	29.1	29.1	19.4	96.9		87.2		48.4
	1904	1,796.6	47.4	9.5				9.5	37.9	47.4		85.3	19.0	47.4
	1905	1,550.2	18.6					9.3	9.3	46.4	37.1	130.0	46.4	46.4
Brockton, Mass.....	1901	1,293.0	14.4	2.4		2.4	26.4	2.4	31.2	26.4		158.6	24.0	60.1
	1902	1,121.5	13.9	2.3		2.3	4.6	4.6	16.2	2.3		164.5	20.9	90.4
	1903	1,116.3	11.2	4.5			8.9	17.9	11.2	24.6		118.6	24.6	55.9
	1904	1,241.2	19.5	2.2		32.4	2.2		6.5	21.6		123.3	28.1	81.3
	1905	1,303.5	18.8	2.1			8.4	12.6	2.1	30.8	12.6	140.2	31.4	52.3
Brookline town, Mass.....	1901	1,104.9				9.7	9.7		38.8	4.8		82.4	4.8	92.1
	1902	1,115.5	9.4		4.7		4.7	4.7		9.4		107.8	18.7	89.1
	1903	1,043.8	4.5	9.1			27.2	18.2	9.1	13.6		95.3	22.7	77.1
	1904	1,064.4	4.4			4.4	4.4	4.4	4.4	22.0		57.2	8.8	123.2
	1905	1,109.4				4.3			12.8	12.8		64.0	12.8	140.8
Buffalo, N. Y.....	1901	1,544.4	27.1	0.8	0.6	6.2	12.3	17.6	39.7	18.5		126.8	21.6	73.3
	1902	1,490.6	33.7	0.3	0.8	18.8	3.0	7.5	37.3	4.1		117.6	17.7	66.5
	1903	1,298.2	34.6	0.5	1.1	8.7	7.4	15.0	32.7	9.3		122.0	23.7	75.2
	1904	1,596.2	24.2	0.8		9.9	4.3	3.0	30.1	7.5		135.7	23.7	72.3
	1905	1,560.6	24.4			17.5	4.2	16.7	16.7	6.6	10.6	130.0	29.2	88.1
Burlington, Iowa.....	1901	1,477.3	55.0	4.2	4.2				12.7	12.7		173.6	8.5	88.9
	1902	1,422.2	45.7				4.2	16.6	12.5	4.2		174.7	8.3	70.7
	1903	1,234.2	45.0			12.3	4.1		32.7	16.3		114.4	4.1	85.8
	1904	1,496.2	56.2	4.0			40.2		4.0	12.1		104.4	12.1	80.3
	1905	1,208.6	51.3				19.7	3.9	3.9	3.9	7.9	114.5	11.8	98.7
Burlington, Vt.....	1901	1,738.0	21.0	10.5				5.2	5.2			168.0	42.0	68.3
	1902	1,629.8	10.3			20.6						118.3	15.4	61.7
	1903	1,923.9	15.1						10.1	10.1		130.9	25.2	75.5
	1904	1,796.6	29.6	4.9			4.9	4.9	24.7	9.9		113.5	24.7	49.3
	1905	2,100.2	19.4			9.7		9.7	53.2	4.8	9.7	130.7	24.2	33.9
Cambridge, Mass.....	1901	1,650.6	8.6	2.2	3.2	11.8	6.5	11.8	63.4	24.7		222.6	25.8	109.7
	1902	1,475.0	10.6		34.0	5.3	6.4	9.6	37.2	3.2		198.7	28.7	87.1
	1903	1,498.7	10.5			4.2	9.5	14.7	29.4	11.6		174.3	27.3	84.0
	1904	1,445.1	15.6	3.1		7.3	3.1	2.1	24.9	12.5		196.2	27.0	103.8
	1905	1,482.0	12.3	2.1		5.1	5.1	14.4	28.7	7.2	11.3	180.6	25.7	81.3

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

79

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Meni- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
	18.3	45.8	119.1	82.4	64.1	55.0	73.3	82.4	82.4	45.8	9.2	45.8	27.5	210.6	9.2
	25.2	26.3	201.7	140.3	96.5	61.4	87.7	43.8	26.3	43.8	8.8	61.4	70.2	219.2	
	16.2	42.1	117.8	117.8	101.0	75.7	58.9	101.0	58.9	58.9	8.4	92.5	16.8	210.3	
	15.6	24.3	80.8	97.0	88.9	80.8	32.3	97.0	64.7	64.7		56.6	32.3	169.8	8.1
		23.3	116.7	116.7	108.9	82.2	46.7	140.0	77.8	54.5		101.1	15.6	171.1	
		36.6	280.6	207.4	183.0	134.2	85.4	24.4	61.0	97.6		85.4	36.6	109.7	
		59.8	191.4	95.7	107.6	59.8	47.8	59.8	83.7	47.8		71.7	59.8	59.8	
	23.5		246.3	175.9	70.4	105.5	46.9	82.1	93.8	70.4		11.7	23.5	129.0	
	11.5	11.5	161.1	261.7	69.1	46.0	80.6	195.7	46.0	46.0	34.5	23.0	11.5	195.7	11.5
	56.5	22.6	101.7	282.4	113.0	101.7	146.8	101.7	101.7	67.8		67.8	33.9	158.1	
		95.7	42.5	42.5	138.3	53.2	287.2	31.9	53.2	95.7		31.9	85.1	21.3	31.9
		60.5	90.7	50.4	181.5	80.7	100.8	60.5	40.3	50.4		70.6	60.5	30.7	30.2
	28.7	115.0	115.0	134.2	201.3	47.9	394.7	19.2	28.7	28.7		210.8	76.7	95.8	
	18.3	100.6	54.8	82.2	191.8	82.2	228.3	43.9	18.3	100.5		146.1	91.3	73.0	91.3
		69.8	139.5	61.1	165.7	78.5	218.0	34.9	69.8	95.9		130.8	61.1	78.5	52.3
	7.1	14.1	155.5	162.5	106.0	49.5	63.6	63.6	63.6	42.4	7.1	49.5	14.1	106.0	
	20.8	6.9	111.0	256.6	62.4	101.0	48.5	27.7	97.1	69.4	6.9	76.3	53.5	90.2	
	20.4	20.4	88.5	224.7	68.1	95.3	95.3	61.3	122.6	68.1	13.6	95.3	20.4	95.3	
	26.7	26.7	187.2	327.6	113.7	33.4	53.5	20.1	120.4	46.8	6.7	60.2	6.7	80.2	
	13.1	32.8	164.2	289.0	118.2	65.7	111.7	59.1	85.4	85.4	6.6	118.2	26.3	105.1	
	18.4	79.7	153.2	98.1	104.2	141.0	306.5	61.3	73.6	110.3	12.3	73.6	91.9	153.2	30.6
	30.3	133.5	206.3	109.2	206.3	139.5	266.9	60.7	54.6	157.7	12.1	60.7	103.1	109.2	12.1
	6.0	102.1	150.1	198.1	144.1	120.1	266.9	66.1	66.1	174.1	6.0	36.0	96.1	108.1	
	17.8	83.2	255.6	267.5	160.5	154.5	124.8	29.7	80.2	231.8		23.8	35.7	107.0	5.9
	5.9	70.6	135.3	141.2	158.9	105.9	135.3	76.5	88.3	194.2	5.9	58.8	70.6	76.5	
	17.4	19.8	151.2	111.6	153.7	91.7	62.0	114.0	56.8	91.7	9.9	79.3	54.5	168.3	
	2.4	9.7	275.4	158.4	126.7	63.4	87.7	138.9	41.4	17.1	92.6	34.1	165.7		2.4
	24.0	14.4	189.4	167.8	107.9	69.5	62.3	81.5	83.9	55.1	19.2	86.3	24.0	213.4	
2.4	9.4	28.3	245.2	240.5	122.6	80.2	117.9	108.5	132.1	51.9	7.1	96.7	35.4	158.0	
2.3	11.6	39.4	234.4	255.2	129.9	55.7	127.6	104.4	109.1	81.2	13.9	106.7	23.2	164.7	
2.1	14.3	38.9	146.5	215.7	146.4	119.6	134.4	102.7	82.6	96.0	14.1	115.2	39.8	157.6	7.2
1.2	13.9	38.6	143.9	234.2	154.5	120.1	123.9	94.7	79.0	93.8	13.6	103.2	44.7	158.8	6.1
1.9	14.1	35.4	130.7	230.2	159.9	106.6	120.0	88.4	96.6	96.6	13.8	98.2	34.9	151.1	7.6
1.5	18.5	33.6	139.9	229.1	154.1	107.2	112.5	81.9	96.7	96.7	12.6	97.0	31.4	160.2	4.8
1.5	17.3	46.9	146.8	244.4	160.4	95.4	122.3	96.1	82.6	83.5	14.4	116.2	35.3	130.5	6.0
1.4	12.3	38.2	129.8	157.1	135.2	110.7	184.4	71.0	91.5	64.2	8.2	75.1	23.2	113.4	1.4
	9.3	33.1	147.2	148.5	123.3	84.9	164.4	83.5	140.5	91.5	5.3	72.9	17.2	99.4	1.3
2.6	15.4	38.6	144.3	171.3	109.5	128.8	119.8	72.1	124.9	90.2	15.4	105.6	19.3	123.7	2.6
	11.3	41.3	103.9	164.1	125.2	83.9	155.3	95.2	156.6	72.6	12.5	102.7	17.5	121.5	2.5
2.4	23.2	50.0	125.5	177.9	137.7	79.2	109.4	79.2	135.3	57.3	12.2	126.7	9.7	87.7	2.4
	14.4		245.4	122.7	79.4	28.9	57.7	108.3	129.9	72.2		21.7	57.7	65.0	
		58.0	181.2	137.7	137.7	94.2	144.9	43.5	188.4	14.5		36.2	58.0	108.7	
	29.1	29.1	182.0	167.4	87.3	101.9	43.7	109.2	196.5	72.8		58.2	43.7	58.2	
7.3	7.3	14.6	204.6	131.6	116.9	95.0	109.6	116.9	153.5	29.2		73.1	80.4	131.6	14.6
	14.7	7.3	183.5	154.1	139.5	110.1	117.4	73.4	117.4	29.4		51.4	44.0	80.7	
10.1	30.4	10.1	91.2	121.6	70.9	30.4	50.7	60.8	81.1	30.4	10.1	70.9	30.4	131.7	
	29.7	29.7	138.7	128.8	128.8	49.5	128.8	79.3	0.9	0.9		89.2	39.6	27.7	
	9.7	29.1	184.1	145.3	174.4	67.8	133.6	77.5	58.1	58.1	9.7	87.2	116.3		
	9.5	208.6	104.3	180.1	189.6	47.4	161.2	47.4	113.7	56.9	9.5	56.9	19.0	199.1	
	18.6	83.5	130.0	213.5	167.1	18.6	259.9	46.4	83.5	55.7		74.3	55.7		
2.4	9.6	48.1	91.3	149.0	120.2	60.1	76.9	48.1	36.0	86.5	19.2	50.5	40.9	105.7	
	4.6	32.4	111.2	127.4	53.3	46.3	46.3	62.6	55.6	4.6		39.4	30.1	127.4	7.0
	11.2	35.8	132.0	118.6	44.7	33.6	42.5	71.6	55.9	80.5	17.9	47.0	22.4	123.0	2.9
	8.6	25.9	121.1	155.7	62.2	58.4	62.7	75.7	45.4	62.7	10.8	51.9	25.9	142.7	4.3
	10.5	27.2	131.8	129.7	56.5	52.3	41.8	50.2	81.6	85.8	4.2	186.2	29.3	94.2	2.1
	9.7	9.7	121.2	159.9	77.5	58.2	43.6	67.8	63.0	63.0	4.8	58.2	29.1	96.9	4.8
	4.7	14.1	93.7	150.0	79.7	75.0	75.0	46.9	42.2	37.5		32.8	28.1	168.7	4.7
	27.2		131.6	186.1	59.0	45.4	54.5	31.8	27.2	27.2	9.1	27.2	27.2	104.4	4.5
	17.6	4.4	105.6	206.7	88.0	57.2	30.8	74.8	30.8	74.8	4.4	39.6	8.8	118.8	
4.3	34.1	25.0	68.3	251.7	55.5	64.0	42.7	29.9	76.8	51.2	4.3	38.4	17.1	98.1	
2.2	11.2	33.3	123.1	148.1	90.7	128.2	138.5	82.8	80.3	76.4	14.3	101.3	17.6	151.7	
1.7	13.3	33.7	127.8	156.8	83.9	129.2	116.2	88.3	78.1	90.0	9.9	93.0	19.3	141.9	
1.4	16.1	32.4	137.3	176.2	86.4	112.0	126.4	98.1	88.3	75.5	12.8	119.6	19.6	165.1	1.1
1.6	10.4	27.4	145.7	184.7	94.9	122.6	140.6	80.8	94.6	82.0	10.8	98.9	20.7	150.5	0.5
1.3	16.7	30.2	122.3	157.3	87.0	102.4	126.3	93.7	92.1	84.6	19.6	100.8	19.4	132.7	
4.2	8.5	25.4	131.2	139.7	101.6	59.3	63.5	84.7	72.0	38.1	25.4	110.1	50.3	190.5	4.2
	12.5	16.6	70.5	104.0	91.5	29.1	79.0	91.5	66.5	33.3	20.8	54.1	49.9	241.2	25.0
	8.2		155.3	114.4	102.2	53.1	28.6	89.9	49.0	16.3	8.2	81.7	28.6	167.6	12.3
	20.1	121.1	160.7	128.5	116.5	36.2	44.2	84.4	52.2	52.2	4.0	124.5	68.3	237.0	12.1
	15.8	27.6	122.4	110.6	63.2	51.3	43.4	86.9	39.5	59.2	11.8	63.2	15.8	177.7	3.9
	15.8	78.8	199.5	141.8	78.8	110.3	178.5	47.3	84.0	94.5	5.2	105.0	78.8	194.3	
	5.1	108.0	128.5	167.4	137.4	137.4	137.4	61.7	154.2	154.2		51.4	61.7	215.9	
	25.2	65.5	176.3	146.1	151.1	141.0	146.1	141.0	85.6	156.1	10.1	60.4	85.6	261.9	
	14.8	103.7	138.2	138.2	153.0	79.0	172.8	79.0	93.8	148.1	19.7	59.2	128.3	202.4	
	9.7	62.9	193.6	179.0	135.5	130.7	242.0	101.6	135.5	1					

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Camden, N. J.	1901	1,805.7	15.5		2.6		5.2	14.2	81.4	25.8		188.6	23.2	63.3
	1902	1,747.5	22.8		24.1	3.8	5.1	19.0	36.8	15.2		157.2	33.0	62.1
	1903	1,592.2	13.7		7.5		10.0	12.4	31.1	10.0		185.3	22.4	63.4
	1904	1,806.7	20.8	1.2	8.5	15.9	17.1	3.7	87.9	8.5		200.3	30.5	66.0
	1905	1,621.2	18.0	3.6		1.2	6.0	2.4	40.8	7.2	10.8	176.3	26.1	55.2
Canton, Ohio.	1901	1,147.4	16.1					6.4	19.3	16.1		128.6	9.6	48.5
	1902	1,124.7	12.7		3.2				9.5	3.2		91.9	12.7	31.7
	1903	1,146.5	21.9				12.5	31.2	21.9	18.7		134.3	12.5	43.7
	1904	1,124.4	30.8			3.1	3.1		18.5	9.2		98.6	18.5	58.5
	1905	1,097.4	13.2					5.3	31.7	21.1	10.6	73.9	2.6	29.0
Carbondale, Pa.	1901	1,640.5	14.5			7.3	7.3		58.1	29.0		65.3	7.3	65.3
	1902	1,890.7	42.8			35.7		78.5	35.7	35.7		99.9	28.5	42.8
	1903	1,627.4	33.1	7.0				7.0	133.3	21.0		98.2	7.0	28.1
	1904	1,772.9	34.5						62.1	48.3		89.7	27.6	34.5
	1905	1,906.9	67.9			13.6	27.1	6.8	95.0	27.1	20.4	74.6	6.8	54.3
Carlisle, Pa.	1901	1,852.1	29.4	10.2				20.4	61.0	61.0		234.0	20.4	40.7
	1902	1,826.3	10.0	39.9				10.0	19.9			149.6	29.9	59.8
	1903	1,642.4	48.9			58.6						195.5	9.8	68.4
	1904	1,610.7		9.6				9.6	9.6	19.2		201.3	19.2	95.9
	1905	1,420.4	18.8	9.4						18.8	3.4	141.1		65.8
Central Falls, R. I.	1901	1,633.9	16.3	16.3	10.9	21.7	5.4		43.4	38.0		211.7	27.1	38.0
	1902	1,546.6	32.1	16.1		10.7	26.8		32.1	10.7		107.1	32.1	32.1
	1903	1,785.1	10.6	5.3	5.3	5.3	31.7	47.5	26.4	26.4		163.7	15.8	37.0
	1904	1,464.3	10.4				5.2		20.8	31.3		109.4	41.7	62.5
	1905	1,866.7	10.3	5.1		41.1	5.1	20.6	36.0	46.3	10.3	180.0	36.0	51.4
Charleston, S. C.	1901	3,150.7	85.9	85.9			10.7		17.9	75.1		373.9	26.8	59.0
	1902	3,108.4	80.1	66.1	3.6	5.4	5.4	1.8	14.3	30.4		382.3	33.9	51.8
	1903	2,884.3	61.2	46.4	16.1	1.8	1.8	33.9	3.6	30.3		387.1	37.5	53.5
	1904	3,014.6	58.8	46.3	5.3		1.8		8.9	32.0		363.3	17.8	49.9
	1905	2,900.5	53.4	42.7	1.8	14.2	3.6	60.5	5.3	33.8	21.3	353.9	23.1	60.5
Chelsea, Mass.	1901	1,679.4	28.8				5.8	2.9	46.1	23.0		172.8	11.5	69.1
	1902	1,863.8	31.1			25.5	5.7	25.5	31.1	2.8		155.3	17.0	87.7
	1903	1,772.2	13.9	5.6		2.8	2.8	33.3	11.1	19.4		203.5	16.7	80.6
	1904	1,866.6	32.7			13.6	8.2		40.9	32.7		223.8	8.2	81.9
	1905	1,866.5	24.1	2.7		2.7	2.7	5.4	8.0	34.9	5.4	177.0	10.7	93.9
Chicago, Ill.	1901	1,393.2	29.8	1.2	0.2	10.2	11.1	12.6	28.5	15.9		147.5	20.5	63.7
	1902	1,458.9	45.1	0.9	0.3	8.2	26.4	13.3	34.4	8.4		147.0	18.7	64.7
	1903	1,534.7	32.1	1.0	2.5	15.4	16.3	13.7	32.7	14.0		158.1	24.1	64.4
	1904	1,381.6	20.2	0.5	1.5	2.8	7.8	7.2	21.1	10.9		163.9	20.9	64.0
	1905	1,383.8	16.5	0.9	3.1	12.8	4.1	18.3	21.8	10.0	3.2	162.8	23.0	65.6
Chicopee, Mass.	1901	1,755.2	25.8					46.5	51.6	31.0		139.4	25.8	46.5
	1902	2,031.1	10.2	10.2		10.2	21.5	5.1	102.2	5.1		102.2	15.3	56.2
	1903	2,042.4	20.2	5.1		15.2	21.4	25.3	45.5	5.1		161.8	10.1	30.3
	1904	1,676.2	10.0			5.0	20.0	5.0	40.0	20.0		190.1	25.0	70.0
	1905	1,763.2	9.9	5.0		9.9		5.0	54.5	29.7	19.8	178.3	29.7	49.5
Chillicothe, Ohio.	1901	1,856.2	76.1						15.2	68.5		243.4	7.6	98.9
	1902	1,712.5	82.6						22.5	7.5		187.8	22.5	90.1
	1903	1,535.3	29.7				37.1		7.4	7.4		148.3	22.3	81.6
	1904	1,355.1	95.2					29.3	22.0	44.0		212.4		58.6
	1905	1,331.3	57.9					14.5	14.5	7.2	7.2	123.0	21.7	79.6
Chippewa Falls, Wis.	1901	1,123.6	12.1	12.1			24.2		24.2	48.3		120.8	24.2	36.2
Cincinnati, Ohio.	1901	1,953.0	54.9	4.6	0.3	18.3	7.9	5.8	21.7	41.5		236.5	29.6	77.8
	1902	1,848.5	61.9	4.2	1.8	17.3	17.9	6.7	23.4	14.3		206.9	28.2	78.0
	1903	1,877.5	42.7	1.2	4.2	9.9	11.1	6.9	18.6	31.8		237.9	30.6	83.5
	1904	2,084.7	60.2	0.9	3.5	23.1	7.0	2.0	13.5	34.6		268.9	36.9	80.0
	1905	1,924.9	41.1	0.6	0.6	2.9	21.8	16.6	23.0	22.1	17.5	251.9	38.4	73.7
Cleveland, Ohio.	1901	1,520.9	34.9	1.8	5.1	4.1	10.2	2.8	43.8	15.8		108.1	14.0	59.4
	1902	1,583.0	35.5	0.7	57.8	4.5	10.2	9.2	52.6	4.5		117.4	11.7	54.3
	1903	1,662.9	115.0	0.7	5.5	2.9	4.3	13.0	48.4	7.7		131.6	12.5	62.2
	1904	1,537.9	49.6	1.2	1.4	12.2	0.9	2.3	33.4	5.2		143.8	12.7	61.1
	1905	1,468.5	14.9	1.1		2.3	11.4	7.5	25.2	6.6	7.1	127.7	12.8	64.3
Clinton town, Mass.	1901	1,645.1	29.5	7.4		7.4			22.1	14.8		132.8		36.9
	1902	1,696.0	22.3	14.9		22.3		7.4	22.3			133.9	22.3	44.6
	1903	1,642.8	22.5	7.5		7.5			30.0	15.0		112.5	15.0	45.0
	1904	1,339.1	30.3						15.1			45.4	7.6	37.8
	1905	1,640.6	45.8	7.6		15.3		15.3	15.3	7.6	22.0	114.5	38.2	152.6
Cohoes, N. Y.	1901	1,963.2	66.8			4.2	4.2	4.2	33.4	20.9		275.7	12.5	45.9
	1902	1,896.4	125.2			4.2	4.2	50.1	12.5	8.3		191.9	12.5	54.2
	1903	1,941.6	95.8	4.2				33.3	8.3	16.7		230.8	20.9	87.5
	1904	1,905.8	104.6					20.8	4.2	29.1	25.0	241.3	45.8	87.4
	1905	2,152.7	54.0			91.4	8.3	4.2	29.1	33.2	8.3	174.5	20.8	66.5
Columbia, Pa.	1901	1,737.7	80.1						56.1	8.0		128.1	24.0	56.1
	1902	1,524.5	79.0		15.8			15.8				79.0	7.9	15.8
	1903	1,371.6	54.5					46.8	7.8			116.9	15.6	39.0
	1904	1,452.7	122.3			22.9						91.8		61.2
	1905	1,162.2	45.3					7.5			7.5	75.5		30.2
Columbus, Ind.	1901	1,692.7	36.3			108.8			24.2	36.3		205.5	36.3	24.2
	1902	1,545.4	23.8	11.9				11.9	59.4	11.9		178.3	35.7	84.2
	1903	1,465.0	35.1			11.7		23.4	46.8	93.5		233.8	11.7	23.4
	1904	1,713.8	103.5			34.5		11.5	46.0	34.5		287.6	34.5	46.0
	1905	1,482.7	45.3					22.6	34.0	34.0	22.6	271.6	11.3	67.9

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

81

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.																
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
3.9	6.5	60.7	211.8	170.5	142.1	78.8	96.9	90.4	121.4	81.4	5.2	122.7	87.8	105.9		
7.6	44.4	95.2	172.4	153.3	153.3	92.5	78.6	91.2	131.8	106.5	5.1	119.1	59.6	101.4		
1.2	39.8	195.3	160.5	109.5	109.5	65.9	90.8	73.4	109.5	103.2	6.2	103.2	78.4	99.5		
7.3	40.3	166.1	184.4	161.9	161.9	92.8	136.8	94.0	162.4	92.8	6.1	109.9	56.2	122.1		
4.8	6.0	44.4	159.5	155.9	129.6	79.2	110.4	67.2	158.3	91.2	4.8	115.2	57.6	91.2	1.2	
3.2	6.4	19.3	173.5	93.2	118.9	35.3	41.8	80.3	32.1	16.1	3.2	86.8	83.6	106.1	3.2	
15.9	25.4	167.9	107.1	88.7	47.6	50.7	72.9	50.7	50.7	50.7	15.9	85.6	95.1	82.4	3.2	
12.5	21.9	134.3	131.2	155.6	45.6	37.5	46.9	56.2	37.5	71.9	9.4	75.0	37.5	106.2	6.2	
6.2	15.4	27.7	124.3	98.6	98.6	53.5	24.6	77.0	40.0	52.4	9.2	70.9	64.7	104.7	12.3	
2.6	7.9	34.3	116.1	118.7	89.7	42.2	71.2	95.0	34.3	60.7	13.2	81.8	21.1	110.8	10.6	
7.3	50.8	181.5	145.2	159.6	159.6	137.9	101.6	108.9	79.8	58.0	7.3	145.2	87.1	108.9	7.3	
7.1	78.5	228.4	171.2	171.2	171.2	164.1	128.4	78.5	78.5	42.8	7.1	128.4	57.1	149.8		
35.1	35.1	91.2	154.4	105.2	126.3	70.1	98.2	63.1	70.1	70.1		182.4	77.2	154.3		
6.9	41.4	41.4	193.1	144.8	200.0	89.7	110.4	124.2	89.7	68.0		227.6	48.3	89.7		
33.9	67.9	155.1	168.7	156.1	156.1	156.1	160.7	142.5	20.4	27.1	6.8	190.0	74.6	122.1	20.4	
10.2	10.2	40.7	203.5	162.8	101.8	111.9	111.9	122.1	50.9	91.6		50.9	81.4	223.9	10.2	
.....			219.4	139.6	39.9	79.8	99.7	119.7	19.9	39.8		39.9	39.9	129.6	10.0	
.....			39.1	251.2	205.3	68.4	78.2	97.8	29.3	97.8		88.0	88.0	136.9	29.3	
.....			19.2	210.9	153.4	143.8	76.7	95.9	57.5	76.7		38.3	95.9	229.5	9.6	
.....			18.8	159.9	251.0	56.4	75.3	84.7	131.7	37.6	28.2	47.0	75.3	75.3	9.4	
.....			10.9	81.4	119.4	86.9	92.3	92.3	54.3	86.9	16.3	38.0	10.9	124.9	5.4	
.....			80.3	107.1	117.8	112.4	134.2	240.9	85.7	82.6	5.4	33.5	21.4	117.8		
.....			5.3	31.7	121.5	126.8	184.9	206.0	322.2	105.6	15.8	52.8	10.6	105.6		
.....			5.2	40.9	145.9	78.2	125.1	135.5	99.0	93.8		67.7	10.4	125.1		
.....			5.1	66.9	123.4	92.6	185.1	205.7	92.6	92.6		66.9	39.9	77.1	5.1	
3.6		26.8	379.3	182.5	173.6	93.0	322.1	146.7	373.9	173.6	1.8	87.7	153.9	297.0		
8.9	8.9	30.4	368.0	210.8	198.3	76.8	380.5	151.8	339.4	157.2	8.9	110.8	130.4	250.1	1.8	
5.3	1.8	17.8	344.3	160.5	126.6	82.1	305.0	123.1	347.8	94.5	5.3	83.8	110.6	337.8	1.8	
3.6	1.8	23.1	333.1	308.1	124.7	78.4	377.6	140.4	333.6	103.3	1.8	96.2	119.3	340.2	5.3	
16.0		14.2	325.4	227.6	108.5	128.0	391.2	94.3	321.0	113.5	3.6	94.3	108.5	279.2		
5.8	8.6	57.6	216.0	236.2	86.4	80.7	115.2	74.9	89.3	80.7	5.8	63.4	43.2	152.7	2.9	
5.7	8.5	33.9	229.1	201.3	141.2	104.6	124.4	113.1	87.7	118.8	11.3	45.3	90.5	135.8		
2.8	16.7	22.2	188.9	227.8	91.7	75.0	105.6	77.8	133.3	127.8	8.3	69.4	36.1	197.2		
.....			46.4	251.1	229.2	120.1	92.8	133.7	150.1	68.2	16.4	87.3	19.1	122.8		
5.4	10.7	45.6	222.6	238.7	120.7	88.5	152.9	83.1	163.6	77.8	8.0	96.5	53.6	131.4		
0.8	8.2	31.5	110.1	121.9	139.2	85.3	125.1	76.6	71.6	44.1	22.5	82.7	14.6	117.5	0.3	
0.5	8.4	32.8	107.2	124.5	143.8	108.2	120.5	81.2	85.4	37.4	24.1	85.0	14.7	116.3	0.5	
0.6	9.2	30.3	108.8	136.2	180.4	105.0	119.2	76.2	99.2	40.9	25.0	116.4	11.9	109.8	0.3	
0.7	10.0	24.2	98.2	127.2	154.7	90.3	111.5	75.3	99.9	51.4	21.1	88.8	9.4	98.5	0.6	
0.6	11.2	23.4	90.0	122.6	123.5	93.0	128.9	74.0	111.4	47.3	21.8	93.9	9.8	83.4	0.1	
.....			103.2	175.5	160.0	129.1	82.6	119.7	46.5	92.9	206.5		77.4	41.3	118.7	
.....			5.1	127.7	158.4	117.5	112.4	275.8	56.2	97.1	5.1	71.5	143.0	133.2		
.....			20.2	80.9	136.5	111.2	156.7	217.4	70.8	171.9		121.3	70.8	136.5		
.....			10.0	145.1	175.1	90.1	200.1	65.0	80.1	115.1	5.0	110.1	20.0	110.1		
.....			14.9	59.4	193.2	109.0	123.8	94.1	237.7	69.3	5.0	113.9	59.4	79.2		
7.6		38.0	175.0	159.8	106.5	76.1	114.1	76.1	38.0	22.8	15.2	121.7	114.1	266.3		
.....		32.6	157.7	195.3	105.2	60.1	60.1	45.1	60.1	52.6	30.0	75.1	105.2	285.4	7.5	
.....		44.5	133.5	237.3	74.2	51.9	51.9	89.0	37.1	66.8	14.8	103.8	103.8	170.6		
14.6		29.3	73.2	102.5	65.9	44.0	73.2	73.2	44.0	80.6	22.0	36.2	36.2	137.5		
.....		43.4	151.9	137.5	79.6	43.4	28.9	115.8	43.4	137.5	14.5	36.2	36.2	137.5		
12.1		12.1	132.9	60.4	60.4	72.5	12.1	60.4	36.2	36.2		96.7	24.2	193.3	12.1	
0.9	9.8	58.0	166.6	168.7	131.5	152.2	106.5	114.1	122.0	76.0	24.4	117.2	31.7	173.6	0.9	
1.8	6.7	54.0	142.0	178.1	118.9	131.7	110.5	119.2	117.4	75.3	21.2	97.1	25.5	145.6		
1.8	9.0	44.2	166.7	164.9	120.2	143.3	104.2	108.1	121.1	70.9	24.3	115.3	41.1	161.0		
2.3	10.3	50.4	162.3	188.3	164.0	156.1	135.6	113.6	131.8	73.8	25.5	104.8	39.0	176.0	0.3	
1.5	11.4	43.1	165.7	184.7	128.4	147.1	104.0	107.2	122.9	67.0	26.2	116.5	37.6	151.2	0.3	
1.8	5.9	39.2	163.9	128.4	128.9	84.1	101.4	93.0	67.0	110.6	13.8	83.6	63.7	131.8	0.8	
2.7	5.2	39.7	157.1	134.0	137.5	104.7	118.3	82.1	66.5	91.3	15.4	97.3	54.3	118.0	0.5	
2.2	7.2	32.3	157.1	137.4	130.1	92.1	127.0	83.4	79.3	116.7	17.4	99.1	54.7	121.9	1.0	
1.2	7.3	30.1	151.5	139.3	129.7	83.6	136.3	79.9	78.2	96.8	17.1	86.5	40.4	131.6	1.6	
1.8	8.2	32.5	131.5	148.5	111.6	92.0	137.0	85.1	82.8	75.7	22.9	94.5	35.9	124.5		
.....		29.5	110.7	206.6	95.9	66.4	118.0	118.0	66.4	118.0	22.4	81.2	147.5	206.6	7.4	
.....		52.1	267.8	178.5	141.3	81.8	89.3	59.5	66.9	163.7	7.4	66.9	59.5	156.2		
.....		30.0	150.0	127.5	240.0	100.0	157.5	82.5	37.5	112.5	15.0	135.0	45.0	202.5	7.5	
.....		15.1	105.9	136.2	181.6	75.7	136.2	113.5	60.5	75.7	22.7	83.2	37.8	136.2	7.6	
.....		22.9	114.5	160.2	91.6	76.3	183.1	76.3	68.7	122.1		83.9	22.9	183.1		
16.7		108.6	158.7	146.2	217.2	121.1	150.4	104.4	83.5	96.1	4.2	100.3	41.8	142.0	4.2	
8.3		66.8	154.1	125.2	120.2	112.6	108.5	79.3	79.3	112.5	12.5	108.5	62.6	137.7		
.....		79.2	162.5	104.2	145.8	141.7	158.3	104.2	58.4	108.4	4.2	104.2	83.4	145.8		
.....		58.3	183.1	83.2	112.4	116.5	116.5	124.8	108.2	104.0	8.3	137.3	87.4	104.0		
12.5		91.4	195.3	199.5	120.5	166.2	211.9	91.4	116.4	103.9	16.6	149.6	91.4	95.6		
.....		32.0	264.2	136.1	132.1	21.0	88.1	64.1	56.1	72.1		104.1	104.1	201.3		
.....		31.6	158.0	158.0	102.7	63.2	63.2	94.7	39.5	55.3	15.8	165.9	165.9	213.2		
.....		39.0	302.6	140.3	77.9	54.5	77.9	62.4	54.5	54.5	7.8	140.3	23.4	124.7		
.....		7.6	191.2	183.5	76.5	68.8	130.0	38.2	114.7	107.0		107.0	38.2	91.8		
.....		7.5	135.8	98.1	83.0	113.2	75.5	52.8	67.9	37.7	15.1	128.3	22.6	128.3		
.....		60.5	205.5	96.7	145.1	108.8	108.8	60.5	72.5	72.5	12.1	72.5	36.3	169.3		
.....		59.4	118.9	178.3	83.2	47.5	83.2	107.0	47.5	71.3		47.5	35.7	202.2	11.9	
.....		46.8	140.3	70.1	116.9	81.8	58.4	46.8		46.8	11.7	105.2	23.4	140.3		
.....		57.5	92.0	80.5	126.5	46.9	92.0	46.0	34.5	92.0	11.5	149.6	34.5	230.1		
.....																

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Columbus, Ohio.....	1901	1,434.8	48.1	5.4			14.7	3.9	7.0	24.1		206.4	19.4	51.2
	1902	1,588.8	37.1		0.8	10.6	6.8	12.1	9.1	12.1		196.0	5.3	65.1
	1903	1,688.0	37.6	1.5	36.9	11.8	12.5	18.5	5.2	10.3		217.0	11.1	67.2
	1904	1,687.9	147.7	2.9		7.9	10.1	1.5	17.3	13.0		214.0	43.2	72.8
	1905	1,565.0	85.1		1.4		2.1	9.9	24.6	15.5	11.3	199.1	31.7	73.2
Concord, N. H.....	1901	1,397.3	10.1		5.0			5.0	35.2	35.2		140.7	25.1	45.2
	1902	1,741.2	14.9					5.0	9.9	29.8		138.0	9.9	74.4
	1903	1,772.7	19.6			39.2		14.7	19.6	24.5		122.4	19.6	73.4
	1904	1,822.7	9.7					4.8	19.3	33.8		110.2	9.7	91.9
	1905	1,775.0	9.5			9.5			4.8	33.4	28.6	176.6	28.6	119.3
Corning, N. Y.....	1901	1,551.7	34.7			17.3	8.7		8.7	60.7		208.0	26.0	52.0
	1902	1,173.9	16.7				8.3		41.6	16.7		116.6	16.7	33.3
	1903	1,377.5	48.1			16.0		16.0	8.0			80.1	24.0	80.1
	1904	1,566.1	54.0				7.7	7.7	77.1	23.1		108.0	15.4	92.6
	1905	1,592.5	20.8				7.4	14.9	52.1	7.4	7.4	96.7	14.9	67.0
Cortland, N. Y.....	1901	1,465.2	117.6			85.6						32.1	42.8	61.2
	1902	960.1	10.3						10.3		53.5	10.3		
	1903	1,444.6	38.0			9.5				19.0		92.9	31.0	41.3
	1904	1,326.2	9.2			18.4				27.6		85.5	28.5	123.6
	1905	991.6	26.8				8.9			8.9	35.7	101.3	18.1	92.1
Corvington, Ky.....	1901	2,195.7	27.6	9.2		85.1	16.1	25.3	62.1	46.0		266.7	23.0	50.6
	1902	1,786.5	36.3			11.4	18.2	9.1	36.3	15.9		236.1	22.7	68.1
	1903	1,514.8	35.7		2.2	15.6	13.4	6.7	17.9	40.2		198.9	22.3	61.8
	1904	1,804.6	39.7			35.3	6.6	35.3	21.3	44.1		233.9	30.9	61.8
	1905	1,756.9	45.8			19.6		4.4	21.8	30.5	13.1	226.7	15.3	48.0
Danbury town, Conn.....	1901	1,535.4	25.7	5.1		10.3	10.3		61.6	61.6		246.5	15.4	35.9
	1902	1,730.5	15.4	20.6		5.1	25.7	30.8	66.8	15.4		161.3	15.4	77.0
	1903	1,740.8	46.2	5.1			10.3		30.8	29.6		195.1	15.1	97.6
	1904	1,555.9	5.1	10.3		10.3		10.3	25.7	46.2		143.8	51.3	92.4
	1905	1,730.5	25.7	10.3				10.3	71.0	15.4	20.5	179.7	10.3	102.7
Danvers town, Mass.....	1901	2,579.2		46.3		23.1			11.6	34.7		277.0	11.6	92.5
	1902	2,274.3	22.9	11.4								240.0		114.3
	1903	2,710.6	11.3							11.3		271.1	33.9	135.5
	1904	3,181.5	33.5									245.6	44.7	100.5
	1905	2,846.7	44.1					22.1	66.2	11.0		386.2	22.1	110.3
Davenport, Iowa.....	1901	1,559.6	33.2		2.8	13.8	2.8		13.8	41.2		168.7	8.3	80.2
	1902	1,383.9	29.7		2.7		27.0	5.4	13.5	13.5		137.6	16.2	110.6
	1903	1,455.1	31.6	7.9		7.9	7.9	5.3	7.9	26.3		131.7	29.0	73.7
	1904	1,312.3	33.4			7.7	5.1		2.6	5.1		128.6	15.4	102.9
	1905	1,422.2	15.1			7.5		5.0	40.2	17.6	10.1	125.6	7.5	85.4
Dayton, Ohio.....	1901	1,612.6	34.2	2.3		4.6	4.6	5.7	28.5	31.9		191.5	37.6	72.9
	1902	1,453.1	44.1	7.8		22.2	4.4	17.7	21.1	5.5		177.5	36.6	68.8
	1903	1,377.3	23.7	1.1	6.5	2.9	1.1	7.6	10.8	14.0		178.0	19.4	78.7
	1904	1,460.1	27.3	2.1	24.2	6.3	4.2	7.4	6.3	11.6		182.9	37.8	81.1
	1905	1,443.8	22.4	3.1		10.2	4.1	11.2	15.3	11.2	5.1	182.0	36.6	77.3
Decatur, Ill.....	1901	1,439.3	42.8	9.5			23.8	33.2	4.7	38.0		152.0	4.7	28.5
	1902	1,511.5	14.0			9.3	51.2	9.3	46.6	9.3		149.0	23.3	79.2
	1903	1,286.1	18.4			36.7		9.2	45.9	23.0		110.2	18.4	59.7
	1904	1,461.8	40.8	9.0	4.5	4.5		22.6	4.5	13.6		172.0	22.6	90.6
	1905	1,192.9	20.5					12.3	12.3	32.8	8.2	110.7	12.3	53.3
Denver, Colo.....	1901	2,002.3	48.7	0.7	1.5	4.4	47.2	2.2	34.7	19.2		396.2	34.7	70.8
	1902	1,908.2	60.6	0.7		15.3	24.1	11.7	51.1	8.0		406.5	30.6	65.7
	1903	1,839.4	55.7	0.7		2.7	19.0	7.5	34.0	9.5		409.9	30.6	63.2
	1904	1,961.5	30.3			18.2	14.1	14.1	31.6	8.1		457.9	35.6	72.0
	1905	1,920.6	40.6	2.0		2.7	12.0	24.6	16.0	8.6	6.7	460.4	29.9	66.5
Detroit, Mich.....	1901	1,520.6	20.1	3.4	0.3	4.4	18.0	10.2	18.0	28.9		110.3	17.4	63.3
	1902	1,559.4	23.5	3.0	2.3	22.9	24.2	18.9	44.4	4.6		115.7	15.9	61.0
	1903	1,581.0	20.0	1.6	3.6	4.8	7.1	18.7	71.7	11.6		107.6	13.6	78.2
	1904	1,492.2	17.6	2.2	0.3	12.9	11.3	2.2	44.4	9.4		118.7	23.3	74.6
	1905	1,442.1	21.2	0.9	0.3	0.9	9.5	4.0	36.2	8.9	9.5	106.6	18.7	68.5
Dover, N. H.....	1901	1,758.6	37.7	15.1		22.7			37.7	67.9		173.6		98.1
	1902	1,504.8	7.5					7.5	22.6	7.5		112.9	7.5	67.7
	1903	1,537.5	22.5					22.5	7.5	15.0		142.5	30.0	45.0
	1904	1,801.9	22.4		7.5					15.0		239.3	37.4	82.2
	1905	1,960.2	44.7			22.4		44.7	7.5	44.7	7.5	156.5	22.4	96.9
Dubois, Pa.....	1901	1,629.2	20.6				10.3	30.9	20.6			82.5	10.3	10.3
	1902	1,606.6	59.9		39.9	29.9	29.9	10.0	20.0	20.0		49.9	10.0	69.8
	1903	1,459.8	38.7			19.3	9.7	29.0	19.3	19.3		38.7	19.3	38.7
	1904	1,425.0	65.6		18.7	28.1		46.9	65.6	18.7		65.6	9.4	37.5
	1905	1,137.1	27.3			18.2	36.4		18.2	18.2		36.4	9.1	18.2
Duluth, Minn.....	1901	1,325.8	74.1		1.8	5.4	3.6	3.6	56.0	12.6		108.4	41.5	50.6
	1902	1,305.5	53.7			13.9	19.0	13.9	53.7	6.9		133.3	26.0	38.1
	1903	1,439.7	61.8			16.6	24.9	13.3	48.2	18.6		129.7	26.6	51.5
	1904	1,157.5	54.4				14.4		12.8			147.1	20.8	65.6
	1905	1,285.8	44.7				1.5	3.1	18.5	7.7	4.6	106.2	29.3	57.0
Dunkirk, N. Y.....	1901	1,256.9	21.3			16.2			8.1			32.4	24.3	61.9
	1902	1,640.1	76.6			40.0			84.3	38.3		84.3		38.3
	1903	1,721.9	50.9				91.4	43.6	29.1	29.1		101.7		72.7
	1904	1,885.4	41.4			6.9	269.3	6.9	27.6	31.5		89.8	13.8	55.2
	1905	1,487.1	46.1						20.3	85.5	13.2	92.1	13.2	72.4

¹ Shown for 1905 only

SUMMARY AND RATE TABLES.

83

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.																
Tumor.	Diabetes.	Measles.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause known.	
0.8	3.9	38.0	169.9	112.5	97.8	45.0	55.1	87.7	61.3	31.8	14.0	82.3	80.7	158.3	15.5	
3.8	9.8	49.2	211.8	139.2	118.0	45.4	67.3	99.9	64.3	39.3	15.9	91.6	106.7	155.8	6.8	
3.7	9.6	36.2	174.9	135.8	150.6	51.7	66.4	109.2	76.8	84.2	15.5	112.2	48.7	189.0	2.9	
1.5	10.1	34.6	168.1	175.8	118.9	61.9	80.7	94.4	51.1	37.5	10.8	116.7	29.6	153.5	4.3	
2.1	10.6	32.4	158.3	186.5	129.5	57.0	61.9	99.2	64.0	34.5	19.0	93.6	32.4	130.2		
.....	25.1	30.2	221.2	175.9	100.5	75.4	30.2	45.2	45.2	30.2	15.1	65.4	60.3	173.9	5.0	
.....	19.8	34.6	322.5	195.4	124.0	59.5	69.5	84.3	99.2	49.6	9.9	44.6	49.6	307.9		
4.9	34.3	49.0	288.9	215.5	78.3	88.1	58.8	53.9	73.4	39.2	24.5	117.5	34.3	251.4	14.7	
.....	38.7	29.0	290.1	217.6	120.9	106.4	72.5	96.7	96.7	38.7	24.2	101.5	48.3	236.2	4.8	
4.8	9.5	82.5	276.9	286.4	76.4	43.0	81.2	81.2	114.0	33.4	19.1	52.5	38.2	193.7		
.....		43.3	156.0	173.4	121.4	52.0	78.0	104.0	52.0	26.0	17.3	138.7	8.7	164.7		
.....	16.7	33.3	91.6	174.8	124.9	33.3	41.6	99.9	58.3	16.7		158.2	25.0	50.0		
.....	24.0	16.0	128.1	144.2	112.1	32.0	24.0	112.1	104.1	40.0	16.0	144.2	21.0	184.2		
.....	15.4	30.9	162.0	108.0	138.9	54.0	69.4	123.4	92.6	15.4	7.7	177.4	38.6	131.2	15.4	
7.4	22.3	37.2	171.2	148.8	111.6	44.6	81.9	126.5	96.7	89.3	22.3	148.8	29.8	145.8	7.4	
.....	21.4	32.1	160.4	139.0	74.9	64.2	74.9	61.2	53.5	107.0		42.8	53.5	181.8		
.....	28.5	19.0	123.6	144.5	31.0	51.6	31.0	51.6	113.6	31.0		61.9	31.0	123.9		
.....	27.6	119.7	119.7	184.2	101.5	61.5	36.8	82.9	110.5	55.3		85.5	9.5	180.6		
.....	17.9	17.9	116.1	125.1	53.6	26.8	53.6	35.7	71.5	53.6	8.9	53.6	17.9	107.2		
.....	2.3	92.0	158.6	163.2	179.3	96.6	101.2	112.7	179.3	52.9	25.3	119.6	66.7	229.7	4.6	
.....	4.5	52.2	179.3	152.1	133.9	69.9	79.5	106.7	172.5	61.3	15.9	59.6	74.9	133.9	6.8	
1.5	8.9	82.7	118.4	109.5	131.1	49.2	58.1	111.7	140.8	42.5	6.7	89.3	46.9	89.3	1.5	
2.2	8.8	68.4	131.6	158.9	198.6	68.1	61.0	83.9	132.3	59.6	13.2	79.4	70.6	187.6	2.2	
.....	4.4	76.3	146.0	174.4	152.6	56.7	87.2	102.4	141.7	74.1	17.4	93.7	69.8	135.1		
.....	20.6	41.1	151.0	190.0	71.9	46.2	123.3	46.2	107.8	71.9	10.3	61.6		118.1		
5.1		56.5	181.9	231.0	133.5	77.0	61.6	123.3	92.4	77.0	20.6	102.7	25.7	102.7		
.....	20.6	41.1	195.1	261.8	102.7	123.3	61.6	97.6	107.8	82.2	5.1	102.7	10.3	107.8		
.....	30.8	25.7	205.4	190.0	102.7	56.5	113.0	82.2	92.4	97.6	30.8	35.9		92.4	5.1	
.....	15.4	46.2	261.9	251.6	71.9	61.6	97.6	87.3	97.6	71.9	26.7	66.8	20.5	102.7	5.1	
.....		92.5	497.3	289.2	312.3	150.4	92.5	69.4	115.7	57.8	11.6	81.0	23.1	289.2		
.....	34.3	22.9	537.1	354.3	182.9	114.3	34.3	80.0	160.0	57.1		45.7	22.9	210.0		
.....	33.9	33.9	463.1	417.9	361.4	180.7	121.2	56.5	158.1	67.8	56.5	56.5	11.3	225.9		
.....	22.1	22.3	681.0	424.2	368.4	580.5	55.8	78.1	178.6	44.7	33.5	33.5	33.5	223.3		
.....		33.1	551.7	474.5	165.5	297.9	77.2	121.4	165.5	22.1	33.1	55.2		154.5	11.0	
.....		16.6	237.8	143.8	74.7	85.7	83.0	66.4	44.2	33.2	24.9	105.1	52.5	221.2		
.....	18.9	153.8	151.1	78.2	102.5	51.0	80.9	35.1	16.2	8.1	67.4	18.9	212.8			
.....	15.8	29.0	158.0	117.4	108.0	68.5	36.9	76.4	60.6	63.2	31.6	92.2	108.0	131.7		
.....	12.9	18.0	190.9	115.7	72.0	108.0	51.0	74.6	46.3	58.6	41.1	79.7	28.3	210.9	2.6	
2.5	17.6	15.1	140.7	188.5	85.4	60.3	42.7	123.1	35.2	57.8	20.1	118.1	22.6	178.4		
.....	1.1	10.2	39.9	145.9	93.5	76.3	80.9	75.2	86.6	63.0	4.6	102.6	23.9	216.5	1.1	
.....	8.9	43.2	136.4	110.9	78.8	68.8	61.3	86.5	66.6	74.3	4.4	93.2	36.6	142.0	2.2	
2.2	9.7	31.3	125.1	149.9	82.2	53.9	78.7	79.8	73.7	44.2	7.6	113.3	23.7	151.1		
.....	1.1	8.4	37.8	131.4	123.0	85.1	52.6	76.7	99.9	92.5	59.9	3.2	87.3	45.2	161.8	
1.0	13.2	38.6	138.3	146.4	87.4	40.8	77.3	87.4	78.3	67.1	27.5	81.3	39.7	135.2		
.....	4.7	19.0	4.7	190.0	104.5	109.2	66.5	85.5	52.3	99.8	61.8	19.0	99.8	42.8	142.5	
.....	4.7	18.6	135.1	107.1	97.8	41.9	102.5	97.8	116.4	107.1	23.3	97.8	60.5	135.0	4.7	
.....	4.6	9.2	142.4	114.8	59.7	64.3	45.9	91.9	68.9	55.1	13.8	105.6	32.2	142.4	4.6	
4.5	13.6	27.1	144.8	135.8	81.5	49.8	81.5	80.0	104.1	86.0	27.1	81.5	27.1	117.7		
.....	12.3	20.5	135.3	127.1	82.0	24.6	57.4	77.9	127.1	46.1	8.2	65.6	32.8	110.7	4.1	
.....	2.9	11.1	56.8	138.0	150.5	222.8	94.4	68.6	115.8	98.1	59.8	22.1	73.8	183.0		
0.7	13.9	30.6	114.6	161.3	161.3	63.5	77.3	124.8	102.2	68.6	25.5	84.6	19.7	186.8		
1.4	9.5	35.3	132.6	139.4	139.4	69.3	76.8	110.8	99.3	75.5	27.1	89.7	9.5	161.8	1.4	
0.7	12.8	26.9	115.0	102.7	214.5	83.4	52.4	121.0	114.3	58.5	33.6	93.5	10.8	179.5		
4.7	14.6	25.9	101.1	181.0	147.0	71.8	63.9	121.7	121.7	63.2	33.9	109.1	6.7	164.3		
.....	1.7	12.6	31.3	139.3	116.5	112.4	134.5	135.5	57.5	81.0	8.5	79.7	47.7	176.4	3.4	
.....	1.6	11.9	26.9	120.7	142.2	106.4	116.7	111.7	65.6	81.5	10.3	69.0	35.5	173.7	2.7	
.....	1.9	10.3	26.5	132.7	138.6	109.8	121.4	122.4	75.3	92.7	11.0	78.5	37.8	174.7	2.3	
.....	0.6	11.7	27.1	132.3	134.1	94.8	102.7	113.0	98.6	94.2	14.8	58.9	40.3	168.4	11.5	
0.6	11.1	28.0	130.2	133.3	82.9	105.7	105.0	76.5	76.5	102.3	11.4	60.8	47.0	164.3	2.2	
.....	22.7	30.2	226.5	188.7	98.1	45.3	196.2	60.4	83.0	7.5		98.1	60.4	166.0	22.7	
.....	15.0	15.0	210.7	263.4	143.0	22.6	112.9	75.2	103.3	15.0	7.5	7.5	7.5	60.2	52.7	
.....	7.5	30.0	135.0	420.0	165.0	30.0	37.5	82.5	97.5	52.5	7.5	52.5	7.5	165.0		
.....	7.5	29.9	261.7	276.6	89.7	67.3	89.7	59.8	112.2	52.3		74.8	59.8	209.3	7.5	
.....	29.8	52.2	156.5	320.5	96.9	52.2	223.6	44.7	186.3	44.7		104.3	74.5	119.3	7.5	
.....		20.6	154.7	113.4	154.7	72.2	165.0	131.1	20.6	103.1	10.3	185.6	123.7	131.1	51.6	
.....	10.0	20.0	159.7	78.8	69.8	169.7	49.9	97.9	20.0	174.6		139.7	69.8	179.6	29.9	
.....		29.0	145.0	49.3	67.7	183.7	87.0	87.0	73.3	125.7		153.7	58.0	125.7	9.7	
.....	9.4	9.4	65.6	56.3	121.9	131.3	84.4	84.4	56.3	93.7	9.4	112.5	75.0	140.6		
.....		18.2	54.6	118.3	45.5	81.9	18.2	18.2	72.8	118.3		118.3	72.8	182.0	9.1	
.....	3.6	5.4	56.0	63.2	61.4	88.5	54.2	70.4	56.0	47.0	12.6	146.3	27.1	126.4	1.8	
.....	5.2	27.7	72.7	84.8	79.6	60.6	105.6	65.8	65.8	54.7	19.0	136.8	12.1	154.1	3.5	
1.7	6.6	38.2	79.8	134.7	116.4	51.5	96.4	99.7	69.8	68.2	16.6	121.4	24.9	114.7	6.6	
.....	8.0	33.6	41.6	92.7	43.2	86.3	68.7	62.4	70.3	12.8		113.5	12.8	102.3		
.....																

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Eau Claire, Wis.....	1901 1,296.8	5.6		5.6	33.8		33.8	16.9	22.5		118.2	5.6	33.8
	1902 1,438.6	16.7	5.6				16.7	16.7			111.1	33.3	38.9
	1903 297.3	11.0	5.5		11.0	5.5	5.5	27.4			109.6	5.5	71.2
	1904 1,254.5	5.4				5.4		59.5			183.9	21.6	64.9
	1905 1,008.7	16.0						16.0		5.3	133.4	26.7	74.7
Elizabeth, N. J.....	1901 1,793.5	27.9	1.9		1.9	7.4	1.9	39.0	11.2		202.6	42.7	40.9
	1902 1,317.6	27.0		14.4	3.6	7.2	5.4	18.0			106.3	28.8	37.9
	1903 1,644.5	21.0			3.5	50.7	24.5	26.2	14.0		145.2	22.7	54.2
	1904 1,861.2	18.7		1.7	8.5	10.2		31.6	8.5		156.4	45.9	47.6
	1905 1,556.8	8.3			8.3	18.2	8.3	56.2	5.0	3.3	152.0	39.7	51.2
Elkhart, Ind.....	1901 1,218.7	32.1				6.4			32.1		134.7	6.4	77.0
	1902 1,145.7	56.3						6.3			137.7	6.3	75.1
	1903 1,277.9	55.0			6.1		12.2	6.1	12.2		140.6	30.6	67.3
	1904 1,338.4	47.8	6.0			6.0		11.9			173.3	11.9	65.7
	1905 1,250.1	52.6					23.4	17.5	17.5	11.7	128.5	35.1	70.1
Elmira, N. Y.....	1901 1,575.0	28.0			2.8	2.8	36.4	53.2	56.1		120.5	22.4	72.9
	1902 1,361.6	36.4		2.8			2.8	36.4	16.8		145.7	16.8	75.6
	1903 1,467.7	86.8	5.6		16.8		16.8	28.0	28.0		112.0	16.8	75.6
	1904 1,554.1	53.2				5.6		42.0	22.4		120.4	16.8	95.2
	1905 1,550.8	28.0	5.6					33.6	14.0	19.6	137.2	39.2	98.0
Elwood, Ind.....	1901 1,271.7	57.2	35.7		7.1	42.9	7.1	42.9	7.1		128.6	28.6	42.9
	1902 1,156.6	59.8	13.3		13.3		13.3				146.2	13.3	58.2
	1903 934.3	49.7	12.4		11.7			35.9	6.2		93.2	31.1	31.1
	1904 921.9	40.9	5.8					11.7	5.8		116.7	5.8	17.5
	1905 863.3	49.5			11.7		11.0	16.5	5.5	27.5	66.0	16.5	22.0
Erie, Pa.....	1901 1,549.8	16.7	1.9		63.1	5.6	40.8	18.5	1.9		113.1	18.5	53.8
	1902 1,501.9	25.4	1.8			3.6	1.8	34.4	7.3		116.0	23.6	50.8
	1903 1,328.9	33.7	3.5	7.1		3.5	24.8	40.8	3.5		124.2	10.7	39.0
	1904 1,514.6	48.6				1.7	3.5	62.5	19.1		114.6	12.2	93.8
	1905 1,578.7	17.0			18.7	3.4	32.3	51.0	13.6	13.6	107.2	23.8	76.6
Escanaba, Mich.....	1901 1,620.4	50.3			10.1	10.1		10.1			140.9	40.3	50.3
	1902 1,713.7	67.8		10.4		58.1		29.1			155.0	38.7	67.8
	1903 1,566.6	28.0	9.3			9.3	37.3	112.1			140.1	18.7	84.0
	1904 2,162.6	351.4					36.0	18.0			198.3	54.1	63.1
	1905 2,185.5	182.8			8.7				43.5	69.7	200.3	60.9	43.5
Evansville, Ind.....	1901 1,297.0	26.7	11.7				5.0	13.4	20.0		193.9	20.0	63.5
	1902 1,196.9	42.9	1.6			1.6	4.9	8.2	8.2		156.4	18.2	42.9
	1903 1,286.6	27.7	14.7	1.6		6.5		6.5	6.5		240.7	27.7	47.2
	1904 1,491.0	40.1	8.0	1.6	4.8	8.0	9.6	43.3	19.3		171.7	19.3	56.2
	1905 1,355.9	42.8	6.3	1.6		3.2	4.8	42.8	17.4	14.3	177.4	28.5	61.8
Everett, Mass.....	1901 1,522.3	7.9	4.0		11.9	4.0	7.9	51.4	39.5		193.7	7.9	75.1
	1902 1,435.1	26.7		26.7	3.8	3.8	10.1	22.9	15.2		163.8	15.2	102.9
	1903 1,180.1	7.4				7.4	22.1	22.1	7.4		182.3	11.0	73.5
	1904 1,232.4	10.7			3.6	3.6	3.6	24.9	21.2		163.4	17.8	63.9
	1905 1,387.8	24.0		3.4	3.4	3.4	3.4	58.4	30.9	13.7	161.5	44.7	106.5
Fall River, Mass.....	1901 1,884.0	25.7	1.9	1.0	1.9	1.9		23.8	9.5		154.2	10.5	69.5
	1902 2,096.5	11.4	1.0	1.9	21.9	35.2	22.8	47.5	7.6		173.9	12.4	51.3
	1903 2,222.0	22.8		0.9	12.3	18.0	12.8	40.8	16.1		184.1	19.0	66.4
	1904 1,664.3	18.9	0.9		6.6	3.8	1.9	27.5	10.4		212.2	11.4	63.5
	1905 1,994.1	11.3	1.9		31.2		24.6	26.5	15.1	12.3	147.5	22.7	69.0
Findlay, Ohio.....	1901 1,198.0	34.1	11.4	11.4	28.4		5.7	39.7	5.7		141.9	22.7	39.7
	1902 1,124.2	34.1							11.4		147.6	11.4	79.5
	1903 1,180.9	34.1		5.7				11.4	5.7		102.2	5.7	51.1
	1904 1,413.7	48.4	11.4		11.4	5.7		17.0			153.3	22.7	39.7
	1905 1,277.5	39.7				17.0	5.7	22.7	11.4	22.7	215.7	17.0	90.8
Fitchburg, Mass.....	1901 1,495.5	22.0	3.1	6.3			9.4	40.8	12.6		122.5	6.3	84.8
	1902 1,410.0	12.5	6.2		24.9	9.3		31.1	3.1		108.9	12.5	68.5
	1903 1,412.5	3.1			24.7		80.2	21.6	3.1		123.4	27.8	74.0
	1904 1,292.7	9.2	3.1	3.1			12.2	3.1	3.1		107.0	12.2	76.4
	1905 1,365.8	12.1			9.1		6.1	15.1	9.1	9.1	87.8	15.1	48.5
Flint, Mich.....	1901 1,400.9	36.1	7.2	7.2		7.2	7.2	21.7	43.3		108.3		36.1
	1902 1,399.9	49.3				7.0	28.2	21.1	14.1		126.8	14.1	84.5
	1903 1,457.6	68.8				13.8	6.9	27.5	20.6		61.9	27.5	61.9
	1904 1,307.4	20.2		6.7			26.9				60.5	13.4	80.6
	1905 1,503.7	19.7					6.6	13.1		6.6	105.1	6.6	91.9
Fort Wayne, Ind.....	1901 1,442.9	36.9		2.2	4.3	15.2	4.3	21.5	17.4		160.0	15.2	62.9
	1902 1,351.5	27.6	6.4			6.4	6.4	36.1	4.2		153.0	27.6	80.8
	1903 1,553.2	39.6		4.5	2.1	10.4	4.2	18.7	22.9		170.7	26.2	77.0
	1904 1,391.8	30.6	8.2		2.0		2.0	12.2	8.2		142.9	26.2	59.2
	1905 1,366.7	16.0	2.0	2.0		2.0	2.0	8.0	8.0	4.0	136.1	20.0	82.0
Framingham town, Mass.....	1901 1,435.5							8.8	35.2		132.1	17.6	79.3
	1902 1,386.0	35.1	8.8				8.8	43.9	43.9		87.7		70.2
	1903 1,467.4	8.7	17.5				52.4	26.2	17.5		96.1	26.2	122.3
	1904 1,328.8	8.7					8.7		26.1		121.8	17.4	95.7
	1905 1,731.9	26.0						17.3	8.7	8.7	69.5	26.0	69.3
Frederick, Md.....	1901 2,222.0	31.9	10.6				21.3	31.9	42.5		212.6	53.2	95.7
	1902 2,438.0	43.0	10.5			21.0	75.6	84.1			378.3	31.5	73.6
	1903 2,368.6	31.2			62.3		10.4	72.7	31.2		280.5	31.2	93.5
	1904 1,931.0	61.6							61.6		287.6		71.9
	1905 2,051.6	10.2				20.3	30.5	10.2			193.0		132.0

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

85

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
5.6	16.9	5.6	33.8	39.4	90.1	50.7	50.7	39.4	5.6	22.5	5.6	33.8	39.4	129.5	422.3
11.1	11.1	22.2	111.1	72.2	94.4	11.1	22.2	72.2	11.1	22.2	22.2	33.3	33.3	111.1	177.7
10.8	16.2	5.5	76.7	60.3	104.1	43.8	11.0	109.6	32.9	27.4	54.8	71.2	104.1	32.9	5.4
5.3	32.0	10.7	106.7	69.4	53.4	42.7	42.7	69.4	48.0	37.4	10.7	21.3	58.7	128.1	
.....	13.0	33.5	165.4	189.6	139.4	115.2	189.6	61.3	100.4	89.2	11.2	139.4	57.6	107.8	3.7
.....	1.8	30.6	165.8	135.2	113.6	144.2	156.8	88.3	75.7	84.7	14.4	113.6	55.9	88.3	
.....	8.7	31.5	147.0	147.0	143.2	134.7	124.2	84.0	85.7	94.5	7.0	113.7	59.5	99.7	
3.4	22.1	30.6	158.0	158.0	108.9	107.1	221.0	76.3	103.7	93.5	15.3	139.4	51.0	163.4	3.4
.....	14.9	29.7	99.2	148.7	130.6	96.2	140.5	72.7	117.3	72.7	8.3	130.6	57.8	84.3	
12.8	6.4	19.2	134.7	133.9	57.7	51.3	44.9	89.8	64.1	32.1	12.8	57.7	44.9	134.7	12.8
6.1	12.5	25.0	125.2	106.4	62.6	62.6	12.5	100.2	56.3	68.9	12.5	37.6	50.1	119.0	6.1
.....	12.2	12.2	116.2	195.7	91.7	91.7	73.4	55.0	61.1	61.1	6.1	55.0	48.9	128.4	
.....	17.9	17.9	137.4	179.2	53.8	59.7	41.8	95.6	71.7	47.8	6.0	125.5	29.9	125.5	6.0
.....	23.4	5.8	192.8	157.7	58.4	52.6	46.7	35.0	29.2	70.1	29.2	75.9	23.4	93.5	
5.6	19.6	33.6	140.1	140.1	154.1	64.5	58.9	100.9	109.3	84.1	5.6	112.1	8.4	142.9	
2.8	2.8	36.4	148.5	98.1	89.7	67.2	78.4	78.4	137.3	64.4	11.2	98.1	33.6	81.3	
2.8	2.8	14.0	117.6	182.1	78.4	75.6	67.2	81.2	151.3	53.2	2.8	78.4	28.0	154.1	
5.6	14.0	19.6	165.2	198.8	100.8	86.8	78.4	84.0	151.2	39.2	11.2	120.4	11.2	112.0	
.....	16.8	25.2	140.0	201.5	117.6	56.0	61.6	70.0	145.6	44.8	33.6	112.0	14.0	137.2	
.....	7.1	35.7	142.9	64.3	42.9	42.9	135.8	71.4	21.4	78.6	14.3	50.0	71.4	92.9	
.....	6.6	19.9	66.5	53.2	73.1	66.5	133.0	26.6	26.6	113.0		59.8	30.9	159.5	
.....	24.9	99.4	43.5	49.7	43.5	43.5	87.0	62.2	37.3	55.9		49.7	31.1	130.5	
5.8	5.8	11.7	75.9	38.5	70.0	46.7	110.9	81.7	23.3	46.7	5.8	52.5	35.0	105.0	
.....	11.0	22.0	71.5	38.5	60.5	49.5	88.0	60.5	16.5	82.5	11.0	49.5	38.5	44.0	5.8
.....	9.3	11.1	178.0	153.9	115.0	87.1	109.4	113.1	68.2	64.9	14.8	81.6	42.7	166.8	
.....	14.5	32.6	179.5	145.1	97.9	50.8	110.6	125.1	76.2	97.9	1.8	119.7	25.4	161.3	1.8
1.8	10.7	30.2	150.8	143.7	88.7	37.3	102.9	94.1	63.9	74.5	3.5	78.1	30.2	127.7	
1.7	17.4	26.1	130.3	133.7	90.3	74.7	97.3	118.1	111.2	96.3	12.2	88.6	15.6	145.9	1.7
5.1	8.5	23.8	131.0	173.5	103.8	57.8	120.8	136.1	90.2	83.4	5.1	131.0	15.3	136.1	
.....		40.3	181.2	50.3	50.3	140.9	140.9	70.4	50.3	60.4		231.5	50.3	191.2	50.3
.....	9.7	58.1	126.0	126.0	77.5	116.2	174.4	48.4	58.1	96.9		133.0	67.8	145.3	48.4
.....		28.0	93.4	102.7	65.4	121.4	140.1	93.4	28.0	102.7	9.3	158.7	37.3	140.1	37.3
.....	17.4	34.8	87.1	108.1	81.1	162.2	225.3	108.1	54.1	81.1	9.0	135.2	45.1	108.2	36.0
.....		1.7	13.4	122.0	86.9	100.3	71.9	98.6	60.2	68.5	13.4	75.2	30.1	165.3	1.7
.....	4.9	13.2	118.7	80.8	74.2	61.0	67.6	87.4	80.8	115.4	16.5	54.4	26.4	90.7	
1.6	1.6	8.2	117.2	139.9	94.7	74.9	102.5	88.0	96.7	71.1	17.9	60.2	21.2	73.2	1.6
1.6	9.6	36.9	210.2	134.8	83.5	88.3	88.3	94.7	88.3	70.6	20.9	53.0	24.1	101.1	3.2
1.6	12.7	33.3	103.0	131.5	61.8	69.7	82.4	99.8	50.7	103.0	19.0	60.2	36.4	90.3	
.....	4.0	75.1	138.4	150.3	87.0	79.1	79.1	94.9	55.4	102.8	7.9	59.3	63.3	118.6	4.0
.....	3.8	61.0	118.1	163.8	87.6	80.0	91.4	53.3	83.8	72.4	11.4	61.0	83.8	91.4	
.....	7.4	36.8	128.7	132.3	77.2	66.2	77.2	58.8	44.1	91.9	7.4	40.4	35.7	102.9	
7.1	14.2	28.4	120.8	152.7	117.2	53.3	74.6	67.5	49.7	49.7	10.7	60.4	42.4	92.4	
.....	17.2	30.9	127.1	140.8	106.5	65.3	61.8	61.8	58.4	83.9		41.2	34.4	103.1	
1.9	6.7	59.0	158.0	128.5	101.9	121.9	306.5	84.7	100.9	200.9	4.8	49.5	131.4	123.7	1.9
1.9	14.3	60.8	156.8	113.1	143.5	217.6	314.6	70.0	77.9	231.9	8.6	52.3	123.5	114.0	2.9
0.9	16.1	57.9	171.7	138.5	190.7	194.5	334.0	83.5	91.1	241.0	10.4	68.3	105.3	122.4	2.8
0.9	12.3	47.4	186.6	117.4	134.5	156.3	301.2	78.6	87.1	240.6	2.8	53.0	57.8	126.9	3.8
0.9	13.2	49.2	149.4	153.2	183.4	157.0	352.7	70.9	92.7	179.6	2.8	54.8	65.2	106.8	
11.4	17.0	34.1	153.3	136.3	39.7	17.0	56.8	79.5	39.7	17.0	17.0	85.2	28.4	124.0	
.....	11.4	22.7	136.3	119.2	45.4	59.8	79.5	45.4	51.1	34.1	22.7	85.2	28.4	96.5	5.7
.....	17.0	113.6	136.3	96.5	28.4	68.1	90.8	96.5	96.5	45.4	11.4	85.2	62.5	107.9	5.7
5.7	17.0	34.1	181.7	164.7	56.8	68.1	102.2	85.2	34.1	73.8	28.4	96.5	17.0	141.9	
.....	11.4	17.0	187.4	124.9	39.7	45.4	45.4	51.1	56.8	51.1	11.4	96.5	17.0	79.5	
6.3	9.4	31.4	97.4	194.8	103.7	66.0	125.7	44.0	31.4	169.7	6.3	78.5	59.7	163.4	
.....	9.3	40.5	84.0	193.0	115.2	87.2	108.9	46.8	31.1	174.3		59.1	62.3	115.2	3.1
.....	18.5	55.5	101.8	183.0	80.2	114.1	83.3	61.7	21.6	117.2	9.3	80.2	55.5	70.9	
.....	15.3	12.2	107.0	186.4	79.5	91.7	113.1	79.5	36.6	103.9	12.2	91.7	42.8	97.8	
.....	18.1	45.4	133.2	242.3	75.7	72.7	124.2	51.5	27.3	121.1	24.2	87.8	27.3	103.0	
11.1	7.0	36.1	151.6	79.4	166.1	86.7	36.1	144.4	28.9	65.0	14.4	115.5	28.9	158.9	14.4
.....	41.3	13.8	116.9	192.6	68.8	103.2	61.9	116.9	38.3	35.2	7.0	91.6	42.3	169.1	21.1
6.7	26.9	20.2	120.6	147.8	127.7	47.0	73.9	67.2	40.3	67.2	20.2	60.5	26.9	221.7	6.7
.....	19.7	39.4	144.5	137.9	118.2	91.9	65.7	111.6	91.9	78.8	13.1	46.0	78.8	203.6	13.1
4.3	15.2	19.5	177.9	78.1	86.8	108.5	60.8	80.3	91.2	58.6	2.2	108.5	67.3	141.0	2.2
.....	17.0	10.6	133.9	82.9	68.0	93.5	72.2	80.3	70.1	93.6	17.0	65.9	44.6	124.4	
.....	20.8	29.2	181.1	114.5	75.0	99.9	64.5	139.5	112.4	60.4	22.9	112.4	31.2	168.3	2.1
4.1	20.4	24.5	183.7	102.0	110.2	85.9	69.4	102.0	91.8	67.4	12.2	93.9	24.5	168.3	6.1
6.0	14.0	18.0	166.1	98.0	72.0	94.0	56.0	120.1	122.1	58.0	18.0	106.1	30.0	116.1	
.....	8.8	17.6	193.8	141.0	141.0	88.1	70.5	96.9	96.9	105.7	8.8	52.9	17.6	141.0	
.....	26.3	26.3	210.5	210.5	70.2	43.9	61.4	52.6	32.6	17.5	17.5	87.7	26.3	201.8	8.8
.....	26.2	131.0	174.7	192.2	61.1	43.7	69.9	61.1	61.1	61.1		69.9	52.4	157.2	
.....	17.4	17.4	191.3	165.2	85.7	17.4	34.8	87.0	43.5	43.5	8.7	139.2	8.7	234.8	
.....	26.0	17.3	251.1	329.1	103.9	26.0	43.3	95.3	103.9	112.6	26.0	147.2	17.3	173.2	
.....	10.6	276.4	233.9	148.8	74.4	127.6	74.4	74.4	93.7	85.1	10.6	159.5	223.3	191.4	10.6
.....	31.5	10.5	267.8	267.7	84.1	157.6	73.6	115.6	147.1	52.6		63.0	84.1	241.7	10.5
.....	20.8	374.0	270.1	176.6	114.3	83.1	135.0	135.0	93.5	114.3		114.3	41.5	218.1	
.....	10.3	30.8	215.7	174.6	30.8	51.4	51.4	113.0	174.6	133.5	10.3	113.0	30.8	297.8	10.3
.....	30.5	10.2	304.7	182.8	60.9	81.3	152.3	142.2	152.3	81.3		81.3	193.0	182.8	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Fresno, Cal.	1901	2,034.0	182.0	15.8		15.8			47.5	15.8		324.5	23.8	47.5
	1902	1,812.5	117.2	39.1		7.2	7.8		70.3			218.8	31.2	46.9
	1903	2,136.5	123.4	30.9	7.7	7.7	38.6		23.1	23.1		231.4	15.4	108.0
	1904	1,911.7	60.9	22.8		38.1		45.7		15.2		243.7	7.6	38.1
	1905	2,091.0	82.7				15.0	75.2	45.1	22.6	22.6	240.7	45.1	60.2
Gardner town, Mass.	1901	1,447.7	54.3						9.0	81.4		135.7	27.2	51.3
	1902	1,390.4	26.6			17.7			17.7	44.3		132.8		44.3
	1903	1,708.3	8.7			8.7		43.4	32.0	52.0		112.7	8.7	78.0
	1904	1,529.6	25.5					17.0	51.0	34.0		186.9	17.0	8.5
	1905	1,431.9	8.3			25.0		8.3	8.3	50.0	8.3	66.6	25.0	25.0
Geneva, N. Y.	1901	1,391.7	55.7			37.1		27.8		37.1		55.7	46.4	74.2
	1902	1,375.5	9.0									89.9	45.0	27.0
	1903	1,368.9	43.6			17.4			17.4			78.5	8.7	104.6
	1904	1,515.0	50.8					8.5	42.3	16.9		84.6	16.9	59.2
	1905	1,389.7	32.9					8.2		32.9	32.9	106.9	41.1	90.5
Glens Falls, N. Y.	1901	2,135.2	84.5			23.0	61.4	15.4	15.4	61.4		169.0	7.7	69.1
	1902	1,422.5	14.9	22.3			14.9		14.9	37.2		201.1	37.2	89.4
	1903	1,250.5	28.0	7.2					7.2			94.0	21.7	72.3
	1904	1,411.3	49.2						7.0	35.1		119.4	35.1	56.2
	1905	1,467.6	20.5	6.8		6.8			13.7	20.5	6.8	122.9	27.3	81.9
Gloucester, Mass.	1901	1,636.1	19.2	3.8			7.7	11.5	26.8	23.0		95.8	19.2	80.5
	1902	1,859.6	15.3			15.3		26.8	99.7			161.1	11.5	65.2
	1903	1,919.0	26.9				3.8	15.4	137.4	15.4		172.7	19.2	103.6
	1904	1,790.0	15.4	3.8		7.7	11.5		42.3	23.0		130.6	34.6	69.1
	1905	1,522.4	23.1			3.8	3.8	26.9	42.3	30.8	11.5	157.6	34.6	100.0
Gloversville, N. Y.	1901	1,478.7	5.4		16.3	5.4		27.2		38.1		174.0		48.9
	1902	1,269.0	27.1				10.8		27.1	5.4		75.9	10.8	65.1
	1903	1,530.9	16.2					16.2	21.6	37.9		102.8	16.2	102.8
	1904	1,403.0	5.4			5.4	10.8		27.0	21.6		97.1	27.0	64.8
	1905	1,259.6	21.5	5.4		10.8	10.8		10.8		10.8	91.5		80.7
Grand Rapids, Mich.	1901	1,285.7	33.5	5.6		1.1	11.2	4.5	25.7	40.2		96.0	22.3	79.2
	1902	1,225.4	51.3	2.2		3.3	5.5	5.5	9.8	4.4		100.4	21.8	73.1
	1903	1,341.8	41.6	2.1	1.1	3.2	4.3	9.6	20.3	13.9		114.2	27.8	92.9
	1904	1,480.4	61.6	2.1		4.2	6.3	12.5	12.5	20.9		121.2	27.2	70.0
	1905	1,430.1	49.1		34.8	6.1	3.1	2.0	34.8	13.3	12.3	75.7	25.6	64.4
Green Bay, Wis.	1901	1,378.2	41.0			5.1	15.4		30.7	30.7		107.6	15.4	92.2
	1902	1,154.7	19.7		9.8	4.9	9.8		4.9	9.8		122.8	14.7	122.8
	1903	1,383.0	9.4				18.9		9.4	9.4		132.2	4.7	80.2
	1904	1,480.5	36.3			4.5	4.5	27.2	18.2			104.5	27.2	77.2
	1905	1,500.8	30.6			8.8		4.4		21.9	8.8	140.0	13.1	65.6
Greenwich town, Conn.	1901	1,389.8	8.1	24.2				8.1	32.3	16.2		129.3		48.5
	1902	1,693.2	23.8	23.8			47.7	23.8	55.7			119.2	15.9	63.6
	1903	1,572.3	39.1			15.6		7.8	15.6	23.5		86.1	7.8	70.4
	1904	1,640.0	15.4			15.4		15.4	30.8	30.8		100.1	15.4	84.7
	1905	1,720.7	37.9					15.2	45.5	15.2	15.2	144.0	22.7	83.4
Hamilton, Ohio.	1901	1,454.8	24.5			16.3	28.5	8.1	16.3	28.5		175.2	24.5	48.9
	1902	1,541.8	43.7			11.9	4.0	15.9	51.7	7.9		158.9	27.8	51.7
	1903	1,407.4	42.6		7.8		11.6		31.9	34.9		131.8	31.0	69.8
	1904	1,559.5	26.5			53.0	7.6		15.1	11.3		170.3	26.5	53.0
	1905	1,220.2	14.8				3.7	25.9	22.2	3.7	14.8	110.9	33.3	55.5
Hammond, Ind.	1901	1,476.2	92.3					7.7	61.5	15.4		100.0	7.7	23.1
	1902	1,534.7	66.0			14.7	29.3		29.3	7.3		176.0	7.3	29.3
	1903	1,612.2	126.2		14.0		7.0		63.1	14.0		98.1	14.0	70.1
	1904	1,288.9	40.3			6.7	33.6		33.6	6.7		94.0	47.0	67.1
	1905	1,384.8	64.4					51.5	25.8	12.9	18.3	77.3	32.2	64.4
Harrisburg, Pa.	1901	1,802.5	66.5	5.9		5.0	3.9	7.8	31.3	35.2		176.1	17.6	68.5
	1902	1,916.6	63.4	3.8		3.8	9.6	7.7	48.1	11.5		144.2	21.1	51.9
	1903	1,505.2	103.9	9.4	3.8	9.4	13.2	37.8	11.3	17.0		120.9	18.9	41.5
	1904	1,523.8	59.4	9.3		9.3	5.6	1.8	20.4	35.3		126.2	16.7	50.1
	1905	1,483.4	69.3	3.6		3.6	10.9	5.5	14.6	12.8	12.8	122.2	20.1	45.6
Harrison, N. J.	1901	2,083.1	9.1	36.2	18.1			9.1	135.9	36.2		163.0	36.2	63.4
	1902	1,863.1	34.8	17.4	8.7	34.8		8.7	130.6			165.4		34.8
	1903	1,751.7	25.1	33.5				33.5	8.4	33.5		184.4	25.1	25.1
	1904	1,567.4	8.1	40.4				24.2	40.4	8.1		153.5		32.3
	1905	1,840.4		23.4		15.6	7.8		62.4	7.8	31.2	218.4	31.2	39.0
Hartford, Conn.	1901	1,661.6	43.6	6.1		8.5	12.1	1.2	55.7	36.4		180.6	20.6	93.3
	1902	1,528.6	16.4	5.9	2.3	10.6	38.7	12.9	18.8	9.4		132.7	10.6	68.1
	1903	1,625.8	21.6	1.3		22.8	14.8	23.9	37.6	18.2		108.5	23.9	87.7
	1904	1,657.5	13.3			4.4	4.4	7.7	30.9	27.6		140.3	21.0	77.4
	1905	1,639.1	17.2	1.1		5.4	2.1	3.2	69.8	16.1	14.0	166.4	23.6	89.1
Haverhill, Mass.	1901	1,490.4	24.1	5.4			5.4	2.7	37.5	40.2		238.6	21.4	77.7
	1902	1,586.7	26.7	5.3		40.1	2.7	13.4	24.0			157.6	34.7	88.1
	1903	1,562.5	13.3	2.7	2.7			21.3	16.0	13.3		165.0	18.0	79.9
	1904	1,474.8	13.3			18.6			5.3	5.3		164.5	26.5	92.8
	1905	1,599.3	21.1			5.3		10.6	21.1	21.1	5.3	190.3	34.4	108.4
Hazleton, Pa.	1901	1,296.2	27.4				13.7	27.4	13.7			109.7	13.7	34.3
	1902	1,491.3	20.2			13.5	60.7	20.2	33.8			81.0		20.2
	1903	1,368.1	19.9			6.6	6.6	19.9	39.9	6.6		53.1	6.6	13.3
	1904	1,575.7	13.1			6.5	19.6		104.6	6.5		111.2		45.7
	1905	1,532.2	32.2			6.4	12.9	19.3	51.5		25.8	90.1	6.4	32.2

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

87

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
7.9	7.9	23.8	126.6	87.1	166.2	87.1	118.7	110.8	31.7	15.8	39.6	118.7	277.0	134.5	7.9
	7.8	62.5	101.6	31.2	140.6	109.4	117.2	132.8	31.2	62.5	23.4	154.3	164.1	132.8	
	7.7	23.1	84.9	146.6	146.6	146.6	138.8	138.8	61.7	77.1	46.3	127.4	177.4	208.2	
	15.2	30.5	129.5	137.1	121.9	76.2	182.8	213.3	22.8	68.5	30.5	114.2	121.9	175.2	
		52.7	90.3	150.4	135.4	112.8	150.4	142.9	67.7	75.2	37.6	218.1	188.0	127.9	
	18.1	99.5	153.8	36.2	90.5	54.3	96.5	36.2	108.6	90.5	18.1	54.3	72.4	153.8	
	79.7	88.6	115.1	159.4	35.4	124.0	44.3	124.0	124.0	79.7	8.9	26.6	53.1	159.4	
	17.3	121.4	138.7	104.1	145.4	34.7	86.7	52.0	96.7	194.4		95.4	52.0	251.5	
	8.5	93.4	118.9	141.4	93.4	68.0	25.5	84.0	135.9	76.5		76.5	25.5	203.9	
	10.7	108.2	141.5	116.6	133.2	41.6	74.9	74.9	74.9	174.8	25.0	25.0	8.3	191.5	
	27.8	9.3	185.6	167.0	83.5	102.1	83.5	83.5	92.8	46.4		55.7	18.6	102.1	
9.0	9.0	18.0	233.7	170.8	71.9	89.9	45.0	107.9	53.9	62.9		125.9	27.0	179.8	
	17.4	34.9	122.1	191.8	87.2	95.9	43.6	139.5	69.8	26.2		113.3		156.9	
	8.5	42.3	152.3	143.9	135.4	93.1	76.2	93.1	84.6	59.2	16.9	101.6	8.5	229.1	
		8.2	115.1	150.9	57.6	49.3	93.7	115.1	63.8	24.7	16.4	106.9	41.1	164.5	
7.7	15.4	69.1	299.5	253.5	138.2	46.1	115.2	161.3	115.2	61.4	7.7	92.2	30.7	215.1	
7.4	7.4	67.0	134.1	201.1	59.6	52.1	7.4	96.8	74.5	14.9	7.4	119.2		134.1	7.4
	28.9	21.7	151.8	151.8	57.8	43.4	86.7	91.0	50.6	43.4		57.8	36.1	195.2	
7.0	7.0	14.0	196.6	154.5	63.2	42.1	77.2	126.4	98.3	91.3		63.2	14.0	151.5	
	34.1	122.9	184.3	122.9	20.5	102.4	88.7	102.4	102.4	34.1	6.8	116.0	6.8	184.3	
	7.7	57.5	107.3	176.3	99.6	65.1	23.0	72.8	72.8	84.3	15.3	352.5	61.3	153.3	
3.8	11.5	53.7	157.2	195.6	103.5	46.0	145.7	76.7	65.2	88.2	3.8	329.8	42.2	141.9	
3.8	15.4	57.6	168.9	176.5	72.9	61.4	72.9	65.2	80.6	72.9	15.4	319.3	38.4	133.5	
3.8	23.0	34.6	195.9	226.6	92.2	69.1	57.6	73.0	92.2	134.4	23.0	230.5	34.6	161.3	
3.8	7.7	53.8	123.0	192.2	69.2	57.7	115.3	61.5	76.9	84.6	7.7	76.9	38.4	119.2	
10.9	21.7	27.2	168.5	130.5	108.7	87.0	48.9	70.7	119.6	38.1	21.7	97.9	32.6	179.4	
	10.8	70.5	168.1	167.3	103.0	38.0	43.4	65.1	65.1	75.9		75.9	48.8	162.7	
	10.8	32.5	205.6	173.1	97.4	92.0	54.1	81.1	119.0	70.3		59.5	21.6	200.2	
5.4	10.8	27.0	199.7	237.4	64.8	124.1	16.2	64.8	113.3	59.4	5.4	59.4	27.0	129.5	
10.8	10.1	10.8	140.0	183.0	64.6	80.7	75.4	75.4	107.7	86.1	10.8	53.8	10.8	91.5	
1.1	15.6	15.6	129.4	123.9	56.9	116.1	79.2	61.5	40.2	53.6	16.7	62.5	91.2	142.9	
1.1	7.6	16.4	99.3	185.5	68.7	99.3	51.3	53.8	30.0	40.4	12.0	60.0	30.5	146.2	
2.1	10.7	12.8	139.4	154.8	91.1	91.8	84.3	36.3	25.6	55.3	11.7	85.4	29.8	137.7	
1.0	16.7	18.8	111.8	150.7	107.6	98.2	104.5	110.8	55.4	56.4	20.9	67.9	38.7	151.5	1.0
2.0	11.3	23.5	118.7	175.9	72.6	74.7	110.5	111.5	59.3	62.4	18.4	55.2	49.1	163.7	
		35.9	92.2	92.2	189.6	41.0	51.2	102.5	30.7	66.6	15.4	56.4	20.5	189.6	51.2
4.9	4.9	29.5	103.2	122.8	78.6	59.0	54.0	29.5	44.2	78.6	9.8	59.0	49.1	108.1	
	14.2	42.5	136.9	118.0	85.0	33.0	99.1	122.7	56.0	94.4	4.7	42.5	80.2	160.5	28.3
	13.6	27.2	122.6	90.8	131.7	77.2	99.9	122.6	72.7	104.5	4.5	40.9	13.6	254.3	4.5
4.4	8.8	56.9	87.5	78.8	118.1	56.9	78.8	91.9	87.5	100.6	8.8	91.9	96.3	231.9	8.8
		153.5	105.0	121.2	129.3	145.4	72.7	129.3	48.5	8.1	88.9	16.2	105.0		
	23.8	174.9	143.1	79.5	79.5	135.2	151.1	135.2	111.3	79.5	23.8		182.8		
	15.0	187.8	179.9	101.7	140.8	54.8	101.7	133.0	46.9	23.5	140.8		164.3		
	23.1	113.5	100.1	107.8	92.4	184.8	130.9	115.5	76.9	30.8	130.9	69.3	123.2		7.7
7.6	15.2	45.5	197.1	159.2	83.4	98.5	121.3	98.5	106.1	53.1	22.7	197.1	22.7	113.7	
	12.2	85.6	126.3	122.2	134.5	57.1	69.3	61.1	57.1	85.6	12.2	93.7	61.1	101.9	4.1
	7.9	39.7	131.1	143.1	151.0	83.5	59.6	75.4	95.4	83.5	15.9	75.5	47.7	147.0	11.9
	7.8	34.9	131.8	131.8	27.1	58.2	69.8	54.3	108.6	19.4	116.3	38.8	112.4	3.9	
3.8	37.9	136.3	124.9	151.4	90.8	56.8	83.3	60.6	71.9	41.6	143.8	60.6	113.6	3.8	
	7.4	37.0	122.0	88.7	110.9	59.2	59.2	110.9	77.7	74.0	18.5	59.2	33.3	77.7	
	7.7	30.7	123.0	92.3	123.0	69.2	46.1	138.4	30.7	138.4	15.4	38.4	46.1	269.1	
	7.3	14.7	102.7	95.4	132.0	58.7	44.0	146.7	66.0	146.7	7.3	110.0	73.3	190.7	
	7.0	63.1	98.1	84.1	70.1	63.1	182.3	168.2	35.1	91.1	7.0	119.2	21.0	189.3	
	20.1	67.1	53.7	127.6	33.6	107.4	107.4	53.7	73.8	20.1	134.3	40.3	114.1		
	6.4	12.9	115.9	70.8	90.2	19.3	115.9	109.5	51.5	38.6	19.3	167.5	32.2	186.8	
3.9	5.9	27.4	270.1	149.9	88.1	82.2	113.5	84.2	66.5	97.9	7.8	117.4	97.9	144.8	37.2
1.9	3.8	26.9	248.0	125.0	123.0	82.7	78.8	75.0	75.0	73.1		130.7	100.0	101.9	3.8
5.7	7.5	22.7	249.3	128.4	88.8	54.8	73.7	56.7	71.8	47.2	7.5	103.7	92.5	103.8	
	13.0	20.4	180.1	113.2	126.2	66.8	65.0	79.8	76.1	83.5	3.7	115.1	79.8	167.0	
	7.3	16.4	180.6	120.4	102.2	54.7	43.8	89.4	78.5	83.9	12.8	178.8	83.9	104.0	5.5
	18.1	99.6	199.3	125.8	172.1	154.0	99.6	72.5	99.6	99.6	9.1	208.3	72.5	141.9	
	52.2	39.7	130.6	174.1	174.1	139.3	71.5	62.2	34.8	62.7	17.4	95.8	62.7	104.5	
16.8	109.0	125.7	159.2	117.3	134.1	100.6	109.0	75.4	109.0	117.3	16.8	117.3	67.1	33.5	
	72.7	113.1	153.5	210.1	64.6	80.8	56.6	113.1	97.0	129.3		129.3	56.6	88.9	24.9
	7.8	148.2	179.4	109.2	85.8	124.8	109.2	78.0	93.6	132.6	23.4	62.4	78.0	163.8	7.8
	7.3	44.8	144.2	174.5	123.6	70.3	70.3	97.0	97.0	88.5	9.7	117.6	23.0	133.3	2.4
	10.6	37.6	159.7	131.5	131.5	71.5	65.7	84.9	128.0	56.3	8.2	79.8	24.6	153.8	
	9.1	33.0	141.2	178.8	111.6	66.0	62.6	103.6	99.1	89.9	12.5	101.3	18.2	176.5	2.3
6.6	16.6	100.6	122.7	156.8	118.2	72.9	107.2	97.2	116.0	89.5	15.5	108.3	13.3	158.0	1.1
2.1	17.2	39.7	126.7	184.6	118.1	67.6	96.6	99.8	93.4	78.4	12.9	111.6	14.0	166.4	2.1
	5.4	37.5	152.8	160.8	107.2	53.6	91.1	50.9	72.4	56.3	21.4	77.7	26.8	115.3	5.4
	21.4	16.0	189.7	141.6	141.6	77.5	96.2	42.7	77.5	77.5	24.0	64.1	21.4	146.9	5.3
2.7	18.6	18.6	133.1	247.6	143.7	79.9	79.0	77.2	93.2	89.9		87.8	13.3	127.8	5.3
2.7	21.2	37.1	143.2	260.0	100.8	53.1	53.1	50.4	79.6	82.2	15.9	111.4	13.3	142.0	
2.6	10.6	31.7</													

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Hoboken, N. J.....	1901 1,875.1	26.4	1.7	3.3	6.6	14.9		42.9	5.0		215.9	18.2	51.2
.....	1902 1,885.5	9.7		6.5	9.7	27.5	21.0	69.6			224.3	11.3	66.3
.....	1903 1,818.3	15.9	1.6		11.1	3.2	15.9	80.9	1.6		241.2	27.0	57.1
.....	1904 2,221.1	20.2	1.6		20.2	14.0	10.9	73.2	1.6		284.1	56.0	85.6
.....	1905 2,074.3	13.7			10.7	9.2	12.2	47.4	3.1	19.9	258.1	33.6	85.5
Holyoke, Mass.....	1901 1,875.2	15.0	4.3			8.6	40.8	85.9	36.5		180.4	17.2	62.3
.....	1902 1,622.4	16.9			6.3	4.2		52.7	21.1		166.7	29.5	52.7
.....	1903 1,766.0	10.4			33.2	12.4	24.9	33.2	18.7		153.4	31.1	51.8
.....	1904 1,694.9	8.1	6.1			4.1	10.2	32.6	16.3		199.6	28.5	87.6
.....	1905 1,648.2	8.0	2.0		16.0	4.0	10.0	46.1	18.0	18.0	162.2	22.0	68.1
Hudson, N. Y.....	1901 1,928.8	61.9			10.3	10.3	20.6	10.3	41.3		278.5	10.3	72.2
.....	1902 1,825.2	71.0					20.3	20.3			152.1	50.7	131.8
.....	1903 1,754.9	39.9	19.9		29.9		19.9	39.9	29.9		169.5	19.9	79.8
.....	1904 1,981.1	166.7			9.8			19.6	88.3		147.1	39.2	88.3
.....	1905 1,958.7	48.2	9.6				9.6		38.6		173.7	9.6	57.9
Huntington, Ind.....	1901 1,316.6	82.3	20.6					10.3	10.3		236.6		51.4
.....	1902 1,197.4	20.1									161.0	40.2	40.2
.....	1903 1,594.4	49.5	19.8		19.8		69.3				168.2	29.7	99.0
.....	1904 1,665.9	38.7			19.4			9.7	19.4		164.6	19.4	135.6
.....	1905 1,615.1	47.4							9.5		104.4		56.9
Hyde Park town, Mass.....	1901 1,326.2	22.2		7.4		7.4		44.5	14.8		177.8	29.6	44.5
.....	1902 1,185.5	14.5	7.3	7.3				29.1			138.2	7.3	50.9
.....	1903 1,249.7	14.3	7.1				35.7		14.3		135.7	21.4	85.7
.....	1904 1,431.0	7.0			14.0	7.0	21.0		35.1		196.4	56.1	70.1
.....	1905 1,357.7	13.8	20.7				6.9	13.8	20.7	13.8	103.4	20.7	48.2
Indianapolis, Ind.....	1901 1,536.4	33.1	2.8	1.1	2.8	5.7	2.8	20.5	35.3		179.5	24.5	50.7
.....	1902 1,434.5	44.5	7.0	9.1		3.8	9.1	16.1	10.7		167.9	18.2	61.2
.....	1903 1,576.6	51.1	3.5	52.1		5.1	11.6	17.7	11.1		185.6	23.3	55.6
.....	1904 1,631.0	68.4	4.4		8.3	1.0	1.0	9.3	13.2		206.1	28.8	59.6
.....	1905 1,412.8	30.2	2.4	0.5	0.5	4.2	5.2	9.9	15.6	9.9	165.4	24.5	51.4
Iron Mountain, Mich.....	1901 1,454.1				33.1	11.0		11.0			110.2	66.1	11.0
.....	1902 1,567.7				11.2		22.4				134.7	22.4	11.2
.....	1903 1,497.1	11.4			22.9	34.3	57.1				57.1	22.9	22.9
.....	1904 1,281.3	11.6						23.3			93.2		81.6
.....	1905 1,793.1	23.8			83.1			35.6		11.9	142.5	11.9	50.4
Ironton, Ohio.....	1901 1,937.8	58.7			8.4		50.3	16.8	16.8		293.6	8.4	75.5
.....	1902 1,962.6	66.8		8.3	75.2			8.3	33.4		309.0	41.7	91.9
.....	1903 1,113.5	66.5	8.3	11.6	16.6		25.0	16.6	8.3		224.5		41.6
.....	1904 1,341.1	33.1		49.7	8.3		8.3	24.8			146.0	16.6	33.1
.....	1905 1,682.6	65.9	8.2				33.0	57.7	49.5	8.2	255.5	16.5	49.5
Ironwood, Mich.....	1901 1,482.2	30.7			30.7	92.0	20.4	51.1			61.3	30.7	40.9
.....	1902 1,855.8	40.6			10.1	10.1		121.7	10.1		71.0	20.3	20.3
.....	1903 1,690.1				10.1		20.1	150.9	10.1		120.7	30.2	30.2
.....	1904 1,718.6	39.9						20.0	20.0		49.9		10.0
.....	1905 1,376.5	39.4			9.9			30.6	39.6	9.9	79.2		19.8
Ishpeming, Mich.....	1901 1,198.7	23.3			23.3	46.7		7.8			101.2	15.6	54.5
.....	1902 1,511.4	8.0			16.1	40.2		104.5	8.0		128.6	56.3	48.2
.....	1903 1,429.6	33.2						124.7			99.7	24.9	41.6
.....	1904 1,135.7					8.6	43.0	43.0			154.9		60.2
.....	1905 1,506.9	8.9			20.7		17.8	26.7		17.8	169.4	17.8	71.3
Ithaca, N. Y.....	1901 1,454.4	44.7					14.9	7.5	82.0		126.8		52.2
.....	1902 1,425.4	7.3					7.3	21.9	29.2		197.4	14.6	87.7
.....	1903 1,928.0	386.9					14.3	7.2	28.7		121.8	28.7	86.0
.....	1904 1,539.7	28.1	7.0		28.1	7.0		7.0	36.2		98.4	21.1	105.5
.....	1905 1,441.8	13.8	20.7					6.9	20.7	13.8	110.4	6.9	89.7
Jackson, Mich.....	1901 1,368.5	55.5	7.9					4.0	79.3		83.3	19.8	63.5
.....	1902 1,414.1	55.5	7.9		7.9		27.7	11.9			79.2	11.9	95.1
.....	1903 1,333.6	23.8	3.9		7.9		19.8	11.9	11.9		106.8	31.7	75.1
.....	1904 1,470.4	47.4	3.9	19.8				19.8	23.7		98.9	11.9	79.0
.....	1905 1,638.4	63.2	3.9	43.4			7.9	47.4	11.8	19.7	138.2	15.8	75.0
Jacksonville, Fla.....	1901 2,667.5	53.7	278.5		3.4	26.8		20.1	16.8		328.8	10.1	36.9
.....	1902 2,816.2	128.3	150.8		3.2	28.9		3.2	9.6		426.6	38.5	48.1
.....	1903 2,697.3	61.4	147.5		6.1		58.4	9.2	18.4		285.7	9.2	67.6
.....	1904 2,664.6	85.5	59.0		17.7		23.6	11.8	2.9		406.8	11.8	53.1
.....	1905 2,869.6	93.5	90.6				2.8	11.3	5.7	51.0	447.6	28.3	70.8
Jacksonville, Ill.....	1901 2,268.8	32.7		6.5			19.6	13.1	32.7		202.8	26.1	32.7
.....	1902 2,347.5	90.7	12.9	6.5		12.9	6.5		6.5		264.4	38.7	64.5
.....	1903 2,396.4	101.8	12.7		44.5		19.1	25.4	63.6		267.2	31.8	89.1
.....	1904 2,127.5	56.5						6.3	18.8		219.7	50.2	69.0
.....	1905 1,833.0	31.0			6.2				18.6	6.2	235.3	37.2	55.7
Jamestown, N. Y.....	1901 1,254.6	21.3				4.3	12.8	21.3	17.0		131.8	25.5	72.3
.....	1902 1,027.5	4.1				12.4		31.1	4.1		120.2	16.6	37.3
.....	1903 1,231.9	24.2			4.0	4.0	8.1	48.5	24.2		101.0	16.2	80.8
.....	1904 1,264.7	39.4				3.9	7.9	19.7	19.7		122.1	11.8	67.0
.....	1905 1,215.2	30.8			11.5	15.4	7.7	3.8	23.1	26.9	69.2	15.4	61.5
Jeffersonville, Ind.....	1901 2,290.5	111.3	27.8					18.5	64.9		296.7	83.4	74.2
.....	1902 2,037.8	37.0	27.8						9.3		352.0	37.0	74.1
.....	1903 1,980.2	64.8	18.5				46.3	9.2			231.3	55.5	74.0
.....	1904 1,848.8	46.2	37.0				9.2	18.5			184.9	55.5	129.4
.....	1905 1,671.4	27.7				18.5	18.5	18.5	36.9	9.2	212.4	92.3	101.6

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

89

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	14.9	82.5	183.2	161.8	160.1	127.1	145.3	95.7	87.5	56.1	38.0	150.2	38.0	117.2	1.7
.....	12.9	82.5	207.1	179.6	144.0	137.5	87.4	82.5	137.5	61.5	37.2	92.2	48.5	110.0	
.....	15.9	84.1	160.3	155.5	158.7	100.0	103.1	90.4	111.2	53.9	27.0	112.7	31.7	128.5	
.....	15.6	88.7	168.1	193.0	249.0	133.9	133.9	89.6	143.2	82.5	40.5	119.8	60.7	121.4	1.6
1.5	12.2	122.2	145.1	195.5	209.3	139.0	135.9	108.4	142.1	70.3	30.5	134.4	45.8	88.6	
.....	19.3	98.8	109.5	131.0	120.3	109.5	214.8	92.4	55.8	124.6	12.9	116.0	68.7	148.2	2.1
.....	16.9	54.9	137.1	130.8	89.5	84.4	219.4	86.5	61.2	139.2	8.4	75.9	61.2	107.6	2.1
2.1	12.4	58.0	111.9	126.4	147.2	118.1	252.9	89.1	87.1	155.5	10.4	64.3	37.3	124.4	
.....	16.3	59.1	110.0	140.6	130.4	108.0	242.4	75.4	79.4	140.6	14.3	57.0	38.7	89.6	
2.0	6.0	100.1	76.1	142.2	134.2	122.1	166.2	78.1	68.1	122.2	10.0	80.1	56.1	110.1	
.....	10.3	20.6	41.3	216.6	206.3	72.2	134.1	92.8	113.5	61.9		103.1	41.3	228.9	
.....	10.1	20.3	314.3	243.4	71.0	101.4	141.8	111.5	50.7	91.3	20.3	91.3	20.3	172.4	
.....	19.9	26.0	149.6	209.4	29.9	109.7	59.8	139.6	119.7	69.8		119.7	49.9	189.5	10.0
.....	9.8	10.6	40.0	225.6	235.4	58.8	88.3	49.0	88.3	117.7		127.5	78.5	196.2	
9.0	9.6	57.9	279.8	269.1	86.8	144.7	96.5	67.5	144.7	48.2		173.7	38.6	154.4	
.....		30.8	205.7	82.3	82.3	20.6	72.0	61.7	61.7	20.6		51.4	61.7	154.3	
.....		30.2	161.0	60.4	60.4	50.3	70.5	80.5	30.2	90.6		40.2	90.2	211.3	10.1
.....		9.9	188.0	108.9	108.9	29.7	39.6	128.6	158.3	29.7		118.8	9.9	108.9	9.9
.....	9.7	29.1	48.4	135.6	135.6	57.1	38.8	87.1	222.8	106.5	19.4	106.5	9.7	135.0	19.4
.....	9.5	47.4	123.3	85.4	66.4	37.9	85.4	66.4	85.4	28.5	9.5	104.4	9.5	37.9	
.....		14.8	7.4	140.8	111.1	133.4	50.3	88.9	61.7	66.7	7.4	59.3	37.0	133.4	
.....	21.8	21.8	116.4	160.0	50.9	65.5	139.9	29.1	50.9	72.7		14.5	65.5	72.7	7.3
.....	14.3	7.1	71.4	114.3	114.3	42.8	28.6	64.3	57.1	78.6	7.1	64.3	57.1	185.7	
.....	14.0	14.0	119.2	133.3	112.2	63.1	140.3	56.1	63.1	49.1	28.1	77.2	21.0	133.3	
.....	27.6	41.4	151.6	117.2	130.9	27.6	172.3	41.4	48.2	75.8	13.8	117.2	20.7	110.3	
.....	1.1	9.7	40.5	143.0	140.7	116.8	81.5	69.5	93.4	56.4	6.3	72.9	66.7	132.7	1.1
.....		7.0	25.7	137.9	137.9	83.7	71.9	73.1	84.8	53.3	0.1	70.4	53.3	106.9	2.1
.....	0.5	10.6	32.4	143.6	137.1	99.6	78.1	90.0	88.5	63.2	12.1	84.5	49.1	166.9	1.0
.....	2.0	8.8	12.5	157.2	149.4	126.6	78.6	79.1	98.2	76.7	17.6	90.8	49.8	155.3	
1.4	11.3	33.5	128.2	151.7	102.7	73.0	60.8	84.8	66.4	80.1	20.3	72.1	51.8	145.1	0.9
.....		22.0	66.1	143.2	110.2	121.2	88.1	88.1	11.0	132.2	11.0	242.3	33.1	143.2	
.....		33.7	67.3	78.5	101.0	67.3	246.8	78.5		67.3		112.2	44.9	128.4	
.....		22.9	114.2	80.0		125.7	132.1	114.2	22.9	194.3	22.9	225.5	22.9	160.0	22.9
11.6		11.6	81.6	46.6	23.3	69.0	198.0	93.2	46.6	151.4	23.3	151.4	11.6	116.5	35.0
.....	11.9	35.6	166.3	95.0	47.5	130.6	403.8	11.9	47.5	130.6		118.8	47.5	142.5	35.6
.....		16.8	117.4	176.2	131.2	159.4	125.8	159.4	33.6	8.4		142.6	41.9	226.5	67.1
.....		16.7	158.7	75.2	142.0	116.9	167.0	75.2	33.4	41.7		125.3	16.7	200.5	158.7
.....	8.3	25.0	116.4	116.4	108.1	74.8	91.5	91.5	8.3	16.6		83.1	58.2	124.7	41.6
.....		8.3	66.2	140.7	91.1	57.9	82.8	82.8	82.8	66.2	16.6	96.3	41.4	173.8	
.....	33.0	49.5	140.1	115.4	82.4	115.4	98.9	123.6	33.0	33.0		88.9	74.2	140.1	
.....		51.1	71.6	20.4	71.6	92.0	224.9	81.8		81.8	20.4	204.4		92.0	112.4
.....		91.3	71.0	142.0	142.0	172.4	111.5			40.6	10.1	314.4	40.6	182.5	233.2
.....		90.5	60.4	181.1	90.5	201.2	30.2	20.1	20.1	80.5	10.1	211.2	30.2	100.6	211.2
.....		49.9		29.9	29.9	49.9	49.9	49.9	49.9	60.8		79.9	29.9	39.9	89.8
.....		118.8	19.8	59.4	79.2	128.7	79.2	29.7	29.7	39.6		198.1	29.7	99.0	227.8
.....	23.3	38.9	109.0	31.1	77.9	85.6	155.7	46.7	7.8	23.3		155.7	7.8	77.9	85.6
.....	24.1	40.2	80.4	40.2	160.8	136.7	72.4	16.1	88.4			241.2	16.1	72.4	40.2
.....	8.3	58.2	74.8	108.1	91.4	241.1	49.9	16.6	66.5	8.3		174.6	8.3	58.2	33.2
.....		60.2	51.6	77.3	51.6	94.7	137.7	51.6	43.0	77.5		68.8	17.2	86.0	
.....	17.8	53.5	124.8	107.0	53.5	196.2	142.7	35.7	62.4	17.8	8.9	151.6	26.7	133.7	17.8
.....		14.9	29.8	149.2	201.4	89.5	29.8	97.0	104.4	29.8	7.5	67.1	29.8	101.9	
.....	21.9	14.6	201.7	212.0	73.1	29.9	58.5	38.5	117.0	58.5	14.6	73.1	29.9	93.0	
.....	21.5	21.5	193.5	207.9	100.3	93.2	71.7	93.2	121.8	50.2	7.2	78.8	28.7	207.9	
.....	21.1	14.1	140.6	196.9	161.7	84.4	56.2	70.3	175.8	28.1	7.0	98.4	14.1	112.5	
.....	27.6	158.7	227.6	110.4	27.6	58.2	75.9	179.4	55.2			62.1	13.8	165.9	
.....		11.9	7.9	142.8	162.7	71.4	83.3	126.9	55.5	43.6	7.9	63.5	27.8	196.5	
.....	4.0	15.8	11.9	142.6	210.0	99.1	95.1	43.6	79.2	43.6	11.9	71.3	27.7	198.1	4.0
.....	3.9	23.8	19.8	142.5	174.1	95.0	35.6	63.3	59.4	59.4	11.9	91.0	31.7	173.2	3.9
.....	7.9	11.9	173.9	193.7	102.8	75.1	47.4	79.0	79.0	67.2	19.8	75.1	47.4	173.9	
.....	3.9	31.6	189.5	260.6	67.1	67.1	71.1	110.5	75.0	23.7	7.9	63.2	55.3	181.6	
.....		3.4	40.3	278.5	157.7	130.9	97.3	117.4	114.1	140.9		208.0	214.7	194.6	73.8
.....		41.7	218.1	163.6	118.7	73.8	144.3	144.3	163.6	176.4	9.6	182.8	262.3	214.9	41.9
.....		39.9	215.0	267.3	144.4	82.9	101.1	153.6	175.1	190.5	9.2	212.0	184.3	224.3	15.4
.....	9.2	11.8	235.8	135.6	200.4	112.0	150.3	126.7	194.5	188.6	8.8	190.2	179.8	224.6	35.4
2.8	5.7	22.7	257.8	164.3	130.3	113.3	124.6	218.1	209.6	164.3	11.3	198.3	187.0	221.0	36.8
.....	6.5	57.5	274.7	124.2	91.6	32.7	183.1	58.9	85.0	13.1	58.9	65.4	274.6	52.3	
.....	12.9	25.8	609.2	245.1	161.2	77.4	38.0	77.4	90.3	83.8		96.7	70.9	232.2	
.....	6.4	12.7	413.5	216.3	108.1	76.3	108.1	95.4	38.2	31.8		101.8	38.2	349.9	
.....		25.1	364.0	232.2	194.6	56.5	50.2	113.0	131.8	69.0	18.8	125.5	37.7	276.1	
.....		31.0	334.4	328.2	142.4	86.7	43.3	105.3	49.5	49.5	6.2	92.9	12.4	161.0	
.....		12.8	34.0	136.1	102.1	76.6	85.1	38.3	93.6	42.5		55.3	42.5	97.8	
.....	8.3	12.4	20.7	139.2	78.7	37.3	41.4	82.9	66.3	45.6		58.0	31.1	133.3	
.....	4.0	12.1	105.0	157.5	96.5	56.5	32.3	60.6	48.5	52.5	4.0	109.1	64.6	141.4	4.0
.....	3.9	11.8	27.6	130.0	193.1	55.2	51.2	82.7	90.6	50.1	7.9	67.0	31.5	126.1	
3.8	3.8	23.1	107.7	115.4	65.4	76.9	53.8	73.1	76.9	69.2	3.8	103.8	53.8	111.5	7.7
.....		37.1	194.7	120.5	213.3	176.2	111.3	194.7	92.7	129.8	18.5	64.9	102.0	148.4	9.3
.....		83.4	166.7	138.9	83.4	83.4	92.6	194.5	129.7	148.2	9.3	83.4	101.9	183.2	
.....	9.2	9.2	27.8	166.9	101.8	92.5	120.3	111.0	212.8	185.1		46.2	37.0	129.4	
.....		46.2	184.9	157.1	101.7	101.7	132.7	166.4	167.0	166.2		46.2	37.0	129.4	
.....		36.0	101.6	120.0	101.6	73.9	64.6	110.8		83.1		129.3	36.9	101.6	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.													
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES--Continued.													
Jersey City, N. J.	1901 1,919.8	16.1	4.7	1.4	7.6	15.6	9.4	52.4	16.5		217.8	27.4	52.0
	1902 1,896.4	20.3	3.2	5.1	6.9	17.5	18.4	56.2	1.8		208.4	26.3	46.6
	1903 1,865.1	14.9	2.3	0.5	8.1	12.2	10.4	53.1	6.8		228.2	17.1	56.7
	1904 2,078.7	18.9	2.6		4.8	40.4	12.8	67.3	11.0		259.4	23.7	54.1
	1905 1,902.5	19.8	1.3		4.7	6.9	9.9	40.4	4.7	9.0	203.3	27.1	66.2
Johnstown, N. Y.	1901 1,133.5				19.9			9.9	49.7		50.7	19.9	79.5
	1902 1,222.0	30.0				10.0		30.0	20.0		130.2	10.0	90.1
	1903 1,574.0	40.4				10.1	30.3	10.1	20.2		111.0	10.1	111.0
	1904 1,280.7				10.2				20.3		122.0	10.2	81.3
	1905 1,464.4	10.2						20.5	30.7	20.5	102.4	10.2	81.9
Johnstown, Pa.	1901 1,708.0	116.4			2.6	21.2		39.7	7.9		103.2	5.3	37.0
	1902 1,748.5	36.0		59.1	7.7	113.1	2.6	54.0	5.1		131.1	10.3	30.9
	1903 1,785.9	22.5		27.5	17.5	60.0	12.5	85.0	5.0		112.6	7.5	32.5
	1904 1,468.2	34.1	2.4	4.9	2.4	65.7	14.6	53.6	2.4		131.5	7.3	56.0
	1905 1,454.8	45.1			2.4	28.5	11.9	23.7	2.4	4.7	78.3	2.4	26.1
Kalamazoo, Mich.	1901 1,800.8	27.2				11.6			35.0		112.6	38.8	101.0
	1902 1,476.5	18.5	3.7				3.7	29.5	7.4		92.3	33.2	55.4
	1903 1,740.7	38.7			3.5	14.1	14.1	7.0	24.6		84.4	17.6	112.5
	1904 1,658.7	20.1	3.4		6.7	10.1	3.4	16.8	30.2		114.2	20.1	87.3
	1905 1,767.0	10.3			6.4	3.2	12.9	12.9	12.9	12.9	122.1	22.5	90.0
Kansas City, Mo.	1901 1,611.0	45.5	7.8	3.6		16.8	1.8	24.0	14.4		188.8	5.4	46.7
	1902 1,577.4	38.2	5.9	4.7	14.7	8.6	12.4	11.2	5.3		177.7	5.9	50.4
	1903 1,738.1	80.3	8.1	4.6	1.7	8.1	9.8	13.3	12.7		203.4	13.3	55.5
	1904 1,966.8	43.1	7.4	4.5	10.2	11.4	4.0	27.8	34.6		235.6	15.3	72.7
	1905 1,689.6	61.4	6.7	13.9	1.1	2.2	7.8	25.7	22.3	10.0	201.4	18.4	61.4
Keene, N. H.	1901 1,810.0	21.4				246.3		21.4	53.6		192.8		182.1
	1902 1,262.0	10.5			10.5				31.0		52.6	10.5	84.0
	1903 1,353.2	10.3						10.3	72.3		82.6		134.3
	1904 1,422.4	10.1					10.1		121.8		131.9		81.2
	1905 1,675.8	39.9			69.8			10.0	69.8		159.6	49.9	119.7
Key West, Fla.	1901 2,310.3	28.1	22.5					11.2	11.2		337.3	22.5	33.7
	1902 2,231.0	43.3	21.7			59.6	16.9	27.1	21.7		330.3	21.7	65.0
	1903 2,094.7	10.4	41.8			26.1	5.2	15.7			224.6	15.7	52.2
	1904 2,098.8	85.8	35.3		5.0	15.1		10.1			267.4	10.1	35.3
	1905 2,141.7	58.5	19.5		4.9	14.6		9.8	9.8	19.5	346.4	24.4	78.1
Kingston, N. Y.	1901 1,898.0	12.1	16.2		4.0	117.4		52.6	24.3		194.3	28.3	89.0
	1902 1,551.1	16.1	8.0			4.0	8.0	32.1	16.1		176.8	24.1	68.3
	1903 1,699.9	27.9	16.0			71.8	16.0	20.0	27.9		171.6	31.9	71.8
	1904 1,759.5	19.8	4.0			4.0	27.7	35.7	27.7		190.2	19.8	91.1
	1905 1,885.1	31.5	7.9			3.9	35.4	35.4	27.5	7.9	220.4	31.5	66.9
Kokomo, Ind.	1901 1,484.7	36.9							18.5		239.8	9.2	129.1
	1902 1,431.1	45.1	9.0						9.0		189.6	9.0	63.2
	1903 1,697.0	17.7			44.2	8.8		35.3	17.7		167.9	35.3	70.7
	1904 1,740.4	8.7						17.3	43.3		242.4	8.7	86.6
	1905 1,553.0	28.5					25.5	8.5	25.5	17.0	169.7	17.0	93.3
Laconia, N. H.	1901 1,852.8	24.9				12.4					199.0	24.9	111.9
	1902 1,691.1	24.0						12.4			161.6		111.9
	1903 2,039.3	12.4			62.2			24.9	24.9		211.4		99.5
	1904 1,765.7	12.4	12.4					12.4			174.1	12.4	136.8
	1905 1,902.5								49.7	12.4	99.5	12.4	136.8
Lafayette, Ind.	1901 1,630.1	43.7	38.2				16.4	16.4	27.3		185.8	38.2	40.2
	1902 1,840.5	81.1	10.8		5.4			5.4	16.2		189.3	43.3	102.8
	1903 1,713.3	26.8	10.7	5.3		5.3	5.3		26.8		230.2	26.8	69.6
	1904 1,839.5	37.1	5.3			5.3		15.9	20.5		243.9	31.8	37.1
	1905 1,810.9	68.2	5.2				15.7	15.7	26.2	26.2	194.2	15.7	73.5
Lancaster, Pa.	1901 1,622.5	21.2	2.3		2.3	7.1	18.9	47.2	77.8		125.0	14.1	47.2
	1902 1,326.4	50.8	2.3				16.1	9.2	18.5		140.7	16.1	60.0
	1903 1,339.1	51.9		2.3		6.8	20.3	27.1	13.5		135.5	20.3	65.5
	1904 1,494.3	79.6			35.4	2.2		28.7	19.9		132.6	22.1	59.7
	1905 1,338.1	43.3	2.2				8.7	26.0	19.5	17.3	120.9	43.3	62.8
Lansing, Mich.	1901 1,296.5	34.4	5.7			5.7	11.5	45.9	45.9		68.8	11.5	45.9
	1902 1,256.8	10.9			16.3		16.3	5.4	27.2		38.1	5.4	76.2
	1903 1,096.9	62.1			5.2	5.2	36.2	20.7			77.6	31.0	36.2
	1904 1,154.1	44.4			4.9		9.9	9.9			39.5	9.9	64.1
	1905 1,258.0	42.4	4.7				23.6	18.8		14.1	61.3	4.7	42.4
Lawrence, Mass.	1901 1,764.1	18.7	1.6		1.6		4.7	28.1	26.5		162.4	17.2	76.5
	1902 1,781.7	19.8	3.1	6.1	27.5	9.2	27.5	19.8	1.5		173.9	18.3	65.6
	1903 1,706.1	28.3	4.5	1.5	13.4	13.4	17.9	47.7	7.5		156.6	28.3	59.7
	1904 1,673.2	17.5	1.5		1.5	4.4	8.8	17.5	8.8		167.8	21.9	59.8
	1905 1,975.7	22.8	1.4		40.0	14.3	1.4	17.1	18.6	10.0	162.7	20.0	87.1
Leadville, Colo.	1901 2,069.2	53.3				86.9	7.9	7.9	39.5		31.6		15.8
	1902 1,736.2	38.9				15.6	7.8	7.8	23.3		15.6		46.6
	1903 1,491.3	22.9			38.3	7.6	30.6		22.0		15.3		45.9
	1904 1,919.7	28.1			7.5	7.5		7.5	30.1		22.6	7.5	30.1
	1905 1,564.1	14.6					14.8	7.4	22.2	14.8	22.2		14.8
Leavenworth, Kans.	1901 1,337.3	58.1	8.9	8.9				8.9	22.3		178.6	4.5	44.7
	1902 1,483.9	84.7	17.8		4.4	62.4	13.4	4.4	13.4		138.1		75.8
	1903 1,465.8	52.2	4.3	4.3		4.3		34.8	13.1		143.5	8.7	87.0
	1904 1,518.1	48.3		4.4	4.4	4.4	17.5	39.5	8.8		144.8	8.8	48.3
	1905 1,381.2	53.4	9.6				23.9	66.9	9.6	19.1	162.4	9.6	76.4

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

91

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
0.5	7.6	61.9	202.2	140.8	154.5	132.3	167.7	105.8	104.9	76.5	15.1	146.4	45.4	133.2	4.3
0.5	7.4	70.5	196.4	155.8	157.6	129.1	144.3	101.0	110.6	77.0	14.3	100.5	54.9	134.6	1.4
11.3	55.8	183.6	166.1	179.6	127.6	112.5	126.5	104.0	120.2	77.9	19.8	110.7	56.3	129.2	1.8
8.8	74.7	173.6	202.7	222.5	123.1	160.0	104.6	117.4	68.6	19.3	118.3	53.7	132.3	4.0	4.0
1.7	9.9	92.4	156.0	170.2	147.0	125.5	155.6	96.7	133.2	82.9	20.2	137.9	50.3	120.8	
.....	19.9	49.7	139.2	159.1	79.5	59.7	59.7	79.5	39.8	9.9		29.8	9.9	149.1	9.9
.....	10.0	10.0	150.2	170.3	50.1	60.1	30.0	40.1	100.2	20.0		50.1	50.1	170.3	
.....	30.3	40.4	282.5	201.8	50.4	60.5	70.6	50.4	90.8	70.6		111.0	40.4	131.2	
.....	10.2	40.7	203.3	183.0	81.3	81.3	71.2	40.7	61.0	50.8		50.8	50.8	111.8	
.....	20.5	51.2	235.5	194.6	122.9	61.4	71.7	81.9	51.2	81.9	20.5	51.2	51.2	92.2	
2.6	5.3	50.3	172.0	74.1	177.2	63.5	153.4	95.2	50.3	66.1	10.6	193.1	116.4	103.2	42.3
2.6	12.8	46.3	180.0	69.4	192.9	46.3	108.0	69.4	64.3	64.3	2.6	216.0	138.9	134.6	15.4
.....	7.5	40.0	127.6	95.1	215.1	65.0	122.6	62.5	60.0	90.1	5.0	227.6	132.6	137.6	15.0
.....	9.7	12.2	133.9	65.7	136.4	34.1	90.1	87.7	36.5	45.7	9.7	158.3	165.6	87.7	17.0
.....	11.9	30.8	144.7	64.0	128.1	30.8	106.7	68.8	54.6	87.8	7.1	251.4	170.8	50.3	42.7
.....	23.3	3.9	403.9	178.7	73.8	85.4	143.7	93.2	58.3	31.1	27.9	89.3	35.0	225.2	11.6
.....	14.8		287.9	203.0	77.5	66.4	70.1	114.4	70.1	44.3	14.8	88.6	11.1	158.7	
.....	17.6	21.1	397.4	253.2	84.4	105.5	49.2	98.5	63.3	28.1	10.5	98.5	7.0	186.4	
3.4	6.7	16.8	329.3	261.9	70.5	70.5	63.8	80.6	57.1	36.9	3.4	107.4	6.7	188.0	3.4
.....	9.6	22.5	363.0	279.5	80.3	77.1	109.2	102.8	106.0	48.2	19.3	80.3	12.9	138.1	3.2
1.2	6.6	30.0	128.9	115.7	155.8	51.5	71.9	95.3	77.3	103.1	10.2	138.4	119.9	143.2	7.2
3.5	6.5	41.8	110.6	119.4	172.4	74.1	65.9	104.7	84.7	88.9	10.5	100.0	91.2	147.7	5.3
1.2	5.2	38.7	117.3	133.5	182.6	61.8	78.0	104.0	91.9	92.5	23.7	126.0	126.5	144.4	
2.8	10.2	34.1	103.3	169.7	321.8	75.5	61.3	118.6	101.0	85.1	19.3	161.2	67.0	166.9	2.3
3.3	10.0	29.6	122.2	167.3	171.8	53.8	66.4	102.6	84.8	77.5	25.1	124.9	69.2	143.4	3.3
10.7	10.7	53.6	139.2	203.5	75.0	42.8	53.6	32.1	96.4	21.4		42.8	107.1	203.5	
10.5	31.0	21.0	147.3	189.3	105.2	105.2	21.0	105.2	63.1	10.5		42.8	10.5	210.3	
.....	10.3	31.0	196.3	175.6	103.3	41.3	20.7	51.7	41.3			93.0	31.0	227.2	
.....	20.3	10.1	182.7	274.0	101.5	71.1	71.1	40.6	71.1	20.3		91.4	20.3	192.8	
.....	10.0	29.9	130.7	249.4	119.7	39.9	29.9	59.9	69.8	29.9	29.9	79.8	39.9	209.5	10.0
.....	5.6	85.6	309.2	174.3	157.4	123.7	309.2	84.3	50.6	140.5		39.3	151.8	185.5	
5.4		97.5	205.8	124.5	70.4	37.9	395.3	75.8	81.2	151.6		48.7	157.0	184.1	5.4
.....	5.0	41.8	206.4	135.8	57.5	73.1	350.0	78.4	78.4	167.2		73.1	198.5	177.6	5.2
.....		70.6	237.1	151.4	20.2	70.6	338.0	50.5	55.5	206.9		65.6	211.9	146.3	5.0
.....		39.0	307.3	126.8	34.1	82.9	336.6	78.1	68.3	92.7	9.8	29.3	200.0	151.2	
.....	4.0	32.4	222.6	238.8	97.1	60.7	125.5	97.1	68.8			121.4	52.6	174.0	4.0
.....	12.1	32.1	196.9	176.8	136.6	84.4	76.4	88.4	80.4	48.2		88.4	24.1	152.7	
.....	12.0	27.0	167.6	223.5	111.7	71.8	71.8	99.8	95.8	83.8		107.7	31.9	139.7	
4.0	7.0	31.7	237.8	198.1	114.9	87.2	111.0	87.2	91.1	79.3	4.0	114.9	35.7	134.7	
.....	11.8	66.9	247.9	204.6	129.9	63.0	94.5	137.7	74.8	55.1	11.8	125.9	51.2	141.7	
.....	9.2	46.1	166.0	129.1	53.3	46.1	55.3	138.3	36.9	73.8		83.0	36.9	175.2	
.....	36.1	9.0	90.3	99.3	108.3	45.1	126.4	117.3	54.2	81.2		126.4	27.1	189.5	
.....	17.7	53.0	132.6	123.6	123.8	97.2	168.0	114.9	35.3	35.3	17.7	150.3	44.2	176.8	
26.0	17.3	17.3	121.2	147.2	155.9	86.6	60.6	147.2	17.3	164.5	17.3	95.2	52.0	207.8	
.....		25.4	144.3	186.7	101.8	101.8	50.9	101.8	84.9	76.4	59.1	110.3	33.9	93.3	
.....	24.9	49.7	348.2	111.0	136.8	99.5	49.7	49.7	99.5	37.3	24.9	161.7	49.7	236.2	
.....	12.4	286.0	198.9	111.9	87.1	87.1	99.5	87.1	87.1	24.9		49.7	286.0	24.9	
.....	37.3	49.7	323.3	236.2	99.5	62.2	149.2	62.2	87.0	24.9		49.7	37.3	281.1	24.9
.....	24.9		310.9	149.2	149.2	111.0	74.6	124.4	87.0	24.9	12.4	99.5	49.8	186.5	
.....	12.4	24.9	261.1	223.8	174.1	87.0	99.5	161.7	74.6	37.3		74.6	62.2	298.4	
5.5	16.4	27.3	147.5	180.3	125.7	65.6	81.9	109.3	32.8	54.6	5.5	103.8	76.5	180.3	10.9
.....	21.6	27.0	194.7	221.8	59.5	86.5	48.7	162.3	64.9	92.0	5.4	146.0	43.3	227.1	5.4
.....	5.3	32.1	202.4	230.2	112.5	69.6	32.1	85.7	80.3	26.8		123.2	58.9	187.4	
15.9	10.6	26.5	212.1	286.3	127.3	58.3	79.5	106.0	79.5	79.5		90.1	58.3	201.4	5.3
.....	5.2	21.0	204.7	168.0	78.7	52.5	42.0	141.7	131.2	78.7	31.5	94.5	78.7	231.0	10.5
4.7	4.7	16.5	179.2	191.0	188.7	47.2	127.3	108.5	80.2	47.2	7.1	63.7	56.6	136.8	
4.6	4.6	6.9	189.2	145.4	69.2	46.1	110.7	71.5	94.6	41.5	6.9	55.4	43.8	122.3	
2.3	20.3	29.3	169.3	142.2	70.0	51.9	83.6	90.3	84.8	11.3	61.0	33.9	130.9	130.9	
.....	13.3	26.5	207.8	161.4	108.3	59.7	92.8	77.4	92.8	39.8	13.3	61.9	30.9	128.2	
.....	19.5	28.1	192.7	166.7	77.9	32.5	95.3	65.0	112.6	39.0	10.8	52.0	17.3	75.8	
.....	5.7	11.5	154.9	229.5	86.1	28.7	86.1	80.3	57.4	22.9	11.5	97.5	17.2	131.9	
.....	16.3	02.5	272.1	65.3	43.5	92.5	114.3	76.2	76.2	49.0	16.3	59.8	10.9	152.3	
.....	10.3	5.2	88.0	155.3	113.8	31.0	51.7	67.3	46.6	51.7	5.2	51.7	20.7	113.8	5.2
14.8	4.9	14.8	123.3	202.2	59.2	29.6	83.8	88.8	44.4	9.9	4.9	143.0	4.9	103.6	19.7
.....	9.4	169.6	235.6	94.2	84.8	66.0	98.9	98.9	42.4	33.0	9.4	61.3	23.6	108.4	9.4
1.5	7.8	74.9	179.5	148.3	140.5	120.6	234.2	81.2	65.0	99.9	18.7	64.0	89.0	93.7	
3.0	9.2	65.6	161.7	178.5	157.1	201.4	102.2	102.2	84.6	94.6	4.6	64.1	51.9	88.4	4.6
.....	14.9	72.2	134.2	122.3	122.3	117.8	228.2	82.8	82.8	82.8	7.5	65.6	61.1	122.3	25.4
.....	14.6	49.6	128.4	137.1	139.0	128.4	201.3	91.0	106.5	87.5	14.6	62.7	52.5	128.4	1.5
.....	8.6	112.8	155.6	151.3	184.2	159.9	291.2	81.4	94.2	98.5	4.3	70.0	60.0	108.5	
7.9		23.7	94.8	173.7	623.9	120.4	79.0	165.8	71.1	86.9	15.8	165.8	7.9	173.7	7.9
.....	15.3	23.3	124.3	132.1	442.9										

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Leominster town, Mass.	1901	1,229.2	15.7	7.8					62.6	15.7		86.1	15.7	39.1
	1902	1,178.3	7.6				7.6		22.8			159.6	15.2	91.2
	1903	1,315.1	7.4				7.4	7.4	14.8	7.4		118.2	14.8	88.7
	1904	1,264.7	7.2				7.2			7.2		143.7	21.6	50.3
	1905	1,426.9	7.0	7.0					21.0	14.0	14.0	132.9	35.0	97.9
Lima, Ohio.	1901	1,826.8	58.3				4.5	13.4	53.8	62.8		219.8	22.4	71.8
	1902	1,347.0	24.1	12.1			4.0	8.1	40.2	20.1		160.8	16.1	48.2
	1903	1,356.0	31.3			39.2		19.6	11.8	11.8		164.6	15.7	47.0
	1904	1,360.2	34.1	7.6		3.8	7.6	15.1	26.5	37.9		109.9	26.5	34.1
	1905	1,197.9	22.2				7.4		51.8	14.8	11.1	140.5	18.5	46.7
Lincoln, Nebr.	1901	1,243.6	36.2	2.4	2.4	4.8	2.4	9.6	60.3	45.8		74.7	16.9	60.3
	1902	946.3	39.7	2.3		16.4		7.0	16.4	2.3		74.8	4.7	46.7
	1903	887.7	15.8	4.5		13.6		13.6	15.8	13.6		47.6	11.3	54.4
	1904	1,604.0	22.0			30.8	2.2		8.8	6.6		72.5	8.8	50.5
	1905	876.8	23.5			4.3	2.1	4.3	49.1	6.4	4.3	57.6	25.6	38.4
Lockport, N. Y.	1901	1,707.5	83.6	6.0	6.0	11.9		6.0	41.8	29.9		185.1	11.9	71.6
	1902	1,282.6	29.6	5.9		11.8	23.6		17.7	17.7		76.8	11.8	70.9
	1903	1,650.3	52.7			11.7	17.6	11.7	87.8	17.6		122.9	11.7	41.0
	1904	1,651.4	40.6				11.6		92.7	17.4		156.4	23.2	46.4
	1905	1,486.1	63.1			23.0		5.7	34.4	34.4	23.0	137.7	5.7	74.6
Logansport, Ind.	1901	1,788.7	48.5	12.1		6.1			18.2	42.4		248.6	12.1	24.3
	1902	1,775.9	29.8					29.8	5.9	17.9		226.5	11.9	59.6
	1903	1,540.9	52.7	17.6	11.7				23.4	23.4		134.8	11.7	76.2
	1904	1,791.9	51.9				5.8	11.5	28.8	34.6		207.4	46.1	105.5
	1905	1,896.3	73.7			5.7		17.0	5.7	45.3	73.7	130.4	34.0	90.7
Louisville, Ky.	1901	1,837.6	46.0	7.2	1.0	1.0	2.4	3.4	51.8	26.4		197.0	21.1	54.7
	1902	1,797.4	60.3	5.2	1.4	2.4	2.4	7.5	41.0	3.8		183.3	26.8	62.2
	1903	1,864.0	59.8	2.3	7.9		6.0	20.4	32.4	7.4		214.2	19.5	55.6
	1904	1,981.8	61.6	5.9	3.2	6.4	3.2	0.9	18.2	24.2		239.5	20.5	61.6
	1905	1,805.4	49.4	6.3	0.4	0.4	3.6	4.9	13.0	18.0	22.0	228.2	16.6	56.6
Lowell, Mass.	1901	2,149.5	20.0	3.2		23.2	2.1	15.8	121.1	27.4		166.4	16.9	65.3
	1902	2,046.6	17.9	2.1	4.2	9.5	4.2	8.4	79.9	9.5		161.3	14.7	60.0
	1903	2,017.0	32.7	1.1		1.1	9.5	16.9	34.8	10.5		135.9	24.2	81.3
	1904	1,831.3	20.0	2.1	1.1	20.0	6.3	3.2	36.9	7.4		141.2	23.2	74.8
	1905	2,063.1	19.0			8.4		17.9	21.1	16.9	6.3	153.9	34.8	72.7
Lynchburg, Va.	1901	1,926.3	78.6					63.9	19.7	49.1		191.7	9.8	34.4
	1902	2,033.6	105.5	9.6		9.6	4.8		9.6	14.4		249.4	33.6	38.4
	1903	1,953.2	71.9	18.7	4.7			74.9	9.1	4.7		295.1	60.9	42.2
	1904	2,183.1	114.4		4.6	9.1		13.7	22.9	9.1		315.8	41.2	45.8
	1905	2,187.9	58.2			17.9	22.4	4.5	8.9	13.4	22.4	205.8	49.2	62.6
Lynn, Mass.	1901	1,452.6	14.2	5.7			10.0		54.1	21.4		146.7	31.3	85.4
	1902	1,408.4	12.5			30.6	2.8		37.5	2.8		136.3	30.6	65.3
	1903	1,472.2	17.7	4.1	2.7		2.7	40.7	44.8	10.9		121.9	27.2	91.0
	1904	1,496.0	23.9	1.3		1.3		2.7	27.9	6.6		193.8	21.2	85.0
	1905	1,638.1	23.4			3.9	2.6	3.9	10.4	19.5	10.4	132.4	31.2	88.3
McKeesport, Pa.	1901	1,818.6	81.5			2.8	30.3	2.8	30.9	2.8		101.0	2.8	56.2
	1902	2,023.0	81.3			20.8	2.7	13.5	59.6			89.4	5.4	32.5
	1903	1,758.4	81.0		10.5	13.1	10.5	52.3	70.5	7.3		99.3	13.1	36.6
	1904	1,838.1	133.6			2.5	19.8		64.3	9.9		131.1	24.7	37.1
	1905	1,818.0	85.7			7.1	9.5	4.8	52.4	9.5	7.1	109.5	14.3	35.7
Madison, Wis.	1901	1,190.5	5.0			20.0	5.0	15.0	75.0	55.0		85.0	10.0	45.0
	1902	869.4				4.8		4.8	4.8	14.4		81.7	19.2	48.0
	1903	1,164.2					23.1	41.6		23.1		120.1	4.6	61.7
	1904	1,203.6							8.5	31.1		132.1	29.8	80.9
	1905	950.6	4.1		4.1	4.1			8.2	16.5	12.3	119.3	20.6	57.6
Mahanoy City, Pa.	1901	2,181.3	7.3				7.3	29.1	102.0	7.3		43.7		21.9
	1902	1,799.5	21.5				21.5		44.3			67.4		28.7
	1903	2,230.1	14.1	7.6			218.8	63.5	21.2			42.3	7.0	14.1
	1904	2,313.8	13.6		13.9	13.0	48.6		90.3			83.4		41.7
	1905	2,107.6	34.2				6.8		130.0	6.8	6.8	54.7		47.9
Malden, Mass.	1901	1,407.2	29.0		2.6	2.6	5.8	23.2	34.7	34.7		127.4	31.8	69.5
	1902	1,386.5	25.4		5.0	23.4	8.5	5.6	36.7	5.6		158.1	22.6	79.1
	1903	1,433.0	19.3	2.8		5.5	22.0	16.5	19.3	8.3		140.5	16.5	104.7
	1904	1,315.9	26.9			8.1	5.4	5.4	10.8	16.1		150.7	26.0	78.0
	1905	1,330.3	10.5					10.5	13.1	13.1	10.5	139.3	18.4	60.5
Manchester, N. H.	1901	1,848.2	17.2	1.7			18.9	20.6	10.3	15.4		175.1	20.6	66.9
	1902	1,774.7	15.1	1.7		8.1	1.7	10.1	53.7	1.7		130.9	31.9	48.7
	1903	1,756.3	18.1			1.6	3.3	29.6	57.5	18.1		136.6	36.2	60.8
	1904	1,772.5	20.9	3.2	1.6		1.6	11.3	27.4	12.9		144.9	32.2	59.6
	1905	2,043.6	18.9			18.9	1.6	9.5	56.8	15.8	15.8	171.9	20.5	53.6
Manchester town, Conn.	1901	1,264.0		18.5		55.4	9.2	9.2	92.3	33.9		119.9	9.2	9.2
	1902	1,029.2		9.0			9.0	9.0	63.2			144.1	36.1	45.2
	1903	1,087.1	26.5	8.8			26.5	17.7	17.7	8.8		185.6		61.9
	1904	1,107.9	26.6				8.6		60.6	26.0		129.8	17.3	31.6
	1905	1,543.6	33.9	8.5				33.9	59.4	25.4	50.9	161.1	8.5	42.4
Manitowoc, Wis.	1901	1,428.0	25.1						50.1	16.7		233.8	16.7	41.8
	1902	1,361.7			8.2			8.2	8.2	8.2		148.0	16.4	57.5
	1903	1,125.2	8.1					8.1		8.1		153.8	32.4	81.0
	1904	1,331.4	15.9			8.0			15.9	23.9		103.6	23.9	87.7
	1905	1,335.1	15.7					47.1	39.3	7.9	31.4	149.2		47.1

† shown for 1905 only.

SUMMARY AND RATE TABLES.

93

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
7.8	7.8	23.5	172.2	172.2	93.9	70.5	31.3	39.1	23.5	78.3	47.0	62.6	156.6		
7.4	22.8	7.6	136.8	136.8	68.4	30.1	68.4	38.0	53.2	83.6	7.6	23.8	53.2	144.4	
21.6	14.8	22.2	96.0	140.4	88.7	90.6	96.0	51.7	51.7	66.5	7.4	88.7	66.5	221.6	
.....		21.6	132.9	170.6	50.3	93.4	93.4	28.7	70.0	86.2	7.2	64.7	86.2	179.6	
.....		14.0	132.9	202.8	83.9	21.0	69.9	97.9	90.9	97.9		90.9	69.9	125.9	
4.5	4.5	35.9	121.1	112.1	139.0	71.8	89.7	125.6	71.8	80.7	13.4	174.9	71.8	197.3	35.9
.....	8.1	20.1	116.6	100.5	103.5	41.2	72.4	68.4	88.5	76.4	4.0	112.6	44.2	116.6	40.2
.....	11.8	27.4	101.9	50.9	111.1	39.2	90.1	117.6	70.5	54.9	3.9	94.0	35.3	156.8	19.6
7.6	15.1	49.2	113.7	144.0	50.9	45.5	34.1	79.6	75.8	94.7	3.8	94.7	72.0	147.7	7.6
.....		40.7	77.6	110.9	92.4	55.5	66.5	81.3	51.8	37.0	11.1	92.4	37.0	136.8	
7.2	2.4	28.9	130.5	67.5	94.0	48.2	55.4	57.8	43.4	53.0	10.3	103.6	84.4	135.0	7.2
4.7	11.7	21.0	119.2	58.4	79.4	25.7	58.4	53.7	25.7	44.4	2.3	49.1	86.5	88.8	7.0
2.3	9.0	22.6	83.8	47.6	81.5	24.9	51.4	81.5	31.7	38.5	4.5	67.9	54.4	90.6	2.3
4.4	11.0	24.2	112.0	92.3	85.7	41.7	46.1	50.5	46.1	52.7	13.2	57.1	52.7	107.7	4.4
6.4	8.5	14.9	70.4	68.3	68.3	17.1	55.5	70.4	42.7	34.1	19.2	59.7	40.5	83.2	2.1
.....	11.0	17.9	209.0	155.2	59.7	131.3	125.4	77.6	59.7	77.6	6.0	59.7	53.7	209.0	
5.9	23.6	23.6	165.5	135.9	39.1	106.4	47.3	65.0	35.5	41.4	17.7	100.5	41.4	147.8	
.....	23.4	5.9	234.1	199.0	81.9	122.9	93.6	111.2	64.4	35.1	11.7	87.8	29.3	175.6	
5.8	29.0	29.0	104.3	318.7	63.7	98.5	75.3	121.7	69.5	57.9	5.8	75.3	57.9	150.7	
.....	17.2	23.0	189.4	183.6	80.3	63.1	57.4	68.9	97.5	63.1	34.4	51.6	28.7	126.2	
.....	6.1	36.4	200.7	127.3	163.7	66.7	66.7	121.3	66.7	78.8	24.3	145.5	48.5	151.6	12.1
.....	17.9	53.6	203.9	143.0	65.6	59.6	77.5	89.4	125.1	101.3	11.9	95.4	29.8	220.5	
.....	11.7	17.6	181.6	76.2	76.2	64.4	41.0	87.9	128.9	105.5	23.4	124.1	64.4	187.5	
5.7	5.7	11.3	167.1	86.4	92.2	57.6	121.0	161.3	92.2	103.7	11.5	126.8	23.0	190.1	
.....	5.7	11.3	198.4	164.4	90.7	68.0	119.0	96.4	107.7	45.3	3.7	170.0	39.7	232.4	
1.0	5.3	42.1	192.2	168.8	170.2	126.1	63.8	105.5	92.0	81.0	6.7	82.5	97.8	188.4	1.9
2.4	10.8	35.3	195.0	152.2	138.5	89.5	68.3	109.3	96.0	94.2	13.7	82.4	113.1	195.5	3.3
0.9	6.9	53.3	204.2	119.3	140.0	95.5	71.9	106.2	103.4	96.9	13.4	76.5	105.7	217.0	1.4
2.3	8.2	42.0	187.1	145.5	203.5	118.2	79.8	100.4	103.1	112.2	22.1	72.5	121.8	213.5	4.1
1.8	10.3	48.5	185.0	157.6	150.9	92.1	70.1	101.9	111.8	98.4	14.8	76.8	94.8	171.1	
2.1	6.3	73.7	193.6	215.9	208.5	145.3	219.1	95.8	82.1	158.0	9.5	65.3	75.8	140.1	
2.1	8.4	79.0	213.8	192.3	168.5	131.7	223.3	91.8	76.9	157.7	8.4	65.3	69.5	131.8	2.1
2.1	7.4	66.4	180.1	207.5	150.7	147.5	279.2	93.8	101.3	137.0	14.7	72.7	87.4	141.3	1.1
1.1	58.0	161.2	172.8	145.1	115.9	249.7	107.5	90.6	132.8	132.8	11.6	63.2	25.3	144.4	2.1
2.1	12.6	99.1	183.1	255.0	140.2	113.8	285.6	133.8	89.6	103.3	9.5	67.4	15.8	141.2	
.....	4.9	19.7	196.6	186.7	88.5	73.7	73.7	93.4	31.4	14.7		117.9	98.3	113.0	363.6
.....	9.6	21.0	215.8	225.4	86.3	28.8	110.3	129.5	67.1	24.0		100.7	48.0	139.1	350.1
4.6	4.7	9.1	192.1	168.6	81.3	79.6	79.3	93.7	23.1	28.1		84.3	46.8	112.4	370.0
4.5	18.3	18.3	196.8	212.6	151.0	73.2	141.9	87.0	45.8	91.5		91.5	59.5	161.8	306.6
.....	4.5	13.4	201.3	206.1	120.8	76.1	116.3	120.8	76.1	89.5	17.9	138.7	98.4	102.9	293.3
.....	7.1	25.6	151.0	142.1	135.3	51.1	86.9	78.3	79.8	61.2	7.1	69.8	31.3	141.0	12.8
1.4	13.9	33.1	159.9	118.8	105.7	59.8	84.8	58.4	79.2	64.0	5.6	54.2	54.2	155.7	8.3
.....	6.8	31.2	126.3	169.8	96.4	69.3	58.4	92.4	93.7	80.1	4.1	81.5	32.6	146.7	16.3
2.7	14.6	34.5	143.1	142.0	110.2	50.1	90.3	50.4	95.6	108.8	8.0	96.9	31.9	142.0	10.6
.....	22.1	72.7	158.1	190.8	159.7	75.3	114.2	87.0	99.9	79.2	9.1	89.6	32.4	119.4	2.6
5.6	2.8	45.0	189.0	78.7	250.2	75.9	171.5	134.9	33.7	98.4	16.9	213.6	104.0	81.5	2.8
.....	65.0	235.6	100.2	243.7	102.9	154.4	86.7	46.0	138.1	16.3	16.3	268.1	105.6	143.5	
2.0	36.6	164.6	101.5	167.2	86.2	128.0	107.1	49.6	130.6	13.1	13.1	172.5	70.5	122.9	2.6
.....	9.9	141.0	108.9	168.2	84.1	183.1	81.1	49.3	118.8	9.9	225.1	61.8	113.8	118.8	2.5
.....	4.8	47.6	154.7	121.4	202.3	111.8	133.3	126.1	64.2	116.6	23.8	207.0	50.0	111.8	7.1
5.0	5.0	5.0	105.0	105.0	90.0	35.0	75.0	85.0	60.0	15.0		80.0	45.0	150.1	15.0
4.8	9.6	100.9	76.9	81.7	62.4	33.6	33.6	48.0	14.4	43.2	9.6	43.2	32.8	80.5	4.8
4.6	18.5	9.2	138.6	97.0	23.1	73.9	32.3	87.8	64.7	41.6	9.2	78.5	27.7	120.1	
.....	12.8	17.0	116.8	132.1	98.0	72.4	29.8	106.5	63.9	31.1	4.3	89.5	21.3	119.3	8.5
.....	4.1	8.2	90.5	115.2	49.4	53.5	20.6	70.0	65.8	65.8	16.5	45.3	8.2	90.5	
.....	36.4	276.8	262.3	247.7	123.9	225.8	116.6	51.0	138.4	7.3	284.1	262.3	225.8	7.3	
.....	100.4	222.3	172.0	143.4	111.7	236.6	64.5	21.5	71.7	14.3	222.3	186.4	86.0		
.....	36.5	218.8	91.8	218.8	211.7	218.8	120.0	70.6	120.0	7.0	211.7	169.4	120.0	7.0	
.....	76.5	201.8	132.0	145.9	118.1	340.5	90.3	62.6	90.3	6.9	264.1	215.4	159.8	13.9	
.....	41.1	328.5	75.3	136.9	143.7	246.3	95.8	116.3	116.3		225.8	109.5	136.9	27.4	
.....	11.6	20.3	153.5	139.0	141.9	66.6	86.9	69.5	75.3	84.0	8.7	37.6	49.2	95.5	5.8
5.6	11.3	25.4	127.1	189.2	67.8	70.6	50.8	76.2	90.4	87.5	5.6	25.4	36.7	141.2	2.8
5.5	16.5	30.3	159.8	190.2	63.4	82.7	66.1	82.7	63.4	121.0	5.5	44.1	24.8	118.5	
.....	18.8	26.9	121.1	231.1	129.2	51.1	80.7	37.7	45.7	61.9	2.7	51.1	10.8	113.0	2.7
2.6	7.9	18.4	165.6	197.2	110.4	60.5	68.4	50.0	97.3	89.4	18.4	32.6	21.0	94.6	
1.7	1.7	89.2	166.5	163.0	133.6	144.1	264.3	85.8	73.8	66.9	8.6	54.9	70.4	144.1	30.9
.....	5.0	85.6	187.7	142.7	178.0	159.5	220.0	90.7	47.0	73.9	6.7	47.0	80.6	134.3	20.1
3.3	9.9	52.6	182.4	156.1	147.9	115.1	218.2	83.8	90.4	69.0	13.1	69.0	50.9	103.5	3.3
.....	16.1	53.1	115.9	141.6	117.5	99.8	186.7	104.6	74.0	99.8	9.6	54.7	51.5	132.0	
.....	18.9	242.8	197.1	151.4	119.8	113.5	249.1	113.5	82.0	116.7	7.9	72.5	61.5	112.0	1.6
.....	18.5	55.4	101.5	156.8	64.6	73.8	83.0	27.7	27.7	73.8		53.4	9.2	147.6	9.2
.....	9.0	27.1	117.4	144.4	72.2	36.1	45.2	45.2	45.2	63.2		36.1	18.1	43.2	
.....	26.5	79.5	130.3	33.0	61.9	35.4	79.5	26.5	88.4	35.4		8.8	8.8	8.8	
.....	26.0	129.8	103.9	43.3	43.3	43.3	121.2	31.6	31.6	86.6	8.6	43.3	17.3	112.5	
.....	17.0	33.9	135.7	135.7	93.3	84.8	161.1	42.4	39.4	93.3	42.4	93.3	17.0	101.8	8.5
8.4	8.4	8.4	133.6	127.3	66.8	50.1	83.5	58.5	50.1	8.4	8.4	75.2	91.9	158.7	33.4
.....	8.2	41.1	139.8	139.8	148.0	57.5	41.1	74.0	65.8	49.3	8.2	41.1	82.2	205.5	8.2
.....	24.3	129.5	129.5	81.0	64.8	81.0	24.3	40.5	56.7	64.8	8.1	48.6	89.0	105.2	16.2
.....	15.9	127.6	111.6	111.6	55.8	159.5	47.8	71.8	47.8	63.8	23.9	55.8	23.9	231.2	15.9
.....	7.9	15.7	133.5	86.4	86.4	141.4	62.8	102.1	23.6						

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Mankato, Minn.	1901	1,367.3	18.7			18.7	18.7		56.2	37.5		187.3	9.4	46.8
	1902	1,357.3	9.3			102.3	27.9	55.8	46.5			148.7	27.9	102.3
	1903	1,328.9					9.2	9.2	9.2	9.2		138.4	46.1	92.3
	1904	1,282.5	18.3				9.2			18.3		100.8	27.5	82.4
	1905	1,518.7	36.4							63.7	72.8	118.2	9.1	109.1
Marietta, Ohio.	1901	1,811.5	115.5	7.2				21.7	43.3	28.9		187.6	28.9	57.7
	1902	1,246.2	90.5	14.0			7.0	7.0	7.0			111.4	27.8	62.6
	1903	1,304.5	74.0	6.7	47.1				53.8			107.6	13.4	100.9
	1904	1,157.3	65.0			19.0	6.5	13.0		13.0		65.0	6.5	65.0
	1905	1,193.9	31.5	6.3				18.9		18.9	25.2	107.0	18.9	62.9
Marinette, Wis.	1901	1,079.4	31.2	6.2			31.2		37.4	12.5		68.6	31.2	37.4
	1902	1,273.7	31.5			6.3	31.5	12.6	12.6			107.2	18.9	50.4
	1903	1,217.3	51.0			51.0	38.2		25.5			89.2	25.5	51.0
	1904	963.4	25.8					6.4		25.8		122.1		6.4
	1905	1,322.1	39.1					6.5		19.5	13.0	136.8	45.6	81.7
Marion, Ind.	1901	1,412.6	82.4	5.5			5.5		11.0	11.0		170.4	11.0	49.5
	1902	1,333.3	78.8	5.2		26.3	10.5		5.2	5.2		141.7		47.3
	1903	1,200.2	23.7				23.7		42.6	19.0		161.1	19.0	56.9
	1904	1,480.8	63.4			22.6	77.0		13.6			172.1	13.6	49.8
	1905	1,123.4	47.7						4.3	21.7	39.0	147.5	13.0	30.4
Marlboro, Mass.	1901	1,569.2					7.3		94.9			210.0	43.8	21.9
	1902	1,420.9	7.2				7.2		159.5	14.5		101.5	21.7	43.5
	1903	1,404.2	7.2			28.8	21.6	43.2	21.6	7.2		115.2	14.4	64.8
	1904	1,294.7	14.3				14.3		21.5	7.2		93.0	14.3	85.8
	1905	1,485.1	7.1							21.3	64.0	199.0	21.3	85.3
Marquette, Mich.	1901	1,253.8	19.6				29.4					156.7	19.6	68.6
	1902	1,293.3	57.9				9.6	9.6		9.6		144.8	29.0	38.6
	1903	1,797.8	28.5				47.6	28.5	95.1	9.5		142.7	19.0	95.1
	1904	1,575.2	37.5				9.4	28.1	9.4	9.4		93.8	28.1	46.9
	1905	1,654.8	37.0									175.6	18.5	83.2
Massillon, Ohio.	1901	1,566.5	33.0	8.2						10.5		123.7		49.5
	1902	1,128.8	16.2	8.1					24.4			97.7	8.1	40.6
	1903	1,008.1	16.0					8.0	64.0	32.0		56.0		48.0
	1904	1,222.0	15.8			31.5	15.8	7.9	7.9	23.6		110.4		78.8
	1905	1,072.3	46.6					15.5	23.3	13.5	7.8	62.2	7.8	46.6
Meadville, Pa.	1901	1,687.9	86.8	9.6					9.6	57.9		57.9	19.3	28.9
	1902	1,378.7	105.3				9.6		9.6	19.1		76.6	9.6	57.4
	1903	1,463.6	47.5	9.5		38.0		28.5	9.5	38.0		114.1		104.6
	1904	1,293.2	17.2							25.9		69.0	17.2	77.6
	1905	1,369.4	34.2					42.8	25.7	8.6		77.0	8.6	94.1
Melford, Mass.	1901	1,349.0	5.4			21.6	37.8	10.8	37.8	27.0		151.1	10.8	113.3
	1902	1,163.0	15.9	5.3	5.3			5.3	5.3	15.9		116.8	5.3	53.1
	1903	1,188.0	15.7	5.2				5.2	26.2	5.2		120.4	20.9	83.7
	1904	1,190.9	10.3	5.2				5.2	10.3	10.3		108.3	36.1	98.0
	1905	1,351.2	15.2	5.1				10.2	5.1	10.2	5.2	86.4	15.2	127.0
Melrose, Mass.	1901	1,247.4	30.2	7.6			7.6		22.7	15.1		113.4	22.7	60.5
	1902	1,333.9	7.4			29.6		7.4	14.8	22.2		140.8	14.8	118.6
	1903	1,090.0	7.3						43.6	7.3		123.5	29.1	109.0
	1904	1,340.2	7.1						21.4	14.3		106.0	49.9	114.1
	1905	1,343.1				28.0	7.0			7.0	7.0	125.9	21.0	132.9
Memphis, Tenn.	1901	1,842.5	51.8	112.2	9.4	1.9	5.7	2.8	4.7	45.2		218.7	21.7	28.3
	1902	1,802.8	39.1	132.0	4.6	1.8	10.0	10.0	12.7	26.4		249.4	20.0	36.4
	1903	1,779.7	41.5	117.0	1.8	3.5	5.3	47.5	10.6	33.4		179.5	11.4	44.9
	1904	1,949.7	46.0	138.8	7.7	17.0	15.3	10.2	14.5	42.6		218.0	13.6	29.8
	1905	1,785.0	33.8	122.1	0.8		2.5	13.2	12.4	31.3	28.0	229.3	14.0	34.6
Menominee, Mich.	1901	1,267.4	56.5					24.2	40.4	24.2	8.1	88.8	32.3	56.5
	1902	1,179.1	25.1		16.7	16.7		8.4	25.1			66.9	8.4	33.4
	1903	1,561.6	64.8			34.7	8.7		34.7	8.7		156.2	52.0	60.7
	1904	1,153.6	117.2					9.0				63.1	9.0	63.1
	1905	1,340.8	46.9						28.1		9.4	75.0	46.9	112.5
Meriden town, Conn.	1901	1,426.5	17.2	55.1				13.8	24.1	68.9		175.7	13.8	68.9
	1902	1,291.4	6.8	40.9				10.2	20.4	44.3		163.6	13.6	54.5
	1903	1,422.0	33.7	40.4		13.5		57.3	13.5	53.9		158.1	40.4	91.0
	1904	1,386.5	6.7	20.0				3.3	6.7	46.7		170.0	16.7	66.7
	1905	1,322.1	9.9	16.5		6.6	3.3	26.4	13.2	59.3	9.9	141.8	26.4	89.0
Michigan City, Ind.	1901	1,284.7	13.1		13.1			6.6	13.1	6.6		104.0	26.2	26.2
	1902	1,309.2	31.9		6.4			6.4		12.8	6.4	121.3	25.5	51.1
	1903	1,639.3	68.4		6.2		68.4		18.7	56.0		124.5	12.4	43.6
	1904	1,292.6	54.6							18.2	12.1	145.6	18.2	72.8
	1905	1,095.6	35.5	5.9					47.4	5.9	11.8	118.4	23.7	65.1
Middletown, N. Y.	1901	1,945.2	40.7						13.6	54.2		189.8	13.6	67.8
	1902	1,648.5	53.4		6.7		20.0		6.7	6.7		166.8	60.1	80.1
	1903	1,682.2	19.7						13.1	19.7		177.4	13.1	92.0
	1904	2,207.1	6.5				25.9	25.9	25.9	25.9		265.4	10.4	84.1
	1905	1,842.9	38.3				12.8		38.3	44.6	19.1	165.8	6.4	44.6
Middletown, Ohio.	1901	1,256.8	32.5				10.8	21.7		10.8	43.3	184.2	21.7	97.5
	1902	1,579.2	10.8				32.5		75.7	21.6	10.8	216.4	21.6	75.7
	1903	1,252.7	21.6			10.8		10.8	43.2	43.2	10.8	129.5	54.0	43.2
	1904	1,184.0	10.8									194.1	10.8	32.3
	1905	1,151.8						10.8		32.3	10.8	118.4	32.3	107.6

* Shown for 1903 only.

SUMMARY AND RATE TABLES.

95

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.		
			46.8	121.7	74.9	84.3	84.3	93.7	84.3	18.7	84.3	9.4	93.7	9.4	149.8	18.7	
			37.2	93.0	120.9	93.0	93.0	93.7	27.9	27.9	27.9	111.6	37.2	102.3			
			9.2	156.9	5.4	166.1	64.6	27.7	101.5	64.6	36.9	27.7	64.6	27.7	212.3		
			18.3	82.4	109.9	128.3	100.8	27.5	82.4	119.1	119.1	9.2	36.6	82.4	100.8	9.2	
	18.2		127.3	136.4	100.0	51.6	36.4	145.5	90.9	63.7	27.3	100.0	45.5	145.5	145.5	18.2	
14.4		43.3	144.3	173.2	158.8	57.7	93.8	101.0	43.3	50.5	21.7	108.3	65.0	245.4			
7.0	7.0	41.8	116.2	160.1	111.4	34.8	48.7	55.7	48.7	62.6	20.9	20.9	27.8	125.3			
6.7		13.4	127.8	171.8	26.9	60.5	100.9	53.8	33.6	53.8		111.3	26.9	107.6			
	6.5	45.5	143.1	130.1	78.0	65.0	26.0	65.0	13.0	45.5	6.5	97.5	19.5	162.6		6.5	
12.6	6.3	12.6	132.2	157.1	69.2	56.6	50.4	113.3	59.4	37.8	31.5	56.6	12.6	107.0			
		43.7	81.1	74.9	68.6	68.6	93.6	43.7	43.7	81.1		74.9	49.9	87.1	12.5		
		37.8	138.7	69.4	41.1	145.0	37.8	69.4	25.2	163.9		82.0	69.4	113.5	6.3		
		19.1	63.7	89.3	44.6	121.1	76.5	121.1	31.9	57.4	12.7	57.4	51.0	133.8	6.4		
		19.3	70.9	77.3	77.3	51.5	58.0	77.3	38.7	83.7	6.4	77.3	25.8	96.6			
	13.0	19.5	123.7	58.6	65.1	117.2	91.2	110.7	6.5	117.2	26.1	45.6	52.1	123.7	6.5		
5.5	5.5	11.0	148.4	93.4	153.9	65.9	98.9	60.5	33.0	71.5	11.0	55.0	98.9	148.4			
		21.0	120.7	120.7	72.5	73.5	36.8	78.8	52.5	115.5	15.7	99.7	42.0	178.5	4.2		
4.7	4.7	14.2	137.4	94.7	85.3	52.1	61.6	94.7	52.1	23.7	19.0	80.5	37.9	142.1	4.7		
4.3	4.3	26.0	126.8	99.6	93.1	45.3	77.0	93.1	45.3	172.1	22.6	77.0	30.2	144.9	13.6		
		86.7	91.1	91.1	91.1	26.0	65.1	95.4	78.1	60.7	13.0	43.4	43.4	82.1	8.7		
		58.4	153.3	216.0	124.1	91.9	29.2	124.1	73.0	65.7	14.6	58.4	14.6	153.3			
		72.5	123.2	267.2	116.0	43.5	58.0	43.5	36.2	72.5		29.0	50.7	108.7	7.2		
		79.2	136.8	194.4	129.6	36.0	93.6	93.6	64.8	21.6		28.8	43.2	144.0			
		78.7	143.1	214.6	93.0	50.1	111.4	111.4	42.9	57.2		42.9	21.6	121.6			
		7.1	85.3	270.0	127.9	64.0	36.8	78.2	95.5	56.8		64.0	35.5	113.7			
		29.4	19.6	68.6	78.4	97.9	117.5	107.7	88.1	58.8		156.7	19.6	68.6			
		9.6	19.3	106.2	115.8	57.9	96.6	106.2	115.8	38.6		125.5	19.3	67.6			
		9.5	28.5	123.7	161.7	134.2	100.3	76.1	104.6	57.1		142.7	19.0	134.2			
		37.5	187.5	159.4	112.5	103.1	112.5	112.5	131.3	84.4	9.4	140.6	9.4	112.5			
	9.2	9.2	147.9	184.9	46.2	53.5	184.9	147.9	83.2	92.4		129.4	27.7	203.4	9.2		
			305.1	123.7	115.4	8.2	40.5	148.4	65.9	49.5	8.2	115.4	164.9	181.4			
	8.1	8.1	170.6	121.8	65.0	48.7	40.6	81.2	16.2	56.9	8.1	121.8	80.3	73.1			
		8.0	24.0	160.1	48.0	40.0	48.0	24.0	56.0	56.0	24.0	128.0	24.0	96.0	8.0		
		7.9	23.6	187.3	102.5	71.0	23.6	31.5	23.6	126.2	15.8	91.6	15.8	157.7	7.9		
		7.8	23.3	139.9	155.4	54.4	46.6	77.7	54.4	38.9	7.8	101.0	15.5	108.8			
		9.6	19.3	250.8	115.7	212.2	67.5	77.2	135.1	106.1	28.9	77.2	135.1	173.6	9.6		
		19.1	181.9	153.2	47.9	47.9	47.9	98.2	98.2	57.4	9.6	86.2	38.3	210.6			
		19.0	19.0	337.6	152.1	35.0	38.0	123.6	35.0	28.5	76.0	28.5	19.0	142.6			
		8.6	17.2	232.8	172.4	77.6	17.2	40.4	138.0	40.4	8.6	146.6	17.2	43.1			
		17.1	8.6	162.6	222.3	94.1	59.9	51.4	77.0	94.1	83.6	23.7	83.6	8.6	85.6		
		21.6	21.6	59.4	199.7	134.9	59.4	80.9	48.6	59.4	5.4	43.2	43.2	107.9			
		5.3	37.2	132.8	164.6	74.3	79.7	37.2	63.7	83.0	5.3	37.2	31.9	106.2			
		5.2	41.9	157.0	183.2	115.1	73.3	20.9	36.6	68.0	10.5	57.6	26.2	62.8			
		10.3	41.2	180.4	165.0	98.0	20.6	163.1	25.8	73.2	5.2	41.2	92.8	92.8			
	5.1	25.4	35.6	157.5	248.9	91.4	45.7	40.6	86.4	106.7	5.1	30.5		127.0			
		7.6	40.5	173.9	158.8	60.5	68.0	52.9	30.2	75.6		30.2	30.2	143.6			
		7.4	14.8	177.9	252.0	96.3	59.3	66.7	44.5	44.5	7.4	44.5	7.4	81.5			
		14.5		101.7	159.9	87.2	36.3	7.3	72.7	21.8		50.9	14.5	116.3			
		14.3	21.4	128.3	185.3	121.2	85.5	28.5	85.5	64.2	14.3	99.8	28.5	78.4			
		14.0	21.0	111.9	272.8	49.0	49.0	56.0	90.9	70.0		70.0	14.0	132.9	7.0		
	0.9	2.8	31.1	99.9	82.9	111.2	77.3	128.2	96.1	113.1	43.4	12.3	164.9	78.2	180.9	116.9	
		3.6	27.3	107.4	111.0	101.9	54.6	145.6	109.2	83.7	43.7	6.4	107.4	71.0	192.9	94.7	
	1.8	2.6	29.8	106.4	124.9	132.9	92.4	132.8	110.1	90.6	49.3	7.0	123.2	68.6	169.8	41.3	
	2.5	9.4	31.5	109.0	114.9	212.8	91.9	109.0	112.4	123.4	38.3	11.9	142.2	42.6	177.1	67.3	
	3.3	1.6	27.2	101.5	120.4	135.3	70.9	108.1	102.3	114.7	42.1	20.6	164.1	56.1	148.5	46.2	
		16.1	8.1	129.2	48.4	88.8	56.5	96.9	96.9	8.1	80.7		145.3	40.4	104.9	16.1	
		16.7	33.4	133.8	41.8	75.3	92.0	75.3	41.8	192.3		108.7	25.1	100.4	33.4		
		17.3	43.4	112.8	86.8	121.5	138.8	104.1	26.0	95.4	26.0	104.1		112.8	17.3		
			27.0	81.1	108.2	99.1	63.1	72.1	63.1	81.1	36.1	99.1	27.0	117.2			
		18.8	18.8	103.1	103.1	65.6	75.0	103.1	112.5	75.0	56.3	28.1	93.8	28.1	140.6		
		20.7	34.5	155.1	103.4	51.7	72.4	106.8	37.9	68.9	75.8	6.9	75.8	6.9	168.8	3.4	
	3.4	10.2	27.3	139.7	136.3	44.3	61.3	64.8	81.8	51.1	51.1	40.9	75.0	6.8	132.9		
		16.8	23.6	148.3	161.8	80.9	47.2	111.2	53.9	67.4	50.5	3.4	50.5	10.1	94.3		
	3.3	10.0	26.7	133.3	130.0	104.4	96.7	53.3	83.3	86.7	26.7	46.7	16.7	139.5			
	3.3	9.9	23.1	171.4	128.6	72.5	62.6	59.3	82.4	102.2	39.6	23.1	52.8	9.9	79.1		
			39.3	163.8	91.8	52.4	52.4	104.9	85.2	104.9	78.7	19.7	85.2	52.4	144.2		
			38.3	140.4	140.8	63.8	25.5	75.5	76.6	25.5	127.7	12.8	57.5	57.5	108.5		
		12.4	37.3	224.0	143.1	68.4	155.6	99.6	68.4	105.8	6.2	93.4	43.6	74.7			
	6.1	6.1	30.3	139.6	139.6	78.9	42.5	103.2	60.7	97.1	72.8	6.1	60.7	18.2	109.2		
	5.9		47.4	130.3	142.1	47.4	35.5	112.5	35.5	99.2	17.8	5.9	65.1	53.3	23.7		
		6.8	27.1	528.7	155.9	81.3	81.3	115.2	67.8	128.8	67.8	13.6	142.3	40.7	101.7		
	13.3	6.7	20.0	440.4	133.5	126.8	73.4	146.8	100.1	140.1	40.0	20.0	113.4	33.4	133.5		
		6.6	52.6	265.7	177.4	157.7	59.1	131.1	151.1	83.4	38.4	13.1	105.1	19.7	157.7		
		6.5	19.4	459.5	265.4	135.9	142.4	51.8	103.6	174.8							

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Middletown town, Conn.	1901	2,004.4	39.5	22.6				5.6	22.6	39.5		299.2	16.9	50.8
	1902	2,000.9	5.6	16.7				11.1	16.7			256.4	44.6	105.9
	1903	2,553.7	22.0	11.0		44.0	16.5	49.5	16.5	49.5		280.7	27.5	121.1
	1904	1,125.1	5.4						5.4			135.9	16.3	38.1
	1905	2,410.6		16.1		10.7	5.4	10.7	5.4	5.4	53.7	300.7	43.0	69.8
Milford town, Mass.	1901	1,533.7	8.7	34.7								199.6	17.4	26.0
	1902	1,500.0	17.1			51.4		25.7	17.1	17.1		120.0	8.6	51.4
	1903	1,351.4	8.5	8.5					50.8	33.9		110.0	25.1	33.9
	1904	1,401.8	8.4	8.4				8.4	8.4	8.4		125.4	16.7	58.5
	1905	1,511.8				8.3	8.3		16.5	16.5	66.1	132.2	16.5	66.1
Milville, N. J.	1901	1,447.9	27.7				9.2		9.2	18.4		110.7	18.4	73.8
	1902	1,558.1	45.0			9.0	36.0	27.0				162.1	9.0	99.1
	1903	1,328.9	35.2				26.4		63.8	17.2		79.2	8.8	88.0
	1904	1,322.8	25.8			8.6		17.2	63.8	17.2		146.3	25.8	86.0
	1905	1,363.1	16.8				8.4		58.9	16.8	8.4	176.7		67.3
Milwaukee, Wis.	1901	1,315.4	22.1		0.3	4.8	5.1	3.4	34.7	23.2		133.9	19.4	67.1
	1902	1,261.8	15.1		0.7	8.4	2.0	8.7	23.8	3.7		102.1	17.1	60.9
	1903	1,350.4	16.8	0.3	0.3	1.3	3.6	17.1	20.8	24.4		127.6	23.4	70.9
	1904	1,355.0	13.6	0.6	0.3	13.3	13.9	3.6	17.5	16.2		141.4	18.5	74.3
	1905	1,304.7	22.7	0.3	0.3	2.9	7.7	12.8	13.4	7.7	6.1	133.9	28.8	84.9
Minneapolis, Minn.	1901	1,172.6	58.7		0.5	7.5	7.0	9.3	89.0	6.5		120.2	35.0	57.8
	1902	1,000.8	26.9	0.4		1.3	14.1	9.7	32.7	2.6		106.4	21.6	52.6
	1903	1,042.0	41.1			3.7	7.5	7.5	24.7	10.9		118.7	27.2	67.9
	1904	961.5	40.4		6.8	0.8	13.2	6.8	23.2	4.0		103.5	26.4	57.6
	1905	942.5	24.4	0.8	0.4	0.8	3.4	1.1	21.0	5.0	7.3	93.1	19.1	62.6
Mobile, Ala.	1901	2,384.7	68.9	56.1	7.7		25.5	2.5	2.5	33.2		418.3	12.7	68.9
	1902	2,253.0	80.1	45.1				12.5	35.0	7.5		335.5	20.0	65.1
	1903	2,315.3	51.6	51.6				10.7	19.7			385.9	7.4	68.8
	1904	2,539.5	57.9	26.6	2.4	33.8		12.1	24.1	9.6		393.5	26.6	55.5
	1905	2,518.7	100.7	33.2			2.4	7.1	7.1	59.3	49.8	410.3	23.7	87.8
Montclair, N. J.	1901	1,682.5	13.8	6.9			20.8	20.8	20.8	48.5		131.6	34.6	90.0
	1902	1,588.0	13.4	6.7	20.1	26.8		26.8	13.4			80.4	40.2	60.3
	1903	1,765.5	19.5			6.5	13.0	32.4	38.9	26.0		129.8	19.5	38.9
	1904	1,963.7	44.1			25.2	6.3		18.9	6.3		144.8	50.4	69.2
	1905	1,765.4	18.3			6.1	12.2	6.1	12.2	30.5	6.1	128.3	12.2	91.6
Morristown, N. J.	1901	1,817.9	35.0						17.5	26.2		244.7	26.2	69.9
	1902	1,669.8	34.4		17.2	17.2	34.4	51.6	8.6	8.6		180.8	17.2	68.9
	1903	1,797.5	17.0					17.0	8.5	8.5		144.1	33.9	76.3
	1904	1,938.2	16.7	8.4			8.4		58.5	8.4		192.1	41.8	108.6
	1905	2,008.9	90.6			16.5		16.5	32.9	16.5	8.2	197.6	32.9	65.9
Mt. Carmel, Pa.	1901	2,157.7				7.3	95.1	21.9	80.5			124.3		29.3
	1902	2,273.2	7.0		21.2		21.2	42.1	84.7			63.5		35.3
	1903	1,384.9				6.8	27.3	6.8	54.6			88.7	6.8	13.6
	1904	1,782.0	6.6			13.2	145.2	6.6	92.4			85.8		26.4
	1905	1,451.0		6.4		6.4	51.1		32.0		12.8	44.7		25.6
Mt. Vernon, N. Y.	1901	1,781.4	13.7	18.2	9.1	4.6		4.6	27.3			145.7	41.0	41.0
	1902	1,475.3	8.8	13.2	8.8	13.2	17.6	8.8	35.2	4.4		118.9	17.6	48.4
	1903	1,160.0	4.3				4.3	8.5	8.5	8.5		102.4	17.1	46.9
	1904	1,438.7	24.8			8.3	24.8	8.3	41.3	4.1		111.6	20.7	49.6
	1905	1,303.7	24.1			4.0	8.0		8.0	8.0	24.1	100.3	12.0	64.2
Muncie, Ind.	1901	1,373.2	86.4	9.1		22.7		9.1	18.2	18.2		136.4	36.4	22.7
	1902	1,509.8	95.5	4.3	4.3		4.3	21.7	26.0	13.0		130.2	8.7	43.4
	1903	1,587.4	16.4	4.1		4.1	12.3	8.2	28.8	20.6		148.1	41.1	37.0
	1904	1,560.7	63.2	7.9	3.9	3.9		11.9	11.9	19.7		201.5	27.7	71.1
	1905	1,517.1	76.0	3.8	3.8			3.8	38.0	30.4	19.0	186.3	26.6	34.2
Muscatine, Iowa	1901	1,359.0	35.0	7.0				7.0	14.0	50.0		84.1	14.0	70.1
	1902	1,153.5	41.4					20.7	6.9	6.9		62.2	6.9	55.3
	1903	1,232.9	88.5	6.8	13.6	6.8	6.8	13.6	34.1	13.6		88.5	6.8	31.1
	1904	1,390.8	100.8				6.7		6.7	60.5		73.9	33.6	91.1
	1905	1,391.9	59.7			6.6		6.6	6.6	26.5		99.4	19.9	46.4
Muskegon, Mich.	1901	1,214.2	19.2	4.8				4.8	4.8	19.2		124.7	28.8	57.6
	1902	1,189.0	14.4					28.8				95.9	33.5	71.9
	1903	1,250.2	19.2	4.8		43.1	4.8	14.4	4.8	19.2		76.6	14.4	71.8
	1904	1,330.3	28.7	4.8		14.3	9.6	28.7	9.6	19.1		131.0	14.3	52.6
	1905	1,281.3	28.7		4.8			4.8	19.1	33.5		76.5	19.1	86.1
Nashua, N. H.	1901	1,732.6	8.2	8.2				12.3	86.2	41.1		160.1	32.8	37.0
	1902	1,801.3	12.1		12.1	4.0	4.0	12.1	165.2	4.0		193.4	20.1	112.8
	1903	1,515.3	15.8	3.9		3.9	3.9	23.7	47.5	27.7		150.4	7.9	59.3
	1904	1,411.7	19.4			23.3	3.9	3.9	35.0	23.3		151.5	23.3	66.1
	1905	1,431.7	7.6			19.1			11.5	19.1	7.6	160.3	19.1	45.8
Nashville, Tenn.	1901	2,021.3	43.0	35.6			14.8	7.4	19.7	34.4		268.0	38.1	57.8
	1902	2,212.6	51.4	40.3		1.2	23.2	1.2	11.0	35.5		314.2	41.6	42.8
	1903	2,079.9	69.7	18.0		25.2	8.4	15.6	10.8	56.4		249.8	51.6	54.0
	1904	2,383.3	54.9	31.6		43.0	9.6	20.3	9.6	70.5		353.4	76.4	58.5
	1905	2,194.1	71.2	35.6				80.7	9.5	52.2	32.1	332.4	46.3	64.1
Natick town, Mass.	1901	1,577.0	10.5					31.5	31.5	10.5		189.2	10.5	115.6
	1902	1,604.4	41.9					10.5	10.5			178.3		52.4
	1903	1,349.4	10.5						32.3	31.4		115.1		104.6
	1904	1,283.4	10.4						10.4	20.9		166.9	52.2	114.8
	1905	1,550.6						10.4	10.4		10.4	135.3		104.1

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

97

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	11.3	22.6	350.0	361.3	107.3	124.2	56.5	84.7	118.6	62.1	11.3	62.1	28.2	191.9	5.6
.....	11.1	27.9	374.4	256.4	128.2	100.3	111.5	117.1	72.5	66.9		61.3	22.3	184.9	11.1
.....	22.0	27.5	335.7	407.3	159.6	231.2	170.6	104.6	77.1	82.6	16.5	66.1	16.5	198.1	
.....	10.9	10.9	190.2	250.0	141.3	92.4	27.2	38.1	32.6	32.6	5.4	27.2		59.8	5.4
.....		80.5	483.2	467.1	75.2	161.1	145.0	96.6	85.9	91.3	21.5	107.4	5.4	69.8	
17.1	17.4	52.1	138.9	164.9	208.3	78.1	78.1	37.4	78.1	52.1		26.0	26.0	191.0	
.....	17.1	8.6	222.9	171.4	128.6	51.4	162.9	68.6	102.9	60.0	8.6	17.1	17.1	214.3	
.....	8.5	42.3	110.0	245.4	93.1	67.7	67.7	50.8	81.7	81.7	8.5	67.7	8.5	167.2	
.....	8.4	25.1	133.8	175.6	125.4	50.2	75.3	66.9	150.5	75.3	8.4	83.6	16.7	107.2	
.....	8.3	66.1	206.5	206.5	148.7	66.1	82.6	82.6	90.9	41.3	16.5	41.3	24.8	99.1	
.....		27.7	230.6	156.8	83.0	83.0	73.8	101.4	101.4	55.3		36.9	83.0	147.0	
.....		153.1	117.1	117.1	117.1	117.1	117.1	126.1	72.1	108.1		45.0	90.1	108.1	
.....		211.2	119.6	119.6	119.6	119.6	119.6	96.8	26.4	44.0		44.0	96.8	107.2	
.....	34.4	17.2	163.5	120.5	31.4	86.0	172.1	68.8	51.6	60.2	8.6	103.2	77.4	129.1	
.....	16.8	16.8	117.8	151.5	16.8	117.8	109.4	117.8	117.8	84.1	8.4	42.2	33.7	58.9	
1.7	9.2	29.6	120.9	81.8	90.3	107.0	106.6	73.9	49.1	76.7	20.1	60.6	44.6	125.7	3.4
1.3	9.4	28.8	110.5	95.8	89.7	129.9	98.1	73.3	46.9	77.7	21.4	60.6	62.3	107.5	2.7
1.3	10.6	26.1	108.8	121.4	98.6	114.1	106.5	85.4	55.4	92.0	23.4	76.2	14.2	109.2	0.3
1.0	11.4	20.4	112.5	121.6	103.1	105.1	115.1	91.7	61.0	81.7	23.4	68.8	12.0	109.0	1.0
1.3	12.8	22.7	106.4	133.2	63.9	92.3	114.7	107.0	61.4	63.9	23.3	71.3	19.2	109.6	0.3
0.5	10.3	23.3	78.3	99.3	77.4	58.3	69.9	72.7	54.5	35.4	7.9	64.3	11.7	117.4	
1.3	6.6	23.8	83.9	95.0	75.1	61.8	42.0	66.7	57.4	33.6	15.5	43.7	19.4	106.0	0.4
1.6	7.9	18.0	70.9	96.1	70.0	59.1	48.6	65.8	60.4	28.9	11.7	8.4	115.0		0.4
.....	8.8	17.2	71.2	91.6	58.0	45.2	45.2	60.8	61.6	18.4	17.6	69.6	10.8	103.1	
0.4	15.3	15.3	76.0	92.0	69.1	42.0	55.7	63.7	66.8	23.3	19.8	60.3	5.3	98.5	
.....		5.1	339.2	170.9	107.1	71.4	112.2	109.7	206.6	86.7	10.2	89.3	86.7	262.7	22.9
.....	10.0	22.5	250.4	160.2	150.2	70.1	92.6	120.2	200.3	87.6	12.5	127.7	97.6	235.3	15.0
.....	7.4	27.0	302.3	172.0	115.5	103.2	83.6	103.2	218.8	103.2	9.8	122.9	81.1	226.1	12.3
.....	4.8	29.0	272.8	210.0	171.4	91.7	135.2	152.1	224.5	125.5	19.3	120.7	91.7	236.6	12.1
4.7	11.9	9.5	294.1	215.8	104.4	80.6	123.3	94.9	218.2	97.2	11.9	151.8	80.6	220.6	11.9
.....	6.9	48.5	159.2	76.2	103.9	69.2	173.1	103.9	83.1	69.2		69.2	159.2	193.9	
.....	20.1	26.8	60.3	187.6	167.5	67.0	154.1	33.5	33.5	194.3	20.1	73.7	127.3	127.3	6.7
.....		26.0	175.3	175.3	116.8	58.4	162.3	97.4	77.0	110.3	13.0	116.8	77.9	227.2	6.5
.....	12.6	31.5	182.5	144.8	151.1	251.8	88.1	81.8	107.0	25.2	75.5	18.9	258.1		
.....	24.4	24.4	146.6	140.5	134.4	55.0	317.7	85.5	73.3	97.7	18.3	122.2	36.7	164.9	
.....		35.0	69.9	270.9	201.0	157.3	78.7	43.7	69.9	52.4	8.7	104.9	52.4	157.3	
8.6		17.2	180.8	206.6	129.1	86.1	43.0	86.1	103.3	60.3		68.9	60.3	180.8	
.....	33.9	25.4	118.7	195.0	203.5	127.2	110.2	135.7	67.9	135.7	8.5	76.3	101.7	132.6	
.....	25.1	58.5	167.1	192.1	192.1	83.5	125.3	91.9	117.0	66.8		133.7	50.1	192.1	
.....	8.2	16.5	238.8	205.8	82.3	65.0	321.1	115.3	107.0	41.2	8.2	115.3	65.9	140.0	
.....		51.2	219.4	102.4	182.9	204.8	226.8	95.1	51.2	212.1	29.3	116.3	190.1	80.4	7.3
.....		70.6	338.9	63.5	206.5	113.0	310.6	127.1	35.3	127.1		169.4	217.1	98.8	
.....		34.1	136.5	75.0	163.7	75.0	197.9	61.4	54.6	68.2		116.0	109.2	34.1	54.6
.....	6.6	33.0	237.6	39.6	204.6	158.4	158.4	26.4	39.6	99.0	6.6	118.8	115.2	125.4	6.6
.....		19.2	191.8	127.8	102.3	89.5	147.0	76.7	63.9	95.9	6.4	159.8	108.7	83.1	
.....	9.1	50.1	200.3	122.9	95.6	227.6	193.7	77.4	113.8	81.9	9.1	72.8	100.1	122.9	
.....	13.2	17.6	114.5	105.7	123.3	162.9	123.3	57.2	83.7	70.5	4.4	92.5	39.6	171.7	
.....	25.6	21.3	89.6	140.7	55.4	106.0	55.4	89.6	89.6	76.8		68.2	25.6	115.1	
.....	8.3	33.1	86.8	161.2	95.1	74.4	107.5	107.5	132.3	66.1	8.3	91.0	62.0	121.0	
.....		20.1	112.3	168.5	132.4	48.1	81.2	112.3	128.4	68.2	8.0	56.2	24.1	88.2	
.....	4.5	36.4	150.1	51.6	113.7	63.6	50.0	118.2	45.5	109.1	18.2	54.6	13.6	181.9	
.....	13.0	30.4	160.5	130.2	82.4	60.8	82.4	104.1	69.4	91.1	26.0	73.8	43.4	190.9	
.....	4.1	24.7	139.8	131.6	119.3	49.3	90.5	106.9	82.3	148.1	20.6	111.0	37.0	201.5	
.....		35.6	162.0	122.5	83.0	51.4	95.8	102.7	67.2	90.9	31.6	94.8	35.6	138.0	3.9
7.6		15.2	110.3	136.9	117.9	57.0	102.7	95.1	76.0	110.3	26.6	83.6	15.2	136.9	3.8
.....		21.0	98.1	84.1	119.1	84.1	70.1	133.1	35.0	14.0	7.0	84.1	49.0	259.2	14.0
.....		34.5	145.0	62.2	96.7	82.9	27.6	76.0	13.8	27.6	13.8	82.9	69.1	221.0	
.....	6.8	102.2	61.3	61.3	61.3	54.5	61.3	109.0	47.7	20.1	6.8	74.9	34.1	245.2	6.8
.....		13.4	134.4	100.8	174.7	40.3	40.3	73.9	127.7	33.6		47.0	26.9	188.1	13.4
.....	6.6	46.4	119.3	119.3	139.2	72.9	72.9	72.9	59.7	19.9	6.6	33.1	59.7	285.0	6.6
.....	28.8	4.8	168.0	86.4	81.5	72.0	86.4	72.0	43.2	28.8	4.8	62.4	33.6	163.2	14.4
.....	21.0	19.2	148.6	115.1	71.9	52.7	38.3	100.7	71.9	33.5	14.4	95.9	19.2	119.9	19.2
.....	4.8	4.8	191.6	110.2	86.2	91.0	28.7	62.3	76.6	33.5	9.6	86.2	14.4	138.9	28.7
.....	14.3	9.6	138.8	154.1	71.8	57.4	62.2	38.3	105.3	33.5	4.8	119.7	9.6	148.3	47.9
.....		14.3	200.8	110.0	119.5	47.8	56.1	100.4	90.8	47.8	4.8	38.2	19.1	119.5	9.6
.....	4.1	45.2	131.4	180.7	151.9	135.5	168.3	106.7	73.9	90.3	4.1	73.9	53.4	119.1	8.2
.....	16.1	60.5	133.0	169.3	129.0	104.8	108.8	64.5	72.5	80.6	8.1	36.3	92.7	169.2	16.1
.....	11.9	63.3	130.6	122.7	87.0	95.0	166.2	75.2	55.4	71.2	7.9	79.1	67.3	180.6	
.....	3.9	50.5	139.9	151.5	81.6	101.0	163.2	89.4	31.1	62.2		85.5	38.9	93.3	
.....	34.4	91.6	129.8	171.8	95.4	72.5	99.3	80.2	53.4	84.0	3.8	80.2	31.1	106.9	3.8
2.5	2.5	29.5	249.6	162.3	177.0	119.2	153.7	85.5	59.0	98.4	2.5	72.5	70.1	186.9	28.3
3.7	7.3	45.2	187.0	172.4	231.0	129.6	143.0	125.9	70.9	62.4	8.6	91.7	105.1	259.1	7.3
2.4	4.8	19.2	160.0	223.4	136.9	102.1	136.9	153.7	66.1	120.1	2.4	130.9	32.4	223.4	4.8
2.4	2.4	14.3	177.9	216.1	167.2	152.8	214.9	133.7	65.7	78.8	3.6	136.1	21.5	226.7	8.4
2.4	8.3	23.7	163.8	212.5	162.7	127.0	146.0	136.5	70.0	90.2	20.2	127.0	19.0	157.9	2.4
.....		21.0	157.7	252.3	178.7	42.1	31.5	115.0	42.1	21.0		31.5	52.6	189.2	10.5
10.5	41.9	10.5	188.8	197.8	199.2	41.9	41.9	52.4	94.4	104.0		73.4	41.9	188.8	
.....		20.9	231.0	177.8	125.5	52.3	20.9	62.3	73.2	41.8		94.1	31.4	104.3	
.....	10.4	20.9	114.8	260.9	93.9	20.9	20.9	62.6	83.5	31.3	10.4	73.0		104.3	
.....	31.2		176.9	333.0	72.8	31.2	62.4	83.3	104.1	31.2	31.2	187.3	10.4	124.9	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.	
REGISTRATION CITIES—Continued.														
Naugatuck, Conn.	1901 1,239.4 1902 1,701.0 1903 1,377.0 1904 1,442.7 1905 1,165.3	18.2 26.3 16.9 16.3 7.9	18.2 8.4 8.4 8.4 9.7			54.7 181.1 84.5 8.2 7.9	45.6 8.8 50.7 8.2 8.2	18.2 78.9 50.7 8.2 7.9	27.3 26.3 16.9 31.5			109.4 149.1 169.0 203.8 196.8	9.1 33.8 48.9 7.9	27.3 61.4 50.7 32.6 39.4
New Albany, Ind.	1901 1,813.1 1902 1,701.6 1903 1,696.7 1904 1,774.2 1905 1,672.5	34.0 29.1 87.3 14.5 67.9	19.4 34.0 4.8 4.8 9.7			4.8 10.4 19.4 4.8 19.4		106.7 48.5 77.6 19.4 19.4	34.0 4.8 24.2 34.0 24.2			276.3 218.1 227.8 237.6 213.3	34.0 4.8 29.1 24.2	29.1 92.1 48.5 43.7 63.0
New Bedford, Mass.	1901 1,926.7 1902 2,029.5 1903 2,301.9 1904 1,897.8 1905 1,744.2	30.9 35.7 50.3 20.8 8.1		9.3 1.4 1.4	6.2 7.4 15.8 2.8 1.3	15.4 50.6 214.1 24.4 13.9 2.7	1.5 25.3 24.4 13.9 13.4	21.6 41.7 47.4 12.5 37.7	9.3 1.5 10.1 9.7 9.4			217.5 181.5 181.1 209.8 158.7	20.3 11.9 24.4 22.2 29.6	83.3 60.9 74.7 80.6 71.3
New Britain town, Conn.	1901 1,407.9 1902 1,378.1 1903 1,753.8 1904 1,521.2 1905 1,627.9	20.6 13.3 19.4 22.0 18.3	13.7 3.3 3.2 22.0 3.0	3.4 10.0 3.2	3.4 3.3 77.5 6.3 6.1	37.8 26.6 32.2 12.5 6.1	13.7 36.6 54.9 3.1 3.0	37.8 36.6 71.1 28.2 9.1	51.5 6.7 32.2 28.2 12.2			113.3 119.8 126.0 97.2 134.1	30.9 13.3 16.2 15.7 24.4	55.0 26.6 51.7 65.9 61.0
New Brunswick, N. J.	1901 1,788.6 1902 1,891.2 1903 1,695.5 1904 1,981.6 1905 1,838.8	29.1 14.1 4.6 35.5 34.6	4.8 4.6 4.6				19.4 14.1 4.6	19.4 56.5 141.7 88.9 25.9	33.9 14.1 13.7 4.4			168.7 169.4 155.4 142.2 164.3	14.5 28.2 40.0 40.0 38.9	77.6 51.8 50.3 40.0 47.6
New Haven, Conn.	1901 1,793.6 1902 1,665.1 1903 1,695.1 1904 1,724.8 1905 1,873.5	94.4 39.1 36.6 27.4 42.8	12.7 8.9 5.2 8.6 10.9		10.0 6.2 26.2 14.6 2.5	4.5 23.4 13.1 5.1 6.7	23.6 8.9 16.6 14.6 13.4	23.6 8.9 15.7 36.0 20.2	42.6 6.2 15.7 36.0 20.2			193.2 187.7 164.9 163.5 157.1	24.5 29.4 25.3 28.2 29.4	88.9 82.7 79.4 71.9 92.4
New London, Conn.	1901 1,835.2 1902 1,944.7 1903 1,921.3 1904 2,113.9 1905 1,789.8	11.2 38.2 16.0 5.2 30.9	5.6			5.6 10.9 32.1 5.2		89.3 21.9 26.8 36.7 36.0	66.9 11.8 42.8 57.7 20.6			206.4 240.3 182.0 215.1 154.3	16.7 5.5 91.0 10.5 30.9	55.8 81.9 91.0 110.2 102.9
New Orleans, La.	1901 2,229.3 1902 2,229.8 1903 2,230.4 1904 2,234.8 1905 2,266.9	50.1 44.2 40.9 36.7 32.6	38.1 32.8 26.3 22.9 16.1	17.8 1.6 1.3 1.9	0.3 0.3 0.7 10.5	21.3 4.7 2.7 0.7 2.6	8.2 4.4 9.3 3.6 9.7	14.4 14.9 12.0 15.4 13.6	24.0 18.2 39.2 38.0 35.2			306.2 325.9 317.7 338.9 316.5	33.3 27.0 31.6 31.1 29.7	70.0 71.9 79.8 82.9 84.0
New Rochelle, N. Y.	1901 1,715.8 1902 1,301.1 1903 1,109.3 1904 1,386.8 1905 1,299.8	37.8 23.5 22.1 15.6 19.6	12.6 5.5	6.3		6.3 11.8 16.6 5.2 9.8	6.3 5.9 5.5 5.2 14.7	31.5 41.2 22.1 31.2 29.4	31.5 11.8 16.6 15.6 4.9			126.2 58.0 104.9 93.5 93.2	12.6 17.7 33.1 5.2 9.8	75.7 29.4 16.6 46.7 49.1
New York, N. Y.	1901 1,989.0 1902 1,826.3 1903 1,795.6 1904 2,014.7 1905 1,829.1	20.6 20.3 17.1 16.8 16.0	5.0 3.5 2.0 2.7 1.4	11.1 8.4 0.1 0.2	10.2 17.5 11.4 21.6 11.1	33.3 25.6 20.8 22.8 12.2	6.5 15.8 8.4 5.4 9.3	56.2 54.7 55.1 52.7 37.3	19.9 5.0 11.0 14.2 8.6			228.8 207.8 211.6 220.4 211.1	32.6 32.8 33.7 32.7 29.4	69.1 66.6 69.5 71.4 72.3
Bronx borough, N. Y.	1901 2,200.5 1902 2,155.6 1903 1,944.8 1904 2,150.9 1905 2,030.6	16.3 15.7 14.8 12.0 14.4	21.9 10.0 5.8 6.2 2.6	143.3 88.2 1.2 0.4	17.2 37.7 11.1 43.9 17.7	44.2 82.1 70.7 68.8 26.1	3.3 18.3 7.8 5.1 12.2	47.5 32.0 62.9 57.1 72.9	3.0 21.1 6.2 9.7 7.7			526.7 506.7 528.9 549.0 532.0	30.3 31.9 35.8 35.4 26.5	61.9 58.5 67.0 61.0 70.7
Brooklyn borough, N. Y.	1901 1,932.3 1902 1,805.7 1903 1,734.6 1904 1,884.8 1905 1,762.2	22.4 24.3 19.4 22.4 21.3	4.7 4.1 2.5 4.3 1.8	4.0 7.1 0.2 0.5 0.7	11.5 18.5 12.0 23.8 12.3	39.1 22.9 20.5 22.5 14.6	7.7 17.1 17.1 9.4	61.0 58.8 62.2 52.9 42.1	17.3 6.4 14.3 15.7 10.3			206.2 189.0 189.0 202.2 178.8	27.8 30.6 32.1 31.9 29.3	62.1 63.9 63.0 64.9 67.6
Manhattan borough, N. Y.	1901 2,023.8 1902 1,873.7 1903 1,847.7 1904 2,117.0 1905 1,882.7	19.9 18.5 15.9 13.4 12.7	2.6 2.1 1.1 1.1 0.8	1.7 0.9 (5)	9.0 13.7 11.1 19.7 10.3	30.6 22.2 16.3 18.3 9.4	6.4 14.2 7.2 5.2 8.5	55.2 53.6 50.0 53.5 30.2	21.2 4.7 0.4 13.3 7.5			215.3 191.8 195.8 200.6 197.4	37.0 35.3 36.5 33.8 30.2	75.8 71.0 75.1 78.3 77.7
Queens borough, N. Y.	1901 1,728.8 1902 1,627.5 1903 1,480.3 1904 1,612.2 1905 1,611.9	17.9 21.1 16.1 19.6 17.7	11.7 4.7 3.9 4.2 3.5	1.2	1.9 5.9 11.7 1.1 6.1	14.8 7.6 12.2 10.1 8.1	4.3 15.8 58.9 39.2 13.6	45.1 52.1 52.9 39.2 35.9	24.7 1.8 9.4 16.4 7.1			175.3 135.7 130.1 141.9 137.0	21.0 25.2 16.3 21.2 23.8	41.4 47.4 51.1 47.7 50.5
Richmond borough, N. Y.	1901 1,976.4 1902 1,846.2 1903 1,713.2 1904 2,043.1 1905 1,915.3	26.4 14.4 19.8 30.9 15.1	8.8 5.8 4.3 2.8 1.4		16.1 4.3 5.7 5.6 2.7	14.7 25.9 4.3 26.5 8.2	5.9 28.8 8.5 2.8 11.0	52.8 28.8 34.0 44.4 24.7	20.5 2.9 18.3 22.3 16.5			190.6 185.9 188.5 149.1 212.5	32.3 25.9 38.6 37.6 34.3	92.4 86.3 80.6 89.2 67.2
Newark, N. J.	1901 1,918.3 1902 1,891.2 1903 1,842.9 1904 1,954.9 1905 1,765.0	23.8 19.6 22.9 13.6 14.1	6.3 4.2 1.1 3.7 1.4	28.1 72.2 1.1	6.7 20.7 0.8 13.9 4.2	9.1 18.4 26.6 44.7 16.6	14.3 15.8 18.8 4.8 15.5	40.8 38.8 43.1 54.2 39.2	13.1 5.4 15.8 11.4 6.7			227.8 225.9 244.2 248.0 241.1	26.5 28.4 28.9 33.0 35.3	75.3 63.8 71.6 70.3 69.9

¹Shown for 1905 only.

SUMMARY AND RATE TABLES.

99

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.																
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Un- defined causes.	All other causes.	Cause un- known.	
		63.8	36.5	63.8	91.1	63.8	118.5	109.4	27.3	63.8		100.3	18.2	136.7	18.2	
		61.4	114.0	140.3	105.2	114.0	131.5	105.2	32.6	52.6		114.0		157.8	17.5	
		16.9	84.5	92.9	109.8	67.6	109.8	67.6	67.6	76.0		92.9	16.9	59.1		
	16.3	16.3	105.9	97.8	57.1	89.6	260.8	57.1	114.1	89.6		89.6	8.2	122.3		
		23.6	126.0	86.6	86.6	63.0	189.0	15.7	78.7	39.4	7.9	47.2	7.9	86.6	7.9	
4.8	4.8	24.2	189.1	160.0	92.1	106.7	92.1	82.4	77.6	155.1	14.5	63.0	92.1	111.5	4.8	
	4.8	29.1	184.2	145.5	63.0	145.5	106.7	92.1	87.3	87.3		111.5	92.1	97.0	4.8	
		9.7	174.5	193.9	111.5	87.3	82.4	97.0	53.3	67.8	4.8	87.3	58.2	140.6	9.7	
	14.5	24.2	232.7	101.8	179.4	121.2	77.6	121.2	63.0	87.3	4.8	116.4	24.2	227.8	4.8	
	19.4	33.9	109.7	179.4	58.2	77.6	58.2	101.8	97.0	82.4	29.1	106.7	43.6	155.1		
		18.5	64.8	151.2	206.7	106.4	138.8	222.1	61.7	91.0	158.9	7.7	54.0	77.1	141.9	1.5
		10.4	69.9	169.6	163.7	141.3	165.2	261.8	61.0	98.2	181.5	4.5	74.4	74.4	123.5	1.5
1.4		15.8	71.8	152.3	191.1	158.1	278.8	57.4	113.5	159.5	7.2	54.6	70.4	142.3		
		18.1	44.5	157.0	211.2	112.5	120.9	252.9	72.2	111.1	158.4	5.6	58.4	127.8	2.8	
1.3	8.1	33.6	166.8	211.1	110.3	103.5	212.5	71.3	98.2	164.1	5.4	57.8	57.8	103.5	1.3	
3.4	13.7	48.1	130.5	92.7	92.7	68.7	120.2	79.0	48.1	116.8	13.7	44.7	6.9	127.0	20.6	
	6.7	66.6	113.2	68.9	89.9	76.6	216.4	99.9	53.3	86.5	26.6	86.5	10.0	109.8	3.3	
		25.8	58.1	129.2	126.0	103.4	206.7	113.1	84.0	96.9	12.9	93.7	6.5	119.5	3.2	
3.1	15.7	53.3	141.1	163.1	94.1	75.3	169.4	100.4	87.8	100.8	6.3	100.4	12.5	103.5	6.3	
3.0	6.1	48.8	131.1	146.3	137.2	112.8	204.3	112.8	64.0	112.8	18.3	97.6	15.2	128.0	6.1	
		29.1	237.5	184.2	150.3	77.6	101.8	53.3	116.3	87.2		121.2	96.9	135.7		
		37.6	296.4	216.4	178.8	47.0	122.3	103.5	112.9	65.9	9.4	89.4	103.5	136.4		
		9.1	32.0	214.8	150.8	50.4	169.1	100.5	132.5	54.8		96.0	29.4	123.4		
		13.3	62.2	302.1	111.1	146.6	93.3	191.1	97.7	120.0	4.4	93.3	75.5	153.3	8.9	
4.3	25.9	56.2	242.1	185.9	185.9	47.6	196.2	77.8	194.0	51.9	4.3	125.4	60.2	103.7	8.6	
2.7	17.2	36.3	156.1	168.8	108.0	95.3	126.1	81.6	94.4	75.3	14.5	92.5	17.2	173.3	16.3	
2.7	7.1	41.8	163.7	157.4	100.6	98.7	147.7	74.7	96.1	81.8	6.2	92.5	31.1	132.1	5.3	
2.9	20.1	47.1	158.8	171.0	132.6	105.5	116.9	80.3	82.0	72.4	15.7	110.8	50.6	124.7	2.6	
2.6	14.6	46.2	145.5	184.9	120.7	99.3	114.7	101.9	125.8	78.7	24.0	119.8	20.5	124.1	20.5	
	17.6	119.3	157.9	221.0	147.9	93.3	136.1	100.0	108.4	78.1	21.0	95.8	37.0	126.0	58.8	
		5.6	16.7	189.6	193.2	100.4	117.1	156.2	83.7	72.5	22.3	178.5	11.2	150.6		
		16.4	65.6	169.3	207.6	81.9	103.8	153.0	92.9	81.9	16.4	158.4	21.9	180.3		
16.0	5.4	26.8	171.3	187.3	80.3	64.2	165.9	123.1	112.3	112.3	26.8	219.4	32.1	165.9		
	36.7	47.2	251.8	251.8	91.4	68.2	141.6	120.7	173.1	83.9	5.2	178.4	36.7	173.1		
5.1	25.7	20.6	190.3	241.7	113.2	61.7	128.6	87.4	102.9	56.6	20.6	174.9	30.9	144.0	10.3	
1.0	8.2	39.4	219.5	222.2	147.1	80.9	145.4	104.9	163.6	72.7	12.0	114.5	76.8	237.1		
1.0	8.7	40.9	221.9	231.0	148.6	60.5	154.7	114.5	168.5	87.8	15.9	116.8	65.2	217.5		
1.0	6.0	39.3	209.9	221.5	135.7	88.8	157.7	118.1	214.6	70.2	12.6	120.7	61.9	221.6	0.3	
0.7	7.5	36.7	199.6	227.4	166.2	94.4	155.7	113.7	196.6	74.4	13.8	124.2	52.8	190.4		
1.0	6.5	36.5	211.2	246.1	134.7	86.9	164.4	104.6	200.9	72.0	17.4	127.6	45.5	208.6		
		6.3	94.6	119.9	176.6	157.7	151.4	113.5	88.3	75.7	120.2	107.2	31.5	113.5		
		35.3	123.6	123.6	94.2	129.5	64.8	64.8	53.0	94.2	17.7	123.6	33.0	100.4		
		33.1	82.8	115.9	66.2	71.7	55.1	77.3	88.2	88.2	3.3	88.3	38.6	66.2		
	26.0	31.2	145.4	140.2	88.3	77.9	93.5	103.9	77.9	77.9	15.6	114.3	46.7	123.8		
		39.2	107.9	117.7	68.7	88.3	176.6	49.1	78.5	93.2	4.9	78.5	39.2	122.6		
0.6	14.0	33.1	130.0	148.3	200.1	151.5	190.5	83.2	162.1	74.5	14.1	117.3	41.0	133.1		
1.0	12.9	30.1	123.5	155.8	180.5	169.3	156.3	79.5	155.4	76.6	13.9	89.7	33.4	123.5		
1.7	13.7	26.7	115.7	157.9	164.1	162.3	136.7	78.2	159.4	76.9	14.1	100.8	33.1	111.9	0.3	
0.5	16.4	56.8	119.6	178.5	215.4	170.8	170.8	79.7	170.8	79.7	17.2	103.3	28.5	108.4	0.1	
0.9	16.4	63.3	120.4	173.7	148.6	147.4	168.0	78.4	100.5	82.3						
		12.1	138.8	131.3	152.3	117.8	124.8	69.4	137.4	81.5	18.6	91.3	41.4	108.4		
1.3	13.1	32.8	114.9	142.0	156.8	136.3	148.5	63.8	132.8	65.1	14.4	83.4	29.7	108.4		
2.5	15.6	26.7	111.9	124.8	128.7	112.7	100.8	67.4	129.1	63.7	21.4	93.8	21.4	111.9	1.2	
0.4	22.9	82.5	106.1	158.9	168.2	113.5	134.3	59.8	160.9	75.0	17.9	104.5	22.5	106.1		
0.7	14.0	43.4	128.1	167.9	121.1	104.2	125.9	63.0	137.7	70.3	14.4	123.0	21.4	102.4	0.4	
0.6	10.5	30.3	135.0	152.3	203.2	128.1	216.1	88.2	155.5	66.3	1.2	103.1	41.4	136.3	0.2	
0.9	12.0	20.6	126.1	161.4	175.4	165.5	165.5	77.8	152.1	63.5	2.5	80.5	33.0	125.8	0.3	
1.6	12.3	18.6	123.5	183.2	150.7	151.4	136.8	76.8	144.3	63.4	0.8	99.0	32.4	116.4	0.2	
0.2	13.8	36.0	122.6	198.8	193.0	154.3	180.7	74.9	151.7	58.3	2.1	93.3	32.6	125.1	0.2	
0.5	15.3	44.8	127.9	194.7	148.8	137.6	175.3	73.6	145.1	58.4	13.5	87.7	28.5	110.3	0.1	
0.8	16.7	36.1	123.3	147.8	208.6	172.9	179.6	86.2	171.8	80.6	21.1	129.4	40.6	129.4		
1.0	13.9	35.4	121.4	153.2	188.0	183.1	149.2	82.0	163.5	86.4	20.2	94.7	31.7	121.4		
1.8	14.4	32.5	111.2	147.3	182.0	182.5	138.5	80.3	177.1	89.0	22.1	101.2	31.7	114.3	0.2	
0.8	17.8	74.7	116.3	169.4	241.4	196.2	169.4	86.4	187.4	94.9	24.4	146.9	30.8	123.0		
1.2	17.6	81.5	112.7	159.0	154.1	165.7	164.3	84.5	175.9	101.2	19.1	108.4	29.6	109.6	0.1	
		10.5	150.6	137.1	170.4	123.5	185.8	78.4	130.3	65.4	24.1	105.6	45.1	117.9	1.2	
0.6	8.2	35.7	135.7	149.2	181.9	104.1	150.9	77.8	121.7	64.9	21.9	96.5	33.6	125.4		
0.6	11.1	25.0	118.3	139.0	131.2	102.3	144.0	79.5	111.2	63.5	21.9	98.4	34.5	85.6	0.6	
		11.6	137.7	157.3	165.7	101.1	109.1	65.1	126.0	63.5	21.9	113.8	27.0	90.0	0.5	
0.5	11.6	37.9	127.4	186.0	129.4	99.1	191.6	64.7	125.4	60.2	21.9	120.3	27.8	86.9		
		14.7	152.5	173.0	122.0	142.2	258.0	71.8	162.7	51.8	21.9	140.8	32.3	151.0		
1.4	10.1	25.8	132.6	191.7	132.6	118.2	227.7	96.6	141.2	64.9	21.9	119.4	43.2	122.0		
		19.8	107.7	164.4	103.4	110.5	189.9	77.9	163.0	60.6	21.9	154.4	38.3	104.9	1.4	
		23.7	158.9	195.1	182.6	138.0	199.3	87.8	210.4	98.9	21.9	143.5	46.0	122.6		
		23.3	156.3	193.3	141.2	93.2	230.3	87.0	181.0	87.7	21.9	128.9	28.8	122.0		
0.4	8.7	61.4	175.1	148.6	142.2	123.2	141.0	89.1	132.3	84.8	21.9	129.9	59.4	121.2		
0.4	10.4	57.3	177.1	169.8	129.1	131.9	131.9	85.7	131.9	86.9	21.9	129.9	59.4	121.2		
10.5	12.4	53.6	168.9	156.4	133.9	128.7	94.5	97.1	113.5	90.9	21.9	129.9	59.4	121.2		
1.1	11.8	36.4	153.5	160.5	178.4	148.7	142.5	83.4	139.2	90.9	21.9	129.9	59.4	121.2		
0.7	12.7	56.8	144.7	166.6	118.3	112.6	132.7	90.4	131.2	78.6	21					

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Newark, Ohio.	1901	1,301.9	26.9	21.6			10.2	5.4	48.5	48.5		75.5	10.8	43.1
	1902	1,320.3	47.5	21.1			15.8	10.6	31.7	15.8		142.6	5.3	63.4
	1903	1,175.2	25.9		15.5			5.2	20.7	15.5		129.4	10.3	72.4
	1904	1,724.8	10.1		5.1	35.5		25.4	35.5	20.3		142.0	50.7	71.0
	1905	1,756.0	54.7				5.0	9.9	9.9	19.9	24.9	208.9	44.8	79.6
Newburg, N. Y.	1901	1,740.8	31.7	4.0		4.0	35.7		47.6	15.9		162.6	11.9	47.6
	1902	1,863.3	47.1	3.9			102.0	3.9	31.4			219.7	35.3	62.8
	1903	1,827.8	38.8				11.6	11.6	27.2	19.4		240.6	19.1	62.1
	1904	2,012.1	42.2			38.4		7.7	73.0	11.5		238.1	19.2	92.2
	1905	1,896.0	41.8	3.8				19.0	30.4	11.4	3.8	247.0	3.8	95.0
Newburyport, Mass.	1901	1,908.1	41.3					13.8		82.7		137.8	41.3	124.0
	1902	1,992.3	48.1		6.9	20.6	13.7		27.5	34.4		144.3	27.5	116.8
	1903	1,802.0	13.7					6.9	48.0	116.5		171.3	20.6	96.0
	1904	1,892.7	20.5					13.7	20.5	34.2		157.2	6.8	177.7
	1905	1,942.1	61.3						6.8	54.5	6.8	149.9	34.1	61.3
Newcastle, Pa.	1901	1,287.1	57.1	3.4			6.7	16.8	20.2	43.7		100.8	3.4	47.0
	1902	1,587.8	192.5	3.2		48.1		19.2	28.9	22.5		102.7	19.2	22.5
	1903	1,359.2	122.7			6.1	12.3	33.7	21.5	12.3		92.0	6.1	27.6
	1904	1,284.9	64.7			2.9	5.9		35.3	14.7		79.4	5.9	38.2
	1905	1,484.7	50.8	2.8		14.1	8.5	8.5	19.8	36.7	8.5	70.6	19.8	39.5
Newport, Ky.	1901	1,728.4	7.0					3.5	17.5	41.9		150.1	17.5	80.3
	1902	1,363.2	13.8		3.5	13.8	17.2	10.4	13.8	6.9		162.2	13.8	44.9
	1903	1,313.3	30.7			13.6	6.8		13.6	40.9		160.3	34.1	61.4
	1904	1,571.5	33.7	3.4		3.4	3.4	10.1	53.9	27.0		215.8	33.7	33.7
	1905	1,927.2	33.3				13.3	10.0	86.7	6.7	23.3	183.4	43.3	80.0
Newport, R. I.	1901	1,681.2	39.2	4.4	4.4		8.7	4.4	30.5	4.4		178.6	21.8	100.2
	1902	1,805.9	29.8		4.3		17.0	42.6	29.8			140.6	51.1	76.7
	1903	1,495.0	16.7				4.2		54.2			150.0	25.0	66.7
	1904	1,386.7	16.3						8.2			102.0	44.9	73.4
	1905	1,597.5	24.0			8.0	4.0	16.0	8.0	16.0	4.0	139.8	32.0	59.9
Newton, Mass.	1901	1,279.4	17.5	2.9	2.9		2.9	2.9	32.1	2.9		105.2	32.1	64.3
	1902	1,258.5	8.7		2.0	8.6	2.9	2.9	17.2	5.7		91.7	43.0	63.1
	1903	1,255.2	8.4			2.8		14.1	16.9	33.8		70.4	25.3	67.5
	1904	1,138.8	8.3	5.5		2.8	2.8	5.5	16.6	11.1		105.0	19.3	71.9
	1905	1,322.4	10.8			2.7		24.4	27.2	19.0	2.7	84.2	27.2	97.8
Niagara Falls, N. Y.	1901	1,606.6	143.9				4.8	4.8	28.8	43.2		177.4	14.4	62.3
	1902	1,600.1	130.4	4.5		22.5	71.9	22.5	40.5	4.5		89.9	13.5	18.0
	1903	1,556.6	126.9				80.4	4.2	12.7			88.8	16.9	71.9
	1904	1,661.5	139.8		4.0	8.0		24.0	47.9	24.0		87.9	24.0	71.9
	1905	1,600.3	181.6	3.8		18.9	18.9	15.1	56.7	3.8	15.1	68.1	11.3	68.1
Norfolk, Va.	1901	2,211.3	33.5	43.9		4.2		6.3	16.7	37.7		282.4	20.3	54.4
	1902	2,199.2	51.9	46.3	1.9	1.9		16.7	96.3	18.5		250.1	40.8	48.2
	1903	2,015.6	59.7	16.3		1.8	1.8	43.4	27.1	34.3		289.2	38.0	81.3
	1904	2,094.9	58.2	17.7		3.5	5.3	14.1	22.9	40.6		285.9	33.5	63.5
	1905	2,096.3	37.9	22.4	1.7	10.3	1.7	17.2	8.6	17.2	25.9	315.5	34.5	69.0
Norristown, Pa.	1901	2,651.9	71.1		22.2			13.3	44.4	80.0		305.3	22.2	44.4
	1902	2,486.9	48.3		17.6			4.4	35.2	17.6		329.5	8.8	61.5
	1903	2,464.6	52.2	8.7		13.0		8.7	43.5	21.7		247.8	8.7	34.8
	1904	2,434.1	77.4	4.3		8.0	12.9	12.9	12.9	34.4		240.9	21.5	81.7
	1905	2,227.5	46.8			4.3			50.6		17.0	170.2	29.8	59.6
North Adams, Mass.	1901	1,588.9	21.0			16.8	4.2	8.4	50.4	21.0		189.2	8.4	42.0
	1902	1,492.7	55.6			8.0	12.8	8.6	59.9			166.8		42.8
	1903	1,638.7	56.6	4.4			87.1	21.8	60.9	26.1		130.6	17.4	60.9
	1904	1,644.5	44.3		22.2	4.4	17.7	4.4	81.2	17.7		128.5	35.5	70.9
	1905	1,422.1	13.5				4.4		49.7	36.1	9.0	103.8	18.1	85.8
Northampton, Mass.	1901	1,719.1	21.2	5.3		5.3			10.6	58.2		164.0	21.2	100.5
	1902	1,577.4	5.2					10.4	5.2			130.4	26.1	52.2
	1903	1,446.1	10.5					10.3	15.4	30.5	10.3	102.9	15.4	36.0
	1904	1,762.0	15.2	5.1			15.2		5.1	10.2		142.2	20.3	86.3
	1905	1,658.6	20.0					10.0	30.1	10.0	25.1	105.2	25.1	120.3
Norwalk town, Conn.	1901	1,459.0	54.6	9.9				9.9	24.8	44.7		139.0		59.3
	1902	1,438.4	54.0	4.9				4.9	19.6	39.3		152.2	9.8	49.1
	1903	1,578.5	24.3	4.9			9.7	29.1	4.9	48.6	92.3	121.4	9.7	77.7
	1904	1,323.5	24.0	4.8			19.2	9.6	4.8	14.4	28.8	187.4		86.5
	1905	1,692.3	23.8					4.8	9.5	19.0	23.8	161.7	19.0	95.1
Norwich town, Conn.	1901	1,607.6	12.1	32.3		16.1	20.2		52.4	56.5		173.4	40.3	108.9
	1902	1,518.7	20.0	4.0	4.0	4.0	4.0	16.0	4.0	12.6		172.3	20.0	104.2
	1903	1,567.0	15.9	11.9		23.9		47.8	23.9	31.9		191.1	39.8	91.6
	1904	1,642.1	7.9					7.9	27.7			134.5	27.7	75.2
	1905	1,804.8	11.3	11.3		3.9	3.9		3.9	23.6	62.9	133.7	27.5	74.7
Oakland, Cal.	1901	1,618.2	11.7	5.9		5.9	4.4	8.8	29.4	17.6		232.0	30.8	73.4
	1902	1,663.5	23.1	4.3		1.4	7.2	1.4	54.9	7.2		193.5	31.8	108.3
	1903	1,562.8	21.3			15.6	4.3	11.4	69.6	19.9		166.2	39.8	93.8
	1904	1,500.1	43.3	4.2		2.8	2.8	7.0	11.0	4.2		135.6	47.5	100.7
	1905	1,574.2	35.8	2.8				1.4	23.4	12.4	8.3	145.9	34.4	115.6
Ogdensburg, N. Y.	1901	2,114.5	20.4				13.6		13.6	6.8	20.4	258.4	47.6	81.6
	1902	2,232.9	95.9								20.4	278.3		108.6
	1903	2,344.0	54.2					20.3		6.8	33.9	284.5	20.3	121.9
	1904	2,488.5	60.9						13.5	13.5	6.8	324.6	40.6	148.8
	1905	2,470.5	40.5				27.0				27.0	310.5	33.7	148.5

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

101

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	* Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.4	16.2	5.4	151.0	151.0	86.3	32.4	37.7	43.1	80.9	48.5	32.4	107.8	43.1	156.4	10.8
	10.6	31.7	206.0	109.3	73.9	52.8	15.8	84.5	49.2	68.7	10.6	89.8	37.0	142.6	
	10.3	25.9	113.9	119.1	72.4	36.2	62.1	72.4	67.3	41.4		88.0	5.2	150.1	
	15.2	60.9	137.3	192.8	96.4	66.0	137.0	142.0	45.7	66.0	15.2	167.4	10.1	157.2	
	9.9	19.9	169.1	169.1	99.5	84.6	119.4	119.4	39.8	49.7	34.8	189.0	39.8	149.2	5.0
4.0	11.9	87.2	174.5	198.3	146.7	63.4	146.7	43.6	134.8	87.2	7.9	107.1	43.6	122.9	
	7.8	35.3	19.1	133.4	133.0	94.1	94.1	56.3	64.7	3.9	117.7	39.2	168.7		3.9
	3.9	38.8	147.5	205.7	116.4	139.7	97.0	69.9	186.3	66.0	7.8	108.7	46.6	163.0	
	30.7	65.3	192.0	226.5	142.1	103.7	88.3	96.0	109.0	76.8		145.9	34.6	119.0	
	22.8	53.2	171.0	212.8	140.6	76.0	212.8	83.6	133.0	38.0	26.6	91.2	45.6	133.0	
	20.7	13.8	199.8	213.5	124.0	89.6	137.8	62.0	110.2	48.2		124.0	55.1	261.8	6.9
6.9	34.4	27.5	164.9	164.9	103.1	123.7	89.3	130.5	82.4	103.1	20.6	75.6	171.8	240.5	13.7
6.9	30.6	6.9	130.2	205.5	116.5	75.4	68.5	102.8	109.6	6.9	89.1	130.2	173.1	6.9	
	13.7	170.8	246.0	88.8	68.3	109.3	129.8	82.0	68.3	20.5	129.8	143.5	181.5	6.8	
20.4	20.4	61.3	149.9	347.5	170.4	95.4	115.8	122.7	115.8	40.9	20.4	61.3	115.8	109.0	
3.4	3.4	30.2	104.1	53.8	121.0	30.2	90.7	77.3	30.2	43.7	3.4	147.9	37.0	157.9	53.8
3.2	3.2	19.2	99.4	93.0	102.7	57.7	99.4	128.3	57.7	32.1		202.1	57.7	118.7	54.6
6.1		21.5	89.0	98.2	61.4	64.4	147.3	92.0	49.1	58.3	3.1	147.3	116.6	30.7	
5.9	5.9	26.5	97.0	64.7	94.1	70.6	55.8	117.6	64.7	58.8	5.9	173.5	47.0	50.0	
16.9	8.5	11.3	110.1	87.5	135.5	73.4	110.1	143.9	45.2	56.5	8.5	194.8	39.5	124.2	39.5
	3.5	76.8	164.1	160.6	167.6	157.1	87.3	83.8	66.3	104.8		76.8	66.3	153.6	17.5
3.5	3.5	62.1	151.8	86.3	89.7	79.4	89.7	38.0	79.4	3.5	41.4	41.4	117.3	24.1	
	10.2	44.4	119.4	81.9	98.9	75.1	71.7	68.2	51.2	34.1	6.8	58.0	71.7	143.3	17.0
3.4	10.1	33.7	158.5	101.2	148.4	104.5	64.1	50.6	80.9		74.2	77.6	121.4	10.1	
	6.7	60.0	240.1	160.0	120.0	110.0	86.7	116.7	68.7	96.7	13.3	110.0	120.0	136.7	3.3
	21.8	82.8	169.9	200.3	108.9	52.3	108.9	52.3	117.6	69.7	4.4	61.0	78.4	148.1	8.7
	21.3	76.7	157.6	200.2	123.5	76.7	132.0	46.9	98.0	102.2	25.6	85.2	21.3	242.8	4.3
	25.0	25.0	183.3	137.5	79.2	70.8	50.0	95.8	129.2	62.5	16.7	58.3	83.3	162.5	
	20.4	19.2	138.7	220.2	89.7	73.4	81.6	81.6	89.7	53.0	8.2	73.4	4.1	191.7	4.1
	20.0	51.9	151.8	183.7	115.8	79.9	123.8	55.9	131.8	71.9	24.0	79.9	28.0	167.7	
	17.5	29.2	125.6	154.8	87.6	55.5	93.5	58.4	78.9	55.5	2.9	67.2	52.6	128.5	5.8
2.9	17.2	20.1	129.0	192.1	77.4	88.9	88.9	63.1	63.1	65.9		91.7	31.5	106.1	
2.8	8.4	19.7	152.0	171.7	87.2	59.1	50.7	92.9	47.8	2.8		62.0	25.3	163.2	
2.8	13.8	33.2	110.6	168.6	88.4	58.0	47.0	63.6	71.9	58.0		55.3	24.9	94.0	
5.4	16.3	21.7	149.3	230.8	65.2	62.5	84.2	48.9	67.9	40.7		73.3	21.7	138.5	
	9.6	48.0	143.9	48.0	105.5	81.5	139.1	76.7	71.9	71.9	4.8	191.8	52.8	71.9	9.6
4.2	9.0	31.5	107.9	71.9	134.8	143.8	85.4	71.9	71.9	71.9		193.3	103.4	103.4	9.0
	12.7	38.1	93.1	84.6	93.1	169.2	59.3	76.1	101.5	8.5		101.5	93.1	131.1	16.9
	12.0	32.0	119.8	107.8	103.8	59.9	179.7	99.9	55.9	111.8	8.0	135.8	71.9	127.8	4.0
	7.6	49.2	87.0	75.7	162.7	41.6	158.9	109.7	56.7	60.5	11.3	132.4	75.7	105.9	3.8
	8.4	20.9	282.4	119.3	163.2	123.4	205.0	123.4	150.7	125.5	2.1	96.2	96.2	186.2	
	3.7	31.5	235.3	155.6	122.9	92.6	211.2	131.5	113.0	122.3	9.3	100.0	72.3	192.7	
	5.4	16.3	204.3	164.5	122.9	74.1	159.1	163.1	144.6	94.0	3.6	108.5	50.6	171.7	
	3.5	17.7	234.2	188.8	151.8	82.9	171.2	121.8	116.5	82.8		118.3	35.3	211.8	1.8
	3.4	20.7	243.1	196.5	115.5	113.8	168.9	148.3	134.5	82.8	19.0	127.6	15.5	144.8	
4.4		44.4	386.5	315.4	124.4	124.4	66.6	97.7	133.3	75.5		155.5	191.0	239.9	
	4.4	30.8	496.5	276.8	149.4	140.6	74.7	109.8	140.6	48.3		145.0	131.8	210.9	4.4
	30.4	421.6	243.4	208.7	139.1	69.5	117.4	191.3	17.4	282.5		282.5	160.8	139.1	4.3
	8.6	51.6	335.5	352.7	193.5	111.8	90.3	116.1	163.4	55.9		159.1	47.3	240.8	
	8.5	42.6	378.7	357.4	191.5	102.1	97.9	72.3	140.4	46.8	21.3	157.4	55.3	166.0	
8.4	4.2	58.8	142.9	142.9	134.5	63.1	159.7	63.1	54.6	96.7	8.4	84.1	46.2	155.5	4.2
4.3	4.3	42.8	158.3	132.6	128.3	68.4	154.0	85.5	77.0	81.3	4.3	81.3	55.6	59.9	
	21.8	26.1	113.1	135.0	82.7	108.8	126.3	152.4	95.8	78.3	13.1	56.6	43.5	139.4	
	4.4	17.7	164.0	137.4	150.6	70.9	141.8	84.2	57.6	84.2	8.9	115.2	13.3	155.1	
13.5	22.6	18.1	117.4	167.0	72.2	140.0	140.0	67.7	81.3	9.0		45.1	13.5	128.4	
	31.7	26.4	216.9	201.0	84.6	74.1	111.1	95.2	79.3	52.9		127.0	21.2	201.0	10.6
	10.4	31.3	208.7	182.6	78.3	52.2	78.3	47.0	57.4	36.5	15.7	67.8	47.0	219.1	15.7
	10.3	30.9	231.6	200.7	56.6	82.3	72.0	51.5	51.5	87.5	20.6	92.6	25.7	200.7	
	10.2	55.9	238.7	238.7	101.6	91.4	142.2	86.3	86.3	86.3	10.2	101.6	10.2	203.1	
	30.1	20.0	215.5	195.4	105.2	85.2	75.2	70.2	135.3	65.1	10.0	90.2	10.0	200.4	5.0
	5.0	19.8	223.3	119.1	74.4	64.5	119.1	59.6	81.3	54.6	5.0	114.2	19.8	124.1	
	14.7	29.5	117.8	201.3	127.7	88.9	117.8	54.0	86.4	63.8	19.6	68.7	9.8	132.0	
	4.9	29.1	204.0	228.3	97.1	53.4	102.0	82.6	87.4	34.0	19.4	116.6	9.7	87.4	
	14.4	19.2	192.3	201.9	91.3	57.7	91.3	57.7	110.6	52.9	9.6	110.6	9.6	124.9	
	19.0	76.1	252.1	228.3	66.6	52.3	133.2	71.3	123.7	47.6	19.0	99.9	23.8	80.8	
	8.1	201.7	185.5	201.7	82.8	125.0	96.8	112.9	112.9	12.1	52.4	16.1	177.4		
	24.0	28.1	196.4	184.4	72.1	76.2	100.2	72.1	72.1	12.0	64.1	20.0	168.3		
4.0	27.0	27.9	191.1	234.0	87.6	87.6	123.4	99.5	131.4	67.7	4.0	91.6	11.9	278.7	
4.0	15.8	27.7	225.5	201.8	138.5	83.1	87.1	134.5	91.0	63.3	11.9	91.0	19.8	164.2	
3.9	23.6	47.2	184.8	243.8	129.8	118.0	125.8	110.1	78.6	78.6	19.7	110.1	23.6	149.4	
	22.0	30.8	142.5	295.2	142.5	64.6	41.1	107.2	74.9	19.1	27.9	95.4	10.3	124.8	
	34.6	157.4	283.1	131.4	131.4	93.9	53.4	109.8	78.0	27.4	15.9	92.4	13.0	111.2	
1.4	27.1	31.1	146.3	248.6	99.5	71.0	46.9	106.6	66.8	25.6	38.4	92.4	19.9	112.2	
2.8	22.3	34.2	132.8	283.8	88.1	62.9	41.9	104.9	90.9	30.8	32.2	90.9	15.4	107.7	1.4
	15.1	38.5	139.0	267.0	106.0	70.2	61.9	96.3	112.8	20.6	30.3	104.6	9.6	117.0	
	6.8	27.2	278.8	197.2	170.0	88.4	156.4	74.8	115.6						

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Olean, N. Y.	1901	1,178.9	10.4				10.4	10.4		52.2		41.7	20.9	62.6
	1902	1,009.5	41.2	10.3		30.9	20.6	10.3	10.3	20.6		41.2	30.6	41.2
	1903	1,037.5	30.5				20.3		10.2	40.7		40.7	10.2	20.3
	1904	1,346.1	20.1						30.1			110.5		60.3
	1905	1,170.8					9.9	10.8	29.8	9.9	9.9	39.7		79.4
Omaha, Nebr.	1901	1,161.5	24.5		2.8		12.2	11.3	13.2	23.6		90.4	19.8	56.5
	1902	1,191.7	21.9	2.7	2.7	13.7	12.8	18.2	14.6	6.4		100.2	13.7	46.5
	1903	967.7	11.5	0.9		4.4	11.5	3.5	8.8	15.0		118.2	8.8	47.6
	1904	1,149.1	17.1	2.6	0.9	8.5	6.8	10.3	14.5	12.8		106.0	17.1	62.4
	1905	1,078.3	24.9	1.7		1.7	6.6	16.6	10.8	19.1	8.3	83.8	15.8	72.2
Orange, N. J.	1901	1,736.4	12.2	4.1	8.2	4.1	4.1		8.2	8.2		228.3	48.9	57.1
	1902	1,998.0	40.1		28.1	56.2	8.0	12.0	28.1	4.0		292.9	12.0	64.2
	1903	2,069.8	19.7	4.0			4.0	27.6	19.7	4.0		308.1	35.5	47.4
	1904	2,139.3	19.4			7.8	27.2	11.7	50.6	19.4		287.8	31.1	112.8
	1905	2,118.7	23.0			7.7	11.5	11.5	46.0	3.8	7.7	329.5	57.5	92.0
Ottawa, Ill.	1901	1,581.2	56.1	9.4				9.4		18.7		121.6	28.1	74.8
	1902	1,307.0	18.5					18.5		9.3		139.1	9.3	64.9
	1903	1,276.6	9.2									128.6	27.5	73.5
	1904	1,128.5	9.1						9.1	27.3		145.7	18.2	54.6
	1905	1,235.6	18.0						9.0	27.1	9.0	81.2	9.0	36.1
Ottumwa, Iowa	1901	1,142.1	59.3	5.4					16.2	26.0		188.5	16.2	53.9
	1902	1,114.6	47.5	5.2		15.8		10.6	5.3	5.3		110.9	21.1	58.1
	1903	1,316.4	36.0	5.1		5.1		15.5	25.7	5.1		118.3	15.5	51.4
Owosso, Mich.	1901	1,214.8	22.7						34.1	90.8		79.5	22.7	56.8
	1902	1,165.9	44.8			22.4	11.2		11.2			134.6	11.2	56.1
	1903	719.7						22.1	33.2	22.1		77.5		11.1
	1904	656.1		10.9					21.9			21.9	10.9	54.7
	1905	1,134.3	10.8					10.8	43.2	43.2		97.2	10.8	32.4
Paducah, Ky.	1901	2,461.3	75.2	235.6			25.1		5.0	50.1		315.8	20.1	30.1
	1902	2,298.1	92.9	146.7			4.9	9.8	14.7	29.3		371.6	29.3	39.1
	1903	2,080.6	42.9	119.3	4.8	4.8		87.7	38.2	14.3		305.4	4.8	19.1
	1904	2,073.8	10.6	121.2		74.5	4.7	4.7	14.0	28.0		307.5	4.7	18.6
	1905	1,944.4	91.1	118.4	4.6		4.6	45.5	9.1	50.1	41.0	237.0	9.1	36.4
Passaic, N. J.	1901	1,800.7	16.7	6.7	3.3	3.3	3.3	6.7	56.7	3.3		136.7	13.3	50.0
	1902	1,768.3	9.4			53.2	15.6	15.6	40.7			162.7	18.8	37.6
	1903	1,916.7	14.1	2.9		5.9	88.5	32.4	50.1	2.9		157.3	35.4	23.1
	1904	1,842.5	16.7	2.8		13.9	16.7	5.6	30.7	8.4		144.9	27.9	47.4
	1905	1,818.3	7.9	2.6		34.4	13.2	2.6	34.4	5.3	7.9	161.2	60.8	50.2
Paterson, N. J.	1901	1,763.4	23.5	2.8	0.9	0.9	7.5	9.4	26.3	9.4		183.2	16.0	73.3
	1902	1,655.3	34.4	4.6	4.6	17.6	16.7	9.3	45.5	2.8		176.4	17.6	64.8
	1903	1,596.5	22.0	2.8		0.9	1.8	16.5	46.8	2.8		169.7	19.3	64.2
	1904	1,802.2	7.3	2.7		12.7	14.5	5.4	42.6	3.6		208.6	25.4	63.5
	1905	1,657.0	14.3	2.7		2.7	2.7	2.7	36.8	9.0	18.8	176.6	32.3	73.5
Pawtucket, R. I.	1901	1,657.2	12.5	7.5		2.5	2.5		57.4	52.4		167.2	17.5	57.4
	1902	1,802.4	24.5	7.3	2.4	8.8	4.9	22.0	31.8	36.7		163.9	19.6	83.1
	1903	1,586.7	19.2	7.2		7.2	4.8	21.6	28.8	43.1		167.8	12.0	52.7
	1904	1,600.4	23.5	7.1		2.4	18.8		25.9	42.3		148.1	28.2	87.0
	1905	1,671.2	6.9	6.9		9.2	11.5	13.8	23.1	78.4	4.6	172.9	25.4	89.9
Peabody town, Mass.	1901	1,647.2				16.9	59.1	8.4	50.7	42.2		126.7		50.7
	1902	1,341.2	8.2						16.5			131.7	8.2	90.5
	1903	1,523.9				8.0	8.0	40.1	16.0	8.0		184.5	32.1	56.1
	1904	1,228.2	15.6						15.6	7.8		86.1	15.6	86.1
	1905	1,305.5	7.6	7.6					7.6	7.0	38.2	152.7	38.2	45.8
Peekskill, N. Y.	1901	2,077.6	18.3	18.3			9.2	9.2	54.9	64.1		183.0	18.3	54.9
	1902	2,233.3	26.1			34.8		43.5	52.2			243.6	60.6	130.2
	1903	1,533.7	41.5			24.9			16.6	8.3		140.9	41.5	74.6
	1904	1,535.9	7.9	15.8		15.8		7.9	23.8	15.8		126.7	23.8	55.4
	1905	1,545.5	15.2			113.6		53.0	53.0		7.6	151.5	30.3	98.5
Perth Amboy, N. J.	1901	1,597.9	15.5	5.2			5.2	15.5	118.9	10.3		87.9	36.2	25.9
	1902	1,382.5	19.1	4.8	4.8	4.8	14.3	14.3	71.5			81.0	38.1	23.8
	1903	1,136.4	8.8			8.8	17.7		101.7			75.2	13.3	26.5
	1904	1,212.1	28.9	4.1		8.2	53.6		66.0	12.4		90.7	20.6	45.4
	1905	1,208.8	15.4			7.7	15.4	10.3	73.4	3.9	7.7	50.2	15.4	50.2
Peru, Ind.	1901	1,272.7	75.4			9.4			47.2	37.7		103.7	9.4	18.8
	1902	1,389.9	53.6			9.3			9.3	18.5		129.7	9.3	74.1
	1903	928.8	72.9					9.1	9.1			91.2	18.2	45.6
	1904	1,281.1	53.7			17.9			9.0	17.9		179.2	44.8	26.9
	1905	1,048.7	35.3				8.8		8.8	17.6	8.8	88.1	8.8	52.9
Petersburg, Va.	1901	2,630.2	82.5	27.5			4.6	100.5		119.2		321.0	13.8	64.2
	1902	2,630.9	96.3	91.7	4.6		4.6	13.8		55.0		311.8	32.1	18.3
	1903	2,521.8	96.3	45.8			9.2	41.3		64.2		376.0	18.3	64.2
	1904	3,049.1	135.5	55.0		45.9		22.9	22.9	73.4		463.1	22.9	59.6
	1905	2,439.2	64.2	55.0				18.3	22.9	64.2	22.9	275.1	45.9	32.1
Philadelphia, Pa.	1901	1,805.7	34.6	1.2	13.5	3.5	17.2	18.7	40.3	12.6		211.4	21.8	62.3
	1902	1,755.6	47.3	1.5	16.2	11.8	10.1	13.9	38.5	4.9		199.1	23.6	67.0
	1903	1,881.3	72.6	0.9	20.6	17.3	14.7	31.7	45.1	14.4		217.2	28.9	71.9
	1904	1,881.0	55.0	1.2	16.2	22.3	15.8	6.9	39.3	15.6		231.6	31.2	78.7
	1905	1,768.3	51.1	1.3		6.6	4.7	11.9	32.9	17.9	7.7	204.6	32.9	77.0

*Shown for 1905 only.

SUMMARY AND RATE TABLES.

103

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
		52.2	146.1	146.1	31.3	52.2	41.7	62.6		52.2		156.5		219.1	
	10.3	51.5	144.2	142.7	72.1	51.5	72.1	10.3	10.3		30.9	51.5	10.3	154.5	
		20.3	91.5	172.9	50.9	50.9	61.0	81.3	20.3	20.3		102.8	20.3	111.9	
		60.3	120.5	110.5	90.4	80.4	40.2	90.4	70.3	70.3	10.0	160.7	30.1	180.8	
		69.5	99.2	168.7	99.2	49.6	29.8	89.3	69.5	29.8		138.9	9.9	119.1	
3.8	8.5	38.6	117.8	67.8	97.0	67.8	46.2	98.0	43.3	47.1	13.2	74.4	34.9	143.1	5.7
8.2	3.6	22.8	142.1	83.8	85.6	70.2	68.3	91.1	52.8	40.1	15.5	70.2	48.3	126.6	9.1
1.8	6.2	15.0	90.9	90.9	80.3	41.5	26.4	67.0	41.5	58.8	11.4	72.3	22.0	115.6	0.9
1.7	7.7	13.7	108.6	101.7	85.5	54.7	58.7	106.9	64.1	35.9	15.4	75.2	23.1	136.9	0.9
5.0	7.5	7.5	97.0	120.3	65.5	44.8	34.8	95.4	53.1	40.6	19.1	87.1	15.8	121.1	2.5
		4.1	48.9	154.0	122.3	153.4	126.4	142.7	81.5	134.5	20.4	89.7	40.8	93.8	
	16.0	68.2	176.5	132.4	180.5	108.3	172.5	100.3	140.4	92.3	4.0	92.3	48.1	120.4	
	11.8	71.1	229.1	158.0	165.9	110.6	126.4	110.6	177.7	94.8	39.5	94.8	51.4	158.0	
	7.8	42.8	178.9	190.6	241.2	97.2	217.8	140.0	120.6	89.5	27.2	101.1	19.4	97.2	
	23.0	61.3	180.1	226.0	137.9	122.6	180.1	126.4	92.0	107.3	11.5	107.3	46.0	107.3	
		28.1	37.4	121.6	196.5	233.9	74.8	112.3	65.5	9.4		84.2	84.2	140.3	28.1
9.3		27.8	166.9	111.2	129.8	83.4	46.3	129.8	46.3	55.6	9.4	84.2	18.5	129.8	
		36.7	101.0	73.5	82.7	91.8	55.1	156.1	110.2	36.7		119.4	18.4	147.0	9.2
	9.1	18.2	45.5	136.5	109.2	91.0	36.4	81.9	45.5	45.5	54.6	81.9	18.2	63.7	27.3
	9.0	18.0	126.3	153.3	117.2	126.3	27.1	117.2	99.2			72.2	63.1	108.2	9.0
		10.8	91.6	107.7	86.2	26.0	37.7	64.6	16.2	32.3	16.2	75.4	59.3	145.5	5.4
5.3		15.8	116.2	79.2	52.8	68.7	58.1	74.0	37.0	63.4	21.1	52.8	52.8	126.8	10.6
	10.3	25.7	164.5	138.9	77.1	41.1	87.4	66.8	41.1	30.9	5.1	108.0	66.8	164.5	10.3
		22.7	11.3	136.2	158.9	102.2	79.5	79.5	45.4	45.4	22.7	68.1	34.1	102.2	
	44.8	11.2	100.9	168.2	78.5	100.9	67.3	33.6	11.2	44.8		41.8	11.2	145.8	11.2
	11.1		33.2	66.4	55.4	33.2	33.2	33.2	77.5	11.1		66.4	11.1	110.8	
	21.9		21.0	120.3	21.9	98.3	98.3	10.9	32.8	43.8		10.9	10.9	142.8	
	32.4	21.6	129.6	129.6	32.4	32.4	64.8	75.6	54.0	43.2		54.0	21.6	183.6	10.8
5.0		65.2	195.5	145.4	185.5	65.2	185.5	125.3	55.1	55.1	15.0	230.6	135.3	215.5	25.1
	14.7	63.8	180.9	73.3	180.9	83.1	200.5	127.1	30.1	68.5	14.7	171.1	120.7	156.5	4.9
4.8	14.3	47.7	133.6	66.8	176.6	133.6	200.4	128.9	19.1	47.7	9.5	205.2	143.2	147.9	
4.7	4.7	41.9	158.4	116.5	256.3	93.2	139.8	102.5	37.3	46.6	4.7	139.8	135.1	144.5	9.3
4.6	4.6	50.1	95.6	54.0	214.0	86.5	77.4	109.3	27.3	45.5	22.8	132.1	150.3	104.7	18.2
3.3	10.0	53.4	180.1	93.4	160.1	150.1	206.7	86.7	66.7	170.1	13.3	106.7	96.7	100.0	3.3
3.1	6.3	56.3	137.7	68.9	134.6	216.0	241.0	78.2	75.1	144.0	3.1	87.6	56.3	106.4	
	20.6	61.9	121.9	115.0	115.0	206.4	203.5	97.3	67.8	159.2	8.8	97.3	59.0	138.5	2.9
5.3	2.8	90.0	103.1	86.4	161.7	195.1	326.1	72.5	69.7	175.0	16.7	83.6	47.4	147.7	
	5.3	50.2	121.6	103.1	150.6	69.1	224.6	84.6	58.1	153.3	7.9	142.7	55.5	100.4	2.6
0.9	12.2	71.4	156.9	173.8	148.4	125.9	133.4	96.8	65.8	111.8	4.7	114.6	64.8	126.8	1.9
	8.4	60.3	141.1	152.3	144.8	130.9	129.0	97.5	84.5	85.4	10.2	68.7	53.8	103.1	0.9
	7.3	63.3	156.0	170.7	150.6	93.6	106.9	93.6	82.6	83.5	13.8	92.7	53.2	89.0	0.9
	11.8	50.8	174.1	173.2	176.9	121.5	156.9	107.9	101.6	80.7	8.2	85.3	37.2	127.9	1.8
1.8	11.7	53.8	143.5	199.1	120.1	95.0	148.8	69.9	102.2	77.1	16.1	94.1	48.4	100.4	2.7
	17.5	57.4	137.3	184.7	144.8	112.3	147.3	109.8	72.4	87.4	12.5	54.9	10.0	132.3	
4.9	14.7	75.8	154.1	190.8	110.0	107.6	156.5	139.4	112.5	41.6	4.9	61.1	24.5	198.1	
	7.2	52.7	117.4	151.0	98.3	117.4	179.8	86.3	129.4	59.9	9.6	74.3	12.0	119.9	7.2
	9.4	28.2	126.9	148.1	108.1	105.8	117.3	103.4	126.9	61.1	9.4	84.6	7.1	171.6	9.4
	20.7	18.4	129.1	200.5	164.0	108.3	154.4	83.0	103.7	73.8		50.7	20.7	96.8	2.3
	8.4	33.8	177.4	194.3	101.4	84.5	160.5	67.6	84.5	76.0	8.4	67.6	76.0	152.1	
	8.2	16.5	115.2	197.5	74.1	90.5	49.4	123.4	98.7	57.6	8.2	57.6	41.1	148.1	
	16.0	32.1	176.5	279.7	64.2	96.2	120.3	48.1	112.3	80.2		16.0	40.1	96.2	
	7.8	7.8	101.7	281.6	62.6	78.2	140.8	23.5	62.6	93.9		15.6	39.1	86.1	
	7.6	30.5	145.1	313.0	53.4	45.8	91.6	30.5	84.0	45.8	15.3	53.4	30.5	53.4	
	27.5	247.1	109.8	146.4	201.4	119.0	73.2	73.2	146.4	146.4		109.8	173.9	155.6	
	26.1	17.4	243.6	191.4	139.2	165.3	234.9	95.7	121.8	113.1	8.7	121.8	43.5	121.8	
		33.2	91.2	66.3	132.6	124.4	99.5	82.9	190.7	91.2		91.2	49.7	132.6	
	7.9	31.7	142.5	158.3	150.4	134.6	205.8	31.7	79.2	79.2		79.2	23.8	118.8	
	7.6	45.5	151.5	121.2	53.0	98.5	113.6	68.2	106.1	37.9		121.2	30.3	68.2	
	5.2	36.2	134.5	93.1	93.1	144.8	263.7	77.6	77.6	56.9	15.5	134.5	56.9	82.7	5.2
		19.1	66.7	95.3	119.2	109.6	214.5	71.5	85.8	95.3	4.8	42.9	66.7	109.6	4.8
		17.7	101.7	66.3	88.4	57.5	168.0	53.1	53.1	48.6	8.8	115.0	31.0	75.2	
	4.1	28.9	45.4	94.8	94.8	45.4	148.4	74.2	24.7	78.3	4.1	148.4	57.7	74.2	8.2
3.9	3.9	46.3	42.5	30.9	115.9	85.0	220.1	42.5	88.8	54.1	3.9	100.4	50.2	54.1	7.7
	9.4	47.2	169.7	75.4	66.0	113.1	37.7	94.3	47.2	56.6		94.3	37.7	113.1	9.4
	9.3	83.4	166.8	82.1	37.1	72.9	72.9	72.9	72.9	40.3		176.0	40.3	129.7	
		26.9	161.3	125.4	80.0	89.6	35.8	98.5	35.8	71.7	9.0	89.6	26.9	62.7	17.9
8.8		44.1	105.8	114.6	61.7	61.7	70.5	79.3	52.9	70.5		44.1	26.4	79.3	
	9.2	59.6	339.3	220.1	110.0	110.0	233.8	114.6	160.5	105.5	4.6	100.0	100.9	169.6	18.3
		22.9	311.8	201.7	82.5	110.9	288.9	160.5	150.9	77.9	9.2	77.9	165.1	215.4	9.2
	4.6	22.9	275.1	247.6	132.9	50.4	210.9	128.4	210.9	91.7		68.8	73.4	153.4	41.3
	4.6	68.8	316.4	275.1	114.6	114.6	270.5	123.8	253.0	160.5	22.9	77.9	137.6	192.0	15.3
	9.2	36.7	279.7	275.1	105.5	77.9	210.9	110.0	247.6	100.9	4.6	91.7	128.4	146.7	13.8
1.8	0.1	30.9	175.1	160.4	157.8	104.8	104.6	93.9	137.8	53.8	11.4	103.1	75.4	139.4	0.3
1.2	7.8	30.7	162.0	172.6	154.8	111.9	96.5	96.1	136.3	53.0	13.9	74.0	78.3	131.2	1.4
1.6	11.3	15.9	152.4	191.0	143.2	105.6	113.1	91.5	150.9	78.1	14.7	91.5	48.4	137.5	0.2
1.1	12.6	22.9	143.6	205.6	131.8	108.4	133.6	89.3	160.0	80.4	15.3	87.4	36.8	153.4	0.9
1.3	14.0	15.7	137.8	206.1	97.9	98.7	144.5	85.9	165.7	84.7	13.8	88.7	41.9	120.5	0.6

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Phillipsburg, N. J.	1901	1,507.9	28.8	9.6					48.0	3.6		163.3	9.6	76.8
	1902	1,448.2	102.1	9.3		9.3	9.3		46.4			120.7		46.4
	1903	1,306.2	7.9				7.9	31.7	55.4	23.7		71.2	7.9	79.2
	1904	1,233.1	15.4						30.8			92.4	7.7	46.2
	1905	1,011.1	22.5					7.5	22.5		15.0	89.9	15.0	52.4
Pittsburg, Pa.	1901	1,996.8	123.8	2.1	1.2	17.3	31.9	29.1	48.9	32.5		133.9	22.5	44.6
	1902	2,200.0	149.6	1.8		54.3	26.4	23.7	48.6	16.9		135.2	24.6	54.9
	1903	2,166.7	136.5	1.2	91.3	26.1	21.2	48.7	61.7	14.2		140.9	30.7	57.1
	1904	1,975.9	139.4		5.7	24.4	11.6	19.6	46.2	10.5		154.3	28.3	50.7
	1905	1,995.8	107.9	1.1		37.3	45.9	35.1	27.5	15.4	10.2	151.0	34.1	54.9
Pittsfield, Mass.	1901	1,570.5	31.2					40.2	66.9	35.7		120.5	8.9	62.5
	1902	1,509.1	21.7						17.3	4.3		104.1	13.0	65.0
	1903	1,518.5	25.3	4.2		21.1		4.2	8.4	16.9		101.2	29.5	84.4
	1904	1,664.2	32.8						24.6	8.2		156.0	41.1	94.4
	1905	1,651.9	40.0				12.0	36.0	4.0	20.0	8.0	136.0	8.0	100.0
Plainfield, N. J.	1901	1,645.0	43.8	6.3			6.3		31.3	31.3		137.6	12.5	112.6
	1902	1,547.4	12.0		24.1		36.1		30.1			204.7	12.0	42.1
	1903	1,555.6	29.0				5.8	17.4	29.0	11.0		174.1	40.6	58.0
	1904	1,636.0	30.4				5.6	11.2	22.4	16.8		252.1	22.4	61.6
	1905	1,597.4	16.2			10.8		16.2	5.4	5.4	92.1	178.7	16.2	81.2
Plymouth, Pa.	1901	1,754.3	35.5	14.2	99.5		21.3	7.1	92.3	42.6		56.8		35.5
	1902	1,171.5	27.6			6.9	6.9	55.1	55.1			27.6		13.8
	1903	1,934.1	13.4	6.7		13.8	13.4	6.7	120.5	6.7		20.1	6.7	33.5
	1904	1,554.7	6.5			13.0	6.5	13.0	97.6			45.5		32.5
	1905	1,252.8	31.6						78.0					12.7
Plymouth town, Mass.	1901	1,586.3		10.1	10.1				30.3	30.3		80.8	60.6	70.7
	1902	1,333.1	19.6						19.6	9.8		156.8	68.6	117.6
	1903	1,303.9				19.0	38.1	47.6	38.1			142.8	19.0	95.2
	1904	1,415.0	33.5			9.2			18.5	9.2		74.0	37.0	129.5
	1905	1,457.0	18.0			9.0			18.0		18.0	125.9	45.0	45.0
Pontiac, Mich.	1901	1,652.2	49.8	9.9			9.9		9.9	69.7		39.8	19.9	79.6
	1902	1,656.0	9.7					19.4	19.4	19.4		106.5	29.0	67.8
	1903	2,036.8	9.4		9.4				56.6	9.4		103.7		132.0
	1904	1,935.4	18.4						18.4	27.6		91.9	27.6	82.7
	1905	1,746.8	26.9	9.0					9.0	17.9	17.9	71.7	9.0	161.2
Port Huron, Mich.	1901	1,378.1	41.3	10.3		5.2	5.2	5.2	36.1	41.3		72.2	15.5	77.4
	1902	1,332.2	61.2			5.1	5.1	30.6	5.1	15.3		61.2	20.4	56.2
	1903	1,150.9	25.2	5.0				5.0	25.2	20.2		40.4	15.2	116.1
	1904	1,138.4	34.9			5.0		5.0	10.0	20.0		49.9	15.0	30.0
	1905	1,373.1	14.8			4.9	4.9		59.3	14.8	14.8	54.3	4.9	74.1
Port Jervis, N. Y.	1901	1,810.1	31.8		10.6				42.3	180.0		264.0		63.5
	1902	1,630.0	52.6	10.5				10.5	63.1	31.5		147.2		63.1
	1903	1,734.4	62.7					20.9	52.2	62.7		177.6		83.6
	1904	1,889.3	83.0	20.8					186.5	62.3		186.5	10.4	31.1
	1905	1,598.8	92.8						41.3	51.6	30.9	92.8		72.2
Portland, Me.	1901	1,777.1	29.4	3.9		3.9		15.7	47.1	13.7		217.7	29.4	78.5
	1902	1,814.0	28.9		13.5			1.9	28.9	3.9		166.0	67.6	120.4
	1903	1,817.5	32.3			5.7		22.8	17.1	7.5		153.8	34.2	108.2
	1904	1,899.3	28.0	1.9		9.3	1.9	20.6	33.6	7.5		155.2	37.4	104.7
	1905	1,746.7	25.8					9.2	18.4	27.6	9.2	141.7	40.5	112.3
Portland, Oreg.	1901	1,235.4	21.5	1.1		7.5	3.2		23.6	24.7		127.7	27.9	81.6
	1902	1,108.8	36.5	2.1		1.0	7.3		26.1	6.2		120.9	19.8	70.1
	1903	1,271.1	35.5	1.0	2.0	2.0	7.1	2.0	29.4	12.2		131.8	19.3	64.9
	1904	1,353.2	25.6		1.0	2.0	3.9	3.0	22.7	5.9		134.1	10.8	122.3
	1905	1,368.3	34.6			1.9	1.9	2.9	16.3	10.6	11.5	125.8	32.6	89.3
Portsmouth, N. H.	1901	1,996.6	18.7			9.3		9.3	18.7			167.9	9.3	140.0
	1902	2,000.2	55.6			18.5		27.8	74.1	9.2		101.9	9.2	64.8
	1903	1,884.2	36.8									165.4	18.4	128.7
	1904	1,441.5	9.1						9.1	9.1	9.1	246.3	9.1	91.3
	1905	1,657.3		9.1				9.1	9.1		9.1	172.1	18.1	90.6
Portsmouth, Ohio.	1901	1,504.6	60.0		16.4		10.9		5.5	32.7		190.8		65.4
	1902	1,557.0	69.1		37.2	5.3	21.3	15.9		10.6		101.3	5.3	47.8
	1903	1,720.9	58.1		41.5	10.4	20.7	51.8	25.9	5.2		269.5	25.9	57.0
	1904	1,487.4	75.9	10.1		5.0	15.2		15.2	20.2		217.6	15.2	55.7
	1905	1,398.2	79.0	4.9			9.9	14.8	14.8	24.7	14.8	182.8	19.8	69.2
Pottstown, Pa.	1901	1,492.3	29.1	7.3					29.1	51.0		138.3	21.8	65.5
	1902	1,458.8	43.5					7.2	29.1	14.5		123.4		36.3
	1903	1,497.9	79.6	14.5				21.7	14.5	14.5		152.0		65.1
	1904	1,587.3	86.6	7.2	21.6	28.9			72.2	21.6		173.2	28.9	28.9
	1905	1,553.8	57.5						14.4	14.4	7.2	194.2	7.2	36.0
Pottsville, Pa.	1901	1,808.6	12.6			44.1	44.1		31.5	50.4		113.4	6.3	50.4
	1902	1,559.8	49.9				43.7	18.7	68.6	6.2		49.9	12.5	43.7
	1903	1,587.7	37.1				6.2	6.2	43.2			98.8		74.1
	1904	1,976.0	12.2	6.1		24.5	18.4	6.1	97.9	12.2		152.6	24.5	55.1
	1905	1,929.4	54.5				6.1		18.2	12.1	12.1	115.1		96.9
Poughkeepsie, N. Y.	1901	1,752.4	45.4	12.4			16.5	4.1	49.5	37.1		160.8	8.2	78.3
	1902	1,728.3	24.5	12.3			4.1	12.3	61.3	16.3		179.8	4.1	110.3
	1903	1,822.0	44.5	12.1		8.1	20.2	4.0	20.2	24.3		149.8	12.1	113.4
	1904	2,094.5	64.2	8.0		44.1		8.0	8.0	28.1		188.6	32.1	96.3
	1905	1,733.9	47.7	4.0		4.0		23.9	19.9	11.9	8.0	127.3	8.0	107.4

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

105

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
9.6	9.6	28.8	259.3	124.9	76.8	28.8	76.8	86.4	67.2	28.8	19.2	153.7	76.8	115.3	
		9.3	213.5	102.1	18.6	27.8	111.4	65.0	37.1	18.6	130.0	46.4	130.0	27.8	
		23.7	237.5	124.7	95.0	31.7	63.3	87.1	47.5	95.0		87.1	31.7	87.1	7.9
7.7	15.4	30.8	215.5	123.2	115.5	53.9	77.0	123.2	53.9	30.8	115.5	39.8	107.8		
		7.5	164.8	82.4	104.9	50.9	59.9	59.9	44.9	44.9	7.5	74.9	30.0	44.9	
2.4	3.6	34.3	136.3	112.6	197.0	132.0	217.7	109.9	56.5	117.7	13.7	202.8	41.9	152.7	2.1
0.9	6.2	35.0	141.4	110.6	235.0	154.8	228.6	110.9	65.8	86.9	16.3	203.4	71.2	148.3	1.8
2.0	4.1	35.9	128.4	116.5	227.2	120.0	198.2	104.6	58.8	108.7	16.5	212.2	64.0	139.4	0.6
0.9	4.8	35.1	143.7	125.6	195.0	132.9	203.5	105.1	55.5	109.4	19.6	163.8	49.3	140.9	1.1
0.5	5.5	31.0	135.4	138.9	211.4	113.1	193.6	110.9	60.4	103.0	15.7	177.1	48.1	130.4	0.3
17.8	17.8	35.7	182.0	174.0	98.2	62.5	71.4	120.5	80.3	66.0	8.9	66.9	58.0	138.3	4.5
4.3		34.7	216.8	151.8	131.8	99.7	69.7	92.7	43.4	8.7	143.1	36.1	90.3		
		25.3	227.8	129.5	90.1	97.0	118.1	50.1	50.1	12.7	92.8	21.1	151.9		
4.1	24.6	28.7	115.0	110.9	69.8	90.4	102.7	82.1	78.0		110.9	32.8	164.2		
	12.0	36.0	156.0	276.0	72.0	60.0	76.0	76.0	88.0	64.0	12.0	152.0	32.0	176.0	
6.3	25.0	50.0	143.0	118.8	143.9	93.8	93.8	106.3	150.1	62.5	18.8	87.6	18.8	137.6	6.3
		36.1	216.8	126.4	126.4	96.3	72.3	102.4	102.4	84.3	6.0	90.3	36.1	90.3	
5.8	11.6	40.6	174.1	133.5	63.8	58.0	162.5	92.9	75.5	87.1	17.4	121.9	17.4	127.7	
11.2		33.6	106.5	128.9	134.5	100.9	145.7	104.9	56.0	56.0	5.6	117.7	28.0	162.5	5.6
	37.9	54.1	113.7	157.0	97.5	70.4	140.8	119.1	97.5	54.1	16.2	102.9	16.2	97.5	
		7.1	163.4	56.8	206.0	92.3	184.7	63.9	78.1	170.5	7.1	170.5	78.1	56.8	
		34.5	75.8	82.7	206.8	124.0	137.8	75.8	41.3	55.1		55.1	80.6	48.2	
		40.1	224.2	54.5	120.5	207.5	26.8	87.0	40.1	113.8		113.8	187.4	73.6	
		91.1	175.6	58.6	182.2	136.6	109.1	39.0	71.6	52.0	13.0	130.1	130.1	91.1	
6.3		75.9	164.5	82.3	170.8	126.6	113.9	25.3	50.6	38.0		94.9	139.2	75.9	6.3
	10.1	20.2	141.5	262.7	111.1	70.7	60.6	80.8	80.8	80.8	10.1	80.8	101.0	181.9	
	3.8	9.8	147.0	264.7	19.6	40.0	88.2	58.8	58.8	58.8		29.4	19.6	127.4	
	9.5		95.2	161.8	9.5	57.1	76.1	85.7	66.6	104.7	38.1	28.6	28.6	142.8	
	18.0	18.5	148.0	111.0	101.7	92.5	74.0	92.5	74.0	37.0		129.5	27.7	129.5	
		54.0	98.9	251.8	36.0	54.0	89.9	89.9	63.0	98.9	18.0	71.9	36.0	197.9	
		29.0	348.4	129.4	179.2	69.7	50.7	29.9	29.9	10.9		109.5	39.8	248.8	10.0
	9.7	29.0	532.0	184.0	77.5	87.1	58.1	58.1	48.4		19.4	38.7	9.7	143.3	
	37.7	2.4	690.1	207.5	94.3	47.2	55.4	94.3	150.9	37.7	18.9	103.7		179.2	
	9.1	542.9	156.2	128.6	55.1	27.6	91.9	73.5	27.6	27.6		36.7	9.1	192.9	
	17.9	9.0	447.9	161.2	170.2	71.7	71.7	98.5	53.7	26.9		80.6	26.9	161.2	
5.2	5.2	25.8	129.0	103.2	139.3	41.3	103.2	67.1	82.6	41.3	5.2	77.4	25.8	216.8	
	5.1	148.0	97.0	102.1	30.9	168.5	107.2	71.5	25.5	10.2		112.3	15.3	168.5	
	5.0	131.3	151.5	50.5	20.2	70.7	40.6	55.7	50.5	5.0		70.7	25.2	176.7	
5.0	10.0	134.8	164.7	34.9	34.9	64.9	74.9	79.9	84.9	5.0		84.9	15.0	134.8	5.0
	14.8	29.6	118.5	197.6	123.5	44.5	118.5	93.8	148.2	64.2		59.3	4.9	108.7	
	21.2	10.6	190.5	232.9	74.1	52.9	42.3	84.7	32.9	21.2		190.5	42.3	169.4	
	10.5	31.5	199.8	157.7	105.2	63.1	52.6	84.1	81.1	10.5		136.7	31.5	199.8	
10.4	10.4	31.3	167.2	83.6	94.0	62.7	31.3	92.7	107.2	104.5		206.0	52.2		
	20.8	62.3	63.4	186.9	135.0	124.6	83.0	145.3	51.9	10.4		114.2	103.8	135.0	
	10.3	30.9	103.1	175.3	92.8	30.9	144.4	175.3	113.5	92.8		61.9	103.1	103.1	
2.0	11.8	70.6	209.9	225.6	123.6	60.8	49.0	72.6	141.2	49.0	5.9	84.4	49.0	174.6	7.8
	11.6	50.2	212.3	202.6	117.7	75.3	44.4	84.9	152.5	50.1	9.6	94.6	77.2	212.2	7.7
1.9	13.3	43.7	163.3	208.9	146.2	68.4	60.8	115.8	170.9	91.2	5.7	76.0	58.9	191.4	6.4
	24.3	63.5	194.4	224.3	132.7	65.4	56.1	108.4	160.8	69.2	20.3	121.5	30.5	201.9	5.6
3.7	18.4	47.9	202.5	226.4	101.2	57.1	77.3	93.9	143.6	55.2		82.8	35.0	193.3	7.4
1.1	7.5	29.0	92.3	123.4	124.5	35.4	42.9	99.8	40.8	20.4	16.1	94.5	56.9	127.7	4.3
3.1	11.5	36.5	97.0	136.6	64.7	49.0	36.5	83.4	57.4	21.9	18.8	95.9	30.0	107.4	3.1
3.0	10.1	56.8	98.3	136.8	105.4	40.6	40.6	86.2	53.7	31.4	17.2	100.4	39.5	132.8	11.1
1.0	18.7	47.3	121.3	168.7	80.9	41.4	59.2	96.7	68.1	46.4	3.0	112.4	46.4	105.5	4.9
	23.0	27.8	115.2	163.2	84.5	35.5	55.7	97.9	86.4	32.6	29.8	128.7	22.1	139.2	
18.7	9.3	28.0	279.9	289.2	242.6	130.6	74.6	140.0	93.3	46.7		102.6	37.3	130.6	
9.2		55.6	305.6	314.0	148.2	120.4	92.6	111.1	46.3	55.6		120.4	92.6	157.4	9.2
9.2	6.2	27.6	257.3	248.1	137.8	36.8	27.6	211.4	128.6	36.8	36.8	119.5	36.8	193.0	18.4
	9.1	36.5	155.1	200.7	146.0	27.4	82.1	63.9	127.7	36.5	9.1	45.6	27.4	118.6	
	18.1	27.2	172.1	190.2	126.8	45.3	117.7	99.6	135.8	18.1	9.1	99.6	81.5	190.2	
10.9	5.5	21.8	163.6	141.7	141.7	70.9	76.3	43.6	32.7	109.0		119.9	109.0	76.3	
5.3	5.3	69.1	127.6	138.2	106.3	79.7	106.3	85.0	26.6	90.3		90.3	58.5	164.7	
	10.4	46.7	108.9	155.5	103.7	88.1	98.5	72.5	15.6	98.5		82.9	67.4	171.0	5.2
	10.1	15.2	101.2	187.2	111.3	55.7	45.5	60.7	45.5	146.7	5.0	60.7	60.7	151.8	
4.9	19.8	14.8	93.9	133.4	113.6	29.6	84.0	74.1	34.6	113.6	14.8	74.1	24.7	133.4	
		21.8	203.8	109.2	189.3	116.5	51.0	80.1	36.4	36.4	7.3	101.9	36.4	145.6	14.5
	7.2		196.0	152.4	145.2	58.1	108.9	87.1	43.5	36.5	7.2	123.4	123.4	108.9	
	7.2	14.5	188.1	159.9	164.4	65.1	72.4	79.6	57.9	50.6		101.3	79.6	72.4	
	14.4	28.8	208.0	108.2	194.8	43.3	122.6	72.2	86.6	21.6	21.6	86.6	43.3	79.4	14.4
			208.0	172.6	57.5	86.3	93.5	64.7	50.4	71.9	14.4	93.5	129.5	129.5	7.2
	12.6	63.0	252.1	176.5	145.0	163.9	50.4	126.0	31.5	81.9	6.3	94.5	63.0	176.5	12.6
	6.2	43.7	199.7	137.3	118.5	99.8	74.9	106.1	106.1	31.2	6.2	106.1	68.6	174.7	
	6.2	37.1	216.2	131.9	148.3	86.5	61.8	115.4	123.6	80.3		134.4	49.4	105.0	
	6.1	24.5	287.5	208.0	159.1	97.9	146.8	189.6	91.8	67.3	6.1	73.4	67.3	111.2	
	12.1	48.5	254.5	187.8	169.6	12.1	230.2	175.7	199.0	36.4	30.3	145.4	12.1	169.6	
8.2	8.2	8.2	263.9	115.5	177.3	140.2	49.5	99.0	70.1	57.7	4.1	82.5	66.0	189.7	
	8.2	8.2	253.3	204.3	114.4	114.4	85.8	89.0	49.0	44.9	20.4	102.1	53.1	155.3	
4.0	4.0	26.2	251.0	201.4	137.7	125.5	72.9	109.3	85.0	56.7		129.6	40.5	174.1	
	12.0	24.1	284.9	196.6	148.5	132.4	104.3	160.5	120.4	68.2	4.0	94.3	48.2	216.7	
4.0	8.0	39.8	206.8	210.8	127.3	119.3	73.6	103.4	82.5	73.6	11.9	135.2	11.9	159.1	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Providence, R. I.	1901	1,911.2	25.0	8.3	1.1	1.7	5.0	7.2	47.7	41.1		217.5	42.2	82.1
	1902	1,836.5	21.1	8.1	4.3	3.8	4.3	14.1	39.0	16.8		213.2	37.9	87.7
	1903	2,057.9	19.5	5.3		50.7	13.2	39.1	44.3	38.5		214.3	34.4	80.8
	1904	1,852.8	15.5	4.6		3.1	22.2	1.0	45.9	18.0		187.6	44.8	96.9
	1905	1,749.4	20.1	3.5		2.5	9.1	4.0	36.2	18.6	20.1	170.2	50.3	97.2
Pueblo, Colo.	1901	2,233.8	101.7		3.5	17.5	70.1		42.1	38.6		319.1	17.5	52.6
	1902	3,456.0	311.7		3.5	48.5	38.1	3.5	79.6	34.6		432.9	10.4	58.9
	1903	2,729.4	184.7	3.4	3.4	10.3	10.3	47.9	88.9	13.7		311.2	37.6	58.1
	1904	2,392.1	111.5			50.7	10.1	23.6	40.5	43.9		290.6	23.6	84.5
	1905	2,337.7	68.9			6.6		59.1	13.1	16.4	6.6	338.2	23.0	72.2
Quincy, Ill.	1901	1,475.7	40.8				10.9		2.7	27.2		160.7	40.8	49.0
	1902	1,597.9	36.4	2.7	5.4	5.4	16.1		21.5	10.8		180.1	16.1	56.4
	1903	1,465.0	39.8	8.0	2.6	2.6	5.3	2.6	13.3	21.3		140.6	21.3	63.7
	1904	1,535.8	52.4					7.9	13.1		15.5	186.1	21.0	62.9
	1905	1,470.3	35.9	2.6	5.2	5.2	7.8	10.4	12.9	18.1		150.1	44.0	62.1
Quincy, Mass.	1901	1,309.9	8.1					20.2	32.3	20.2		141.5	32.3	48.5
	1902	1,565.7	19.6		15.6	7.8	3.9	3.9	54.8			160.4	19.6	39.1
	1903	1,393.4	7.6			3.8		34.1	41.7	30.3		113.6	22.7	94.7
	1904	1,281.2	3.7			11.0	7.3	3.7	36.7	7.3		143.2	47.7	73.4
	1905	1,507.2	10.7				10.7	3.6	46.3	10.7		149.6	24.9	74.8
Raleigh, N. C.	1901	2,903.9	87.3	43.7				58.2	21.8	72.8		305.7	36.4	14.6
	1902	2,623.4	65.0	43.4		7.2			7.2			361.4	50.6	79.5
	1903	1,916.2	71.8	21.5				28.7				373.2	14.3	71.8
	1904	2,245.0	57.0	7.1				35.7	28.5	28.5		349.2	57.0	106.9
	1905	2,484.4	42.5	21.2		77.9		28.3	49.5	14.2	56.6	325.6	42.5	77.9
Reading, Pa.	1901	1,737.2	53.1	1.2		11.1	33.3	34.6	71.6	38.3		145.7	19.7	49.4
	1902	1,590.3	66.2	2.4		3.6	16.9	8.4	45.8	13.2		118.0	25.3	53.0
	1903	1,508.5	31.7			2.4	35.3	18.8	69.4	21.2		124.6	14.1	61.1
	1904	1,566.4	33.3	4.6		37.9	24.1	2.3	70.1	21.8		117.1	24.1	48.2
	1905	1,491.4	25.8	1.1		1.1	4.5	18.0	25.8	16.8	13.5	104.4	15.7	53.9
Revere town, Mass.	1901	1,272.2	9.2			9.2	46.1	18.4	27.7	18.4		63.0	18.4	46.1
	1902	1,327.4	17.7		26.5	8.8	8.8	26.5	17.7			115.0	53.1	61.9
	1903	1,225.2	17.0					42.5	25.5	8.5		102.1	17.0	34.0
	1904	1,269.9	8.2					24.6	24.6			114.7	24.6	3.7
	1905	1,177.0	15.8			7.9		7.9	23.7	15.8		118.5	31.6	86.9
Richmond, Ind.	1901	1,664.1	27.2			5.4		27.2	70.7			146.8	48.9	70.7
	1902	2,118.6	59.3	5.4			5.4	156.3	10.8			221.0	43.1	70.1
	1903	1,544.5	26.7					16.0	5.3	5.3		213.8	38.1	96.2
	1904	1,638.4	26.5					5.3	31.8	15.9		164.2	58.3	68.9
	1905	1,312.0	5.1	5.1					25.7	10.3		133.8	36.0	56.6
Richmond, Va.	1901	2,456.2	51.5	17.6				43.3	12.9	62.0		251.7	23.4	72.7
	1902	2,550.7	72.3	17.5		4.7	2.3	24.5	44.3	17.5		210.0	32.6	42.0
	1903	2,539.8	73.1	20.9	1.2	25.5	4.6	87.1	51.1	32.2		26.3	34.8	67.3
	1904	2,376.1	54.3	19.6		1.2	3.5	5.8	11.6	37.0		276.3	55.5	77.4
	1905	2,211.1	44.9	32.2	1.2	4.6	1.2	1.2	13.8	25.3	34.5	236.0	31.1	66.8
Rochester, N. H.	1901	1,388.1	11.7						46.1	23.1		221.6	58.3	81.7
	1902	1,440.1	23.1						34.1	45.5		269.5	11.5	63.1
	1903	1,616.0	34.1						22.3	33.7	67.5	182.1	16.9	45.5
	1904	1,686.5	22.5						11.1	33.3	55.5	213.6	22.5	78.7
	1905	1,722.0	22.2			11.1			11.1	33.3	55.5	200.0	11.1	77.8
Rochester, N. Y.	1901	1,441.7	17.4	0.6		9.0	2.4	4.2	13.2	24.7		140.2	18.0	80.0
	1902	1,320.7	11.8	0.6	45.3	0.6	7.7	4.7	8.2	6.5		110.6	17.7	88.9
	1903	1,463.7	12.1		13.8	15.0	6.9	4.6	64.5	9.2		125.6	19.0	78.9
	1904	1,503.8	15.8	2.8		0.6	19.7	0.6	52.5	15.8		140.5	19.7	86.9
	1905	1,528.4	11.5			15.9	13.7	10.4	54.4	8.8	13.2	147.8	20.9	93.9
Rockland, Me.	1901	1,963.2	12.3						12.3	24.5		196.3	24.5	208.5
	1902	1,862.9	12.3						12.3			196.3	12.3	122.7
	1903	1,987.7	12.3						12.3	24.5		245.4	36.8	122.7
	1904	2,036.8	24.5						36.8			208.5	49.1	147.2
	1905	1,889.6	12.3			36.8			12.3	61.3	40.1	220.9		110.4
Rome, N. Y.	1901	1,855.1	19.1		6.4		12.7		31.8	95.3		158.8	19.1	19.1
	1902	1,595.4	24.8						18.6	24.8		173.5	12.4	130.1
	1903	1,687.4	18.1	6.0			6.0	30.2	12.1	12.1		133.1	24.2	42.3
	1904	1,734.6	17.7				23.6		5.9	35.4		248.1	65.0	29.5
	1905	1,829.3	40.4			17.3	23.1		51.9	11.5	17.3	196.2	28.9	69.2
Rutland, Vt.	1901	1,770.9	8.6					8.6	8.6	51.9		198.7	25.9	103.7
	1902	1,784.6	17.2			34.3			17.2			145.9	25.7	85.8
	1903	2,054.6	34.1	8.5	8.5			8.5	8.5	25.6		162.0	34.1	85.3
	1904	1,990.3	25.4					16.9	8.5	59.3		135.5	25.4	67.8
	1905	1,607.2	33.7			16.8		16.8	16.8	16.8		126.2	25.2	67.3
Sacramento, Cal.	1901	2,062.8	84.5	13.6		6.8		6.8	27.1	13.6		358.4	6.8	81.1
	1902	1,972.4	36.8	10.0					46.9	13.4		247.8	20.1	67.0
	1903	1,870.5	49.8	13.3		3.3	16.6	29.8	23.2	6.6		252.1	22.2	82.9
	1904	2,010.4	75.6	16.4		6.6		13.1	19.7	9.9		285.8	29.6	111.7
	1905	2,277.8	61.8	13.0	3.3	3.3	3.3	6.5	58.6	6.5	9.8	286.3	71.6	87.9
Saginaw, Mich.	1901	1,389.0	27.6	9.2	2.3		4.6	4.6	43.8	25.3		103.7	18.4	66.8
	1902	1,304.0	9.0	22.5		18.0	9.0	9.0	18.0	4.5		80.9	9.0	85.4
	1903	1,240.5	11.0	2.2		4.4	2.2	4.4	13.2	11.0		85.6	10.8	92.2
	1904	1,298.0	49.3	4.3	2.1		4.3		12.9	21.4		113.7	10.7	81.5
	1905	1,240.0	25.2		2.1		2.1		35.7	4.2	10.5	77.6	10.5	81.8

*Shown for 1905 only.

SUMMARY AND RATE TABLES.

107

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.2	21.1	38.8	133.7	169.9	121.5	114.9	190.3	113.8	122.6	81.6	7.8	105.4	25.0	185.5	6.1
2.7	10.8	32.5	124.5	182.9	126.1	109.8	165.0	110.4	126.1	82.8	10.8	97.9	24.3	173.1	9.5
0.5	18.5	22.7	120.9	181.7	156.3	138.3	182.1	119.8	131.0	87.6	11.1	106.6	22.2	174.3	2.1
0.5	18.0	20.6	137.6	181.9	144.8	116.5	152.6	96.9	132.0	77.8	16.0	103.6	27.3	163.4	3.6
1.0	14.6	28.7	128.4	179.2	158.6	98.2	118.8	98.7	148.0	61.4	14.6	94.1	22.7	148.5	2.0
3.5	7.0	49.1	189.4	129.7	284.0	56.1	80.7	136.8	49.1	84.2	28.1	157.8	38.6	296.5	10.5
17.3	51.9	232.0	183.5	419.0	107.3	245.9	204.3	114.3	180.1	24.2	277.0	45.0	301.3	31.2	
10.3	34.2	194.9	119.7	95.8	236.0	167.6	75.2	133.4	273.6	34.2	273.6	27.4	229.2	10.3	
3.4	3.4	37.2	219.6	145.3	240.2	71.0	131.8	158.8	128.4	77.7	40.5	102.6	21.6	296.1	13.5
3.3	6.6	32.8	282.4	121.5	213.4	75.5	141.2	157.6	118.2	105.1	39.4	213.4	13.1	210.1	
2.7	2.7	32.7	185.2	147.0	79.0	76.2	43.6	95.3	76.2	27.2	13.6	92.6	65.4	198.3	5.4
5.4	40.3	155.9	153.2	110.2	96.8	56.4	69.9	72.6	72.6	21.5	40.3	75.3	75.3	172.0	
2.6	8.0	13.3	156.6	138.0	98.2	98.2	60.0	87.6	63.7	79.6	8.0	79.6	82.3	148.6	10.6
10.5	7.9	186.5	131.0	159.9	120.5	62.9	81.2	62.9	60.3	7.9	73.4	28.8	178.2	10.5	
7.8	10.4	33.7	119.1	173.4	101.0	101.0	113.6	113.9	28.5	28.5	20.7	69.9	38.8	150.1	
4.0	24.3	88.9	177.9	76.8	72.8	101.1	60.6	44.5	76.8	20.2	64.7	32.3	161.7		
19.6	27.4	125.2	209.4	105.6	70.4	172.1	78.2	54.9	117.3	7.8	101.7	15.6	160.4		11.7
3.8	37.9	60.0	169.0	83.3	56.8	79.5	64.4	72.0	90.9	15.1	90.9	15.1	94.7		
7.3	22.0	58.7	201.9	110.1	51.4	95.4	33.0	40.4	110.1	7.3	102.8	11.0	95.4		
3.6	49.9	67.7	220.8	106.9	46.3	110.4	28.5	39.2	92.6	10.7	96.2	14.2	85.5		
7.3	7.3	94.6	349.4	181.5	167.4	145.6	218.4	116.5	132.8	80.1	7.3	72.8	100.2	152.8	349.4
7.2	72.3	231.3	144.5	130.1	101.2	310.8	129.0	57.8	101.2	7.2	108.4	115.6	286.6		
7.2	35.9	129.2	100.5	107.7	93.3	93.3	143.5	93.3	143.5	7.2	108.4	115.6	286.6		
7.1	42.8	171.1	171.1	156.8	87.5	145.1	135.4	64.1	78.4	7.1	121.2	71.3	213.8	106.9	
	56.6	205.3	141.6	162.8	127.4	254.8	148.6	49.5	70.8	21.2	92.0	92.0	141.6	184.0	
2.5	3.7	25.9	222.2	149.4	116.1	55.6	106.2	81.5	67.9	92.6	13.6	108.7	71.6	161.7	
1.2	14.5	45.8	215.6	175.9	87.9	54.2	95.2	78.3	71.1	103.6	10.8	92.7	67.5	113.2	
1.2	9.4	18.8	192.8	116.4	78.8	62.3	87.0	84.7	61.1	98.8	10.6	85.8	76.4	145.8	
1.1	9.2	23.0	168.8	136.7	126.3	62.0	98.8	86.1	58.6	110.3	11.5	105.7	68.9	115.9	
1.1	11.2	22.4	218.8	150.4	85.3	49.4	113.6	76.3	76.3	103.2	11.2	103.2	43.8	142.5	
	9.2	18.4	138.3	101.4	83.0	64.5	110.6	56.3	73.8	119.8		83.0	36.9	101.4	
	8.8	8.8	132.7	141.6	123.9	53.1	123.9	35.4	97.3	70.8	8.8	79.6	35.4	70.8	
	8.5	25.5	127.6	136.1	93.6	85.1	110.6	82.1	51.1	51.1	17.0	51.1	17.0	119.1	
	16.4	49.2	81.9	155.7	73.7	73.7	106.5	122.9	65.5	49.2		73.7	24.6	106.5	
	7.9	7.9	110.6	126.4	86.9	86.9	55.3	94.8	15.8	7.9	79.0	23.7	79.0		
	21.8	76.1	108.8	146.8	119.7	48.9	38.1	97.9	97.9	146.8	27.2	59.8	21.8	255.6	
	21.6	48.5	328.9	183.3	124.0	86.3	59.3	91.6	91.6	97.0	48.5	86.3	61.7	215.6	
5.3	10.7	32.1	272.6	160.3	112.2	32.1	69.5	101.6	101.6	26.7	74.8	42.8	90.8		
	5.3	26.5	127.1	164.2	95.4	42.4	68.9	53.0	100.7	21.2	90.1	53.0	259.6		
5.1	10.3	36.0	92.6	195.5	56.6	46.3	77.2	97.8	102.9	56.6	30.9	77.2	15.4	138.9	
1.2	4.7	42.1	293.8	142.8	181.5	202.5	158.0	139.3	113.6	92.5	3.5	114.7	137.0	237.7	56.2
8.2	4.7	37.3	289.1	165.5	161.2	205.2	171.3	110.7	110.7	9.3	93.6	123.6	234.1	36.1	
1.2	9.3	49.9	280.9	184.6	140.5	224.0	154.4	138.1	116.1	102.2	6.9	116.1	99.8	206.6	22.1
1.2	10.4	32.4	232.3	182.6	171.1	153.7	184.9	153.7	153.7	101.7	8.1	104.0	119.1	213.8	31.2
1.2	9.2	25.3	263.6	189.9	151.0	161.1	179.6	123.2	133.5	88.6	17.3	88.6	93.2	181.9	10.4
	11.7	23.3	128.3	128.3	105.0	70.0	81.7	70.0	46.6	35.0	46.6	11.7	35.0	175.0	
	23.1	30.6	180.6	166.1	126.7	46.1	46.1	50.6	103.7	11.5	11.5	103.7	23.1	172.8	
	22.7	45.5	68.3	193.5	113.8	56.9	68.3	123.2	113.8	11.4	11.4	68.3	68.3	193.5	11.4
	33.7	11.2	236.1	146.2	67.5	33.7	90.0	90.0	22.5	90.0	11.2	134.9	11.2	191.1	
	11.1	11.1	100.0	200.0	188.9	122.2	88.9	77.8	133.3	33.3	22.2	66.7	66.7	144.4	11.1
3.0	12.6	45.1	166.0	140.7	104.1	99.8	67.4	103.3	68.0	22.9	6.6	75.2	33.7	166.6	
1.2	11.8	35.9	147.1	166.6	61.8	81.8	62.4	102.4	91.8	27.7	17.1	70.0	19.4	159.7	0.6
4.0	10.3	27.7	174.6	181.5	93.9	97.4	56.5	109.5	89.3	25.4	12.7	55.8	18.4	159.0	
	18.6	32.2	161.2	193.5	102.1	85.2	55.3	94.2	101.6	20.9	11.8	71.7	20.9	176.6	
2.7	25.3	30.2	139.0	169.8	96.1	98.9	94.5	99.4	101.1	26.4	12.1	73.1	26.4	142.3	0.5
12.3	36.8	282.2	220.8	110.4	61.4	61.4	135.0	110.4	36.8	12.3	61.4	49.1	270.0	24.5	
12.3	36.8	257.7	135.0	122.7	61.4	49.1	73.6	159.5	36.8		98.1	12.3	159.5		
12.3	12.3	220.8	270.0	85.9	12.3	73.6	83.9	147.2	24.5	12.3	129.5	73.6	282.2	12.3	
		233.1	282.2	61.4	34.5	24.5	135.0	245.4	61.4	12.3	36.8	49.1	282.2		
		122.7	208.6	98.2	24.5	24.5	135.0	98.2	61.3	24.5	85.9	12.3	319.0	24.5	
6.4	12.7	222.4	393.9	127.1	50.8	114.4	197.0	63.5	19.1		101.7	31.8	146.1	6.4	
	6.2	235.5	185.9	111.5	43.4	24.8	74.4	24.8	62.0	12.4	93.0	210.7			
	18.1	199.6	157.3	127.0	54.4	72.6	42.3	60.5	60.5	24.2	127.0	169.3	278.2		
	23.6	236.3	118.1	112.2	53.2	88.6	112.2	82.7	29.5	11.8	88.6	129.9	212.6		
	23.1	271.2	173.1	57.7	69.2	17.3	80.8	80.8	23.1	5.8	144.3	144.3	282.8		
8.6	8.6	25.9	198.7	198.7	190.1	112.3	51.8	95.0	129.6	60.5	69.1	34.6	181.4		
8.5	17.2	25.7	154.5	206.0	137.3	77.2	120.1	94.4	94.4	111.5	8.6	120.1	77.2	206.0	8.6
8.5	34.1	179.0	247.3	239.2	85.3	162.0	144.9	162.0	102.3		110.8	34.1	179.5		
	25.4	67.8	228.7	288.0	132.4	50.8	76.2	177.9	169.4	42.3	101.6	16.9	245.6	8.5	
	33.7	33.7	109.4	185.1	134.6	58.9	67.3	168.3	176.7	8.4	8.4	101.0	25.2	159.9	16.8
	10.1	33.8	172.5	202.9	172.5	111.6	71.0	108.2	84.5	23.7	10.1	152.2	81.1	226.5	3.4
	10.0	36.8	177.5	197.6	140.7	107.2	43.5	147.4	77.0	63.6	10.0	217.7	67.0	234.4	
	13.2	26.5	142.6	165.8	159.2										

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.	
REGISTRATION CITIES—Continued.														
St. Joseph, Mo.	1901 761.3	14.2	1.9	6.6	3.9	3.8	1.9	11.4	15.2		81.5	5.7	31.3	
	1902 866.8	13.9	3.7	8.3	22.2	2.8	6.5	8.3	4.6		87.1	13.0	23.1	
	1903 653.5	8.1	2.7	0.9	0.9	4.5		5.4	19.9		59.7	2.7	26.3	
	1904 788.6	12.4	2.6	1.8	8.0	3.5	3.5	8.9	4.4		62.8	9.7	43.4	
	1905 758.6	7.8	5.2				2.6	9.5	12.1	9.5	68.4	6.9	27.7	
St. Louis, Mo.	1901 1,501.5	33.4	7.8	1.4	2.4	10.6	6.0	47.3	15.1		192.3	15.5	55.3	
	1902 1,727.4	40.0	7.3	1.5	1.0	21.0	12.2	29.5	5.5		181.0	20.0	55.0	
	1903 1,817.1	52.4	10.0	0.6	23.3	15.8	13.8	32.2	26.3		186.5	24.7	73.2	
	1904 1,883.8	37.9	10.2	8.2	5.1	10.6	6.9	27.2	25.3		230.5	21.6	69.5	
	1905 1,686.9	22.6	15.4	95.8	81.6	2.4	8.6	25.4	21.7	10.2	221.0	27.5	73.5	
St. Paul, Minn.	1901 1,033.0	13.5		0.6	7.1	10.0	2.9	30.6	11.8		120.7	21.8	46.5	
	1902 1,062.0	13.6			6.8	9.6	10.8	34.5	5.1		104.7	26.0	51.5	
	1903 971.4	10.4	0.5	8.7	7.1	13.6	5.5	11.4	11.4		94.3	20.2	58.9	
	1904 996.7	13.7		1.1	1.6	4.2	7.9	26.3	5.3		105.7	26.3	60.5	
	1905 1,000.4	10.7		0.5	0.5	9.6	8.1	32.5	4.1	7.6	112.7	29.9	57.9	
Salem, Mass.	1901 1,747.0	24.8	2.8			44.1	2.8	38.6	38.6		151.6	30.3	79.9	
	1902 1,733.9	24.6	2.7	5.5	10.9			51.6			172.0	24.6	87.4	
	1903 2,005.0	46.0	2.7		5.4		37.9	70.4	13.5		167.8	13.5	110.9	
	1904 1,888.1	21.5					13.4	29.5	10.7		152.8	21.5	131.4	
	1905 1,969.3	26.6			13.3			53.2	8.0	10.6	164.8	21.3	103.6	
Salt Lake City, Utah.	1901 1,588.2	79.0		7.4	1.8	38.6	3.7	90.1	29.4		102.9	7.4	49.6	
	1902 1,916.1	72.4	1.8	1.8	9.0	72.4	1.8	81.4	3.6		103.2	10.9	83.2	
	1903 1,935.7	61.3		3.5	1.7	19.2	5.2	91.0	17.5		98.0	14.0	66.5	
	1904 1,831.9	74.1		1.7			50.0	46.5	10.3		115.5	12.1	77.6	
	1905 1,833.2	101.8			47.5	3.4	5.1	76.4	22.1	10.2	86.6	10.2	64.5	
San Antonio, Tex.	1901 2,465.1	61.9	65.6		18.2	10.9	7.3	34.6	60.1		577.6	43.7	65.6	
	1902 2,664.3	65.5	46.1			1.8		23.0	49.6		609.6	40.8	79.7	
	1903 2,245.9	62.0	75.8				12.1	39.6	32.7		441.7	22.4	67.2	
	1904 2,527.7	50.4	47.0		21.8		5.0	58.7	48.7		619.3	31.9	68.8	
	1905 2,445.0	44.2	11.4			1.7	6.5	62.1	58.9	22.9	632.9	31.1	70.3	
San Diego, Cal.	1901 2,118.2	39.0	11.1						78.0		395.8	16.7	117.1	
	1902 2,084.7	5.5						5.5	44.0		445.6	44.0	137.5	
	1903 2,079.3	10.9	5.4		10.9			16.3	114.0		401.7	43.4	108.6	
	1904 2,502.7	16.1	5.3					16.1	42.9		434.1	64.3	107.2	
	1905 2,418.0	15.9	13.9				15.9	5.3	68.8	5.3	455.0	26.5	111.1	
San Francisco, Cal.	1901 2,060.1	25.1	1.4	0.3	14.1	3.7	13.8	37.4	16.1		292.7	41.8	115.2	
	1902 2,159.9	29.6	2.6		12.2	5.1	1.7	67.7	10.2		284.2	40.7	128.3	
	1903 2,133.1	25.0	2.0	0.6	9.3	3.7	30.6	32.0	15.7		280.4	50.0	125.3	
	1904 2,078.6	31.4	3.9		6.9	2.5	14.4	18.9	4.7		274.8	44.7	134.3	
	1905 2,010.5	23.9	1.1	0.3	0.8	1.1	11.8	16.2	8.2	12.1	275.9	46.3	125.0	
San Jose, Cal.	1901 1,584.0	13.7			9.1	4.6	4.6	9.1	9.1		293.0	27.5	87.0	
	1902 1,568.4	4.5	4.5			4.5		54.1	27.0		279.5	22.5	90.1	
	1903 1,500.1	31.1		4.4			4.4	35.5	26.6		204.2	44.4	110.0	
	1904 1,805.4	21.8			21.8		52.5	30.6	17.5		279.8	43.7	83.1	
	1905 1,567.6	12.9			4.3			17.2	21.5	12.9	254.1	56.0	94.7	
Saratoga Springs, N. Y.	1901 2,418.8	71.8			16.0	8.0	16.0	31.9	47.9		247.5		31.9	
	1902 2,223.2	23.7					7.9	7.9	15.8		205.6		94.9	
	1903 1,927.4	47.0					31.3	15.7	15.7		203.7	15.7	70.5	
	1904 2,150.5	46.6	15.5		7.8		7.7	31.1	54.3		201.8	15.5	124.2	
	1905 2,034.0	38.5					7.7	7.7	30.8		200.0	15.4	100.0	
Sault Ste. Marie, Mich.	1901 1,867.3	92.9				9.3	46.4	74.3	9.3		102.2	27.9	9.3	
	1902 2,101.9	172.9		18.2	36.4	18.2	9.1	36.4			81.9	9.1	36.4	
	1903 1,943.7	115.9				8.9	53.5	35.7			80.2	26.8	8.9	
	1904 1,434.3	52.4				17.5			17.5		104.9	17.5	26.2	
	1905 1,647.5	68.6			34.3	8.6		17.1		25.7	111.4	25.7	25.7	
Savannah, Ga.	1901 2,963.0	98.6	150.0		3.6	21.7		5.4	47.0		372.2	18.1	32.5	
	1902 2,614.4	44.1	138.7		4.7	9.5	1.6	12.6	9.5		324.0	15.8	52.0	
	1903 2,358.6	54.1	92.7			1.5	30.9	3.1	29.3		319.7	12.4	35.5	
	1904 2,692.0	78.8	104.5		6.1		15.1	4.5	43.9		345.3	27.3	60.6	
	1905 2,559.8	40.1	154.5		7.4	1.5		10.4	63.9	13.4	280.8	28.2	57.9	
Schenectady, N. Y.	1901 1,797.2	36.7	2.8		8.5	8.5	5.7	84.8	11.3		178.0	19.8	53.7	
	1902 1,576.0	19.1		4.2	8.5	34.0	4.2	63.7	4.2		121.0	19.1	21.2	
	1903 1,752.8	31.5	3.9		25.5	19.7	17.7	43.3	3.9		163.4	13.8	43.3	
	1904 1,438.4	22.0			1.8	5.5	16.5	31.2	20.2		124.8	5.5	62.4	
	1905 1,338.8	6.9			13.7	15.5	3.4	18.9	6.9	6.9	127.1	13.7	46.4	
Scranton, Pa.	1901 1,629.0	34.4	1.0		8.6	7.6	14.3	41.1	34.4		91.8	10.5	43.0	
	1902 1,397.6	19.6	4.7	0.9	1.9	2.8	15.9	15.9			86.7	5.6	51.3	
	1903 1,486.9	18.2	0.9	1.8	8.2	5.5	4.6	20.0	8.2		100.2	2.7	44.6	
	1904 1,790.2	10.7	1.7		5.3	2.7	6.2	17.8	33.8		104.2		25.6	
	1905 1,818.1	17.2	2.6		17.2	14.6	6.9	31.9	11.2	14.6	90.4		33.6	
Seattle, Wash.	1901 1,078.7	30.8	1.2	3.6	7.1	10.7	7.1	14.2	8.3		118.4	24.9	48.5	
	1902 1,225.2	32.9			2.3	0.2	1.1	12.5	1.1		117.8	13.6	68.0	
	1903 1,213.9	36.9	2.2	3.3	16.3	16.4	3.3	8.7	5.4		16.3	29.3	60.8	
	1904 1,238.8	36.5			2.1	9.4	13.6	40.7	9.4		127.3	25.1	46.4	
	1905 1,154.8	36.1			7.0	1.0	4.0	12.0	5.0	14.1	101.4	38.2	54.2	
Sioux City, Iowa.	1901 1,153.4	14.4			2.9	5.8	2.9	14.4	17.3		112.5	31.7	51.9	
	1902 1,290.4	24.8	2.8	13.8	46.9	2.8	23.1	11.0	19.3		74.5	11.0	80.0	
	1903 1,142.4	18.5	2.6			23.8	15.9	29.1	13.2		82.0	5.3	32.9	
	1904 1,239.1	17.8				7.6	5.1	15.2	20.3		88.9	27.9	66.0	
	1905 1,267.3	24.4	2.4		4.9	17.1	19.5	26.9	17.1	7.3	75.7	17.1	83.0	

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

109

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
0.9	4.7	26.5	75.9	44.6	76.8	34.1	46.5	40.8	28.5	19.0	4.7	60.7	40.3	73.0	0.0
2.8	4.6	13.9	115.8	43.5	98.2	44.4	43.5	61.8	34.3	13.9	10.2	48.2	61.1	74.1	2.8
1.8	1.8	12.7	75.1	48.9	51.6	28.1	33.5	51.6	38.0	12.7	13.4	48.9	38.0	61.3	0.9
0.9	4.4	8.0	44.3	62.8	108.9	50.5	32.7	67.3	32.7	14.2	9.7	74.4	34.5	81.4	0.9
1.7	1.7	13.0	73.6	60.6	98.7	32.0	44.2	58.9	37.2	13.9	16.5	58.0	29.4	69.3	0.9
1.4	7.1	31.0	156.4	127.1	158.6	131.2	93.4	108.1	111.1	89.3	22.8	116.6	73.7	187.7	1.9
1.3	4.7	24.5	160.5	120.2	160.7	119.7	88.7	94.7	117.4	100.0	21.9	81.7	77.8	180.1	2.8
0.5	7.7	23.5	150.2	132.6	139.3	133.6	98.1	100.3	111.7	96.5	27.3	98.1	48.0	176.1	1.3
1.0	8.6	30.0	135.0	170.0	172.3	134.6	87.1	110.6	123.6	95.1	34.6	121.2	37.3	184.9	1.9
1.6	10.4	18.8	123.4	139.3	130.9	114.9	81.3	100.6	114.4	86.2	29.2	97.0	29.0	141.3	2.4
0.6	5.3	21.2	75.4	77.7	60.6	64.2	60.6	73.0	52.4	52.4	14.1	57.7	30.0	123.6	1.2
0.5	5.1	19.2	79.3	84.3	74.7	58.9	41.3	65.1	56.6	48.7	11.3	54.9	30.6	107.6	1.1
1.1	7.6	16.9	74.7	79.6	71.4	58.3	44.1	64.0	52.9	58.9	14.7	56.1	19.1	107.8	0.5
1.1	10.5	27.3	76.2	76.7	68.3	42.1	68.2	63.6	51.5	63.6	17.3	65.2	23.1	92.0	0.5
1.7	10.7	17.8	76.1	95.9	58.9	42.1	32.3	37.9	52.8	62.4	18.8	58.9	18.8	102.5	0.5
2.8	8.3	22.0	195.6	179.1	90.9	66.1	162.6	79.9	107.5	121.2	2.8	52.4	82.7	157.1	2.8
1.7	13.7	35.5	210.2	243.0	98.3	111.9	111.9	46.4	101.0	122.9	8.2	57.3	117.4	133.8	1.1
2.7	18.9	48.8	189.4	276.0	113.6	138.0	157.0	46.0	97.4	140.7	5.4	75.8	73.0	154.2	0.5
5.4	18.8	29.5	177.0	273.5	96.5	83.1	193.8	80.9	99.2	158.2	16.1	85.8	59.0	126.0	0.5
2.7	15.9	45.2	223.2	244.5	95.7	77.1	236.5	69.1	103.6	180.7	5.3	79.7	90.4	98.3	0.5
1.8	9.2	49.6	82.7	136.0	123.2	75.4	51.5	119.5	90.1	51.5	7.4	93.7	34.9	251.8	1.8
1.7	14.5	76.0	124.9	152.0	137.5	115.8	77.8	142.9	92.3	76.0	19.9	133.9	45.2	262.3	1.8
1.7	7.0	97.7	113.8	162.8	182.0	78.8	98.0	148.8	106.8	91.0	21.0	129.3	43.8	274.8	10.5
1.7	13.8	44.8	113.8	149.9	191.8	148.2	60.3	127.5	96.5	70.7	10.3	105.1	53.4	236.1	17.2
5.1	11.9	23.8	108.6	159.6	185.0	88.3	95.1	135.8	100.1	71.3	30.6	125.6	92.6	196.9	15.3
1.8	7.3	40.1	140.4	125.7	83.8	63.8	238.7	131.2	92.9	105.7	16.4	142.1	74.7	244.2	3.6
1.8	12.4	28.3	129.3	139.6	122.2	72.6	320.6	122.2	125.8	136.4	7.1	106.3	101.0	246.3	3.5
3.4	6.9	37.9	153.4	91.4	91.4	77.6	217.2	106.9	103.4	127.6	13.8	100.0	86.2	248.2	3.4
4.9	3.3	31.3	182.9	100.7	130.9	95.7	236.7	124.2	82.2	124.2	25.2	107.4	78.9	229.9	3.3
27.9	55.7	189.5	228.6	105.9	100.4	39.0	128.2	105.9	50.2	22.3	128.2	78.0	200.7	0.6	
11.0	22.0	286.0	308.1	71.5	93.5	60.5	93.5	104.5	22.0	27.5	66.0	55.0	181.5	0.6	
16.3	27.1	217.2	179.2	92.3	103.2	76.0	119.4	81.4	35.0	70.6	51.4	48.9	195.4	16.3	
32.1	32.1	235.8	369.8	123.3	91.1	150.0	96.5	101.8	42.9	38.9	96.5	91.1	251.9	42.9	37.0
3.3	42.3	47.6	296.3	280.4	58.2	95.2	111.1	80.9	31.7	79.4	148.1	38.2	222.2	37.0	0.6
0.3	18.1	36.6	132.2	261.8	120.1	140.9	82.4	142.3	90.7	64.5	45.5	103.1	20.5	229.9	0.6
0.6	16.8	34.1	145.4	281.6	107.2	145.1	76.8	157.3	102.4	74.8	57.5	129.7	18.2	229.0	1.1
0.3	18.5	31.4	141.3	293.6	124.2	127.6	73.6	128.4	128.4	82.6	56.2	129.3	12.6	208.4	0.6
0.5	20.3	23.9	148.2	296.7	107.7	123.5	76.9	148.8	123.2	73.8	72.7	116.3	11.6	196.0	1.4
1.9	20.0	22.8	141.2	306.3	125.3	103.7	68.0	131.1	123.1	66.9	62.2	116.8	14.8	183.2	0.5
13.7	13.7	137.4	192.3	105.3	68.7	73.3	91.6	96.1	41.2	41.2	105.3	22.9	114.5	9.1	0.6
22.5	13.5	139.7	194.3	99.2	85.6	90.1	72.1	99.2	31.6	31.6	58.6	13.5	141.2	0.6	
26.6	26.6	106.5	244.1	53.3	79.9	57.7	62.1	75.5	31.1	22.2	106.5	39.9	106.5	0.6	
4.4	13.1	52.5	131.2	118.0	109.3	96.2	43.7	96.2	43.7	8.7	60.9	21.8	131.1	0.6	
17.2	34.5	168.0	219.6	73.2	56.0	86.1	73.2	68.9	43.1	34.5	99.1	8.6	112.0	0.6	
39.9	47.9	311.3	167.6	183.6	175.6	95.8	183.6	367.2	23.9	23.9	79.8	87.8	183.6	0.6	
7.9	31.6	264.0	368.9	158.2	87.0	118.6	181.9	205.6	63.3	7.9	174.0	71.2	229.3	0.6	
7.8	15.7	242.9	250.7	94.0	133.2	70.5	148.9	211.5	31.3	31.3	117.5	15.7	188.0	0.6	
31.1	23.3	139.7	209.6	124.2	147.5	77.6	170.8	279.5	77.6	209.6	31.1	132.0	132.0	0.6	
7.7	23.1	215.4	261.6	146.2	115.4	76.9	115.4	307.7	115.4	100.0	30.8	130.8	130.8	0.6	
9.3	83.6	74.3	102.2	120.7	204.4	130.1	18.6	92.9	37.2	269.4	74.3	148.6	148.6	130.1	0.6
9.1	27.3	151.7	109.2	182.0	45.5	263.8	100.1	54.6	118.3	36.4	191.0	36.4	282.1	72.8	0.6
62.4	178.3	178.3	115.9	53.5	222.9	124.8	80.2	62.4	62.4	17.8	231.8	44.6	187.2	35.7	0.6
8.6	148.6	139.8	61.2	96.1	148.7	52.4	34.9	122.3	17.5	148.6	26.2	174.8	26.2	174.8	0.6
102.8	111.4	120.0	85.7	205.7	102.8	111.4	68.6	25.7	120.0	51.4	145.7	25.7	145.7	25.7	0.6
3.6	1.8	12.6	299.9	153.6	150.0	109.8	144.5	126.5	164.4	236.7	12.6	148.1	206.0	298.1	146.4
1.6	18.9	291.5	131.0	163.9	141.8	163.9	101.0	118.2	163.9	4.7	149.7	181.4	232.1	108.7	0.6
4.6	12.4	265.7	152.9	146.7	129.7	125.1	123.6	120.5	55.6	9.3	106.6	151.4	244.0	131.3	0.6
13.1	18.2	302.0	216.6	156.0	139.3	104.5	142.4	146.9	136.3	9.1	104.5	193.9	216.9	12.1	0.6
10.4	20.8	282.3	163.4	258.5	130.7	118.9	111.4	154.5	74.3	10.4	105.5	114.4	216.9	129.3	0.6
17.0	39.6	169.5	121.5	163.9	135.6	161.1	107.4	90.4	93.3	2.8	130.0	33.9	121.5	0.6	
2.1	35.2	123.2	112.5	110.4	76.4	148.6	29.5	63.7	63.7	29.5	127.4	29.5	121.0	0.6	
3.9	53.1	133.9	110.2	126.0	70.9	175.2	78.7	94.5	3.9	137.8	35.4	100.4	100.4	0.6	
3.4	6.2	126.6	86.2	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	82.6	0.6
6.9	68.7	87.6	111.7	135.7	82.5	149.5	70.4	73.6	84.2	6.9	85.9	30.9	99.6	0.6	0.9
1.0	8.6	47.8	199.8	106.1	196.9	146.3	90.8	96.6	55.5	46.9	3.8	171.1	49.7	121.4	0.9
0.9	9.3	48.5	195.0	107.3	126.9	121.1	110.1	81.2	57.8	39.2	115.7	61.6	101.5	0.9	0.9
2.7	8.2	33.7	203.2	110.2	136.7	103.9	123.0	62.9	72.9	56.5	18.2	144.9	87.5	2.7	0.9
1.7	9.8	40.1	207.4	88.1	187.9	106.6	82.8	83.7	109.5	7.1	161.1	214.6	112.2	2.7	0.9
0.9	10.3	231.7	81.0	100.2	122.3	167.9	71.5	84.4	134.4	10.3	171.4	209.3	99.0	0.9	0.9
5.9	24.9	78.1	98.3	103.0	28.4	49.7	85.3	45.0	43.8	15.4	92.3	34.3	99.5	0.9	0.9
2.3	9.1	87.3	130.3	107.6	41.9	43.1	87.3	58.9	36.3	1.1	170.0	55.5	104.3	0.9	0.9
2.2	4.3	21.7	154.3	68.5	35.9	38.0	73.9	64.1	48.2	28.3	139.1	21.7	142.4	0.9	0.9
14.7	16.7	63.7	135.5	53.2	44.9	39.5	86.6	61.6	67.8	38.6	121.1	17.7	135.7	1.0	0.9
11.0	18.1	79.3	130.5	67.3	29.1	68.3	61.3	63.3	62.3	30.1	127.5	19.1	113.5	0.9	0.9
2.9	11.5	17.3	100.9	75.0	54.8	60.6	92.3	109.6	34.6	54.8	8.7	98.0	40.4	138.4	0.9
5.5	13.8	41.4	82.8	113.1	110.4	55.2	85.5	80.0	46.9	77.2	2.8	82.8	27.6	154.5	0.9
10.6	5.3	21.2	103.1	113.7	100.5	31.7	31.7	80.9	52.9	23.8	10.6	134.9	47.7	116.4	5.3
5.1	15.2	22.9	55.9	129.5	106.6	43.2	71.1	149.8	55.9	28.4	12.7	86.3	35.5	167.6	5.3
24.4	9.8	100.1	122.1	80.6	51.3	48.8	131.9	56.2	51.						

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Somerville, Mass.	1901	1,321.9	19.0			7.9	9.5	25.3	44.3	20.6		145.6	20.6	69.7
	1902	1,383.4	7.7		7.7	7.7	4.6	13.9	39.9	4.6		170.0	30.9	69.6
	1903	1,443.7	13.6			3.0	16.6	37.8	31.7	22.7		123.8	18.1	75.5
	1904	1,424.4	17.7			7.4	4.4		25.1	11.8		138.8	26.6	73.8
	1905	1,385.8	13.0				5.8	5.8	24.5	23.1	21.7	109.7	28.9	75.1
South Bend, Ind.	1901	1,334.2	29.4				2.7	10.7	26.7	24.1		136.4	5.3	40.1
	1902	1,270.7	28.3		5.1	7.7	10.3	18.0	33.4	2.6		146.6	20.6	30.9
	1903	1,195.2	14.9	2.5		29.8	12.4	14.9	57.0	9.9		163.7	29.8	39.6
	1904	1,390.7	16.8		2.4	4.8	16.8	21.5	19.1	9.6		119.7	31.1	47.9
	1905	1,516.1	27.8		13.9		13.9	11.6	18.5	13.9	11.6	153.1	16.2	53.2
South Bethlehem, Pa.	1901	1,913.6	29.6											
	1902	1,393.6	57.8		14.5	36.2	21.7	7.4	51.7	29.6		206.8	14.8	29.6
	1903	1,791.4	205.3			7.1	7.1	63.7	14.5			137.4	14.5	50.6
	1904	1,671.6	48.5						7.1			106.2		42.5
	1905	1,128.4	13.6						13.9	13.9		97.1	13.9	34.7
									47.6	6.8	13.6	136.0	6.8	20.4
Southbridge town, Mass.	1901	1,555.8	19.6						39.1			107.6	19.6	9.8
	1902	1,563.9	57.6			9.6		9.6	19.2			115.2	19.2	57.6
	1903	1,630.5	9.4						9.4			75.4	9.4	84.8
	1904	1,783.9						27.8	203.6			194.1	37.0	46.3
	1905	1,781.8	29.4						227.3		36.4	190.9	27.3	27.3
Spokane, Wash.	1901	1,232.5	51.9		5.2	2.6	13.0	10.4	13.0	23.3		134.9	10.4	77.8
	1902	1,386.9	47.2				29.8	5.0	34.8	7.5		146.7	12.4	69.6
	1903	1,774.5	88.2		16.7	9.5	11.9		19.1	14.3		176.5	28.6	54.9
	1904	1,588.7	80.3	2.3	11.5	4.6	4.6	2.3	22.7	6.9		151.3	20.3	52.7
	1905	1,549.2	86.1			11.0	4.4	4.4	33.1	8.8	15.4	139.0	28.7	72.8
Springfield, Ill.	1901	1,634.4	25.8	2.9		17.2	8.6	28.7	74.6	31.6		287.0	20.1	66.0
	1902	1,801.4	31.0		22.5		2.8	8.4	33.5	16.9		239.3	31.0	70.4
	1903	1,651.4	49.7		2.8	2.8		19.3	60.8	5.5		204.3	13.8	88.0
	1904	2,159.3	40.0	2.7	2.7	10.7	18.7	16.0	29.3	21.3		242.7	24.0	66.7
	1905	1,679.1	36.6		2.6	2.6	5.2	5.2	28.8	13.1	15.7	198.8	23.5	68.0
Springfield, Mass.	1901	1,460.6	28.0	6.2		1.6	3.1	10.9	20.2	18.6		166.3	24.9	66.8
	1902	1,521.4	19.5				19.5	10.5	24.0	15.0		139.5	33.0	84.0
	1903	1,601.2	23.2	4.4		24.7	24.7	36.3	31.0	27.6		143.6	18.9	89.9
	1904	1,619.8	15.4	1.4		4.2	15.4	5.6	29.3	21.1		141.8	32.3	101.1
	1905	1,533.9	27.2	4.1		2.7	1.4	2.7	36.7	21.8	6.8	119.7	47.6	104.7
Stamford town, Conn.	1901	1,900.5	15.7	15.7				41.8	20.9	78.3		198.4	10.4	62.7
	1902	1,767.1	61.7		5.1	5.1		15.4	61.7	10.3		138.7	25.7	61.7
	1903	1,910.9	50.5					30.3	67.7	65.7		116.3	25.3	65.7
	1904	2,134.9	29.9			24.9	24.9		64.7	54.7		164.2	9.9	69.7
	1905	2,219.6	29.4	4.9		9.8	4.9	34.3	24.5	49.0	14.7	106.6	39.2	102.9
Steelton, Pa.	1901	1,283.4	32.3			8.1	8.1	24.3	8.1	8.1		129.3	8.1	10.4
	1902	1,959.9	276.6			7.9		7.9	31.6			164.0	31.6	15.8
	1903	2,024.9	184.1			84.4		7.7	46.0	15.3		199.1	15.3	53.7
	1904	1,448.4	52.5					7.5	15.0	15.0		187.6	15.0	15.0
	1905	1,702.9	51.4					7.3	51.4		7.3	139.5	29.4	
Stonington town, Conn.	1901	1,567.5							11.5	57.6		184.4		92.2
	1902	1,599.3		11.3			34.0		56.8			113.5	34.0	45.4
	1903	1,609.3	44.7			55.9	22.3	22.3	11.2			134.1		44.7
	1904	1,981.5	53.0			11.0	11.0		22.0			176.1	44.0	110.1
	1905	1,724.5						21.7	21.7	54.2	10.8	141.0	32.5	86.8
Superior, Wis.	1901	1,159.0	49.7			3.1	9.3	3.1	24.9	34.2		103.6	12.4	37.3
	1902	1,151.0	33.1			24.0	18.0	15.0	69.1			93.2	0.0	24.0
	1903	1,201.7	49.5			5.8	113.5	17.5	32.0	2.9		102.7	11.6	37.8
	1904	899.6	33.8				8.5		14.1	2.8		98.7	8.5	25.4
	1905	990.1	30.1		2.7	2.7	2.7	21.9	5.5	2.7	8.2	106.7	8.2	41.0
Syracuse, N. Y.	1901	1,411.1	19.1	1.8		0.9	4.5	7.3	25.4	30.0		158.0	15.4	69.9
	1902	1,329.2	8.0			5.4	5.4	10.7	11.6	1.8		118.0	17.9	76.9
	1903	1,431.9	17.6			14.1	1.8	20.2	18.4	16.6		131.1	17.6	81.8
	1904	1,518.5	18.2	0.9		4.3	26.0	0.9	19.1	12.1		146.5	24.3	60.3
	1905	1,533.8	17.1			5.1	35.0	4.3	16.2	8.5	13.7	120.4	17.9	81.1
Tacoma, Wash.	1901	1,371.6	29.9				13.6	8.2	29.9	10.9		136.1	10.9	49.0
	1902	1,515.0	35.1		2.5		7.5		50.1	2.5		130.2	12.5	67.6
	1903	1,097.5	59.9				2.2	13.3	24.4	4.4		146.4	8.9	57.6
	1904	1,114.7	61.8		2.1		4.1	14.4	16.5	2.1		148.4	16.5	55.6
	1905	1,089.3	23.1					1.9	26.9	7.7	7.7	109.7	28.9	55.8
Taunton, Mass.	1901	1,821.2	29.0	6.4			12.9		16.1	22.6		212.7	25.8	41.9
	1902	1,838.2	22.6				3.2	22.6	23.8	12.9		212.8	19.3	77.4
	1903	2,060.7	19.4	9.7		3.2	16.1	12.9	32.3	35.5		167.8	22.6	80.7
	1904	2,090.3	6.5	6.5			9.7		16.1	29.1		196.9	22.6	67.8
	1905	2,183.0	9.7	6.5		3.2	9.7	9.7	32.3	29.1	6.5	239.0	32.3	42.0
Terre Haute, Ind.	1901	1,849.2	75.0	10.7		8.0	29.5	24.1	42.0	53.6		176.9	32.2	72.3
	1902	1,954.4	44.8	10.5		2.6	13.2	5.3	47.4	15.8		173.1	29.0	89.6
	1903	1,559.1	57.0	7.8		2.6	5.2	12.9	41.4	18.1		155.4	20.7	62.1
	1904	2,106.6	61.1	5.1	50.9	30.6	10.2	7.6	22.9	33.1		208.9	43.3	71.3
	1905	1,497.0	48.2	3.9				50.8	34.7	13.5	23.1	142.6	15.4	55.9
Tiffin, Ohio	1901	1,311.1	9.1						36.4	63.7		163.9		72.8
	1902	1,537.0	18.2					27.8	45.4			154.5	18.2	90.0
	1903	1,252.2	27.2			27.2		9.1	72.6			108.9	18.1	72.6
	1904	1,397.8	54.3					18.1	18.1	45.3		181.2	18.1	54.3
	1905	1,275.0	18.1						18.1	18.1		180.8	27.1	72.3

*Shown for 1905 only.

SUMMARY AND RATE TABLES.

111

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905--Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION--continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneumonia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	11.1	28.5	110.8	150.4	80.7	80.7	69.7	71.2	80.7	64.9	7.9	45.9	26.9	129.8	
.....	13.9	30.9	126.8	182.4	146.8	77.3	72.6	72.6	80.4	58.7	4.6	43.3	26.3	98.9	
3.0	21.1	42.3	142.0	190.3	124.9	72.5	57.4	48.3	81.5	105.7	7.6	32.9	21.1	123.8	1.5
1.5	19.2	25.1	143.2	227.3	125.5	66.4	62.0	63.5	90.0	84.1	1.5	40.4	26.6	117.7	
.....	8.7	23.1	163.1	219.4	129.9	75.1	80.8	66.4	75.1	70.7	5.8	50.5	5.8	103.9	
.....	10.7	13.4	115.0	88.2	64.2	93.6	131.0	80.2	61.5	106.9		53.5	101.6	128.3	10.7
.....	10.3	18.0	110.6	90.0	95.2	56.6	102.9	97.8	61.7	38.6	10.3	74.6	54.0	144.0	2.6
.....	12.4	17.4	114.1	91.7	57.0	37.2	76.9	69.4	49.6	42.2	7.4	49.6	79.3	116.5	
.....	14.4	31.1	107.7	105.3	67.0	38.3	114.9	95.7	67.0	215.4	2.4	64.6	67.0	102.9	7.2
.....	13.9	41.7	138.9	143.5	76.4	60.2	155.1	111.1	62.5	57.2	9.3	108.8	62.5	97.2	2.3
.....		50.1	229.0	96.0	147.8	73.9	177.3	73.9	81.3	66.5		133.0	81.3	88.6	294.4
.....			180.8	94.0	159.1	43.4	163.3	36.2	14.5	57.8	21.7	130.1	57.8	79.5	7.2
.....	7.1	7.1	134.5	99.1	226.6	85.0	198.2	56.6	49.6	85.0	7.1	109.9	99.1	113.3	14.2
.....	6.9	6.9	222.0	69.4	242.8	41.6	256.6	62.4	76.3	111.0		111.0	104.0	117.9	
.....		6.8	88.4	54.4	197.1	40.8	74.8	40.8	61.2	13.6		95.2	88.4	115.6	6.8
.....	19.6	78.3	97.8	127.2	156.6	58.7	137.0	58.7	127.2	58.7	9.8	39.1	117.4	274.0	
.....	9.6	144.0	144.0	144.0	134.4	134.4	134.4	38.4	37.5	133.6	9.6	48.0	86.4	201.6	
.....	9.4	141.4	94.3	113.1	94.3	188.5	75.4	56.6	169.7			47.1	84.8	245.1	84.8
.....	83.3	92.5	101.8	37.0	92.5	129.3	129.6	83.3	222.1	9.3		64.8	27.8	166.6	
.....	27.3	90.9	90.9	36.4	27.3	90.9	336.4	72.7	109.1	136.4		45.5	72.7	100.0	
.....	5.2	44.1	88.2	114.2	77.8	57.1	49.3	111.6	46.7	41.5	25.9	62.3	18.2	132.3	15.6
.....	14.9	37.3	129.2	111.8	124.3	47.2	54.7	129.2	62.1	29.8	32.3	87.0	34.8	124.3	5.0
.....	21.5	31.0	104.9	119.3	135.9	45.3	135.9	161.6	83.5	42.9	133.6	76.3	54.9	108.0	2.4
.....	18.3	29.8	91.7	137.6	96.3	41.3	109.9	107.4	82.5	64.2	45.9	112.4	29.8	169.6	6.9
.....	11.0	19.9	88.3	101.5	90.5	66.2	103.7	145.7	88.3	70.6	26.5	132.4	41.9	147.9	11.0
.....	17.2	20.1	134.9	140.2	117.7	103.3	68.9	134.9	126.3	34.4	14.4	157.8	60.3	232.5	
.....	2.8	11.3	171.7	171.7	104.1	84.4	98.5	166.1	112.6	22.5	36.6	115.4	64.7	160.4	
.....	16.6	46.9	116.0	124.3	127.0	96.7	46.9	102.2	143.6	38.7	24.9	104.9	82.8	146.4	5.3
.....	21.3	34.7	125.4	132.0	208.0	98.7	114.7	157.3	141.4	88.0	29.3	184.0	58.7	257.4	5.3
.....	2.6	28.8	136.0	107.2	112.5	78.5	68.0	141.2	117.7	81.1	18.3	112.5	73.2	190.9	10.5
.....	3.1	17.1	143.0	174.0	105.7	43.5	73.0	55.9	149.2	74.6	6.2	104.1	32.6	111.9	
.....	12.0	48.0	133.5	177.0	96.0	67.5	70.5	85.5	136.5	111.0	7.5	64.5	31.5	135.0	
.....	16.0	37.7	143.0	152.3	129.1	78.3	79.8	65.3	121.8	75.4	10.2	103.0	26.1	132.0	2.9
.....	1.4	14.0	23.9	151.6	245.6	71.6	63.2	94.0	143.2	91.2	7.0	108.1	11.2	139.0	
.....	2.7	25.8	32.6	125.1	167.3	123.7	43.5	84.3	163.2	74.8	6.8	92.5	25.8	118.3	
.....	5.2	10.4	47.0	261.1	141.0	139.5	99.2	161.9	135.8	104.4	83.5	5.2	83.5	151.4	
.....	5.1	29.6	46.2	236.0	241.4	113.0	68.8	71.9	82.2	133.6	5.1	87.3	46.2	459.2	
.....	5.1	55.6	275.0	141.5	151.7	60.7	131.4	91.0	141.5	96.0	5.1	151.7	35.4	146.6	
.....	5.0	49.8	268.7	209.0	214.0	79.6	169.2	139.3	131.4	74.7	5.0	104.5	59.7	161.2	
.....	14.7	68.6	323.4	181.3	147.0	142.1	132.3	107.8	225.4	58.8	24.5	127.4	53.9	132.3	
.....		48.5	137.4	40.4	145.5	56.6	72.8	64.7	24.3	64.7		129.3	161.7	40.1	32.3
.....		39.5	142.2	71.1	110.6	53.3	205.3	47.4	55.3	158.1		237.1	150.2	134.4	15.8
.....	15.3	53.7	161.1	92.1	107.4	69.0	214.8	69.0	38.3	138.1	7.7	161.1	199.4	76.7	15.3
.....		37.5	165.1	97.6	189.1	73.1	127.6	30.0	15.0	142.6		127.6	82.6	60.0	
.....		110.1	146.8	110.1	154.1	36.7	227.5	66.1	51.4	139.5	7.3	102.8	205.5	58.7	
.....	11.5	11.5	103.8	195.9	80.7	115.3	138.3	92.2	46.1	46.1		103.8	23.1	242.0	11.5
.....	11.3	147.4	238.3	45.4	79.4	215.6	34.0	68.1	36.8	11.3		68.1	181.6	56.8	
.....	44.7	167.6	257.0	89.4	67.1	115.8	44.7	67.1	111.8	22.3		111.8	22.3	194.0	
.....	11.0	55.1	110.1	264.2	132.1	121.1	121.1	121.1	110.1	22.0		77.0	55.1	275.2	
.....	10.8	184.4	314.5	108.5	119.3	130.2	65.1	54.2	65.1	10.8		86.8	43.4	162.7	
.....	3.1	3.1	37.3	65.3	49.7	96.3	28.0	133.6	49.7	37.3	6.2	127.4	65.3	118.1	34.2
.....	3.0	6.0	45.1	90.2	69.1	126.2	39.1	87.2	48.1	63.1	9.0	114.2	63.1	57.1	6.0
.....	2.9	43.6	96.0	75.7	107.7	61.1	75.7	69.8	26.2	14.5	2.9	116.6	55.3	78.6	2.9
.....	8.5	31.8	39.5	53.6	67.7	39.5	81.8	84.6	45.1	28.2	11.3	112.8	36.7	61.9	
.....	8.2	24.6	46.5	52.0	87.5	27.4	104.0	35.6	41.0	19.2	21.9	82.1	35.6	82.1	
.....	1.8	8.2	31.8	148.9	190.7	76.3	88.1	78.1	80.8	69.0	8.2	73.6	22.7	144.1	
.....	4.5	15.2	39.3	137.7	194.9	63.5	69.7	82.2	83.8	79.6	13.4	52.7	22.3	152.0	0.9
.....	0.9	14.1	27.3	132.1	169.9	104.7	65.1	80.1	83.6	65.5	23.8	72.2	18.5	157.5	
.....	2.6	12.1	27.7	156.0	198.5	105.7	76.3	62.4	100.5	101.4	63.9	73.7	24.3	175.1	
.....	4.3	15.4	35.0	151.1	228.0	101.6	79.4	100.7	80.3	100.7	64.9	10.2	88.8	147.7	
.....	2.7	8.2	29.9	117.0	174.2	100.7	49.0	24.5	78.9	51.7	40.8	29.9	138.8	81.7	139.6
.....		5.0	65.1	102.7	187.8	87.7	35.1	50.1	127.7	112.7	32.6	30.0	83.1	67.6	205.3
.....		6.7	37.7	64.3	73.2	68.7	24.4	42.1	68.7	39.9	51.0	6.7	57.6	79.8	153.0
.....	4.1	4.1	22.7	80.3	72.1	84.5	14.4	43.3	72.1	41.2	30.9	20.6	78.3	90.7	133.9
.....		9.6	26.9	80.8	134.7	78.9	36.6	52.0	82.8	53.9	32.7	21.2	75.1	50.0	92.4
.....	22.6	3.2	22.6	338.5	57.9	112.8	99.9	132.2	87.0	67.7	99.9	19.3	54.8	29.0	206.3
.....	12.9	12.9	290.0	264.4	109.6	106.4	135.4	54.8	38.7	80.6	9.7	77.4	48.4	180.6	
.....	3.2	54.8	367.8	177.4	171.0	164.5	148.4	80.7	109.7	90.3	12.9	54.8	61.3	171.0	
.....	3.2	16.1	45.2	297.0	200.1	145.3	161.4	90.4	113.0	100.1	3.2	87.2	25.8	181.0	
.....	3.2	22.6	64.6	232.5	180.8	129.2	206.7	129.2	90.4	106.6	3.2	74.3	54.9	132.4	
.....	2.7	13.4	42.9	117.9	184.9	131.3	64.3	125.9	101.8	59.0	24.1	104.5	77.7	144.7	
.....	2.6	34.2	171.2	216.0	135.4	81.7	130.1	126.4	76.4	105.9	36.9	110.6	71.1	159.9	2.6
.....		5.2	132.1	163.1	101.0	80.3	82.9	106.2	77.7	90.6	2.6	111.4	44.0	137.3	7.8
.....	1.9	53.5	142.7	193.6	132.5	104.4	112.1	155.4	94.3	96.8	20.4	168.1	81.5	193.6	
.....		11.6	113.7	188.8	127.2	46.2	77.1	82.8	73.2	90.6	28.9	109.8	34.7	115.6	
.....	18.2	51.6	154.8	182.1	100.2	91.0	9.1	45.5	36.4	18.2		54.6	54.6	145.7	
.....	18.2	36.4	198.1	163.6	100.0	27.3	145.4	73.7	9.1	100.0		90.9	90.9	90.9	
.....	27.2	18.1	118.0	160.5	99.8	45.4	27.2	108.9	18.2	18.1	27.2	72.8	137.0	137.0	
.....	9.1	27.2	151.0	244.6	45.3	45.3	90.6	54.3	63.4	9.1	18.1	72.5	36.2	108.7	
.....		9.0	153.7	168.9	45.2	63.3	72.3	90.4	36.2	9.0	18.1	90.4	18.1	133.6	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Toledo, Ohio.....	1901	1,403.5	32.2	2.9		5.1	8.1	11.0	48.3	28.6		128.9	11.7	59.3
	1902	1,430.5	34.7	7.8	7.8	11.3	6.4	3.6	52.4	6.4		121.1	14.8	57.4
	1903	1,468.8	29.5	2.7	2.1	3.4	2.1	10.3	80.9	17.1		120.6	8.9	54.8
	1904	1,365.9	37.2	2.6		8.6	0.7		29.2	12.6		161.4	18.6	62.4
	1905	1,345.9	45.7	5.2	0.6	1.3	3.9	3.9	13.5	20.6	16.7	139.1	24.5	67.6
Torrington town, Conn.....	1901	1,313.6	7.6			7.6			7.6	22.9		137.5	30.6	30.6
	1902	968.3							21.8	21.8		116.5	14.6	21.8
	1903	1,182.5	13.9	6.9			6.9	13.9	62.6	13.9		97.4	6.9	48.7
	1904	1,032.2	6.5				13.3		6.7	6.7		153.1	6.7	33.3
	1905	1,315.6	19.2			19.2	6.4		31.9	19.2		127.7	25.5	76.6
Traverse City, Mich.....	1901	1,885.6	30.4				20.3	10.1	10.1	30.4		172.4	10.1	81.1
	1902	1,733.7	19.4				58.1	9.7	29.1	19.4		116.3		58.1
	1903	1,762.7					18.6	9.3		27.8		120.6	27.8	27.8
	1904	1,948.9	35.6				17.8			8.9		186.9	35.6	26.7
	1905	1,787.1	25.7						8.6		25.7	213.8		34.2
Trenton, N. J.....	1901	1,555.4	18.5	1.3	1.3	2.6		14.6	13.2	15.9		157.7	25.2	49.0
	1902	1,712.7	39.9	2.6	3.9	12.9	7.7	7.7	15.5	3.2		135.2	16.7	37.9
	1903	1,762.5	60.1	1.3			5.0	21.3	28.8	8.8		216.7	21.3	66.4
	1904	1,812.1	42.7	1.2	8.5	23.2	23.2	7.3	68.3	12.2		197.5	21.9	50.0
	1905	1,678.5	24.9	3.6		5.9	8.3	13.1	28.5	7.1	14.3	210.3	32.1	65.3
Troy, N. Y.....	1901	2,126.2	57.1			25.2	9.3	19.9	34.5	70.4		324.0	25.2	90.3
	1902	1,873.1	49.0	1.3	1.3	1.3	2.6	6.6	14.6	10.6		225.5	13.2	72.8
	1903	1,926.5	35.6				5.3	9.2	31.7	27.7		271.8	31.7	77.9
	1904	2,163.7	50.0				9.2	2.6	15.8	36.8		288.1	26.3	90.8
	1905	2,151.5	51.1	2.6		42.0	27.5	14.4	13.1	30.2	18.4	262.2	26.2	86.5
Union, N. J.....	1901	1,672.0	6.4				57.9	6.4	96.5			122.2	12.9	57.9
	1902	1,640.2	25.1		6.3	6.3	6.3	6.3	25.1			150.8	12.6	56.6
	1903	1,523.6	6.1						12.3	43.0		147.4	12.3	55.3
	1904	1,724.7	12.0			6.0	18.0	6.0	30.0	6.0		168.3	12.0	42.1
	1905	1,775.9	17.6				17.6		29.4	5.9	5.9	182.3	29.4	76.4
Utica, N. Y.....	1901	1,587.3	15.6			3.5	3.5	20.7	45.0	32.9		191.9	17.3	57.1
	1902	1,772.7	16.9	1.7		8.4	6.7	5.1	23.6	6.7		180.5	13.5	97.8
	1903	1,741.8	18.1		1.6		6.6	13.2	49.4	9.9		164.6	26.3	62.6
	1904	2,060.2	17.7			12.9	86.8	16.1	33.8	17.7		162.4	33.8	82.0
	1905	1,806.8	12.6	1.6			15.7	6.3	18.9	14.1	17.3	172.8	29.9	100.6
Vernon town, Conn.....	1901	1,207.1	11.8				11.8		23.7	23.7		71.0	23.7	82.8
	1902	1,461.3	11.9						50.4	11.9		130.7		59.4
	1903	1,526.7										107.4	11.9	71.6
	1904	1,448.9	23.9	12.0				35.8	23.9	59.9		119.8	47.9	107.8
	1905	1,406.6	24.0							24.0	24.0	108.2	24.0	48.1
Vincennes, Ind.....	1901	1,857.7	38.5	38.5			9.6	9.6	19.3	38.5		259.9	19.3	86.6
	1902	1,633.6	57.0	19.0	19.0			9.5	28.5	9.5		180.4	47.5	38.0
	1903	1,214.4	55.2						36.8	9.2		119.6	18.4	18.4
	1904	2,067.7	118.1	9.1		72.6		9.1	9.1			281.5	18.2	81.2
	1905	1,882.6	53.8	9.0		9.0	9.0	71.7			62.8	197.2	26.9	71.7
Wabash, Ind.....	1901	1,233.2	67.9						56.6			135.8	22.6	33.9
	1902	1,390.7	77.3				11.6			45.3		143.5	11.6	88.3
	1903	937.4	21.5				10.8	32.3		22.1		107.7	21.5	43.1
	1904	1,283.9	21.0		21.0	10.5	10.5		10.5	10.5		210.5		31.6
	1905	1,618.2							10.3			174.8	30.9	51.4
Wakefield town, Mass.....	1901	1,370.6	21.1						10.5	10.5		126.5	31.6	73.8
	1902	1,466.9	20.7			31.0	20.7					237.6	10.3	103.3
	1903	1,154.3	10.1						30.4			192.3	10.1	50.6
	1904	1,191.4					9.9					168.8	9.9	89.4
	1905	1,392.7	9.7						9.7	9.7	19.5	185.0	19.5	97.4
Wallingford town, Conn.....	1901	1,255.0		10.8			10.8	10.8	43.3	54.1		97.4		119.0
	1902	1,075.4		21.1		10.5	10.5	10.5	21.1	10.5		91.9	21.1	63.3
	1903	1,490.7		10.3		20.6	72.0	20.6	41.1	30.8		113.1		41.1
	1904	1,424.4	20.1	10.0			20.1	20.1	30.1	60.2		140.4	20.1	110.3
	1905	1,155.6	9.8	9.8					19.6	9.8	9.8	117.5		49.0
Waltham, Mass.....	1901	1,451.7	29.1	4.2		4.2	4.2	8.3	29.1	29.1		224.6	25.0	58.2
	1902	1,329.2	49.6	4.1		20.3	16.3	16.3	20.3			131.1	36.6	105.7
	1903	1,387.1	31.8	4.0		11.9	4.0	23.8	23.8	23.8		107.3	27.8	63.6
	1904	1,298.5	15.6	7.8					23.3	15.6		159.4	35.0	81.6
	1905	1,381.2	53.3				3.8	7.6	15.2	60.9		102.7	38.0	60.9
Ware town, Mass.....	1901	1,704.9	12.0			60.0		12.0	36.0	48.0		192.1	72.0	24.0
	1902	1,731.0					11.9					250.1	23.8	59.6
	1903	1,252.8				23.6	47.3		23.6	35.5		118.2	23.6	35.5
	1904	1,465.9							11.7	35.2		187.6	35.2	58.6
	1905	1,477.8							23.3	23.3		174.5	46.5	23.3
Washington, D. C.....	1901	2,135.4	61.4	15.2		3.9	3.9	22.2	36.7	58.5		296.2	33.9	70.2
	1902	2,005.0	79.1	11.1	0.3	5.2	2.1	42.3	17.3	20.8		246.2	34.7	71.9
	1903	2,027.5	48.8	7.5	0.7	15.3	0.7	24.2	8.5	29.0		266.4	37.5	75.4
	1904	2,083.9	47.0	4.0	0.3	1.3	3.7	13.1	17.4	33.9		279.5	37.6	76.5
	1905	2,047.3	48.2	3.6	3.0	2.6	3.6	23.4	16.2	28.4	7.9	274.7	43.6	75.9
Washington, Ind.....	1901	1,636.4	125.0	22.7			11.4		45.4	45.4		227.3		68.2
	1902	1,547.1	22.1	11.1			11.1	22.1	11.1			329.4	11.1	11.1
	1903	1,204.6	43.0	21.5	129.1		21.5		10.8	10.8		159.6	43.0	10.8
	1904	1,277.9	41.9	31.4			31.4			21.0		199.0	31.4	
	1905	1,327.1	71.5				10.2	10.2	20.4	30.6		194.0	30.6	51.0

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

113

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	Cause un- known.	
3.7	11.0	29.3	172.9	115.7	78.4	76.9	99.6	94.5	54.9	30.8	10.3	100.4	38.1	145.8	5.1
2.8	11.3	26.2	159.8	99.9	80.0	72.2	103.4	88.5	57.4	43.9	15.6	96.3	33.3	184.8	1.4
1.1	9.6	29.5	200.8	120.6	74.0	89.8	97.3	98.0	56.9	52.1	21.2	87.1	35.0	163.1	
0.7	12.0	20.2	184.6	118.2	61.8	63.7	80.4	96.9	67.7	47.8	17.3	74.4	28.6	146.7	2.6
.....	7.1	23.8	179.7	127.5	68.9	63.8	100.5	91.4	63.1	30.3	14.2	99.2	26.4	126.9	0.6
.....		15.3	198.6	61.1	122.1	43.8	76.4	91.7	53.5	183.3	7.6	122.1	7.6	68.8	15.3
.....		14.6	94.6	28.1	58.3	51.0	123.8	51.0	43.7	94.6	7.3	101.9	29.1	65.5	7.3
.....	6.9	34.8	111.3	62.6	118.3	48.7	160.0	34.8	55.7	55.7	6.9	83.5	20.9	101.4	6.9
.....		13.3	113.2	73.2	86.6	46.6	99.9	46.6	66.6	13.3	39.9	29.0	29.0	79.9	20.0
.....	6.4	31.9	108.6	83.0	44.7	70.3	191.6	57.5	51.1	95.8	6.4	108.6	19.2	115.0	
.....	30.4	10.1	486.6	253.5	101.4	111.5	91.3	81.1	60.8	50.7	30.4	20.3	30.4	152.1	10.1
.....	9.7	19.4	358.5	290.7	38.7	96.9	77.5	106.6	48.4	77.5	19.4	125.9	29.1	145.3	
.....	9.3	18.6	473.1	287.6	37.1	37.1	148.4	120.6	37.1	83.5	18.6	74.2	9.3	167.0	9.3
.....	17.8	44.5	329.2	302.6	44.5	89.0	195.8	89.0	106.8	44.5	17.8	97.9	35.6	222.4	
.....		17.1	427.5	273.6	102.6	83.5	94.1	77.0	42.8	42.8	34.2	42.8	51.3	188.1	
2.6	2.6	34.4	223.9	139.1	124.5	75.5	121.9	79.5	74.2	76.8	2.6	103.3	80.8	111.3	2.6
2.6	9.0	41.2	255.9	148.1	118.5	105.6	140.4	85.0	83.7	63.1	5.2	91.4	104.3	122.3	1.3
2.5	13.8	25.1	254.2	126.5	136.5	82.6	125.3	99.0	78.9	80.2	3.8	100.2	71.4	131.5	1.3
3.7	14.6	29.3	235.4	129.3	178.0	101.2	107.3	96.3	93.9	76.8	6.1	81.7	56.1	145.1	1.2
1.2	7.1	29.7	242.3	105.7	136.6	83.2	123.5	79.6	92.7	70.1	9.5	83.2	61.8	135.4	3.6
.....	15.9	41.2	213.8	188.6	200.8	111.6	128.8	99.6	123.5	59.8	5.3	70.4	46.5	134.1	1.3
.....	18.5	50.3	150.6	207.8	101.9	119.1	101.9	95.3	100.6	83.4	9.7	71.5	46.3	136.3	1.3
.....	2.6	40.9	191.0	200.6	161.0	108.2	62.0	80.7	146.5	102.9	4.0	100.3	60.7	155.7	
.....	11.8	26.3	194.7	246.0	159.2	141.7	140.7	146.0	152.6	89.4	3.9	106.5	69.7	143.4	
.....	1.3	53.8	200.6	233.4	145.5	142.9	118.0	180.0	140.3	91.8	7.9	93.1	66.9	129.8	
.....	12.9	51.4	167.2	122.2	109.3	96.5	141.5	64.3	135.0	57.9	25.7	83.6	70.7	173.6	
.....	25.1	25.1	132.0	106.8	144.5	194.8	106.8	100.5	100.5	75.4	37.7	119.4	44.0	132.0	
.....	12.3	30.7	116.7	147.4	184.3	86.0	110.6	49.1	110.6	73.7	24.6	159.7	55.3	73.7	12.3
.....	12.0	66.1	162.2	150.2	186.3	144.2	180.3	40.1	84.1	108.2	24.0	164.7	82.3	111.7	
.....	23.5	58.8	135.3	88.2	123.5	100.0	141.1	123.5	117.6	76.4	58.8	164.7	82.3	111.7	5.9
5.2	6.9	53.6	147.0	105.5	183.3	79.5	60.5	89.9	77.8	91.6	6.9	69.2	67.4	155.6	
3.4	15.2	28.7	197.3	227.7	161.0	111.3	86.0	102.9	91.1	81.0	10.1	114.7	33.7	146.7	
1.6	19.8	42.8	209.1	181.1	154.8	107.0	98.8	84.0	107.0	95.5	8.2	107.0	31.3	141.6	
1.6	14.5	49.8	186.5	242.8	188.1	104.5	99.7	127.0	112.6	78.8	4.8	138.3	37.0	151.1	
1.6	22.0	44.0	198.0	223.1	149.3	84.8	99.0	97.4	119.4	100.6	9.4	114.7	29.9	122.6	1.6
.....	11.8	82.8	130.2	177.6	59.2	23.7	35.5	71.0	59.2	47.3	47.3	59.2	11.8	130.2	11.8
.....	11.9	11.9	273.2	178.2	47.5	59.4	118.8	130.7	47.5	59.4	23.8	47.5	11.9	154.4	11.9
.....	11.9	202.8	226.6	119.3	23.8	83.5	107.4	119.3	119.3	119.3	23.8	83.5	11.9	107.3	23.8
.....	12.0	12.0	167.6	155.7	83.8	35.9	155.7	83.8	83.8	23.9	35.9	59.9	23.9	107.8	
.....	48.1	12.0	192.4	232.5	12.0	72.1	180.3	60.1	36.1	60.1		60.1	48.1	108.2	12.0
.....		28.9	192.5	86.6	202.1	115.5	86.6	96.3	115.5	67.4		86.6	115.5	144.4	
.....		28.5	208.9	142.4	114.0	70.0	114.0	57.0	104.5	123.4		37.0	66.5	133.0	
.....	18.4	36.8	128.8	101.2	64.4	53.2	64.4	82.8	82.8	119.0		46.0	46.0	101.2	9.2
.....	9.1	30.3	72.6	154.4	217.9	54.5	154.4	118.1	136.2	90.8		90.8	54.5	227.0	9.1
.....	9.0	53.8	107.6	179.3	116.5	125.5	89.6	170.3	134.5	134.5	9.0	107.6	17.9	98.6	9.0
.....	11.3	45.3	147.0	101.8	56.6	56.6	90.5	90.5	33.9	22.6	11.3	22.6	45.3	135.8	
.....	44.1	110.4	88.3	110.4	110.4	110.4	66.2	44.1	99.3	22.1		55.2	11.0	143.5	
.....		32.3	86.2	97.0	53.9	47.1	64.7	86.2	21.5	75.4		64.7	10.8	64.7	
.....	10.5	42.1	94.7	231.5	105.3	31.6	42.1	42.1	31.6	136.8		73.7	10.8	115.9	
.....	30.9	102.8	164.6	61.7	30.9	30.9	20.6	82.3	30.9	41.1	10.3	72.0	10.3	92.6	
.....	10.5	31.6	233.0	168.7	63.3	94.9	52.7	63.3	94.9	84.3	10.5	42.2	21.1	103.4	
.....	10.3	31.0	186.0	216.9	103.3	103.3	10.3	31.0	93.0	41.3		41.3	20.7	144.6	
.....	10.1	60.8	131.6	111.3	81.0	101.3	10.1	30.4	20.3	101.3	30.4	40.5	10.1	121.5	
.....	19.9	19.9	178.7	129.1	79.4	99.3	49.6	29.8	59.5	39.7		49.6	29.8	129.1	
.....	9.7	68.2	175.3	194.8	126.6	87.7	87.7	29.2	39.0	48.7		68.2	19.5	87.7	
.....	21.7	21.7	119.0	151.4	43.3	54.1	108.2	75.7	64.9	64.9	10.8	10.8	21.7	140.6	
.....	10.5	52.8	168.7	126.6	52.8	73.8	84.4	42.2	10.5	31.6	10.5	94.9	10.5	31.6	
.....	10.3	30.8	154.2	143.9	102.8	51.4	154.2	113.1	41.1	92.5		72.0	10.3	154.2	
.....	20.1	40.1	90.3	110.3	50.1	30.1	150.5	40.1	60.2	120.4	20.1	140.4	10.0	110.3	
.....	9.8	26.4	107.7	58.8	127.3	29.4	97.9	75.3	68.6	117.5	9.8	78.3	9.8	97.9	9.8
.....	12.5	37.4	116.5	224.6	91.5	58.2	99.8	29.1	37.4	58.2	4.2	70.7	54.1	137.3	4.2
.....	25.5	24.4	150.4	146.3	113.8	44.7	36.6	81.3	48.8	44.7	4.1	65.0	24.4	117.9	4.1
.....	15.9	15.9	166.9	202.7	107.3	71.5	35.8	67.5	47.7	75.5		83.5	35.8	139.1	
.....	15.6	15.6	140.0	194.4	136.1	35.0	66.1	62.2	38.9	66.1		66.1	3.9	120.5	
.....	11.4	30.4	186.4	216.9	129.4	26.6	72.3	64.7	72.3	30.4	7.6	87.5	19.0	83.7	
.....	12.0	12.0	204.1	96.0	144.1	96.0	228.1	48.0	48.0	60.0	24.0	48.0	72.0	132.1	24.0
.....	23.8	47.6	142.0	154.9	95.3	119.1	381.2	59.6	35.7	71.5		11.9	71.5	190.6	
.....		23.6	118.2	70.9	82.8	59.1	94.6	23.6	59.1	106.4	23.6	82.8	50.1	118.2	23.6
.....		23.5	129.0	164.2	129.0	58.6	152.5	82.1	11.7	140.7		82.1	23.5	129.0	11.7
.....		81.5	116.4	186.2	93.1	93.1	197.8	23.3	93.1	60.8		104.7	46.5	81.5	
0.3	10.2	23.6	207.4	224.7	119.2	125.9	165.4	97.0	125.6	105.4	10.2	100.9	39.5	177.7	0.3
0.7	10.7	26.4	183.1	203.2	126.9	141.8	150.9	91.9	115.5	115.2	13.2	72.5	38.8	169.9	0.3
0.7	12.3	17.1	202.5	231.1	137.4	128.6	135.4	104.0	131.7	112.5	20.1	82.2	39.2	168.8	0.3
0.7	12.4	22.8	206.7	222.4	146.3	130.8	139.6	105.0	147.3	107.7	21.1	97.0	37.6	181.5	0.7
1.0	15.5	19.1	184.6	225.2	139.0	111.9	141.6	106.6	150.1	99.4	19.8	105.7	31.7	155.8	
.....	11.4	56.8	113.7	79.5	45.4	113.7	125.0	79.5	45.4	102.3		102.3	56.8	147.8	11.4
.....		55.2	198.9	132.6	66.3	33.1	55.2	110.5	66.3	88.4		44.2	55.2	232.1	
.....		21.5	86.0	86.0	86.0	86.0	86.0	86.0	86.0	86.0		86.0	86.0	118.4	
.....	10.5	62.8	94.3	125.7	52.4	41.9	104.7	83.8	10.5	104.7		62.8	21.0	125.7	
.....		40.8	122.5	132.7	51.0	61.2	40.6	112.3	71.5	30.6	20.4	51.0	40.8	142.9	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Waterbury town, Conn.....	1901 1,600.8	32.1	9.4		3.8	11.3	35.9	35.9	45.3		162.5	17.0	35.9
	1902 1,712.1	32.9	12.8	5.5	5.5	32.9	9.1	42.0	9.1		173.6	16.1	42.0
	1903 1,666.6	30.1	1.8		51.3	21.2	33.6	42.5	10.6		133.8	19.5	58.4
	1904 1,533.1	20.6	6.9			20.6	10.3	42.9	13.7		154.3	25.7	49.7
	1905 1,592.1	31.6	1.7		8.3	8.3	5.0	33.3	21.6	15.0	146.4	18.3	48.2
Watertown, N. Y.....	1901 1,539.4	49.1		4.5	22.3		4.5	8.9	22.3		138.3	22.3	44.6
	1902 1,271.2	64.9						17.3			146.2	30.3	64.9
	1903 1,438.5	71.3				4.2		46.1			117.4	46.1	83.9
	1904 1,653.3	211.7					12.2	32.6	48.9		73.3	41.8	61.1
	1905 1,507.4	23.7			27.7		4.0	15.8	4.0	4.0	83.1	23.7	75.2
Watertown town, Mass.....	1901 1,228.0	10.0			10.0			20.0	20.0		129.8	10.0	30.0
	1902 1,268.6			9.7		29.1					106.5	9.7	106.5
	1903 1,147.0	18.8						9.4			103.4	9.4	47.0
	1904 1,269.8				9.1		9.1		18.3		127.9		51.8
	1905 1,208.0				8.9			35.5	44.4	8.9	97.7	17.8	44.4
Watervliet, N. Y.....	1901 1,720.9	55.7					27.9	13.9	83.6		174.2	20.9	13.9
	1902 1,473.8	62.6	7.0	7.0			34.8	7.0	7.0		104.3	13.9	55.6
	1903 1,643.9	69.4					27.7	27.7	20.8		194.2	20.8	97.1
	1904 1,578.0	48.4			13.8			41.5	22.7		193.8		34.6
	1905 1,954.3	55.2			48.3	27.6	20.7	41.4	41.4	6.9	221.0	13.8	62.1
Webster town, Mass.....	1901 1,437.1	22.1	33.2		22.1	11.1	11.1	33.2	44.2		66.3		11.1
	1902 1,700.9	10.8	10.8		10.8	140.0	32.3	86.1	10.8		118.4	21.5	21.5
	1903 1,605.1						31.5	52.5	21.0		136.4		62.9
	1904 1,493.6	10.2					10.2	20.5	10.2		163.7	20.5	40.9
	1905 1,517.3	20.0			29.9		39.9	59.9	29.9	20.0	160.7	20.0	79.9
West Bay City, Mich.....	1901 1,268.2	15.3				15.3	7.6	45.8	61.1		68.8	15.3	53.5
	1902 1,462.6	15.3	30.6			15.3	45.9	7.7			61.3	7.7	99.5
	1903 1,251.2	23.0	7.7			38.4	15.3	53.7	7.7		107.5		30.7
	1904 1,215.7	53.9			23.1			38.5	23.1		46.2	15.4	23.1
Westfield town, Mass.....	1901 1,790.0							143.2	55.7		143.2	8.0	95.5
	1902 1,625.0	23.4				31.2	15.6	70.1			124.7	39.0	62.4
	1903 1,711.2	39.6	7.6		15.3	15.3	45.8	61.1	15.3		114.6	7.6	107.0
	1904 1,520.6	37.5			7.5			37.5			157.3	37.5	82.4
	1905 1,557.6	22.0					14.7	7.3	7.3		176.3	22.0	66.1
Weymouth town, Mass.....	1901 1,424.1	26.4	17.6		8.8	17.6		26.4	8.8		193.4	17.6	52.7
	1902 1,382.6	26.3		17.5			26.3	8.8	8.8		131.3		90.3
	1903 1,672.5	8.7					17.4	26.1			120.7	17.4	78.4
	1904 1,422.1	8.7				8.7		26.0	17.3		164.8	26.0	52.0
	1905 1,561.9						8.6	8.6	8.6	8.6	138.1	8.6	60.1
Wheeling, W. Va.....	1901 1,742.4	86.5	5.1	2.5	10.2	33.1	15.3	63.6	48.3		152.6	22.9	78.8
	1902 1,610.1	95.6		5.0		5.0	15.1	45.3	5.0		140.9	22.6	67.9
	1903 1,562.7	97.0	2.5	22.4	2.5		2.5	32.3	7.5		149.3	24.9	72.1
	1904 1,745.4	78.8			17.2	2.5	34.5	29.5	4.9		108.3	12.3	73.9
	1905 1,532.0	85.2				9.7	12.2	19.5	7.3	4.9	153.4	21.9	58.5
Wichita, Kans.....	1901 1,675.4	114.4	8.2	4.1		32.7	32.7	57.2	40.9		138.9	16.3	45.0
	1902 1,473.6	85.2	10.6				10.6	7.1	17.8		149.1	17.8	74.6
	1903 1,413.7	44.4		3.2		3.2	9.5	12.7	15.8		120.5	31.7	53.9
	1904 1,547.5	28.3				3.1		53.4	43.9		157.0	15.7	75.3
	1905 1,613.6	38.6						33.4	41.8	12.9	118.9	16.1	99.6
Williamsport, Pa.....	1901 1,192.9	17.3			6.9	10.4		3.5	6.9		138.3	10.4	41.5
	1902 1,371.9	51.6	10.3				24.1	30.9	6.9		113.5	6.9	61.9
	1903 1,333.5	30.8					10.2	17.1	13.7		136.8	23.9	47.9
	1904 1,492.7	40.8		17.0			3.4	17.0	17.0		98.6	17.0	68.0
	1905 1,629.9	71.0	3.4		3.4	3.4		10.1	44.0	16.9	94.7	13.5	67.6
Wilmington, Del.....	1901 1,727.3	41.2	2.6			3.8	12.9	43.7	24.4		174.9	6.4	25.7
	1902 1,731.6	60.7	2.5		1.3	5.1	29.1	10.1	7.6		194.9	3.8	43.0
	1903 1,792.1	94.7	1.2	1.2	8.6	3.7	17.2	61.5	12.3		199.3	3.7	45.5
	1904 1,558.5	50.9	2.4	1.2	2.4	3.6	7.3	41.2	6.1		181.7	3.6	53.3
	1905 1,656.3	35.8			1.2	2.4	19.1	28.6	8.3	6.0	189.6	21.5	50.1
Wilmington, N. C.....	1901 2,700.8	90.2	216.8		4.7		4.7	38.0	75.9		251.6	42.7	38.0
	1902 2,845.0	89.8	264.7				18.9	33.1	80.3		269.4	37.8	66.2
	1903 2,668.0	56.5	178.8				141.2	11.1	75.3		202.3	42.3	23.5
	1904 2,811.1	75.0	296.1		23.4	4.7	4.7	121.8	25.7		257.7	18.7	14.1
	1905 2,495.8	79.3	116.6	4.7			9.3	37.3	88.6	23.3	191.3	51.3	56.0
Windham town, Conn.....	1901 1,635.5	19.7	9.8		29.6	9.8		29.6	88.7		256.2	29.6	39.4
	1902 1,553.0	9.8	29.5	9.8				49.2			157.5	19.7	68.9
	1903 1,701.1	29.5	9.8		9.8		19.7	88.5			177.0	68.8	68.8
	1904 1,964.4	19.6	19.6		9.8			49.1			255.1	19.6	58.9
	1905 2,119.3	29.4				88.3	19.6	19.6		29.4	227.7	39.2	78.5
Winona, Minn.....	1901 1,275.3	10.1		5.0		20.2	20.2	40.3	10.1		126.0	20.2	55.4
	1902 1,682.0	5.0			20.0		25.0	15.0			95.2	15.0	75.1
	1903 1,174.9	14.9		14.9			10.0	5.0	29.9		91.6	10.0	89.6
	1904 1,420.1	9.9				34.6	14.8	84.1	39.6		103.9	19.8	89.1
	1905 1,268.8	9.8					9.8	113.1	34.4	4.9	113.1	4.9	118.0
Woburn, Mass.....	1901 1,491.3	14.0	14.0		14.0		14.0	7.0	7.0		210.0	21.0	63.0
	1902 1,690.1		7.0				7.0	7.0	7.0		237.6	21.0	55.9
	1903 1,603.7		13.9			34.9	48.8	13.9	27.9		167.3	41.8	62.8
	1904 1,356.8				7.0	7.0		7.0	13.9		101.4	41.7	76.5
	1905 1,520.6	27.8			13.9			13.9	53.5	6.9	159.7	31.7	90.3

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

115

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneumonia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
1.9	20.8	47.2	102.0	109.6	143.6	149.3	191.6	83.1	56.7	100.1	1.9	98.2	18.9	171.9	1.9
7.3	7.3	47.5	116.9	141.4	120.6	120.6	221.8	85.9	93.2	101.2	7.3	113.3	29.2	146.2	5.5
1.8	7.1	33.6	139.8	123.8	122.1	115.0	159.2	90.2	77.8	115.0	14.1	127.4	14.1	115.0	1.8
18.9	15.4	137.2	156.0	120.0	120.0	72.0	214.4	75.5	78.9	81.0	13.7	89.2	10.3	102.9	1.7
3.3	10.0	46.6	124.8	124.8	124.8	89.8	232.9	86.5	83.2	79.9	12.3	116.5	15.0	101.5	4.5
4.5	4.5	40.2	138.3	116.0	116.0	133.9	80.3	98.2	80.2	66.9	17.8	80.3	31.2	200.8	4.5
4.3	13.0	47.6	82.2	147.9	82.2	51.9	82.2	77.8	82.2	82.2	4.3	43.2	17.3	203.2	4.3
12.6	46.1	121.6	197.1	71.3	71.3	58.7	117.4	79.7	46.1	88.1	12.6	46.1	16.7	155.2	1.7
24.4	11.8	122.1	207.7	89.6	97.7	48.9	109.9	36.6	130.7	16.3	52.9	16.3	158.8	4.1	4.1
7.9	23.7	146.4	178.0	79.1	79.1	91.0	139.6	134.5	67.3	79.1	11.9	95.9	23.7	142.4	7.9
10.0	20.0	99.8	119.8	119.8	119.8	79.9	69.9	30.0	79.9	49.9	79.9	89.9	129.8	10.0	10.0
9.7	58.1	125.9	116.2	87.2	87.2	58.1	116.2	19.4	29.1	58.1	9.7	58.1	87.2	164.6	9.7
9.4	37.6	141.0	131.6	37.6	37.6	56.4	56.4	2.8	47.0	75.2	75.2	65.8	169.2	9.4	9.4
9.1	27.4	91.3	109.6	109.6	109.6	82.2	91.3	18.3	45.7	82.2	127.9	82.2	182.7	9.1	9.1
35.5	35.5	79.9	213.2	79.9	79.9	44.4	71.1	71.1	17.8	88.8	17.8	44.4	151.0	35.5	35.5
7.0	27.9	167.2	118.4	188.1	188.1	76.6	104.5	118.4	48.8	48.8	118.4	62.7	153.3	7.0	7.0
7.0	34.8	101.3	152.9	152.9	152.9	125.1	111.2	111.2	41.7	41.7	111.2	48.7	118.2	7.0	7.0
13.8	41.6	166.5	194.2	111.0	111.0	145.7	83.2	83.2	117.9	35.5	6.9	48.6	34.7	90.2	13.8
34.6	173.0	110.7	164.1	117.7	117.7	96.9	103.8	90.0	27.7	6.9	69.2	41.5	179.9	34.6	34.6
34.5	186.5	234.8	193.4	145.0	145.0	110.5	89.8	96.7	53.2	103.6	41.4	103.6	103.6	34.5	34.5
44.2	154.8	77.4	66.5	66.3	66.3	163.8	88.4	22.1	121.6	55.3	154.8	121.6	11.1	44.2	44.2
10.8	43.1	215.3	53.8	193.8	86.1	183.0	107.7	73.1	53.8	43.1	10.8	43.1	129.2	10.8	10.8
31.5	188.8	125.9	167.9	52.3	52.3	157.4	157.4	73.4	73.4	73.4	31.5	73.4	178.3	31.5	31.5
20.5	122.8	61.4	214.8	20.7	20.7	143.2	92.1	71.6	71.6	20.5	20.5	61.4	104.4	20.5	20.5
10.0	10.0	129.8	69.9	109.8	89.8	149.7	39.9	20.0	99.5	40.9	39.9	129.7	10.0	10.0	10.0
7.6	7.6	15.3	175.7	76.4	122.2	114.6	81.1	81.1	39.6	15.3	7.6	61.1	15.3	160.4	7.6
7.7	38.3	153.2	176.1	107.2	91.9	68.9	107.2	68.9	137.8	7.7	68.9	15.3	122.5	7.7	7.7
15.3	15.3	76.8	122.8	38.4	76.8	115.1	96.8	38.4	61.4	61.4	15.3	61.4	192.1	15.3	15.3
15.4	15.4	130.8	138.5	100.0	69.2	84.6	76.9	30.8	61.5	7.7	33.9	15.4	192.3	15.4	15.4
39.8	153.0	206.8	159.1	103.4	71.6	87.5	87.5	87.5	71.6	8.0	95.5	39.8	190.9	39.8	39.8
23.4	23.4	163.7	116.9	70.1	54.6	124.7	101.3	116.9	70.1	7.8	54.6	70.1	116.9	23.4	23.4
7.6	38.2	213.4	183.3	107.0	61.1	206.3	68.8	76.4	99.3	81.0	45.8	99.3	142.3	7.6	7.6
30.0	22.5	150.7	202.2	74.9	37.5	112.4	67.4	74.9	67.4	7.5	119.9	30.0	142.3	30.0	30.0
14.7	36.7	146.9	213.1	146.9	36.7	73.5	80.8	80.8	146.9	7.3	58.8	41.1	154.3	14.7	14.7
8.8	17.5	149.4	175.8	41.0	44.0	105.5	87.9	87.9	35.2	8.8	17.6	82.7	227.3	8.8	8.8
17.5	17.5	166.3	253.8	78.8	43.6	52.5	35.0	78.8	61.3	8.8	61.3	26.3	140.0	17.5	17.5
31.8	26.1	148.1	322.3	217.8	61.0	101.5	104.5	61.0	104.5	69.7	26.1	104.5	101.5	31.8	31.8
31.7	52.0	95.4	203.5	138.7	17.3	60.7	78.0	95.4	90.7	8.7	49.4	8.7	121.4	31.7	31.7
8.6	25.9	207.2	310.7	69.1	95.0	103.6	60.4	86.3	60.4	34.5	43.2	129.8	8.6	8.6	8.6
5.1	7.6	38.1	119.6	124.6	129.7	104.3	89.0	137.4	66.1	45.8	10.2	119.6	175.5	5.1	5.1
2.5	7.5	83.0	123.3	105.7	113.2	125.8	78.0	105.7	88.1	64.4	17.6	83.0	138.4	2.5	2.5
7.5	7.5	62.2	139.3	92.1	114.5	72.1	92.1	84.6	69.7	24.9	124.4	62.2	121.9	7.5	7.5
2.4	7.4	78.8	120.6	108.3	194.5	105.9	129.6	93.6	41.3	29.5	120.6	108.3	160.0	2.4	2.4
60.9	143.7	102.3	107.2	90.1	97.4	112.0	77.9	41.4	12.2	92.6	63.5	151.0	4.9	60.9	60.9
4.1	4.1	16.3	102.2	114.4	57.2	40.9	114.4	138.9	77.6	53.1	16.3	139.8	188.0	4.1	4.1
7.1	3.5	42.6	103.0	90.4	71.0	32.0	74.6	92.3	74.6	69.4	124.3	124.3	159.8	7.1	7.1
6.3	6.3	28.5	145.8	98.3	97.7	41.4	47.6	155.3	82.4	69.7	3.2	83.6	155.3	6.3	6.3
3.1	12.6	18.8	135.0	103.6	128.7	69.1	138.1	75.3	39.6	3.1	106.7	69.1	175.8	3.1	3.1
12.9	16.1	12.9	117.9	112.5	77.1	48.2	67.5	167.1	73.9	109.3	3.2	90.0	125.1	12.9	12.9
6.9	17.3	134.8	131.4	131.4	65.7	62.2	65.7	55.3	24.2	10.4	27.7	86.4	134.8	6.9	6.9
3.4	48.1	127.2	110.0	137.6	72.2	34.4	110.0	61.9	30.9	6.9	89.4	82.5	141.0	3.4	3.4
13.7	13.7	133.4	157.3	99.1	61.5	47.9	68.4	99.1	30.8	78.6	119.7	129.9	13.7	13.7	13.7
3.4	51.0	132.6	159.9	112.2	47.6	71.4	115.6	102.0	64.6	3.4	88.4	78.2	176.8	3.4	3.4
3.4	20.3	33.8	182.6	98.1	94.7	67.6	104.1	81.2	50.7	3.4	98.1	54.1	172.5	3.4	3.4
6.4	2.6	66.9	203.2	172.3	150.5	75.9	102.9	87.5	70.7	96.5	2.6	126.0	65.2	6.4	6.4
5.1	5.1	81.0	194.9	157.0	164.6	63.3	97.5	63.3	77.2	93.6	6.3	134.2	116.5	5.1	5.1
7.4	4.9	50.4	202.9	148.8	181.5	88.6	87.3	92.3	80.8	83.6	8.6	101.6	77.5	7.4	7.4
1.2	2.4	56.9	196.2	157.1	129.6	33.3	101.1	91.5	78.7	56.9	2.1	92.0	79.9	1.2	1.2
3.6	9.5	60.8	182.4	138.3	119.2	71.5	85.9	73.9	113.3	77.5	10.7	118.1	100.2	3.6	3.6
4.7	4.7	28.1	213.6	117.2	112.4	213.6	85.4	80.7	118.7	99.7	99.7	156.6	189.9	4.7	4.7
18.9	33.5	231.6	193.8	91.5	91.5	236.3	127.6	56.7	132.3	4.7	141.8	165.4	181.3	18.9	18.9
28.2	301.2	310.6	131.8	61.2	171.1	188.2	103.5	70.6	103.5	169.1	89.4	207.0	81.7	28.2	28.2
4.7	51.5	281.1	238.9	121.8	117.1	229.6	182.7	107.8	126.5	1.7	135.9	173.1	220.2	4.7	4.7
9.3	14.0	275.2	212.6	93.3	51.3	237.9	126.0	135.3	126.0	28.0	135.3	88.6	219.3	9.3	9.3
29.6	69.0	177.1	128.1	85.7	69.0	187.2	69.0	88.7	99.3	19.7	59.1	9.8	88.7	29.6	29.6
49.2	29.5	167.4	196.9	78.5	128.0	39.4	108.3	157.5	59.1	128.0	29.5	128.0	78.7	49.2	49.2
29.5	40.2	137.7	157.1	85.5	68.8	186.9	68.8	68.8	68.8	9.8	68.8	29.5	196.7	29.5	29.5
9.8	29.5	226.0	215.6	88.4	147.3	117.3	117.9	117.9	88.4	49.1	127.7	137.5	127.7	9.8	9.8
19.6	29.4	166.8	225.7	107.9	98.1	255.1	157.0	157.0	29.4	107.9	19.6	107.9	147.2	19.6	19.6
10.1	10.3	131.1	110.9	70.6	95.8	65.5	95.8	35.3	20.2	10.1	55.4	30.2	161.3	10.1	10.1
10.0	25.0	130.2	55.2	65.1	50.1	20.9	55.1	45.1	30.1	5.0	65.1	15.0	135.2	10.0	10.0
9.9	29.7	74.2	153.4	108.9	108.9	31.6	84.1	14.8	51.4	14.8	89.1	29.7	202.9	9.9	9.9
29.5	4.9	103.3	113.1	83.6	68.0	39.3	78.7	19.7	51.1	14.8	98.4	19.7	132.8	29.5	29.5
28.0	161.0	133.0	140.0	49.0	70.0	56.0	151.0	77.0	128.0	35.0	105.0	105.0	105.0	28.0	28.0
14.0	21.0	188.7	223.6	60.9	111.8	60.9	60.9	60.9	7.0	7.0	60.9	60.9	132.8	14.0	14.0
13.9	167.3	237.1	132.5	55.8	104.6	20.9	111.6	76.7	7.0	55.8	13.9	13.9	181.3	13.9	13.9
13.9	180.9	153.1	90.5	76.5	111.3	69.6	104.4	18.7	13.9	62.6	13.9	62.6	13.9	13.9	13.9
6.0	20.8	145.8	277.7	118.0	104.2	41.7	48.6	104.2	34.7	6.9	69.4	27.8	111.1		

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Woonsocket, R. I.	1901	1,651.6	10.3	3.4		10.3		3.4	41.4	20.7		179.3	21.1	41.4
	1902	1,532.2	3.4		83.9	3.4		3.4	60.1			214.8	30.2	50.3
	1903	1,398.1	3.3				22.6	42.5	91.8	6.5		199.4	22.9	22.9
	1904	1,481.0	6.4			9.6	3.2	9.6	28.7			197.5	31.9	63.7
	1905	1,518.8	12.4			18.6	3.1	9.3	43.5	12.4	18.6	177.0	55.9	24.8
Worcester, Mass.	1901	1,707.3	21.6	6.6	3.3	2.5	10.8	13.3	15.0	28.2		191.9	29.9	61.0
	1902	1,582.9	13.9	5.7	0.8	7.4	13.1	21.3	7.4	6.5		165.2	23.7	61.6
	1903	1,696.6	15.3	8.9		23.3	5.6	12.1	8.9	9.7		170.6	33.0	69.2
	1904	1,622.1	6.3	4.0		2.4	2.4	11.1	7.1	2.4		168.0	30.1	101.4
	1905	1,768.4	21.1	3.1		3.9	3.1	19.5	10.9	7.0	15.6	171.7	33.6	80.4
Yonkers, N. Y.	1901	1,635.5	19.8	5.9	17.8	11.9	2.0	2.0	29.6	25.7		201.5	35.6	51.4
	1902	1,620.3	11.3	3.8	3.8	11.3	20.6	35.6	45.0	3.8		161.3	31.9	43.1
	1903	1,504.0	14.3	3.6		5.1	12.5	12.5	41.6	8.9		203.5	19.6	75.0
	1904	1,700.9	15.3	1.7		8.5	11.9	6.8	39.2	13.6		195.9	40.9	66.4
	1905	1,662.5	4.9	3.3			11.4	27.7	34.2	11.4	3.3	175.9	42.3	65.1
Youngstown, Ohio.	1901	1,635.1	136.8	8.7		13.0	6.5	2.2	51.3	32.6		81.7	4.3	45.6
	1902	1,855.2	137.5	4.2	34.9	29.6	19.1	10.6	29.6	6.4		85.3	21.2	42.4
	1903	1,947.4	180.6		4.1	12.3	2.0	22.5	26.6	16.1		126.8	30.7	53.2
	1904	1,647.3	89.8	4.0	6.0	18.0	6.0		47.9	8.0		129.8	10.0	37.9
	1905	1,929.5	67.9			9.7	31.1	21.4	85.4	21.4	11.6	116.5	19.4	67.9
CONNECTICUT RURAL.														
Fairfield county.	1901	1,544.4	13.9	11.6		2.3	6.9	4.6	23.1	74.0		117.9	16.2	67.1
	1902	1,516.4	9.1	4.6			9.1	4.6	41.2	20.6		141.8	18.3	59.5
	1903	1,535.9	4.5	4.5	2.3	13.6	15.8	9.1	15.8	34.0		112.6	11.3	106.4
	1904	1,675.5	17.9			11.2	9.0	4.5	31.4	42.6		109.5	9.0	82.9
	1905	1,603.1	17.7	20.0			4.4	2.2	33.3	33.3	22.2	115.3	17.7	71.0
Hartford county.	1901	1,547.8	14.7	5.9		20.6	4.4	5.9	42.7	72.1		128.0	7.3	67.7
	1902	1,332.3	21.8	13.1	1.5	1.5	17.5	5.8	18.9	8.7		107.6	7.3	59.6
	1903	1,423.7	7.2	2.9		23.0	12.9	46.0	29.0	31.6		96.4	23.0	59.0
	1904	1,523.0	8.5	4.3		1.4	7.1	5.7	15.6	49.8		128.0	21.2	75.4
	1905	1,513.3	11.3	2.8		8.1		1.4	14.1	32.3	18.3	101.3	18.3	75.9
Litchfield county.	1901	1,599.1	15.5	5.8		1.9	1.9	9.7	11.6	89.2		137.6	29.1	79.5
	1902	1,445.3	11.6	5.8			17.3	9.6	25.0	7.7		119.3	23.1	73.1
	1903	1,421.6	9.6			1.9	13.4	11.5	15.3	42.0		103.2	11.5	80.2
	1904	1,476.1	13.3			20.9		3.8	11.4	49.3		131.7	19.0	60.7
	1905	1,561.8	22.6	3.8		3.8	5.7	5.7	20.7	41.4	5.7	118.7	26.4	94.2
Middlesex county.	1901	1,574.0	8.2		8.2	4.1	4.1	4.1	4.1	156.6		144.3	12.4	78.3
	1902	1,458.8	20.6	28.9				8.2	8.2	12.4		91.8	20.6	90.7
	1903	1,492.0	8.2	4.1		33.0	20.6	20.6	16.5	61.8		107.2	21.7	57.7
	1904	1,541.8	16.5			8.2	8.2	8.2	16.5	53.6		103.1	8.2	86.6
	1905	1,471.9	8.2	16.5		4.1	4.1	4.1	20.6	16.5	4.1	140.2	24.7	70.1
New Haven county.	1901	1,476.1	22.1	12.0		12.0	6.0	21.1	60.2			148.4	24.1	60.2
	1902	1,388.1	21.7	7.9		21.7	15.8	29.6	13.8	23.7		102.7	17.8	81.0
	1903	1,407.8	7.8	13.6		3.9	3.9	17.5	11.7	36.9		112.8	27.2	73.9
	1904	1,538.1	17.2	15.3		17.2	15.3	5.7	15.3	40.2		101.6	17.2	57.5
	1905	1,500.3	17.0	20.8			1.9	3.8	3.8	28.3	22.6	118.9	13.2	71.7
New London county.	1901	1,548.3	6.2	12.5		12.5	6.2	3.1	46.9	115.7		84.4	12.5	62.6
	1902	1,476.1	12.5			6.3	9.4	9.4	18.9	15.7		134.7	9.4	75.2
	1903	1,563.7	12.6	6.3		6.3	6.3	15.7	9.4	53.4		150.7	25.1	97.3
	1904	1,582.5	9.4	3.1		12.6		3.1	15.7	59.8		97.5	22.0	94.4
	1905	1,604.5	22.1	6.3			3.2	12.6	6.3	25.2	15.8	113.5	25.2	75.7
Tolland county.	1901	1,692.0	31.2			6.2			56.2	106.1		137.4	12.5	57.4
	1902	1,519.3	43.8		6.3		6.3		56.2	25.0		125.0	12.5	58.8
	1903	1,929.8	12.5			37.6	12.5	25.0	6.3	100.2		131.5	12.5	68.9
	1904	1,655.4	25.1			6.3		6.3	37.6	100.3		119.1	6.3	62.7
	1905	1,582.4	31.4			12.6	12.6	6.3	12.6	56.5	18.8	100.5	18.8	69.1
Windham county.	1901	1,531.9	8.1	8.1		29.8		5.4	32.5	75.9		116.6	21.7	84.1
	1902	1,549.6	8.1		2.7	8.1	8.1	13.5	16.2	16.2		145.8	5.4	89.1
	1903	1,537.6	13.4	5.4		10.8		13.4	16.1	37.6		145.2	26.9	64.5
	1904	1,547.1	24.1	5.4		2.7	8.0	5.4	10.7	53.5		125.8	2.7	45.5
	1905	1,612.5	16.0	5.3		24.0	5.3	10.7	10.7	37.3	21.3	135.9	16.0	93.3
INDIANA RURAL.														
Adams county.	1901	1,323.7	66.9	4.4			4.4	13.4	13.4	26.7		138.2	26.7	66.9
	1902	1,055.6	57.4	22.1			4.4	4.4	4.4			123.7	26.5	30.9
	1903	1,092.3	35.0	4.4	4.4	8.7		17.5	4.4	8.7		122.5	21.9	61.3
	1904	997.7	21.7			13.0	17.4	4.3	4.3	13.0		143.2	21.7	21.7
	1905	971.8	34.4				8.6		21.5	34.4	4.3	94.6	21.5	51.6
Allen county.	1901	980.1	62.0	9.3	6.2		6.2		24.8	24.8		86.9	12.4	31.0
	1902	983.7	21.7			6.2	12.4		6.2	12.4		120.6	8.1	27.8
	1903	799.0	24.7				9.3	15.4	6.2			86.4	18.5	15.4
	1904	925.2	43.1			6.2	3.1	3.1	3.1	12.3		73.8	6.2	61.5
	1905	890.0	15.3				9.2	6.1	6.1		9.2	70.6	15.3	61.4
Bartholomew county.	1901	1,378.4	36.6				12.2	12.2	24.4	6.1		176.9	6.1	18.3
	1902	1,194.3	36.8					6.1				171.5	18.4	67.4
	1903	1,107.0	47.1	6.1	12.3		6.1	24.6				123.0	18.4	36.9
	1904	1,241.4	24.7			24.7		18.5	24.7	18.5		166.8	6.2	43.2
	1905	1,129.8	31.0	12.4				12.4	12.4	43.4	18.6	173.7	24.8	93.0
Benton county.	1901	1,132.5	7.6			15.1		7.6	22.7			173.6	7.6	22.7
	1902	783.5				7.5			7.5	15.0		120.6	7.5	44.9
	1903	785.8	44.5	7.4		7.4				7.4		111.2	7.4	44.5
	1904	911.0	7.3		7.3	7.3		14.7				117.6	7.3	44.1
	1905	953.9	21.8	14.6				14.6	7.3	7.3	14.6	51.0	14.6	65.5

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

117

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.																
Tumor.	Diabetes.	Men- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
.....	10.3	58.6	137.9	106.9	96.5	86.2	317.2	82.8	62.1	111.8	17.2	48.3	34.5	113.8		
.....	3.4	47.0	147.7	97.3	111.3	120.8	271.8	67.1	97.3	117.4	10.1	60.4	20.1	177.9		
.....	13.1	19.6	114.4	107.9	143.8	120.9	202.6	62.1	81.7	88.2	6.5	63.1	36.0	120.9		
.....	15.9	44.6	117.8	127.4	191.1	73.3	119.7	63.7	98.7	79.6	12.7	35.0	15.9	105.1		
.....	3.1	9.3	31.2	105.6	96.3	121.1	96.3	285.7	65.2	102.5	93.2		43.5	12.4	71.4	
.....	1.7	10.8	34.9	181.9	161.5	141.2	119.6	80.6	71.8	115.5	10.8	91.4	29.9	152.0		
.....	3.3	9.0	36.8	168.4	183.1	125.1	116.9	94.8	58.9	60.5	12.3	92.4	30.3	131.1	4.1	
.....	4.8	10.5	46.7	168.2	178.7	116.5	103.0	126.4	67.6	129.6	7.2	86.1	25.8	136.0		
.....		19.8	20.0	165.6	207.6	131.5	111.9	71.3	78.5	128.1	11.9	93.1	22.2	140.3	1.6	
.....	3.1	11.8	35.9	187.3	231.1	131.1	85.1	131.9	55.1	133.5	19.5	86.6	32.8	143.6		
.....	5.9	67.2	124.4	103.6	122.5	121.4	104.7	79.0	77.0	77.0	2.0	108.6	31.6	112.6	2.0	
.....	5.6	43.1	129.4	146.3	106.9	112.5	189.4	103.1	121.9	61.9	9.4	73.1	22.5	123.8		
.....	7.1	41.1	121.4	133.9	96.0	101.7	167.8	75.0	107.1	13.2	7.1	80.3	30.3	91.0		
.....	8.5	59.6	129.1	129.1	131.1	129.1	187.3	88.6	143.1	61.3	5.1	100.5	13.6	122.6		
.....	1.6	14.7	169.3	97.7	148.2	86.3	84.7	76.5	112.4	57.0	1.6	96.1	6.5	105.8	1.6	
.....	4.3	4.3	52.1	131.6	110.8	158.5	89.0	95.6	36.9	45.6	17.4	180.2	81.7	117.3	19.5	
.....	4.2	33.9	141.9	97.1	156.7	80.5	103.8	89.0	52.9	118.6	16.9	281.7	95.3	135.5	19.1	
.....	10.2	36.8	106.1	92.0	159.6	94.1	171.8	178.0	61.4	137.1	8.2	188.2	83.9	113.1	2.0	
.....	4.0	28.0	135.8	117.8	169.7	85.9	153.7	119.8	45.9	57.9	12.0	173.7	47.9	133.8	4.0	
.....	3.9	11.6	38.8	188.3	108.7	205.8	182.5	101.8	11.8	114.5	5.8	151.4	66.0	118.4	5.8	
.....		6.9	9.2	18.5	189.6	182.7	99.4	91.8	61.7	85.5	11.6	85.5	18.5	161.2	6.9	
.....	1.6	16.0	16.0	212.5	210.5	89.2	75.5	77.8	89.2	100.6	75.5	84.6	2.3	137.3		
.....	15.8	15.8	219.6	217.7	95.1	88.3	65.6	88.3	92.8	67.9	9.1	120.0	13.6	106.4		
.....	31.3	26.9	192.7	253.1	103.1	67.2	89.6	82.9	132.4	71.7	17.9	112.0	13.4	111.1	2.2	
.....	28.8	22.2	197.3	299.3	81.3	75.4	73.2	71.0	122.0	53.2	17.7	104.2	31.0	86.5		
.....	2.9	14.7	27.9	186.9	192.7	119.2	103.0	63.3	78.0	89.7	54.4	5.9	83.9	16.2	133.9	5.9
.....	17.5	14.5	145.5	154.2	100.1	61.1	88.7	66.9	93.1	88.7	16.0	78.5	27.6	110.5	5.8	
.....	7.2	25.9	158.2	175.4	93.5	86.3	100.7	61.7	71.9	47.5	14.4	79.1	25.9	115.2	1.1	
.....	1.4	25.6	58.3	166.4	201.8	115.2	62.6	93.8	83.9	75.4	54.0	93.8	21.3	120.9	7.0	
.....	4.3	5.6	33.8	166.0	187.0	104.1	81.6	132.2	87.2	67.5	59.1	14.1	130.8	19.7	133.6	5.7
.....		3.9	21.3	181.2	180.3	122.1	100.8	58.1	95.0	91.1	64.0	9.7	93.0	13.6	133.1	15.5
.....	1.9	25.0	36.6	173.2	113.6	48.1	77.0	84.1	103.9	55.8	19.3	55.8	25.0	131.7	3.8	
.....	7.6	13.3	28.7	181.5	175.8	97.1	80.2	49.7	84.7	95.5	57.3	84.1	11.5	147.1	3.3	
.....	11.4	32.2	218.2	112.3	100.5	56.9	68.3	89.2	117.6	66.4	15.2	77.8	7.6	138.5	20.9	
.....	15.1	22.6	209.1	188.1	82.9	54.6	92.3	90.1	109.3	58.4	20.7	120.6	17.0	126.2	5.7	
.....	20.6	16.5	214.3	177.2	103.0	41.2	65.9	98.9	63.9	41.2	4.1	111.3	4.1	164.8	20.6	
.....	8.2	12.4	161.8	222.5	70.1	41.2	61.8	127.8	119.5	33.6	8.2	61.8	20.6	201.9		
.....	8.2	20.6	214.3	163.7	111.3	49.5	70.1	82.4	82.4	41.2	16.5	70.1	33.0	136.0		
.....	12.4	20.6	177.3	247.4	61.8	82.5	49.5	94.8	136.0	45.1	8.2	127.8	16.5	152.5		
.....	8.2	37.1	206.2	193.8	111.3	45.4	70.1	82.5	107.2	49.5	8.2	82.5	20.6	131.9	4.1	
.....	4.0	10.0	20.1	198.5	144.4	61.2	74.2	62.2	90.3	88.2	24.1	110.3	16.0	124.3	2.0	
.....	2.0	13.8	25.7	167.8	138.2	82.9	67.1	88.9	73.1	61.2	65.2	13.8	90.8	11.8	142.2	7.9
.....	9.7	33.0	173.0	155.6	55.6	77.8	87.5	60.3	116.7	61.2	15.5	91.4	13.6	111.7		
.....	21.1	23.0	201.2	195.1	122.6	95.8	70.9	97.9	74.7	74.7	3.7	111.1	17.2	107.3	5.7	
.....	1.9	17.0	207.6	194.4	109.5	69.8	81.1	84.9	84.9	60.1	13.2	107.6	20.8	84.9	5.7	
.....	3.1	12.5	28.2	187.7	190.8	103.2	87.6	65.7	84.4	75.1	62.6	12.5	81.3	15.6	165.8	9.4
.....	3.1	28.2	37.6	181.8	237.0	53.3	68.9	43.9	75.2	43.9	6.3	103.4	12.5	156.7	6.3	
.....	3.1	18.8	18.8	141.3	185.3	84.8	87.9	103.6	128.8	62.8	9.4	91.1	18.8	116.2	3.1	
.....	6.3	12.6	34.6	214.0	261.1	75.5	91.3	62.9	72.4	81.8	22.0	91.3	3.1	163.6	6.3	
.....	6.3	37.8	154.5	267.9	104.0	53.6	97.7	69.4	126.1	59.9	12.6	97.7	18.9	186.0	0.3	
.....	6.2	18.7	31.2	240.8	206.1	112.4	112.4	81.2	43.7	50.0	31.2	99.9	6.2	112.4	6.2	
.....	18.7	25.0	200.1	175.1	75.0	87.5	50.0	93.8	137.5	56.3	18.7	68.8	18.7	143.8	6.3	
.....	6.3	31.3	225.4	294.3	156.5	93.9	75.1	112.7	112.7	112.7	12.5	119.0	68.9	131.5		
.....	18.8	12.5	188.1	225.8	100.3	112.9	75.2	100.3	81.5	50.2	12.5	106.6	25.1	175.6	6.3	
.....	6.3	12.6	18.8	194.7	251.2	75.4	75.4	141.9	100.5	50.2	6.3	75.4	25.1	138.1	6.3	
.....	2.7	5.4	35.3	157.3	198.0	73.2	81.4	97.6	92.2	73.2	5.4	84.1	8.1	149.1	10.8	
.....	16.2	45.9	202.4	197.0	75.6	91.8	148.5	83.7	75.6	56.7	8.1	86.4	10.8	137.7		
.....	13.4	37.6	139.8	201.6	121.0	69.9	118.3	91.4	80.6	61.8	8.1	88.7	29.6	137.1	2.7	
.....	2.7	13.4	37.5	224.8	208.8	96.4	133.8	93.7	56.2	58.9	16.0	99.0	16.0	117.8	10.7	
.....	5.3	37.3	161.2	218.6	82.6	82.6	119.9	93.3	90.6	90.6	24.0	98.6	5.3	103.9	2.7	
.....	4.4	31.2	164.9	84.7	66.9	66.9	66.9	107.0	53.5	107.0		80.2	26.7	98.0	4.4	
.....	4.4	8.8	114.9	79.5	66.3	53.0	70.7	83.0	35.3	44.2		53.0	26.5	132.5		
.....	4.3	26.3	96.3	52.5	65.7	52.5	33.0	91.9	61.3	83.2	4.4	32.5	30.6	61.3		
.....	8.6	21.7	95.4	73.8	60.7	30.4	69.4	43.4	34.7	69.4	8.7	60.7	47.7	112.8	4.3	
.....		25.8	111.8	38.7	38.7	68.8	47.3	47.3	51.6	73.1	12.9	51.6	34.4	86.0	4.3	
.....	3.1	12.4	111.7	43.4	37.2	77.6	34.1	62.0	80.7	27.9	3.1	52.7	31.0	136.5	3.1	
.....		15.4	117.5	68.1	49.5	37.1	71.1	68.1	46.4	77.3	3.1	58.8	21.7	126.8	3.1	
.....	9.3	9.3	95.6	52.4	43.2	58.6	43.2	37.0	61.7	67.9	3.1	37.0	12.3	83.3	6.2	
.....	18.4	6.2	107.7	83.1	46.1	80.0	55.4	33.8	40.0	40.0	12.3	55.4	27.7	104.6	3.1	
.....	6.1	6.1	141.2	52.2	49.1	55.2	76.7	67.5	39.9	24.6	6.1	58.3	18.4	92.1	3.1	
.....	12.2	30.5	176.9	152.5	134.1	91.5	109.8	67								

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Blackford county.....	1901	1,324.9	39.1	11.2		22.4		5.6	28.0	44.7		167.7	16.7	33.5
	1902	1,174.4	32.3	5.4		5.4		26.9	5.4	5.4		113.1	16.2	43.1
	1903	1,008.4	36.3	10.4			26.0	5.2	36.3	31.2		140.3	31.2	41.6
	1904	1,094.8	30.1	5.0	5.0	20.1	5.0		25.1	30.1		135.6	10.0	20.1
	1905	1,117.2	38.9	4.9				4.9	38.9	9.7	4.9	116.6	38.9	29.1
Boone county.....	1901	1,216.9	30.4	7.6			3.8	11.4	22.8	22.8		197.8	26.6	53.2
	1902	1,183.8	61.7	11.4	3.8		3.8		7.6	19.0		133.2	30.5	49.5
	1903	1,177.3	34.3	3.8	7.6		7.6	11.4	3.8	11.4		156.2	26.7	49.5
	1904	1,247.1	64.8	3.8		30.5	7.6	5.8	7.6	11.4		209.8	26.7	38.1
	1905	1,152.8	26.7	3.8			3.8	22.9	15.3	26.7	30.5	175.6	22.9	57.3
Brown county.....	1901	1,365.2	93.1	20.7			20.7	41.4		31.0		206.8	20.7	10.3
	1902	1,300.6	31.2	52.0	10.4	20.8	31.2	20.8	83.2	20.8		114.5		31.2
	1903	1,286.6	52.3						41.9	20.8		219.9	20.9	31.4
	1904	1,221.7	10.5	10.5		10.5		42.1		31.6		284.4	21.1	52.7
	1905	921.9						10.6	10.6	53.0	31.8	148.4	31.8	31.8
Carroll county.....	1901	957.6	45.1			5.0			40.1	20.1		130.4	10.0	35.1
	1902	988.0	25.1	5.0		5.0			5.0	20.1		115.3	15.0	10.0
	1903	1,184.9	45.2			10.0	5.0	10.0	10.0	10.0		145.5	5.0	56.2
	1904	948.6	25.1	10.0					20.1			90.3	5.0	35.1
	1905	1,194.9	60.2				15.1	10.0	5.0	15.1	30.1	120.5	20.1	40.2
Cass county.....	1901	889.8	38.1					10.9	10.9	32.6		168.8	16.3	21.7
	1902	873.0	21.7	5.4	5.4		5.4	16.3	5.4	5.4		103.0	5.4	38.0
	1903	1,286.9		10.8					37.9	21.6		108.1	10.8	37.9
	1904	1,547.6	10.8			10.8	5.4			16.2		118.6	32.3	53.9
	1905	1,226.1	26.9					5.4	5.4	5.4	59.2	86.0	10.8	16.1
Clark county.....	1901	1,254.2	61.3	4.7					9.4	14.1		141.5	14.1	42.4
	1902	1,142.6	84.3	18.7			4.7	4.7		9.4		131.1	14.0	28.1
	1903	1,288.3	46.5		4.6	41.9	18.6	27.9	18.6	18.6		232.6	51.2	55.8
	1904	1,284.1	32.3			18.5		9.2	9.2	13.9		198.6	50.8	73.9
	1905	1,215.8	32.1		4.6			18.4	18.1	32.1	18.4	123.9	27.5	32.1
Clay county.....	1901	1,208.9	40.4	11.5		8.7		2.9	8.7	31.7		164.4	20.2	11.5
	1902	1,184.5	68.5			2.8	5.7	2.8	40.0	25.7		111.3	11.4	22.8
	1903	946.1	45.2	5.6	3.6	2.8		31.1	25.4	22.6		98.9	5.6	14.1
	1904	1,131.8	39.7	14.0	14.0	36.3	5.6	16.8	14.0	14.0		122.9	2.8	30.7
	1905	1,097.9	27.7	8.3	2.8		11.1	22.1	8.3	16.6	22.1	124.4	16.6	19.4
Clinton county.....	1901	1,282.4	53.0	3.5	3.5	3.5		10.6	17.7	49.5		141.4	14.2	28.3
	1902	1,337.2	56.4		24.7			10.6	7.1	17.6		119.9	14.1	49.3
	1903	1,314.5	73.8		3.5	10.5	14.0			10.5		119.5	14.0	45.7
	1904	1,293.2	70.1	3.5		10.5	3.5	7.0	17.5	52.6		133.2	24.5	31.5
	1905	1,483.1	38.4					28.0	3.5	41.9	24.5	234.1	17.5	62.9
Crawford county.....	1901	1,601.0	59.6	7.4		29.8	7.4		22.3	44.7		297.9	7.4	29.8
	1902	1,210.6	112.1							14.9		231.7	29.9	44.8
	1903	1,214.8	92.4	15.0	22.5					15.0		240.0	30.0	37.5
	1904	1,286.9	45.2	7.5				22.6		15.0		361.2	22.6	39.1
	1905	1,223.5	37.5	15.1	15.1			15.1		22.7	22.7	106.4	7.6	37.8
Davies county.....	1901	1,335.9	97.7	27.9	18.6	14.0		32.6	14.0	32.6		186.2	14.0	32.6
	1902	1,171.1	74.1	23.1				23.1	4.6	50.9		148.1	19.3	37.0
	1903	1,118.6	59.9	13.8	46.0	4.6	4.6	4.6	36.8	27.6		147.3	18.4	23.0
	1904	1,387.2	103.3	18.3		41.2	27.5	4.6	13.7	22.9		215.2	13.7	32.0
	1905	1,288.5	45.5	4.6			27.3	36.4	13.7	41.0	9.1	145.7	18.2	36.4
Dearborn county.....	1901	1,567.2	27.2	9.0		4.5	9.0	9.0	9.0	49.8		172.3	18.1	68.0
	1902	1,325.1	36.4	4.5		4.5	9.1	4.5	13.7	13.7		173.1	9.1	68.3
	1903	1,213.2	50.4	4.6				27.5	9.1	9.1		151.1	9.1	54.9
	1904	1,518.9	69.1	9.2	9.2	9.2	4.6	4.6		32.2		179.5	18.4	73.6
	1905	1,462.4	46.3	9.3			4.6	4.6		18.5	18.5	212.9	32.4	55.5
Decatur county.....	1901	1,688.7	71.6	10.2		5.1	10.2	20.5	10.2	46.1		163.8	10.2	56.3
	1902	1,365.3	46.0	10.2		5.1	10.2	5.1		15.3		189.1	20.5	35.8
	1903	1,399.8	56.2	15.3		15.3	5.1			25.5		178.7	35.7	71.5
	1904	1,463.2	45.9	15.3		5.1		5.1	10.2	20.4		240.0	30.6	45.9
	1905	1,497.1	25.5	15.3			15.3	20.4		56.0	40.7	183.3	20.4	81.5
DeKalb county.....	1901	1,268.8	38.7		3.9	7.7	7.7	7.7	11.6	50.3		139.3	16.3	50.3
	1902	1,161.9	53.9			3.8		7.7	15.4	19.2		138.5	11.5	50.0
	1903	1,049.9	34.4	11.5			11.5	11.5		15.4		118.7	15.3	84.2
	1904	921.2	26.7	3.8	3.8	7.6	11.4		11.4	22.8		96.0	7.6	41.9
	1905	1,139.7	37.9				7.6	11.4	26.5	30.3	3.8	106.0	18.9	87.1
Delaware county.....	1901	1,257.6	47.3	6.8		23.7	3.4	20.3	23.7	33.8		165.7	13.5	27.0
	1902	1,037.0	49.2			23.0	6.6	9.8	16.4	6.6		101.7	16.4	16.4
	1903	885.9	44.9	3.2	6.4		12.8	3.2	6.4	6.4		118.8	22.5	25.7
	1904	962.3	53.0	3.1		6.2	3.1		28.0	24.9		71.6	18.7	34.3
	1905	916.3	30.2	3.0				6.0	6.0	12.1	18.1	108.9	18.1	39.3
Dubois county.....	1901	1,416.0	93.3	19.6	4.9	34.4		9.8	44.2	34.4		147.3	4.9	4.9
	1902	1,305.4	88.3	19.6		4.9		39.3	34.4	14.7		186.5		39.3
	1903	956.1	34.3	4.9	4.9			6.6	4.9	9.8		127.6	9.8	34.3
	1904	1,191.4	39.2		29.4	9.8	4.9	9.8		29.4		122.0	24.5	4.9
	1905	1,308.4	58.8	19.6	9.8			19.6	4.9	29.4	73.5	113.4	19.6	39.2
Elkhart county.....	1901	1,115.0	43.3						10.0	43.3		93.2	10.0	53.3
	1902	1,143.8	39.7		3.3		9.9	3.3	13.2	3.3		142.2	23.1	56.2
	1903	1,116.5	29.4	6.6		9.9		13.1	3.3	19.7		121.5	6.6	39.4
	1904	1,226.6	29.4		6.5		26.1	3.3	3.3	22.8		127.2	0.8	65.2
	1905	1,241.2	29.2		3.2	3.2		3.2	3.2	16.2	16.2	113.4	22.7	84.3

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

119

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menigitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
		32.5	123.0	78.3	89.5	50.3	123.0	72.7	39.1	95.0	5.6	50.3	55.9	129.8	
		26.9	75.4	43.1	43.1	43.1	102.3	48.5	43.1	161.4		91.6	53.9	129.3	5.4
	20.8	10.4	67.6	62.4	31.2	31.2	57.2	88.3	26.0	67.6		67.6	10.4	67.6	5.2
	10.0	20.1	90.4	110.5	90.4	46.2	55.3	40.2	45.2	100.5	10.0	90.4	15.1	90.4	
	4.9	4.9	51.0	126.3	121.4	77.7	72.9	77.7	34.0	68.0	9.7	68.0	38.9	87.4	
	7.6	7.6	11.4	144.5	87.5	76.1	72.3	45.6	34.2	57.1	15.2	60.9	38.0	129.3	
	3.8	3.8		133.2	68.5	57.1	33.3	26.7	30.5	76.1	3.8	64.7	53.3	197.9	7.6
	19.1	7.6		160.1	125.8	45.7	41.9	80.0	41.9	38.1		91.5	38.1	121.9	
		15.3		164.0	95.4	42.0	38.1	49.6	42.0	45.8		61.0	38.1	171.6	3.8
	7.6	30.5		133.6	91.6	61.1	42.0	53.4	49.6	34.4	11.5	38.2	26.7	106.9	7.6
	10.3	51.7		113.8	103.4	134.5	20.7	82.7	51.7	93.1		20.7	41.4	134.5	
	10.4	10.4		72.9	133.3	62.4	83.2	41.6	62.4	135.3		72.9	41.6	93.7	
	10.5	41.9		115.1	146.6	94.2	20.9	115.1	31.4	41.9	10.5	31.4	31.4	94.2	
		10.5		94.8	137.0	42.1	84.3	31.6	73.7	10.5		31.6	10.5	115.9	30.9
	10.6			53.0	127.2	42.4	63.6	53.0	74.2	21.2	10.6	31.8		53.0	
	20.1	5.0		80.2	60.2	95.2	45.1	70.2	60.2	55.1	10.0	20.1	10.0	70.2	
	10.0	10.0		150.5	75.2	20.1	75.2	83.3	130.4	50.1		20.1		150.5	
	15.1	30.1		130.4	90.3	55.2	55.2	85.3	35.3	45.2		75.3		130.4	5.0
	5.0	15.1		105.4	115.5	40.2	50.2	55.2	50.2	55.2	5.0	55.2		105.4	
	10.0	25.1		150.6	90.4	95.4	55.2	35.1	70.3	55.2		65.3	10.0	115.5	5.0
		48.9		125.1	32.6	27.2	51.4	48.9	38.1	48.9	5.4	76.1	16.3	76.1	
	5.4	27.1		86.8	65.1	75.9	32.5	21.7	48.8	54.2		59.7	38.0	92.2	5.4
	16.2	16.2		259.5	86.5	54.1	86.5	81.1	59.5	70.3	5.4	86.5	37.9	129.8	
	5.4	27.0		269.6	167.2	86.3	145.6	59.3	70.1	64.7	10.8	53.9	75.5		
	5.4	21.5		112.9	53.8		64.5	107.6	59.2	96.8	16.1	59.2	43.0	112.9	5.4
	4.7	9.4		160.3	84.9	165.1	66.0	56.6	56.6	47.2		28.3	61.3	94.3	
	4.7	9.4		79.6	107.7	71.9	37.5	79.6	65.5	70.2		56.2	51.5	121.8	9.4
	4.6	23.3		125.6	93.0	46.5	46.5	55.8	46.5	51.2	9.3	102.3	18.6	74.4	
	9.2	13.9		134.0	97.0	129.4	73.9	55.4	61.7	50.8	4.6	73.9	23.1	106.2	
	4.6	4.6		114.7	114.7	91.8	18.4	91.8	87.2	78.0	9.2	78.0	41.7	50.5	
		5.8		34.6	80.8	60.6	51.9	77.9	54.8	40.4	2.9	80.8	57.7	103.9	8.7
	2.8	11.4		28.6	88.5	54.2	79.9	62.8	68.5	37.1	8.6	59.9	65.7	82.8	14.3
		5.6		2.8	62.1	67.8	31.1	67.8	73.4	28.3		84.7	50.9	113.0	2.8
	5.6	30.7		67.1	100.6	100.6	61.3	50.3	67.1	50.3		75.4	55.9	102.4	
		8.3		121.7	116.2	36.0	55.3	80.2	63.6	49.8	19.4	60.8	22.1	96.8	
	3.5	17.7		162.7	91.9	116.7	70.7	109.6	90.0	35.4	3.5	42.4	28.3	134.3	
	14.0	28.2		139.4	70.5	84.6	45.8	141.5	88.1	63.5	77.6	70.5	77.6	148.0	10.6
	7.0	17.6		123.0	137.1	112.5	45.7	87.9	45.7	70.3	28.1	80.9	38.7	144.1	
	14.0	108.7		108.7	122.7	70.1	63.1	87.6	87.6	84.1	3.5	73.6	28.0	119.2	3.5
	14.0	17.5		118.8	171.2	97.8	38.4	66.4	87.4	66.4	118.8	66.4	34.9	118.8	
		44.7		148.9	59.6	201.1	67.0	44.7	52.1	59.6	22.3	59.6	89.4	126.6	37.2
		44.8		89.7	119.6	52.3	59.8	52.3	44.8	59.8	7.5	59.8	14.9	97.2	14.9
	7.5	22.5		75.3	105.0	37.5	60.0	82.4	30.0	60.0		43.0	15.0	180.0	
		7.5		75.3	120.4	112.9	75.3	82.8	37.6	37.6		37.6	37.6	103.4	7.5
		15.1		75.5	105.7	52.9	30.2	105.7	83.1	22.7	7.6	75.5	60.4	113.3	15.1
		65.2		65.2	60.5	135.0	51.2	93.1	60.5	46.5	23.3	69.8	46.5	139.6	9.3
	4.6	41.7		64.8	64.8	55.6	46.3	64.8	64.8	37.0	9.3	78.7	74.1	111.1	
		32.2		87.5	78.3	32.2	69.1	93.7	82.9	18.4	9.2	64.5	41.4	69.0	
	4.6	77.8		68.7	109.9	100.7	96.1	73.2	64.1	64.1		45.8	22.9	111.1	
		31.9		118.4	109.3	82.0	63.7	109.3	54.6	27.3	4.6	82.0	27.3	104.7	4.6
		27.2		149.5	163.1	149.5	104.2	86.1	81.5	49.8	4.5	95.1	81.5	163.1	
	4.5	4.5		104.8	132.1	104.8	41.0	72.9	86.5	59.2	4.5	77.4	59.2	186.7	13.7
		9.1		146.5	128.2	59.5	96.2	41.2	50.4	54.9	32.1	141.9	18.3	128.2	
	4.6	18.4		142.7	174.9	92.1	64.5	73.6	92.1	46.0	4.6	147.3	23.0	147.3	
		23.1		129.6	189.7	120.3	60.2	50.9	74.0	74.0	55.5	129.6	9.3	111.1	
		30.7		184.2	127.9	133.1	71.6	122.8	81.9	46.1	15.4	76.8	66.5	261.0	5.1
	10.2	35.8		122.7	132.9	71.4	61.3	122.7	97.1	20.5	5.1	30.7	81.8	178.9	
	10.2	5.1		148.0	122.5	71.5	35.7	66.4	97.0	46.0	61.3	40.8	30.6	148.0	
	5.1	10.2		15.3	178.5	76.4	61.2	71.4	76.4	51.0	25.5	76.4	61.2	152.9	
	10.2	10.2		142.6	152.8	91.7	81.5	71.3	76.4	40.7	61.1	71.3	45.8	132.4	
		7.7		108.3	89.0	65.8	58.0	85.1	96.7	46.4	7.7	73.5	50.3	116.1	7.7
	19.2	11.5		123.1	142.4	46.2	30.8	80.8	38.5	46.2	11.5	42.3	27.0	177.0	
	3.8	7.7		122.5	141.6	45.9	19.2	42.1	61.2	45.9	3.8	88.0	26.8	107.1	
		11.4		167.5	80.0	22.8	41.9	38.1	57.1	49.5	3.8	68.5	19.0	83.7	3.8
	18.9	15.1		75.7	124.9	53.0	45.4	37.9	87.1	30.3		98.4	22.7	121.2	15.1
		10.1		27.0	165.7	64.2	81.1	57.5	57.5	47.3	3.4	40.6	43.9	101.4	3.4
	6.6	19.7		95.2	88.6	52.5	45.9	72.2	78.7	52.5	3.3	59.1	36.1	111.6	9.8
	6.4	19.3		83.5	61.0	48.1	28.9	28.9	54.6	67.4	12.8	38.5	19.3	115.6	3.2
	9.3	12.5		109.0	68.5	43.6	49.8	62.3	49.8	56.1	6.2	53.0	34.3	90.3	3.1
	3.0	12.1		87.7	63.5	57.5	27.2	51.4	75.6	27.2	9.1	72.6	18.1	84.7	3.0
		29.5		103.1	44.2	211.1	14.7	93.3	68.7	49.1	4.9	49.1	39.3	196.4	
	4.9	19.6		151.1	44.2	157.0	83.4	83.4	83.4	44.2		44.2	39.3	164.2	
		4.9		83.4	54.0	78.5	73.6	54.0	63.8	10.6	4.9	73.6	39.2	107.9	9.8
	4.9	29.4		107.9	58.9	88.2	28.4	117.7	58.9	44.1	4.9	19.6	24.5	176.5	
		29.4		78.4	73.5	132.3	49.0	88.2	58.8	68.6	19.6	73.5	29.4	107.8	
	3.3	10.0		13.3	149.8	63.2	56.6	49.9	83.2	56.6	10.0	56.6	30.0	123.1	
	3.3	13.2		165.3	115.7	46.3	33.1	49.6	82.6	43.0	19.8	39.5	43.0	119.0	13.2
	9.9	32.8		151.1	134.6	32.8	26.1	62.4	65.7	32.8	6.6	52.5	29.6	164.2	
	3.3	26.1		140.3	179.4	78.3	48.9	42.4	62.0	81.6	13.0	55.5	13.0	143.5	9.8
	9.7	29.2		142.6	200.9	64.8	35.6	61.6	87.5	48.6	16.2	25.9	42.1	130.1	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Fayette county.....	1901 1,612.4	36.8				22.1	7.4	7.4	44.2		162.0	14.7	88.3
	1902 1,338.8	36.6	7.3		7.3	20.3		36.6	36.6		109.7	14.6	95.1
	1903 1,170.4	29.1				7.3	36.3	43.6	14.5		101.8	11.5	80.0
	1904 1,531.5	28.9			21.7	7.2	7.2	7.2	21.7		130.0	14.4	36.1
	1905 1,191.7	14.4				7.2	7.2		43.1	14.4	201.0	28.7	50.3
Floyd county.....	1901 1,318.5	83.7											
	1902 966.5	52.0	20.8		10.5		10.5	62.8	52.3		188.4	10.5	32.3
	1903 1,011.6	10.3	10.3				10.3	51.6			103.9	10.4	41.6
	1904 984.2	10.2	10.2	10.2			10.2	30.5	20.5		144.5		31.0
	1905 1,089.6	40.7					20.4	10.2	40.7	10.2	153.8	20.5	30.8
Fountain county.....	1901 1,437.5	37.0	9.3			4.6					173.1	30.5	61.1
	1902 1,108.9	13.7						27.7	87.8		147.9	27.7	9.3
	1903 1,138.4	27.3			9.2		9.2	9.2	13.7		96.2	9.2	32.1
	1904 1,135.0	22.5	9.0		4.5	9.1	40.9	13.6	18.2		149.9	18.2	40.9
	1905 1,062.9	31.3	13.4		9.0	18.0	4.5	4.5	31.5		207.2	9.0	49.6
Franklin county.....	1901 1,500.9	61.8	18.5		12.4			18.5	49.4		117.4	37.0	21.7
	1902 1,490.8	43.8	18.8		6.2	25.0	12.5	18.8	62.5		168.8	43.8	62.5
	1903 1,342.3	18.0	12.7	19.0				25.3	44.5		240.6	19.0	31.6
	1904 1,532.4	76.9		6.4	19.2			6.4	51.3		198.8	12.8	38.5
	1905 1,266.4	13.0					6.5	13.0	39.0		181.8	19.5	52.0
Fulton county.....	1901 1,147.0	39.9	5.7		5.7	5.7	5.7	22.8	45.7		114.1	5.7	45.7
	1902 1,187.8	30.8			5.7			5.7	28.4		125.1	68.2	68.2
	1903 1,251.0	39.6					17.0	5.7	34.0		158.5	11.3	50.9
	1904 1,172.7		5.6		11.3	5.6		11.3	16.9		101.5	5.6	50.8
	1905 1,288.9	33.7	5.6		5.6	5.6	28.1	5.6	30.3	28.1	89.8	11.2	35.5
Gibson county.....	1901 1,433.9	68.6	26.1			3.3	13.1	6.5	42.5		215.6	29.4	26.1
	1902 1,165.9	73.9	35.4			3.2	22.5	3.2	9.6		170.2	22.5	57.8
	1903 974.1	37.9	25.3				6.3	9.5	25.3		145.3	25.3	50.6
	1904 1,451.6	65.3	21.8	3.1	37.3	3.1	6.2	12.4	43.5		167.9	31.1	34.2
	1905 1,242.0	39.8	21.4					36.7	33.7	30.6	162.1	9.2	30.6
Grant county.....	1901 1,365.3	61.8	2.6		2.6	2.6							
	1902 1,477.0	47.2	2.5		17.4		5.2	12.9	18.0		170.0	15.4	30.9
	1903 1,238.1	39.5	7.4	7.4	2.5	9.9		19.9	12.4		131.6	22.3	47.2
	1904 1,415.5	26.3	2.4	2.4	28.7	16.7	2.4	9.5	11.9		106.1	19.7	46.9
	1905 1,274.4	30.1	6.9			6.9	20.8	9.3	30.1	32.4	140.8	9.5	28.7
Greene county.....	1901 1,354.3	55.3	34.5		41.5		13.8	17.3	41.5		134.1	16.2	37.0
	1902 1,314.7	54.5	40.9				13.8	17.3	41.5		196.9	17.3	38.0
	1903 1,309.8	80.6	6.7	10.1	16.8	3.4	6.8	3.4	3.6		146.5	10.2	37.5
	1904 1,709.2	59.6	16.6	36.4	13.4	13.4	26.9	13.6	13.6		181.4	10.1	40.3
	1905 1,325.9	62.1	26.1	6.5	3.3	19.6	35.9	22.9	22.9	29.4	218.6	16.6	49.7
Hamilton county.....	1901 1,330.3	33.0	3.3			6.6	9.9	23.1	42.9		168.4	26.4	59.4
	1902 1,186.8	45.7	6.5			3.3	3.3	26.1	22.8		97.8	22.8	39.1
	1903 1,016.7	41.9	12.9					51.5	45.1		119.2	3.2	58.0
	1904 1,135.9	31.8			28.6	6.4	3.2	3.2	35.0		181.6	28.6	76.4
	1905 1,166.3	44.0	9.4			3.1	6.3	6.3	28.3	18.9	150.9	22.0	44.0
Hancock county.....	1901 1,190.2	31.1				5.2	15.5	10.3	36.2		98.3	10.3	20.7
	1902 1,366.8	56.5	10.3			5.1	5.1	10.3	5.1		128.5	10.3	51.4
	1903 1,265.5	40.8					40.8	5.1	35.7		178.6	15.3	40.8
	1904 1,454.4	30.4			10.1	5.1		20.3	70.9		197.6	20.8	35.5
	1905 1,469.6	30.2					5.0	15.1	30.2	45.3	161.1	25.2	50.3
Harrison county.....	1901 1,362.8	55.1			45.9	18.4		22.9	55.1		182.6	22.9	32.1
	1902 1,110.3	109.7	22.8				13.7	18.3	32.0		146.2	27.4	32.0
	1903 1,016.5	54.6	4.5			9.1	4.5	9.1	22.8		159.3	18.2	81.9
	1904 1,304.9	86.1		4.5		18.1	4.5	9.1	22.7		185.8	13.6	54.4
	1905 1,186.7	67.7	4.5			13.5	4.5	9.0	63.2	18.0	139.9	13.5	49.6
Hendricks county.....	1901 1,316.3	42.3	23.5		9.4	4.7	9.4	14.1	32.9		103.5	18.8	28.2
	1902 1,261.2	28.2	18.8			14.1		28.2	9.4		164.7	28.2	28.2
	1903 1,135.2	23.6			9.4	9.4	4.7	4.7	18.8		122.5	9.4	42.4
	1904 1,396.1	14.1	18.9		42.5	14.1	4.7	4.7	23.6		221.6	42.5	28.3
	1905 1,137.5	14.2						4.7	28.3	9.4	169.9	9.4	42.5
Henry county.....	1901 1,630.4	67.4	4.0		39.7	7.9	23.8	11.9	39.7		158.7	19.8	27.8
	1902 1,468.6	63.2	7.9	55.3	11.8	7.9	11.8	7.9	11.8		177.7	15.8	51.3
	1903 1,257.3	27.5	15.7				15.7	7.9	11.8		129.7	27.5	66.8
	1904 1,459.8	35.2			19.6		3.9	7.8	19.6		117.3	31.3	50.8
	1905 1,268.8	46.7	3.9		3.9	3.9		7.8	27.2	31.1	144.0	23.4	58.4
Howard county.....	1901 1,157.5	33.4			27.8			5.6	22.3		128.0	22.3	61.2
	1902 929.1	22.3		16.7				11.1	11.1		105.7	22.3	41.6
	1903 1,068.0	33.4		5.6	16.7	11.1	5.6	11.1	16.7		105.7	27.8	38.9
	1904 1,112.2	44.5				5.6	16.7	27.8	33.4		104.7	16.7	55.6
	1905 1,073.1	16.7						11.1	27.8	11.1	122.3	11.1	89.0
Huntington county.....	1901 1,041.2	51.8	5.2				5.2	20.7	41.4		119.2	25.9	57.0
	1902 1,072.1	52.0	5.2								78.1	10.4	30.4
	1903 970.0	31.3			10.4		20.9	10.4	15.6		114.7	20.9	31.3
	1904 1,105.9	21.0			31.4	10.5		15.7	26.2		167.7	5.2	36.7
	1905 1,017.9	47.4						5.3	15.8	21.1	105.3	10.5	63.2
Jackson county.....	1901 1,621.9	85.6	14.9		22.3	18.6	22.3	55.8	52.1		238.1	37.2	44.6
	1902 1,389.6	81.1			7.4	11.0	25.8	7.4	14.7		213.8	26.5	44.2
	1903 1,152.2	36.5	7.3		3.6	18.3	3.6	11.0	21.9		230.8	11.0	11.6
	1904 1,368.1	54.3			25.3	10.9	7.2	3.6	14.5		233.3	47.1	25.3
	1905 1,377.4	53.8	7.2			14.3	7.2	3.6	35.9	28.7	208.0	46.6	39.5

¹Shown for 1905 only.

SUMMARY AND RATE TABLES.

121

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.														
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	Cause un- known.
22.1	20.5	139.9	88.3	213.5	132.5	130.9	110.4	34.8	36.8	7.4	73.6	36.8	162.0	
21.9	21.9	131.7	102.1	131.1	51.2	73.2	73.2	65.8	95.1	29.3	80.5	29.3	151.1	
14.5	14.5	87.3	143.4	94.5	65.4	87.3	72.7	74.6	7.3	14.5	72.7	21.8	101.8	
14.4	28.9	144.5	108.4	115.6	86.7	72.3	158.9	93.9	115.6	79.5	50.6	50.6	180.6	7.2
7.2	21.5	114.9	114.9	100.5	57.4	57.4	93.3	28.7	64.6	7.2	35.9	7.2	114.9	
10.5	10.5	146.5	94.2	115.1	91.2	41.8	62.8	10.5	52.3	10.5	73.2	52.3	73.1	
20.8	52.0	83.1	72.7	20.8	52.0	62.3	31.1	20.8	31.1	20.8	124.7	41.6	93.5	10.4
10.3	41.3	134.2	165.2	61.9	61.9	51.6	31.0	31.0	31.0	31.0	51.6	20.7	102.9	
10.2	143.6	133.3	112.8	30.8	30.8	10.2	10.2	10.2	51.3	10.2	20.5	30.8	102.5	
30.5	112.0	122.2	40.7	61.1	40.7	30.5	30.5	50.9	61.1	10.2	20.4	20.4	112.0	
4.6	23.1	120.2	101.7	138.7	55.5	101.7	100.3	50.9	87.8	4.6	50.8	46.2	189.5	4.6
13.7	45.8	142.1	96.2	50.4	73.3	61.2	68.7	50.4	64.2	9.2	45.8	68.7	119.1	4.6
4.5	45.4	127.2	81.8	95.4	72.7	63.6	50.0	22.7	36.3		50.0	45.4	131.7	9.1
9.0	27.0	103.6	99.1	49.6	36.0	63.1	76.6	30.5	54.0	18.0	39.6	39.0	99.1	9.0
26.8	26.8	138.4	44.7	35.7	35.7	49.1	35.7	67.0	44.7	17.8	62.5	26.8	125.1	4.5
6.2	30.9	216.2	67.9	129.7	98.8	105.0	111.2	37.0	111.2	18.5	30.9	61.8	135.9	
6.2	218.8	168.8	168.8	100.0	43.8	93.8	100.3	68.8	68.8	18.8	68.8	18.8	137.6	18.8
6.3	164.6	152.0	82.3	50.7	76.0	133.0	44.3	44.3	38.0	19.0	76.0		88.6	
6.4	173.1	153.9	83.4	61.1	57.7	115.4	61.1	61.1	83.4	6.4	102.6	6.4	192.4	6.4
6.5	168.9	110.4	77.9	45.5	116.9	77.9	77.9	84.4	71.4	6.5	45.5	6.5	110.4	6.5
17.1	17.1	102.7	125.5	91.3	57.1	68.5	68.5	45.7	51.3		5.7	45.7	148.4	5.7
11.1	11.1	136.4	119.4	73.6	38.4	73.9	45.5	45.5	51.2		51.2	51.2	176.2	11.4
5.7	34.0	164.2	139.2	67.9	56.6	62.3	79.2	45.3			62.3	50.9	152.8	22.6
11.3	11.3	107.1	67.7	95.8	84.6	90.2	50.7	67.7	56.4	5.6	78.9	28.2	203.0	5.6
33.7	123.5	123.5	78.6	33.7	56.2	112.3	78.6	78.6	41.9		56.2	22.5	174.1	
39.2	114.3	91.4	107.8	45.7	147.0	71.8	42.5	88.2	3.3	78.4	35.9	137.2		
6.4	35.4	86.7	61.0	73.9	45.0	80.3	77.1	25.7	86.7	3.2	57.8	32.1	93.1	3.2
6.3	22.1	40.0	60.5	73.7	72.7	28.4	34.8	60.0	3.2	60.3	22.1	79.0	3.2	
6.2	31.1	80.8	83.9	121.2	83.9	108.8	77.7	56.0	132.3	3.1	80.8	18.7	118.1	
6.1	27.5	101.0	97.9	119.3	58.1	88.7	61.2	48.9	64.2	3.1	83.7	18.4	91.8	
2.6	28.3	157.1	123.6	95.3	51.5	74.7	79.9	33.5	61.8	10.3	79.9	67.0	172.6	5.2
4.8	19.9	163.8	131.6	79.4	54.6	129.1	124.1	42.2	76.9	7.4	49.6	67.0	220.9	5.0
4.9	19.7	152.9	153.4	71.5	49.3	27.1	71.5	61.1	74.0	7.4	69.0	46.9	158.1	4.9
4.8	19.1	198.1	143.2	85.9	47.8	74.0	78.8	60.2	124.1	9.5	64.8	54.9	152.8	4.8
9.3	23.1	192.0	148.0	99.5	60.1	33.2	67.1	32.4	57.8	6.9	43.9	37.0	115.6	4.6
48.4	60.1	51.8	96.7	60.1	79.5	86.4	48.4	100.2			44.9	58.7	141.6	
6.8	44.3	112.4	92.0	105.6	61.3	85.1	68.1	30.7	71.5	6.8	47.7	54.5	200.9	10.2
3.3	30.2	131.0	70.5	82.2	47.0	87.4	81.0	30.2	73.9	6.7	107.5	33.6	141.1	3.3
3.3	23.2	122.6	76.2	142.4	92.8	135.8	79.5	49.7	115.9	6.6	79.5	72.9	119.2	6.6
3.3	13.1	22.9	134.0	78.4	85.0	104.6	91.5	58.8	85.0	16.3	111.1	49.0	129.9	3.3
3.3	6.6	142.0	99.1	95.7	56.1	85.8	89.1	36.3	95.7		46.2	42.9	158.5	
3.3	13.0	136.9	97.8	58.7	35.4	71.7	78.2	35.9	91.3	6.5	45.7	42.4	129.3	
12.9	99.8	74.1	54.7	45.1	58.0	54.7	22.5	77.3	77.3	6.4	58.0	16.1	135.3	
9.5	143.2	101.8	70.0	57.3	35.0	54.1	38.2	79.5	3.2	35.0	19.1	79.5	3.2	
6.3	6.3	141.5	150.9	72.3	37.7	72.3	81.7	28.3	53.4	3.1	28.3	34.6	106.9	3.1
5.2	31.0	217.4	72.5	67.3	31.0	82.8	93.2	56.9	67.3		62.1	77.6	98.3	
5.1	41.1	133.6	113.1	82.2	56.5	113.1	82.2	77.1	30.8		92.5	77.1	169.6	5.1
5.1	20.4	142.9	122.5	30.6	61.3	163.3	81.7	51.0	40.8	5.1	56.2	40.8	86.7	
5.1	20.3	60.8	167.2	111.5	81.1	65.9	70.9	81.1	60.8		70.9	25.3	162.2	
5.0	20.1	146.0	120.8	146.0	40.3	110.7	140.9	100.7	80.5	15.1	55.4	30.2	95.6	
4.6	27.5	114.7	87.2	146.8	59.7	68.8	87.2	36.7	78.0	4.6	73.4	22.9	100.9	13.8
18.2	27.4	91.4	30.2	32.0	73.1	36.6	22.8	44.4	22.8	4.6	64.0	50.2	109.7	
18.1	63.4	145.0	122.3	108.7	58.9	58.9	54.4	45.3	45.3		50.0	27.3	54.6	4.5
13.5	27.1	117.3	117.3	63.2	54.1	40.6	99.3	54.1	54.1		63.2	18.0	72.2	9.0
4.7	14.1	192.8	80.3	84.6	117.6	47.0	94.0	65.8	61.1	4.7	61.1	70.5	122.2	
4.7	23.5	169.4	108.3	94.1	56.5	75.3	42.4	45.1	80.0		80.0	33.0	127.1	
4.7	14.2	18.8	146.0	61.2	36.5	84.8	70.7	42.4	47.1	9.4	28.3	37.7	146.0	4.7
4.7	9.4	14.1	141.5	122.6	61.3	80.2	61.3	61.3	51.9	4.7	37.7	14.1	140.3	4.7
9.4	14.2	4.7	146.3	103.5	70.8	47.2	56.6	80.2	51.9		56.6	23.6	118.0	9.4
7.9	4.0	23.8	150.8	123.0	91.2	79.3	71.4	115.0	63.5	138.8	11.9	39.7	71.4	238.0
3.9	3.9	15.7	192.5	117.9	66.8	67.1	63.2	75.0	75.0		55.3	43.4	185.5	15.8
7.8	7.8	35.2	132.5	140.8	101.7	58.6	108.1	55.0	51.1	3.9	55.0	33.1	110.0	7.9
23.4	38.9	155.7	81.7	42.8	46.7	54.5	109.0	46.7	85.6	15.6	50.6	38.9	203.4	3.9
5.6	27.8	89.0	133.5	66.8	50.1	72.3	89.0	44.5	50.1	5.6	72.3	33.4	116.9	
5.6	66.7	83.4	55.6	16.7	83.4	77.9	77.9	16.7	50.1	5.6	38.9	61.2	128.0	5.6
11.1	22.2	122.4	94.5	77.9	55.6	100.1	61.2	16.7	16.7	16.7	44.5	11.1	111.6	5.6
11.1	27.8	77.8	116.8	77.8	50.0	72.3	72.3	33.4	72.3	5.6	50.0	16.7	122.3	
5.2	15.5	129.5	103.6	25.9	20.7	67.3	62.2	25.9	46.6		25.9	72.5	108.8	5.2
20.0	5.2	101.1	67.7	93.7	62.5	57.2	57.2	57.2	62.5	5.2	36.1	52.0	203.0	15.6
10.5	15.6	140.8	89.2	62.6	46.9	36.5	62.6	52.2	82.2		36.5	10.4	88.6	36.5
10.5	10.5	141.5	73.4	99.6	39.7	68.1	73.4	57.7	36.7		31.4	21.0	136.3	5.2
7.2	21.1	142.2	73.7	47.4	31.6	63.2	94.8	63.2	15.8	10.5	100.1	21.1	73.7	10.5
3.7	11.2	37.2	119.0	74.4	141.4	70.7	133.9	96.7	44.6	14.9	44.6	74.4	111.6	18.6
3.7	25.8	106.9	103.2	114.3	47.9	103.2	62.7	29.5	106.9	11.7	55.3	25.8	132.7	22.1
7.3	18.3	62.1	91.3	43.8	43.8	124.2	63.8	32.9	54.8	3.6	65.8	32.9	149.7	7.3
3.6	32.6	90.5	94.1	79.6	130.3	43.4	97.7	97.7	10.9	10.9	39.8	18.1	170.1	7.2
7.2	17.9	96.8	129.1	114.8	46.6	89.7	68.2	35.9	111.2	14.3	86.1	28.7	82.5	3.6

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Jasper county.....	1901	1,075.1	20.6	13.7				13.7	47.9	47.9		123.3	13.7	13.7
	1902	751.0	6.7							13.4		73.8	20.1	40.2
	1903	722.5	6.6	6.6	6.6				6.6			65.6	6.6	13.2
	1904	824.9				6.4	12.9			19.3		135.2	6.4	51.5
	1905	763.6		6.3						18.9	50.5	75.7	6.3	50.5
Jay county.....	1901	1,285.4	44.2			29.5	3.7		14.7	40.5		147.3	18.4	51.6
	1902	1,207.9	43.7	3.6	3.6	3.6	3.6	32.7	21.8	14.6		178.3	21.8	14.6
	1903	1,013.7	35.9				7.2	14.4	7.2	32.4		122.2	14.4	28.8
	1904	1,126.0	42.6			17.7		3.5	7.1	17.7		156.3	21.3	39.1
	1905	1,270.7	35.1							28.1	28.1	154.5	17.6	66.7
Jefferson county.....	1901	1,700.8	65.9	8.8	4.4			4.4	4.4	74.7		303.3	35.2	57.1
	1902	1,526.9	66.4	8.8	4.4		8.8		8.8	5.8		243.4	26.6	84.1
	1903	1,537.7	75.8			4.5	4.5	13.4	4.5	13.4		263.0	40.1	62.4
	1904	1,620.5	53.9			17.9	13.5	9.0	35.9			237.9	40.4	67.3
	1905	1,482.9	18.1				9.0		54.3	31.6	4.5	244.1	27.1	58.8
Jennings county.....	1901	1,186.9	12.6											
	1902	1,251.0	37.5	6.2			12.6			25.2		189.1	6.3	50.4
	1903	1,201.8	55.9	12.4				18.8	6.2	12.5		175.2		50.0
	1904	1,331.9	55.5	12.3		21.7	6.2	6.2	12.1	12.4		223.6	6.2	43.5
	1905	1,304.2	49.0	12.2			30.6		12.2	42.9	18.4	197.3	21.7	74.0
Johnson county.....	1901	1,399.8	31.5	4.9		9.9	4.9	4.9	9.9	39.4		162.6	14.8	44.1
	1902	1,193.8	59.0	9.8		4.9	14.7	4.9	19.6			211.2	14.7	44.2
	1903	1,366.2	53.9			4.9	9.8	4.9	31.3	24.5		191.0	4.9	58.8
	1904	1,488.7	48.8			14.6	21.4	4.9	9.8	29.3		190.4	48.8	68.3
	1905	1,167.7	14.6						4.9	19.5	14.6	180.0	34.1	38.9
Knox county.....	1901	1,318.6	70.1	30.7		8.8	8.8	43.8	21.9	48.2		96.4		17.5
	1902	1,149.0	60.4	25.9	4.3			17.3	8.6	8.6		133.9	21.6	17.3
	1903	1,831.6	42.9	17.2		4.3	8.6	4.3	25.8	12.9		81.6	4.3	34.4
	1904	1,151.9	50.8	16.9		50.8	8.5	25.4	8.5	8.5		114.4	12.7	16.9
	1905	1,228.0	66.8	25.1		16.7	25.1	16.7	4.2		12.5	117.0	12.5	50.1
Kosciusko county.....	1901	1,149.0	48.0					13.7	6.9	17.1	41.2	85.8	13.7	30.9
	1902	1,133.5	17.1		6.8			13.7	21.0	3.4	20.5	126.7	3.4	61.7
	1903	1,135.2	44.4	3.4		30.8	6.8	23.9	10.3	23.9		119.7	3.4	54.7
	1904	1,699.2	13.7	13.7		20.5		3.4	3.4	10.2		143.4	3.4	51.2
	1905	1,179.3	44.3	6.8			3.4	6.8	3.4	23.9	13.6	61.4	6.8	78.4
Lagrange county.....	1901	1,377.0	19.7	6.6			6.6	6.6		59.0		101.9	19.7	72.1
	1902	1,182.8	32.8				6.6	6.6	19.7	46.0		111.7	13.1	46.0
	1903	1,317.1	13.2				6.6	6.6	19.7	26.3		144.9	26.3	59.3
	1904	1,115.4	33.0	6.6		13.2	19.8	6.6	6.6	26.4		118.8	33.0	73.2
	1905	1,382.4	39.7				13.2	6.6	13.2	46.3	19.8	105.8	19.8	59.5
Lake county.....	1901	1,278.2	15.2	15.2		11.4	15.2	11.4	26.6	30.4		79.9	19.0	38.1
	1902	1,245.5	25.9	11.1	3.7		33.3		29.6	7.4		73.9	3.7	29.6
	1903	1,257.7	35.9			32.3	10.8		30.5	10.8		100.6	18.0	21.6
	1904	1,451.0	41.9		3.5	3.5	21.0	21.0	21.0	14.0		94.4	14.0	52.1
	1905	1,260.1	27.2	3.4	3.4		20.4	40.9	17.0		6.8	40.9	3.4	40.9
Laporte county.....	1901	1,237.1	12.8	12.8			12.8		20.7	20.7		93.5	17.0	68.0
	1902	1,259.0	42.5	4.3					8.5	4.3		131.8	21.3	63.8
	1903	1,468.3	21.3	4.3		29.8	21.3	8.5	4.3	8.5		123.4	12.8	63.8
	1904	1,358.4	12.8			4.3	4.3		12.8	12.8		136.3	25.5	51.1
	1905	1,563.6	25.6	4.3		17.0		8.5			29.8	140.6	25.6	115.0
Lawrence county.....	1901	1,249.8	87.4	26.6	7.6	3.8		15.2	15.2	22.8		129.1	15.2	15.2
	1902	1,192.5	52.0	26.0			7.4	26.0	18.6	7.4		152.3	29.7	40.9
	1903	1,275.9	43.6	14.5			3.6	3.6	21.8	10.9	10.9	214.5	32.7	32.7
	1904	1,594.0	49.8	24.9		78.3				3.6		181.5	14.2	42.7
	1905	1,425.1	101.0	10.5	3.5			17.4	27.9	38.3	17.4	202.1	34.8	52.3
Madison county.....	1901	1,215.5	36.1	7.7	2.6	2.6	20.6	10.3	20.6	18.1		152.3	10.3	38.7
	1902	1,156.5	39.8	5.0		5.0	7.5	5.0	24.9	5.0		156.9	17.4	27.4
	1903	917.9	31.3	4.8	4.8		2.1	14.4	9.6	4.8		105.0	19.3	38.5
	1904	877.3	18.6			16.3	9.3		7.0	7.0		130.3	7.0	11.6
	1905	883.3	49.6	2.3				4.5	6.8	13.5	15.8	81.1	15.8	45.1
Marion county.....	1901	1,897.6	25.6	7.3			7.3	18.3	40.3	65.9		263.8	18.3	40.3
	1902	1,988.1	68.1		4.5			13.6	13.6	13.6		301.1	36.3	59.0
	1903	1,370.6	49.0		18.4	6.1	6.1	12.2	18.4	18.4		177.4	30.6	79.5
	1904	1,921.7	67.2	13.4		33.6	6.7		6.7	20.2		235.2	47.0	94.1
	1905	3,643.6	45.9					7.7	15.3	53.6	53.6	604.7	99.5	84.2
Marshall county.....	1901	1,140.6	15.8	11.9		4.0	4.0	4.0	35.6	39.6		130.7	7.9	35.6
	1902	1,112.7	11.8	7.9			3.9	3.9	27.6	7.9		168.2	7.9	35.6
	1903	1,238.8	15.7	3.9		11.8	19.6	11.8	15.7	15.7		86.2	11.8	70.6
	1904	1,150.6	35.1	15.6	3.9	3.9	7.8		35.1			136.5	19.5	78.0
	1905	989.6	38.8	11.6			7.8		19.4	15.5		69.9	7.8	81.5
Martin county.....	1901	1,562.4	81.2	6.8		13.5	6.8	67.6	40.6	47.3		230.0	6.8	27.1
	1902	1,157.5	60.6	13.5	6.7		6.7		40.4	20.9		168.2		46.4
	1903	1,051.4	40.2	13.4			13.4		13.4	13.4		147.3	13.4	20.1
	1904	1,479.3	53.3	33.3	6.6	80.0	26.7	53.3	20.0	26.7		190.9	13.3	53.3
	1905	1,094.1	72.9				13.3	6.6	13.3	39.8	26.5	212.2	39.8	59.7
Miami county.....	1901	1,373.1	38.9	5.6		11.1	11.1							
	1902	1,218.4	55.4					16.6		5.5		139.0	27.8	38.9
	1903	1,266.7	66.2	5.5		5.5	16.6		22.1	5.5		110.8	22.2	66.5
	1904	1,149.0	5.5			38.5	33.0		11.0			132.4	11.0	66.2
	1905	1,210.5	38.3	11.0				11.0		27.5		137.4	10.5	16.5
								11.0		38.3	21.9	71.2	16.4	32.9

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

123

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneumonia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
		6.8	82.2	61.6	54.8	82.2	123.3	61.6	68.5	34.2		34.2	41.1	102.7	27.4
	13.4	20.1	80.5	60.3	73.8	26.8	93.9	20.1	20.1	73.8		20.1	6.7	73.8	13.4
	13.2	6.6	91.9	39.4	32.8	45.9	59.1	59.1	19.7	52.6		32.8	26.2	124.8	6.6
	6.4	19.3	51.5	57.9	38.6	61.4	57.9	38.6	77.3	19.3	6.4	38.6	25.8	77.3	12.9
6.3	6.3	12.6	75.7	31.6	88.3	31.6	37.9	44.2	63.1	44.2	6.3	37.9	18.9	44.2	6.3
	3.7	18.4	143.6	40.5	95.8	66.3	73.7	143.6	36.8	77.4	11.0	58.9	55.3	106.8	3.7
	10.9	36.4	94.6	69.1	83.7	43.7	120.1	69.1	43.7	69.1	7.3	36.4	47.3	127.3	7.3
	10.8	25.2	129.4	79.1	100.6	53.9	107.8	46.7	39.5	57.5		28.8	18.0	46.7	7.2
	10.7	7.1	110.1	106.6	88.8	32.0	95.9	74.6	53.3	53.3	7.1	53.3	24.9	103.0	
	7.0	24.6	108.8	98.3	56.2	60.7	179.0	107.8	35.1	63.2		32.7	21.1	105.3	7.0
	8.8	13.2	167.0	87.9	123.1	61.5	136.2	109.9	52.7	74.7		65.9	43.9	197.8	
	22.1		115.1	190.3	75.3	79.7	97.4	79.7	48.7	53.1	13.3	62.0	31.0	194.7	4.4
	8.9	13.4	133.7	191.1	124.8	37.9	66.8	80.2	93.6	40.1	4.5	66.8	26.7	142.0	
	9.0	13.5	148.1	181.0	121.2	62.8	76.3	94.3	85.3	85.3	13.5	53.9	13.5	179.5	
	22.6	4.5	108.5	176.3	135.6	49.7	54.3	90.4	94.9	54.3		49.7	27.1	158.2	9.0
	12.6	18.9	182.7	132.3	107.1	50.4	113.4	69.3	37.8	69.3		63.0	157.5	176.4	
	18.8	25.0	112.6	62.6	62.6	37.5	81.3	81.3	100.1	81.3		75.1	25.0	181.4	
12.4	6.2	24.8	130.4	111.8	68.3	31.1	68.3	55.9	62.1	49.7	6.2	87.0	18.6	99.4	
	6.2		148.0	104.8	86.3	80.2	49.3	74.0	18.5	117.1		86.3	18.5	123.3	
	6.1	18.4	153.1	110.2	73.5	30.6	67.4	91.8	55.1	36.7		49.0		101.1	6.1
	9.9	29.6	157.7	132.8	83.8	69.0	83.8	54.2	59.1	49.3		34.5	133.1	152.8	
	24.6	24.6	113.0	68.8	59.0	41.2	63.9	31.4	88.4	113.0	4.9	24.6	29.5	117.9	
	19.6	4.9	166.5	127.3	58.8	78.1	68.5	88.1	93.0	63.6	4.9	73.4	31.3	88.1	9.8
		31.2	122.0	131.8	112.3	43.9	68.3	107.1	107.1	97.6		43.9	53.7	126.9	
	9.7	21.3	102.2	82.7	77.8	43.8	82.7	82.7	43.8	63.3	9.7	53.5	29.2	155.7	
4.4	17.5	30.7	105.1	83.2	153.3	43.8	109.5	57.0	21.9	105.1	13.1	48.2	57.0	105.1	17.5
	4.3	25.9	77.7	50.1	103.7	61.8	73.4	51.8	38.9	60.4		51.8	43.2	138.2	38.9
4.2	17.3	8.6	85.9	51.5	47.2	31.1	55.8	42.9	42.4	55.8	8.6	51.5	21.5	103.1	4.3
	4.2	16.9	93.2	80.5	97.4	59.3	80.5	46.6	42.5	84.7	8.5	72.0	16.9	131.2	4.2
		37.6	75.2	66.8	121.1	73.2	75.2	45.9	45.9	91.9	8.4	58.5	41.8	133.7	4.2
	6.0	51.9	137.2	96.0	80.2	51.4	41.2	68.6	68.6	61.7	13.7	44.6	51.9	106.3	3.4
	20.5	27.4	147.3	109.6	82.2	65.3	65.3	65.3	44.6	54.8	3.4	48.0	30.8	116.4	3.4
10.3	10.3	10.3	126.5	135.1	37.6	41.0	58.1	63.0	65.0	27.4	6.8	23.9	37.6	143.6	13.7
	10.2	17.1	201.8	112.6	73.1	61.4	31.1	71.7	20.5	20.5	10.2	61.4	27.3	88.8	20.5
3.4	17.0	17.0	160.2	153.4	57.9	57.9	85.2	92.0	47.7	47.7	13.6	51.1	17.0	95.4	13.6
	13.1	19.7	157.4	203.3	85.2	91.8	39.3	85.2	52.4	39.3	6.6	78.7	85.2	118.0	6.6
	19.7	6.6	118.3	85.4	111.7	59.2	32.8	46.0	46.0	105.1		46.0	52.6	161.3	6.6
	26.3	6.6	181.4	171.2	59.3	63.8	79.0	105.4	52.7	39.5	13.2	32.9	32.9	105.4	6.6
	6.6	13.2	118.8	72.6	46.2	52.8	82.8	46.2	46.2	19.8	6.6	39.6	39.6	138.6	6.6
	26.5	19.8	185.2	218.3	26.5	39.7	79.4	79.4	52.9	39.7		39.7	39.7	145.5	
	15.2	11.4	133.2	98.9	61.7	87.5	159.8	95.1	31.2	41.9	19.0	57.1	34.2	163.6	
	14.8	10.7	103.5	66.5	66.5	107.2	110.9	48.0	48.0	88.7		155.2	41.3	107.1	7.4
	3.6	21.6	125.7	107.8	50.3	86.2	107.8	71.9	35.9	57.5	10.8	158.1	23.2	97.0	3.6
	3.5	21.0	118.9	118.9	73.1	101.4	146.8	122.4	52.4	69.9	7.0	115.4	28.0	157.3	3.5
	6.8	20.4	91.9	91.9	105.5	112.4	163.4	51.5	57.9	57.9	20.4	160.0	13.6	126.0	3.4
	21.2	29.7	140.3	170.0	59.5	72.3	55.3	34.0	85.0	12.8	12.8	46.8	63.8	157.3	
	17.0	25.5	157.4	170.1	29.8	51.0	63.8	38.3	68.0	59.5	4.3	85.1	31.0	174.1	4.3
	12.8	12.8	131.9	212.6	46.8	76.6	72.3	131.9	93.6	51.1	4.3	110.6	29.8	153.2	
4.3	21.3	29.8	123.5	200.1	55.3	98.0	55.3	93.7	68.1	53.3	12.8	76.6	17.0	187.4	
4.3	8.5	42.6	178.9	161.9	59.6	76.7	72.4	85.2	106.5	98.0	12.8	102.3	23.6	161.9	
	7.5	38.0	79.8	102.6	121.5	26.6	133.0	68.4	30.4	41.8	3.8	110.1	60.8	79.8	7.6
	22.3	63.2	85.4	81.7	63.2	115.2	74.3	37.2	71.3	11.1		55.7	37.2	111.4	
	7.3	18.2	98.2	116.3	91.5	47.3	69.1	65.4	18.2	54.5	3.6	91.5	50.9	141.8	7.3
	3.6	46.2	89.0	124.5	156.6	89.0	167.2	81.8	46.2	103.2		99.6	32.0	160.1	
		17.4	83.6	101.0	94.1	73.2	142.9	52.3	24.4	87.1	3.5	69.7	31.4	132.4	7.0
5.2	5.2	28.4	80.0	74.9	61.5	61.9	121.3	80.0	12.9	51.2	12.9	82.6	69.7	111.9	
	5.0	17.4	104.6	47.3	87.1	44.8	87.1	42.4	44.8	82.2	2.5	79.7	64.7	112.0	5.0
	16.8	14.4	74.6	89.0	43.3	43.3	48.1	60.8	36.1	38.5	2.4	48.1	26.5	154.0	7.2
2.3	2.3	16.3	95.4	67.5	83.8	46.5	55.9	41.9	22.6	51.2	2.3	48.9	37.2	93.1	
	11.3	27.0	51.1	69.9	20.3	33.8	76.6	78.0	65.3	60.8	0.0	33.8	33.8	72.1	2.3
	7.3	33.0	282.1	135.6	87.9	69.6	117.2	69.6	55.0	85.3	7.3	117.2	80.6	252.8	
	13.6	31.8	381.3	136.2	59.0	68.1	136.2	86.2	95.3	54.5	13.6	77.2	45.1	252.8	
	9.1	24.5	131.6	153.0	61.4	61.4	97.9	61.4	36.7	54.1	24.5	73.4	30.6	116.3	6.1
	6.7	26.9	228.4	129.4	129.4	87.3	127.7	87.3	94.1	73.9		107.5	47.0	161.3	
	38.3	30.6	704.2	275.6	183.7	91.9	206.7	160.7	229.6	137.8	23.0	237.3	68.9	290.9	
	15.8	171.3	87.1	55.5	63.4	67.3	67.3	67.3	31.7	59.4		39.6	47.5	134.7	7.9
	27.6	106.4	141.8	27.6	63.0	47.3	63.0	47.3	51.2	74.9	3.9	50.2	94.6	145.8	
	7.8	19.6	160.7	133.3	47.0	62.7	70.6	109.7	35.3	70.6	7.8	54.9	38.8	139.3	3.9
	39.0	7.8	141.3	93.6	70.2	58.3	35.1	70.2	54.6	54.6		50.7	39.0	93.7	3.9
	15.5	11.6	139.7	112.5	46.6	62.1	46.6	62.1	54.3	19.4	11.6	31.0	15.5	108.7	
6.8	13.5	51.1	142.0	54.1	94.7	87.9	108.2	121.7	27.1	54.1		33.8	115.0	108.2	13.5
	6.7		53.8	80.8	67.3	47.1	121.1	60.6	6.7	60.6		74.0	47.1	127.9	
			113.8	53.5	40.2	87.1	53.5	73.7	20.1	6.7	13.4	113.8	20.1	67.0	20.1
			26.7	80.0	66.6	86.6	86.6	80.0	33.3	126.6		66.6	60.0	119.3	
			33.2	66.3	66.3	53.0	46.4	72.9	19.9	39.8	13.3	39.8	26.5	59.7	6.6
	11.1	38.9	116.8	105.7	77.8	83.4	111.2	77.8	38.9	38.9		94.5	66.7	150.1	16.7
	5.5	27.7	132.9	60.9	138.5	72.0	38.8	60.9	41.3	77.5	5.5	41.3	27.7	166.2	5.5
	16.6	27.1	143.5	110.4	60.7	71.8	93.8	88.3	60.7	38.6	5.5	60.7	27.6	132.4	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Monroe county.....	1901	1,354.2	51.9	14.2		4.7	4.7	37.7	23.6	51.9		165.2	23.6	42.5
	1902	1,321.8	65.1	9.3		23.3		18.6	13.9	4.6		218.5	46.5	23.3
	1903	1,067.1	55.0						13.7	4.6		201.5	45.8	55.0
	1904	1,232.3	36.1	9.0		18.1	4.5		13.5	13.5		171.6	13.5	67.7
	1905	1,383.9	57.8				31.1	22.2	22.2	17.8	17.8	146.8	31.1	40.0
Montgomery county.....	1901	1,314.2	23.7	6.8		13.5	16.9	3.4	3.4	71.1		119.0	33.9	47.4
	1902	1,308.2	47.2		6.7	3.4		3.4	3.1	13.5		175.3	13.5	60.7
	1903	1,285.4	16.8	3.3			10.1		3.3	20.1		157.7	16.8	91.0
	1904	1,409.9	43.4			16.7		3.3	33.4			157.0	46.8	83.5
	1905	1,330.3	16.6					16.6	3.3	29.9	13.3	159.6	20.0	83.1
Morgan county.....	1901	1,293.7	58.1					19.4	4.8	72.7		179.3	21.2	26.1
	1902	1,012.3	62.4						4.8			197.0	19.2	48.0
	1903	1,201.8	71.4	4.8	4.8	23.8			4.8	4.8		190.5	23.8	52.4
	1904	1,482.5	33.0			18.9			4.7	37.8		181.1	25.6	61.4
	1905	1,391.9	4.7	4.7				28.1		56.2		177.9	23.4	65.5
Newton county.....	1901	1,224.9	9.4	9.4		9.4			75.4	18.8		56.5	48.8	37.7
	1902	1,020.6	27.8						9.3			55.7	9.3	55.7
	1903	1,114.9	54.8			9.1		9.1	18.3	18.3		100.6	9.1	45.7
	1904	936.2	9.0				9.0		9.0	18.0		63.0	9.0	27.0
	1905	958.0	26.6						8.9			79.8	8.9	8.9
Noble county.....	1901	1,231.4	25.5	4.2				8.5	12.7	59.4		131.7	12.7	59.4
	1902	1,052.3	21.2			8.5		8.5		8.5		84.9	12.7	33.9
	1903	1,064.3	17.0	8.5		17.0	8.5	17.0	4.2	25.4		93.3	20.7	59.4
	1904	1,368.6	21.2				12.7			25.4		169.5	25.4	50.9
	1905	1,075.4	21.2	8.5		4.2			4.2	16.9	8.5	88.9	21.2	46.6
Ohio county.....	1901	1,148.6	21.3							42.5		255.3		63.8
	1902	1,325.4	61.1			21.4						171.0	42.8	
	1903	1,546.7	61.4							21.5		257.8		61.4
	1904	1,511.2	21.6					21.6	21.6			215.9	61.7	43.2
	1905	1,268.4						21.7	21.7	21.7		238.7	21.7	86.8
Orange county.....	1901	1,441.0	70.3	23.4		5.9	5.9	23.4	5.9	82.0		216.7	17.6	23.4
	1902	1,058.4	63.6				5.8	5.8	17.4	40.7		208.2	28.9	28.9
	1903	1,045.2	68.5	5.7			5.7	5.7	34.3	22.0		211.3	17.1	28.6
	1904	1,483.7	45.1	5.6	11.3	62.1		5.6		16.0		293.4	28.2	39.5
	1905	1,120.2	61.3	5.6			16.7	16.7	16.7	16.7	27.9	234.1	22.3	44.6
Owen county.....	1901	1,438.0	39.6			6.5	13.2	13.2		33.0		270.5	19.8	52.8
	1902	1,215.8	98.9	6.6		13.2	13.2		6.6	39.5		178.0	6.6	59.3
	1903	1,607.8	46.1		19.8	32.9			26.3			158.1	26.3	32.9
	1904	1,178.2	26.3	6.6		19.7	6.6	6.6	6.6	39.5		177.7	13.2	46.1
	1905	1,118.1	26.3	6.6			13.2	26.3		13.2	6.6	177.6	32.9	52.6
Parke county.....	1901	1,190.4	60.2	8.6		4.3	4.3		17.2	51.6		167.6	12.9	31.4
	1902	1,185.2	29.7	12.7		8.5	4.2	8.5	8.5	29.8		110.5	17.0	34.0
	1903	1,087.8	12.6	4.2	4.2	12.6	16.8	12.6	4.2	16.8		163.8	12.6	42.0
	1904	1,391.2	45.7			71.8	4.4	8.3	4.4			132.9	20.8	58.1
	1905	1,223.8	45.2	12.3			12.3	12.3	16.4	21.6	28.7	143.7	32.9	37.5
Perry county.....	1901	1,428.4	53.1	10.6			10.6	10.6	37.2	53.1		175.2		42.5
	1902	1,355.5	42.4	10.6	10.6			5.3	21.2	10.6		206.5	15.9	47.7
	1903	1,056.0	52.8	10.6	15.8		21.1	10.6	26.4	15.8		174.3	15.8	37.0
	1904	1,453.1	47.4	5.3		42.1	5.3	10.5	42.1	26.3		205.3	26.3	26.3
	1905	1,328.2	36.7	5.2				21.0	10.5	26.2	42.0	215.2	47.2	47.2
Pike county.....	1901	1,726.3	82.2	38.7		9.7		19.3	9.7	38.7		216.6	21.2	43.5
	1902	1,638.4	119.8	14.4		23.9	4.8	62.7	28.7			287.4	28.7	47.9
	1903	1,262.6	80.7	14.2			4.7	14.2	47.5	23.7		180.4	9.5	42.7
	1904	1,683.8	42.3	14.1		32.9	14.1	18.8	9.4	18.8		296.3	37.6	28.2
	1905	1,384.2	46.6	18.6	4.7		4.7	28.0	18.6	32.6	32.6	195.7	14.0	55.9
Porter county.....	1901	1,234.0	15.6	20.7		10.4	5.2	5.2	46.6	51.8		67.4	13.6	57.0
	1902	1,221.7	25.8				5.1	5.1	10.3	10.3		108.3	30.9	56.7
	1903	1,342.8	20.5			20.5	5.1	20.5	15.4	20.5		97.4	10.3	66.6
	1904	1,488.0	20.4			5.1			30.6	45.9		142.7	10.2	66.2
	1905	1,271.9	25.3			10.1	5.1	15.2	10.1	15.2	5.1	96.3	40.5	81.1
Posey county.....	1901	1,944.1	66.9	49.1		22.3	22.3	40.2	26.8	75.8		196.3	26.8	49.1
	1902	1,582.7	102.3	17.8		4.4	31.1	26.7	17.8	8.9		235.6	26.7	26.7
	1903	1,103.1	44.3	13.3			8.9	4.4		22.1		155.0	13.3	44.3
	1904	1,311.1	53.0	4.4		4.4		4.4	17.7	17.7		198.7	26.5	61.8
	1905	1,332.9	22.0	35.2				26.4	35.2	26.4	26.4	180.4	39.6	61.6
Pulaski county.....	1901	1,027.0	27.9	41.9				7.0	21.0	21.0		104.8	7.0	34.9
	1902	996.2	27.4	13.7		13.7		27.4	20.6	6.9		143.9		13.7
	1903	779.9	20.2	6.7		6.7	6.7		13.4	30.2		67.2		20.2
	1904	864.6	19.8			6.6			6.6			79.2	19.8	13.2
	1905	861.8	38.9			6.6		6.5	13.0	13.0	13.0	97.2		71.3
Putnam county.....	1901	1,308.9	42.1			9.3		9.3	4.7	46.7		182.3	18.7	56.1
	1902	1,337.7	56.3			9.4	14.1		9.4	14.1		183.0		51.6
	1903	1,145.1	37.7	9.4	9.4	4.7	4.7		4.7	28.3		174.4	14.1	70.7
	1904	1,433.7	23.7	14.2		28.4		14.2	18.9	18.9		231.9	33.1	52.0
	1905	1,219.5	33.3	4.8				9.5	4.8	14.3	23.8	199.5	19.0	57.0
Randolph county.....	1901	1,358.4	31.3			38.3			3.5	31.3		174.2	38.3	59.2
	1902	1,234.1	38.2	3.5		3.5	7.0	3.5	3.5	10.4		163.4	24.3	38.2
	1903	1,193.4	24.3	6.9	24.3			6.9	3.5	13.9		138.8	24.3	55.5
	1904	1,256.1	38.1			17.3	6.9		10.4	24.2		162.8	24.2	48.5
	1905	1,282.1	24.2	3.5					13.8	17.3	31.1	159.0	20.7	48.4

¹Shown for 1905 only.

SUMMARY AND RATE TABLES.

125

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
4.7		23.6	108.5	47.2	84.9	75.5	108.5	66.1	23.6	56.6		94.4	51.9	184.0	4.7
	13.9	41.8	97.6	83.7	106.9	60.4	97.6	83.7	13.9	120.9		32.5	65.1	83.7	
	4.6	32.0	91.6	82.4	50.4	41.2	55.0	61.1	36.6	57.0		41.2	22.9	103.3	0.2
	4.5	27.1	102.5	99.3	81.3	51.2	85.8	58.7	40.6	63.2		63.2	22.6	112.8	0.0
	17.8	4.4	173.5	93.4	89.0	80.1	120.1	48.9	48.9	84.5	4.4	62.3	44.5	120.1	4.4
3.4	10.2	54.2	132.1	98.2	81.3	37.6	64.3	81.3	20.3	33.9	10.2	54.2	37.3	199.8	6.8
3.4	13.5	23.6	141.6	111.3	67.1	30.1	77.3	91.4	37.1	77.5		50.6	81.3	161.8	6.7
	6.7	33.6	157.7	131.3	47.0	40.3	87.3	63.8	83.9	50.3	10.1	63.8	30.2	151.0	3.3
	23.4	33.4	160.4	127.0	120.3	36.7	63.5	83.5	53.5	53.5	10.0	66.8	46.8	140.3	6.7
	23.3	16.6	156.3	109.6	83.1	33.3	86.5	96.4	53.2	46.6	6.7	43.2	36.6	133.0	3.3
	14.5	19.4	106.6	126.0	116.3	48.4	96.9	82.4	58.1	63.0		29.1	38.8	96.0	9.7
	4.8	9.6	105.7	86.5	48.0	28.8	100.9	33.6	67.3	52.8		19.2	9.6	134.5	9.6
	14.3	147.6	128.6	80.9	28.6	66.6	76.2	76.2	42.8	19.0	4.8	76.2	9.5	123.8	4.8
	23.6	37.8	108.6	155.8	116.3	61.4	85.0	85.0	61.1	14.2	14.2	85.0	42.5	122.7	4.7
	14.0	154.5	173.2	103.0	88.9	81.3	65.5	56.2	84.3	9.4		42.1	23.4	126.4	9.4
	18.8	37.7	75.4	66.0	103.7	81.8	188.5	66.0	56.5	28.3		56.5	66.0	131.9	9.4
	27.8	9.3	83.5	83.5	61.9	37.1	111.3	83.5	83.5	102.1		37.1		139.2	
18.3	18.3	27.4	73.1	118.8	73.1	51.8	51.8	73.1	73.1	18.3		73.1	18.3	109.6	
9.0	63.0	26.6	128.1	81.0	27.0	26.0	45.0	27.0	27.0	9.0		9.0	18.0	117.1	9.0
		26.6	133.1	141.9	53.2	62.1	88.7	62.1	26.6	79.8	8.9	62.1	17.7	62.1	
4.2		29.7	110.4	148.6	55.2	51.0	34.0	68.0	68.0	63.7	8.5	89.2	25.5	157.1	4.2
	25.5	131.5	127.3	25.5	46.7	59.4	76.4	38.2	38.2	50.9		42.4	72.1	169.7	8.5
	8.5	12.7	131.4	173.0	33.9	33.9	72.1	55.1	38.2	21.2	4.2	55.1	25.4	188.7	
	12.7	21.2	141.1	211.5	46.6	67.8	92.4	101.7	72.0	16.9		55.1	21.2	211.8	
	8.5	4.2	144.0	173.6	55.0	16.9	59.3	67.7	67.7	46.6		84.7	12.7	114.3	
		21.3	106.4	85.1	42.5		42.5	85.1	42.5	63.8		63.8	42.5	170.2	
		213.8	171.0	42.8	42.8	21.3	149.6	128.2	128.2			21.4	106.9	128.2	
		128.9	214.8	214.8	85.9	21.5	43.0	85.9	43.0	21.5		171.9	21.5	85.9	
		21.6	151.1	237.5	129.6	21.6	151.1	61.7	61.7	43.2		61.7	21.6	108.0	
		21.7	195.3	65.1	86.8	43.1	65.1	130.2	21.7	21.7		21.7	21.7	173.6	
	5.9	29.3	181.6	46.9	111.3	87.8	93.7	52.7	23.4	46.9	11.7	52.7	70.3	146.4	5.9
		23.1	163.6	57.8	46.3	52.1	37.8	37.8	11.6	98.3		17.4	34.7	104.1	
	11.4	82.7	74.3	68.5	51.4	51.4	68.5	40.0	40.0	68.5	5.7	45.7	22.9	40.0	
	5.6	16.9	95.9	95.9	107.2	73.3	135.1	67.7	39.5	101.6		56.1	45.1	107.3	28.2
5.6	16.7		66.9	89.2	83.6	55.7	50.2	41.6	50.2	41.6		27.9	27.9	94.7	
	19.8	13.2	125.3	46.2	92.4	72.0	118.7	72.6	72.0	98.9	4.5	58.4	39.6	115.1	6.5
	13.2	19.8	151.6	112.1	118.6	22.7	32.7	26.4	26.4	32.7		26.4	32.7	88.9	
	6.6	19.8	131.7	92.2	79.1	13.2	32.9	59.3	79.1	26.3	6.6	39.5	13.2	59.3	
	6.6	13.2	118.2	131.6	151.4	59.2	59.2	39.5	39.5	19.7	19.7	52.6	13.2	79.0	6.6
		19.7	72.3	210.5	98.7	19.7	59.2	78.9	19.7	32.9		46.0	26.3	78.9	
	8.6	25.8	167.6	55.9	77.3	60.1	94.5	64.5	17.2	34.4	8.6	85.9	30.1	94.5	4.3
	12.7	12.7	123.2	89.2	106.2	46.7	97.7	68.0	25.5	119.0	8.5	85.0	25.5	97.7	4.2
	4.2	21.0	88.2	100.8	81.0	25.2	71.4	75.6	25.2	29.1	21.0	115.4	46.2	71.4	4.2
	12.5	58.1	166.1	121.6	99.7	58.1	137.1	66.5	29.1	51.0	8.3	73.9	12.3	112.1	4.1
	8.2	4.1	119.1	127.3	123.2	37.0	94.5	53.4	41.1	37.0		73.9	12.3	106.8	
	5.3	10.6	191.2	74.3	148.7	53.1	95.6	69.0	21.2	85.0		31.9	71.3	138.1	21.2
	5.3	15.9	95.3	95.3	148.2	42.4	90.0	90.0	31.8	63.5		68.8	52.9	169.4	5.3
		15.8	73.9	52.8	42.2	52.8	47.5	105.6	37.0	59.8		42.2	68.7	79.2	5.3
		10.5	89.5	84.3	110.6	79.0	79.0	63.2	42.1	121.1		73.7	57.9	163.2	10.5
		5.2	89.2	115.5	99.7	87.7	89.2	120.7	47.2	42.0		52.5	31.5	120.7	5.2
		33.8	125.7	48.1	207.9	82.2	96.7	87.1	38.7	110.2		82.2	140.2	130.6	
		47.9	62.3	115.0	131.1	100.6	177.3	81.4	19.2	86.2	9.6	62.3	14.4	103.4	14.4
	4.7	57.0	80.7	128.2	66.5	23.7	85.5	52.2	47.5	66.5		61.7	23.7	147.1	
	9.4	32.9	61.2	75.3	103.5	70.6	225.8	75.3	47.0	183.1		75.3	28.2	178.7	4.7
9.3	18.6	37.3	46.6	79.2	111.9	74.6	107.2	97.9	46.6	79.2	9.3	79.2	28.0	97.9	9.3
		5.2	119.2	121.1	103.7	62.2	77.8	98.5	51.8	72.6	5.2	77.8	15.6	114.1	
	10.3	10.3	134.0	103.1	92.8	82.5	61.9	92.8	67.0	92.8		87.7	25.8	97.9	10.3
	20.5	20.5	112.8	161.0	107.7	87.1	66.6	87.1	87.1	25.6	15.4	87.1	25.6	158.9	
	5.1	25.5	178.4	163.0	137.6	81.5	86.6	96.8	81.5	30.6	10.2	71.3	20.4	178.4	
5.1	5.1		162.1	116.5	101.3	106.4	60.8	86.1	30.4	60.8	15.2	81.1	5.1	131.7	
	13.4	80.3	102.6	120.5	178.5	129.4	200.8	116.0	53.5	71.4	13.4		53.5	111.6	17.8
	17.8	31.1	93.4	48.9	115.6	66.7	168.9	102.3	62.2	93.4		80.0	40.0	151.1	13.4
		22.1	70.9	84.2	39.9	41.3	101.9	88.6	53.2	57.6	4.1	88.6	26.6	101.9	13.3
	8.8		106.0	92.7	88.3	75.0	132.4	97.1	53.0	39.7	8.8	39.7	22.1	132.4	4.4
		44.0	83.6	52.8	114.4	61.6	110.0	88.0	48.4	101.2	13.2	66.0	17.6	88.0	17.6
			139.7	69.9	104.8	14.0	97.8	7.0	78.8	69.8		21.0	27.9	118.8	14.0
	6.9	13.7	54.8	51.8	68.5	20.6	68.5	82.2	27.4	82.2	6.9	41.1	102.8	27.4	
		6.7	80.7	67.2	26.9	40.4	13.4	13.4	47.1	67.2		53.8	33.8	107.6	
	6.6	13.2	103.6	79.2	39.6	39.6	59.4	52.8	46.2	46.2	6.6	33.0	39.6	132.0	6.6
		19.4	103.7	45.4	97.2	71.3	58.3	71.3	38.9	6.5		32.4	32.4	32.4	
4.7	14.0	4.7	144.9	112.2	84.2	81.2	60.8	74.8	65.4	70.1	9.3	79.5	18.7	112.2	
4.7	4.7	32.9	84.5	84.5	98.6	51.6	98.6	46.9	51.6	134.9		75.1	61.0	145.5	
	14.1	9.5	59.6	94.3	80.1	37.7	75.4	66.6	37.7	84.8	4.7	42.4	33.0	129.5	
	9.5	9.5	123.0	108.8	80.1	66.3	52.0	89.9	142.0	11.2		61.5	37.0	137.0	
	4.8	9.5	118.8	147.3	95.0	71.3	42.8	42.8	66.5	66.5	4.8	47.5	57.0	109.3	
	10.4	59.2	132.4	97.5	83.6	87.1	115.0	66.2	55.7	56.2	7.0	24.4	38.3	146.3	
	17.4	27.8	132.1	111.3	45.2	76.5	45.2	83.4	38.2	93.9	7.0	24.3	38.2	181.2	
	6.9	17.4	111.0	121.4	78.8	52.0	65.9	93.7	65.9	82.0	13.9	30.0	13.9	142.2	
	13.9	17.3	107.4	138.6	76.2	62.3	65.8	90.0	72.7	51.9	10.4	34.6	31.2	124.6	6.9
	13.8	20.7	183.2	155.5	79.5	44.0	82.9	70.5	48.4	62.2	6.9	44.9	17.3	120.0	3.4

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.													
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Ripley county.....	1901 1,334.4 1902 1,050.7 1903 1,062.9 1904 1,244.2 1905 1,236.0	50.2 40.0 44.9 49.8 19.9	10.0 5.0 14.9 	 5.0 	 15.0 21.9 	 10.0 14.9 	 5.0 	10.0 5.0 39.9 16.0 5.0	60.2 5.0 5.0 39.8 14.9	 19.9 	150.5 145.1 174.6 194.1 143.9	40.1 35.0 20.0 14.9 49.6	35.1 55.0 64.9 29.9 34.7
Rush county.....	1901 1,337.7 1902 1,227.3 1903 1,137.6 1904 1,248.1 1905 1,067.5	24.7 54.0 43.9 43.7 19.3	9.9 4.9 4.9 9.7	 	9.9 9.7 	4.9 4.9 9.8 19.4 	4.9 4.9 4.9 14.0 19.3	4.9 4.9 4.9 14.0 9.7	44.4 9.8 19.5 24.3 38.6	 14.5 	162.9 137.5 107.4 145.7 96.6	29.6 34.4 19.5 29.1 33.8	54.3 68.7 92.8 102.0 58.0
St. Joseph county.....	1901 1,172.0 1902 1,013.4 1903 1,550.6 1904 1,436.1 1905 1,469.4	30.3 25.8 42.6 21.1 41.9	4.3 4.3 4.2 4.2 	 34.3 	 29.8 8.4 	 34.1 33.8 4.2 	8.6 8.6 4.2 16.9 16.7	8.6 21.5 34.1 16.9 8.4	51.9 4.3 17.0 25.3 16.7	 4.3 12.6 	108.1 81.6 145.5 208.7 173.2 163.3	21.6 25.8 34.1 25.3 29.3	26.0 55.8 76.7 101.4 79.5
Scott county.....	1901 1,436.4 1902 1,404.6 1903 1,171.9 1904 1,456.1 1905 1,463.4	35.9 59.5 35.5 47.1 70.2	 11.8 23.4	 	 35.3 	 23.4 	35.9 35.0 11.8 11.7	35.9 35.0 11.8 23.4	83.8 47.6 23.7 82.4 58.5	 23.4 	203.5 214.3 213.1 364.9 292.7	47.9 23.8 11.8 11.8 23.4	50.8 35.7 71.1 47.1 58.5
Shelby county.....	1901 1,312.3 1902 1,367.1 1903 1,264.8 1904 1,349.5 1905 1,303.2	56.4 74.9 52.2 44.6 51.8	7.5 3.7	 3.7 	3.8 22.5 18.6 	 22.5 3.7 3.7 3.7 14.8	 3.7 18.7 7.5 7.4 5.7	22.6 7.5 14.0 18.6 7.4	41.4 15.0 14.9 18.6 55.5	 11.1 	191.7 131.1 145.5 171.0 129.6	15.0 7.5 59.5 22.3 40.7	52.6 56.2 59.7 55.8 62.9
Spencer county.....	1901 1,350.1 1902 1,405.9 1903 907.2 1904 1,139.8 1905 1,177.9	62.4 71.2 48.9 31.1 26.6	17.8 9.9 8.9 4.4	4.4 	22.3 17.8 13.3 8.9	8.9 13.3 17.8 4.4 	31.2 22.2 22.2 8.9 	22.3 26.6 26.6 8.9 	31.2 22.2 17.8 22.1 75.3	 26.6 	227.2 204.7 106.6 221.8 208.1	22.3 4.4 8.9 13.3 8.9	31.2 40.0 26.6 17.3 35.4
Starke county.....	1901 1,368.7 1902 1,149.4 1903 1,153.4 1904 1,011.4 1905 1,144.0	37.3 54.3 52.8 17.1 50.1	27.9 45.3 26.4 25.7 8.4	 8.4 	 8.8 	 8.6 8.4 	 18.6 18.1 17.0 17.1	65.2 27.9 18.1 17.6 34.3	27.9 18.1 17.6 34.3 41.8	 8.4 	111.7 81.4 123.3 77.1 125.3	9.3 8.8 8.6 	65.2 72.4 17.6 25.7 16.7
Steuben county.....	1901 1,111.6 1902 1,080.2 1903 1,133.3 1904 1,140.8 1905 1,289.4	32.1 19.5 19.4 12.9 19.2	 6.5 6.4 	 	 12.9 	 10.3 12.8	 10.3 6.4	 13.0 19.4 19.3 38.5	78.4 13.0 45.3 19.3 38.5	 25.7 	85.0 104.1 97.1 58.0 102.6	6.5 6.5 19.4 12.9 32.1	26.2 104.1 64.8 64.5 89.8
Sullivan county.....	1901 1,567.1 1902 1,267.2 1903 1,067.5 1904 1,511.4 1905 1,553.3	37.9 70.8 29.4 39.8 42.8	11.4 11.2 7.3 10.8 7.1	 3.7 3.7 36.2 32.1	41.6 3.7 3.7 50.6 32.1	 3.7 22.0 10.8 10.7	26.5 34.5 7.3 3.6 42.8	34.1 14.9 22.0 25.3 39.2	41.6 14.9 3.7 7.2 14.3	 24.9 	219.5 160.3 165.2 227.8 160.3	11.4 7.5 18.4 18.1 21.4	45.4 26.1 58.7 50.6 46.3
Switzerland county.....	1901 1,291.1 1902 1,341.2 1903 1,091.2 1904 1,382.6 1905 1,199.5	25.5 31.2 17.2 51.8 17.4	 8.6 8.6 	 8.6 	 8.6 	 8.6 	 17.1 34.4 	 8.5 34.4 	17.0 59.8 25.8 8.6 32.2	25.5 8.5 25.8 8.6 17.4	212.3 179.4 171.9 267.9 199.9	17.0 25.6 68.7 8.6 17.4	84.9 68.3 68.7 86.5 104.3
Tippecanoe county.....	1901 1,187.6 1902 834.1 1903 944.8 1904 1,173.0 1905 1,257.1	24.1 33.5 19.0 9.4 32.7	 9.6 14.1 	 4.7 	14.5 14.1 	 4.8 4.7 9.3 	14.5 4.7 18.8 9.3	9.7 3.8 4.7 33.0 9.3	9.6 9.6 23.7 33.0 0.3	 18.7 	140.0 100.5 147.3 141.3 140.5	24.1 9.6 19.0 9.4 	53.1 28.7 42.8 37.7 74.8
Tipton county.....	1901 1,290.9 1902 1,160.1 1903 1,205.9 1904 1,071.8 1905 1,097.2	83.3 36.2 41.2 25.6 35.7	 5.2 5.2 	 5.2 	5.2 5.2 35.9 5.1	15.6 15.5 10.3 10.2 5.1	10.4 5.2 20.6 10.2 5.1	31.2 5.2 20.6 10.2 	15.6 5.2 5.2 5.1 25.5	 15.3 	140.5 150.2 144.3 123.1 132.7	31.2 51.8 40.4 10.2 10.2	72.9 51.8 46.4 41.0 81.6
Union county.....	1901 1,145.5 1902 1,574.0 1903 1,241.4 1904 1,505.1 1905 1,259.0	14.9 29.9 15.0 45.1 45.3	 15.0 	 	 45.1 	 15.1 45.3 	 14.9 45.0 15.1	 14.9 45.0 15.1	14.9 15.1 15.1 15.1	 13.7 	133.9 149.4 179.9 165.6 120.9	 44.8 30.0 75.3 	 89.6 15.0 15.4
Vanderburg county.....	1901 1,774.2 1902 1,451.4 1903 1,160.4 1904 1,375.8 1905 1,611.6	45.7 29.6 36.0 70.2 6.8	 21.6 13.7	 14.4 	 14.4 	 14.4 14.0 20.5	 14.0 7.0 20.5	 14.0 14.0 41.0	 28.1 47.9 	 13.7 	220.8 148.1 194.6 196.5 198.4	7.6 37.0 36.0 35.1 41.0	45.7 59.2 36.0 28.1 34.2
Vermilion county.....	1901 1,513.4 1902 1,429.3 1903 1,227.8 1904 1,789.7 1905 1,484.5	32.3 44.7 18.9 43.5 36.8	12.9 12.6 18.7 12.3	6.5 18.9 	 38.3 6.3 49.7 6.1	 18.9 12.4 18.4	 12.6 6.3 18.7 12.3	19.4 6.4 6.3 49.7 6.1	116.4 19.1 18.5 18.7 21.5	 36.8 	239.3 172.3 113.3 161.6 171.8	19.4 12.8 18.9 35.7 24.5	38.8 19.1 63.0 37.3 61.3
Vigo county.....	1901 1,223.9 1902 839.7 1903 900.8 1904 1,119.4 1905 1,569.9	42.5 45.4 29.7 47.2 37.4	23.2 3.8 11.1 3.6 31.1	 11.1 	15.4 7.6 11.1 50.9 18.7	3.9 3.8 14.8 14.5 12.5	19.3 15.1 11.1 10.9 12.5	19.3 38.6 18.5 3.6 31.1	30.9 18.6 18.5 10.9 12.5	 24.9 	112.0 98.4 137.2 145.4 155.7	 3.8 11.1 10.2 6.2	15.4 7.6 33.4 37.3 37.4

1 shown for 1905 only.

SUMMARY AND RATE TABLES.

127

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneumonia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
5.0	15.1	50.2	100.3	55.2	110.4	95.3	50.2	75.3	40.1	65.2	20.1	70.2	50.2	165.5	10.0
20.0	25.0	70.1	40.0	70.1	70.1	50.0	80.1	65.1	50.0	80.1	25.0	25.0	35.0	135.1	5.0
5.0	5.0	29.9	101.8	44.9	79.8	39.9	44.9	94.8	29.9	25.0	25.0	51.9	25.0	94.8	
5.0	19.9	19.9	129.4	69.7	109.5	54.7	79.6	89.6	34.8	59.7	74.6	74.6	10.0	99.5	14.9
5.0	19.9	19.9	109.2	119.1	119.1	64.5	24.8	79.4	69.5	41.7	14.9	89.3	29.8	114.2	9.9
34.6	24.7	177.7	69.1	108.6	69.1	69.1	98.8	44.4	64.2	4.9	29.0	64.8	50.3	128.3	4.9
4.9	15.5	157.1	103.1	98.2	98.2	29.5	63.8	54.0	92.3	4.9	63.8	44.2	127.6	127.6	9.8
4.9	19.5	33.7	102.5	136.7	34.2	21.4	53.7	117.2	53.7	24.4	4.9	48.8	9.8	141.6	
4.9	19.4	29.1	136.0	97.1	43.7	43.7	77.7	68.0	43.7	72.8	4.9	77.7	14.6	116.5	4.9
4.8	9.7	125.6	115.9	38.6	29.0	86.9	101.4	53.1	48.3	48.3	48.3	9.7	96.6	96.6	
13.0	21.6	121.1	90.8	73.5	64.9	64.9	90.8	60.6	60.6	8.6	64.9	47.6	121.1	121.1	
8.6	17.2	103.1	124.5	77.3	47.2	47.2	61.4	73.0	34.3	38.6	38.6	12.3	98.8	98.8	4.3
12.8	34.1	217.2	183.1	133.3	72.4	161.8	106.5	93.7	63.0	21.3	70.7	98.0	144.8	144.8	25.5
8.4	21.1	139.4	137.2	80.3	88.7	63.4	97.2	109.8	135.2	4.2	107.6	71.8	160.5	160.5	4.2
25.1	12.6	108.8	134.0	113.0	67.0	129.8	75.4	71.2	100.5	12.6	79.5	46.1	121.4	121.4	
12.0	35.9	47.9	95.8	95.8	81.8	47.9	71.8	59.8		23.9	35.9	59.8	215.5	215.5	12.0
23.8	23.8	107.1	142.9	107.1	81.4	47.6	71.4	47.6	47.6	11.9	35.7	59.5	214.3	214.3	
23.7	130.2	118.4	59.2	59.2	59.2	47.3	47.3	47.3	23.7	11.8	71.1	35.5	130.2	130.2	
11.8	94.2	105.9	105.9	23.5	47.1	25.3	70.6	94.2		70.6	70.6	164.8	164.8	164.8	
11.7	93.7	163.9	81.9	46.8	117.1	70.2	105.4	35.1		46.8	35.1	46.8	164.8	164.8	
11.3	22.6	97.8	94.0	90.2	56.4	94.0	71.4	56.4	86.5	56.4	56.4	56.4	116.6	116.6	11.3
15.0	26.2	127.4	78.7	85.1	63.7	59.9	116.1	48.7	149.8	48.7	48.7	44.3	157.3	157.3	
11.2	7.5	111.9	190.8	74.6	59.7	97.0	74.6	82.1	70.9	14.9	92.9	18.7	138.0	138.0	
3.7	22.3	152.4	118.9	73.0	66.9	48.3	66.9	66.9	55.8	11.1	92.9	18.6	178.4	178.4	3.7
11.1	14.8	85.2	140.7	55.5	74.0	81.4	96.3	48.1	77.7	14.8	55.5	14.8	148.1	148.1	3.7
4.4	22.3	142.6	31.2	75.7	62.4	111.4	66.8	44.6	49.0		17.8	62.4	164.9	164.9	13.4
8.9	17.8	131.5	66.8	80.1	35.6	111.3	133.5	40.0	106.8	8.9	80.1	40.0	133.5	133.5	4.4
4.4	8.9	93.3	57.7	62.2	40.0	57.7	80.0	35.5	31.1	53.3	53.3	102.2	102.2	102.2	
4.4	8.9	93.2	79.0	93.2	31.1	110.9	39.0	26.6	75.4	4.4	48.8	35.5	146.4	146.4	
9.3	35.4	124.0	62.0	48.7	35.4	93.0	62.0	31.0	62.0	4.4	48.7	44.3	101.9	101.9	
18.1	9.3	130.7	83.8	121.1	65.2	149.0	111.7	9.3	27.9	9.3	55.9	74.5	111.7	111.7	27.9
18.1	36.2	63.4	27.2	27.2	72.4	54.3	90.5	36.2	126.7		99.5	81.4	133.9	133.9	
8.6	132.1	114.5	26.4	35.2	140.9	105.7	105.7	35.2	35.2	17.6	96.9	41.0	88.0	88.0	8.6
25.1	77.1	137.2	25.7	77.1	68.6	60.0	60.0	8.6	60.0	17.1	77.1	154.4	154.4	154.4	8.6
25.1	16.7	66.8	83.5	50.1	100.2	83.5	100.2	41.8	16.7	8.4	83.5	50.1	125.3	125.3	8.4
6.5	26.2	137.3	150.4	91.5	26.2	32.7	52.3	13.1	39.2	6.5	65.4	52.3	196.2	196.2	
13.0	26.0	104.1	149.7	81.6	39.1	58.6	78.1	19.5	19.5	6.5	32.6	82.1	110.6	110.6	6.5
12.9	13.0	148.9	142.5	19.4	45.3	58.3	77.7	51.8	38.9	6.5	58.3	38.9	148.9	148.9	6.5
19.2	32.2	167.6	219.2	45.1	51.6	38.7	96.7	32.2	32.2	6.4	45.1	19.3	135.4	135.4	
11.4	12.8	106.8	115.5	12.8	25.7	77.0	131.7	25.7	44.9		83.4	32.1	179.6	179.6	
3.7	41.6	132.5	79.5	113.5	71.9	121.1	109.8	30.3	71.9	3.8	49.2	53.0	204.4	204.4	3.8
3.7	52.2	104.3	67.1	70.8	63.4	100.6	100.6	48.5	44.7	11.2	52.2	37.3	149.1	149.1	11.2
3.6	29.4	96.3	77.1	40.4	25.7	102.8	55.0	40.4	22.0	7.3	58.1	40.4	106.4	106.4	11.0
10.7	43.4	112.1	75.9	79.6	37.9	50.6	89.1	17.9	17.9	25.3	97.6	72.3	122.9	122.9	14.5
25.5	32.1	121.1	142.5	71.3	60.6	121.1	89.1	71.3	92.6	7.1	110.4	49.9	124.7	124.7	7.1
25.5	34.0	118.9	118.9	110.4	68.0	110.4	59.4	34.0	51.0		25.5	34.0	118.9	118.9	
25.6	8.5	145.3	136.7	76.9	42.7	119.6	42.7	34.2	128.2		34.2	25.6	119.6	119.6	
8.6	34.4	94.5	189.0	60.1	51.5	51.5	17.2	51.5	34.4	43.0	51.5	77.4	77.4	77.4	8.6
9.7	25.9	164.2	181.5	86.5	69.1	8.6	34.6	86.5	86.5	8.6	104.3	26.1	86.9	86.9	
9.6	26.1	69.5	156.5	78.2	17.4	17.4	69.5	34.8	78.2	8.7	104.3	26.1	86.9	86.9	
14.2	4.8	107.9	67.6	67.6	67.6	53.1	72.4	48.3	29.0		43.4	62.8	149.6	149.6	
14.2	4.8	95.8	57.4	38.3	76.6	47.9	71.8	43.1	28.7		33.5	19.1	86.2	86.2	9.6
18.7	14.2	128.2	133.0	33.2	42.8	28.5	71.3	23.7	33.2		61.8	33.2	85.5	85.5	
15.6	9.4	131.9	160.2	70.7	75.4	37.7	70.7	56.6	51.8		42.4	37.7	141.3	141.3	4.7
15.6	10.4	102.8	172.9	79.4	56.1	56.1	79.4	42.1	63.4	23.4	74.8	46.7	121.5	121.5	
15.5	20.8	83.3	83.3	57.3	41.6	114.5	78.1	57.3	67.7	10.4	46.9	67.7	140.5	140.5	
10.2	10.4	62.1	57.0	62.1	62.1	62.1	62.1	20.7	119.1	5.2	51.8	51.8	181.3	181.3	5.2
15.5	36.1	77.3	87.6	36.1	61.8	118.5	61.8	25.8	92.8		77.3	46.4	123.6	123.6	
10.2	25.6	97.5	102.7	51.3	66.7	46.2	71.8	46.2	61.6	10.2	56.4	35.9	128.2	128.2	
25.5	5.1	117.4	76.5	35.7	40.8	112.3	81.6	51.0	56.1	15.3	40.8	20.4	107.2	107.2	
14.0	14.9	148.8	133.9	89.2	59.5	44.6	104.1	89.2	29.8		29.8	104.1	104.1	14.9	14.9
44.8	292.1	74.7	89.6	14.9	50.7	74.7	74.7	74.7	50.7	14.9	89.6	149.4	59.7	59.7	
15.0	60.0	161.9	119.9	119.9	15.0	60.0	60.0	89.9	30.0		45.0	60.0	104.9	104.9	
30.1	30.1	225.8	180.6	120.4	45.1	30.1	45.1	90.3	60.2	30.1	15.1	45.1	165.6	165.6	
45.7	15.1	166.2	120.9	30.2	90.7		60.4	151.1		30.2	73.6	15.1	136.0	136.0	
44.4	312.2	121.8	91.4	83.8	83.8	53.3	45.7	76.1	30.1	106.6	83.8	274.1	274.1		
7.2	44.4	192.5	133.3	96.3	71.1	59.2	46.7	133.3	14.8	37.0	71.1	177.7	177.7		
7.2	122.6	122.6	64.9	64.9	64.9	43.2	43.2	43.2	50.5	11.4	93.7	14.4	72.1	72.1	
31.2	168.4	134.4	91.3	56.2	98.3	70.2	63.2	63.2	63.2		49.1	21.0	110.1	110.1	
6.5	301.0	150.5	82.1	41.0	130.0	54.7	47.9	136.8	6.8	102.6	6.8	102.6	102.6	102.6	
6.5	45.3	129.3	64.7	129.3	90.5	71.2	58.2	19.4	97.0	6.5	71.2	97.0	103.5	103.5	25.9

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Wabash county.....	1901	1,250.8	20.5						20.5	35.9		143.5	15.4	46.1
	1902	1,108.4	56.7				5.1		15.5			72.2	10.3	51.5
	1903	1,037.0	25.9	5.2		5.2	20.7	20.7	5.2	20.7		103.7	36.3	36.3
	1904	1,142.0	31.3		5.2	15.6			20.9	31.3		151.2	5.2	62.6
	1905	1,064.7	26.2				5.2	10.5	26.2	10.5	31.5	115.4	5.2	47.2
Warrick county.....	1901	946.3	43.8				8.8		8.8	26.3		43.8	8.8	26.3
	1902	855.5	43.6	8.7					17.5	26.2		96.1	17.5	34.9
	1903	965.5	17.4		8.7					17.4		173.9	8.7	52.2
	1904	1,022.6	17.3	8.7	8.7	8.7				17.3		173.4		26.0
	1905	1,079.4	60.4					25.9	8.6	34.5	8.6	77.7	8.6	51.8
Warriek county.....	1901	1,116.7	102.5	44.6					53.5	57.9		138.1	35.6	57.9
	1902	1,255.3	62.0	8.9	13.3	13.3		13.3	13.3	13.3		195.0	31.0	31.0
	1903	965.6	30.9	13.2			8.8	4.4	22.0			92.6	4.4	17.6
	1904	1,241.4	43.9	21.9	4.4	35.1	17.5	35.1	13.2	8.8		179.8	21.9	57.0
	1905	1,261.2	48.0	8.7			13.1		8.7	43.6	21.8	135.3	21.8	17.5
Washington county.....	1901	1,529.1	77.0	15.4	5.1	15.4		20.5	10.3	41.1		169.3	25.7	77.0
	1902	1,323.7	81.8	5.1		5.1	10.2	15.3	10.2	5.1		189.1	28.6	46.0
	1903	1,018.0	71.2	10.2			5.1		10.2	20.4		117.1	25.4	66.2
	1904	1,100.1	25.3			15.2	5.1	5.1	25.3			157.2	35.5	55.8
	1905	1,282.6	50.5					15.1	25.2	45.4	30.3	196.9	10.1	25.2
Wayne county.....	1901	1,848.8	62.7			9.6			53.1			231.7	19.3	48.3
	1902	1,362.1	48.3	4.8		9.7	9.7	4.8	9.7			135.3	24.2	82.2
	1903	1,181.0	24.2						4.8	29.0		96.8	19.4	38.7
	1904	1,540.7	24.2			4.8	4.8	4.8	24.2			101.8	14.6	106.7
	1905	1,494.8	24.7					4.9	9.9	19.8	4.9	163.3	19.8	60.3
Wells county.....	1901	1,180.1	38.1						16.0	25.4		143.8	8.5	50.8
	1902	977.5	29.4		8.4		12.6		21.0	8.4		142.6	8.4	33.6
	1903	1,156.8	49.9			16.6	12.5	8.3		4.2		149.8	20.8	62.4
	1904	1,114.6	28.9			16.5			12.4	12.4		177.5	8.2	37.2
	1905	1,057.5	32.8					4.1	8.2	12.3	8.2	118.8	12.3	49.1
White county.....	1901	1,057.2	20.6			20.5	5.1	10.3	10.3	46.2		87.2	15.4	61.6
	1902	1,038.7	30.2	10.1					30.2			116.0	10.1	35.3
	1903	872.2	39.6	5.0			5.0	5.0	14.9			168.5	9.9	34.7
	1904	959.0	19.5			9.7	4.9	4.9	14.6	24.4		97.4	9.7	58.5
	1905	1,054.0	62.3				4.8	9.6	4.8	33.5	33.5	76.7	9.6	62.3
Whitley county.....	1901	1,220.8	40.5	5.8			11.6		11.6	17.4		144.6	17.4	57.8
	1902	1,084.7	46.4			5.8		11.6				81.2	11.6	63.8
	1903	1,116.5	23.3			11.6	29.1	17.4	5.8	17.4		116.3		46.5
	1904	1,250.3	58.3			17.5	5.8			17.5		128.2		35.0
	1905	1,040.4	58.5						5.8	5.8	11.7	76.0	17.5	52.6
MAINE RURAL.														
Androscoggin county.....	1901	1,552.0	29.2				1.8	5.5	21.9	42.0		129.6	32.9	82.2
	1902	1,408.5	10.8	1.8		14.5	1.8	1.8	1.8	10.8		141.1	25.3	76.0
	1903	1,343.6	9.0	1.8	10.8	1.8	3.6	14.3	19.7	21.5		98.5	26.9	77.0
	1904	1,504.9	23.1					5.3	19.5	21.3		120.7	30.2	79.9
	1905	1,067.0	22.9	1.8		3.5	1.8	3.5	15.8	26.4	7.0	103.7	36.9	94.9
Aroostook county.....	1901	1,324.0	27.5	1.6			4.8	4.8	33.9	63.1		132.6	21.0	35.6
	1902	1,183.0	19.1			7.9	4.8	4.8	47.6	41.3		92.1	20.6	30.2
	1903	1,217.0	15.6	1.6		17.2	4.7	3.1	37.4	51.5		67.1	14.0	35.9
	1904	1,262.1	46.0			1.5	15.3	27.6	36.8			108.9	24.5	44.5
	1905	1,252.9	21.1			3.0	1.5	1.5	21.1	27.1	12.1	89.0	12.1	36.2
Cumberland county.....	1901	1,681.1	11.8			11.8	3.9	13.8	11.8	51.3		151.9	31.6	98.7
	1902	1,515.2	7.9	5.9		7.9		5.9	9.8	27.5		133.8	15.7	127.9
	1903	1,562.2	31.4			3.9		11.8	23.6	27.5		113.8	21.6	113.8
	1904	1,657.8	17.6			0.8	1.9	5.9	35.2	29.4		144.8	21.5	101.8
	1905	1,631.9	15.6			2.0	2.0	11.7	9.8	48.8	7.8	99.6	42.0	119.1
Franklin county.....	1901	1,479.8	10.8				5.4		5.4	53.8		102.2	21.5	91.5
	1902	1,588.7	5.3		5.3				5.3	5.3		106.8	10.7	122.9
	1903	1,403.1	15.9					15.9	10.6	21.2		116.7	10.6	100.7
	1904	1,615.8	10.5					21.1	5.3			147.4	5.3	100.0
	1905	1,523.7	5.2			15.7		5.2		52.2	20.9	94.0	15.7	94.0
Hancock county.....	1901	1,377.8	13.4	5.4		5.4		10.7	10.7	10.7		155.8	10.7	86.0
	1902	1,276.0	29.5					5.4	5.4	5.4		123.6	10.7	85.9
	1903	1,456.2	16.1	2.7		5.4			2.7	34.9		155.8	18.8	67.2
	1904	1,589.3	10.7	2.7		10.7			13.4	16.1		123.6	2.7	75.2
	1905	1,446.0	13.4			8.1			5.4	32.3	5.4	102.1	32.3	67.2
Kennebec county.....	1901	1,714.7	37.9	2.1		4.2	2.1		18.9	73.6		143.1	27.4	105.2
	1902	1,586.8	35.7	4.2	4.2		2.1	4.2	10.5	16.8		117.5	27.3	91.4
	1903	1,731.0	62.9	2.1			4.2	25.1	23.0	31.4		157.2	23.0	96.4
	1904	1,840.5	16.7			4.2	2.1	2.1	16.7	35.6		140.1	14.6	117.1
	1905	1,772.1	16.7	2.1		4.2		6.3	12.5	48.0	12.5	133.6	16.7	121.1
Knox county.....	1901	1,526.0	27.1	4.5		9.0			4.5	22.6		135.4	36.1	90.3
	1902	1,456.3	13.6	4.5		9.1	4.5		13.6			158.8	36.3	95.3
	1903	1,486.2	18.2	4.6					4.6	59.3		141.3	36.5	45.6
	1904	1,571.4	4.6	9.2		4.6			9.2	4.6		142.0	18.3	82.5
	1905	1,519.3	9.2			23.0			4.6	18.4	4.6	133.5	41.4	105.9
Lincoln county.....	1901	1,677.3	25.7						20.6	61.8		133.8	20.6	102.9
	1902	1,333.1	5.2						20.8	10.4		152.3	15.6	78.1
	1903	1,755.4	21.1	5.3			5.3	10.5	15.8	31.6		158.1	5.3	131.8
	1904	1,574.4	21.4				5.3		16.0	16.0		149.4	10.7	69.4
	1905	1,453.8	5.4						10.8	37.8	5.4	75.7	32.4	91.9

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

129

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	15.4	20.5	153.8	66.7	107.7	61.5	41.0	71.8	46.1	61.5	5.1	61.5	56.4	184.5	15.4
.....	15.5	20.6	144.4	82.5	41.2	61.9	87.6	72.2	51.5	56.7	5.1	61.9	15.5	154.7	25.8
.....	15.6	31.1	108.9	98.5	57.1	51.9	36.3	67.4	98.5	20.7		41.5	31.1	98.5	
.....	10.4	26.1	88.7	99.1	101.3	46.9	31.3	88.7	78.2	41.7	5.2	57.4	10.4	125.1	5.2
5.2	21.0	36.7	131.1	115.4	42.0	31.5	42.0	99.6	42.0	52.4	5.2	73.4	15.7	73.4	
.....	17.5	17.5	105.1	78.8	140.2	70.1	52.6	61.3	8.8	43.8		61.3	17.5	96.4	8.8
.....	8.7	26.2	122.2	69.9	17.5	43.6	43.6	43.6	43.6	26.2	8.7	61.1	17.5	69.9	8.7
.....	8.7		101.4	87.0	26.1	52.2	93.6	101.1	17.4	17.4		43.5	34.8	95.7	
.....	8.7	26.0	78.0	121.4	32.0	60.3	69.3	90.6	60.6	52.0		60.6	17.3	78.0	8.7
8.6	8.6	8.6	95.0	155.4	43.2	34.5	112.3	86.3	77.7	17.3	8.6	60.1	25.9	69.1	
.....	4.4	17.8	138.1	57.9	98.0	44.6	129.2	53.5	31.2	57.9		66.8	44.6	173.7	8.9
.....	4.4	17.7	104.4	62.0	79.8	48.8	115.2	70.9	31.0	97.5		79.8	35.5	133.0	8.9
.....	4.4	17.6	83.8	70.6	88.2	35.3	70.6	57.3	57.3	44.1	4.4	75.0	52.9	101.4	4.4
.....	4.4	17.5	74.6	70.2	96.5	57.0	109.7	100.9	17.5	61.4	4.4	35.1	30.7	136.0	
.....	4.4	17.5	126.6	117.8	117.8	65.5	144.0	65.5	65.5	39.3	4.4	48.0	48.0	78.6	
.....	25.7	5.1	128.3	71.8	236.0	51.3	138.5	112.9	15.4	51.3		92.4	35.9	102.6	5.1
.....	5.1	15.3	127.8	81.8	107.3	71.6	61.3	107.3	40.9	66.5	5.1	46.0	30.7	148.2	15.3
.....	5.1	10.2	101.8	86.5	61.1	35.6	81.4	66.2	30.5	30.5		56.0	15.3	76.3	
.....	10.1	10.1	71.0	136.9	101.4	25.3	86.2	65.9	76.0	30.4		30.4	5.1	106.5	10.1
5.0	10.1	10.1	95.9	146.4	171.7	30.3	80.8	65.6	45.4	45.4	15.1	30.3	20.2	111.1	10.1
.....	14.5	33.8	294.5	178.6	120.7	67.6	62.7	86.9	56.9	101.4	14.5	38.6	43.4	280.0	
.....	10.3	14.5	149.9	120.8	67.7	38.7	48.3	91.8	106.3	87.0	14.5	53.2	53.2	188.5	9.7
.....	4.8	14.5	193.6	111.3	77.5	53.3	67.8	92.0	67.8	29.0	9.7	43.6	14.5	183.9	4.8
4.8	4.8	14.6	205.7	218.1	77.6	29.1	82.4	92.1	101.8	87.3	19.1	43.6	19.4	179.3	4.8
.....	9.9	34.6	321.7	207.9	74.2	14.8	24.7	79.2	79.2	39.6	24.7	59.4	34.6	173.2	
.....	4.2	8.5	80.4	101.5	84.6	67.7	122.6	63.4	71.9	76.1		67.7	59.2	88.8	
.....	4.2	8.4	113.3	54.5	51.5	51.5	33.6	54.5	62.9	75.5	4.2	37.8	58.7	88.1	8.4
.....	4.2	12.5	137.3	71.9	79.1	54.1	74.9	74.9	41.6	74.9	4.2	70.7	29.1	99.9	
.....	4.1	16.5	86.7	78.5	53.7	49.5	74.3	70.2	74.3	49.5	8.2	45.4	37.2	161.0	12.4
.....	12.3	4.1	127.0	77.8	98.3	41.0	110.6	69.6	73.7	45.0	20.5	77.8	8.2	77.8	8.2
.....	10.3	10.3	143.7	51.3	82.1	35.9	51.3	41.0	51.3	35.9		61.6	61.6	133.4	10.3
.....	10.1	5.0	105.9	45.1	50.4	55.5	35.3	80.7	55.5	105.9	5.0	60.5	35.3	121.0	35.3
.....	5.0	24.8	99.4	84.2	44.6	54.5	44.6	49.5	44.6	44.6		69.4	9.9	54.5	
.....	24.4	14.6	77.9	107.2	97.4	14.6	53.6	73.1	31.1	43.9	4.9	63.3	19.5	102.3	14.6
9.6			105.4	131.1	88.3	52.7	67.1	52.7	62.3	28.7	19.2	67.1	14.4	105.4	
.....		23.1	167.8	81.0	75.2	52.1	57.8	52.1	63.6	46.3	17.4	81.0	34.7	138.9	23.1
.....	5.8	29.0	127.6	98.6	75.4	34.8	31.8	98.6	23.2	58.0	17.4	52.2	29.0	168.3	11.6
.....	5.8	40.7	5.8	110.5	58.2	29.1	61.0	81.4	69.8	81.4	5.8	82.4	5.8	81.4	11.6
.....	5.8	23.3	11.7	163.2	209.9	70.0	46.6	70.0	46.6	52.5	5.8	70.0		106.6	11.7
.....	11.7	11.7	146.1	122.7	46.8	29.2	35.1	99.4	81.8	64.3	5.8	58.5	11.7	87.7	
.....	7.3	9.1	69.4	175.3	146.1	120.5	80.3	131.5	74.9	56.6	34.7	20.1	60.2	164.3	9.1
.....	7.2	54.3	188.1	184.5	110.3	85.0	77.8	70.5	74.1	52.4	16.3	47.0	47.5	162.8	19.9
.....	5.4	14.3	43.0	163.0	138.0	96.8	71.7	52.0	84.2	44.8	17.9	41.0	37.6	148.7	16.1
.....	1.8	17.8	53.2	189.9	179.3	95.8	56.8	76.3	81.6	76.3	12.4	74.5	53.2	152.6	16.0
.....	1.8	26.4	29.9	172.3	161.8	153.0	79.1	145.9	116.0	75.6	10.5	73.8	21.6	147.7	14.1
.....	1.6	6.5	30.7	92.2	64.7	71.1	22.6	261.9	51.7	37.2	4.8	35.6	29.1	147.1	97.0
.....	3.2	30.2	85.7	77.8	71.5	36.5	163.6	49.2	34.9	46.1	1.6	44.5	28.6	154.0	76.2
.....	3.1	9.4	23.4	79.6	81.1	51.5	182.5	73.3	28.1	35.9	1.6	39.0	25.0	126.4	131.0
.....	3.1	10.7	16.9	81.3	75.2	64.4	39.9	188.6	46.0	38.3	4.5	38.3	32.2	145.7	102.8
.....	3.0	12.1	19.6	84.4	72.4	87.4	48.2	200.5	63.3	46.7	90.5	58.8	37.7	110.1	90.5
.....	2.0	7.9	25.7	191.4	250.6	126.3	88.8	82.9	55.2	91.7	11.8	65.1	37.5	199.3	17.8
.....	17.7	31.5	192.8	198.8	118.1	84.6	43.3	51.2	86.6	64.9	5.9	64.9	43.3	157.4	7.9
.....	25.5	27.5	194.3	200.2	115.8	53.0	45.1	76.6	101.0	45.1	13.7	78.5	27.5	198.2	9.8
.....	11.7	19.6	197.7	225.1	123.3	82.2	60.7	94.0	76.3	68.5	9.8	70.5	33.3	191.8	23.4
2.0	17.6	23.4	212.8	240.1	83.9	64.4	66.4	72.2	111.3	60.5	13.7	64.4	29.3	201.1	9.8
.....		5.4	134.5	204.5	129.2	64.6	64.6	69.9	86.1	48.4	26.9	48.4	53.8	193.7	59.2
.....	21.4	32.0	113.7	165.6	117.5	69.4	21.4	69.4	85.5	42.7		58.8	26.7	168.6	37.4
.....	15.9	26.5	116.7	153.8	143.2	68.9	47.7	68.9	84.8	58.3	21.2	47.7	84.8	228.0	37.1
.....	26.3	15.8	200.0	184.2	168.4	57.9	42.1	94.7	147.4	36.8	10.5	89.5	36.8	189.5	26.3
.....	26.1	36.6	167.2	167.2	94.0	67.9	57.5	109.7	114.9	67.9	26.1	114.9	31.5	120.2	20.9
.....	2.7	10.7	21.5	158.5	185.3	104.8	48.4	56.4	88.6	72.5	16.1	53.7	40.3	170.0	16.1
.....	16.1	24.2	126.3	163.9	118.2	37.6	40.3	61.8	85.9	40.3	8.0	40.3	45.7	186.0	21.5
.....	8.1	37.6	239.1	171.9	107.5	45.7	56.4	64.5	72.5	45.7	10.7	61.8	48.4	169.3	13.4
.....	5.4	10.7	115.6	172.0	150.5	53.8	45.7	94.1	83.3	48.4	13.4	94.1	24.2	188.1	32.2
.....	13.4	21.5	153.2	182.8	142.5	83.3	88.7	91.4	77.9	56.4	8.1	34.9	43.0	155.9	26.9
.....	16.8	52.9	191.5	166.2	101.5	80.0	75.7	75.7	75.7	18.9	10.5	84.2	71.5	157.8	31.6
.....	12.6	39.9	224.6	176.3	140.6	83.9	58.8	98.6	50.4	42.0		56.7	63.0	197.3	14.7
.....	2.1	4.2	282.5	194.9	90.1	109.9	39.8	97.4	85.8	52.4	8.4	58.7	62.9	169.8	18.9
.....	25.1	35.6	244.7	213.3	156.9	136.0	77.4	89.9	73.2	35.6	18.8	69.0	77.4	219.6	18.8
4.2	16.7	39.7	238.0	238.0	139.8	98.1	56.4	96.0	89.8	58.4	10.4	55.6	50.1	164.9	12.5
.....	4.5	22.6	180.6	194.1	81.3	49.7	36.1	67.7	90.3	31.6	4.5	63.2	54.2	266.4	31.6
.....	9.1	4.5	208.7	208.7	59.0	72.6	36.3	63.5	54.4	27.2		68.1	27.2	254.15	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MAINE RURAL—Continued.													
Oxford county.....	1901 1,672.7	27.8			3.1	9.3		18.5	64.8		114.2	18.5	80.2
	1902 1,734.8	21.5	9.2		6.1		15.4	18.4	52.2		153.5	39.9	92.1
	1903 1,689.4	27.5	3.1		9.2		3.1	6.1	51.9		113.0	21.4	79.4
	1904 1,769.1	36.5	9.1		3.0			15.2	39.5		106.4	18.2	106.4
	1905 1,527.4	9.1	3.0					15.1	39.3	15.1	87.7	51.4	72.6
Penobscot county.....	1901 1,588.4	64.3			5.5	5.5	1.8	20.2	47.8		152.4	31.2	86.3
	1902 1,568.2	33.0	1.8		1.8	5.5		20.2	11.0		117.4	27.5	77.0
	1903 1,702.0	40.3	3.7		9.2		12.8	5.5	14.6		146.6	45.8	102.6
	1904 1,758.6	86.0	1.8	1.8			14.6	31.1	23.8		184.8	31.1	71.4
	1905 1,665.1	23.8	3.7		1.8		14.6	29.2	53.0	11.0	166.3	53.0	73.1
Piscataquis county.....	1901 1,491.4	11.7				5.9		5.9	64.6		117.4	29.4	47.0
	1902 1,379.7	35.1				5.8		5.8	5.8		151.9	29.2	46.7
	1903 1,262.0	29.1	5.8		5.8			5.8	11.7		87.2	5.8	34.9
	1904 1,470.2	46.3					5.8	11.6	28.9		173.7	46.3	98.4
	1905 1,578.5	17.3					5.8		34.6	23.0	115.2	17.3	109.5
Sagadahoc county.....	1901 1,474.5	20.5							20.5		163.8	10.2	122.9
	1902 1,601.4	10.3	10.3				10.3				103.3	20.7	155.0
	1903 1,751.5	41.7					31.3	20.8			135.5	31.3	83.4
	1904 1,515.0	31.6	10.5				10.6	31.6			105.2	21.0	126.3
	1905 1,699.1	31.9	10.6				10.6	21.2	42.5	10.6	85.0	10.6	191.1
Somerset county.....	1901 1,460.1	17.7	2.9		5.9	2.9	2.9	14.7	41.2		135.4	26.5	91.3
	1902 1,583.9	5.9	8.8				11.7	11.7	14.7		158.4	44.0	99.7
	1903 1,613.3	29.2			20.5		8.8	32.1	11.7		140.3	14.6	67.2
	1904 1,695.0	11.6	2.9	2.9	2.9	2.9	8.7	40.8	40.8		183.5	20.4	116.5
	1905 1,636.7	8.7	2.9		11.6		5.8	26.1	40.6	2.9	119.0	20.3	90.0
Waldo county.....	1901 1,670.3	16.8			4.2			8.4			184.7	25.2	75.5
	1902 1,576.4	29.8	8.5		4.3	4.3		12.8	33.6		178.9	21.3	102.3
	1903 1,561.8	8.6			4.3		4.3		17.3		147.1	17.3	86.5
	1904 1,740.1	30.7	4.4				4.4	4.4	30.7		167.0	35.2	52.7
	1905 1,857.1	17.9			4.5		4.5	4.5	22.3	4.5	205.4	17.9	107.1
Washington county.....	1901 1,441.3	15.5	2.2		15.5	4.4	2.2	6.6	28.7		167.8	21.3	70.6
	1902 1,302.3	11.0	2.2			2.2	4.4	6.6	30.8		154.3	24.2	61.7
	1903 1,394.3	26.4					37.4	6.6	24.2		145.2	39.6	79.2
	1904 1,265.8	8.8	2.2	2.2	6.6		4.4	17.6	28.5		138.4	37.3	72.5
	1905 1,497.6	15.3	4.4	4.4	4.4		8.8	11.0	39.5	19.7	155.7	26.3	92.1
York county.....	1901 1,777.5	32.8			2.0	2.0	2.0	10.3	45.1		164.0	30.8	94.3
	1902 1,829.5	59.4	2.0	2.0	6.1	2.0	2.0	28.7	16.4		127.0	24.6	110.6
	1903 1,842.5	43.0	2.0			2.0	20.5	10.2	41.0		106.5	16.4	126.9
	1904 1,785.9	28.6				6.1	2.0	10.2	14.3		147.3	26.6	102.3
	1905 1,850.0	36.8	2.0		8.2	6.1	4.1	14.3	38.8	12.3	116.5	24.5	118.6
MASSACHUSETTS RURAL.													
Barnstable county.....	1901 1,733.8	14.5				3.6	7.2	10.9	14.5		170.1	14.5	86.9
	1902 1,895.9	18.2	3.6				18.2		40.1		185.9	10.9	116.7
	1903 1,895.0	3.7		3.7	7.3		14.7	29.4	36.7		139.6	33.1	157.9
	1904 1,864.6	25.9	3.7		7.4	7.4		14.8	18.5		125.8	18.5	111.0
	1905 1,889.6	14.9			26.1			29.8	44.7		149.1	22.4	115.5
Berkshire county.....	1901 1,445.9	23.3				2.6	2.6	38.9	75.1		103.6	10.4	64.8
	1902 1,365.0	28.5					5.2	13.0	7.8		95.4		69.9
	1903 1,459.5	10.4			12.9	20.7	12.9	12.9	25.9		93.2	12.9	69.9
	1904 1,530.9	7.8		2.6	10.3	5.2	7.8	10.3	49.1		103.4	15.5	87.9
	1905 1,475.7	31.0			5.2	7.8	31.0	18.1	43.9	5.2	124.1	10.3	98.2
Bristol county.....	1901 1,524.1	20.9			9.3	4.7		23.3	39.6		179.2	18.6	100.1
	1902 1,424.4	6.9	2.3		13.8		11.5	11.5	13.8		114.7	13.8	89.5
	1903 1,519.6	18.1	2.3		9.0	20.4	24.9	27.1	24.9		126.6	11.3	67.8
	1904 1,549.9	13.4	6.7		4.5	4.5	4.5	26.8	22.3		149.4	20.1	87.0
	1905 1,526.5	22.0				6.6	8.8	15.4	24.2	15.4	136.4	19.8	110.0
Dukes county.....	1901 1,864.4								21.9		87.7		131.6
	1902 1,667.8	21.9									153.6		131.7
	1903 1,997.8								43.9		109.8		43.9
	1904 2,042.6	43.9							22.0		43.9		131.8
	1905 1,933.6	22.0						22.0	22.0		43.9	22.0	197.8
Essex county.....	1901 1,546.3	21.6	8.6	1.4		2.9	8.6	11.5	41.8		116.7	18.7	93.7
	1902 1,474.8	20.0	2.9	2.9	12.9		7.1	12.9	8.3		122.8	11.3	111.5
	1903 1,530.8	15.6	4.3	1.4	7.1	1.4	14.2	39.7	29.8		126.4	21.3	106.3
	1904 1,477.3	8.4			7.0	8.4	1.4	26.7	18.3		129.3	16.9	104.0
	1905 1,579.7	19.5	1.4			1.4	1.4	19.5	36.3	11.2	138.0	34.9	96.2
Franklin county.....	1901 1,561.0	16.8			9.6	4.8	7.2	12.0	45.6		120.1	16.8	62.4
	1902 1,480.9	4.8			26.1	4.8	16.6	9.5	26.1		97.5	16.6	80.3
	1903 1,590.6	7.1	4.7	2.4	2.4		4.7	16.5	23.5		126.4	11.8	103.8
	1904 1,560.6	16.3	11.6			4.7		21.0	30.3		132.8	23.3	79.2
	1905 1,682.8	4.6			2.3			11.5	43.8	23.1	133.8	34.6	96.9
Hampden county.....	1901 1,588.2	27.1	2.7			8.1	8.1	32.6	57.0		157.5	19.0	65.2
	1902 1,659.1	18.8	2.7		5.4	8.0	2.7	26.8	18.8		128.7	24.1	53.6
	1903 1,597.7	21.2	5.3		42.3	47.6	26.5	29.1	21.2		137.6	26.5	68.8
	1904 1,591.6	18.3	5.2		2.6	5.2	23.5	36.2	36.2		124.4	26.1	81.0
	1905 1,505.0	10.3			2.6			3.2	31.0	7.7	147.1	23.2	62.0
Hampshire county.....	1901 1,531.0	3.1	3.1	3.1		6.2	3.1	31.0	43.4		148.8	15.5	111.6
	1902 1,293.1	12.3			9.2	6.1	15.3	15.3	18.4		92.0	18.4	67.4
	1903 1,370.9	15.2	9.1		12.1		12.1	12.1	24.3		118.3	21.2	30.3
	1904 1,539.4	6.0	6.0		6.0	18.0	6.0	12.0	24.0		108.0	15.0	81.0
	1905 1,414.5	8.9			14.8		3.0	14.8	44.5	17.8	95.0	14.8	77.2

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

131

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	24.7	55.6	191.4	157.4	172.8	83.3	64.8	92.6	67.9	37.0	3.1	95.7	83.3	175.9	27.8
3.1	6.1	30.7	214.9	193.5	150.5	79.8	39.0	111.7	58.3	70.6	12.3	64.5	36.9	234.5	9.2
.....	18.3	42.8	171.1	238.3	151.4	91.7	79.4	58.0	91.7	61.1	18.3	67.2	51.9	235.2	15.3
.....	6.1	30.4	212.8	231.1	106.4	83.1	54.7	97.3	97.3	66.9	12.1	115.5	51.7	218.8	42.6
3.0	13.1	24.2	184.5	223.8	87.7	69.6	81.7	81.7	84.7	57.5	15.1	66.5	51.4	178.4	9.1
.....	1.8	7.3	40.4	187.3	132.2	106.5	75.3	97.3	93.7	53.3	42.3	66.1	71.6	165.3	25.7
1.8	7.3	34.9	166.9	207.3	130.2	69.7	78.9	64.2	77.0	40.4	12.8	66.0	56.9	212.8	34.
3.7	3.7	36.6	164.9	183.2	144.7	75.1	97.1	81.3	71.4	73.3	11.0	91.6	62.3	196.0	22.0
.....	16.5	21.9	177.5	183.0	97.0	97.0	75.0	95.2	78.7	53.1	11.0	97.0	49.4	230.6	29.3
14.6	29.2	162.7	166.3	118.8	87.7	129.8	69.5	69.5	71.3	67.6	7.3	74.9	36.6	182.8	16.5
.....	11.7	29.4	205.5	117.4	111.6	76.3	58.7	82.2	82.2	11.7	29.4	111.6	35.2	187.9	58.7
5.8	23.4	46.7	198.7	111.0	116.9	29.2	35.1	52.6	35.1	58.4	35.1	87.7	35.1	128.6	
5.8	5.8	23.3	244.3	122.1	101.7	34.9	10.7	87.2	87.2	34.9	5.8	81.4	40.7	133.8	23.3
.....	23.2	138.9	138.9	101.2	28.9	17.1	92.6	69.5	46.3	28.9	138.9	28.9	28.9	167.9	28.9
46.1	51.8	149.8	153.5	103.7	97.9	51.8	121.0	51.8	69.1	23.0	69.1	46.1	46.1	218.9	
.....	20.5	41.0	153.6	143.3	122.9	61.4	41.0	122.9	62.2	30.7	10.2	61.4	51.2	163.8	20.5
31.0		20.8	248.0	238.3	113.7	62.0	31.0	72.3	103.3	31.0	10.3	41.3	51.7	237.6	
.....	20.8		208.5	302.1	62.6	62.6	52.1	83.4	177.2	31.3	41.7	41.7	73.0	239.8	10.4
10.5			263.0	147.3	147.3	73.6	21.0	105.2	84.2	42.1		63.1	10.5	189.4	31.6
42.5			244.2	286.7	233.6	53.1	31.9	10.6	138.0	42.5	10.6	21.2	10.6	138.0	21.2
.....	26.5	53.0	167.8	167.8	97.1	70.6	47.1	100.1	44.2	8.8	11.8	44.2	67.7	185.5	26.5
8.8	26.4	181.8	208.2	170.1	67.5	67.5	14.7	61.6	35.2	11.7	70.4	49.9	228.8	29.3	
26.3	5.8	219.2	187.1	163.7	81.8	102.3	76.0	35.1	5.8	73.1	43.9	210.4	29.2		
2.9	32.0	148.5	184.6	177.7	52.4	61.2	99.1	49.5	8.7	90.3	64.1	192.2	35.0		
2.9	11.6	20.1	203.1	182.8	139.3	31.9	87.1	110.3	75.5	72.5	11.6	81.3	37.7	217.6	17.4
.....	12.6	21.0	222.4	268.6	155.3	46.2	33.6	67.1	88.1	16.8	33.6	67.1	54.5	209.8	25.2
8.5	21.3	234.3	174.7	98.0	102.2	34.1	106.5	80.9	21.3	12.8	51.1	46.9	204.5	12.8	
17.3	17.3	216.3	250.9	108.2	43.3	43.3	64.9	116.8	34.6	13.0	60.6	43.3	229.3	17.3	
22.0	13.2	232.9	270.3	145.0	79.1	30.7	105.5	96.7	70.3	8.8	61.5	44.0	210.9	30.7	
8.9	17.9	245.5	290.2	142.9	75.9	31.3	125.0	102.7	62.5	8.9	44.6	49.1	250.0	13.4	
.....	11.0	50.8	161.1	147.9	141.3	75.0	134.6	68.4	48.6	26.5	8.8	39.7	35.3	134.6	19.9
8.8	30.8	193.9	125.6	131.4	39.7	52.9	68.3	66.1	48.5	4.4	50.7	35.3	119.0	26.5	
8.8	30.8	162.8	158.4	110.0	79.2	52.8	59.4	66.0	59.4	6.6	41.8	41.8	138.5	11.0	
2.2	30.8	129.6	169.1	112.0	48.3	41.7	43.0	50.5	68.1	4.4	54.9	46.1	142.7	35.2	
11.0	15.3	157.9	199.5	151.3	57.0	74.5	81.1	70.2	46.0	4.4	46.0	37.3	151.3	17.5	
.....	4.1	16.4	239.9	225.5	143.5	57.4	53.3	90.2	145.6	38.9	8.2	67.7	80.0	155.8	32.8
4.1	22.5	238.4	241.8	108.6	90.2	57.4	120.9	125.0	36.9	20.5	73.8	61.5	180.3	14.3	
4.1	16.4	32.8	270.2	223.2	147.4	79.8	81.9	94.2	126.9	69.6	10.2	73.7	73.7	165.8	4.1
2.0	28.6	32.7	263.9	253.7	143.2	79.8	53.2	73.7	122.8	69.6	14.3	61.4	61.4	163.7	26.6
8.2	24.5	278.0	239.2	128.5	75.6	92.0	79.7	122.7	83.8	16.4	67.5	53.1	194.2	4.1	
.....	3.6	10.9	249.8	246.1	112.2	54.3	61.5	68.8	65.2	36.2	7.2	105.0	97.7	238.9	21.7
7.3	20.2	288.0	258.9	94.8	65.6	62.0	87.5	62.0	43.8	7.3	87.5	98.4	302.6	7.3	
18.4	22.0	275.4	271.8	51.4	110.2	91.8	84.5	124.9	36.7		66.1	95.5	220.4		
25.0	29.0	220.4	292.3	85.1	125.8	96.2	125.8	99.9	66.6	3.7	122.1	37.0	192.4		
22.4	22.4	268.3	268.3	85.7	78.3	93.2	130.4	104.4	48.5	14.9	70.8	37.3	238.5	3.7	
.....	5.2	10.4	180.2	191.3	121.8	62.2	44.1	114.0	59.6	49.2	10.4	70.0	31.1	137.3	5.2
2.6	13.0	160.6	191.7	147.6	85.5	26.3	93.2	57.0	33.7	7.8	80.3	57.0	142.5	2.6	
.....	12.9	23.3	173.4	196.7	137.1	82.8	69.9	75.0	85.4	44.0	20.7	67.3	15.5	178.6	5.2
15.5	12.9	191.4	227.0	108.6	75.0	67.2	95.7	85.3	51.7	10.3	113.8	18.1	150.0	5.2	
2.6	20.7	31.0	134.4	204.2	90.5	82.7	69.8	87.9	51.7	18.1	100.8	15.5	108.5		
.....	11.6	14.0	169.9	197.8	97.7	69.8	56.8	58.2	67.5	72.1	16.3	46.5	37.2	204.8	9.3
2.3	34.4	197.3	162.7	162.7	57.3	64.2	87.2	66.5	87.2	68.8	11.5	61.9	52.8	169.7	2.3
2.3	29.4	15.8	160.6	201.3	108.5	58.8	108.5	70.1	99.5	61.1	9.0	67.8	56.5	137.9	
.....	20.1	11.2	180.6	210.8	111.5	78.1	91.4	37.9	131.6	66.9	17.8	58.0	40.1	124.9	
26.4	26.4	140.8	193.6	114.4	74.8	72.6	66.0	110.0	52.8	11.0	72.6	46.2	158.4	2.2	
.....	21.9	21.9	197.4	285.2	87.7	175.5	43.9	133.5	87.7	65.8		133.5	109.7	219.3	
21.9		65.9	331.3	331.3	87.8	131.7	21.9	43.9	43.9	43.9		87.8	131.7	131.7	21.9
22.0			329.5	329.5	109.8	131.8	65.9	131.8	87.9	43.9	22.0	175.7	43.9	329.5	22.0
22.0			373.5	373.5	43.9	43.9	43.9	175.8	131.8	22.0	22.0	109.9	22.0	197.8	
.....	5.8	18.7	27.4	168.6	214.7	89.3	76.4	47.6	82.1	85.0	15.9	63.4	49.0	188.8	8.6
2.9	12.9	22.9	180.1	210.1	88.6	55.7	68.6	62.9	58.6	58.6	12.9	48.6	32.6	184.6	11.4
2.9	22.7	18.4	191.3	211.2	90.7	62.4	46.8	52.4	75.1	55.3	14.2	77.9	32.6	184.2	
12.7	25.3	174.3	244.6	99.8	66.1	49.2	50.6	80.1	63.3	15.5	56.2	46.4	171.5	1.4	
2.8	23.7	34.9	182.6	280.2	80.2	58.6	87.8	62.7	83.7	66.9	8.4	90.6	33.5	112.9	1.4
.....	16.8	33.6	192.1	109.3	144.1	103.3	62.4	91.3	57.6	52.8	16.8	81.7	69.6	136.0	4.8
2.4	19.0	45.2	147.4	173.5	159.3	78.4	42.8	85.6	76.1	64.2	4.8	78.4	57.0	152.1	4.8
2.4	0.4	37.6	150.6	195.3	112.9	81.7	25.9	68.2	65.9	58.8	4.7	72.9	58.8	171.8	4.7
.....	7.0	34.9	184.0	212.0	135.1	65.4	79.2	62.9	104.8	53.6	9.3	87.5	37.3	156.0	11.6
20.8	36.9	175.3	239.8	124.5	73.8	87.6	91.6	117.6	69.2	20.8	92.2	36.9	140.7	4.6	
.....	2.7	24.4	195.5	122.2	133.0	43.4	95.0	81.4	65.2	81.4	19.0	119.5	67.9	108.6	8.1
5.4	20.6	37.5	206.4	147.4	158.1	69.7	91.1	72.4	93.8	96.5	16.1	64.3	214.4	5.4	
2.6	21.2	55.6	148.2	132.3	100.6	90.0	76.7	63.5	87.3	74.1	13.2	87.3	21.2	166.7	
7.8	39.2	172.5	219.5	125.4	83.6	83.6	112.4	62.7	90.3	88.9	5.2	68.0	23.5	128.1	
2.6	20.7	20.7	170.4	183.9	100.7	69.7	157.5	85.2	80.0	82.6	7.7	105.8	18.1	108.4	
.....	12.4	21.7	216.9	164.3	111.6	93.0	55.8	62.0	37.2	68.2	6.2	52.7	43.4	180.0	18.6
3.1	30.7	153.3	141.0	58.2	67.4	61.3	61.3	85.8	52.1	58.2	3.1	55.2	49.0	180.9	9.2
9.1	21.2	30.3	188.0	179.9	81.9	81.9	51.6	69.8	81.9	72.8	6.1	57.6	39.4	118.6	
3.0	18.0	51.0	201.1	168.0	129.0	94.0	117.0	69.0	78.0	66.0	9.0	75.0	21.0	195.1	3.0
8.9	17.8	29.7	193.0	257.6	101.0	74.2	68.3	39.4	65.3	59.4	20.8	56.4	20.8	109.9	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MASSACHUSETTS RURAL.—Cont'd.													
Middlesex county.....	1901 1,845.8	20.8	6.2	1.0	3.1	6.2	12.5	28.1	28.1		275.7	36.4	95.7
	1902 1,801.1	18.5	2.1	2.1	6.2	2.1	1.0	27.7	9.2		258.3	25.6	95.3
	1903 1,894.3	12.1	3.0		9.1	18.2	6.1	14.1	38.4		273.8	39.4	112.1
	1904 1,907.1	8.0	1.0		1.0	4.0	2.0	18.9	21.9		324.7	34.9	117.5
	1905 2,080.7	8.8	2.0		4.9	2.9	2.0	11.8	35.3	20.6	317.6	42.2	124.7
Nantucket county.....	1901 1,838.8										200.6	66.9	133.7
	1902 2,184.1	33.6						33.6			131.4	33.6	108.0
	1903 1,891.3								67.5		67.5	33.8	67.5
	1904 2,434.0								67.9		101.8	67.9	271.6
	1905 2,252.6							34.1	68.3		136.5		102.4
Norfolk county.....	1901 1,536.2	8.3	7.1		1.2	3.6	3.6	20.1	21.3		140.8	13.0	79.3
	1902 1,334.8	15.1	4.7	2.3	4.7	1.2	9.3	22.1	4.7		146.8	12.8	64.1
	1903 1,484.8	14.9	1.1	1.1	1.1	10.3	10.3	20.6	26.4		127.3	22.9	76.8
	1904 1,474.5	11.3	2.3		3.4	4.5	1.1	10.2	20.3		130.2	14.7	73.4
	1905 1,424.4	12.2	2.2		4.4	3.3	1.1	10.0	26.7	22.2	141.2	18.0	74.5
Plymouth county.....	1901 1,634.8	19.9			1.5	3.1	1.5	29.1	24.5		174.7	9.2	85.8
	1902 1,522.5	10.6		3.0	9.1		19.6	13.6	19.6		122.3	10.6	90.6
	1903 1,511.7	14.9				7.4	1.5	6.0	32.8		143.0	22.3	76.0
	1904 1,483.5	8.8	2.9		7.3	1.5	1.5	13.2	17.6		188.0	10.3	104.3
	1905 1,603.9	18.8	7.2		2.9	5.8	1.4	14.5	37.7	14.5	150.7	23.2	115.9
Suffolk county.....	1901 1,055.0					32.0					127.9	32.0	79.9
	1902 1,131.3				15.5			62.0			93.0		139.5
	1903 1,068.3	45.1					15.0				105.3	15.0	120.4
	1904 979.5	29.2									43.9		87.7
	1905 1,394.2		14.2						14.2	28.4	56.9		71.1
Worcester county.....	1901 1,648.7	17.0	4.6		6.9	11.6	5.4	26.2	45.5		154.2	15.4	64.0
	1902 1,468.2	16.2	6.9	4.6	17.0	9.8	6.9	17.0	6.2		148.2	13.1	62.5
	1903 1,667.5	12.4	2.3		13.1	7.7	13.9	24.0	29.4		113.8	12.4	52.6
	1904 1,642.1	12.4	3.9			6.2	11.6	12.4	26.3		163.4	24.8	77.4
	1905 1,604.2	16.3	3.1		13.2		14.7	14.7	39.5	17.8	146.5	20.2	79.9
MICHIGAN RURAL.													
Alcona county.....	1901 1,107.2	17.6							35.1		87.8	17.6	35.1
	1902 791.1										52.7		
	1903 984.9	35.2					17.6	35.2	17.6		105.5	17.6	35.2
	1904 1,055.6	35.2				17.6	17.6				87.9	17.6	35.2
	1905 1,055.8				17.6	52.8			52.8	17.6	88.0		35.2
Alger county.....	1901 785.5	16.6									82.9	16.6	16.6
	1902 1,193.4	32.2			32.2	16.1		32.2			48.4	32.2	32.2
	1903 1,272.0				15.7		172.7	15.7			125.7	15.7	15.7
	1904 1,132.4	15.3					15.3				76.5	30.6	30.6
	1905 1,208.6									14.9	59.7		
Allegan county.....	1901 1,281.9	12.9	10.3		7.7				64.4		103.0	15.4	64.4
	1902 1,216.5	7.7	10.3		2.6			2.6	20.6		95.1	20.6	56.6
	1903 1,187.2	18.6	7.7		12.8	2.6	15.4	10.3	10.3		59.1	18.0	59.1
	1904 1,440.4	12.8	2.6		7.7	2.6	2.6	2.6	48.8		84.7	12.8	92.4
	1905 1,318.6	30.8	5.1	2.6	2.6	10.3	7.7	7.7	33.3	12.8	82.1	15.4	69.3
Alpena county.....	1901 1,127.4	5.4				5.4		21.5	5.4		85.9	10.7	37.6
	1902 894.7	5.3		5.3		5.3		52.6	10.5		52.6	10.5	42.1
	1903 1,192.3	31.0	5.2			5.2	51.6	15.5	15.5		82.6	5.2	20.6
	1904 1,362.2	10.1	5.1		5.1	116.5	30.4	106.3	30.4		65.8	15.2	60.8
	1905 1,113.2	19.9		9.0		14.9			14.9	19.0	59.0	5.0	59.6
Antrim county.....	1901 1,279.1	30.6	6.1			12.2	6.1	24.5	61.2		61.2	12.2	42.9
	1902 1,042.7	49.7	6.2	6.2		12.4	6.2	12.4			49.7		12.4
	1903 1,158.4	50.4			18.9		12.6		25.2		62.9	6.3	31.5
	1904 1,499.2	31.9			12.8	10.2	19.2	19.2	31.9		57.5	12.8	44.7
	1905 1,564.6	38.9						13.0	51.9	13.0	84.3	25.9	51.0
Arenac county.....	1901 1,210.8		10.1			60.6	10.1	60.6	50.4		20.2	10.1	50.4
	1902 789.9		10.0	10.0							60.0		20.0
	1903 881.7	9.9				9.9	26.7	9.9			49.5	9.9	39.6
	1904 1,207.8	9.8	9.8		9.8	9.8	9.8	39.3	19.6		88.4	19.6	40.1
	1905 924.6			9.7				9.7		9.7	29.2	9.7	29.2
Baraga county.....	1901 1,328.6				221.8			22.1			155.0		
	1902 848.9						63.7				84.9		21.2
	1903 1,160.2	20.4					20.4	20.4			101.8	20.4	20.4
	1904 822.1										137.2	19.6	19.6
	1905 1,490.6	18.9					18.9		18.9		169.8		
Barry county.....	1901 1,196.8	26.8			4.5	8.9	4.5	4.5	67.0		49.1		84.8
	1902 1,198.9	13.5			18.0		4.5		18.0		85.3	9.0	112.2
	1903 1,173.9	13.5	4.5			4.5	13.5	9.0	18.1		72.3	13.5	67.7
	1904 1,398.4	9.1			9.1		22.7	4.5	68.1		77.2	4.5	35.3
	1905 1,232.7	4.6	9.1				4.6	4.6	32.0	13.7	82.2	13.7	59.4
Bay county.....	1901 1,213.3	9.1		4.6		36.5	4.6	27.4	68.4		91.2	27.4	36.5
	1902 954.2	18.0		4.5		9.0		9.0			90.1	4.5	54.0
	1903 1,035.0	8.9	4.4		26.7		8.9	44.4	4.4		62.2	13.3	57.7
	1904 1,047.9	13.1	4.4	8.8		8.8	8.8	18.1	17.5		109.6	4.4	48.2
	1905 1,065.1	17.3			17.3	4.3	17.3	13.0	20.0	8.7	82.2	8.7	34.6
Benzie county.....	1901 1,375.4	10.0				50.2			20.1		150.6	10.0	30.1
	1902 1,055.0				9.8		9.8		9.8		97.7	19.5	29.3
	1903 1,359.7	47.6				19.0	19.0	28.5	9.5		142.7	19.0	28.5
	1904 1,267.5	9.2						37.1			83.4	27.8	64.9
	1905 1,210.9	27.1							18.1	9.6	99.4	18.1	63.3

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

133

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menigitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.0	13.5	25.0	232.0	225.8	132.1	74.9	94.7	57.2	69.7	61.4	9.4	68.7	47.9	218.5	
2.1	23.6	20.5	207.1	244.0	136.3	81.0	74.8	63.6	68.7	65.6	10.3	73.8	74.8	204.0	4.1
1.0	17.2	42.4	195.0	287.9	118.2	75.8	96.0	73.8	73.8	63.6	11.1	80.8	44.5	182.9	4.0
1.0	14.9	22.9	225.1	350.6	104.6	89.6	67.7	75.7	91.6	58.8	12.0	73.7	22.9	160.3	
2.0	23.6	22.6	220.0	387.9	136.5	82.5	85.4	64.8	95.2	51.1	8.8	111.9	27.5	158.1	
.....		66.9	501.5	267.5	33.4	33.4	33.4	100.3	33.4			33.4	133.7	200.6	
.....	33.6	33.6	201.6	470.4		100.8	100.8	100.8	67.2	67.2		134.4	67.2	403.2	
.....		67.5	337.7	472.8	67.5		33.8	135.1	33.8	33.8	33.8	67.5	67.5	301.0	
.....	33.9	33.9	271.6	509.2	67.9	135.8	101.8	169.7	135.8	67.9		169.7	33.9	237.6	
.....	34.1		273.0	546.1	136.5	102.4	68.3	136.5	204.8	34.1		136.5		288.9	
2.4	9.5	37.9	227.2	195.3	117.2	59.2	63.9	73.4	93.5	61.5	10.7	62.7	52.1	165.7	5.9
2.3	18.6	19.8	195.7	186.4	82.7	55.9	46.6	72.2	62.9	61.7	8.2	52.4	41.9	135.1	4.7
4.6	10.3	16.1	207.5	218.8	108.9	78.0	64.5	42.4	57.3	58.5	8.0	59.6	39.0	165.1	1.1
3.4	13.5	15.8	223.5	226.9	98.2	63.2	50.8	67.7	81.3	63.2	9.0	70.0	39.5	141.5	3.4
1.1	18.9	16.7	177.9	246.9	102.3	62.3	76.7	53.4	83.4	33.6	5.6	77.8	26.7	101.2	1.1
.....	8.2	32.2	182.3	220.8	154.7	79.7	59.8	93.5	81.2	49.0	10.7	61.3	52.1	173.1	16.9
1.5	18.1	9.1	199.4	246.2	90.6	77.0	77.0	64.5	61.9	43.8	7.6	51.9	52.9	181.3	19.6
3.0	10.4	16.4	190.6	284.5	98.3	62.6	52.1	89.4	70.0	37.2	8.9	73.0	41.7	162.3	7.4
4.1	13.2	11.8	170.4	237.9	82.3	66.1	58.8	58.8	80.8	42.6	14.7	52.3	36.7	124.4	
2.9	14.5	17.4	175.3	208.0	88.4	72.4	82.6	69.5	91.3	41.9	14.5	79.7	39.1	149.2	1.4
.....		16.0	159.8	127.9	95.9	16.0	32.0	32.0	48.0	32.0	16.0	63.9	48.0	95.9	
.....		15.0	170.5	155.0	139.5	46.5	31.0	15.5	31.0		15.5	31.0	31.0	155.0	
.....	14.6	14.6	117.0	219.3	58.5	29.2	58.5	102.3	58.5	29.2		73.1	43.9	113.7	
.....	14.2	28.4	227.5	213.2	184.8	14.2	99.5	99.5	99.5	28.4		56.9	28.4	113.7	
3.9	12.3	34.7	204.3	190.4	142.6	74.8	77.1	70.9	67.8	66.3	12.3	74.8	59.3	203.5	3.1
2.3	14.7	34.0	217.7	159.8	111.2	71.8	71.8	49.4	71.0	58.7	13.9	56.3	51.7	179.9	4.6
2.3	13.1	37.9	200.2	219.5	138.4	58.8	92.0	66.5	73.4	77.3	17.8	89.7	48.7	216.5	3.9
1.5	24.0	37.2	220.6	209.8	112.3	72.0	84.4	70.5	96.0	73.5	11.6	75.1	27.1	185.1	3.1
2.3	11.6	44.2	198.5	220.2	110.1	70.6	112.4	58.2	67.5	51.9	14.0	80.6	33.3	161.3	1.6
.....			105.5	175.8	175.8	70.3	17.6	35.1	52.7	52.7		17.6	70.3	105.5	35.1
.....	17.6		70.3	35.2	87.9		17.6	17.6	35.2	52.7		87.9	35.2	87.9	
.....	17.6	17.6	70.4	35.2	105.5	52.7	17.6	35.2	52.7	52.7		70.4	17.6	123.1	82.7
.....	35.2	17.6	105.5	70.4	52.8	35.2	35.2	70.4	70.4	35.2		123.1	35.2	175.9	35.2
.....			52.8	140.8	70.4		70.4	140.8		35.2		35.2	35.2	88.0	70.4
.....			16.6	33.1	82.9	99.4	49.7	16.6	82.9	33.1		33.1	66.3	99.4	49.7
.....	16.1		96.8	89.7	112.9	98.8	80.7	80.7	64.5	209.7		209.7	16.1	96.8	
.....		15.7	109.9	31.4	62.8	109.9	141.4	15.7	31.4	78.5		125.7	15.7	109.9	62.8
.....		30.6	45.9	137.7	76.5	122.5	91.8	45.9	15.3	61.2	15.3	122.5	30.6	133.0	15.3
.....		29.8	119.4	149.2	74.6	74.6	164.1	74.6	74.6	89.5	14.9	179.1	14.9	74.6	
.....	5.1	5.1	141.6	180.2	90.1	77.2	46.3	90.1	36.0	41.2	20.6	72.1	43.8	154.4	
.....	15.4	18.0	200.6	151.7	48.8	60.0	23.1	160.3	66.9	25.7	5.1	38.6	23.1	180.3	7.7
.....	15.4	7.7	136.8	154.2	43.7	74.5	48.8	110.5	22.7	12.8		29.7	23.1	159.3	7.7
.....	25.7	20.5	133.5	254.2	79.6	74.5	87.3	123.2	50.1	20.5	10.3	74.5	10.3	179.7	12.8
2.6	18.0	10.3	143.7	169.3	48.7	87.2	77.0	100.0	82.1	33.3	15.4	84.7	28.2	125.7	12.8
.....			102.0	96.6	69.8	112.7	91.3	91.3	26.8	59.1		64.4	37.6	128.8	48.3
.....	16.1	10.7	63.1	52.6	47.4	68.5	57.9	63.1	13.8	89.5		63.1	26.3	100.0	47.4
.....	10.3		113.6	87.7	98.1	118.7	77.4	77.4	56.8	61.9	10.3	92.9	41.3	20.6	
.....	10.1		91.1	76.0	45.6	121.5	60.5	76.0	40.5	65.8	10.1	101.3	30.4	151.9	35.4
.....		5.0	109.0	84.5	54.7	39.8	129.2	94.4	14.9	69.6	5.0	54.7	49.7	124.2	14.9
.....	6.1	12.2	116.3	128.5	91.8	73.4	49.0	24.5	24.5	24.5		140.8	30.6	183.6	18.4
.....		24.8	86.9	86.9	80.7	86.9	55.9	18.6	18.6	6.2		43.4	21.8	245.9	37.2
.....	6.3	31.5	107.0	56.6	37.8	144.8	81.8	25.2	37.8	6.3		107.0	25.2	185.2	12.6
.....	6.4	25.5	108.6	153.3	102.2	140.5	127.8	121.4	25.5	38.3	12.8	70.3	31.9	224.6	31.9
6.5	6.5	97.2	84.3	168.5	58.3	110.2	188.0	84.3	45.4	84.3	13.0	153.6	38.9	155.6	19.4
.....			90.8	70.6	90.8	111.0	100.9	111.0	10.1	89.7	20.2	80.7	10.1	111.0	50.4
.....		10.0	70.0	80.0	139.9	50.0	60.0	40.0	10.0	30.0		70.0	30.0	70.0	30.0
.....			89.2	99.1	59.5	29.7	79.3	39.6	59.5	29.7		49.5	29.7	118.9	39.6
.....			117.8	98.2	88.4	78.6	58.9	108.0	58.9	68.8		39.3		147.3	78.6
9.7	9.7	9.7	68.1	126.5	77.9	87.6	97.3	77.9	9.7	87.6		68.1	29.2	68.1	
.....		22.1	66.4		132.9	66.4	88.6	66.4	44.3			177.2	88.6	66.4	110.7
.....		21.2	84.9	21.2	42.4	42.4	63.7	42.4		42.4		106.2	21.2	148.7	21.2
.....	20.4		40.7	61.1	61.1	40.7	142.6	20.4	20.4	61.1	20.4	81.5	20.4	244.5	40.7
.....			97.9	97.9	78.4	19.6		19.6		39.2	19.6	137.1		117.6	58.8
.....			226.4	94.3	132.1	75.5	113.2	56.6	18.9	56.6		207.5	18.0	132.1	132.1
.....		4.5	169.7	201.0	71.5	49.1	75.9	44.6	26.8	8.9		44.6	22.3	156.3	4.5
.....	18.0	13.5	161.6	202.0	71.8	53.9	82.0	71.8	22.4	13.5		41.9	18.0	125.7	
.....	31.6	18.1	168.1	207.7	63.2	54.2	45.2	90.3	40.6	18.1	4.5	63.2	13.5	141.5	4.5
.....	31.8	13.6	172.5	245.2	72.7	54.5	63.6	95.3	50.0	18.2	18.2	81.7	22.7	158.9	
4.6	22.8	18.3	182.6	246.5	41.1	63.9	59.4	73.0	54.8	27.4	13.7	86.7		114.1	
.....			73.0	104.9	100.3	59.3	136.8	73.0	36.5	27.4	9.1	68.4	45.6	123.1	31.9
.....	18.0		72.0	49.5	81.0	36.0	67.5	58.5	40.3	54.0	9.0	72.0	45.0	130.6	22.5
.....	8.9	8.9	80.0	111.1	46.6	48.9	97.7	31.1	35.3	22.2		80.0	48.9	142.1	22.2
.....	4.4		122.8	109.6	48.2	65.8	70.2	57.0	35.1	61.4	4.4	70.2	39.7	105.2	13.1
.....		26.0	103.9	86.6	43.3	43.3	125.5	73.6	39.0	69.3	21.6	77.9	26.0	121.2	8.7
.....		10.0	140.6	80.3	160.7	100.4	210.9	60.2	30.1	50.2		50.2	40.2	160.6	10.0
.....	19.5	19.5	39.1	78.1	97.7	87.9	58.6	48.8	58.6	48.8	9.8	164.1	29.3	97.7	9.8
.....	9.5		85.6	171.2	66.6	47.6	104.7	114.2	66.6	66.6	38.0	102.0	38.0	161.7	
.....	9.2	9.2	33.4	213.2	81.4	55.6	139.7	33.4	92.1	92.1		102.0	37.1	120.5	
.....	18.1	18.1	98.4	117.5	72.3	81.3	144.6	45.2	45.2	45.2	9.0	126.5	36.1	117.5	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
Benning county	1901	1,359.1	8.1	10.2		2.0	10.2	16.3	14.2	52.8		59.4	12.2	67.1
	1902	1,129.2	20.3			8.1	4.1	14.2		12.2		85.2	10.1	52.8
	1903	1,218.2	22.3	6.1		12.1	2.0	2.0	20.3	26.4		70.8	20.3	70.9
	1904	1,283.7	10.1	6.1		2.0	2.0	2.0	10.1	30.4		95.2	16.2	70.9
	1905	1,258.0	20.2	2.0		2.0		4.0	6.1	12.1	16.2	66.7	26.3	56.6
Branch county	1901	1,394.8	25.5		3.6	3.6		7.3	14.6	94.7		76.5	32.8	91.0
	1902	1,398.3	22.1			14.8		18.4	7.4	48.0		62.7	3.7	73.8
	1903	1,371.9	7.5	11.2	3.7		7.5	7.5	37.4	37.4		78.5	18.7	82.2
	1904	1,447.1	11.4	3.8		3.8				30.6		83.4	11.4	53.0
	1905	1,340.0	7.7				11.5	3.8		44.6	23.0	65.3	15.4	49.9
Cathoon county	1901	1,391.8	35.8	6.5			3.3	3.3	3.3	8.5		58.5	6.5	120.3
	1902	1,372.2	6.5			13.0	6.5	6.5	16.3	6.5		81.3	6.5	71.5
	1903	1,271.5	3.3	3.3			3.3	6.5	22.8	42.3		48.8	9.7	52.0
	1904	1,385.4	9.7		3.3	3.3	3.3	6.5	16.3	26.0		97.6		87.8
	1905	1,378.9	9.8	3.3				3.3		32.5	16.3	91.1	6.5	104.1
Cass county	1901	1,311.4	29.0	9.7				4.8	9.7	58.1		96.8	9.7	48.4
	1902	1,403.1	29.3	4.9		4.9	4.9	14.7	4.9	14.7		102.7	14.7	97.8
	1903	1,338.8	24.7				14.8	5.0	24.7	19.8		74.1	14.8	79.0
	1904	1,402.9	30.0			15.0	5.0		15.0	25.0		99.8	15.0	104.8
	1905	1,463.2	10.1	5.0					10.1	40.4	6.0	90.8	15.1	85.8
Charlevoix county	1901	1,217.7	61.9	6.9			13.8	20.6	27.5	34.4		82.5	6.9	55.0
	1902	1,071.7	6.6				6.6	6.6	26.5	13.2		105.9		72.8
	1903	1,306.0	38.2			6.4		12.7	19.1			114.7	19.1	38.2
	1904	1,333.1	24.6			6.1				18.4		116.8	12.3	67.6
	1905	1,382.1	11.9			5.9		11.9	5.9	5.9	11.9	65.2	23.7	41.5
Cheboygan county	1901	1,250.1	18.8	6.3			31.3	25.1	37.6	31.3		81.5	6.3	43.9
	1902	1,098.5	6.1	12.2	12.2		18.3	6.1	6.1	12.2		42.7		30.5
	1903	1,165.2	5.9					11.9	47.6	5.9		77.3	11.9	41.6
	1904	1,124.3	11.6	5.8				23.2	11.6	5.8		63.7	5.8	34.8
	1905	1,221.0	17.0			5.7	5.7		5.7	5.7	17.0	96.1	22.6	33.9
Chipewaga county	1901	1,058.5	37.1		9.3	9.3	55.7	27.8	18.6	9.3		74.3	9.3	46.4
	1902	1,062.2	65.2				27.9	9.3	37.2	9.3		65.2		27.9
	1903	1,138.9	65.4				28.0		9.3			84.0		28.0
	1904	1,011.0				9.4			18.7			74.9	18.7	9.4
	1905	1,070.0	9.4				9.4		46.9	18.8	37.5	103.2		28.2
Clare county	1901	1,050.5			11.7			11.7	23.3	35.0		58.4	11.7	46.7
	1902	946.0		11.1			11.4	11.4	22.8	11.4		57.0		22.8
	1903	1,113.5							11.1	11.1		100.3	11.1	33.4
	1904	1,186.2	43.5			43.5	43.5	10.9	10.9			76.2	21.8	65.3
	1905	925.9	10.6					21.3	10.6	21.3	10.6	21.3	10.6	63.9
Clinton county	1901	1,339.7	27.8	4.0		4.0	15.9	8.0	35.8	79.5		63.6	19.9	55.7
	1902	1,183.9	35.8	4.0		11.9	4.0	7.9		19.9		63.6	19.9	91.4
	1903	1,230.6	15.9	4.0	7.9			11.9	7.9	43.7		71.4	4.0	83.4
	1904	1,226.8	27.7	4.0				7.9	11.9	39.7		75.4	7.9	67.4
	1905	1,125.8	35.7				4.0			19.8	7.9	79.3	11.9	103.1
Crawford county	1901	851.8	126.2					94.6		31.6		31.6		
	1902	1,388.2	29.4	29.4								58.9		117.7
	1903	1,434.1	55.2				55.2					27.6	27.6	27.6
	1904	1,141.7	26.0				26.0					77.8		26.0
	1905	1,004.4								24.5		24.5		
Delta county	1901	902.7	33.9		13.6	6.8			27.1	13.6		67.9		13.6
	1902	938.2	13.2			39.7	6.6	6.6	13.2			72.7	13.2	33.0
	1903	894.8	25.7		6.4		6.4	12.9	25.7	12.9		77.2		6.4
	1904	1,096.8	25.1				6.3	25.1		12.6		50.2		56.5
	1905	1,132.4	36.7					6.1	49.0	24.5	30.6	42.8	6.1	18.4
Dickinson county	1901	1,344.6	33.1			33.1			22.0	11.0		88.2	11.0	44.1
	1902	1,189.7	10.5			21.1	10.5		42.1	10.5		52.6	10.5	10.5
	1903	1,299.9	30.2				20.1		10.1			60.5	30.2	20.1
	1904	1,065.4							29.0			58.0	9.6	29.0
	1905	1,011.4	9.3			9.3		27.8	27.8	27.8		74.2	27.8	46.4
Eaton county	1901	1,285.5	25.4	6.4		3.2	3.2	3.2	22.3	63.6		57.3	15.9	66.8
	1902	1,282.5	25.3	3.2		16.0	3.2		16.0	22.5		67.4	16.0	60.9
	1903	1,321.6	29.1	3.2		3.2		6.5	6.5	48.5		80.8	12.9	87.2
	1904	1,599.7	22.8			16.3		6.5	13.0	39.1		97.7	6.5	81.4
	1905	1,493.4	19.7					6.6	16.4	59.1	9.8	88.6	16.4	78.8
Emmet county	1901	1,291.0	24.4	6.1	6.1			6.1	18.3	12.2		103.5	6.1	60.9
	1902	1,300.0	23.7						5.9	23.7		106.4	5.9	53.2
	1903	1,453.9	40.2	5.7		28.7		46.0	5.7	23.0		91.9	17.2	69.0
	1904	1,266.7	16.8		5.6	22.3	5.6	5.6	5.6	27.9		100.6	16.8	33.5
	1905	1,447.1	32.6					10.9	10.9	10.9	21.8	97.9	27.2	42.0
Genesee county	1901	1,344.3	10.6	7.1				7.1	3.5	14.2	60.3	60.3	21.3	63.8
	1902	1,236.7	32.0		3.6	3.6			7.1			106.8	3.6	57.0
	1903	1,447.6	17.9			10.7		14.3	25.0	10.7		89.4	10.7	85.8
	1904	1,381.5	17.9	3.6			7.2		10.8	28.7		53.8	21.5	71.8
	1905	1,361.6	32.4	10.8		3.6			21.6	21.6		82.8	18.0	68.4
Gladwin county	1901	904.8	14.1					14.1		28.3		28.3		14.1
	1902	791.4	13.2						26.4	13.2		39.5		39.5
	1903	716.9	12.4							12.4		37.1	12.4	24.7
	1904	651.1	25.3		11.6		11.6	23.3				11.6		11.6
	1905	724.5	11.0						11.0	11.0	11.0	54.8		11.0

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

135

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of di- gestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
2.0	16.3	16.3	201.1	188.9	58.9	52.8	79.2	95.5	50.6	36.6	8.1	75.2	36.6	148.3	10.2
2.0	8.1	14.2	148.2	150.1	52.8	54.8	50.7	71.0	54.8	54.8	8.1	87.3	26.4	125.8	6.1
2.0	12.1	12.1	162.2	152.0	66.9	73.0	83.1	95.3	50.7	40.5	14.2	87.2	22.3	95.3	6.1
2.0	8.1	10.1	170.1	180.2	54.7	46.6	56.7	74.0	64.8	52.7	10.1	125.5	12.1	149.8	22.3
2.0	18.2	14.2	155.7	167.9	46.5	62.7	60.7	89.0	82.9	58.6	18.2	99.1	38.4	126.4	2.0
14.6	18.2	222.2	214.9	47.3	26.4	61.9	98.3	54.6	43.7	7.3	58.3	7.3	160.2	7.4	7.4
18.4	7.4	225.0	230.9	70.1	62.7	48.0	99.6	55.4	29.5	7.4	84.9	7.4	173.4	3.2	3.2
7.5	14.9	127.1	276.6	44.9	59.8	67.3	89.7	44.9	18.7	3.7	74.8	20.0	216.8	3.7	3.7
3.8	15.2	13.2	189.4	299.3	79.5	56.8	56.8	79.5	49.2	45.4	15.2	49.2	37.9	212.1	15.2
3.8	30.7	15.4	192.0	226.5	57.6	53.8	65.3	84.5	53.8	57.6	7.7	65.3	53.8	157.4	3.8
9.8	19.5	169.1	208.1	107.3	78.0	35.8	100.8	35.8	45.5	13.0	81.3	16.2	165.8	9.8	9.8
13.0	9.8	204.9	243.4	87.8	55.3	94.3	94.3	65.0	45.5	6.5	58.5	42.3	149.6	3.2	3.2
22.8	19.5	169.1	204.9	71.5	65.0	58.5	68.3	78.0	29.3	19.5	113.8	16.2	136.6	6.5	6.5
3.3	19.5	162.6	276.4	61.8	78.0	32.5	100.8	36.3	13.0	13.8	13.0	113.8	19.5	136.6	19.5
3.3	6.5	9.8	224.4	233.7	55.3	71.5	58.5	87.8	71.5	32.5	16.3	68.3	52.0	100.8	100.8
4.8	19.4	19.4	188.7	193.5	72.6	48.4	53.2	101.6	72.6	19.4	9.7	48.4	14.5	174.2	4.8
29.3	20.3	180.9	259.1	83.1	48.9	88.0	78.2	24.4	4.9	63.5	34.2	166.2	5.0	5.0	5.0
9.9	9.9	5.0	202.5	207.4	39.5	39.5	88.9	93.9	84.0	14.8	5.0	124.5	14.8	138.3	14.8
10.0	30.0	139.8	229.6	48.9	44.9	61.0	84.9	96.8	44.9	10.0	39.9	39.9	154.8	10.0	10.0
20.2	10.1	211.9	237.1	45.4	75.7	50.5	121.1	131.2	55.5	15.1	60.5	50.5	111.0	5.0	5.0
6.9	6.9	75.7	75.7	34.4	61.9	75.7	55.0	41.3	123.8	6.9	137.6	34.4	144.5	27.5	27.5
6.6	6.6	105.9	99.3	59.5	59.5	52.9	72.8	59.5	26.5	119.1	19.8	99.2	19.8	19.8	19.8
12.7	19.1	102.0	127.4	82.8	127.4	129.9	38.2	51.0	10.1	6.4	133.8	25.5	152.9	6.4	6.4
6.1	6.1	104.4	116.8	55.3	110.6	147.5	73.7	49.1	18.4	18.4	116.6	67.6	165.9	6.1	6.1
5.9	5.9	23.7	148.3	142.4	41.5	83.0	160.2	106.8	29.7	47.5	172.0	23.7	172.0	17.8	17.8
6.3	18.8	131.7	106.6	119.1	62.7	106.6	87.8	12.5	75.2	6.3	94.0	31.3	119.1	18.8	18.8
12.2	30.5	95.7	116.0	97.7	116.0	73.2	73.2	73.2	73.2	5.9	48.8	48.8	146.5	12.2	12.2
7.3	7.3	154.6	53.5	71.3	142.7	53.5	53.5	53.5	59.5	59.5	29.7	142.7	29.7	142.7	29.7
5.8	20.0	46.4	52.1	104.3	81.1	75.3	133.3	46.4	46.4	11.6	110.1	11.6	110.1	23.2	23.2
5.7	17.0	22.6	36.5	118.7	73.5	45.2	141.3	73.5	67.8	107.4	5.7	118.7	39.6	90.4	28.3
9.2	9.2	55.7	92.9	65.0	74.3	46.4	37.1	37.1	37.1	9.3	55.7	37.1	139.3	18.6	18.6
18.6	18.6	83.8	55.9	74.5	111.8	46.6	18.6	18.6	18.6	9.3	102.7	46.7	167.6	27.9	27.9
9.3	9.3	84.0	74.7	74.7	112.9	46.7	28.0	28.0	28.0	9.4	131.0	56.2	131.0	28.1	28.1
9.4	9.4	104.0	81.2	65.5	112.3	28.1	28.1	28.1	28.1	28.1	9.4	56.2	131.0	28.1	28.1
9.4	18.8	75.1	56.3	112.6	65.7	122.0	65.7	56.3	28.2	28.2	84.5	9.4	75.1	37.5	37.5
35.0	93.4	93.4	70.0	70.0	46.7	58.4	70.0	70.0	70.0	11.7	70.0	11.7	116.7	35.0	35.0
11.4	182.3	68.4	34.2	68.4	34.2	68.4	22.8	22.8	22.8	11.4	34.2	11.4	170.9	57.0	57.0
22.3	133.6	100.3	44.5	22.3	100.3	66.8	22.3	33.4	33.4	66.8	55.6	22.3	22.3	21.8	21.8
21.8	87.1	32.6	51.4	65.3	43.5	119.7	57.1	54.4	10.9	57.9	32.6	119.7	57.9	57.9	57.9
10.6	95.8	85.1	53.2	85.1	53.2	85.1	63.9	21.3	10.6	21.3	85.1	21.3	95.8	10.6	10.6
4.0	11.9	178.9	202.7	127.2	43.7	27.8	111.3	51.7	23.8	11.9	43.7	15.9	167.0	4.0	4.0
27.8	11.9	198.6	95.3	39.7	55.6	71.5	47.7	19.9	7.9	55.6	27.8	135.1	4.0	4.0	4.0
15.0	11.9	170.7	202.5	95.3	71.4	47.6	87.3	27.8	39.7	7.9	23.8	31.8	142.9	4.0	4.0
4.0	15.9	170.6	214.2	39.7	51.6	43.6	73.5	43.6	23.8	23.8	63.5	23.8	186.4	4.0	4.0
11.0	11.9	146.7	158.6	51.5	47.6	39.6	115.0	67.4	4.0	7.9	47.6	35.7	111.0	7.9	7.9
94.6	63.1	63.1	94.6	94.6	94.6	94.6	94.6	94.6	94.6	31.6	94.6	31.6	94.6	31.6	31.6
29.4	88.3	147.2	206.0	88.3	147.2	206.0	88.3	147.2	206.0	88.3	147.2	206.0	88.3	147.2	206.0
82.7	110.3	110.3	82.7	110.3	82.7	110.3	82.7	110.3	82.7	110.3	82.7	110.3	82.7	110.3	110.3
129.7	77.8	77.8	129.7	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8	77.8
117.0	49.0	122.5	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0
6.8	54.3	74.6	67.9	54.3	81.5	61.1	27.1	47.5	27.1	47.5	108.6	27.1	81.5	33.9	33.9
13.2	39.7	26.4	39.7	33.0	138.8	72.7	26.4	33.0	33.0	6.6	118.9	26.4	99.1	59.5	59.5
13.2	45.1	32.2	64.4	45.1	96.5	57.9	12.9	70.8	12.9	6.3	131.5	18.8	138.1	87.9	87.9
6.3	62.7	50.2	106.6	62.7	87.9	62.7	18.8	50.2	42.8	18.8	104.1	36.7	85.7	49.0	49.0
12.2	128.5	91.8	49.0	73.5	140.8	85.7	18.4	42.8	18.4	42.8	104.1	36.7	85.7	49.0	49.0
11.0	99.2	99.2	88.2	77.2	253.5	22.0	55.1	55.1	55.1	22.0	299.4	88.2	22.0	22.0	22.0
31.6	52.6	63.2	52.6	84.2	263.3	63.2	94.8	94.8	94.8	170.0	201.6	52.6	170.0	94.8	94.8
20.1	60.5	89.6	50.4	60.5	292.3	30.2	40.3	40.3	40.3	10.1	201.6	20.1	131.0	30.2	30.2
19.3	67.7	86.9	29.0	77.3	193.2	67.7	9.6	67.7	9.6	67.7	144.9	9.6	58.0	19.3	19.3
9.3	37.1	65.0	18.6	102.1	157.8	37.1	46.4	18.6	18.6	18.6	130.0	9.3	92.8	37.1	37.1
9.5	15.9	194.1	167.3	108.2	31.8	38.2	93.5	63.6	22.3	6.4	73.2	12.7	149.5	9.5	9.5
16.0	19.2	170.0	243.7	70.6	64.1	38.5	102.6	48.1	19.2	9.6	48.1	16.0	169.9	3.2	3.2
9.7	25.9	9.7	174.5	206.8	58.2	54.9	87.9	80.8	52.1	10.3	104.2	13.0	175.9	9.8	9.8
13.0	26.0	254.0	228.0	100.9	61.9	55.4	84.7	84.7	52.1	10.3	104.2	13.0	175.9	9.8	9.8
3.3	13.1	29.5	196.9	252.7	105.0	65.6	26.3	118.2	82.1	23.0	9.8	55.8	29.5	177.2	9.8
18.3	30.4	91.3	97.4	127.9	36.5	127.9	91.3	30.4	60.9	6.1	85.2	24.4	194.9	24.4	24.4
5.9	11.8	47.3	147.8	82.8	55.2	94.6	76.9	71.0	88.7	5.9	147.8	23.7	136.0	23.7	23.7
11.5	23.0	115.0	132.2	143.7	86.2	91.9	40.2	57.5	69.0	5.7	132.2	46.0	149.4	23.0	23.0
5.6	11.2	16.8	78.2	61.6	74.6	74.6	111.8	72.6	47.1	11.8	128.5	16.8	184.4	16.8	16.8
5.6	27.2	125.1	168.6	43.5	103.4	163.2	92.5	49.0	92.5	49.0	70.7	70.7	174.1	5.4	5.4
3.5	28.4	7.1	191.5	150.6	102.9	88.7	56.7	74.5	63.8	10.6	70.9	24.8	195.1	10.6	10.6
3.6	21.4	7.1	181.6	170.9	99.7	81.9	32.0	49.8	57.0	14.2	67.6	49.8	181.6	14.2	14.2
10.7	7.1	139.4	250.2	150.1	50.0	25.0	100.1	96.5	10.7	21.4	85.8	39.3	182.3	7.1	7.1
3.6	10.8	3.6	143.5	238.4	107.7	64.6	46.6	82.5	21.5	7.2	78.9	46.0	197.4	3.6	3.6
14.4	7.2	172.9	223.3	64.8	68.4	61.2	122.5	73.6	28.8	10.8	57.6	75.6	111.7	7.2	7.2
28.3	56.6	56.6	70.7	14.1	169.7	113.1	14.1	14.1	14.1	113.1	14.1	14.1	127.3	70.7	70.7
20.4	39.5	52.8	79.1	26.4	103.5	52.8	13.2	26.4	26.4	26.4	52.8	65.9	52.8	52.8	52.8
11.6	11.6	81.4	34.9	46.5	58.2	46.5	23.3	23.3	11.6	23.3	93.0	11.6	93.0	11.6	11.6
11.0	11.0	109.8	76.8	65.9	54.9	43.9	32.9	32.9	43.9	43.9	54.9	22.0	43.9	32.9	32.9

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL--Continued.														
Gogebic county.....	1901	1,592.9	42.3			56.4	28.2		56.4			112.8	14.1	14.1
	1902	1,704.9	41.9				14.0	14.0	111.8	14.0		41.9	14.0	97.8
	1903	1,635.0				13.9	13.9	13.9	69.2	13.9		166.2	13.9	
	1904	1,623.6	27.5				13.7		68.7			68.7	55.0	27.5
	1905	2,043.9	27.3			13.6			27.3	40.9		40.9	13.6	68.1
Grand Traverse county.....	1901	1,381.1	44.3		17.7		44.3	35.4	35.4	53.1		70.8	8.8	44.3
	1902	998.4	17.4				17.4	17.4	26.8			78.2	8.7	34.7
	1903	953.8	25.6			8.5	8.5	8.5	17.0	8.5		76.7	17.0	25.6
	1904	1,337.2	8.3		8.3			25.1	8.3	25.1		100.3		33.4
	1905	1,222.5	32.8			8.2				24.6	24.6	49.2		16.4
Gratiot county.....	1901	1,201.3	33.3	3.3			13.3	6.7	6.7	30.0		73.2	13.3	53.3
	1902	1,161.8	19.9		3.3	9.9		13.2		23.2		69.5	16.5	69.5
	1903	1,142.4	26.3			3.3	3.3	9.9	3.3	26.3		118.5	9.9	62.6
	1904	1,264.1	29.5			13.1	6.5	3.3	9.8	55.7		75.3	13.1	68.8
	1905	1,185.7	19.5		3.3					48.9	9.8	81.4	3.3	74.9
Hillsdale county.....	1901	1,416.7	26.8	6.7		6.7	3.3	3.3		70.4		73.7	16.7	97.1
	1902	1,256.2	43.5	6.7			3.3		6.7	26.8		50.3	6.7	90.5
	1903	1,320.3	26.1	10.0	3.4	10.0		3.4	6.7	26.8		83.3	20.1	63.7
	1904	1,411.0	10.0	10.0		16.7		3.4	14.4	36.9		109.5	20.1	77.1
	1905	1,210.2	20.1		6.7		3.4		10.1	16.8	10.1	73.8	13.4	70.4
Houghton county.....	1901	1,328.8	43.2	1.5			25.3	10.4	17.9	7.4		92.3	20.8	44.6
	1902	1,273.9	16.1		2.9	16.1	16.1	8.8	11.7	2.9		92.2	26.3	64.4
	1903	1,221.8	17.3		1.4	5.8	21.6	31.7	28.8	8.6		102.2	30.2	46.1
	1904	1,299.8	2.8			8.5	46.7	34.0	18.4	7.1		109.0	45.3	62.3
	1905	1,465.9	16.7			13.5	25.1	2.8	26.5	4.2	5.6	112.9	46.0	38.5
Huron county.....	1901	1,094.4	14.5				26.2		11.6	46.6		78.6	11.6	43.7
	1902	975.3	20.2			2.9	11.6	31.8	11.6			86.8	17.4	31.8
	1903	1,047.5	5.7	2.9	5.7	2.9	28.8	20.1	1.7	14.4		72.0	11.5	34.5
	1904	1,018.7	14.3	2.9	2.9	11.4	14.3		25.8	8.6		68.7	11.4	45.8
	1905	1,050.1	14.2		2.8	2.8	5.7	5.7	2.8	31.1	14.2	68.3	14.2	42.7
Ingham county.....	1901	1,337.2	47.1	8.6					12.9	72.9		90.0	17.1	51.4
	1902	1,401.5	30.0	8.6		25.7		4.3	4.3	38.6		47.1	12.9	60.0
	1903	1,238.7	42.9	8.6				4.3	8.6	4.3		85.7	12.9	85.7
	1904	1,067.3	25.7			8.6	4.3	8.6	34.3	55.7		72.9	21.4	85.7
	1905	1,363.1	12.9					4.3	21.4	21.4	8.6	64.3	17.1	94.3
Ionia county.....	1901	1,348.7	23.3	5.8			11.6		34.9	40.7		98.8	11.6	55.2
	1902	1,241.4	23.2	11.6	2.9		8.7		17.4	37.7		72.5	8.7	40.6
	1903	1,201.1	31.8	5.8		2.9	8.7	5.8	14.5			60.8	23.2	81.0
	1904	1,435.3	31.8	5.8			8.7	2.9	2.9	17.3		86.6	14.4	121.3
	1905	1,296.8	25.9	17.3			2.9	2.9	2.9	31.7	28.8	98.0	5.8	80.7
Iosco county.....	1901	1,308.3	19.4				29.1		135.7	19.4		58.1	9.7	77.5
	1902	1,032.7	9.6	28.9	9.6		9.6		28.9	19.3		86.6		57.7
	1903	1,165.7	28.7	19.1	9.6		19.1	28.7	9.6	19.1		114.6	9.6	57.3
	1904	1,081.6	19.0	9.5			19.0	9.5	9.5	19.0		104.4	28.4	47.4
	1905	1,017.5					47.1		9.4	9.4	18.8	56.5	18.8	47.1
Iron county.....	1901	1,170.0	22.3				22.3		89.2	11.1		66.9	11.1	
	1902	960.0	11.2						22.3	11.2		78.1	11.2	22.3
	1903	1,096.0	22.4			11.2				11.2		11.2	11.2	33.5
	1904	974.8	11.2						11.2	22.4		56.0		89.7
	1905	1,380.6	33.7					112.2	22.4		11.2	78.6	11.2	33.7
Isabella county.....	1901	1,047.0	26.0		8.7		8.7	8.7	21.6	34.6		69.2	8.7	26.0
	1902	1,117.6	25.6	4.3		12.8	12.8	21.3	17.1	8.5		76.8	12.8	29.9
	1903	996.8	29.4	4.2			4.2	4.2	16.8	8.4		50.5	21.0	50.5
	1904	970.7	16.6	4.1		16.6		4.1	8.3	8.3		58.1	24.9	58.1
	1905	1,178.6	24.6					4.1	20.5	8.2	8.2	77.8	20.5	24.6
Jackson county.....	1901	1,187.5	13.2	4.4						52.8		70.4	4.4	74.7
	1902	1,257.1	22.3			4.5			4.5	35.7		58.0	8.9	80.2
	1903	1,262.5	18.1	4.5				9.0	4.5	27.1		45.2	13.6	72.3
	1904	1,590.6	9.2		4.6	9.2	4.6		9.2	32.1		55.0	4.6	155.8
	1905	1,357.1	32.5	4.6	23.2		4.6	9.3	4.6	41.8	23.2	74.4		65.1
Kalamazoo county.....	1901	1,349.0	20.1	20.1		35.1	10.0		15.1	45.2		80.3	15.1	55.2
	1902	1,178.2	20.1				5.0		10.0	15.0		55.2	5.0	110.3
	1903	1,267.7	20.0	10.0			5.0			5.0		75.2	15.0	60.1
	1904	1,496.5	10.0	5.0		15.0		5.0	15.0	55.1		70.1	15.0	90.1
	1905	1,295.1	15.0			15.0	5.0	5.0	5.0	15.0	5.0	75.0	5.0	50.0
Kalkaska county.....	1901	1,213.6		13.8		13.8	13.8		96.5	69.0		110.3	27.6	13.8
	1902	1,014.7	13.6	13.6			27.1		27.1	13.6		27.1	13.6	13.6
	1903	1,535.6	26.7						40.1	13.3		80.1	40.1	66.8
	1904	1,275.0			13.1	13.1	13.1	13.1	26.3	13.1		52.6	26.3	65.7
	1905	1,397.9	12.9	12.9			12.9	12.9		38.8		129.4	12.9	25.9
Kent county.....	1901	1,458.5	21.3	2.4				7.1	26.0	61.5		75.6	9.4	61.5
	1902	1,394.3	16.5		4.7		11.8	9.4	2.4	18.8		82.4	25.9	84.8
	1903	1,433.7	23.8				4.7	9.4	11.7	7.0	25.8	103.3	14.1	107.9
	1904	1,613.3	18.7	7.0				4.7	9.4			60.8	18.7	81.8
	1905	1,518.9	30.3		4.7	2.3	2.3		32.6	14.0	28.0	93.2	18.6	93.2
Keweenaw county.....	1901	1,155.3					140.9					28.2	28.2	28.2
	1902	850.3										51.5		47.5
	1903	1,091.9						22.0				153.9		
	1904	980.9												
	1905	1,230.5	20.5			20.5			20.5		20.5	143.5	41.0	61.5

1 Shown for 1905 only.

SUMMARY AND RATE TABLES.

137

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100.00 OF POPULATION—continued.

Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Un- defined causes.	All other causes.	Cause un- known.
.....	14.1	28.2	112.8	98.6	98.6	109.2	239.6	14.1		141.0		197.3	70.5	70.5	14.1
.....	27.9	14.0	83.8	41.9	139.8	206.6	223.6	55.9	27.9	223.6		223.6	14.0	69.9	
.....		13.9	83.1	13.9	27.7	83.1	193.9	110.8		152.4	13.9	374.1	97.0	124.7	27.7
.....		68.7	274.8	82.4	96.2	123.7	137.4	96.2	13.7	206.1	27.5	192.3	68.7	178.6	96.2
.....	13.6	13.6	149.9	81.8	122.6	95.4	272.5	68.1	40.9	150.0	27.3	436.0	81.8	177.1	81.8
.....	8.8	17.7	97.4	132.8	53.1	44.3	141.6	97.4	79.7	26.6		97.4	62.0	168.2	
.....	26.0	17.4	104.2	147.6	69.4	43.4	69.4	69.4	17.4	43.4		17.4	26.0	130.2	17.4
.....		8.5	102.2	85.2	76.7	25.6	59.6	42.6	68.1	59.6	17.0	68.1	17.0	119.2	8.5
.....	41.8	16.7	133.7	290.6	41.8	75.2	150.5	75.2	33.4	25.1	16.7	108.7	41.8	142.1	25.1
.....			147.7	139.5	57.4	82.0	147.7	90.3	49.2	24.6	8.2	57.4	32.8	229.7	
3.3	16.6	26.6	129.8	146.5	126.5	66.5	66.5	63.2	33.3	23.3	6.7	66.5	39.9	153.0	
3.3	23.2	16.5	165.5	162.2	56.3	39.7	59.6	79.5	33.1	43.0	16.5	53.0	23.2	158.9	3.3
3.3	9.9	26.3	141.6	131.7	79.0	49.4	36.2	88.9	49.4	32.9	3.3	49.4	23.0	154.7	
3.3	13.1	19.6	117.9	206.3	72.1	49.1	62.2	88.5	49.1	49.1	9.8	62.2	39.3	147.4	
.....	9.8	13.0	13.0	172.6	71.7	65.2	71.7	81.4	65.2	45.6	9.8	42.3	19.5	140.1	6.5
.....	16.7	26.8	231.1	217.7	107.2	46.9	53.6	87.1	70.3	10.0	10.0	43.6	23.5	167.5	
.....	23.4	6.7	157.5	237.9	60.3	36.8	43.5	93.8	83.8	23.4	13.4	83.8	26.8	130.6	
3.4	20.1	6.7	177.6	271.4	83.8	50.3	36.8	80.4	70.4	20.1	23.4	53.6	23.4	157.5	
3.4	36.9	10.0	207.8	241.3	70.4	53.6	107.2	107.2	63.7	20.1	3.4	63.7	30.2	164.2	6.7
3.4	16.8	13.4	160.9	238.0	33.5	50.2	50.3	97.2	46.9	53.6	6.7	50.3	40.2	134.1	10.1
1.5	10.4	22.3	101.2	99.7	81.8	98.2	160.7	59.5	25.3	77.4	8.9	175.6	32.7	92.3	17.9
.....	13.8	16.1	99.5	97.3	93.7	98.0	178.5	71.7	28.0	99.5	5.9	158.0	35.1	120.0	21.9
.....	4.2	31.7	76.3	79.2	89.2	106.5	107.9	61.9	53.2	60.4	1.4	126.6	27.3	77.7	23.0
.....	7.0	30.7	94.8	86.4	94.9	110.5	295.1	46.7	53.8	69.4	4.2	148.7	17.0	103.4	18.4
.....					83.6	83.6	66.7	71.1	46.0	93.4	7.0	146.3	36.2	112.9	23.7
2.9	11.6	5.8	101.9	55.3	78.6	81.5	69.9	84.4	43.7	34.9	8.7	49.5	17.5	154.3	61.1
.....	23.2	14.5	92.6	104.2	75.2	69.5	57.9	55.0	31.8	28.9	14.5	46.3	11.6	95.5	40.5
5.7	2.9	14.4	92.1	89.2	57.6	66.2	95.0	60.4	40.3	23.8	17.3	60.4	20.1	123.7	43.2
.....	2.9	11.4	80.1	134.5	42.9	42.9	57.2	57.2	54.4	57.2	5.7	57.2	5.7	123.9	34.3
.....	2.8	8.5	88.2	116.7	54.1	42.7	76.8	82.5	59.8	37.0	5.7	37.0	22.8	179.3	28.5
4.3	8.6		205.7	233.7	94.3	47.1	25.7	107.2	60.0	8.6		25.7	42.9	167.1	4.3
.....	17.1	30.0	188.6	232.9	107.1	47.1	68.6	68.6	68.6	30.0	17.1	34.3	25.7	210.0	4.3
8.6	17.1	8.6	154.3	171.4	81.4	72.9	34.3	94.3	60.0	21.4		64.3	21.4	158.6	
4.3	60.0	12.9	210.0	222.9	120.0	64.3	42.9	141.4	90.0	30.0	25.7	85.7	17.1	232.9	
.....	17.1	25.7	197.2	237.2	38.6	77.2	51.4	115.7	51.4	30.0	17.1	77.2	38.6	150.0	4.3
5.8	14.5	8.7	197.7	206.4	72.7	75.6	53.2	75.6	43.6	40.7	20.3	61.0	23.3	162.8	2.0
.....	5.8	11.6	174.1	223.4	60.9	31.8	58.0	75.4	60.9	34.8	8.7	72.5	37.7	156.6	
2.9	11.6	8.7	188.1	196.8	52.1	57.9	52.1	107.1	60.8	28.9		34.7	31.8	121.5	8.7
5.8	23.1	5.8	210.8	207.9	104.0	60.6	49.1	135.8	63.5	23.1	14.4	69.3	23.1	135.7	11.6
5.8	14.4	5.8	207.5	167.1	72.0	69.2	43.2	89.3	37.5	28.8	5.8	72.0	43.2	129.7	8.6
.....	29.1	29.1	116.3	38.8	106.6	87.2	48.4	87.2	48.4	19.4	9.7	155.0	19.4	145.4	19.4
.....	9.6	38.5	67.4	86.6	77.0	38.5	38.5	57.7	9.6	105.9		57.7	9.6	105.9	
.....		9.6	95.5	57.3	76.4	57.3	86.0	124.2	47.8	38.2	38.2	76.4	47.8	86.0	
.....		9.4	38.0	75.9	85.4	38.0	91.9	75.9	28.4	56.0		75.9	28.4	189.7	19.0
.....	9.4	9.4	56.5	131.9	37.7	37.7	113.1	56.5	28.3	47.1		84.8	66.0	131.9	
.....		11.1	33.4	22.3	55.7	66.9	133.7	89.2	11.1	55.7	22.3	256.3	55.7	122.6	11.1
.....			67.0	33.5	111.6	89.3	122.8	11.2				234.4	44.6	33.5	
.....			55.0	38.5	134.2	123.0	44.7	22.4	89.5	11.2	246.0	11.2	67.1	44.7	
.....		11.2	33.6	22.4	22.4	123.3	112.0	56.0	89.7	22.4		190.5	22.4	56.0	22.4
.....			67.3	33.7	56.1	112.2	112.2	89.8	78.6			314.3	44.9	89.8	67.3
.....	13.0	21.6	73.5	73.5	51.9	56.2	121.1	82.2	47.6	47.6		30.3	13.0	164.4	38.9
.....	21.3	17.1	89.6	123.7	81.0	34.1	59.7	123.7	68.3	42.7	8.5	81.0	21.3	115.2	8.5
.....	4.2	12.6	109.4	92.5	50.5	63.1	46.3	84.1	63.1	33.7	16.8	44.3	21.0	151.4	12.6
.....	20.7	8.3	99.6	83.0	78.8	41.5	53.9	70.5	58.1	24.9	4.1	58.1	16.6	132.8	20.7
.....	4.1	8.2	110.5	155.5	73.7	53.2	69.6	106.4	106.4	49.1	12.3	73.7	28.6	122.8	16.4
8.8	13.2	17.6	158.3	158.3	79.2	61.6	44.0	66.0	74.7	22.0	13.2	57.2	30.8	158.3	4.4
4.5	8.9	17.8	147.1	173.8	66.9	53.5	102.5	71.3	71.3	40.1	8.9	89.2	31.2	196.1	4.5
.....	13.6	18.1	198.8	234.1	63.3	54.2	49.7	58.8	90.4	18.1	9.0	99.4	22.6	144.6	4.5
.....	18.3	4.6	236.6	229.1	114.6	91.6	32.1	96.2	64.1	36.7	13.7	82.5	27.5	105.0	13.7
.....	18.6	9.3	181.3	195.2	69.4	79.0	65.1	79.0	37.2	18.6	13.9	69.7	55.8	181.3	9.3
.....	5.0	10.0	215.9	175.6	75.3	80.3	40.1	70.3	65.2	25.1	10.0	80.3	15.1	175.6	
5.0	5.0	5.0	165.5	205.6	50.1	45.1	50.1	85.2	55.2	15.0	10.0	100.3	15.0	145.4	5.0
.....	5.0	25.1	195.4	245.5	95.2	100.2	35.1	125.3	60.1	25.1	20.0	60.1	5.0	160.3	20.0
.....	10.0	10.0	135.1	335.3	105.1	65.1	60.1	70.1	80.1	30.0	20.0	75.1	20.0	195.2	5.0
5.0	5.0	15.0	220.0	200.0	85.0	60.0	80.0	85.0	50.0	20.0	5.0	95.0	55.0	115.0	
.....			124.1	69.0	82.7	96.5	110.3	110.3	13.8	27.6	13.8	55.2		82.7	13.8
.....	13.6		108.5	81.4	67.8	108.5	67.8	54.3	40.7	51.3		67.8	15.6	176.4	
.....			120.2	160.2	66.8	120.2	213.6	40.1	80.1	53.4		173.6	66.8	146.8	26.7
.....		52.6	131.5	131.5	65.7	119.3	105.2	105.2	52.6	52.6	13.1	105.2	13.1	78.9	13.1
.....	12.0	38.8	116.5	116.5	77.7	64.7	129.4	51.8	103.5	64.7		181.2	25.9	103.5	51.8
.....	14.2	16.5	191.5	196.2	125.3	70.9	70.9	70.9	99.3	23.6	14.2	54.4	30.7	210.4	4.7
.....	14.1	21.2	207.3	193.1	73.0	58.9	65.9	70.7	73.0	37.7	7.1	82.4	33.0	195.5	4.7
.....	9.4	4.7	192.4	258.1	42.2	89.2	49.3	89.2	61.0	18.8		86.8	30.5	176.0	2.3
2.3	16.4	25.7	231.5	250.2	93.5	91.2	79.5	100.5	88.8	35.1	11.7	93.5	35.1	226.8	9.4
.....	23.3	25.6	146.8	207.3	79.2	79.2	79.2	102.5	97.8	46.6	21.0	46.6	44.3	198.0	2.3
.....	28.2	28.2	169.1	56.3	28.2	56.3	112.7	84.5		28.2		112.7		197.2	28.2
.....	51.5	25.8	103.1		51.5	128.8	151.6	25.8	25.8			106.1		128.8	
.....		23.7	118.7	71.2	47.5	166.1	237.4	71.2		47.5		94.9		118.7	
.....		22.0	88.0	44.0	88.0	44.0	176.0	22.0	44.0	44.0		176.0	44.0	44.0	22.0
.....		20.5	102.5	41.0	61.5	41.0	225.5	82.0		184.5	20.5	102.5	20.5	20.5	

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL--Continued														
Lake county.....	1901	1,167.7	40.3							40.3		80.5		40.3
	1902	944.3	20.1	20.1					20.1			60.2		80.2
	1903	1,022.4												
	1904	1,200.2	40.0	20.0			40.0		20.0	60.0		100.0		60.0
	1905	1,177.9	39.9	20.0		119.8			20.0			20.0		
Lapeer county.....	1901	1,513.1	40.0				3.6	3.6	50.9	69.1		105.5	21.8	61.9
	1902	1,371.3	25.6	11.0		18.3	11.0	14.6	25.6	29.2		43.9	11.0	65.8
	1903	1,297.9	25.7				14.7	14.7	3.7	14.7		40.1	25.7	58.8
	1904	1,549.0	14.8	3.7	3.7		7.4		11.1	14.8		70.2	3.7	73.9
	1905	1,423.6	18.6	3.7		7.4	3.7		7.4	33.5	7.4	63.2	18.6	63.2
Leelanau county.....	1901	1,148.5	9.4					18.8	9.4	28.2		56.5		75.3
	1902	1,094.4					9.4	28.0	9.4	18.7		93.5	9.4	9.4
	1903	1,208.4	9.3			18.6		9.3	9.3	18.6		102.2		55.8
	1904	1,330.1					9.2			27.7		138.5		64.7
	1905	1,294.4	9.2						36.7	9.2	9.2	73.4		36.7
Lenawee county.....	1901	1,455.4	37.0	12.1	2.0		6.2	4.1	10.3	76.2		98.8	10.3	100.9
	1902	1,306.6	32.8	10.2		2.1	6.2	12.3	8.2	45.1		92.3	24.6	80.0
	1903	1,349.0	16.4			2.0	2.0	8.2	8.2	40.9		75.6	26.6	79.7
	1904	1,425.7	28.5			10.2	6.1	6.1	18.3	44.9		77.4	8.1	77.4
	1905	1,382.2	8.1	6.1			2.0	12.2	8.1	52.8	10.1	54.8	16.2	85.2
Livingston county.....	1901	1,303.4	41.2	5.2					10.3	72.1		87.6	15.4	82.4
	1902	1,174.5	5.2				5.2	5.2	10.4	15.7		88.7	15.7	78.3
	1903	1,423.1	21.2			5.3	10.6	5.3	5.3	24.2		80.9	10.6	81.6
	1904	1,421.0	48.3			5.4	10.7		16.1	37.5		59.0	16.1	91.2
	1905	1,288.3	43.5	5.4			5.4		27.2	65.2	10.9	70.7	10.9	92.4
Luce county.....	1901	1,340.8	31.2									62.3		31.2
	1902	1,864.8		29.1		58.3	29.1					145.7		58.3
	1903	2,707.1	82.0			82.0		27.3		27.3		164.1		54.7
	1904	1,571.4	77.3			25.7						77.3		
	1905	2,289.3	24.4							73.1	24.4	97.4	24.4	24.4
Mackinac county.....	1901	1,046.1	25.5						12.8	25.5		140.3		12.8
	1902	1,010.7						12.5				125.4	12.5	12.5
	1903	1,850.7	12.3		12.3					24.7		123.3	21.7	37.0
	1904	1,200.4	24.3		12.1				24.3	12.1		121.2		
	1905	1,145.2	23.9							11.9		178.9	11.9	11.9
Macomb county.....	1901	1,457.5	36.1	6.0		3.0	27.1	9.0	21.1	45.2		108.4	3.0	60.2
	1902	1,404.8	21.1	9.0	6.0	18.1	45.2	12.1	18.1	9.0		90.5	9.0	69.3
	1903	1,261.6	3.0		3.0		30.2	18.1	33.2	15.1		54.3	15.1	102.6
	1904	1,355.0	18.1	6.0		9.1	9.1		21.1	18.1		108.8	30.2	75.5
	1905	1,261.4	33.3	6.0		6.0			12.1	6.0	12.1	60.6	18.2	87.7
Manistee county.....	1901	1,116.1	21.7	7.2			25.3		14.4	25.3		57.8	7.2	65.0
	1902	1,133.9	25.4				10.9	10.9	14.5	3.6		87.2	14.5	54.5
	1903	1,188.6	32.9				11.0	11.0	18.3	11.0		76.8	11.0	91.4
	1904	1,148.2	33.1	3.7			7.4		22.1	18.4		62.5	7.4	33.1
	1905	1,411.0	40.7	3.7		3.7	3.7		51.8	22.2	18.5	133.3	7.4	55.5
Marquette county.....	1901	1,247.5	16.8		5.6	5.6	5.6		67.1	5.6		67.1	16.8	16.8
	1902	1,071.5	56.1			5.6	11.2		61.7	11.2		67.3	28.1	39.3
	1903	1,282.7	28.1		5.6	5.6	22.5	50.6	45.0	11.3		90.0	11.3	61.9
	1904	1,100.3	33.9			5.6	11.3	11.3	5.6	5.6		56.4	5.6	50.8
	1905	1,284.6	11.3		5.7	5.7	5.7	34.0		5.7		101.9	22.6	50.9
Mason county.....	1901	1,342.8	21.5	5.2			5.2			31.5		120.7	15.7	41.9
	1902	950.8	20.8		5.2	5.2	20.8	20.8	5.2	10.4		72.7	26.0	36.4
	1903	926.5	15.4	5.1			5.1	15.4				72.1	5.1	41.2
	1904	1,214.4	10.2				5.1	5.1	20.4	61.2		102.0	15.3	35.7
	1905	1,331.1	15.2	5.1		5.1	5.1		50.5		25.3	85.9	5.1	40.4
Mecosta county.....	1901	1,336.6	24.3	9.7				9.7	4.9	72.9		63.2	19.4	34.0
	1902	1,090.2	29.3	4.9	4.9		4.9		14.6	19.6		78.2	14.7	44.0
	1903	1,304.7	14.8	6.8		9.8		4.9	0.8	14.8		93.5	14.8	73.8
	1904	1,370.2	44.5	4.9			9.9		29.7	54.4		59.4	14.8	59.4
	1905	1,383.3	24.9	19.9	5.0	5.0	5.0		24.9	34.8	10.0	64.7	19.9	64.7
Menominee county.....	1901	944.0	13.8					13.8	27.6	27.6		27.6	13.8	41.3
	1902	858.2	6.8			13.5	6.8		6.8	13.5		54.1	13.5	13.5
	1903	1,054.1	13.3			13.3	19.9	33.1	33.1	13.3		106.1		26.5
	1904	1,067.1	13.0				6.5	13.0	32.5	19.5		55.6	6.5	13.0
	1905	824.0							12.8	12.8		76.7		31.9
Midland county.....	1901	1,332.1	62.1	6.9			6.9		41.4	41.4		75.9	13.8	41.4
	1902	1,011.2	20.6	6.9				6.9		13.7		55.0	6.9	34.4
	1903	1,055.8	13.7			13.7	13.7	6.9	13.7	6.9		34.3		20.6
	1904	970.2	47.8			13.7			6.8	13.7		47.8	13.7	61.5
	1905	1,212.1	20.4					6.8	13.6	40.9		115.8	13.6	34.0
Missaukee county.....	1901	911.3	31.4						41.9	10.5		10.5		20.9
	1902	868.6	10.2		10.2				20.4			61.3		20.4
	1903	1,326.6	19.9				19.9	39.9	10.0	29.9		69.8	19.9	39.9
	1904	1,061.8	15.5				29.2		19.5	19.5		68.2	9.7	19.5
	1905	1,247.6	19.0				66.6		9.5	38.1	28.6	76.2	9.5	66.6
Monroe county.....	1901	1,286.8	33.6	12.2			9.1	3.0	12.2	36.6		82.3	6.1	85.4
	1902	1,123.7	15.2	6.1		15.2	9.1	24.4	15.2	6.1		67.0	6.1	60.9
	1903	1,231.8	18.2	12.2		3.6	9.1	6.1	39.5	15.2		88.2	15.2	70.0
	1904	1,284.9	15.2			6.1	3.6		45.6	18.2		88.1	42.5	82.0
	1905	1,280.3	15.2						12.1	9.1	6.1	103.1	12.1	60.7

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

139

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.																
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
		20.1	100.7	140.9	100.7	80.5	60.4	80.5				60.4	60.4	201.3	60.4	
	40.2		40.2	140.6	100.5	40.2	40.2	100.5		40.2		80.3	20.1	160.7		
		20.0	160.4	100.2	20.0	40.1	40.1	100.2		120.3		60.2	40.2	140.3	20.0	
20.0			180.1	60.0	20.0	20.0	100.0	180.1		20.0		100.0	40.0	140.0	20.0	
			19.8	119.8	79.9	99.8	119.8	79.9	33.9	20.0		199.6	20.0	119.8		
	7.3		251.0	152.8	101.9	87.3	98.2	76.4	43.6	47.3	14.5	58.2	50.9	163.7	3.6	
	11.0	7.3	212.1	179.2	117.0	84.4	65.8	117.0	33.9	25.6	18.3	47.5	32.9	157.3		
3.7	18.1	7.4	191.9	198.6	69.9	29.1	36.8	139.7	51.3	40.4	7.4	58.8	47.8	183.8	11.0	
3.7	33.3	14.8	240.3	162.7	157.2	103.5	77.6	133.5	62.8	44.4	3.7	59.1	55.5	262.5	11.1	
3.7	26.0	11.2	197.0	163.6	89.2	74.3	115.2	111.5	44.6	52.0	3.7	66.9	40.9	197.0		
	18.8	9.4	160.1	113.0	17.1	28.2	122.4	65.9	47.1	37.7	9.4	37.7	28.2	225.9		
		9.4	93.5	102.9	112.2	46.8	93.5	65.5	37.1	56.1		56.1	18.7	149.7	74.8	
	18.6		139.4	92.9	102.2	37.2	92.9	120.9	40.5	27.9		37.2	53.8	148.7	65.1	
		27.7	157.0	138.5	64.7	64.7	129.3	9.4	36.9	64.7	9.2	64.7	36.2	194.0		
	9.2		101.0	119.3	91.8	73.4	202.0	82.6	36.7	82.6		73.4	18.4	174.4	55.1	
	14.1	6.2	156.4	156.4	96.7	76.2	61.8	90.6	30.9	28.8	12.4	119.4	28.8	214.1	4.1	
2.1	26.7	4.1	184.6	193.0	51.3	73.8	63.6	73.8	45.1	32.8		73.8	26.7	121.0	2.1	
4.1	10.2	4.1	188.0	206.4	59.3	55.2	75.6	106.3	42.9	45.0	14.3	89.9	22.5	165.6		
6.1	14.3	14.3	191.5	242.4	61.1	69.2	59.1	93.7	52.9	24.4	16.3	55.0	30.5	207.7	10.2	
2.0	14.2	12.2	160.3	207.0	75.1	64.9	81.2	111.6	67.0	32.5	6.1	93.4	44.7	142.1	12.2	
	5.2	5.2	200.9	170.0	118.5	30.9	51.5	87.6	72.1	25.7	5.2	56.7	25.7	128.8		
	10.4	20.9	151.4	261.0	67.9	36.6	26.1	78.3	88.7	26.1	5.2	31.3	20.9	109.6	15.7	
5.3	10.6	15.9	109.3	343.8	84.6	58.2	21.2	58.2	74.0		5.3	58.2	31.7	216.9	15.9	
	16.1	21.4	176.9	321.7	48.3	29.0	30.2	101.9	32.2	42.9	5.4	80.4	21.4	155.5	21.4	
5.4		27.2	141.3	244.6	38.0	76.1	16.3	70.7	38.0	5.4	5.4	43.5	76.1	157.6	40.9	
	31.2		218.3	62.3	93.6	31.2	218.3	93.6		31.2	62.3	155.9	31.2	124.7	62.3	
29.1		29.1	641.0	116.6	58.3		58.3	87.4	29.1		58.3	116.6	87.4	233.1		
27.3		54.7	711.0	109.4	82.0		82.0	191.4		218.8		218.8	136.8	246.1		
		25.7	257.6	51.5	109.1	77.3	77.3	151.6	77.3	51.5		128.8	151.6	231.8		
	24.4		681.9	121.8	219.2	73.1	121.8	146.1	21.4	48.7	24.4	292.3	24.4	219.2		
	25.5	12.8	38.3	76.5	89.3	38.3	140.3	51.0	38.3	12.8		89.3	25.5	114.8	63.7	
		12.5	62.7	59.2	125.4	50.2	12.5	50.2		25.1		163.0	50.2	150.4	62.7	
	12.3		61.6	86.3	86.3	24.7	61.6	74.0	12.3	24.7		24.7	12.3	98.6	37.0	
		23.9	145.5	84.9	48.5	36.4	24.3	109.1	60.6	12.1		97.0	48.5	254.6	48.5	
11.9			107.4	95.4	23.9	35.8	47.7	35.8	47.7	23.9		143.1	47.7	167.0	47.7	
	6.0	12.0	177.7	174.7	84.3	69.3	90.4	108.4	60.2	42.2		15.1	51.2	48.2	195.7	3.0
	18.1	18.1	117.7	168.8	78.4	60.3	72.4	72.4	114.6	42.2		27.1	63.3	30.1	174.9	
3.0	15.1	18.1	161.2	135.8	69.1	48.3	84.5	99.6	51.3	48.3		12.1	60.4	12.1	144.9	9.0
6.0	21.1	9.1	232.7	190.4	64.5	42.3	60.4	108.8	99.7	42.3		15.1	66.5	51.4	217.6	12.1
	3.0	12.1	148.2	133.1	48.4	84.7	57.5	90.7	130.1	39.3	18.2	51.4	21.2	169.4	3.0	
	7.2	21.7	101.1	54.2	133.7	47.0	50.6	65.0	30.6	39.7		101.1	43.3	144.5	32.5	
21.8	10.9	105.4	69.1	152.7	152.7	43.6	50.9	76.4	30.9	21.8		43.6	29.1	130.8	54.5	
14.6	14.6	112.6	113.4	58.5	26.6	95.1	95.1	45.1	45.1	14.6		84.1	18.3	113.4	32.9	
7.4	11.0	116.4	88.3	81.0	92.0	95.7	95.7	51.5	55.2	7.4		99.3	25.7	154.6	22.1	
7.4	7.4	100.0	122.2	83.2	81.5	88.9	133.3	74.1	85.2	11.1		96.3	33.3	129.6	14.8	
	11.2	5.6	39.2	72.7	55.9	181.6	139.9	61.5	30.3	55.9	11.2	218.2	22.4	95.1	16.8	
1.2	16.8	5.6	56.1	39.3	72.9	95.4	84.2	33.7	39.3	61.7		11.2	157.1	67.3	16.8	
	16.9	5.6	84.4	50.6	45.0	106.9	95.6	67.5	50.6	101.3		16.9	185.7	78.8	28.1	
		11.3	73.4	67.7	39.5	135.4	101.6	73.4	50.8	45.1		174.9	33.9	73.4	16.9	
	11.3	11.3	28.3	79.2	34.0	96.2	220.7	39.6	50.9	45.3		288.6	28.3	62.2	39.6	
	5.2	26.2	125.9	101.9	152.2	26.2	84.0	104.9	31.5	63.0	10.5	57.7	36.7	236.0	10.5	
	5.2	20.8	62.4	88.3	51.9	46.8	98.7	72.7	51.9	26.0	10.4	77.9	15.6	93.5	5.2	
		5.1	140.3	108.1	66.9	41.2	92.7	61.8	61.8	20.6	5.1	41.2	10.3	82.4	20.6	
15.3	5.1	5.1	127.5	147.9	86.7	96.9	81.6	117.3	51.0	40.8	15.3	71.4	5.1	122.4		
	15.2	5.1	85.9	166.8	85.9	91.0	176.9	106.1	91.0	15.2		85.9	40.4	121.3	10.1	
	4.9	29.2	136.1	160.4	150.7	82.6	77.8	102.1	58.3	29.2		9.7	72.9	53.4	121.5	9.7
	24.4		83.1	88.0	102.7	34.2	53.8	68.5	63.6	39.1		14.7	78.2	29.3	171.1	
	4.9	14.8	142.6	113.1	118.0	39.3	63.9	108.2	88.5	63.9		4.9	49.2	24.6	122.9	4.9
	4.9	19.8	128.6	183.0	69.3	44.5	79.2	113.8	103.9	29.7		14.8	89.0	29.7	173.1	9.9
	5.0	19.9	149.3	154.3	69.7	49.8	64.7	161.2	91.5	29.9		10.0	54.7	29.9	189.1	19.9
		27.6	68.9	41.3	75.8	27.6	100.3	62.0	13.8	62.0		6.9	82.7	41.3	75.8	89.5
	6.8	27.0	135.5	54.1	128.3	40.5	81.1	34.1	60.8	47.3		81.1	27.0	47.3	60.8	
		19.0	112.7	86.2	72.9	26.5	132.6	39.8	13.3	46.4		99.4	13.3	99.4	33.1	
	6.2	19.5	84.6	91.1	58.6	45.6	130.1	84.6	19.5	52.1		143.2	26.0	91.1	32.5	
	6.4	19.2	57.5	57.5	51.1	70.3	80.4	31.9	19.2	70.3		12.8	76.7	19.2	76.7	31.9
	6.9	13.8	89.7	89.7	165.7	18.3	193.3	151.9	13.8	62.1		13.8	62.1	13.8	103.6	13.8
	6.9	13.7	137.6	158.2	41.3	48.2	87.6	34.4	34.4	13.7		6.9	75.7	13.7	130.7	20.6
	13.7	20.6	116.0	96.0	41.1	75.4	82.3	137.1	41.1	41.1		102.8	13.7	137.1	6.9	
6.8	31.2	82.0	109.3	61.5	54.7	82.0	61.5	34.2	34.2	34.2		13.6	82.0	6.8	75.2	13.6
	27.2	170.2	132.2	61.3	20.4	170.2	102.1	34.0	34.0	27.2		74.9	34.0	109.0		
		41.9	41.9	32.4	178.1	83.8	62.8	83.8	31.4	31.4		10.5	31.4	10.5	104.8	31.4
			51.1	81.8	143.1	30.7	51.1	61.3	40.9	71.6			61.3	40.9	102.2	20.4
	19.9	10.0	109.7	79.8	99.8	119.7	139.6	89.8	48.7	29.2		48.7	48.7	146.1	9.7	
	9.7	19.5	76.2	123.8	142.8	57.1	123.8	85.7	19.0	38.1		9.5	47.6	114.2	9.5	
		21.4	179.9	170.8	88.4	79.3	61.0	79.3	36.6	12.2		3.0	79.3	21.4	161.6	9.1
	3.0	30.5	146.2	130.9	73.1	60.9	60.9	70.0	15.7	21.4		6.1	54.8	30.5	152.3	9.1
	21.3	18.2	136.9	170.3	73.0	63.9										

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
Montcalm county.....	1901	1,271.3	6.1			18.2	9.1	27.4		73.0		106.4	9.1	76.0
	1902	1,136.1	18.2	5.0	3.0	3.0	6.0		6.0	33.3		78.8	3.0	45.5
	1903	1,231.4	24.1	3.0		27.2	3.0	9.1	30.2	27.2		51.3	6.0	63.4
	1904	1,208.9	12.0	3.0	3.0		6.0		9.0	54.1		87.2	15.0	72.2
	1905	1,234.1	12.0	3.0				9.0	12.0	65.9	21.0	41.9	12.0	50.9
Montmorency county.....	1901	968.5	30.3							30.3		121.0	30.3	
	1902	1,304.0	29.6	29.6					29.6			148.2		
	1903	842.0	29.0	29.0						29.0		116.2		
	1904	1,593.2	56.9			113.8			170.7			85.4		28.4
	1905	1,087.9	27.9				83.7			27.9		111.6	27.9	27.9
Muskegon county.....	1901	1,179.1	24.6	6.1				6.1	18.4	43.0		73.7	18.4	61.4
	1902	1,015.5	18.4	6.1				6.1	12.2	12.2		91.8	12.2	73.4
	1903	1,127.3	6.1			36.6	12.2	18.3	12.2	6.1		67.0	12.2	67.0
	1904	1,468.8	24.3	6.1	6.1	12.1	24.3	24.3	12.1	12.1		60.7	12.1	85.0
	1905	1,154.8	24.2						12.1	18.1		96.7	12.1	30.2
Newaygo county.....	1901	1,164.6	44.8				5.6	5.6	5.6	33.6		78.4	28.0	41.8
	1902	1,124.8	33.3	5.5	5.5	5.5		5.5	22.2	16.6		72.0		55.4
	1903	1,272.3	21.9	11.0		5.5		11.0	5.5	21.9		49.3	11.0	65.8
	1904	1,340.9	10.9	5.4					65.1			81.4	10.9	70.6
	1905	1,080.2	5.4	10.7					10.7	61.5	26.9	91.4	16.1	26.9
Oakland county.....	1901	1,429.2	8.6	2.8			5.7		8.6	74.3		102.9	14.3	85.8
	1902	1,161.9	14.3			5.7	5.7	8.6	8.6	5.7		71.6	8.6	68.7
	1903	1,275.0	14.3	2.9			8.6	14.3	25.8	48.7		74.5	17.2	94.6
	1904	1,333.8	17.2			5.7	17.2		2.9	40.2		74.6	8.6	68.8
	1905	1,384.2	23.0	2.9		5.7			17.2	37.3	20.1	68.9	2.9	97.6
Oceana county.....	1901	1,247.6	17.7	11.8			5.9		23.7	71.0		59.1		71.0
	1902	937.1	23.3			5.8		5.8	17.5	17.5		69.8		46.6
	1903	1,295.3	17.2			11.5		17.2	11.5	57.3		74.5	5.7	81.4
	1904	1,377.2	22.6	5.6		16.9			16.9	67.8		96.0	16.9	56.1
	1905	1,260.0	11.1			5.6		11.1	16.7	66.7	22.2	83.4	5.6	50.0
Ogemaw county.....	1901	1,221.6	49.4	12.3				24.7	12.3	98.7		37.0	24.7	
	1902	935.7	11.8				35.6	11.8		11.8		47.4		11.8
	1903	915.1				22.8	11.4		22.8	22.8		79.7		
	1904	1,063.5	21.9	21.9					21.9	21.9		43.9	11.0	82.9
	1905	1,215.6	21.1		10.6				10.6		21.1	31.7	21.1	42.3
Ontonagon county.....	1901	1,301.6	31.1			15.5	31.1		46.6	62.1		139.8		46.6
	1902	1,362.0	74.8			15.0	29.9	15.0	59.9	15.0		29.9	20.0	14.9
	1903	1,285.6					14.4		28.9	14.4		101.2	14.4	57.8
	1904	1,367.6	83.7					27.9	27.9	41.9		125.6		41.9
	1905	1,376.9	13.5						27.0		13.5	108.0	13.5	27.0
Osceola county.....	1901	1,019.3	22.2		5.5	5.5		5.5	5.5	16.6		88.6	11.1	27.7
	1902	1,110.0	27.4		5.5				5.5	16.4		65.8		71.3
	1903	1,211.8	27.1	5.4				10.8	10.8	10.8		92.2	10.8	48.8
	1904	1,202.2	32.2	5.4	5.4		5.4		5.4	32.2		123.5	10.7	26.8
	1905	1,301.4	42.5	5.3					10.6	10.6	5.3	53.1	10.6	79.7
Oscoda county.....	1901	381.5												
	1902	595.9	59.6						59.6			63.6		
	1903	617.1										112.2		
	1904	582.5										105.9		
	1905	702.5									50.2	100.4		
Otsego county.....	1901	1,288.6	62.1	15.5			15.5		15.5	15.5		46.6	15.5	31.1
	1902	1,118.2	74.5	14.9			14.9	14.9	29.8			59.7		
	1903	1,505.8	86.1			43.0		71.7	86.1	14.3		71.7		
	1904	1,160.1	69.1				13.8			13.8		13.8		82.9
	1905	1,199.2	40.0			13.3		13.3		40.0	13.3	26.6	13.3	13.3
Ottawa county.....	1901	1,208.4	29.8	5.0		5.0	2.5	5.0	27.3	39.7		76.9	19.8	62.0
	1902	1,018.7	19.6	4.9			7.3	9.8	2.4	14.7		80.6	17.1	53.8
	1903	1,162.0	24.1	4.8	2.4	16.8	0.6	9.6	7.2	26.5		69.8	21.7	65.0
	1904	1,175.4	23.7	2.4		2.4		9.5	4.7	37.9		92.1	4.7	75.9
	1905	1,265.4	11.0	4.7	7.0	16.3	2.3	7.0	7.0	28.0	4.7	88.7	16.3	81.7
Presque Isle county.....	1901	1,146.5	42.9						36.4	10.7		53.6		
	1902	941.5	20.3		20.3	20.3		10.2	101.0			40.6		20.3
	1903	1,090.8	77.2				19.3	19.3	9.6			29.0	9.6	
	1904	855.4	18.4				18.4		18.4			27.6		
	1905	975.1	8.8				8.8			8.8	26.4	79.1	17.6	
Rosecommon county.....	1901	1,522.8										225.6		112.8
	1902	511.6												
	1903	1,432.7	57.3	57.3					114.6			171.9		57.3
	1904	1,733.1							173.3			57.8		
	1905	1,689.0							58.2			116.5		
Saginaw county.....	1901	1,243.4	20.6	5.1	7.7	2.6	10.3	2.6	48.8	43.7		71.9	7.7	51.4
	1902	1,059.8	12.8	2.5	2.5	10.3	25.7	15.4	5.1	12.8		77.0	10.3	33.4
	1903	1,015.0	5.1					7.7	7.7	20.5		71.8	20.5	51.3
	1904	1,216.0	12.8			2.6	2.6		5.1	35.8		84.5	12.8	64.0
	1905	1,201.8	5.3	10.2		2.6	2.6		12.8	20.5	10.2	51.1	7.7	63.9
St. Clair county.....	1901	1,407.3	41.7	2.8	5.6		5.6		8.3	89.0		44.5	13.9	80.7
	1902	1,300.2	30.7	5.6		36.3	8.4	22.3	25.1	16.5		67.0	13.9	64.2
	1903	1,161.7	19.6				25.2	5.6	13.9	16.8		70.0	13.9	56.0
	1904	1,246.9	28.1	2.8		5.6	8.4	2.8	22.5	30.9		50.6	8.4	87.1
	1905	1,405.9	28.2	2.8		8.5			5.6	45.1	19.7	73.3	14.1	59.2

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

141

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—(Continued.)

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
	12.2	24.3	146.0	124.7	70.0	39.5	82.1	85.2	39.5	27.4	6.1	85.2	42.6	152.1	9.1
3.0	6.0	6.0	160.6	130.3	81.8	54.6	66.7	109.1	57.6	24.3	3.0	39.4	30.3	151.5	9.1
3.0	6.0	6.0	150.9	100.0	72.4	48.3	51.3	102.6	39.2	57.4	9.1	36.6	27.2	150.9	6.0
	15.0	6.0	168.4	150.4	69.2	51.1	81.2	99.2	60.2	36.1	9.0	48.1	39.1	152.4	6.0
	30.0	30.0	134.8	191.7	71.9	56.9	62.9	101.8	68.9	47.9	6.0	56.9	18.0	143.8	
		60.5	30.3		121.0	90.8	90.8	30.3	60.5	30.3		60.5	30.3	151.3	
		28.9	28.9	177.9	148.2	59.3	148.2	59.3	88.9	29.6		59.3	88.9	88.9	59.3
		29.0	116.2	58.1	58.1	58.1	57.1		58.1	58.1		58.1		145.1	29.0
28.4		28.4	85.4	142.2	85.4	85.4	170.7	85.4	28.4	85.4	28.4	56.9	56.9	113.8	56.9
		27.9	27.9	83.7	83.7	27.9	111.6	139.6	27.9	27.9	27.9	27.9	55.8	195.3	
	6.1	30.7	92.1	159.7	129.0	49.1	49.1	79.9	36.9	30.7		98.3	30.7	135.1	
	6.1		97.9	97.9	85.6	42.8	42.8	61.2	55.1	18.1	6.1	97.9	30.6	128.5	12.2
	6.1		121.8	121.8	30.5	60.9	79.2	97.5	30.5	30.5	6.1	79.2	30.5	188.9	6.1
	24.3		145.7	218.5	60.7	48.5	85.0	85.0	36.4	91.0	12.1	66.8	54.6	248.9	12.1
	6.0	18.1	157.2	145.1	60.5	72.6	36.3	72.6	66.5	36.3	6.0	66.5	30.2	181.4	6.0
	5.6	5.6	89.0	89.6	95.2	67.2	106.3	100.8	44.8	33.6		56.0	56.0	151.1	16.8
5.5	22.2	5.5	116.4	177.3	38.8	33.3	61.0	88.7	61.0	55.4		55.4	5.5	166.2	16.6
5.5	21.9	16.4	104.2	230.3	113.2	76.8	38.4	101.2	21.9	43.9		71.3	43.9	164.5	5.5
	27.1	10.0	162.8	195.4	48.9	97.7	59.7	135.7	32.6	48.9	16.3	54.3	32.6	168.3	5.4
5.4	5.4	10.7	139.7	166.6	21.5	37.6	96.7	80.6	43.0	26.9	5.4	48.4	32.2	91.4	16.1
	8.6	14.3	151.5	165.8	125.8	80.0	57.2	100.1	45.7	14.3	5.7	97.2	60.0	197.2	2.8
2.8	14.3	5.7	143.1	188.9	57.2	42.9	54.4	103.0	77.3	17.2	8.6	68.7	22.9	151.7	5.7
5.7	5.7	2.9	166.2	177.6	63.0	40.1	51.4	94.6	83.1	26.7	17.2	65.9	22.9	140.4	5.7
2.9		5.7	209.4	195.1	63.1	48.8	34.1	88.9	26.7	17.2	74.6	34.4	192.2	14.3	
	23.0	5.7	209.6	221.1	97.6	51.7	45.9	109.1	51.4	34.5	20.1	57.4	40.2	132.1	2.9
5.9	5.9	5.9	147.8	111.9	76.9	29.6	165.6	65.0	29.6	59.1	5.9	59.1	41.4	141.9	5.9
		11.6	128.1	157.2	87.3	34.9	110.6	40.7	17.5	5.8	17.5	34.9	23.3	81.4	
	17.2	17.2	126.1	137.5	114.6	86.0	103.2	63.0	74.5	57.3	5.7	40.1	40.1	172.0	11.5
	16.9	11.3	146.8	161.3	107.3	56.1	73.4	107.3	33.9	39.5	5.6	73.4	39.5	191.9	5.6
5.6		5.6	172.4	200.2	91.5	55.6	66.7	61.2	50.0	61.2	16.7	77.8	27.8	122.3	
		12.3	86.4	98.7	148.1	98.7	37.0	61.7	111.1	98.7		98.7	24.7	86.4	
			35.6	82.9	112.1	35.6	71.1	91.8	59.2	47.4	11.8	82.9	23.7	106.6	11.8
	11.4	22.8	79.7	125.2	34.2	43.5	125.2	68.3	31.2	45.5		56.9	34.2	91.1	11.4
		11.0	65.8	51.8	131.6	76.7	109.7	76.7	54.8	98.7	11.0	54.8	21.9	120.6	
		95.1	105.7	71.0	81.6	179.7	116.3	31.7	52.9	21.1	126.8	21.1	105.7	42.3	
	15.5	15.5	46.6	31.1	139.8	62.1	155.3	62.1	31.1	15.5		108.7	108.7	124.3	15.5
		29.9	36.9	119.8	134.7	74.8	194.6	74.8	15.0	101.8		194.6	29.9	89.8	
		14.1	86.7	101.1	101.1	130.0	57.8	28.9	43.3	43.3		144.5	72.2	144.5	43.3
		27.9	111.7	55.8	125.6	55.8	69.8	97.7	13.9	209.4	13.9	209.4	13.9	97.7	13.9
	13.5		81.0	94.5	54.0	108.0	229.5	54.0	40.5	94.5		283.5	40.5	81.0	
		38.8	116.3	91.2	77.6	60.9	66.5	44.3	5.5	22.2		66.5	22.2	205.0	11.1
	5.5	21.9	98.6	63.8	95.6	60.3	93.2	76.7	27.4	16.4		87.7	5.5	191.8	38.4
	21.7	10.8	119.4	135.6	81.4	59.7	97.7	65.1	38.0	43.4	10.8	86.8	5.4	211.5	10.8
	10.7	5.4	128.8	75.1	64.4	59.0	102.0	91.2	75.1	26.8		123.5	5.4	177.1	7.1
10.6	5.3	26.6	100.9	122.2	95.6	122.2	75.3	90.3	42.5	21.2	10.6	69.1	26.6	151.0	10.6
					63.6										190.7
			59.6	119.2	59.6			59.6						178.7	
			112.2		56.1									112.2	56.1
				105.9	105.9					33.0			105.9		105.9
			50.2			50.2		150.5	50.2					50.2	
		15.5	121.2	93.1	124.2	77.6	155.3	46.6	31.1	15.5	15.5	155.3	31.1	170.8	15.5
			89.5	104.4	104.4	59.7	74.5	74.5	14.9	29.8	14.9	119.3		193.8	29.8
		28.7	143.4	172.1	56.1	71.7	86.0	100.3	43.0			71.7	28.7	172.1	43.0
			96.7	11.1	138.1	83.9	110.5	55.3	13.8	55.3	13.8	124.4	55.3	138.1	41.4
			79.9	79.9	79.9	79.9	119.9	40.0	40.0	60.6	13.3	106.6	53.3	213.2	53.3
2.5	2.4	22.3	121.6	114.1	79.4	114.1	64.5	57.1	54.6	32.2		54.6	42.2	161.3	7.5
	7.3	17.1	140.6	114.8	41.5	70.8	29.3	68.4	36.7	17.1	17.1	70.8	39.1	131.9	
4.8	7.2	7.2	161.2	129.9	62.5	79.4	69.8	69.8	62.5	33.7	9.0	45.7	36.1	115.5	9.6
2.4	4.7	16.6	123.2	139.8	51.5	68.7	59.3	92.4	68.7	30.8	2.4	54.5	35.6	163.5	1.7
2.3	14.0	4.7	144.8	158.8	49.0	91.1	65.4	95.7	60.7	51.4	11.7	60.7	42.0	126.1	9.3
		32.1	75.0	96.4	107.2	42.9	32.1	64.3		53.6		75.0	10.7	75.0	278.6
			60.9	30.5	60.9	40.6	40.6	40.6	20.3	50.8	10.2	40.6	71.1	91.5	152.3
		19.3	77.3	48.3	67.6	38.6	161.1	67.6	9.6	57.9	9.6	77.3	57.9	154.4	77.3
	9.2	27.6	101.1	18.4	46.0	36.8	73.6	55.2	27.6	18.4		27.6	46.0	119.6	165.5
8.8	8.8	17.6	35.1	70.3	43.9	61.5	96.6	52.7	26.4	114.2		123.0	26.4	123.0	17.6
			225.6	56.4	56.4	56.4	56.4	112.8		56.4		169.2	56.4	338.4	
			50.8	113.7			170.6					113.7		50.8	
			114.6	343.9					57.3	57.3		57.3		114.6	229.3
		57.8	231.1	115.5	346.6			173.3		57.8		173.3	57.8	115.5	173.3
		58.2	58.2	407.7	174.7	116.5	174.7	58.2		58.2		291.2	58.2	58.2	
	12.8	36.0	123.3	113.1	149.0	38.5	82.2	59.1	46.2	23.1	7.7	59.1	43.7	164.4	12.8
	5.1	10.3	123.2	97.5	84.7	53.9	56.5	74.4	59.0	30.8	7.7	59.0	23.1	154.0	12.8
	12.8	5.1	99.9	97.4	59.0	61.5	92.3	79.5	41.0	38.4	15.4	71.8	17.9	120.5	12.8
2.6	23.0	2.6	125.5	138.3	81.9	64.0	94.7	81.9	30.7	48.6	5.1	92.2	48.6	145.9	10.2
2.0	17.9	5.1	107.4	186.7	63.9	58.8	104.8	69.0	51.1	38.4	20.5	89.5	38.8	112.5	17.9
	8.3	13.9	186.4	114.0	91.8	86.2	86.2	102.9	69.5	27.8	3.6	58.4	55.6	194.7	8.3
	11.2	13.9	178.5	135.4	117.2	78.1	25.1	89.3	67.0	11.2	3.6	47.4	55.8	150.7	11.2
	22.4	28.0	156.8	114.8	75.6	42.0	58.8	78.4	33.6	44.8	2.8	89.6	39.2	140.0	13.9
	11.2	22.5	143.2	168.5	73.0	92.7	42.1	93.5	56.2	33.7	5.6	22.5	148.8	148.8	5.6
		19.7	171.0	189.0	64.8	73.3	87.3	76.1	56.3	59.2	5.6	132.4	59.2	166.2	8.3

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
St. Joseph county.....	1901	1,496.4	16.9											
	1902	1,281.9	31.0	4.2			4.2	4.2	4.2	46.4		113.8	16.9	59.0
	1903	1,376.4	12.8	4.3		8.5	4.2	4.2	12.8	21.2		97.7	12.7	55.2
	1904	1,416.3	4.3	4.3	8.6	4.3	4.3	4.3	8.6	38.2		77.0	12.8	81.2
	1905	1,365.8	17.3		4.3				4.3	31.7	13.0	104.1	26.0	95.4
Sanilac county.....	1901	991.2	8.6	8.6			8.6		14.3	34.3		57.1	8.6	31.4
	1902	1,052.6	8.6	11.4	2.9	5.7	11.4	14.3	11.4	2.9		88.7	17.2	37.2
	1903	1,300.1			2.9		25.8	28.7	17.2	20.0		77.3	14.3	37.2
	1904	1,127.1	14.3	8.6			5.7		5.7	25.8		66.0	20.1	45.9
	1905	1,255.0	40.2			17.2	2.9	11.5	11.5	54.6	11.5	103.4	8.6	66.1
Schoolcraft county.....	1901	1,412.1	12.4				61.9		111.5	12.4		74.3	12.4	49.5
	1902	1,150.4		12.1			24.2		12.1	24.2		24.2		24.2
	1903	1,172.6	11.9				35.5	71.1				59.2	11.9	59.2
	1904	1,054.7		11.6		11.6			11.6	11.6		57.9		23.2
	1905	1,078.1	34.0								11.3	45.4	34.0	34.0
Shuawassee county.....	1901	1,386.9	8.0		4.0		8.0	4.0	20.0	52.0		95.9	20.0	44.0
	1902	1,246.5	16.1			8.0	8.0	4.0		28.1		64.3	20.1	48.3
	1903	1,519.5	32.4			4.0	4.0	8.1	12.1	32.4		80.9	8.1	85.0
	1904	1,334.6	32.6	4.1			4.1		12.2	77.3		114.0	12.2	93.6
	1905	1,380.2	20.5	4.1	12.3			20.5		4.1	8.2	90.1		77.8
Tuscola county.....	1901	1,417.5	16.7	19.5			61.3		27.8	50.1		114.2	8.4	55.7
	1902	1,163.5	22.3	11.1	2.8	5.6	13.9	16.7	13.9	16.7		120.6	8.4	55.7
	1903	1,179.6	8.3			5.6	2.8	30.6	2.8	19.5		66.8	13.9	72.3
	1904	1,176.3	22.2	2.8		8.3	2.8		5.6	19.5		75.1	19.5	61.2
	1905	1,130.0	19.5			2.8		2.8	2.8	16.7	11.1	69.5	22.2	61.1
Van Buren county.....	1901	1,480.8	11.9	5.9	5.9	3.0		17.8	17.8	32.6		97.9	14.8	86.1
	1902	1,066.8	38.1	2.9		5.9			5.9	2.9		44.0	14.6	73.3
	1903	1,357.7	37.6	2.9		2.9	14.5	20.3	5.8	26.0		69.5	11.6	127.4
	1904	1,510.1	42.9			11.4	5.7		11.4	31.5		85.8	25.7	88.7
	1905	1,367.7	16.8	5.7				5.7	8.5	62.2	17.0	59.3	25.4	93.3
Washtenaw county.....	1901	1,321.9	18.2				21.3		21.2	45.5		78.8		66.7
	1902	1,312.9	12.2	3.1			12.2		27.5	9.2		73.4	15.3	82.5
	1903	1,451.7	18.5				15.4	9.2	12.3	43.2		98.6	21.6	101.7
	1904	1,476.2	18.6	9.3		18.6	3.1	3.1	3.1	49.7		108.8	21.8	87.0
	1905	1,259.9	18.8	6.3	3.1				9.4	25.1	15.7	94.0	31.3	78.4
Wayne county.....	1901	1,547.4	29.4	1.5			6.2	10.8	20.1	48.0		105.2	7.7	57.3
	1902	1,570.4	27.2	3.0		13.6	21.2	19.6	36.3	7.6		102.8	12.1	57.4
	1903	1,725.3	45.8	2.9	4.4	2.9	13.3	8.9	69.4	17.7		112.3	22.2	56.1
	1904	1,717.3	33.2	1.4	2.9	14.4	4.3	2.9	37.8	14.4		121.4	14.4	54.9
	1905	1,661.7	33.9			4.2	2.8	4.2	32.5	24.0	14.1	121.3	26.8	50.9
Wexford county.....	1901	1,238.7	74.5	5.7	5.7		11.5	11.5	28.7	63.1		97.5	5.7	22.9
	1902	1,153.6	38.8				11.1		22.2	5.5		83.2	16.6	33.3
	1903	1,277.9	37.5			16.1	5.4	10.7	26.8	5.4		96.7	10.7	43.0
	1904	1,311.3	26.8						15.6	26.0		72.9	10.4	31.2
	1905	1,347.8	26.2	8.9			20.2		25.2	55.5	15.1	50.5	10.1	45.4
NEW HAMPSHIRE RURAL.														
Belknap county.....	1901	1,709.9	35.1	8.8				17.5	8.8	17.5		105.2		114.0
	1902	1,783.8	17.7						8.8	8.8		141.3	8.8	61.8
	1903	1,894.3	17.8						8.8	80.0		142.3	8.9	88.9
	1904	1,704.4	8.9						36.9			71.7	8.9	44.8
	1905	1,813.6	27.1	9.0					18.0	36.1	9.0	99.3	18.0	54.1
Carroll county.....	1901	1,264.0	17.9							11.9		131.2	35.8	107.3
	1902	1,567.7	24.0		6.0				12.0	48.1		144.2	12.0	108.1
	1903	1,682.2	18.2						18.2	78.7		96.8	24.2	96.8
	1904	1,475.3	12.2					6.1	6.1	6.1		140.2	36.6	109.7
	1905	1,701.5	6.1			18.4	6.1			116.7	12.3	159.7	24.6	122.9
Cheshire county.....	1901	1,660.8	18.1			4.5	18.1		13.5	76.7		130.9	9.0	130.9
	1902	1,421.5	13.5		4.5	4.5			40.1	4.5		90.3	18.1	63.2
	1903	1,471.0	13.5			13.5			13.5	36.1		103.8	18.0	63.2
	1904	1,737.1	9.0						27.1	54.1		130.9	9.0	85.7
	1905	1,484.3				13.5		13.5	49.6	27.1	13.5	103.8	9.0	117.3
Coos county.....	1901	1,237.2	38.7				4.8	4.8	14.5	19.3		106.3		72.5
	1902	1,197.0	24.0				4.8		19.2	14.4		101.0	4.8	105.8
	1903	1,329.4	33.5	9.6		9.6		4.8	14.3	23.9		114.8	14.3	66.9
	1904	1,274.9	14.3	4.7					14.3	33.3		133.2	9.5	71.4
	1905	1,145.2							23.7	33.1	9.5	99.4	9.5	56.8
Grafton county.....	1901	1,630.2	19.4		4.9		4.9	4.9	21.8	53.4		94.6	19.4	97.1
	1902	1,466.8	21.7	2.4		7.2	4.9		4.8	28.9		129.9	16.8	108.2
	1903	1,616.9	57.2			9.5		16.7	16.7	26.2		104.9	14.3	97.8
	1904	1,490.0	16.5	4.7				2.4	18.9	52.0		99.3	21.3	85.1
	1905	1,420.6	16.4	7.0		2.3		2.3	46.9		7.0	100.8	9.4	105.5
Hillsboro county.....	1901	1,909.3	28.2					3.1	6.3	25.0		200.3	18.8	106.4
	1902	1,664.4	9.3					6.2	18.7	9.3		102.7	24.9	93.3
	1903	1,635.9	27.8			9.3		18.5	37.1	37.1		136.1	15.5	102.0
	1904	1,767.6	15.4					3.1	18.4	30.8		175.2	6.1	86.1
	1905	1,851.9	3.1	3.1		24.4		3.1	15.3	48.9	18.3	140.6	12.2	94.7
Merrimack county.....	1901	1,629.4	9.1				12.2		21.3	42.6		112.7	21.3	97.5
	1902	1,530.3	24.3				3.0		12.2	15.2		158.2	18.3	76.1
	1903	1,783.8	27.3	6.1		9.1	18.2		15.2	40.8		142.8	9.1	73.0
	1904	1,721.1	33.4	3.0			6.1		3.0	42.5		115.4	36.4	91.1
	1905	1,700.9	21.2	3.0		18.2	6.1	3.0	3.0	42.4	12.1	148.6	9.1	63.7

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

143

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
12.8	16.9	12.6	210.8	227.6	134.9	67.5	37.9	134.9	33.7	37.9	8.4	88.5	46.4	177.0	8.4	
12.8	12.7	17.0	191.0	208.0	110.4	46.7	38.2	114.6	76.4	8.5	8.5	72.2	21.2	118.9	8.5	
12.8	8.5	12.8	200.9	230.8	85.5	34.2	39.9	85.5	72.7	17.1	4.3	85.5	21.4	192.4	8.6	
12.8	17.2	4.3	223.9	198.1	44.6	56.0	38.7	81.8	91.7	25.8	4.3	61.6	56.0	189.4	8.6	
12.8	8.7	17.3	234.1	169.1	43.4	73.7	39.0	99.7	47.7	34.7	13.0	73.7	73.7	134.4	4.3	
5.7	2.9	5.7	114.3	162.8	91.4	54.3	45.7	57.1	51.4	45.7	5.7	51.4	42.8	137.1	5.7	
14.3	14.3	8.6	103.0	111.5	57.2	62.9	48.6	90.1	45.8	34.3	8.6	62.9	48.6	131.6	2.9	
11.5	5.7	22.9	111.7	91.5	88.8	74.5	77.3	97.4	31.5	57.3	2.9	45.8	51.6	160.4	22.9	
2.9	20.1	8.6	154.9	123.3	83.2	31.4	63.1	77.4	37.3	34.4	5.7	40.1	45.9	183.6	20.1	
2.9	11.5	11.5	149.3	137.9	106.3	60.3	77.5	77.5	20.1	46.0	8.6	48.8	34.5	129.2	5.7	
24.8	24.8	111.5	74.3	123.9	21.8	210.6	74.3	21.8	61.9	61.9	136.2	49.5	123.9	37.2	24.8	
24.8	12.1	96.9	72.7	157.4	12.1	104.0	72.7	12.1	72.7	72.7	121.1	72.7	193.7	24.2	24.8	
24.8	10.6	10.6	35.5	50.2	130.3	82.9	23.7	71.1	11.9	11.9	165.8	35.5	94.7	35.5	24.8	
24.8	33.0	173.8	81.1	34.8	34.8	57.0	46.4	23.2	92.7	11.6	185.4	34.8	81.1	34.8	24.8	
24.8	22.7	24.8	79.4	68.1	56.7	124.8	45.4	45.4	68.1	68.1	45.4	34.0	170.2	24.8	24.8	
4.0	4.0	179.8	163.9	79.9	71.9	83.9	123.9	67.9	52.0	52.0	83.9	36.0	179.9	4.0	4.0	
4.0	20.1	8.0	175.8	168.9	88.5	81.5	48.3	128.7	64.3	82.2	4.0	48.3	32.2	160.8	4.0	
4.0	16.2	24.3	183.1	222.5	117.3	72.8	56.6	113.3	76.9	36.4	8.1	178.0	48.6	121.4	4.0	
4.1	4.1	16.3	183.2	187.2	97.7	52.9	61.1	130.3	85.5	20.3	105.8	20.3	179.1	8.1	4.1	
4.1	4.1	196.6	208.9	77.8	32.8	36.9	18.8	91.2	36.9	8.2	86.0	24.6	204.8	8.2	4.1	
2.8	11.1	25.1	142.0	130.9	114.2	111.4	97.5	86.3	30.6	52.9	8.4	66.8	36.2	144.8	2.8	
11.1	11.1	5.6	155.9	122.5	105.8	64.0	58.4	89.1	33.4	25.0	2.8	69.6	13.9	158.7	11.1	
16.7	16.7	11.1	169.7	139.1	91.8	55.6	47.3	91.6	25.0	41.7	2.8	61.2	19.5	175.3	5.6	
2.8	13.9	11.1	158.5	169.6	80.6	58.4	36.1	86.2	43.4	50.1	2.8	75.1	25.0	141.8	2.8	
16.7	16.7	19.5	164.0	180.7	47.3	50.0	63.9	83.1	33.4	63.9	13.9	61.1	30.6	114.0	8.3	
5.9	14.8	11.9	172.1	232.2	112.8	65.3	95.0	77.2	50.5	32.6	5.9	74.2	50.5	154.3	11.9	
5.9	20.5	11.7	126.0	237.4	55.7	52.7	32.2	58.6	46.9	17.6	44.0	26.4	143.6	5.9	5.9	
2.8	20.0	3.8	153.4	243.2	63.7	28.9	66.6	92.6	66.6	43.4	20.3	60.8	26.0	133.2	8.7	
2.8	17.2	5.7	194.5	238.9	74.4	71.5	68.6	91.4	51.5	60.1	2.8	74.4	54.3	151.6	14.3	
11.3	11.3	8.5	127.2	211.9	67.8	56.5	45.2	101.7	79.1	62.2	5.7	90.4	42.4	152.6	8.5	
12.1	91.2	166.8	181.9	84.9	54.6	63.7	81.9	57.6	33.3	21.2	72.8	66.7	142.5	3.0	12.1	
6.1	3.1	171.2	198.7	100.9	61.1	79.5	94.8	73.4	24.5	15.3	52.0	30.6	137.5	9.2	6.1	
3.1	9.2	15.4	194.2	191.1	95.6	95.6	24.7	89.4	101.7	27.7	9.2	80.1	30.8	147.9	6.2	
3.1	12.4	12.4	192.7	202.0	71.5	87.0	49.7	56.0	74.6	24.9	24.9	77.7	28.0	226.9	9.3	
6.3	6.3	134.8	184.9	65.8	75.2	28.2	81.5	78.4	37.6	12.5	65.8	40.7	153.6	6.3	6.3	
1.5	3.1	20.1	157.9	131.5	120.7	111.4	139.3	82.0	55.7	63.5	9.3	106.8	52.6	199.6	7.7	
1.5	3.0	18.1	226.7	179.9	116.4	105.8	98.3	93.7	58.9	54.1	6.0	86.2	21.2	154.9	16.6	
1.5	4.4	11.8	208.3	160.9	118.2	91.0	127.0	90.1	78.3	47.3	8.9	113.7	44.3	237.8	8.9	
1.4	10.1	14.4	228.2	148.8	117.0	95.4	117.0	96.8	75.1	53.5	14.4	96.8	39.0	251.3	96.1	
2.8	2.8	29.7	226.1	182.3	98.9	103.1	114.5	86.2	65.0	57.0	11.3	103.1	63.6	176.6	22.6	
11.5	28.7	120.4	80.3	109.0	57.4	80.3	97.5	22.9	63.1	5.7	63.1	40.1	126.2	5.7	11.5	
11.1	22.2	127.6	110.9	122.0	22.2	66.6	94.3	27.7	49.6	5.5	83.2	22.2	166.4	11.1	11.1	
5.4	5.4	145.0	75.2	64.4	80.5	128.9	121.5	43.0	48.3	5.4	96.7	32.2	134.2	26.8	5.4	
15.6	10.4	93.7	171.7	98.9	62.4	88.9	83.3	46.8	88.5	20.8	101.1	36.4	197.7	15.6	15.6	
15.1	25.2	90.9	126.2	116.1	45.4	151.4	85.8	30.3	50.5	5.0	111.1	75.7	166.6	2.2	15.1	
17.5	17.5	280.6	236.8	105.2	52.6	61.4	52.6	78.9	8.8	26.3	96.5	350.8	17.5	17.5	17.5	
8.8	8.8	388.6	212.0	123.6	88.3	17.7	114.8	97.1	35.3	17.7	70.7	28.4	17.7	8.8	8.8	
8.9	8.9	311.3	266.8	222.4	62.2	88.9	88.9	80.6	8.9	17.8	115.6	26.7	311.3	8.9	8.9	
17.9	17.9	367.3	379.0	90.2	63.2	63.2	90.2	81.2	45.1	9.0	81.2	62.7	197.1	17.9	17.9	
9.0	36.1	54.1	232.6	379.0	90.2	63.2	63.2	81.2	45.1	9.0	81.2	62.7	197.1	9.0	9.0	
6.0	17.9	23.8	137.1	172.9	71.5	83.5	29.8	29.8	101.3	6.0	33.8	17.9	65.6	143.1	17.9	
12.0	6.0	30.0	210.2	276.3	114.1	66.1	24.0	42.0	48.1	18.0	48.1	54.1	228.3	18.0	12.0	
36.3	36.3	18.2	314.6	308.6	139.2	24.2	18.2	78.7	54.4	36.3	6.0	66.6	42.3	181.5	24.2	
6.1	12.2	176.8	243.8	134.1	36.6	24.4	91.4	97.5	12.2	12.2	85.4	61.0	152.4	12.2	6.1	
12.3	18.4	18.4	190.4	221.1	116.7	92.1	43.0	122.9	29.9	30.7	12.3	73.7	24.6	159.7	18.4	
4.5	22.6	36.1	248.2	203.1	117.3	99.3	81.2	72.2	45.1	22.6	13.5	63.2	58.7	148.9	22.6	
18.1	18.1	22.6	225.7	216.6	72.2	49.6	76.7	72.2	40.6	40.6	9.0	49.6	81.2	198.6	4.5	
9.0	9.0	27.1	212.1	261.7	67.7	81.2	63.2	54.1	92.3	22.6	22.6	108.3	22.6	144.4	4.5	
4.5	4.5	22.6	248.2	297.8	81.2	94.7	121.8	108.3	103.8	27.1	18.0	67.7	22.6	198.5	4.5	
4.5	13.5	36.1	144.4	234.6	112.8	67.7	90.2	67.7	85.7	27.1	9.0	85.7	31.6	126.3	4.5	
4.8	4.8	38.7	130.5	101.5	87.0	72.5	48.3	67.6	91.8	4.8	24.2	33.2	29.0	188.5	38.7	
4.8	33.7	149.0	221.1	91.3	57.7	48.1	38.5	62.5	62.5	14.4	4.8	37.7	33.7	76.9	24.0	
9.6	9.6	38.2	138.7	100.4	23.9	81.3	86.1	95.6	102.1	18.5	12.4	110.0	23.9	157.8	9.6	
9.5	23.8	180.8	166.5	76.1	42.8	33.3	38.0	123.7	23.8	23.8	4.7	79.1	47.6	142.7	9.5	
23.7	14.2	137.2	123.0	113.6	28.4	66.3	42.6	80.5	14.2	4.7	89.9	28.4	132.5	14.2	23.7	
9.7	24.3	206.3	174.7	145.6	75.2	55.8	97.1	70.4	31.5	12.1	70.4	75.2	259.7	21.8	9.7	
12.0	43.3	199.7	131.6	141.9	84.2	33.7	86.6	101.0	21.7	12.0	43.3	43.3	141.9	2.4	12.0	
31.0	21.5	198.0	202.7	145.5	45.3	57.2	90.6	112.1	16.7	4.8	93.0	45.3	200.3	7.2	31.0	
18.9	30.7	160.8	193.9	118.2	35.5	32.0	87.5	113.5	21.3	11.8	78.0	33.1	241.2	2.4	18.9	
2.3	21.1	35.2	154.7	185.2	72.7	46.9	44.5	96.1	93.8	14.1	7.0	89.1	46.9	211.0	2.3	
3.1	6.3	25.0	284.8	330.8	112.7	112.7	50.1	81.4	90.8	37.6	12.5	33.2	115.8	233.5	21.9	
18.7	37.3	230.2	242.7	108.9	90.2	62.2	115.1	127.6	43.6	6.2	10.4	59.1	214.7	3.1	18.7	
6.2	6.2	27.8	216.5	197.9	126.8	123.7	58.7	86.6	102.1	18.5	12.4	40.2	49.5	176.3	3.1	6.2
3.1	12.3	27.7	249.0	270.5	70.7	104.5	49.2	110.7	116.8	33.8	21.5	67.6	55.3	239.8	3.1	3.1
9.2	12.2	48.9	284.2	241.4	67.2	45.8	119.2	165.0	27.5	27.5	64.2	24.4	207.8	9.2	9.2	
12.2	21.3	265.0	179.7	131.0	82.2	76.1	70.1	57.9	21.3	9.1	73.1	60.9	231.5	9.1	12.2	
6.1	24.3	42.6	237.3	191.7	143.0	45.6	76.1	100.4	43.9	24.3	3.0	57.8	60.9	146.0	6.1	6.1
3.0	33.4	33.4	197.5	231.0	142.8	88.1	83.1	109.4	66.9	24.3	15.2	88.1	45.6	255.3	3.0	3.0
3.0	6.1	15.2	264.1	236.8	130.5	60.7	88.0	75.9	151.8	27.3	6.1	63.7	60.7	197.3	6.1	3.0

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW HAMPSHIRE RURAL—Cont'd.													
Rockingham county.....	1901 1,706.7	9.9			2.5	4.9		24.7	39.5		128.3	19.7	86.3
	1902 1,632.5	17.2		2.5	2.5		12.3	49.2	4.9		162.5	14.8	91.1
	1903 1,602.8	19.7	2.5			4.9	22.1	19.7	44.2		125.4	9.8	66.4
	1904 1,615.0	9.8	2.5					7.4	19.6		142.3	12.3	90.8
	1905 1,805.9	22.1			4.9		9.8	4.9	51.5	7.4	132.3	19.6	85.8
Strafford county.....	1901 1,704.1	5.7					11.4	34.1	17.0		159.1	28.4	51.1
	1902 1,550.2	22.8					34.2	22.8	5.7		171.0		68.4
	1903 1,601.2	11.4	11.4		31.5		5.7	5.7	51.5		165.8	22.9	74.4
	1904 1,543.5	34.4				34.4		5.7	45.9		132.0	11.5	74.6
	1905 1,669.6	17.3			11.5		51.8	11.5	63.3	40.3	46.1	11.5	109.4
Sullivan county.....	1901 1,792.0	11.1	5.5			22.1		11.1	60.8		143.8	11.1	94.0
	1902 1,487.5	11.0		5.5				5.5	5.5		121.2	5.5	93.7
	1903 1,712.2	5.5			16.5			27.4	49.4		115.3	5.5	120.7
	1904 1,503.3	21.9						5.5	21.9		98.4	16.4	76.5
	1905 1,584.6	32.7			16.3		16.3	21.8	10.9	21.8	119.8	10.9	70.8
NEW JERSEY RURAL.													
Atlantic county.....	1901 1,429.7	20.7			5.2	15.5	5.2	67.3	41.4		82.9	5.2	36.3
	1902 1,507.2	20.0	5.0		5.0	5.0	5.0	34.9			99.8	15.0	34.9
	1903 1,481.7	19.2				4.8	19.2	14.4	4.8		149.1	24.1	57.7
	1904 1,258.8	9.3			4.6			13.9	13.9		79.0	4.6	41.8
	1905 1,540.2	13.5			4.5		13.5	44.9	18.0	9.0	148.2	35.9	26.9
Bergen county.....	1901 1,327.4	12.1	8.5	1.2	2.4	14.5	13.3	29.0	14.5		126.9	9.7	50.8
	1902 1,335.8	10.3	5.7	2.3	23.0	3.4	27.6	28.7	6.9		124.0	10.3	52.8
	1903 1,322.0	9.8	5.5	1.1	2.2	19.7	12.0	35.0	12.0		114.9	13.1	38.3
	1904 1,285.4	11.5	2.1		8.4	14.6	7.3	28.5	10.5		88.8	19.4	44.9
	1905 1,268.0	9.0	2.0		2.0	7.0	7.0	20.0	3.0	11.0	111.0	19.0	56.0
Burlington county.....	1901 1,608.4	30.5		1.7		8.5	1.7	18.6	42.4		149.2	23.7	61.0
	1902 1,375.5	23.4	1.7	3.3	6.7	8.4	6.7	11.7	8.4		123.8	16.7	40.2
	1903 1,553.2	33.0	6.6	8.3	1.7	34.7	9.9	19.8	18.2		137.1	19.8	74.4
	1904 1,594.3	29.4	3.3	3.3	8.2	13.1	9.8	21.2	18.0		177.9	16.3	66.9
	1905 1,415.2	24.2	3.2			8.1	4.8	6.4	17.7	11.3	133.8	21.0	70.9
Camden county.....	1901 1,608.8	42.4	3.0	33.3		6.1		21.2	27.3		190.9	15.1	39.4
	1902 1,515.9	32.1		2.9	2.9	2.9	5.8	17.5	2.9		198.2	5.8	72.9
	1903 1,567.5	19.7	2.8		5.6	8.4	16.9	28.1	5.6		179.8	16.9	44.9
	1904 1,417.5	27.1		2.7	8.1	2.7	2.7	40.7	19.0		181.6	27.1	56.9
	1905 1,482.0	18.3	2.6				5.2	20.9	18.3	5.2	204.2	18.3	39.3
Cape May county.....	1901 1,524.4	21.4	14.2			21.4		21.4	7.1		163.8	35.0	64.1
	1902 1,297.4	40.3	6.7				30.2	33.6	6.7		127.7	6.7	73.9
	1903 1,119.9	6.4			12.7	6.4		12.7	12.7		108.2	25.5	28.5
	1904 1,274.7						6.0	24.2	12.1		78.5	6.0	84.6
	1905 1,138.6	17.3					17.3	11.5	34.5		92.0	11.5	63.3
Cumberland county.....	1901 1,135.8	22.5	3.7			22.5	15.0	7.5	37.5		142.4	15.0	45.0
	1902 1,249.2	11.3	3.5				22.5	7.5	3.8		153.8	15.0	41.3
	1903 1,317.6	7.3	3.8				7.5	18.8			161.4	18.8	90.1
	1904 1,419.9	22.5	3.8	3.8	3.8	15.0	7.5	22.5	11.3		154.0	18.8	45.1
	1905 1,405.9	45.1					11.3	30.1	26.3		131.6	11.3	60.1
Essex county.....	1901 1,178.1	16.7	1.3	3.9		15.4	2.6	34.7	18.0		107.9	12.8	63.0
	1902 1,156.4	22.7	3.8	13.9	2.5	6.3	15.1	34.0	3.8		126.1	13.9	51.7
	1903 1,133.1	14.6	4.9		1.2	29.2	10.9	19.5	8.5		130.1	23.1	57.1
	1904 1,258.7	5.9	3.5			7.0	12.9	36.4	8.5		137.3	28.2	57.5
	1905 1,203.5	9.5			1.2	10.7	9.5	38.0	5.9	8.5	137.8	28.5	57.0
Gloucester county.....	1901 1,230.8	24.7	3.1	3.1	6.2	9.3	6.2	33.9	27.8		117.2	24.7	33.9
	1902 1,190.3	27.3	3.0			3.0	24.3	24.3	6.1		88.1	18.2	51.6
	1903 1,106.0	23.9			3.0	3.0	14.9	14.9	12.0		92.7	12.0	32.9
	1904 1,428.0	20.6	2.9		2.9	11.8	5.9	14.7	11.8		141.3	35.3	70.7
	1905 1,258.8	8.7					20.3	31.9	8.7		118.9	20.3	55.1
Hudson county.....	1901 1,804.8	27.6	7.7	35.2	1.5	15.3	4.6	45.9	9.2		191.4	16.8	58.2
	1902 1,801.1	13.1	4.4	184.3	8.7	20.3	2.9	63.7	2.9		169.8	18.9	52.2
	1903 1,537.1	15.2	9.7	1.4	4.1	6.9	2.8	46.9	5.5		179.4	16.6	69.0
	1904 1,842.3	14.5	3.9	1.3	9.2	28.9	14.5	69.7	5.3		203.1	14.5	53.9
	1905 1,715.6	13.8	5.0	1.3	5.0	16.3	3.8	50.2	5.0	33.9	162.0	21.4	54.0
Hunterdon county.....	1901 1,497.5	30.4	14.6		11.7			23.4	32.1		110.9	26.3	73.0
	1902 1,340.9	20.6	5.9	2.0	8.8	14.7		23.5	11.8		100.0	23.5	61.8
	1903 1,424.8	14.8	3.0			3.0	3.0	35.5	35.5		74.1	20.7	80.0
	1904 1,372.8	14.9	3.0			3.0		29.8	26.9		104.4	17.9	44.8
	1905 1,304.9	6.0					15.0	6.0	12.0	3.0	126.3	21.0	84.2
Mercer county.....	1901 1,270.0	13.1				4.4	8.7	4.4	13.1		102.1	30.5	39.3
	1902 1,463.4	4.2		8.4	4.2	12.6	16.8	4.2	4.2		84.1		42.1
	1903 1,092.4	24.4					36.5	4.1	12.2		65.0	12.2	40.6
	1904 1,106.8	15.7	3.9		3.9	7.8	3.9	23.5	15.7		90.3	3.9	54.9
	1905 972.1	15.2			3.8		3.8	15.2	11.4		144.3	3.8	53.2
Middlesex county.....	1901 1,294.9	6.9	9.2	9.2		2.3	2.3	18.5	25.4		117.9	16.2	32.4
	1902 1,287.2	15.8	2.3	20.3		4.5	26.3	15.8			119.3	9.0	45.0
	1903 1,400.4	8.8	11.0			19.7	8.8	50.4	17.5		111.8	8.8	61.4
	1904 1,781.9	17.1	6.4		8.5	25.6	4.3	64.1	17.1		98.2	19.2	47.0
	1905 1,424.8	6.2	12.5		22.9	37.5	2.1	50.0	18.7	33.3	118.7	8.3	50.0
Monmouth county.....	1901 1,578.8	19.2	3.6	3.6	3.6	10.8	18.0	26.4	25.2		179.0	15.6	74.5
	1902 1,408.8	21.3	4.7	1.2	5.9	7.1	10.7	30.8	5.9		107.8	17.8	62.8
	1903 1,364.9	17.5	3.5		1.2	2.3	8.2	31.6	15.2		123.9	17.5	50.6
	1904 1,513.6	21.9	8.1		8.1	1.2	6.9	17.3	30.0		145.2	28.8	49.6
	1905 1,434.3	26.2	6.8		8.0	2.3	6.8	30.7	11.4	18.2	146.7	22.7	59.1

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

145

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menigitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.5	17.3	34.5	241.7	231.8	180.0	66.6	81.4	74.0	59.2	29.4	2.5	59.2	106.1	187.4	17.3
2.5	7.4	41.9	224.1	258.6	125.6	51.7	56.6	68.9	96.0	24.6		59.1	44.3	204.4	9.8
19.7	22.1	233.5	280.3	86.0	68.8	86.0	39.3	51.1	91.0	24.6	4.9	81.1	68.8	206.5	7.4
14.7	14.7	245.4	270.0	168.0	81.0	65.3	90.8	81.0	28.5	28.5	9.8	68.7	27.0	216.0	7.4
4.9	19.6	34.3	193.6	284.2	151.9	44.1	98.0	107.8	117.6	36.8		85.8	63.7	223.0	2.5
11.1	17.0	34.1	193.1	181.8	113.6	119.3	147.7	73.8	79.5	39.8	17.0	85.2	85.2	181.8	28.4
5.7	22.8	45.6	210.9	171.0	51.3	39.9	96.9	108.2	68.4	28.5	11.4	68.4	68.4	199.4	22.8
5.7	5.7	40.0	154.4	217.3	97.2	85.8	102.9	108.7	80.1	40.0	5.7	28.6	74.4	137.2	17.2
11.5	40.2	126.2	281.2	63.1	114.8	126.2	103.3	74.6	28.7	17.2	17.2	40.2	34.4	137.7	17.2
5.5	11.1	22.1	243.4	232.3	177.0	77.4	60.8	77.4	121.7	11.1	11.5	88.5	83.0	182.5	22.1
5.5	38.4	43.9	187.3	225.9	150.8	55.1	11.0	38.6	143.2	11.0		49.6	71.6	230.9	11.0
10.9	27.3	10.9	170.1	257.9	142.7	126.2	54.9	82.3	137.2	5.5	16.5	93.3	27.4	159.1	5.5
21.8	32.7	106.0	239.6	98.0	59.9	43.6	63.3	141.6	27.2	27.2	63.3	43.6	201.6		
5.2	25.9	202.0	150.2	57.0	88.1	119.1	51.8	77.7	72.5			98.4	82.9	119.1	
9.6	15.0	149.7	134.7	54.9	54.9	79.8	64.9	94.8	59.0			51.9	44.9	149.7	5.0
9.3	28.9	168.4	187.6	103.8	72.2	77.0	48.1	77.0	77.0			57.7	81.8	197.2	
9.0	13.9	120.8	134.3	102.2	92.9	185.8	60.4	79.0	27.9	4.6		55.7	69.7	102.2	4.6
12.1	13.5	170.6	224.5	35.9	71.8	121.2	98.8	143.7	35.9	4.5		62.9	85.3	157.2	
2.3	30.2	219.9	137.8	137.8	87.0	99.1	68.0	65.3	59.2	10.9	117.2	53.2	142.6	3.6	
1.0	27.6	151.6	160.8	88.4	77.0	79.3	62.0	30.5	66.6	6.9	104.5	57.4	65.3	1.1	
1.0	32.8	181.7	146.6	91.9	98.0	98.8	40.2	62.4	63.5	4.4	98.5		51.4		
1.0	26.5	150.5	150.5	130.6	74.2	100.3	53.3	59.6	62.7	6.3	86.7	40.8	100.3	1.0	
1.0	32.0	147.0	158.0	112.0	50.0	96.0	50.0	78.0	58.0	10.0	95.0	40.0	79.0	3.0	
10.2	30.5	230.5	145.8	103.4	71.2	125.4	88.1	94.9	57.6	6.8	78.0	79.7	145.8	3.4	
11.7	18.4	200.8	162.3	95.4	53.5	100.4	65.3	90.4	56.9	11.7	77.0	78.6	102.1		
8.3	46.3	163.6	166.9	101.1	85.9	79.3	74.4	102.4	81.0	8.3	56.2	76.0	133.9	3.3	
1.6	24.5	189.3	181.1	119.1	70.2	97.9	70.2	111.0	58.7	6.5	99.5	66.9	117.5	3.3	
1.6	11.3	164.4	190.2	80.6	70.9	91.9	53.2	114.4	54.8	4.8	101.5	46.7	96.7	3.2	
9.1	27.3	239.4	151.5	121.2	60.6	100.0	87.9	81.8	63.6	3.0	97.0	78.8	109.0		
2.9	14.6	244.9	157.4	125.3	72.9	107.9	64.1	81.6	49.6	8.7	52.5	67.0	116.6	5.8	
5.6	30.9	244.4	162.9	109.6	56.2	118.0	67.4	131.8	50.6	5.6	78.7	50.6	120.8	2.8	
2.7	21.7	176.2	173.5	108.4	89.4	81.0	39.6	78.6	48.8	19.0	37.9	48.8	97.6	2.7	
13.1	26.2	214.7	175.4	107.4	70.7	112.6	41.9	91.6	60.2	7.9	75.9	34.0	117.8		
7.1	28.5	249.3	114.0	35.6	78.4	71.2	71.2	64.1	49.9	7.1	64.1	92.6	242.2		
20.2	13.4	188.2	91.1	60.5	60.5	67.2	100.8	60.5	13.4		67.2	114.3	114.3	6.7	
6.4	12.7	140.0	133.6	25.5	82.7	63.6	95.5	63.6	12.7	6.4	44.5	89.1	120.9	12.7	
12.1	18.1	199.4	132.9	30.2	78.5	114.8	60.4	90.6	42.3	18.1	90.6	84.6	90.6		
212.8	92.0	46.0	109.3	69.0	69.0	69.0	69.0	74.8	23.0	5.8	74.8	37.5	37.5		
3.7	15.0	26.2	168.7	108.7	82.5	45.0	26.2	41.2	73.0	33.7		52.5	52.5	93.7	
18.8	37.5	164.1	150.0	97.5	41.3	48.8	48.8	78.8	20.3	11.3	63.8	71.3	131.3		
11.3	18.8	168.9	135.1	82.6	75.1	71.3	52.6	112.6	33.8	3.8	71.3	48.8	97.6		
7.5	11.3	240.4	169.0	78.9	52.6	52.6	71.4	101.4	52.6		67.6	52.6	150.3	3.8	
3.8	22.6	229.3	135.3	127.8	60.1	63.9	75.2	94.0	52.6	15.0	67.7	33.8	90.2		
3.9	6.4	27.0	127.2	118.2	89.9	69.4	83.5	66.8	69.4	65.5	9.0	68.1	37.3	60.4	
1.2	3.8	20.2	141.2	119.8	79.4	69.4	54.2	79.4	42.9	12.6	35.3	60.4	60.4		
1.2	4.0	21.9	137.4	117.9	71.7	75.4	38.9	68.1	71.7	45.0	10.9	52.3	43.8	72.9	
1.2	18.8	34.0	126.8	137.3	119.7	68.1	89.2	65.7	82.2	56.3	7.0	45.8	22.3	89.2	3.5
1.2	10.7	42.8	124.8	161.6	85.5	76.0	59.4	40.4	79.6	59.4	23.8	41.6	71.3		
3.0	9.3	206.7	120.3	89.5	46.3	80.2	49.4	74.0	55.5	3.1	101.8	24.7	77.1	3.1	
3.0	15.2	191.3	185.2	75.9	39.5	60.7	48.6	69.8	27.3		12.1	48.6	75.9	3.0	
2.9	3.0	29.9	107.4	101.6	101.6	62.8	68.8	92.7	20.9	9.0	74.7	65.8	89.7		
2.9	2.9	23.6	212.0	144.3	117.8	67.7	85.4	79.5	64.8	2.9	94.2	41.2	106.0		
2.9	5.8	20.3	165.3	159.5	98.6	26.1	81.2	75.4	63.8	2.9	63.8	52.2	81.2		
1.5	1.5	49.0	212.8	93.4	189.8	133.2	133.2	71.9	110.2	16.8	104.1	55.1	131.7	3.1	
1.4	4.4	49.3	190.1	100.1	132.1	168.4	107.4	65.3	104.5	59.5	23.2	74.0	72.6	2.9	
1.4	8.3	51.1	201.5	126.9	104.9	118.7	91.1	81.4	80.0	48.3	19.3	95.2	117.3	2.8	
15.8	42.1	228.8	160.4	181.5	122.3	157.8	97.1	85.5	67.1	28.9	36.8	143.3	2.6		
28.9	57.8	192.2	133.1	149.5	109.3	138.1	74.1	119.3	55.3	20.1	105.5	41.4	119.3		
2.9	8.8	32.1	227.7	230.6	102.2	37.9	75.9	70.1	84.7	52.5	5.8	67.1	49.6	131.4	5.8
14.7	17.6	258.8	185.3	58.8	82.3	52.9	82.3	58.8	35.3		82.3	41.2	97.0		
23.7	29.6	260.7	242.9	91.8	41.5	47.4	56.3	74.1	32.6	20.7	65.2	35.5	133.3		
3.0	14.9	14.9	238.7	208.9	89.5	65.7	47.7	77.6	86.5	11.9	68.6	23.8	113.4	3.0	
3.0	3.0	15.0	213.5	195.4	30.1	72.2	66.1	48.1	102.2	3.1	9.0	84.2	108.2		
4.4	30.5	165.8	165.8	56.7	69.8	69.8	52.4	34.9	52.4		141.0	39.3	161.5		
4.2	12.6	16.8	130.4	105.2	58.9	54.7	54.7	42.1	67.3	46.3		46.3	54.7		
8.1	20.3	146.2	129.9	85.3	48.7	20.3	56.9	44.7	32.5	4.1	138.1	48.7	109.6	4.1	
3.9	19.6	188.4	117.7	86.3	35.3	66.7	47.1	35.3	35.3		137.4	27.5	82.4		
7.6	7.6	125.3	106.3	64.6	38.0	60.8	34.2	41.8	30.4	11.4	87.3	34.2	68.3		
2.3	6.9	27.7	145.7	148.0	92.5	53.2	113.3	62.4	74.0	31.3	16.2	117.9	57.8	97.1	
2.3	9.0	29.3	175.5	92.3	83.3	85.5	67.5	67.5	38.3	6.8	108.0	51.8	87.8		
8.8	26.3	175.3	133.7	89.9	72.3	94.2	87.7	76.7	52.6	17.5	157.8	26.3	74.5	2.2	
4.3	2.1	32.0	134.6	132.4	121.7	91.8	117.5	64.1	51.3	38.1	6.4	123.9	115.3	2.1	
2.1	10.4	31.2	141.6	83.3	116.6	79.2	125.0	80.3	50.0	10.4	147.9	43.7	87.5		
2.4	16.8	32.4	210.3	152.6	79.3	67.3	150.2	60.7	93.7	8.4	97.3	57.7	103.3	12.0	
15.4	16.6	169.4	163.5	84.1	68.7	113.7	71.1	91.2	42.7	2.					

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW JERSEY RURAL—Continued.														
Morris county	1901	1,380.2	9.2		5.5	3.7	7.4	11.1	31.3	38.7		145.6	9.2	62.7
	1902	1,474.9	11.0	3.7	1.8	5.8	14.6	34.8	20.1	9.1		137.2	14.6	32.9
	1903	1,481.0	18.2	7.3		7.3	7.3	12.7	23.6	27.3		112.7	14.5	40.0
	1904	1,514.2	7.2			5.4	10.8	3.6	43.3	28.9		167.8	18.0	50.5
	1905	1,450.1	5.4	1.8		3.6	3.6	9.0	16.1	23.3	23.3	129.1	17.9	75.5
Ocean county	1901	1,707.3	10.0	5.0			5.0	40.1	10.0	45.1		175.2	15.0	70.1
	1902	1,346.6	29.7				5.0	9.9	19.8	5.0		158.4	9.9	69.3
	1903	1,003.6	4.9					9.8	9.8	24.5		127.3		53.9
	1904	1,317.0	14.5	1.8		4.8			33.9	43.6		130.7	24.2	43.6
	1905	1,173.4	33.5	9.6		4.8	4.8		9.6	14.4	4.8	105.4	19.2	57.5
Passaic county	1901	1,021.7	13.1	4.4			26.2	13.1	30.6	8.7		83.0	8.7	17.5
	1902	1,088.1	8.4	4.2		12.6	4.2	23.2	37.8			50.4	16.8	50.4
	1903	1,113.5	20.2			4.0	4.0	8.1	16.2	8.1		129.6	8.1	44.5
	1904	1,277.6				3.9	3.9	3.9	62.5	7.8		121.1	27.1	27.4
	1905	1,079.6	3.8			3.8			15.1	3.8	7.5	98.1	15.1	49.1
Salem county	1901	1,292.8			3.9		7.8	3.9	3.9	50.6		155.8	3.9	46.7
	1902	1,267.8	19.4	7.7				11.6	11.6	7.7		96.8	3.9	42.6
	1903	1,427.8	34.6					15.4	30.8	30.8		200.1	15.4	73.1
	1904	1,648.5	42.1		15.3		19.1	7.7	15.3	23.0		179.8	7.7	65.0
	1905	1,388.5	19.0	7.6		3.8		7.6	11.4	22.8		117.9	19.0	57.1
Somerset county	1901	1,249.6	6.0	11.9		3.0	14.9		32.7	17.9		119.0	14.9	38.7
	1902	1,307.0	5.8	2.9	2.9		2.9	32.1	32.1	5.8		113.8	32.1	58.3
	1903	1,267.9	11.4	14.3			2.9	20.0	25.8	8.6		108.8	11.4	37.2
	1904	1,179.6	8.4			8.4	2.8	3.6	25.3	8.4		81.4	16.9	61.8
	1905	1,433.7	16.5	3.3		11.0	13.8	13.8	19.3	13.8	91.0	113.0	33.1	60.7
Sussex county	1901	1,101.2	16.7	8.3			4.2		25.0	33.4		87.6		58.4
	1902	949.1	12.6	4.2			4.2	12.6	25.2	4.2		88.2		54.6
	1903	989.4	8.5	4.2		8.5	4.2		16.9	25.4		114.2		35.1
	1904	1,256.0	21.3			8.5	21.3	4.3	21.3	12.8		76.6	21.3	42.6
	1905	1,059.0	4.3			12.9			12.9		12.9	150.1	12.9	34.3
Union county	1901	1,328.0	18.1				3.0	3.0	51.3	24.1		138.8	12.1	57.3
	1902	1,238.1	32.0		14.5	14.5	2.9	17.4	8.7	2.9		122.1	5.8	32.3
	1903	1,210.7	14.0			2.8	5.6	5.6	16.8	16.8		100.9	19.6	30.8
	1904	1,155.4	21.6	2.7		5.4	8.1	2.7	13.5	16.2		113.6	32.5	46.0
	1905	1,263.3	18.3	5.2		2.6	5.2	18.3	34.0	7.8	23.5	149.1	26.2	73.2
Warren county	1901	1,330.1	14.3	3.6	3.6				10.8	30.4		118.3	7.2	32.3
	1902	1,388.1	24.9	3.6	24.9	7.1	14.3	10.7	10.7	17.8		82.1		60.6
	1903	1,414.6	15.0			3.7	3.7	18.7	26.2	22.5		112.3	22.5	63.6
	1904	1,525.0	26.0	3.7		11.2	7.4	14.9	18.6	20.8		152.5	3.7	52.1
	1905	1,467.6	18.5					7.4	7.4	44.4	20.6	133.1	11.1	107.2
NEW YORK RURAL.														
Albany county	1901	1,550.8	74.8			15.0	3.0	3.0	29.9	44.9		104.8	6.0	65.9
	1902	1,430.8	29.7				11.9	8.9	20.8	23.8		136.8	3.0	89.2
	1903	1,483.8	14.8				17.7	26.6	14.8	30.2		100.5	17.7	65.0
	1904	1,524.5	35.2					2.9	8.8	44.1		149.8	17.0	58.7
	1905	1,485.7	32.1			17.5	11.7	14.6	17.5	11.7	5.8	125.5	11.7	61.3
Allegany county	1901	1,310.4	31.1	2.4		2.4	4.8	16.7	7.2	50.8		64.6	12.0	45.4
	1902	1,331.4	21.4	4.7	2.4		9.5		4.7	35.6		80.7	7.1	80.7
	1903	1,316.8	23.6	2.4		2.4		18.8		49.5		56.5	4.7	68.3
	1904	1,416.8	9.4	2.3		7.0	2.3	2.3	4.7	63.1		53.8	16.4	56.1
	1905	1,195.2	23.2				2.3	11.6	7.0	35.7	34.8	41.8	9.3	71.9
Broome county	1901	1,649.4	33.7	3.4	3.4	20.2	10.1	6.7	30.4	54.0		77.6	6.7	101.2
	1902	1,319.2	13.4	3.4			3.4	10.1	10.1	13.4		94.0		63.8
	1903	1,386.4	10.0	3.3		3.3		6.7	6.7	43.4		90.2	13.4	86.9
	1904	1,732.2	6.6	3.3		49.9	3.3	13.3	13.3	43.2		86.4	10.0	53.2
	1905	1,791.7	23.2				6.6		9.9	56.3	13.2	82.7	6.6	59.6
Cattaraugus county	1901	1,234.9	19.6			3.6	3.6	1.8	7.1	49.9		67.7	8.9	51.7
	1902	1,264.9	19.6	1.8		23.2	7.1	3.6	21.4	17.8		57.1	5.4	58.9
	1903	1,221.6	17.9				5.4	16.1	8.9	25.0		44.7	12.5	58.9
	1904	1,305.3	21.5			3.6		1.8	23.2	19.7		69.7		64.4
	1905	1,213.7	7.2	1.8		3.6		23.3	19.7	16.1	16.1	73.4	5.4	71.6
Cayuga county	1901	1,564.4	19.7	2.8		16.9		8.5	11.3	118.4		118.4	19.7	90.2
	1902	1,477.4	11.4	5.7		2.9	2.9	11.4	8.6	22.8		85.6	14.3	65.6
	1903	1,471.9	20.2	2.9		5.8		5.8	17.3	34.6		115.4	11.5	49.1
	1904	1,641.6	32.1	2.9	2.9		2.9		5.8	26.3		116.8	8.8	99.3
	1905	1,608.6	14.8				5.9	11.8	11.8	38.4	26.6	100.5	17.7	68.0
Chautauqua county	1901	1,267.7	24.0	9.2		7.4	5.5	12.9	11.1	85.0		101.6	20.3	46.2
	1902	1,354.1	22.1	1.8		9.2	7.4	22.9	3.0	33.7		93.7	14.7	60.6
	1903	1,363.3	21.9	1.8			7.5	5.5	14.6	23.8		95.0	20.1	74.9
	1904	1,443.0	20.0	1.8	1.8	5.5	12.7	1.8	3.6	67.2		94.5	14.5	81.8
	1905	1,359.2	9.0			5.4	1.8	7.2	7.2	27.1	7.2	83.1	14.5	70.5
Chemung county	1901	1,609.8	44.2	5.5		11.1	5.5	33.2	22.1	99.5		143.8	11.1	77.4
	1902	1,512.9	56.2						30.6	22.5		118.1	39.4	50.6
	1903	1,443.1	40.1						17.2	11.4		80.1		68.7
	1904	1,660.0	17.5	11.7				11.7	29.1	29.1		122.3	23.3	104.9
	1905	1,512.5	29.7	5.9					17.8	41.5	17.8	112.7	17.8	106.7
Chenango county	1901	1,778.1	27.3		2.7	16.4	21.9	10.9	8.2	92.9		153.0	13.7	128.4
	1902	1,432.2	27.3	2.7			2.7		2.7	10.9		117.3	13.6	73.7
	1903	1,490.3	10.9	2.7		8.2	2.7	8.2	10.9	27.2		81.7	8.2	92.6
	1904	1,741.5	16.3			5.4	5.4		8.2	54.4		81.4	16.3	122.4
	1905	1,637.9	16.3	2.7		5.4	10.9	2.7	8.2	43.5	16.3	111.4	16.3	70.7

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

147

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—Continued.															
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.8	0.2	24.0	152.9	130.8	73.7	86.6	103.2	62.7	84.8	71.9	3.5	77.4	60.8	103.2	7.4
7.3	14.6	23.6	232.4	153.7	100.6	102.5	81.2	58.6	109.8	62.2	3.7	91.5	42.1	87.8	12.8
7.3	38.2	219.9	139.9	96.3	87.2	63.1	61.1	49.1	143.6	81.8	3.5	110.9	29.1	127.2	5.5
7.2	12.6	213.0	171.5	114.4	75.8	77.6	77.6	52.3	119.1	43.3	1.8	93.7	18.0	111.4	1.8
12.5	28.7	183.4	177.5	86.0	116.5	116.5	78.9	64.5	102.2	41.2	5.4	96.8	19.7	124.7	1.8
20.0	45.1	245.3	135.2	145.2	85.1	100.1	85.1	60.1	70.1	10.0	105.1	60.1	135.2		
29.7	19.8	163.4	163.4	31.7	94.1	94.1	84.2	84.2	84.1	19.8	5.0	74.3	69.3	96.0	
4.9	19.6	107.7	122.4	63.6	63.6	39.2	73.4	68.5	44.1			49.0	58.7	58.7	
4.8	4.8	217.9	125.9	111.4	58.1	92.0	62.9	62.9	43.6			67.8	67.8	72.6	4.8
14.4	19.2	134.1	114.9	103.4	67.0	67.0	86.2	91.0	33.5	14.4	33.5	19.2	103.4	4.8	
4.2	33.6	188.1	96.6	65.5	52.4	96.1	43.7	39.3	43.7	8.7	96.1	39.3	74.2		
4.0	20.2	113.4	129.6	85.0	44.5	44.5	64.8	20.2	52.6	20.2	85.0	52.6	93.1		
27.4	11.7	89.9	148.5	109.4	86.0	121.1	15.6	46.9	101.6	15.6	136.8	27.4	82.1		
3.8	37.7	113.2	117.0	79.3	67.9	113.2	41.5	83.0	37.7	18.9	83.0	18.9	67.9		
3.9	19.4	19.5	210.3	109.0	112.9	54.5	70.1	62.3	70.1	50.6	7.8	35.0	62.3	151.9	
15.3	15.3	109.0	109.0	109.0	109.0	109.0	109.0	109.0	109.0	109.0	109.0	109.0	109.0	109.0	
19.0	19.0	209.2	110.3	102.7	60.9	121.7	79.9	102.7	60.9	1.6	72.3	72.3	83.7		
3.0	6.0	8.9	208.3	136.9	59.5	62.5	53.6	68.4	74.4	50.6	11.9	101.2	44.6	101.2	
2.9	5.8	23.3	154.6	148.8	81.7	81.7	72.9	72.9	78.8	55.4	8.8	61.3	55.4	113.8	
11.4	22.9	171.7	163.1	54.4	100.2	68.7	65.8	60.1	54.4	8.6	68.7	54.4	113.8		
8.4	11.2	196.6	137.6	94.7	50.6	54.3	39.3	39.3	61.8	5.6	70.2	42.1	98.3	5.6	
11.0	24.8	190.2	118.6	77.2	66.2	143.4	71.7	80.0	49.6	13.8	66.2	13.8	113.0	2.8	
4.2	4.2	20.9	162.7	133.5	137.7	75.1	37.5	50.1	37.5	4.2	41.7	33.4	91.8		
4.2	4.2	12.7	160.7	126.0	63.0	54.6	58.8	71.4	54.6	29.4	58.8	21.0	71.4		
12.8	8.5	170.3	136.2	166.0	55.3	33.8	21.1	59.2	42.3	25.4	12.7	76.1	8.5	103.7	
21.4	141.5	132.9	115.8	85.7	60.0	60.0	60.0	47.2	25.7	17.1	68.6	25.7	47.2		
5.8	17.4	127.9	159.8	104.6	55.2	81.4	37.8	87.2	46.5	14.5	87.2	20.1	107.5		
16.8	19.6	145.7	103.7	89.7	89.7	33.2	42.0	134.5	47.6	11.2	162.5	14.0	67.3		
10.2	24.4	148.8	135.3	108.2	43.3	54.1	27.1	83.9	46.0	13.5	100.1	24.4	62.2		
13.1	20.9	136.0	107.2	109.8	60.2	68.0	41.8	73.2	49.7	10.5	112.5	15.7	81.1		
14.3	7.2	167.2	121.9	114.7	75.3	82.5	100.4	93.2	43.0	7.2	93.2	57.4	93.2		
7.1	21.9	181.8	142.6	53.5	74.8	71.3	67.7	71.3	60.6	7.1	103.4	39.2	139.0		
22.5	29.9	230.8	146.0	78.6	74.8	48.7	56.1	67.4	59.9	3.7	146.0	52.4	108.5		
18.6	14.9	193.4	200.8	107.9	81.8	89.3	66.9	85.5	59.5	18.6	107.9	29.8	130.2		
3.7	14.8	33.3	177.4	210.7	99.8	33.3	48.1	88.7	33.3	33.3	96.1	29.6	114.6		
9.0	26.9	155.7	173.6	113.8	92.8	74.8	77.8	107.8	41.9	3.0	98.8	29.9	197.6		
3.0	8.9	26.8	157.7	193.4	71.4	47.6	44.6	136.8	53.5	5.9	110.1	23.8	166.6		
14.8	38.4	147.8	147.8	58.7	103.5	68.0	82.8	141.9	23.6	8.9	136.0	38.4	136.0		
2.9	26.4	32.3	146.9	22.2	94.0	96.9	73.4	73.4	41.1	8.8	17.5	44.1	132.2		
17.5	37.9	157.6	178.1	128.4	81.7	61.3	67.1	96.3	64.2	2.9	99.2	64.2	119.7		
7.2	4.8	14.3	172.2	215.2	83.7	43.0	33.5	74.1	76.5	21.5	107.6	33.5	162.6		
4.7	4.7	9.5	151.9	218.3	97.3	57.0	87.8	90.2	30.9	14.2	33.2	21.4	201.8		
2.4	23.6	33.0	129.6	223.8	87.2	47.1	23.6	70.7	23.6	7.1	33.0	33.0	214.4		
11.7	16.4	187.0	250.2	116.9	79.5	30.4	98.2	58.5	51.4	11.7	93.5	32.7	161.3		
18.6	11.6	143.9	204.2	85.9	32.5	33.4	78.9	60.3	23.2	20.9	60.3	16.2	123.0		
10.1	6.7	16.9	202.4	131.5	128.2	70.8	43.8	94.4	101.2	23.6	101.2	40.5	317.1		
3.4	3.4	26.9	231.6	147.7	73.9	60.4	23.5	67.1	94.0	43.6	63.8	40.3	211.5		
10.0	10.0	187.1	170.4	66.8	53.5	33.4	147.0	83.5	36.7	10.0	43.4	20.0	240.5		
13.3	26.6	10.0	196.2	202.7	99.7	66.5	43.2	106.4	123.0	43.2	106.4	43.2	287.9		
6.6	16.5	13.2	182.0	218.4	112.5	82.7	46.3	99.3	115.8	46.3	142.3	46.3	188.6		
7.1	12.5	133.6	187.1	89.1	62.4	55.2	78.4	71.3	44.5	5.3	87.3	33.9	149.7		
16.1	16.7	165.9	185.5	98.1	69.6	53.5	82.1	37.5	35.7	10.7	76.7	39.2	165.9		
1.8	14.3	16.1	157.2	191.1	83.9	50.0	41.1	62.5	42.9	16.1	96.4	25.0	191.1		
1.8	19.7	7.2	144.8	216.4	96.6	44.7	69.7	59.0	66.2	32.2	125.2	50.2	132.0		
3.6	9.0	25.1	134.3	211.2	71.6	55.5	48.3	50.1	62.7	41.2	125.5	68.0	146.8		
5.6	5.6	11.3	194.5	152.2	98.7	76.1	42.3	73.3	90.2	47.9	19.7	73.3	87.4		
2.9	11.4	20.0	262.4	228.2	74.2	45.6	48.5	77.0	82.7	39.9	8.6	94.1	37.1	214.0	
2.9	23.1	248.2	204.9	89.5	66.4	31.7	83.7	69.3	37.5	28.9	75.0	37.5	187.6		
23.4	8.8	251.2	327.2	105.2	61.3	23.4	90.6	93.5	46.7	14.6	87.6	26.3	181.1		
23.7	8.9	251.3	254.3	103.5	50.3	71.0	82.8	100.5	29.6	17.7	82.8	32.5	204.0		
12.9	18.5	205.1	140.4	51.7	38.8	35.1	64.7	62.8	38.8	7.4	33.6	25.9	186.6		
7.4	9.2	165.4	187.4	88.2	47.8	49.6	82.7	80.9	25.7	9.2	62.5	37.0	174.6		
3.7	18.3	15.3	179.1	182.7	76.8	58.5	56.7	102.3	71.3	29.2	7.3	84.1	179.1		
1.8	16.4	21.8	179.9	245.3	100.0	61.8	41.8	74.5	74.5	12.7	90.9	34.5	147.2		
9.0	21.7	162.7	204.2	84.9	70.5	48.8	96.4	77.7	28.9	7.2	106.6	28.9	166.3		
22.1	22.1	254.3	182.5	110.6	71.9	66.3	105.1	49.8	27.6	10.6	94.0	11.1	182.5		
16.9	11.2	202.5	213.7	90.0	61.9	28.1	101.2	61.0	33.7	5.6	56.2	22.5	227.5		
11.4	25.9	154.5	223.2	108.7	63.0	40.1	103.0	103.0	22.9		148.8	17.2	206.0		
5.8	5.8	11.7	227.2	238.8	87.4	110.7	29.1	122.3	58.3	35.0	87.4	23.3	238.8		
11.9	29.7	169.1	231.3	91.9	29.7	71.2	83.0	106.7	41.5	11.9	118.6	23.7	148.2		
5.5	10.9	35.5	226.7	224.0	103.8	106.5	41.0	95.6	76.5	41.0	21.9	92.9	35.5	185.7	
10.9	24.6	10.9	231.9	207.3	92.7	70.9	27.3	114.6	29.1	8.2	54.6	43.6	180.0		
16.3	10.9	185.3	280.6	106.3	92.6	21.8	92.6	81.9	38.1	13.6	81.7	22.8	174.4		
2.7	27.2	217.7	332.0	114.3	70.7	29.9	92.5	143.4	32.7	21.8	98.0	32.7	228.6		
32.6	16.3	225.6	235.5	141.3	62.5	70.7	81.5	125.0	40.8	19.0	70.7	19.0	163.1		

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.														
Clinton county.....	1901	1,131.5	14.7		2.1	8.4	21.0	8.4	33.6	48.3		130.2	14.7	44.1
	1902	984.6	8.4		2.1	8.4	6.3	12.5	20.9	25.1		121.2	8.4	41.8
	1903	1,063.7	12.5			10.4	29.1	2.1	8.3	29.6		110.3	12.5	25.0
	1904	1,183.6	10.4	2.1	2.1		31.1	6.2	14.5	47.7		120.2	10.4	43.5
	1905	1,248.8	18.6			6.2		12.4	14.4	45.4	8.3	125.9	12.4	41.3
Columbia county.....	1901	1,650.5	62.8					3.0	23.9	71.8		110.6	3.0	71.8
	1902	1,406.4	18.1	9.0		3.0		6.0	9.0	12.0		135.5	6.0	87.3
	1903	1,613.8	21.2	3.0		9.1	9.1	3.0	21.2	39.4		112.2	12.1	78.9
	1904	1,674.5	21.4	3.1		6.1	18.3	3.1	6.1	67.2		128.3	15.3	67.2
	1905	1,625.3	24.6			15.4	3.1	3.1	12.3	49.3	3.1	169.3	15.4	86.2
Cortland county.....	1901	1,587.3	86.1	5.4		5.4		5.4	5.4	43.0		118.4	5.4	91.5
	1902	1,601.5	16.1					5.4	21.5	48.4		75.2	5.4	118.2
	1903	1,582.9	22.1			5.5		5.5	22.1	33.1		71.7	16.5	88.2
	1904	1,735.2	22.0			11.0			55.1	49.6		49.6	16.5	126.7
	1905	1,722.0	11.0				5.5		11.0	27.5	16.5	93.5	16.5	93.5
Delaware county.....	1901	1,334.8	25.8			28.0	4.3	4.3	10.8	62.4		86.1	8.6	62.4
	1902	1,224.0	6.5				2.2	8.6	15.1	17.2		60.2	15.1	81.7
	1903	1,051.1	12.9				4.3	6.4	2.1			86.0	6.4	77.4
	1904	1,267.2	23.6			10.7	4.3	6.4	25.8	27.9		75.2	12.9	51.5
	1905	1,253.3	15.0	2.1		15.0		6.4	6.4	25.8	19.3	90.1	10.7	92.3
Dutchess county.....	1901	1,946.7	29.4	12.1		1.7	8.6	5.2	29.4	55.3		231.5	25.9	48.4
	1902	1,769.8	25.8	10.3		1.7	1.7	10.3	22.4	20.6		156.5	12.0	75.7
	1903	1,854.7	30.8	5.1		10.3	5.1	6.9	15.4	32.5		220.9	24.0	83.9
	1904	1,971.3	20.5	5.1		13.6		10.2	15.3	44.3		242.2	11.9	83.6
	1905	1,940.9	17.0	3.4		3.4	3.4	11.9	22.1	28.9	8.5	207.2	22.1	86.6
Erie county.....	1901	1,398.6	17.8	2.4		2.4	3.6	14.2	21.3	43.8		100.7	13.0	63.9
	1902	1,277.6	18.3			6.9	5.7	11.4	26.3	11.4		86.8	12.6	66.2
	1903	1,246.6	20.5			1.1	3.3	11.0	18.7	20.9		77.2	8.8	44.1
	1904	1,268.7	12.8	1.1		8.5	3.3	12.8	21.3			90.5	9.6	52.2
	1905	1,375.0	13.4			6.2	8.2	13.4	16.5	36.1	9.3	84.5	8.2	73.2
Essex county.....	1901	1,510.2	25.8			12.9	6.4	25.8	6.4	93.4		122.4	9.7	64.4
	1902	1,372.3	28.7		6.4	6.4	3.2	3.2	9.6	12.7		175.1	28.7	57.3
	1903	1,347.8	25.2	3.1		3.1	6.3	9.4	3.1	18.9		129.1	18.9	66.1
	1904	1,398.5	9.3			3.1	18.7	18.7	18.7			196.2	12.5	56.1
	1905	1,506.7	18.5	3.1		3.1		21.6	9.2	46.2	12.3	191.0	18.5	49.3
Franklin county.....	1901	1,571.3	9.2	2.3		2.3	2.3	9.2	80.2	50.4		265.7	18.3	34.4
	1902	1,529.5	20.2	4.5	13.5	38.2	27.0	11.2	13.5	11.2		285.7	18.0	47.2
	1903	1,416.2	33.1	4.4		2.2	8.8	4.4	13.3	30.9		265.1	19.9	39.8
	1904	1,602.0	13.0			8.7	6.5	26.0	26.0			236.6	8.7	60.8
	1905	1,610.8	21.3	4.3		27.7	6.4	53.3	14.9	23.5	14.9	296.6	34.1	55.5
Fulton county.....	1901	1,677.1	21.1			28.1		7.0	28.1	70.2		140.3	14.0	77.2
	1902	1,549.0	28.3				7.1		14.1			70.7	21.2	99.0
	1903	1,390.4	7.1				14.3	21.4	14.3	21.4		62.7	7.1	78.4
	1904	1,416.0					7.2		50.3	35.9		100.6	7.2	71.9
	1905	1,478.4	7.2			7.2		7.2	43.5	29.0		144.9		58.0
Genesee county.....	1901	1,533.6	31.6	5.7		5.7	8.6	28.7	23.0	71.8		97.6	14.4	89.0
	1902	1,234.4	28.5	2.9				8.6	5.7	22.8		79.8	14.3	68.4
	1903	1,349.9	42.4					2.8	5.7	30.6		96.2		73.6
	1904	1,441.2	22.5	2.8		5.6	8.4	19.7	53.4			80.9	11.2	89.9
	1905	1,592.6	10.5	2.8		19.5	2.8	11.2	8.4	30.7	19.5	103.2	22.3	92.0
Greene county.....	1901	1,704.7	54.2			19.1	15.9		28.7	35.1		181.6	12.7	51.0
	1902	1,625.7	47.9	3.2			3.2		6.4	32.0		59.8	19.2	60.7
	1903	1,747.3	44.9	3.2				9.6	12.8	19.2		128.2	22.4	83.4
	1904	1,685.2	48.2					9.6	12.9	51.5		138.3	22.5	101.7
	1905	1,600.4	35.5	3.2		25.8		6.5	6.5	29.0	16.1	177.4	12.9	106.5
Hamilton county.....	1901	1,063.1	40.5							81.0		161.9	40.5	60.7
	1902	892.1								20.3		60.8		40.6
	1903	965.1								40.6		20.3		20.3
	1904	1,057.8	20.3							20.3		101.7		20.3
	1905	855.7	20.4									61.1		81.5
Herkimer county.....	1901	1,378.8	15.5	3.9		15.5	13.6	5.8	50.4	42.7		122.2	5.8	75.6
	1902	1,061.7	13.4			5.8	7.7	3.8	30.7	3.8		74.9	11.5	59.6
	1903	1,325.0	15.2			1.9	1.9	24.7	26.6	15.2		116.0	7.6	72.2
	1904	1,270.7	15.1	1.8		1.8	7.5		30.1	15.1		107.3	18.8	65.9
	1905	1,265.9	3.7	1.9		1.9	11.2	3.7	9.3	13.1	20.5	104.4	0.3	57.8
Jefferson county.....	1901	1,461.5	25.4	1.8	1.8	30.9	3.6	1.8	5.5	74.5		125.4	16.4	54.5
	1902	1,282.4	23.6	1.8			1.8	3.6	5.5	29.1		85.5	14.6	60.0
	1903	1,323.3	18.2	1.8	1.8			5.5	16.4	18.2		100.1	20.0	60.2
	1904	1,408.2	21.9			1.8	3.6	9.1	27.3	32.8		105.6	10.9	65.6
	1905	1,370.7	20.1	3.6		1.8			9.1	9.1	14.6	93.0	23.7	76.6
Lewis county.....	1901	1,416.5	18.3	3.7		18.3		7.3	18.3	73.4		128.4	14.7	55.0
	1902	1,207.8	14.8	3.7			11.1		29.5			77.6	7.4	77.6
	1903	1,389.8	26.6	7.4				3.7	29.7	37.2		96.7	11.2	104.1
	1904	1,418.4	15.0				3.7	11.2	11.2	37.4		86.1	7.5	71.1
	1905	1,363.8	22.6			3.8		7.5	26.4	18.8	15.1	82.9	7.5	67.8
Livingston county.....	1901	1,406.6	13.5	8.1	2.7	2.7		18.9	2.7	40.4		140.1	5.4	78.1
	1902	1,337.5	5.4	2.7	2.7		5.4	2.7	16.1	24.2		92.6	10.8	70.0
	1903	1,544.1	8.1			18.8			13.4	43.0		104.8	13.4	91.4
	1904	1,484.2	18.8	5.4			2.7	2.7	21.5	45.6		80.5	8.1	75.1
	1905	1,519.7	21.4				5.4	2.7	8.0	24.1	16.1	85.8	13.4	101.8

1 Shown for 1905 only.

149

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- cu- latory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
14.7	37.8	92.4	117.6	44.1	60.9	73.5	58.8	39.9	44.1	4.2	48.3	25.2	142.8	2.1	
2.1	4.2	18.8	104.5	106.6	52.3	37.6	48.1	46.0	41.8	10.5	56.4	33.4	120.0	6.2	
2.1	2.1	31.2	102.3	107.8	120.5	58.3	45.3	18.7	33.3	6.2	62.4	32.0	130.7	6.2	
6.2	6.2	20.6	136.2	163.1	128.0	47.7	45.6	66.3	35.2	62.2	8.3	56.0	37.3	161.7	6.2
6.2	6.2	20.6	136.2	163.1	128.0	47.7	45.6	66.3	35.2	62.2	8.3	56.0	37.3	161.7	6.2
15.0	26.9	227.2	134.6	98.7	98.7	59.8	104.7	122.6	53.8	6.0	92.7	20.9	251.2		
9.0	15.1	198.8	204.8	87.3	42.2	39.2	87.3	120.5	30.3	9.0	120.5	24.1	132.5		
21.2	12.1	224.5	203.2	83.0	121.3	39.4	94.0	130.4	34.6	6.1	106.2	27.3	166.8	6.1	
9.2	6.1	189.4	206.4	103.9	76.4	48.9	113.1	134.4	42.8	3.1	85.8	30.6	195.6	3.1	
3.1	15.4	240.1	221.6	92.3	89.3	49.3	73.9	113.0	55.4	18.5	120.0	12.3	132.4	3.1	
16.1	5.4	166.8	161.4	226.0	60.9	48.4	69.9	80.7	37.7	10.8	37.7	50.2	231.4		
26.9	10.7	182.7	225.7	96.7	48.4	32.2	145.1	129.0	69.9	10.7	75.2	21.5	225.7	10.7	
11.0	5.5	233.7	330.9	150.9	66.2	38.6	55.5	104.8	30.6	5.5	55.2	11.0	176.5	5.5	
22.0	11.0	220.3	286.4	104.7	88.1	22.0	148.7	121.2	49.6	16.5	92.2	22.0	236.9	5.5	
38.5	5.5	302.6	238.6	115.5	110.0	60.5	60.5	154.0	22.0	11.0	82.5	11.0	209.1	5.5	
4.3	15.1	15.1	208.8	236.8	96.9	43.1	40.5	64.6	71.0	2.2	62.4	21.5	122.7	6.5	
6.5	15.1	15.1	154.9	174.2	131.2	47.3	62.4	56.0	71.0	10.8	2.2	90.3	144.1	4.3	
8.6	8.6	133.3	135.4	77.4	45.1	36.5	79.5	70.9	27.9	4.3	58.0	8.6	139.7	8.6	
2.1	15.0	158.9	221.2	116.0	43.0	36.5	81.6	79.5	17.2	4.3	83.8	19.3	124.6	4.3	
2.1	12.9	21.5	141.6	193.1	105.2	53.7	66.5	77.3	88.0	2.1	47.2	15.0	113.7	2.1	
3.5	6.9	24.2	312.7	262.6	126.1	91.5	100.2	84.6	70.8	53.5	1.7	115.7	44.9	198.6	1.7
8.6	22.4	314.7	276.9	106.6	77.4	81.3	84.3	98.0	29.2	8.6	94.6	46.4	178.9	1.7	
10.3	22.3	291.6	217.5	142.1	78.8	63.4	94.2	106.2	34.3	8.6	116.5	39.4	191.7		
1.7	18.8	35.8	330.8	278.0	134.7	81.9	76.7	87.0	112.5	46.0	10.2	97.2	18.8	194.4	
5.1	17.0	28.9	319.2	241.1	129.1	81.5	91.7	96.8	103.6	11.9	117.2	35.7	207.2		
16.6	30.8	174.1	177.6	77.0	6										

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL.—Continued.														
Madison county.....	1901	1,661.5	34.7				2.5	5.0	9.9	76.9		136.4	29.8	104.1
	1902	1,415.7	24.9				2.5	15.0	12.5	29.9		92.2	24.9	77.3
	1903	1,448.3	12.5	2.5			5.0	5.0	2.5	10.0		50.2	17.5	87.7
	1904	1,574.5	22.7				2.5	2.5		30.2		110.8	15.1	73.1
	1905	1,735.0	7.6				2.5	10.1	2.5	25.3	20.3	124.1	12.7	101.3
Monroe county.....	1901	1,405.4	19.7			17.9		12.5	19.7	50.1		114.4	14.3	57.2
	1902	1,328.5	14.1		5.3	1.8	1.8	7.1	12.5	7.1		121.9	7.1	68.9
	1903	1,393.1	10.5			5.2	3.5	15.7	31.4	27.9		97.8	19.2	80.2
	1904	1,444.0	20.7			1.7	12.1	8.6	31.1	27.6		101.8	22.4	86.3
	1905	1,368.7	8.7			17.4	5.2	5.2	31.3	17.4	12.2	76.5	20.9	76.5
Montgomery county.....	1901	1,309.3	31.3						7.8	54.7		93.8	15.6	50.8
	1902	1,317.0	15.6	3.9			15.6	7.8	39.0	3.9		116.9		46.8
	1903	1,421.6	42.7	3.9			31.1	3.9	19.4	35.0		101.0	11.7	72.8
	1904	1,448.2	27.1					7.7	11.6	19.4		154.9	19.4	100.4
	1905	1,382.0	23.2			7.7	7.7			27.0	11.6	115.8	15.4	100.4
Nassau county.....	1901	1,482.2	13.7	3.4	3.4	13.7	12.0	6.9	18.9	20.6		125.4	10.3	94.5
	1902	1,329.3	19.7	6.6		8.2	14.8	23.0	4.9	118.0		32.8	63.9	
	1903	1,340.0	7.8	14.1		4.7	7.8	28.2	25.1			120.7	18.8	64.3
	1904	1,400.4	15.0	6.0		12.0	4.5	18.0	27.0	10.5		117.2	13.5	61.6
	1905	1,334.2	26.0	7.2		2.9	4.3	7.2	31.7	14.4	14.4	108.2	11.5	63.5
Niagara county.....	1901	1,289.3	35.7				7.6	10.2	17.8	63.7		84.1	10.2	81.5
	1902	1,238.3	37.9		7.6	10.1	5.1	10.1	17.7	2.5		60.7	2.5	68.7
	1903	1,496.3	35.1	2.5			12.5	12.5	15.0	10.0		122.8	27.6	76.2
	1904	1,335.0	37.3	5.0			7.5	9.9	17.4	42.3		79.6	14.9	84.5
	1905	1,435.7	34.5	2.5		12.3	7.4		4.9	24.7	4.9	115.9	32.1	56.7
Oneida county.....	1901	1,474.7	18.1	1.6	1.6	11.5	3.3	9.9	14.8	54.3		107.0	11.5	90.5
	1902	1,502.1	19.9				3.3	3.3	13.2	5.0		107.5	8.3	79.4
	1903	1,363.8	20.0		1.7		5.0	8.3	15.0	16.6		98.1	23.3	84.5
	1904	1,539.9	28.4	1.7			16.7	6.7	23.4	33.4		108.7	1.7	61.9
	1905	1,509.5	18.5	3.4		3.4	6.7	5.0	20.2	11.8	6.7	116.0	18.5	75.6
Onondaga county.....	1901	1,477.7	31.4	1.7	1.7	11.6	8.3	8.3	18.2	57.9		128.9	13.2	71.1
	1902	1,494.1	26.4	1.6		4.9	9.9	13.2	11.5	5.5		153.4	24.7	70.9
	1903	1,464.3	26.3			18.1	3.3	23.0	8.2	39.5		113.5	18.1	69.1
	1904	1,490.5	26.3	1.6			13.1		4.9	19.7		110.0	11.5	80.4
	1905	1,492.0	21.3	3.3		1.6	16.4	6.6	8.2	13.1	9.8	142.5	6.6	68.8
Ontario county.....	1901	1,401.5	20.3	5.1		10.2		5.1		88.9		106.6	10.2	73.6
	1902	1,467.2	22.7		2.5		2.5	5.1	12.6	12.6		106.6	22.7	83.9
	1903	1,514.6	25.1			7.5	7.5	7.5	25.1			108.0	15.1	115.5
	1904	1,434.1	15.0	2.5			2.5	7.5	10.0	27.5		99.9	15.0	65.0
	1905	1,535.8	17.4			5.0	7.5	12.4	17.4	12.4	37.3	109.3	9.9	121.8
Orange county.....	1901	1,507.5	21.6	9.0		1.8	5.4	7.2	30.7	57.7		120.8	10.8	55.9
	1902	1,329.3	17.9	10.7		5.4	8.9	12.5	30.4	8.9		116.3	14.3	42.9
	1903	1,497.8	21.3	1.8			3.5	8.9	26.6	40.8		131.3	24.8	53.2
	1904	1,435.0	21.1	3.5		8.8	5.3	14.1	35.2	37.0		144.4	12.3	58.1
	1905	1,652.6	26.2	8.7			1.7	7.0	28.0	24.5	22.7	172.9	14.0	75.1
Orleans county.....	1901	1,490.4	32.9			26.3		29.6	6.6	50.2		148.0	16.4	82.2
	1902	1,314.5	43.7					6.5	16.3	16.3		117.4	13.0	48.9
	1903	1,452.8	29.1	6.5				3.2	12.9	25.9		90.6	12.9	51.8
	1904	1,454.1	3.2					9.6	28.9	22.5		128.4	22.5	93.1
	1905	1,289.9	6.4	3.2		9.6	6.4		9.6	35.0	6.4	117.8	9.6	57.3
Oswego county.....	1901	1,600.6	26.9	1.4		1.4		11.3	36.8	59.4		155.7	11.3	84.9
	1902	1,392.6	27.0	7.1		1.4		7.1	8.5	17.0		136.3	27.0	69.6
	1903	1,556.5	37.0	1.4		8.5	4.3	17.1	27.1	21.4		104.0	10.0	71.2
	1904	1,608.5	30.0		1.4		2.9	1.4	22.6	42.9		127.1	8.6	80.0
	1905	1,648.8	40.1	1.4		25.8	8.6	1.4	21.5	20.1	28.7	120.4	21.5	84.6
Otsego county.....	1901	1,729.1	24.6	2.1		47.2	12.3	8.2	22.6	55.4		119.0	12.3	84.1
	1902	1,354.7	50.9	2.1			6.2	10.3	2.1	12.4		86.5	12.4	88.5
	1903	1,562.4	20.7			4.1	10.3	6.2	10.3	20.7		84.7	18.6	95.1
	1904	1,750.9	20.7			12.4		8.3	8.3	60.2		105.8	20.7	114.1
	1905	1,755.6	14.6	2.1		25.0	2.1	6.2	4.2	37.5	22.9	102.0	12.5	104.1
Putnam county.....	1901	1,588.6	21.7	7.2		21.7		7.2	21.7	28.9		173.3	14.4	86.6
	1902	1,523.9	7.2	7.2					43.1	14.4		129.4	14.4	79.1
	1903	1,416.8								35.8		128.8	14.3	107.3
	1904	1,738.1					21.4	7.1	35.6	7.1		199.5	14.2	85.5
	1905	1,659.5	7.1	7.1		7.1		28.4	42.6	35.5	21.3	177.3	21.3	57.7
Rensselaer county.....	1901	1,708.4	62.5			23.7	2.2	6.5	34.5	68.9		155.1	12.9	90.5
	1902	1,476.3	39.0			8.7	2.2	13.2	13.0	19.5		103.9	15.2	90.9
	1903	1,577.0	28.1	2.2		4.4		26.1	10.9	32.6		121.8	13.1	84.8
	1904	1,569.4	35.0	2.2	2.2	6.6	8.7	6.6	10.9	56.8		135.5	8.7	65.6
	1905	1,552.9	35.1			28.6	22.0	4.4	8.8	24.2	22.0	164.7	11.0	74.7
Rockland county.....	1901	1,453.8	15.1	10.1	2.5		5.0	20.2	32.8	42.9		148.9	2.5	60.6
	1902	1,382.5	17.1	9.8	4.9		17.1	9.8	31.8	19.5	12.2	141.7	12.2	83.0
	1903	1,308.5	11.8	4.7		16.6	2.4	11.8	23.7	26.0		146.7	14.2	47.3
	1904	1,479.9	22.9	6.9		36.7	4.6	9.2	32.1	9.2		112.4	16.1	57.4
	1905	1,382.9	17.8	8.9		6.7	17.8	11.1	24.5	24.5	15.6	106.9	8.9	57.9
St. Lawrence county.....	1901	1,459.1	34.7	1.3		30.7	6.7	6.7	25.4	53.4		139.0	30.7	61.5
	1902	1,150.4	31.9		1.3	1.3	1.3	8.0	4.0	21.3		101.0	13.3	50.8
	1903	1,305.8	40.9			1.3		6.6	17.2	23.5		85.8	4.6	50.4
	1904	1,192.2	28.2					5.3	7.9	10.5	51.2	101.1	13.1	64.3
	1905	1,404.7	31.9			23.5	1.3	19.6	10.4	30.0	14.4	120.1	23.5	87.5

* Shown for 1905 only.

SUMMARY AND RATE TABLES.

151

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905--Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION--continued--															
Tumor.	Diabetes.	Menigitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	* Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.0	14.9	12.4	200.8	270.3	76.9	89.3	47.1	104.1	71.9	27.3	12.4	89.3	34.7	161.2	
2.5	10.0	10.0	196.9	199.4	79.8	74.8	39.9	92.2	69.8	29.9	17.4	89.7	34.9	189.4	
2.5	10.0	12.5	182.9	275.6	112.8	45.1	45.1	85.2	85.2	37.6	17.5	67.7	27.6	205.5	2.5
5.0	15.1	17.6	272.1	249.4	131.0	52.9	65.5	73.1	85.7	30.2	10.1	103.3	27.7	168.8	2.5
2.5	38.0	43.1	230.5	288.7	96.2	53.7	58.3	98.8	91.2	60.8	20.3	141.8	20.3	172.2	
1.8	12.5	23.2	164.5	128.7	112.6	94.8	46.5	69.6	82.3	44.7	12.5	73.3	66.2	171.7	1.8
.....	8.8	24.7	161.3	157.3	67.6	72.1	76.0	89.0	74.2	38.9	15.9	104.2	31.8	134.3	1.8
.....	10.5	12.2	169.3	202.5	69.8	78.6	50.6	73.1	82.0	52.4	8.7	83.8	20.9	157.1	
.....	12.1	17.3	172.5	231.2	98.3	82.8	72.5	70.7	67.3	39.7	17.3	100.1	17.3	132.8	
.....	26.1	24.3	161.7	191.3	93.9	53.9	87.0	52.2	85.2	48.7	24.3	106.1	26.1	116.5	
.....	11.7	11.7	191.5	129.0	82.1	62.5	31.3	97.7	46.9	15.6	11.7	105.5	62.5	195.4	
7.8	11.7	11.7	226.0	100.9	66.2	54.5	39.0	101.3	62.3	31.2	11.7	89.6	42.9	116.9	3.9
.....	27.2	19.4	202.0	241.7	62.1	31.1	27.2	81.6	69.9	19.4	23.3	81.6	38.8	167.0	3.9
.....	15.5	23.2	185.9	220.7	62.0	42.6	46.5	77.4	112.3	19.4	7.7	120.0	31.8	139.4	
3.9		7.7	181.4	142.8	38.6	46.3	50.2	61.8	108.1	46.3	19.3	123.5	54.0	189.2	
1.7	8.6	32.6	176.9	146.0	109.9	96.2	103.1	73.9	94.5	46.4	8.6	111.6	39.5	109.9	
1.6	8.2	13.1	144.3	112.6	82.0	91.8	88.5	62.3	108.2	41.0	11.5	83.6	36.1	123.0	1.6
1.6	26.7	152.1	111.3	65.9	75.3	80.0	75.7	75.7	103.5	59.9	9.4	108.2	36.1	100.3	
3.0	12.0	18.0	136.7	166.8	111.2	81.1	115.7	73.6	81.1	51.1	3.0	90.2	42.1	129.2	
1.4	10.1	23.1	131.3	155.8	80.8	77.9	138.5	69.2	76.4	64.9	8.7	70.7	36.1	98.1	
.....	10.2	20.4	107.0	135.0	89.2	68.8	91.7	61.2	45.9	43.3	5.1	91.7	15.3	193.6	
.....	15.2	7.6	166.8	179.4	75.8	58.1	65.7	93.5	40.4	50.5	12.6	88.5	30.3	128.9	5.1
.....	20.1	35.1	198.0	188.0	62.7	72.7	57.7	90.2	32.6	62.7	2.5	75.2	27.6	167.9	5.0
.....	9.9	39.8	124.3	191.0	97.0	47.2	72.1	94.5	54.7	52.5	5.0	111.9	47.7	146.7	
.....	14.8	24.7	157.9	229.4	89.3	54.3	83.9	86.3	39.5	71.5	7.4	106.1	59.2	115.9	2.5
.....	18.1	36.2	177.8	179.4	126.7	83.9	41.4	95.5	74.1	31.3	3.3	49.4	60.9	169.5	
3.3	3.3	9.9	172.1	183.6	92.7	39.7	41.4	102.6	96.0	39.7		57.9	36.4	183.6	
1.7	15.0	28.3	148.0	158.0	106.4	66.5	38.3	78.2	73.2	49.9	10.0	74.8	63.2	183.0	
3.3	20.1	36.8	187.3	201.0	108.7	73.6	35.2	90.3	88.6	43.5	21.7	98.6	45.1	175.6	1.7
.....	11.8	31.9	178.2	223.6	117.7	82.7	80.7	90.8	67.2	43.7	8.4	80.7	55.5	147.9	
5.0	14.9	23.1	185.1	173.6	86.0	103.8	57.9	82.6	69.4	26.4	8.3	67.8	39.7	180.2	
.....	11.5	28.0	222.6	184.0	95.6	72.6	49.5	82.5	67.6	49.5	19.8	69.3	42.9	183.0	
4.9	18.1	21.4	169.5	228.7	109.1	62.5	34.6	87.2	70.7	32.9	11.5	74.0	32.9	195.8	
3.3	9.8	31.2	203.5	226.5	110.0	68.9	41.0	36.5	90.3	41.0	19.7	73.9	46.0	205.2	
.....	11.5	27.8	183.4	249.9	78.6	63.9	52.4	93.4	85.2	45.9	13.1	104.8	22.9	162.1	
2.5	17.8	17.8	226.0	109.2	91.4	63.5	40.6	71.1	68.6	50.8	5.1	45.7	81.2	190.4	
.....	20.2	21.6	214.6	209.6	108.6	78.3	55.6	95.5	90.9	35.4	7.6	70.7	37.9	191.9	2.5
.....	10.0	10.0	198.4	208.5	123.1	80.4	57.8	118.1	90.4	30.1	15.1	75.4	35.2	148.2	
.....	15.0	12.5	231.8	207.4	62.5	79.9	89.9	79.9	97.4	32.5	12.5	82.4	10.0	172.4	
2.5	24.9	24.9	208.8	206.3	91.4	59.6	49.7	77.0	82.0	59.6	14.9	92.0	22.4	161.5	5.0
.....	10.8	23.4	192.9	171.3	97.4	108.2	95.6	72.1	59.5	46.9	16.2	106.4	34.3	151.5	
3.6	8.9	16.1	200.4	132.4	93.0	71.6	73.3	78.7	73.3	46.5	12.5	110.9	16.1	136.6	
.....	19.5	30.2	188.1	181.0	85.2	90.4	62.1	65.7	99.4	44.4	10.6	126.0	40.8	133.1	
3.5	10.6	28.2	163.7	163.7	86.3	58.1	91.6	75.7	89.8	45.8	3.5	89.8	37.0	146.1	1.8
.....	19.2	68.1	159.0	178.2	106.6	71.6	110.1	76.9	96.1	55.9	15.7	145.0	45.4	124.0	
3.3	16.4	13.2	190.7	253.2	78.9	52.6	65.8	75.6	59.2	16.4	3.3	98.6	32.9	138.1	
.....	6.5	6.5	169.6	180.2	110.9	75.0	58.7	65.2	75.0	32.6	13.0	45.7	35.9	163.1	3.3
.....	16.2	19.4	190.9	200.6	93.8	74.4	51.8	74.4	103.5	35.6	6.5	61.5	38.8	242.7	
3.2	19.3	9.6	157.3	189.4	115.6	57.8	54.6	86.2	80.2	35.6	6.4	77.1	35.3	211.9	
.....	6.4	3.2	149.7	197.5	57.3	57.3	54.1	82.8	63.7	60.5	19.1	70.1	41.4	165.6	
1.4	18.4	18.4	229.3	239.2	94.8	69.3	70.8	110.4	69.3	35.4	1.4	73.6	19.8	159.9	
1.4	8.5	17.0	183.1	176.0	90.9	45.4	42.6	89.4	107.9	35.5	7.1	69.6	27.0	190.2	
2.8	11.4	14.2	230.7	264.9	101.1	62.7	49.8	91.1	96.8	39.9	8.5	96.8	22.8	169.9	
2.9	12.9	22.9	241.4	208.7	98.6	45.7	50.0	101.4	105.7	52.9	5.7	85.7	35.7	164.3	
2.9	10.0	17.2	225.0	273.7	96.0	51.6	106.0	96.0	100.3	73.1	5.7	69.2	31.5	140.4	
.....	10.3	22.6	199.0	258.4	129.2	65.6	45.1	112.8	119.0	32.8	2.1	73.8	45.1	225.6	
2.1	28.8	10.3	177.1	189.4	67.9	39.1	47.4	90.6	131.8	30.9	8.2	47.4	30.9	201.8	
2.1	33.1	18.6	241.8	245.9	68.2	47.5	31.0	107.5	138.5	31.0	8.3	95.1	27.7	200.5	
4.1	24.9	18.7	211.6	260.1	116.2	56.0	47.7	91.3	132.8	60.2	10.4	93.4	37.3	209.5	
.....	16.7	10.4	227.0	324.9	154.1	37.5	35.4	108.3	131.2	58.3	18.7	91.6	22.9	185.3	
.....	7.2	7.2	274.4	151.6	137.2	86.6	57.8	86.6	50.5	43.3		130.0	65.0	115.5	
7.2		7.2	179.7	201.3	93.4	93.4	86.3	122.2	79.1	28.8	14.4	50.3	86.3	163.3	7.2
.....		35.8	136.0	171.7	85.9	78.7	57.2	50.1	85.9	57.2	14.3	128.8	57.2	171.7	
.....	14.2	21.4	206.6	185.2	92.6	114.0	64.1	78.4	106.9	64.1		149.6	64.1	208.6	
.....	7.1	14.2	184.4	163.1	134.7	92.2	120.6	49.6	156.0	49.6	14.2	127.7	21.3	120.6	
2.2	8.6	32.3	200.4	187.4	125.0	79.7	56.0	94.8	79.7	30.2	2.2	103.6	32.3	215.5	
2.2	13.0	30.3	197.0	204.5	134.2	77.9	47.6	80.1	95.2	34.6	8.7	77.9	39.0	127.7	
2.2	23.9	26.1	193.6	218.0	119.6	78.3	47.9	97.9	126.2	32.6	2.2	87.0	28.3	141.4	
2.2	6.6	28.4	196.7	220.8	135.2	69.9	52.5	78.7	102.7	39.3	6.6	87.4	41.5	142.1	
4.4	13.2	26.4	142.8	193.3	131.8	50.5	61.5	85.7	118.6	68.1	4.4	116.4	22.0	118.6	
2.5	7.6	40.4	181.7	121.2	103.5	63.1	101.0	68.1	80.8	53.0	5.0	88.3	42.9	151.4	2.5
7.3	4.9	24.4	180.7	191.7	61.1	73.3	100.1	41.0	102.6	63.5	2.4	90.6	114.0	114.0	2.4
.....	11.8	21.3	145.3	151.4	94.6	71.0	40.2	71.0	106.5	71.0	7.1	97.0	28.4	85.2	2.4
2.3	18.4	25.2	142.3	197.3	87.2	75.7	121.6	62.0	103.3	64.2	9.2	114.7	32.1	114.7	2.3
2.2	11.1	29.0	147.0	180.4	62.4	53.4	111.3	69.0	149.2	51.2	6.7	113.6	20.0	75.7	
.....	16.0	22.7	139.0	149.7	108.2	66.8	56.1	80.2	44.1	38.7	8.0	69.5	37.4	231.1	1.3
1.3	12.0	14.6	152.8	130.2	65.1	67.7	58.4	37.1	47.8	37.2	1.3	54.5	33.2	171.4	2.7
1.3	11.9	11.9	145.3	151.9	85.1	47.5	70.9	70.0	47.5	42.3	7.9	86.0	25.1	177.0	
1.3	15.8	9.2	130.0	200.9	56.5	39.5	40.7	67.0	56.5	36.8	7.9	61.7	26.3	147.0	
1.3	14.4	15.7	135.8	190.6	78.3	73.1	88.8	82.2	65.3	41.8	9.1	62.7	22.2	156.7	2.6

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.													
Saratoga county.....	1901 1,850.0	43.0	2.0		16.4	8.2	8.2	22.5	110.6		157.8	10.2	82.0
	1902 1,522.2	20.4	2.0			4.1		16.3	8.2		147.1	20.4	73.6
	1903 1,559.0	34.6			4.1	12.2	12.2	8.2	30.6		187.5	16.3	48.9
	1904 1,516.3	20.3			4.1	2.0	2.0	14.2	26.4		126.0	18.3	67.1
	1905 1,619.7	48.7	2.0		6.1		6.1	14.2	30.5	22.3	160.1	18.2	73.0
Schenectady county.....	1901 1,470.8	49.0			6.1	6.1	6.1	98.1	6.1		128.7	12.3	42.9
	1902 1,933.1	21.1				63.4	10.6	169.0	10.6		105.6	21.1	84.5
	1903 1,601.5	47.1			9.4	18.8	18.8	18.8	9.4		141.3	9.4	65.9
	1904 1,504.8	8.5					25.5	42.5	17.0		102.0		68.0
	1905 1,239.3	31.0			7.7	23.2		7.7	23.2	7.7	131.7	7.7	54.2
Schoharie county.....	1901 1,636.2	56.6			22.6	3.8			109.3		139.5	15.1	113.1
	1902 1,530.7	15.3						11.5	42.0		137.4	15.3	80.2
	1903 1,720.3	34.8			3.9		11.6	7.7	42.5		135.3	27.1	61.9
	1904 1,648.6	23.5				11.7	7.8	23.5	52.2		125.3	11.7	117.5
	1905 1,487.7	19.8			19.8		7.9	15.9	27.8	31.7	87.3	19.8	99.2
Schuyler county.....	1901 1,641.8	12.8			12.8		12.8	19.2	51.1		83.0	12.8	89.4
	1902 1,361.5	19.4						23.8	71.0		83.9	12.9	129.0
	1903 1,264.6	19.4						6.5	19.6		65.2		65.2
	1904 1,501.7	19.8			13.2			32.9	26.3		98.8		92.2
	1905 1,643.9	20.0			6.7	6.7		20.0	40.0	40.0	106.5	40.0	66.6
Seneca county.....	1901 2,062.0	10.7			17.9	10.7	14.3	14.3	85.8		221.6	21.4	92.9
	1902 1,827.6	21.5	3.6				3.6	10.8	18.0		219.0	18.0	114.9
	1903 1,904.9	18.0			3.6		7.2	10.8	25.3		187.6	21.6	151.5
	1904 1,982.9	10.9			3.6		3.6	7.3	50.8		221.1	18.1	68.9
	1905 1,939.6	25.5			7.3		7.3		61.9	21.9	211.3	14.6	72.8
Steuben county.....	1901 1,457.3	16.8	1.4		14.0	5.6	15.4	14.0	44.9		101.0	5.6	75.7
	1902 1,404.4	22.6			2.8	1.4	2.8	12.7	8.5		84.7	7.1	73.4
	1903 1,429.7	18.5			4.3	1.4	9.0	24.2	37.0		92.4	14.2	71.1
	1904 1,613.8	24.3	1.4		25.8	4.3	1.4	38.6	28.6		118.7	11.4	93.0
	1905 1,551.2	17.3			2.9		4.3	20.2	17.3	18.7	135.4	23.0	96.5
Suffolk county.....	1901 1,639.7	21.3	1.3		1.3	1.3	15.1	11.3	33.9		195.9	16.3	69.1
	1902 1,631.9	17.1	8.6	4.9	8.6	8.6	13.5	17.1	3.7		181.1	9.8	50.2
	1903 1,783.1	11.9	7.2		2.4	7.2	29.8	15.5	16.7		212.4	8.4	65.6
	1904 1,947.4	18.6	3.5		12.8	4.7	7.0	15.1	24.5		205.0	8.2	80.4
	1905 1,740.1	20.5	5.7		4.5		1.1	20.5	17.1	23.9	169.5	17.1	73.9
Sullivan county.....	1901 1,601.9	24.4			3.1		0.2	15.3	67.1		344.8	30.5	51.9
	1902 1,484.1	34.1	6.0		6.0	3.0		9.0	12.0		291.8	18.0	57.2
	1903 1,597.0	17.8	5.0		8.9	3.0		26.7	20.7		311.5	14.8	32.6
	1904 1,831.6	8.8	2.9		14.0	2.9	5.0	26.3	47.3		404.5	8.8	76.1
	1905 1,684.8	40.4	5.8					5.8	28.9	11.5	467.6	23.1	49.1
Tioga county.....	1901 1,677.8	32.5	3.6		32.5		10.8	7.2	72.2		126.3	3.6	79.4
	1902 1,422.9	21.8				3.6	7.3	32.8	32.8		72.8		80.1
	1903 1,626.0	25.7	7.3			11.0	3.7	22.0	36.7		77.1	14.7	95.4
	1904 1,714.4	14.8			14.8	3.7	7.4	11.1	59.2		92.6	14.8	111.1
	1905 1,658.6	29.9			3.7		3.7	7.5	52.3	26.1	59.8	7.5	82.2
Tompkins county.....	1901 1,525.7	29.3			4.9		0.8	14.7	44.0		92.9	14.7	83.1
	1902 1,504.4	24.7			4.9		4.9	14.8	34.6		133.6	4.9	39.6
	1903 1,577.9	30.1	5.0				20.0	15.0	70.1		85.2	5.0	95.2
	1904 1,567.1	30.4			5.1			5.1	91.3		81.1	10.1	71.0
	1905 1,669.6	30.8					10.3	30.8	25.7		97.6	30.8	113.0
Ulster county.....	1901 1,671.6	26.8	14.2	6.3	1.6	26.8	3.2	50.5	52.1		170.5	15.8	71.0
	1902 1,433.3	41.6	8.0		4.8	8.0	12.7	33.4	14.3		156.0	14.3	57.3
	1903 1,377.5	24.1	8.0		1.6	16.1	17.7	16.1	41.7		158.9	8.0	72.2
	1904 1,504.3	40.5	8.1		24.3	1.6	11.3	21.3	42.1		149.0	16.2	64.8
	1905 1,490.7	14.7	3.3		1.6		1.6	26.1	47.4	11.4	132.3	19.6	68.6
Warren county.....	1901 1,532.2	17.3		5.8	11.6	11.6		5.8	69.4		115.6	17.3	32.0
	1902 1,170.3	46.3	5.8		5.8				40.6		63.7		32.1
	1903 1,555.9	23.2		5.8	11.6				29.0		168.4	17.4	98.7
	1904 1,431.1	11.6					11.6	17.5	17.5		139.6		75.6
	1905 1,288.3	40.8				5.8	5.8		23.3	11.7	58.3	5.8	52.5
Washington county.....	1901 1,591.2	26.1		2.2	4.4	17.4	8.7	37.0	78.4		139.3	19.6	78.4
	1902 1,491.7	23.8				21.6	2.2	34.6	17.3		138.4	19.5	82.2
	1903 1,415.0	10.7				4.3		2.1	19.3		96.6	21.5	68.7
	1904 1,456.6	21.3	2.1			12.8	8.5	51.2			115.2	10.2	33.3
	1905 1,673.5	59.3			33.9	6.4	2.1	8.5	40.2	29.7	135.6	10.1	86.9
Wayne county.....	1901 1,457.6	26.7	2.1		6.2	6.2	2.1	12.3	69.8		112.9	8.2	71.9
	1902 1,304.3	30.9						6.2	22.6		100.5	8.2	96.4
	1903 1,532.3	14.3	6.1		16.4	14.3		8.2	32.8		108.6	12.3	84.6
	1904 1,483.6	28.6				4.1	2.0	22.5	30.7		108.5	22.5	88.6
	1905 1,670.1	28.6	4.1		12.5	6.1	24.5	10.2	34.8	20.4	108.3	8.2	75.6
Westchester county.....	1901 1,705.1	19.2	11.7	4.3	12.8	7.5	21.3	38.3	46.9		217.3	13.8	58.6
	1902 1,569.9	11.3	9.2	5.1	3.1	7.2	13.3	36.8	9.2		155.5	13.3	90.0
	1903 1,437.3	12.8	5.9	2.0	3.9	5.9	12.8	20.7	19.7		174.1	12.8	79.7
	1904 1,618.6	23.7	5.7		14.2	7.6	2.8	23.7	18.0		159.2	22.7	77.7
	1905 1,616.1	19.2	8.2		7.3	4.6	17.4	30.2	23.8	15.5	163.6	21.9	86.8
Wyoming county.....	1901 1,540.2	13.1			3.3		0.5	13.1	81.8		91.6	16.1	62.1
	1902 1,395.3	32.5	3.3	3.3			3.3		22.8		91.3	13.0	81.3
	1903 1,329.5	19.4						6.5	38.8		55.0	12.9	61.5
	1904 1,463.9	6.4	3.2				6.4	9.7	35.4		67.6	32.2	90.1
	1905 1,417.7	9.6					9.6	3.2	57.6	22.4	73.6	19.2	102.4

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

153

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- cu- latory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	6.1	28.7	157.8	157.8	168.0	100.4	75.8	86.0	98.3	51.2	2.0	108.6	118.8	229.5	
.....	10.2	28.6	196.2	141.0	120.0	89.9	55.2	71.5	101.2	33.1	2.0	114.4	45.0	198.2	
4.1	24.5	177.3	173.2	75.4	97.8	55.0	65.2	144.7	26.5		106.0	38.7	203.7		4.1
.....	4.1	32.5	201.2	172.8	109.8	87.4	67.1	89.4	101.6	52.8	2.0	101.6	50.8	162.6	
2.0	12.2	40.5	172.3	202.7	127.7	113.5	68.9	77.0	109.5	34.5	4.1	85.1	44.6	135.8	2.0
.....	6.1	24.5	153.2	128.7	91.9	128.7	140.9	42.9	73.5	36.8	6.1	134.8	61.3	85.8	
.....		42.3	169.0	116.2	260.7	116.2	126.8	63.4	52.8	84.5	21.1	200.7	95.1	158.4	
28.3	9.4	28.3	141.3	197.8	94.2	103.6	103.6	94.2	94.2	65.9		84.8	9.4	197.8	9.4
.....		8.5	161.5	170.0	127.5	119.0	93.5	76.5	93.5	51.0	17.0	127.5	42.5	131.0	
.....		38.7	170.4	139.4	93.0	62.0	38.7	38.7	77.5	31.0	7.7	123.9	38.7	85.2	
.....	11.3	18.9	192.3	177.2	135.7	64.1	41.5	90.5	105.6	18.9	11.3	64.1	37.7	199.8	7.5
.....	42.0	7.6	206.1	198.6	57.3	80.2	49.6	91.6	106.9	45.8	7.6	68.7	57.3	198.5	11.5
7.7	15.5	30.9	274.5	235.8	81.2	85.0	58.0	81.2	131.1	38.7	7.7	85.0	58.0	204.9	
.....	19.6	31.3	270.2	215.4	62.7	70.5	27.4	105.7	70.5	23.5	15.7	74.4	23.5	211.0	3.9
.....	15.9	23.8	210.3	190.4	75.4	35.7	29.5	70.3	107.1	43.6	11.9	39.5	47.6	190.4	7.9
.....	6.4	6.4	274.7	210.8	159.7	83.0	57.5	121.4	83.0	37.5	12.8	69.9	63.9	146.9	
.....	25.8	161.3	167.8	116.1	38.7	25.8	109.7	103.2	45.2	12.9	58.1	19.4	120.0		6.5
6.6	19.6	6.5	208.0	234.7	39.1	52.1	26.1	117.3	52.1	19.6	6.5	97.8	26.1	163.0	
.....	32.9		271.1	217.3	72.4	65.9	39.5	105.4	125.1	19.8	6.6	52.7	19.8	210.8	
.....	20.0	20.0	246.3	272.9	99.8	13.3	13.3	153.1	106.5	20.0	26.6	113.1	20.0	173.1	
7.1	17.9	14.3	280.5	339.5	142.9	82.2	64.3	92.9	135.8	32.2	14.3	135.8	21.4	182.3	
3.6	18.0	10.8	237.0	333.9	132.9	57.5	61.0	93.4	132.9	18.0	18.0	89.8	7.2	201.1	3.6
.....	14.4	7.2	277.8	270.6	158.7	97.4	51.1	122.7	147.9	32.5	14.4	64.9	18.0	194.8	
.....	25.4	10.9	351.6	416.9	141.4	54.4	58.0	90.6	134.1	23.4	14.5	101.5	14.5	159.5	
.....	10.9	18.2	342.4	295.0	112.9	76.5	83.8	102.0	138.4	40.1	14.6	91.7	25.5	182.1	
1.4	8.4	23.8	176.7	154.3	148.7	94.0	22.4	72.9	68.7	40.7	5.6	67.3	46.3	231.4	
2.8	11.3	25.4	155.3	218.8	108.7	60.7	56.5	101.7	73.4	18.4	90.4	40.9	201.9		2.8
.....	14.2	25.6	170.5	267.2	89.5	66.8	39.8	75.3	83.8	39.8	11.4	65.4	38.4	169.1	
.....	15.7	17.2	210.3	238.9	91.6	70.1	48.6	110.2	57.3	50.1	15.7	51.5	174.5		
.....	17.3	13.0	203.1	266.4	79.2	72.0	37.4	74.9	77.8	37.4	17.3	92.2	30.2	135.9	1.4
2.5	8.8	17.6	277.5	103.3	81.1	81.6	118.0	75.3	94.2	41.4	6.3	74.1	52.7	144.4	1.3
.....	12.2	15.9	286.3	217.8	71.0	73.4	101.6	93.0	121.1	37.9	6.1	86.9	44.1	140.7	
1.2	14.3	26.3	321.0	233.9	65.5	83.5	58.5	93.1	127.7	38.5	10.7	95.5	45.4	138.4	2.4
1.2	15.1	26.8	317.1	302.8	113.0	79.2	95.5	89.7	135.1	31.4	10.5	87.4	64.1	168.9	
2.3	12.5	28.4	311.6	243.4	118.3	80.8	93.3	75.1	126.2	48.9	5.7	72.8	23.9	134.2	
3.1	12.2	24.4	134.3	186.1	94.6	88.5	79.3	100.7	67.1	6.1	9.2	51.9	42.7	155.6	
9.0	12.0	18.0	180.5	171.5	135.4	51.1	78.2	81.2	42.1	24.1	12.0	51.1	57.2	120.3	
5.9	5.0	14.8	110.2	192.8	103.8	71.2	53.4	86.0	68.2	44.5	8.9	77.1	44.5	106.8	
2.9	14.6	17.6	143.9	201.9	90.7	64.4	41.0	70.2	108.3	23.4	11.7	90.7	79.0	140.4	2.9
.....	8.7	43.3	233.8	210.7	112.6	66.4	57.7	101.0	95.3	28.9	2.9	98.1	52.0	141.4	
3.6	25.3	18.0	274.2	230.9	61.3	54.1	83.0	72.2	32.5	10.8	140.7	43.3	205.7		
.....	3.6	14.6	292.9	222.0	83.7	47.3	65.5	69.1	61.9	25.5	18.2	80.1	47.3	196.5	3.6
14.7	11.0	242.3	242.4	62.4	106.4	62.4	69.7	91.8	73.4	7.3	99.1	51.4	198.2		
.....	7.4	25.9	262.9	281.4	92.6	55.5	41.4	92.6	96.3	55.5	7.4	100.0	48.1	214.8	
3.7	18.7	11.2	239.1	254.0	100.6	48.6	108.3	55.9	89.7	26.1	22.4	89.7	41.1	183.0	3.7
.....	14.7	14.7	249.4	171.1	97.8	73.3	97.8	83.1	92.9	24.4	4.9	63.6	53.8	190.7	
.....	14.8	19.8	207.8	277.1	103.9	39.6	34.6	74.2	74.2	39.6	14.8	49.5	74.2	212.8	4.9
.....	10.0	5.0	240.4	250.5	50.1	85.2	40.1	70.1	80.1	40.1	10.0	70.1	50.1	250.5	
.....	5.1	5.1	243.7	263.7	60.9	96.4	30.4	76.1	91.3	25.4	15.2	81.1	55.8	202.9	
.....	5.1	15.4	292.7	261.9	87.3	97.6	51.3	97.6	87.3	41.1	20.5	87.3	41.1	174.6	
6.3	7.9	224.1	153.1	120.0	90.0	74.2	118.4	78.0	78.0	45.8	3.2	83.7	41.0	157.8	
1.6	17.5	206.9	170.3	109.8	82.8	49.3	74.8	70.0	70.0	23.9	3.2	76.4	46.2	141.7	
1.6	6.4	194.3	154.1	85.1	64.2	56.2	81.9	85.1	28.9	16.1	67.4	46.6	97.9		1.6
1.6	6.5	228.3	205.7	83.9	68.0	66.4	84.2	83.8	32.4	4.9	46.7	48.6	111.7		
.....	4.9	16.3	207.4	191.1	106.2	73.5	75.1	86.6	76.8	40.8	14.7	94.7	32.7	91.5	1.6
11.6	23.1	213.9	156.1	127.2	104.1	40.5	109.9	109.9	40.5	5.8	63.6	17.3	196.6		5.8
5.8	11.6	127.5	156.4	81.1	46.3	57.9	40.6	98.5	29.0	5.8	73.3	46.3	168.0		
11.6	11.6	150.9	203.2	104.5	40.6	40.6	92.9	139.3	11.6	5.8	162.6	17.4	203.2		
23.3	17.5	116.3	238.5	64.0	58.2	93.1	69.8	128.0	46.5	5.8	110.5	23.3	157.1		5.8
11.7	35.0	134.1	192.4	99.1	52.5	46.6	93.3	87.4	52.5		81.6	23.3	174.9		
.....	15.2	37.0	174.1	148.0	156.7	74.0	69.7	67.5	93.6	32.7	10.9	100.1	19.6	178.5	2.2
.....	13.0	32.4	166.5	151.3	121.1	62.7	34.6	88.6	67.0	38.9	10.8	97.3	54.0	203.2	8.6
.....	15.0	17.2	182.5	206.1	111.7	66.6	53.7	77.3	137.4	36.5	6.4	88.0	32.2	158.9	2.1
2.1	14.9	25.6	183.4	183.4	130.1	72.5	55.4	83.2	132.2	38.4	8.5	89.6	10.7	138.6	4.3
2.1	8.5	29.7	171.6	107.0	131.3	74.1	82.6	114.4	42.4	6.4	86.9	40.2	182.2		
.....	2.1	26.7	24.6	190.9	158.1	82.1	73.9	41.1	78.0	57.5	10.3	102.6	51.3	168.3	
.....	8.2	14.4	190.7	194.8	51.3	36.0	34.9	94.3	63.6	34.9	10.3	82.0	20.5	192.8	
.....	10.2	22.5	237.6	204.9	51.2	90.1	43.0	96.3	77.8	45.1	41.0	108.6	22.5	182.3	2.0
4.1	20.5	16.4	229.2	204.6	75.7	51.2	49.1	90.0	100.3	51.2	14.3	65.5	38.9	163.7	2.0
2.0	22.5	30.7	226.9	257.6	87.9	61.3	69.5	102.2	112.4	45.0	12.3	34.8	186.0		
.....	2.1	11.7	34.1	147.0	140.6	129.9	118.2	72.4	133.1	52.2	8.5	132.1	30.4	134.2	
.....	1.0	4.1	30.7	162.6	166.7	80.8	93.1	117.6	102.3	60.5	6.1	116.6	82.2	151.4	1.0
.....	1.0	11.8	25.6	166.3	143.6	79.7	78.7	82.6	116.1	51.2	9.8	110.2	37.4	112.1	2.0
0.9	13.3	40.7	157.3	164.9	110.9										

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases. ¹	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.													
Yates county.....	1901 1,436.8	21.9	5.0			19.9	9.9	5.0	89.5		104.4	5.0	51.7
	1902 1,331.0	20.1				10.0		10.0	35.2		129.5	10.0	85.4
	1903 1,628.9	20.3			5.1			10.1	40.6		137.0	20.3	71.0
	1904 1,692.1	35.9			5.1			20.5	71.8		102.6	15.4	66.7
	1905 1,476.8	10.4				5.2	5.2		51.8	20.7	98.5	20.7	88.1
RHODE ISLAND RURAL.													
Bristol county.....	1901 1,774.6	51.8	11.8					14.8	103.5		147.9	37.0	44.4
	1902 1,790.7	14.4		7.2	7.2		14.4	28.8	21.6		165.4	28.8	93.5
	1903 1,931.8	7.0	7.0		14.0	32.0	42.0	35.0	70.0		175.0	14.0	77.0
	1904 1,799.8	20.5			6.8	20.5	6.8	34.1	13.6		115.9	13.6	61.4
	1905 1,960.4		6.6		19.9		6.6	33.2	53.2	19.9	146.2	26.6	106.3
Kent county.....	1901 1,914.7	13.0	6.5		3.2	6.5	3.2	68.2	26.0		155.8	13.0	48.7
	1902 1,721.9	48.8						31.6	9.5		123.2	19.0	66.3
	1903 1,751.4	30.8	6.2	3.1	49.2	18.5	40.0	32.3	18.5		120.0	21.6	61.6
	1904 1,782.4	18.0	12.0		3.0	9.0	3.0	24.0	33.0		195.0	12.0	57.0
	1905 1,662.6	2.9	2.9		5.9	14.6	17.6	32.2	14.6	14.6	219.5	20.5	70.3
Newport county.....	1901 1,567.6	38.7			9.7			29.0	19.4		77.4	9.7	125.8
	1902 1,750.7	38.1			9.5	9.5	57.1	57.1	9.5		76.1	19.0	114.2
	1903 1,637.8	9.4	9.4		9.4	9.4	18.7	28.1	9.4		93.6	18.7	71.9
	1904 1,399.8								9.2		92.1	27.6	101.3
	1905 1,576.9	9.1					51.1	18.1	18.1	9.1	90.6	9.1	90.6
Providence county.....	1901 1,871.0	23.1	8.7		2.9	8.7	1.4	41.9	41.9		199.2	23.1	70.7
	1902 1,794.5	15.5	7.0	1.4	9.9	4.2	23.9	31.0	12.7		188.6	25.3	83.0
	1903 2,007.3	15.1	12.4	1.1	19.2	6.9	39.8	33.0	49.4		229.3	37.1	107.1
	1904 1,790.5	9.4	4.0		1.3	12.1	1.3	18.8	33.5		191.3	33.5	85.8
	1905 1,717.3	22.3	3.9		7.9	1.3	9.2	17.0	32.7	23.6	213.1	30.1	61.1
Washington county.....	1901 1,619.2	28.8	8.2		4.1			12.4	53.6		156.6	24.7	94.8
	1902 1,279.3	24.6						1.1	8.2		86.1	8.2	123.0
	1903 1,673.1	24.5	4.1		20.4		16.3	20.1	32.6		106.1	122.4	130.6
	1904 1,591.9	21.4	4.1		12.2	8.1		20.3	36.5		117.8	40.6	117.8
	1905 1,645.0	32.3				8.1	4.0	8.1	32.3	20.2	133.4	20.2	88.9
VERMONT RURAL.													
Addison county.....	1901 1,586.3	59.4				4.6		4.6	68.6		114.3	13.7	61.0
	1902 1,415.0	41.2			8.2			9.2	36.6		137.1	4.6	82.4
	1903 1,527.5	36.7	9.2		22.9			13.8	45.9		96.3	32.1	87.2
	1904 1,295.7	36.7	4.6			4.6			50.5		82.7		78.1
	1905 1,537.3	61.1			18.1		13.8		105.9	9.2	59.8	9.2	96.7
Bennington county.....	1901 1,855.7	58.7			51.3	7.3		36.7	29.3		116.7	22.0	51.3
	1902 1,316.6	22.1					36.8	7.4	7.4		73.5	7.4	88.3
	1903 1,391.0	29.5				7.1		44.2	29.5		95.9		59.0
	1904 1,693.8	37.0			7.4			7.4	7.4		71.0	22.2	66.6
	1905 1,698.6	66.8					29.7	7.4	37.1	29.7	96.4	44.5	71.2
Caledonia county.....	1901 1,675.1	16.3			28.6	16.3	28.6	32.7	20.4		151.2	28.6	85.8
	1902 1,531.3	48.8					8.1	24.4	32.6		105.8	44.8	28.5
	1903 1,731.1	28.4			36.5	4.1	8.1	8.1	32.4		133.8	36.5	105.1
	1904 1,490.2	36.3						21.2	48.5		81.8	28.3	80.8
	1905 1,681.7	24.1	4.0		12.1		28.2	8.0	56.2	12.1	116.7	16.1	100.6
Chittenden county.....	1901 1,168.3	14.3				4.8	4.8		23.8		119.2	9.5	52.4
	1902 1,418.2	14.3					4.8	19.0	4.8		101.8	19.0	71.4
	1903 1,701.1	14.3					14.3		57.1		101.7	9.5	101.7
	1904 1,512.6	23.8	4.8				4.8	23.8	38.1		142.7	33.3	61.8
	1905 1,731.7	23.8					4.8	38.0	33.3	19.0	142.6	28.5	66.5
Faax county.....	1901 1,517.1	88.5			25.3			37.9	37.9		63.2		75.9
	1902 1,155.4	38.6		12.9	12.0	25.8	25.8	38.6	25.8		77.3	25.8	25.8
	1903 1,286.4	26.2						39.1	13.1		78.8	13.1	39.4
	1904 1,485.5	53.5						66.9	50.3		66.9	13.4	147.2
	1905 1,501.5							41.0	13.7	13.7	122.9	27.3	68.3
Franklin county.....	1901 1,165.2	39.7				33.1	16.5	6.0	23.2		172.0	6.6	86.0
	1902 1,350.5	43.2		3.3		23.1	3.3	13.2	6.6		115.6	9.9	62.8
	1903 1,562.1	39.6			16.5		3.3	6.6	26.4		145.1	19.8	79.1
	1904 1,665.5	62.6			6.0	6.6	6.6	23.0	42.8		138.3	32.9	105.3
	1905 1,505.6	26.3			3.3		6.6	23.0	59.2	3.3	108.5	3.3	78.9
Grand Isle county.....	1901 1,282.0					44.2	44.2		22.1		66.3	22.1	22.1
	1902 1,804.4					21.8					130.9		43.6
	1903 1,204.8	80.1						21.5	43.0		172.1		64.5
	1904 1,744.3	21.2									85.0	21.2	63.7
	1905 1,466.9								41.9	41.9	188.6		146.7
Lamoille county.....	1901 1,536.6	24.5					16.3	8.2	98.1		114.4	32.7	98.1
	1902 1,354.6		16.4		8.2	8.2	8.2	32.8			139.6	32.7	24.6
	1903 1,281.9							8.2			57.7	8.2	90.8
	1904 1,341.8		16.6					8.3	41.4		82.8	16.6	99.4
	1905 1,414.3	16.6	16.6				16.6		74.9	8.3	91.5	16.6	49.9
Orange county.....	1901 1,731.7	15.6			5.2	5.2	10.4		57.0		103.7	31.1	46.6
	1902 1,640.6	20.8				15.6	5.2	26.0	20.8		100.0	10.4	114.2
	1903 1,544.1	36.4					10.4	15.6	46.8		100.2	10.4	104.0
	1904 1,723.2	5.2					5.2	10.4	78.1		93.7	15.6	130.2
	1905 1,980.8	20.9			5.2		10.4	5.2	67.8	5.2	114.7	31.3	130.3

¹Shown for 1905 only.

SUMMARY AND RATE TABLES.

155

AREA. FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of di- gestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	11.9	21.9	213.6	169.0	54.7	51.7	29.8	99.1	59.7	29.8	9.9	59.7	54.7	213.8	
10.0	10.0	20.0	200.9	165.7	40.2	85.1	40.2	65.3	55.2	40.2	20.1	80.1	20.1	200.9	5.6
30.4	20.3	23.1	231.1	231.1	91.3	71.0	35.5	86.3	121.8	60.9	15.2	111.6	30.1	182.7	
5.1	25.6	169.2	333.3	118.7	66.7	35.9	66.7	88.1	113.6	15.1	5.1	92.3	35.9	225.6	5.1
10.1	20.7	191.7	300.5	300.5	51.8	36.3	67.4	88.1	57.0	31.1	36.3	77.7	10.1	196.9	
7.4		41.4	190.6	162.7	118.3	29.6	190.6	73.9	170.1	37.0	22.2	81.3	11.8	181.9	11.8
7.2	21.6	191.2	172.6	122.3	100.7	191.2	71.9	105.0	194.2	43.1	28.8	71.9	7.2	172.6	7.2
7.0	21.0	175.0	203.0	112.0	56.0	245.0	105.0	190.9	168.0	35.0	7.0	133.0	28.0	151.0	
26.6	19.9	231.8	163.6	201.5	129.5	181.1	88.6	139.6	190.9	75.0	102.3	13.6	129.7	13.6	
13.0	68.2	181.7	159.0	207.7	81.4	214.2	110.3	110.3	139.6	99.7	13.3	86.1	26.6	132.9	6.6
22.1	41.2	180.1	135.9	101.3	97.9	271.9	66.3	110.6	100.6	60.0	9.5	66.3	25.3	218.0	3.2
12.3	21.6	161.3	141.6	123.1	86.2	169.3	83.1	110.8	110.8	86.2	6.2	98.5	27.7	181.7	
15.0	27.0	195.0	168.0	126.0	117.0	216.1	39.0	99.0	120.0	60.0	12.0	81.0	21.0	174.0	
8.8	32.2	143.4	131.7	120.0	105.1	152.2	81.9	131.7	131.7	61.5	11.7	50.7	20.5	149.3	2.9
19.1	67.7	232.2	151.8	77.4	18.4	115.2	87.1	87.1	87.1	58.1	9.7	106.1	38.7	125.8	
9.5	47.6	209.3	182.2	131.0	81.2	149.7	56.2	102.9	19.0	76.1	19.0	76.1	83.6	133.2	7.0
9.4	37.4	168.5	187.2	131.0	81.2	149.7	56.2	93.6	102.9	18.7	112.3	18.7	177.8	177.8	9.4
18.1	18.1	221.0	285.5	55.3	55.3	61.5	92.1	55.3	151.8	45.3	128.9	117.8	18.1	138.1	
1.1	23.1	37.5	186.2	177.6	138.6	83.7	161.6	53.4	183.3	67.9	18.8	96.7	15.9	170.4	30.3
11.3	35.2	215.3	171.7	122.1	99.9	116.1	83.0	137.9	52.1	11.3	98.5	7.0	192.8	192.8	7.0
15.1	16.5	219.7	200.5	142.8	167.1	164.8	72.8	164.8	31.3	13.7	91.7	19.2	188.1	188.1	2.7
18.8	33.5	187.6	180.9	111.7	101.9	151.4	61.6	175.6	159.7	39.3	15.7	82.5	11.8	129.6	10.5
21.9	11.8	167.5	205.5	157.1	71.6	117.9	53.7	159.7	159.7	39.3	15.7	82.5	11.8	129.6	10.5
21.7	12.4	177.2	177.2	118.3	98.9	74.2	90.6	86.5	53.6	4.1	71.2	20.6	189.5	189.5	4.1
16.1	16.4	131.2	192.7	86.1	86.1	53.3	98.1	65.6	41.0	20.5	69.7	20.1	179.6	179.6	4.1
28.6	8.2	138.7	211.8	110.2	77.5	97.9	118.3	118.3	41.9	8.2	106.1	106.1	121.8	121.8	
20.3	4.1	150.3	239.6	97.5	73.1	101.5	109.6	121.8	20.1	20.3	85.3	12.2	185.7	185.7	
28.3	4.0	141.5	185.9	177.8	111.5	72.8	61.7	202.1	40.1	8.1	60.6	4.0	165.7	165.7	
9.1	27.4	22.9	155.1	132.6	109.7	100.6	86.9	105.1	59.4	41.1	59.1	51.9	278.9	278.9	13.7
9.2	36.6	22.9	137.1	128.2	187.7	68.7	45.8	96.2	82.4	22.9	13.7	55.0	9.2	161.8	13.7
4.6	9.2	18.3	213.1	192.6	110.1	73.4	32.1	82.6	59.6	18.3	82.6	13.8	169.7	169.7	13.8
18.1	18.1	147.0	117.0	96.5	41.3	15.9	101.1	96.5	50.6	9.2	50.6	27.6	168.8	168.8	27.6
4.6	18.4	13.8	181.1	170.3	119.7	73.6	41.4	73.6	92.1	55.2	4.6	87.1	41.4	170.3	9.2
14.7	66.0	220.0	212.7	249.4	66.0	73.4	88.0	88.0	58.4	11.7	73.4	93.1	132.0	132.0	
14.7	11.7	228.0	151.4	117.7	29.1	36.8	58.8	95.6	58.8	58.8	51.5	11.7	198.6	198.6	
36.9	44.2	221.3	117.5	81.1	59.0	29.5	36.9	73.8	66.1	7.4	103.3	51.6	169.6	169.6	
14.8	29.6	211.0	211.5	207.1	37.0	66.6	88.7	125.7	71.0	14.8	96.1	66.6	184.9	184.9	7.4
7.4	14.8	163.2	229.9	103.8	71.2	59.3	81.6	89.0	96.1	29.7	118.7	41.5	192.8	192.8	
8.2	8.2	36.8	208.4	192.1	131.9	106.2	32.7	61.3	53.1	16.3	44.9	57.2	245.1	245.1	16.3
1.1	8.1	44.8	183.1	162.8	195.3	97.7	61.0	73.3	77.3	28.5	16.3	44.8	57.2	179.1	12.2
4.0	8.1	28.4	217.3	190.6	137.9	93.2	77.0	113.5	68.9	36.5	93.2	28.4	190.5	190.5	21.3
21.1	21.2	145.1	185.8	161.6	109.0	44.1	92.9	60.6	44.1	20.2	40.1	41.1	197.9	197.9	4.0
21.1	36.2	181.0	219.4	140.8	52.3	80.5	76.1	61.1	88.5	8.0	81.5	68.4	140.8	140.8	8.0
19.1	47.7	162.1	111.1	100.1	52.4	90.6	95.3	109.6	101.9	4.8	17.7	62.0	200.2	200.2	28.6
14.3	11.3	147.7	166.7	119.1	109.6	57.2	52.4	101.8	71.1		95.3	47.6	201.9	201.9	4.8
4.8	9.5	166.6	180.9	171.4	114.2	128.5	90.1	95.2	100.0	4.8	80.9	33.3	219.0	219.0	
28.5	19.0	142.7	180.8	128.4	87.6	57.1	66.6	95.1	52.3	14.3	52.3	21.8	211.0	211.0	19.0
28.5	23.8	185.1	218.6	209.1	80.8	109.3	66.5	118.8	66.5	4.8	57.0	28.5	180.6	180.6	
12.6	12.6	164.4	126.4	113.8	37.9	63.2	50.6	88.5	75.9	12.6	75.9	63.2	200.8	200.8	37.9
12.9	51.5	115.9	103.0	115.9	103.0	51.5	25.8	103.0	111.7	12.9	38.6	51.5	167.4	167.4	51.5
13.1	39.1	183.8	183.8	105.0	13.1	39.4	91.9	118.1	39.1	13.1	78.8	65.6	91.9	91.9	
13.4	13.4	160.6	211.1	93.7	93.7	40.1	93.7	40.1	13.4		40.1	26.8	200.8	200.8	13.4
13.7	41.0	136.5	136.5	163.8	95.6	109.2	95.6	11.0	27.3	13.7	68.3	54.6	191.1	191.1	27.3
9.9	46.3	165.3	122.4	109.1	52.9	69.4	69.1	26.5	69.3	16.5	33.1	56.2	205.0	205.0	13.2
9.9	33.0	138.7	145.3	95.8	42.9	70.0	70.0	72.7	94.0		66.0	22.8	211.3	211.3	23.1
13.2	26.4	217.6	161.6	89.0	88.7	79.1	89.0	89.0	69.2	9.9	69.2	29.7	194.5	194.5	24.1
16.5	29.6	158.0	151.7	108.6	92.2	75.7	102.1	62.6	98.8	0.6	83.6	52.7	200.8	200.8	26.3
3.3	13.1	29.6	161.1	141.6	151.2	52.6	121.6	59.2	32.9	46.0	9.9	95.3	36.2	220.3	13.1
44.2	44.2	176.9	132.6	88.4	22.1	66.3	44.2	22.1	22.1	22.1	110.5	44.2	199.0	199.0	44.2
21.5	21.5	43.6	152.7	43.6	43.6	43.6	43.6	43.6	43.6	21.5	43.6	43.6	43.6	43.6	21.5
21.2	21.2	107.6	215.2	215.2	21.5	21.5	21.5	21.5	21.5	21.2	42.5	21.2	83.0	83.0	
.....	41.9	167.6	146.7	188.6	83.8	21.0	41.9	21.0	83.8		83.8		125.7	125.7	41.9
8.2	24.5	32.7	122.6	147.1	106.3	163.5	24.5	57.2	49.0	8.2	32.7	49.0	243.2	243.2	32.7
16.4	32.8	147.8	147.8	98.5	57.5	24.6	106.8	57.5	37.8	57.5	37.8	41.1	180.6	180.6	24.6
8.2		173.2	263.9	132.0	66.0	66.0	66.0	66.0	66.0	8.2	66.0	66.0	127.7	127.7	8.2
24.8	8.3	190.5	149.1	107.7	115.9	8.3	49.7	115.9	41.4	8.3	49.7	8.3	190.5	190.5	8.3
16.6	33.3	216.3	174.7	116.5	33.3	83.2	91.5	91.5	91.5	25.0	58.2	33.3	133.1	133.1	16.6
5.2	20.7	31.1	260.6	248.9	88.1	103.7	62.2	103.7	72.6	36.3	10.4	57.0	274.8	274.8	15.6
5.2	5.2	26.0	228.4	249.2	114.2	93.4	20.8	93.4	114.2	72.7	20.8	41.5	186.9	186.9	15.6
5.2	15.6	10.4	166.3	259.9	41.6	78.0	40.8	88.4	88.4	26.0	78.0	31.2	207.9	207.9	15.6
5.2	31.2	15.6	182.2	255.1	125.0	130.2	41.6	114.5	114.5	62.5	20.8	62.5	217.1	217.1	15.6
10.4	26.1	20.9	271.1	328.4	172.0	114.7	41.7	119.9	93.8	62.6	15.6	41.7	31.3	229.4	10.4

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
VERMONT RURAL--Continued.														
Orleans county.....	1901	1,576.1	50.0			31.8	27.3	4.5	13.6	63.6		86.3	22.7	86.3
	1902	1,500.3	9.1	4.5				40.9	13.6	36.4		140.8	9.1	100.0
	1903	1,463.6	22.7		9.1	13.6	4.5		27.3	31.8		122.7	13.6	90.9
	1904	1,582.4	77.3	4.5					27.3	77.3		100.0	27.3	91.0
	1905	1,783.1	9.1	9.1		4.5		13.6	22.7	63.7	13.6	127.4	22.7	100.1
Rutland county.....	1901	1,556.2	24.6			3.1		3.1	40.0	64.6		116.9	12.3	55.3
	1902	1,407.8	13.5			6.2	9.3	6.2	9.3	15.5		71.1	18.5	55.7
	1903	1,621.9	28.0	3.1		3.1	3.1	6.2	3.1	12.5		96.5	12.5	143.2
	1904	1,653.8	21.9				3.1	15.7	25.1	28.2		141.0	15.7	62.6
	1905	1,673.5	15.8			9.5	3.2	6.3	9.5	47.3	18.9	135.5	9.5	81.9
Washington county.....	1901	1,783.4	31.6	3.5			10.6	10.6	21.1	38.7		130.1	10.6	73.9
	1902	1,547.1	24.4			7.0	10.5	17.4	3.5	38.3		125.4	17.4	60.7
	1903	1,546.7	13.8			6.9	3.4	10.3	31.1	27.6		145.0	20.7	93.2
	1904	1,771.5	20.5				3.4	17.1	10.3	23.9		123.1	17.1	106.0
	1905	1,731.6	20.3			20.3	3.4	10.2	16.9	33.9	6.8	125.4	13.6	67.8
Windham county.....	1901	1,796.0	3.7			3.7	3.7	15.0	7.5	67.5		176.2	11.2	90.0
	1902	1,656.5	7.5			15.0			3.7	15.0		179.9	22.5	71.2
	1903	1,734.5	3.7	3.7					3.7	48.7		89.9	18.7	101.2
	1904	1,572.8	22.5						11.2	22.5		101.1	15.0	104.9
	1905	1,811.7	15.0			7.5	15.0	18.7	18.7	52.4	7.5	93.6	15.0	97.3
Windsor county.....	1901	1,930.2	21.7	6.2				18.6	9.3	52.7		136.3	12.4	62.0
	1902	1,701.2	9.3	3.1		6.2	3.1	12.4	6.2	37.1		95.9	12.4	89.7
	1903	1,688.3	21.6			3.1			18.5	67.9		83.4	27.8	120.4
	1904	1,658.8	12.3					3.1	12.3	89.4		114.1	6.2	107.9
	1905	1,656.1	9.2	3.1		24.6		6.2	6.2	80.0	3.1	129.3	18.5	113.9

¹ Shown for 1905 only.

SUMMARY AND RATE TABLES.

157

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.															
Tumor.	Diabetes.	Men- gitis.	Other diseases of nervous system.	Diseases of cir- culatory system.	Pneu- monia.	Other diseases of res- piratory system.	Diarrhea and enteritis.	Other diseases of diges- tive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
.....	13.6	54.5	199.9	186.2	86.3	18.2	54.5	86.3	59.0	72.7	18.2	54.5	31.8	240.7	13.6
4.5	9.1	31.8	154.5	154.5	159.0	95.4	31.8	109.1	77.2	72.7	9.1	59.1	36.4	189.3	45.4
4.5	13.6	27.3	159.1	122.7	59.1	109.1	81.8	95.5	68.2	54.6	18.2	77.3	36.4	172.7	27.3
.....	22.7	54.6	127.3	181.9	100.0	122.8	54.6	113.7	84.4	40.9		81.8	18.2	163.7	9.1
4.5	27.3	36.4	191.0	241.1	136.5	72.8	81.9	136.5	81.9	50.0	13.6	54.6	36.4	218.3	13.6
.....	15.4	36.9	156.8	163.0	196.8	73.8	64.6	64.6	89.2	46.1	12.3	58.4	43.1	187.6	27.7
.....	9.3	12.4	170.1	164.0	157.8	92.8	43.3	99.0	49.5	61.9	6.2	61.9	15.5	232.1	24.7
.....	3.1	34.2	183.7	211.7	137.0	74.7	68.5	112.1	56.0	65.4	6.2	130.7	28.0	190.6	18.7
.....	15.7	25.1	184.8	184.8	166.0	78.3	90.8	100.2	81.4	50.1	9.1	97.1	21.9	203.6	31.3
3.2	18.9	22.1	179.6	189.1	151.3	81.9	104.0	97.7	122.9	47.3	18.9	107.2	28.4	151.3	12.6
.....	14.1	14.1	263.8	165.3	204.0	91.4	22.8	84.4	119.6	45.7	10.6	56.3	63.3	214.5	42.2
10.6	3.5	38.3	170.7	105.1	160.3	101.1	20.9	104.5	76.7	31.4	10.5	87.1	59.2	156.8	17.4
.....	6.9	20.7	17.3	231.3	124.3	82.8	72.5	96.7	127.7	58.7	24.2	97.2	31.1	172.6	13.8
.....	34.2	34.2	215.5	239.4	133.4	65.0	78.7	109.4	92.3	71.8	30.8	88.9	34.2	205.2	17.1
3.4	10.2	30.5	237.3	223.7	166.0	118.6	40.7	98.3	81.3	37.3	27.1	115.2	64.4	152.5	6.8
.....	22.5	45.0	273.7	228.7	135.0	97.5	41.3	41.3	78.8	41.3	15.0	78.8	60.0	254.9	3.7
.....	18.7	37.5	232.4	236.1	127.4	60.0	33.7	60.0	78.7	75.0		82.5	45.0	224.8	18.7
.....	26.2	11.2	296.0	269.7	131.9	89.9	71.2	82.4	89.0	45.0	15.0	78.7	33.7	191.1	15.0
.....	22.5	44.9	232.2	229.9	71.1	82.4	48.7	101.1	116.1	26.2	11.2	63.7	15.0	220.9	15.0
.....	11.2	22.5	325.7	273.3	108.6	67.4	59.9	93.6	108.6	52.4	18.7	82.4	33.7	194.6	18.7
.....	3.1	27.9	207.6	254.0	207.6	117.7	65.1	123.9	65.1	58.9	3.1	74.3	71.2	288.1	15.5
.....	3.1	15.5	30.9	256.7	207.2	160.8	86.6	30.9	89.7	71.1	9.3	68.0	40.2	235.1	15.5
.....	3.1	9.3	34.0	240.9	263.6	95.7	74.1	40.1	111.2	101.9	6.2	83.4	21.6	169.8	12.4
6.2	30.8	6.2	206.6	296.0	104.8	86.3	52.4	61.7	86.3	37.0	6.2	80.2	37.0	200.4	9.3
.....	12.3	18.5	227.8	277.1	110.8	83.1	43.1	77.0	117.0	49.3	9.2	52.3	9.2	169.3	6.2

MORTALITY STATISTICS.

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
All causes.....	1901	518,207	385,395	332,203	199,391	132,812	186,004	1,056.0	1,738.7	1,635.6	1,782.7	1,455.3	1,693.9
	1902	508,640	385,670	318,636	195,666	122,970	190,001	1,594.1	1,697.7	1,542.2	1,703.8	1,357.9	1,689.4
	1903	524,415	397,736	327,295	200,616	126,679	197,120	1,611.8	1,708.8	1,557.7	1,707.3	1,367.8	1,710.4
	1904	551,354	416,627	349,855	215,128	134,727	201,469	1,663.9	1,750.8	1,637.7	1,789.3	1,442.6	1,711.5
	1905	545,333	411,062	345,843	211,392	134,471	199,670	1,616.0	1,687.6	1,592.9	1,716.8	1,450.6	1,687.7
1.—General diseases.....	1901	145,327	108,992	92,290	55,755	36,535	53,237	465.1	491.7	451.4	498.5	400.3	484.8
	1902	138,514	106,681	84,835	53,002	31,833	53,679	434.1	469.6	410.6	462.1	346.3	477.3
	1903	146,082	112,935	88,249	55,102	33,147	57,833	449.0	485.2	420.0	488.9	357.9	501.8
	1904	149,549	114,568	91,752	56,711	35,041	57,797	451.3	481.2	429.5	471.7	375.2	490.9
	1905	145,263	110,755	88,884	54,376	34,508	56,379	430.3	461.7	409.4	441.6	367.1	468.1
Typhoid fever.....	1901	10,127	7,501	5,585	2,959	2,626	4,542	32.4	33.8	27.5	26.5	28.8	41.4
	1902	10,180	8,511	5,431	2,962	2,469	5,549	34.4	37.5	26.3	25.8	26.9	49.3
	1903	11,149	8,876	5,162	2,889	2,273	5,987	31.3	38.1	24.6	24.6	24.5	51.9
	1904	10,357	8,347	5,064	2,884	2,210	5,463	31.9	35.1	23.8	24.0	23.7	46.4
	1905	9,479	7,321	4,871	2,713	2,158	4,608	28.1	30.1	22.4	22.0	23.0	38.3
Malarial fever.....	1901	1,980	1,520	1,012	552	460	968	6.3	6.9	5.0	4.9	5.0	8.8
	1902	1,738	1,339	819	420	399	919	5.4	5.9	4.0	3.7	4.3	8.2
	1903	1,410	1,066	636	292	344	774	4.3	4.6	3.0	2.5	3.7	6.7
	1904	1,391	1,087	619	315	304	772	4.2	4.6	2.9	2.6	3.3	6.6
	1905	1,321	992	517	218	299	771	3.9	4.1	2.5	1.8	3.5	6.4
Smallpox.....	1901	1,085	967	734	616	118	351	3.5	4.4	3.6	5.5	1.3	3.2
	1902	2,111	1,802	1,345	1,036	309	746	6.6	7.9	6.5	9.0	3.4	6.8
	1903	1,382	1,267	321	206	115	1,061	1.5	1.8	1.5	1.8	1.2	9.2
	1904	709	602	176	69	107	533	2.1	2.5	0.8	0.6	1.1	4.5
	1905	308	258	130	80	50	178	0.9	1.1	0.6	0.6	0.5	1.5
Measles.....	1901	2,287	1,687	1,494	864	630	793	7.3	7.5	7.4	7.7	6.9	7.2
	1902	3,033	2,506	1,914	1,387	527	1,119	9.5	11.0	9.3	12.1	5.7	9.9
	1903	3,221	2,629	1,843	1,251	592	1,378	9.9	11.3	8.8	10.6	6.4	12.0
	1904	3,659	2,795	2,418	1,552	866	1,241	11.3	11.7	11.3	12.9	9.3	10.5
	1905	2,557	2,063	1,614	1,120	494	943	7.6	8.5	7.4	9.1	5.3	7.8
Scarlet fever.....	1901	4,113	3,433	2,744	2,064	680	1,369	13.1	15.5	13.5	18.5	7.5	12.5
	1902	4,041	3,484	2,456	1,896	557	1,585	12.7	15.3	11.9	16.6	6.1	14.1
	1903	3,991	3,313	2,578	1,900	678	1,413	12.3	14.2	12.3	16.2	7.3	12.3
	1904	3,610	2,950	2,370	1,810	600	1,140	10.9	12.4	11.6	15.1	7.1	9.7
	1905	2,284	1,854	1,470	1,040	430	814	6.8	7.6	6.8	8.4	4.6	6.8
Whooping cough.....	1901	3,051	2,329	1,759	1,037	722	1,292	9.8	10.5	8.7	9.3	7.9	11.8
	1902	3,854	2,970	2,559	1,675	884	1,295	12.1	13.1	12.4	14.6	9.6	11.5
	1903	5,171	4,046	3,064	1,879	1,125	2,167	15.9	17.4	14.3	16.0	12.1	18.8
	1904	2,183	1,653	1,242	712	530	941	6.6	6.9	5.8	5.9	5.7	8.0
	1905	3,599	2,859	1,945	1,205	740	1,654	10.7	11.7	9.0	9.8	7.9	13.7
Diphtheria.....	1901	8,434	7,058	5,391	3,925	1,376	3,133	27.0	31.8	26.1	35.1	15.1	28.5
	1902	8,101	6,948	4,976	3,823	1,153	3,125	25.4	30.6	24.1	33.3	12.5	27.8
	1903	8,638	7,391	5,449	4,182	1,267	3,209	26.6	31.8	25.9	35.6	13.7	27.8
	1904	7,898	6,655	5,235	3,992	1,243	2,663	23.8	28.0	24.5	33.2	13.3	22.6
	1905	6,706	5,633	4,248	3,172	1,076	2,461	19.9	23.1	19.6	25.8	11.4	20.4
Croup.....	1901	2,233	1,613	1,381	891	590	732	7.1	7.4	7.3	8.0	6.5	6.8
	1902	1,758	1,351	1,152	745	407	606	5.5	5.9	5.6	6.5	4.5	5.4
	1903	1,705	1,334	1,067	696	371	638	5.2	5.7	5.1	5.9	4.0	5.5
	1904	1,546	1,155	1,022	631	391	524	4.7	4.9	4.8	5.2	4.2	4.5
	1905	1,330	998	872	540	332	458	3.9	4.1	4.0	4.4	3.5	3.8
Influenza.....	1901	10,093	5,718	7,378	3,903	4,375	2,715	32.3	25.8	36.3	26.8	47.9	24.7
	1902	3,225	1,886	2,146	1,407	1,339	1,079	10.1	8.3	10.4	7.0	14.6	9.6
	1903	6,064	3,772	4,020	1,728	2,292	2,044	18.6	16.2	19.1	14.7	24.7	17.7
	1904	6,724	3,972	4,613	1,891	2,722	2,081	20.3	16.7	21.7	15.7	29.5	17.7
	1905	6,426	3,662	4,453	1,689	2,764	1,973	19.0	15.0	20.5	13.7	29.4	16.4
Cholera nostras.....	1901	593	372	367	176	191	196	1.8	1.7	1.8	1.6	2.1	1.8
	1902	519	368	296	148	148	220	1.6	1.6	1.4	1.3	1.6	2.0
	1903	374	261	243	130	113	131	1.1	1.1	1.2	1.1	1.2	1.1
	1904	367	287	254	141	110	143	1.2	1.2	1.2	1.2	1.2	1.2
	1905	449	282	299	132	167	150	1.3	1.2	1.4	1.1	1.8	1.2
Dysentery.....	1901	3,331	2,232	2,242	1,143	1,099	1,089	10.6	10.1	11.0	10.2	12.0	9.9
	1902	3,187	2,196	2,082	1,091	991	1,105	10.0	9.7	10.1	9.5	10.8	9.8
	1903	2,378	1,646	1,534	802	732	844	7.3	7.1	7.3	6.8	7.9	7.3
	1904	2,567	1,704	1,720	857	863	847	7.7	7.2	8.1	7.1	9.2	7.2
	1905	2,588	1,574	1,805	791	1,014	783	7.7	6.5	8.3	6.4	10.8	6.5
Erysipelas.....	1901	1,470	1,090	914	554	360	536	4.6	4.9	4.5	5.0	3.9	4.9
	1902	1,337	1,006	845	514	331	492	4.2	4.4	4.1	4.5	3.6	4.4
	1903	1,499	991	839	533	306	461	4.0	4.3	4.0	4.5	3.3	4.0
	1904	1,680	1,271	1,065	686	409	585	5.1	5.3	5.1	5.7	4.4	5.0
	1905	1,510	1,150	1,025	665	360	485	4.5	4.7	4.7	5.4	3.8	4.0
Other epidemic diseases.....	1901	85	68	30	13	17	55	0.3	0.3	0.1	0.1	0.2	0.5
	1902	148	125	63	40	23	85	0.5	0.6	0.3	0.3	0.3	0.8
	1903	122	101	40	19	21	82	0.4	0.4	0.2	0.2	0.2	0.7
	1904	112	89	50	27	23	62	0.3	0.4	0.2	0.2	0.2	0.5
	1905	929	504	53	28	25	476	1.6	2.1	0.2	0.2	0.3	4.0
Septicemia.....	1901	2,290	1,694	1,192	596	596	1,098	7.3	7.6	5.9	5.3	6.5	10.0
	1902	2,281	1,705	1,209	633	576	1,072	7.1	7.5	5.9	5.5	6.3	9.5
	1903	1,754	1,321	982	540	433	772	5.4	5.7	4.7	4.7	4.7	6.7
	1904	1,886	1,367	1,036	517	519	820	5.7	5.7	4.8	4.3	5.6	7.2
	1905	1,780	1,322	967	509	458	813	5.3	5.4	4.5	4.1	4.9	6.7

SUMMARY AND RATE TABLES.

159

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.					NUMBER OF DEATHS PER 100,000 OF POPULATION.						
		Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	
				Total.	Cities.	Rural districts.			Total.	Cities.	Rural districts.		
Tuberculosis of lungs.....	1901	54,735	42,546	33,969	21,780	12,189	20,766	174.9	191.9	167.2	191.7	133.6	189.1
	1902	52,079	40,983	31,149	20,353	11,096	20,630	163.2	180.1	152.2	177.4	130.7	183.4
	1903	53,910	42,729	32,291	21,110	11,181	21,619	165.7	183.6	153.7	179.7	130.7	187.6
	1904	58,763	46,517	35,022	22,776	12,246	24,741	177.3	195.5	163.9	189.4	131.1	201.7
	1905	56,770	41,910	33,841	21,981	11,860	22,929	168.2	184.4	155.9	178.5	126.2	190.4
Tuberculosis of larynx.....	1901	327	307	321	191	130	206	1.7	1.8	1.6	1.7	1.4	1.9
	1902	341	416	322	197	125	219	1.7	1.8	1.6	1.7	1.4	1.9
	1903	339	422	307	190	117	232	1.7	1.8	1.5	1.6	1.3	2.0
	1904	370	455	344	229	115	226	1.7	1.9	1.6	1.9	1.2	1.9
	1905	610	460	351	201	150	259	1.8	1.9	1.6	1.6	1.6	2.2
Tuberculous meningitis.....	1901	2,656	2,237	1,811	1,422	419	815	8.5	10.1	9.1	12.7	4.6	7.4
	1902	2,674	2,355	1,894	1,457	439	780	8.4	9.8	9.2	12.7	4.8	6.9
	1903	2,905	2,442	2,002	1,539	463	903	8.9	10.5	9.5	13.1	5.0	7.8
	1904	3,025	2,498	2,089	1,562	527	956	9.1	10.5	9.8	13.0	5.6	8.0
	1905	3,264	2,736	2,147	1,619	528	1,117	9.7	11.2	9.9	13.1	5.6	9.3
Abdominal tuberculosis.....	1901	1,767	1,304	1,083	620	463	684	5.6	5.9	5.3	5.5	5.1	6.2
	1902	1,817	1,116	1,042	611	401	775	5.7	6.2	5.0	5.6	4.4	6.9
	1903	1,834	1,368	1,084	628	456	770	5.7	6.0	5.2	5.3	4.9	6.7
	1904	2,098	1,605	1,245	722	493	853	6.3	6.7	5.8	6.3	5.3	7.2
	1905	2,193	1,664	1,273	741	529	920	6.5	6.8	5.9	6.0	5.6	7.6
Pott's disease.....	1901	442	330	286	174	112	156	1.4	1.5	1.4	1.6	1.2	1.4
	1902	421	320	282	181	101	139	1.3	1.4	1.4	1.6	1.1	1.2
	1903	516	402	323	209	114	193	1.6	1.7	1.5	1.8	1.2	1.7
	1904	519	415	332	218	101	187	1.6	1.7	1.6	1.9	1.1	1.6
	1905	563	423	358	218	140	205	1.7	1.7	1.6	1.8	1.5	1.7
Tuberculous abscess.....	1901	48	36	30	18	12	18	0.2	0.2	0.1	0.2	0.1	0.2
	1902	39	26	24	11	13	15	0.1	0.1	0.1	0.1	0.1	0.1
	1903	52	32	25	13	10	20	0.2	0.2	0.2	0.2	0.2	0.2
	1904	62	43	41	22	19	21	0.2	0.2	0.2	0.2	0.2	0.2
	1905	61	46	40	25	15	21	0.2	0.2	0.2	0.2	0.2	0.2
White swelling.....	1901	296	165	139	89	41	76	0.7	0.7	0.6	0.8	0.4	0.7
	1902	247	202	132	97	35	105	0.7	0.9	0.6	0.8	0.4	0.9
	1903	224	176	132	84	48	92	0.7	0.8	0.6	0.7	0.5	0.8
	1904	211	199	140	98	42	101	0.7	0.8	0.7	0.8	0.1	0.9
	1905	261	215	182	136	46	79	0.8	0.9	0.8	1.1	0.5	0.7
Tuberculosis of other organs.....	1901	393	296	235	138	97	158	1.3	1.3	1.2	1.2	1.1	1.4
	1902	391	279	228	116	112	163	1.2	1.2	1.1	1.0	1.2	1.4
	1903	465	349	288	172	116	177	1.4	1.5	1.4	1.5	1.3	1.5
	1904	545	402	331	188	143	214	1.6	1.7	1.5	1.6	1.5	1.8
	1905	539	404	333	198	135	206	1.6	1.7	1.5	1.6	1.4	1.7
General tuberculosis.....	1901	825	638	539	352	187	286	2.6	2.9	2.7	3.1	2.0	2.6
	1902	789	556	486	303	183	253	2.3	2.4	2.4	2.6	2.0	2.2
	1903	1,002	764	630	392	238	372	3.1	3.3	3.0	3.3	2.6	3.2
	1904	971	774	581	381	200	393	2.9	3.3	2.7	3.2	2.1	3.3
	1905	1,091	835	643	387	256	418	3.2	3.4	3.0	3.1	2.7	3.7
Scrofula.....	1901	168	117	93	42	51	75	0.5	0.5	0.5	0.4	0.6	0.7
	1902	145	96	87	38	49	58	0.5	0.4	0.4	0.3	0.5	0.5
	1903	153	103	89	39	50	64	0.5	0.4	0.4	0.3	0.5	0.6
	1904	124	82	80	38	42	44	0.4	0.3	0.4	0.3	0.4	0.4
	1905	126	83	87	44	43	39	0.4	0.3	0.4	0.4	0.5	0.3
Venereal diseases.....	1901	1,161	1,020	613	472	141	548	3.7	4.6	3.0	4.2	1.5	5.0
	1902	1,163	1,022	629	488	141	534	3.6	4.5	3.0	4.3	1.5	4.7
	1903	1,393	1,213	729	549	180	664	4.3	5.2	3.5	4.7	1.9	5.3
	1904	1,580	1,387	778	596	182	791	4.7	5.8	3.6	5.0	1.9	6.7
	1905	1,396	1,441	746	591	155	850	4.7	5.9	3.4	4.8	1.6	7.1
Cancer of mouth.....	1901	612	473	373	234	139	229	2.0	2.1	1.8	2.1	1.5	2.2
	1902	583	429	368	214	154	215	1.8	1.9	1.8	1.9	1.7	1.9
	1903	661	478	427	244	183	234	2.0	2.1	2.0	2.1	2.0	2.0
	1904	737	550	458	271	187	279	2.2	2.3	2.1	2.3	2.0	2.4
	1905	792	579	523	310	213	269	2.3	2.4	2.4	2.5	2.3	2.2
Cancer of stomach and liver.....	1901	7,065	5,149	4,664	2,718	1,946	2,431	22.7	23.2	21.0	24.3	21.3	22.1
	1902	7,483	5,413	4,881	2,811	2,070	2,602	23.5	23.8	23.6	24.5	22.5	23.1
	1903	8,193	5,954	5,267	3,028	2,239	2,926	26.2	25.6	25.1	25.8	24.2	25.4
	1904	8,744	6,301	5,690	3,217	2,443	3,064	28.4	26.5	26.5	26.8	26.9	28.2
	1905	8,939	6,474	5,824	3,359	2,465	3,115	26.5	26.6	26.8	27.3	26.2	25.9
Cancer of intestines.....	1901	2,157	1,655	1,471	969	502	686	6.9	7.5	7.2	8.7	5.5	6.2
	1902	2,239	1,638	1,514	933	581	725	7.0	7.3	7.3	8.1	6.3	6.4
	1903	2,134	1,597	1,469	932	537	665	6.6	6.9	7.0	7.9	5.8	5.8
	1904	2,399	1,798	1,633	1,032	601	766	7.2	7.6	7.6	8.6	6.4	6.5
	1905	2,732	2,060	1,832	1,150	672	880	8.1	8.5	8.5	9.6	7.1	7.3
Cancer of female genital organs.....	1901	2,919	2,246	1,850	1,177	673	1,069	9.3	10.1	9.1	10.5	7.4	9.7
	1902	3,033	2,418	1,844	1,229	615	1,189	9.5	10.6	8.9	10.7	6.7	10.6
	1903	3,289	2,603	2,033	1,347	686	1,256	10.1	11.2	9.7	11.5	7.4	10.9
	1904	3,436	2,713	2,143	1,420	723	1,293	10.4	11.4	10.0	11.8	7.7	11.0
	1905	3,637	2,871	2,267	1,501	766	1,370	10.8	11.8	10.4	12.2	8.1	11.4
Cancer of breast.....	1901	1,647	1,169	1,119	641	478	598	5.3	5.3	5.5	5.7	5.2	4.8
	1902	1,750	1,221	1,210	681	529	540	5.5	5.4	5.9	5.9	5.8	4.8
	1903	1,787	1,269	1,231	733	518	536	5.5	5.5	6.0	6.2	5.6	4.7
	1904	2,030	1,489	1,367	826	541	663	6.1	6.3	6.4	6.9	5.8	5.6
	1905	2,010	1,451	1,372	813	559	638	6.0	6.0	6.3	6.6	5.9	5.3

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Cancer of skin.....	1901 683	403	496	216	280	187	2.2	1.8	2.4	1.9	3.1	1.7
	1902 688	406	478	196	282	210	2.2	1.8	2.3	1.7	3.1	1.9
	1903 752	434	536	218	318	216	2.3	1.9	2.6	1.9	3.4	1.9
	1904 758	429	551	222	329	207	2.3	1.8	2.6	1.8	3.5	1.8
	1905 818	494	583	259	324	235	2.1	2.0	2.7	2.1	3.4	2.0
Cancer of other or unspecified organs.....	1901 5,058	3,355	3,465	1,762	1,703	1,503	16.2	15.1	17.1	15.8	18.7	14.5
	1902 5,071	3,493	3,358	1,780	1,578	1,713	15.9	15.4	16.3	15.5	17.2	15.2
	1903 5,509	3,838	3,667	1,996	1,671	1,842	16.9	16.5	17.5	17.0	18.0	16.0
	1904 5,294	3,710	3,435	1,901	1,531	1,856	16.0	15.8	16.1	15.8	16.4	15.8
	1905 5,402	3,741	3,562	1,901	1,661	1,840	16.0	15.4	16.4	15.4	17.7	15.3
Tumor.....	1901 505	336	332	163	169	173	1.6	1.5	1.6	1.5	1.9	1.6
	1902 459	321	287	149	138	172	1.4	1.4	1.4	1.3	1.5	1.5
	1903 531	363	355	187	168	176	1.6	1.6	1.7	1.6	1.6	1.5
	1904 444	290	294	140	154	150	1.3	1.2	1.4	1.2	1.6	1.3
	1905 501	359	318	176	142	183	1.5	1.5	1.5	1.4	1.5	1.5
Rheumatism.....	1901 2,985	2,137	1,949	1,101	848	1,036	9.5	9.9	9.6	9.8	9.3	9.4
	1902 2,661	1,797	1,759	895	864	902	8.3	7.6	8.5	7.8	9.4	8.0
	1903 2,785	2,017	1,772	1,004	768	1,013	8.6	8.7	8.4	8.5	8.2	8.8
	1904 3,187	2,287	2,052	1,153	900	1,134	9.6	9.6	9.6	9.6	9.6	9.6
	1905 2,827	1,960	1,846	988	858	981	8.4	8.1	8.5	8.0	9.1	8.1
Diabetes.....	1901 3,212	2,230	2,329	1,357	982	873	10.3	10.1	11.5	12.1	10.8	8.0
	1902 3,412	2,256	2,411	1,375	1,036	901	10.4	9.9	11.7	11.8	11.5	8.0
	1903 3,681	2,559	2,650	1,528	1,122	1,031	11.3	11.0	12.6	13.0	12.1	8.9
	1904 4,259	3,017	3,036	1,794	1,242	1,223	12.9	12.7	14.2	14.9	13.3	10.4
	1905 4,397	3,156	3,066	1,825	1,241	1,331	13.0	13.0	14.1	14.8	13.2	11.1
Anemia, leukemia.....	1901 1,886	1,291	1,280	667	592	597	6.0	5.8	6.3	6.2	6.5	5.4
	1902 1,893	1,293	1,241	639	602	654	5.9	5.7	6.0	5.6	6.5	5.8
	1903 1,998	1,277	1,277	646	631	631	5.9	5.5	6.1	5.5	6.8	5.5
	1904 2,007	1,305	1,376	674	702	631	6.1	5.5	6.4	5.6	7.5	5.4
	1905 2,167	1,459	1,474	766	708	693	6.4	6.0	6.8	6.2	7.5	5.8
Alcoholism.....	1901 1,870	1,591	1,016	737	279	851	6.0	7.2	5.0	6.6	3.1	7.8
	1902 1,943	1,634	1,060	781	299	863	6.1	7.2	5.2	6.8	3.3	7.7
	1903 2,163	1,798	1,290	923	367	873	6.6	7.7	6.1	7.9	4.0	7.6
	1904 1,927	1,608	1,128	809	319	799	5.8	6.8	5.3	6.7	3.4	6.8
	1905 2,106	1,752	1,293	939	354	813	6.2	7.2	6.0	7.6	3.8	6.7
Chronic poisonings.....	1901 221	161	137	77	60	84	0.7	0.7	0.7	0.7	0.7	0.8
	1902 252	176	159	83	76	93	0.8	0.8	0.8	0.7	0.8	0.8
	1903 300	222	175	97	78	125	0.9	1.0	0.8	0.8	0.8	1.1
	1904 254	177	148	71	77	106	0.8	0.7	0.7	0.6	0.8	0.9
	1905 264	198	139	73	66	125	0.8	0.8	0.6	0.6	0.7	1.0
Other general diseases.....	1901 627	425	417	215	202	210	2.0	1.9	2.1	1.9	2.2	1.9
	1902 589	408	377	196	181	212	1.8	1.8	1.8	1.7	2.0	1.9
	1903 677	461	442	226	216	235	2.1	2.0	2.1	1.9	2.3	2.0
	1904 695	475	413	221	192	254	2.0	2.0	1.9	1.8	2.1	2.2
	1905 728	503	465	240	225	263	2.2	2.1	2.1	1.9	2.4	2.2
II.—Diseases of nervous system.....	1901 60,431	42,357	39,550	21,476	18,074	20,881	193.1	191.1	191.7	192.0	198.0	190.2
	1902 59,313	42,302	38,260	21,249	17,011	21,033	185.9	186.2	185.2	185.2	185.1	187.2
	1903 58,310	41,046	38,152	20,879	17,273	20,167	179.2	176.3	181.6	177.7	186.5	176.0
	1904 60,581	42,571	40,696	22,689	18,007	19,885	182.8	178.9	190.5	188.7	192.8	168.9
	1905 61,556	43,802	41,681	23,927	17,754	19,575	182.3	179.9	192.0	194.3	188.9	165.0
Encephalitis.....	1901 831	502	526	187	329	305	2.7	2.3	2.6	1.8	3.6	2.8
	1902 716	458	432	174	258	284	2.2	2.0	2.1	1.5	2.8	2.5
	1903 609	423	335	149	186	271	1.9	1.8	1.6	1.3	2.0	2.4
	1904 339	359	312	141	171	218	1.6	1.5	1.5	1.2	1.8	1.9
	1905 465	309	286	130	156	179	1.4	1.3	1.3	1.1	1.7	1.5
Meningitis.....	1901 10,450	8,079	6,670	4,319	2,351	3,790	33.3	36.4	32.8	38.6	25.8	34.2
	1902 9,981	7,992	6,138	4,149	1,989	3,843	31.3	35.2	29.7	36.2	21.6	34.2
	1903 9,213	7,222	5,851	3,640	1,991	3,362	28.3	31.0	27.8	32.8	21.5	29.2
	1904 10,553	8,482	7,275	5,204	2,071	3,278	31.8	35.6	34.1	43.3	22.2	27.8
	1905 11,654	9,478	8,467	6,291	2,176	3,187	34.5	38.9	30.0	51.1	23.1	26.5
Locomotor ataxia.....	1901 722	524	456	258	198	266	2.3	2.4	2.2	2.3	2.2	2.4
	1902 691	498	432	239	193	259	2.2	2.2	2.1	2.1	2.1	2.3
	1903 813	579	511	277	234	302	2.5	2.5	2.4	2.4	2.5	2.6
	1904 820	560	515	285	260	275	2.5	2.4	2.6	2.4	2.8	2.3
	1905 883	641	550	308	242	333	2.6	2.6	2.5	2.5	2.6	2.8
Other diseases of spinal cord.....	1901 1,428	638	1,000	510	490	428	4.6	4.2	4.9	4.6	5.4	3.9
	1902 1,454	1,008	993	547	446	461	4.6	4.4	4.8	4.8	4.0	4.1
	1903 1,685	1,131	1,157	603	554	528	5.2	4.9	5.5	5.1	6.0	4.6
	1904 1,653	1,097	1,177	621	556	476	5.0	4.6	5.5	5.2	6.0	4.0
	1905 1,724	1,167	1,199	642	557	525	5.1	4.8	5.5	5.2	5.9	4.4
Apoplexy.....	1901 21,390	14,577	15,089	8,273	6,813	6,304	68.4	65.8	74.3	74.0	74.7	57.4
	1902 21,862	14,912	15,427	8,477	6,950	6,435	68.5	65.6	74.7	73.9	75.6	57.2
	1903 22,311	14,931	15,530	8,550	7,380	6,381	68.6	64.1	75.8	72.8	79.7	55.3
	1904 23,828	15,943	17,090	9,305	7,885	6,738	71.9	67.0	80.0	76.6	84.4	57.2
	1905 24,390	16,508	17,440	9,648	7,792	6,950	72.2	68.1	80.3	78.4	82.9	57.7
Softening of brain.....	1901 1,241	737	814	310	504	427	4.0	3.3	4.0	2.8	5.5	3.9
	1902 1,197	700	761	294	467	436	3.7	3.1	3.7	2.3	5.4	3.9
	1903 1,258	782	792	316	476	466	3.9	3.4	3.8	2.7	5.1	4.0
	1904 1,250	775	816	341	475	431	3.8	3.3	3.8	2.8	5.1	3.7
	1905 1,042	652	643	253	390	399	3.1	2.7	3.0	2.1	4.1	3.3

SUMMARY AND RATE TABLES.

161

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.					NUMBER OF DEATHS PER 100,000 OF POPULATION.						
		Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Paralysis.....	1901	7,220	4,075	4,896	1,751	3,145	2,324	23.1	18.4	24.1	15.7	34.5	21.2
	1902	6,674	3,982	4,345	1,653	2,692	2,329	20.9	17.5	21.0	14.4	29.3	20.7
	1903	6,609	3,845	4,355	1,591	2,761	2,251	20.3	16.5	20.7	13.5	29.8	19.6
	1904	6,431	3,685	4,324	1,588	2,736	2,107	19.4	15.5	20.2	13.2	29.3	17.9
	1905	5,981	3,140	4,011	1,470	2,541	1,970	17.7	14.1	18.5	11.9	27.0	16.4
General paralysis of insane.....	1901	2,069	1,340	1,477	748	729	592	6.6	6.0	7.3	6.7	8.0	5.4
	1902	2,238	1,472	1,609	843	766	629	7.0	6.5	7.8	7.3	8.3	5.6
	1903	2,152	1,410	1,542	800	742	610	6.6	6.1	7.3	6.8	8.0	5.3
	1904	2,263	1,469	1,670	876	794	593	6.8	6.2	7.8	7.3	8.5	5.0
	1905	2,450	1,579	1,751	880	871	699	7.3	6.5	8.1	7.1	9.3	5.8
Other forms of mental disease.....	1901	1,232	914	802	484	318	430	3.9	4.1	3.9	4.3	3.5	3.9
	1902	1,207	885	775	453	322	432	3.8	3.9	3.8	3.9	3.5	3.8
	1903	1,232	902	791	464	330	438	3.8	3.9	3.8	3.9	3.6	3.8
	1904	1,139	795	725	381	314	414	3.4	3.3	3.4	3.2	3.7	3.5
	1905	1,039	717	679	357	322	360	3.1	2.9	3.1	2.9	3.4	3.0
Other diseases of brain.....	1901	1,550	1,070	1,040	560	480	510	5.0	4.8	5.1	5.0	5.3	4.6
	1902	1,445	1,051	959	565	391	486	4.5	4.6	4.6	4.9	4.3	4.3
	1903	1,459	1,085	941	570	371	515	4.5	4.7	4.5	4.9	4.0	4.5
	1904	1,341	956	900	515	385	441	4.0	4.0	4.2	4.3	4.1	3.7
	1905	1,436	1,033	922	519	403	514	4.3	4.2	4.2	4.2	4.3	4.3
Epilepsy.....	1901	1,417	852	1,017	452	565	400	4.5	3.8	5.0	4.0	6.2	3.6
	1902	1,483	933	1,016	466	550	467	4.6	4.1	4.9	4.1	6.0	4.2
	1903	1,512	972	1,065	525	540	447	4.6	4.2	5.1	4.5	5.8	3.9
	1904	1,481	906	1,076	501	575	405	4.5	3.8	5.0	4.2	6.2	3.4
	1905	1,367	844	985	462	523	382	4.0	3.5	4.5	3.8	5.6	3.2
Convulsions.....	1901	8,517	7,006	4,437	2,926	1,511	4,080	27.2	31.6	21.8	26.2	16.6	37.2
	1902	7,987	6,586	4,089	2,688	1,401	3,808	25.0	29.0	19.8	23.4	15.2	34.7
	1903	6,833	5,672	3,539	2,378	1,161	3,201	21.0	24.4	16.8	20.2	12.5	28.6
	1904	6,892	5,632	3,439	2,260	1,170	3,363	20.5	23.7	16.1	18.9	12.5	28.6
	1905	6,677	5,466	3,443	2,232	1,211	3,234	19.8	22.4	15.9	18.1	12.9	26.8
Tetanus.....	1901	1,129	947	458	276	182	671	3.6	4.3	2.3	2.5	2.0	6.1
	1902	1,158	1,000	448	280	158	710	3.6	4.4	2.2	2.5	1.7	6.3
	1903	1,326	1,165	472	311	161	854	4.1	5.0	2.2	2.6	1.7	7.4
	1904	1,105	921	445	261	184	660	3.3	3.9	2.1	2.2	2.0	5.6
	1905	1,033	880	357	204	153	676	3.1	3.6	1.6	1.7	1.6	5.6
Other diseases of nervous system.....	1901	1,255	796	871	412	459	384	4.0	3.6	4.3	3.7	5.0	3.5
	1902	1,220	825	836	441	395	384	3.8	3.6	4.0	3.8	4.3	3.4
	1903	1,310	927	868	485	383	442	4.0	4.0	4.1	4.1	4.1	3.8
	1904	1,385	984	902	501	401	483	4.2	4.1	4.2	4.2	4.3	4.1
	1905	1,415	998	948	531	417	467	4.2	4.1	4.4	4.3	4.4	3.9
III.—Diseases of circulatory system.....	1901	46,250	32,596	31,103	17,449	13,654	15,147	147.8	147.1	153.1	156.0	149.6	137.9
	1902	49,233	35,081	33,043	18,891	14,152	16,190	154.3	151.4	159.9	164.7	154.0	143.9
	1903	52,275	36,743	35,188	19,656	15,532	17,087	160.7	157.9	167.5	167.3	167.7	148.3
	1904	57,220	40,191	38,690	21,661	17,029	18,530	173.7	168.9	181.1	180.2	182.3	157.4
	1905	58,503	41,497	39,435	22,429	17,006	19,068	173.3	170.4	181.6	182.2	180.9	158.3
Pericarditis.....	1901	748	553	401	206	195	347	2.4	2.5	2.0	1.8	2.1	3.2
	1902	753	564	404	215	189	349	2.4	2.5	2.0	1.9	2.1	3.1
	1903	664	480	360	176	184	304	2.0	2.1	1.7	1.5	2.0	2.6
	1904	624	452	372	200	172	282	1.9	1.9	1.7	1.7	1.8	2.1
	1905	591	456	306	168	138	288	1.8	1.9	1.4	1.4	1.5	2.4
Endocarditis.....	1901	3,299	2,888	2,112	1,701	411	1,187	10.5	13.0	10.4	15.2	4.5	10.8
	1902	3,681	3,211	2,337	1,867	470	1,344	11.5	14.1	11.3	16.3	5.1	11.9
	1903	3,202	2,755	1,976	1,529	447	1,226	9.8	11.8	9.4	13.0	4.8	10.6
	1904	3,880	3,348	2,315	1,783	532	1,565	11.7	14.1	10.8	14.8	5.7	13.3
	1905	4,265	3,684	2,554	1,973	581	1,711	12.6	15.1	11.8	16.0	6.2	14.2
Heart disease.....	1901	35,586	24,378	24,413	13,205	11,208	11,173	113.7	110.0	120.2	118.1	122.8	101.7
	1902	37,577	26,001	25,710	14,137	11,573	11,867	117.8	114.5	124.4	123.2	125.9	105.5
	1903	40,704	27,901	27,872	15,069	12,803	12,832	125.1	119.9	132.6	128.2	138.2	111.3
	1904	44,472	30,436	30,724	16,688	14,036	13,748	134.2	127.9	143.8	138.8	150.3	116.8
	1905	44,723	30,803	30,789	16,869	13,920	13,934	132.5	126.5	141.8	137.0	148.1	115.7
Angina pectoris.....	1901	1,981	1,201	1,403	623	780	578	6.3	5.4	6.9	5.6	8.5	5.3
	1902	2,080	1,304	1,474	698	776	606	6.5	5.7	7.1	6.1	8.4	5.4
	1903	2,192	1,344	1,589	741	848	646	6.7	5.8	7.6	6.3	9.2	5.2
	1904	2,180	1,375	1,514	709	805	666	6.6	5.8	7.1	5.9	8.6	5.7
	1905	2,281	1,459	1,603	781	822	678	6.8	6.0	7.4	6.3	8.7	5.6
Diseases of arteries.....	1901	2,132	1,734	1,171	773	398	961	6.8	7.8	5.8	6.9	4.4	8.8
	1902	2,639	2,131	1,532	1,034	498	1,097	8.2	9.4	7.4	9.0	5.4	9.8
	1903	2,908	2,291	1,701	1,144	617	1,147	8.9	9.8	8.4	9.7	6.7	10.0
	1904	3,516	2,720	2,143	1,347	795	1,373	10.6	11.4	10.0	11.2	8.5	11.7
	1905	4,145	3,258	2,556	1,669	887	1,589	12.3	13.4	11.8	13.6	9.4	13.2
Embolism and thrombosis.....	1901	1,261	931	843	513	330	418	4.0	4.2	4.2	4.6	3.6	3.8
	1902	1,306	965	858	517	341	448	4.1	4.2	4.2	4.5	3.7	4.0
	1903	1,449	1,116	954	621	333	495	4.5	4.8	4.5	5.3	3.6	4.3
	1904	1,401	1,021	942	562	380	459	4.2	4.3	4.4	4.7	4.1	3.9
	1905	1,417	1,036	968	587	381	449	4.2	4.3	4.5	4.8	4.1	3.7
Diseases of veins.....	1901	175	127	114	66	48	61	0.6	0.6	0.6	0.6	0.5	0.6
	1902	153	119	103	69	34	50	0.5	0.5	0.5	0.6	0.4	0.4
	1903	176	131	107	62	45	69	0.5	0.6	0.5	0.5	0.5	0.6
	1904	202	150	134	82	52	68	0.6	0.6	0.6	0.7	0.6	0.6
	1905	227	169	150	92	58	77	0.7	0.7	0.7	0.7	0.6	0.6

MORTALITY STATISTICS.

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Diseases of lymphatics.....												
1901	57	49	33	25	8	24	0.2	0.2	0.2	0.2	0.1	0.2
1902	53	37	34	18	16	19	0.2	0.2	0.2	0.2	0.2	0.2
1903	58	47	37	26	11	21	0.2	0.2	0.2	0.2	0.1	0.2
1904	83	69	50	36	14	33	0.3	0.3	0.2	0.3	0.1	0.3
1905	73	57	45	29	16	28	0.2	0.2	0.2	0.2	0.2	0.2
Other diseases of circulatory system.....												
1901	1,011	735	613	337	276	398	3.2	3.3	3.0	3.0	3.0	3.6
1902	1,001	746	501	336	255	110	3.1	3.3	2.9	2.9	2.8	3.6
1903	922	678	532	288	244	390	2.8	2.9	2.5	2.5	2.6	3.4
1904	862	620	496	251	242	366	2.6	2.6	2.3	2.1	2.6	3.1
1905	778	575	461	261	203	314	2.3	2.4	2.1	2.1	2.2	2.6
IV.—Diseases of respiratory system.....												
1901	72,480	55,511	46,121	29,585	16,530	25,956	230.3	250.6	227.1	261.5	181.2	236.4
1902	71,027	56,812	44,118	29,533	14,185	26,909	222.6	250.2	213.5	261.0	151.3	239.3
1903	70,900	56,765	43,915	29,780	11,165	26,085	218.0	243.9	209.1	253.4	152.9	234.1
1904	76,975	61,476	48,678	33,179	15,490	28,207	232.9	258.3	237.9	276.0	166.0	240.4
1905	69,145	54,561	43,965	29,681	14,884	25,450	204.7	224.0	202.5	236.2	158.3	211.5
Laryngitis.....												
1901	480	359	327	196	131	163	1.6	1.6	1.6	1.8	1.1	1.5
1902	456	351	299	162	97	157	1.4	1.6	1.1	1.8	1.1	1.4
1903	367	297	251	151	100	146	1.2	1.3	1.2	1.3	1.1	1.3
1904	319	253	229	132	96	121	1.1	1.1	1.1	1.1	1.0	1.0
1905	258	187	162	91	71	96	0.8	0.8	0.7	0.7	0.8	0.8
Other diseases of larynx.....												
1901	348	278	216	116	70	132	1.1	1.3	1.1	1.3	0.8	1.2
1902	381	311	221	151	70	160	1.2	1.4	1.1	1.3	0.8	1.4
1903	390	311	227	118	79	163	1.2	1.3	1.1	1.3	0.9	1.4
1904	361	290	226	135	71	135	1.1	1.2	1.1	1.3	0.8	1.1
1905	352	286	215	129	86	137	1.0	1.1	1.0	1.0	0.9	1.1
Diseases of thyroid body.....												
1901	90	63	51	27	27	26	0.3	0.3	0.3	0.2	0.3	0.3
1902	93	70	50	27	23	43	0.3	0.3	0.2	0.2	0.3	0.3
1903	93	68	51	26	25	42	0.3	0.3	0.2	0.2	0.3	0.4
1904	97	76	58	37	21	39	0.3	0.3	0.3	0.3	0.2	0.3
1905	110	81	60	31	29	50	0.3	0.3	0.3	0.3	0.3	0.4
Acute bronchitis.....												
1901	7,010	5,571	4,626	3,200	1,469	2,371	22.5	25.1	23.0	28.6	16.1	21.6
1902	7,588	6,218	4,993	3,653	1,340	2,305	23.8	27.5	21.2	31.9	14.6	23.1
1903	6,812	5,133	4,178	3,069	1,409	2,364	21.0	23.3	21.3	26.1	15.2	20.5
1904	6,910	5,616	4,172	3,268	1,264	2,438	20.9	23.7	20.9	26.7	13.5	20.7
1905	6,598	5,292	4,154	2,818	1,306	2,444	19.5	21.7	19.1	23.1	13.9	20.3
Chronic bronchitis.....												
1901	5,425	4,132	3,592	2,209	1,293	1,923	17.3	18.6	17.2	19.7	11.2	17.5
1902	4,993	3,881	3,110	2,007	1,112	1,874	15.6	17.1	15.1	17.5	12.1	16.7
1903	5,005	3,812	3,030	1,867	1,163	1,975	15.4	16.5	14.4	15.9	12.6	17.1
1904	5,021	3,751	3,099	1,832	1,267	1,922	15.2	15.8	14.5	15.2	13.6	16.3
1905	4,711	3,451	2,966	1,709	1,257	1,745	14.0	14.2	13.7	13.9	13.4	14.5
Bronchopneumonia.....												
1901	8,894	7,218	6,231	4,588	1,646	2,600	28.4	32.7	30.7	41.0	18.0	21.2
1902	10,153	8,688	7,363	5,508	1,465	3,040	31.8	38.2	31.2	48.8	15.9	27.5
1903	10,164	9,235	7,672	5,813	1,729	3,292	33.7	39.7	36.5	50.6	18.7	28.6
1904	12,219	10,222	8,512	6,315	1,997	3,677	36.9	43.0	40.0	51.4	21.4	31.2
1905	11,608	9,730	7,965	6,087	1,878	3,643	34.4	39.9	36.7	40.4	20.0	30.2
Pneumonia.....												
1901	41,715	31,800	26,296	16,781	9,915	15,419	133.3	143.5	129.5	146.5	108.6	140.4
1902	39,715	31,340	25,999	15,674	8,325	15,716	124.5	138.2	116.2	136.6	90.6	130.7
1903	39,764	31,742	25,763	15,791	7,972	16,001	122.2	136.6	113.1	134.4	86.1	138.8
1904	41,937	35,860	27,899	18,716	9,088	17,153	135.7	150.7	130.2	155.7	97.3	145.7
1905	39,068	30,354	21,437	15,723	8,714	14,631	115.7	124.6	112.5	127.7	92.7	121.5
Pleurisy.....												
1901	1,469	1,186	925	612	283	544	4.7	5.4	4.6	5.7	3.1	5.0
1902	1,142	1,209	872	630	242	570	4.5	5.3	4.2	5.5	2.6	5.1
1903	1,463	1,199	929	665	264	534	4.5	5.2	4.4	5.7	2.9	4.6
1904	1,598	1,293	1,032	727	305	566	4.8	5.4	4.8	6.0	3.3	4.8
1905	1,627	1,345	1,017	735	282	610	4.8	5.5	4.7	6.0	3.0	5.1
Congestion of lungs.....												
1901	3,251	2,337	2,039	1,122	917	1,215	10.4	10.5	10.0	10.0	10.0	11.1
1902	2,978	2,212	1,717	981	766	1,231	9.3	9.7	8.5	8.6	8.3	10.9
1903	2,885	2,116	1,824	1,055	769	1,061	8.9	9.1	8.7	9.0	8.3	9.2
1904	2,597	1,866	1,632	901	731	965	7.8	7.8	7.6	7.5	7.8	8.2
1905	2,297	1,637	1,451	794	600	843	6.8	6.7	6.7	6.4	7.0	7.0
Gangrene of lungs.....												
1901	172	143	106	77	29	66	0.5	0.6	0.5	0.7	0.3	0.6
1902	156	161	107	72	35	89	0.6	0.7	0.5	0.6	0.4	0.8
1903	132	162	82	52	30	50	0.4	0.4	0.4	0.4	0.3	0.4
1904	157	119	100	62	38	57	0.5	0.5	0.5	0.5	0.4	0.5
1905	174	141	107	77	30	67	0.5	0.6	0.5	0.6	0.3	0.6
Asthma and emphysema.....												
1901	1,527	1,213	795	481	314	732	4.9	5.5	3.9	4.3	3.4	6.7
1902	1,521	1,205	784	468	316	737	4.8	5.3	3.8	4.1	3.4	6.6
1903	1,509	1,237	728	456	272	781	4.6	5.3	3.5	3.9	2.9	6.8
1904	1,396	1,121	700	428	272	696	4.2	4.7	3.3	3.6	2.9	5.9
1905	1,285	1,040	638	393	245	647	3.8	4.3	2.9	3.2	2.6	5.4
Hemorrhage of lungs.....												
1901	844	665	430	271	179	294	2.7	3.0	2.2	2.4	2.0	3.6
1902	773	615	414	256	158	346	2.4	2.7	2.0	2.2	1.7	3.2
1903	753	615	428	290	138	325	2.3	2.6	2.0	2.3	1.5	2.8
1904	675	531	384	242	141	289	2.0	2.2	1.8	2.0	1.5	2.5
1905	707	551	401	245	156	306	2.1	2.3	1.8	2.0	1.7	2.5
Other diseases of respiratory system.....												
1901	812	546	511	245	266	301	2.6	2.5	2.5	2.2	2.9	2.7
1902	758	502	450	214	236	296	2.3	2.2	2.2	1.9	2.6	2.6
1903	733	518	482	267	215	251	2.3	2.2	2.2	2.3	2.3	2.2
1904	638	433	399	194	205	239	1.9	1.8	1.9	1.6	2.0	2.0
1905	650	480	389	219	170	261	1.9	2.0	1.8	1.8	1.8	2.2

SUMMARY AND RATE TABLES.

163

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
V.—Diseases of digestive system.....	1901	62,950	48,484	40,526	26,060	14,466	22,424	201.2	218.7	199.5	233.0	158.5	204.2
	1902	61,192	47,821	38,021	24,650	13,371	23,171	191.8	210.5	184.0	214.9	145.5	206.0
	1903	61,219	47,671	38,069	24,521	13,548	23,150	188.2	204.8	181.2	208.7	146.3	200.9
	1904	63,125	51,856	41,427	27,153	14,260	24,588	199.6	217.9	193.9	235.9	152.8	202.8
	1905	68,940	53,313	43,583	27,986	15,597	25,357	204.2	219.0	200.7	227.3	165.9	210.5
Diseases of mouth.....	1901	256	185	161	90	71	95	0.8	0.8	0.8	0.8	0.8	0.9
	1902	229	170	128	69	59	101	0.7	0.7	0.6	0.6	0.6	0.9
	1903	255	177	138	80	58	97	0.7	0.8	0.7	0.7	0.6	0.8
	1904	256	196	146	86	60	110	0.8	0.8	0.7	0.7	0.6	0.9
	1905	232	172	138	78	60	91	0.7	0.7	0.6	0.6	0.6	0.8
Tonsillitis.....	1901	285	174	184	73	111	101	0.9	0.8	0.9	0.7	1.2	0.9
	1902	258	165	162	69	93	96	0.8	0.7	0.8	0.6	1.0	0.9
	1903	288	171	179	72	107	79	0.8	0.6	0.9	0.6	1.2	0.7
	1904	290	179	198	87	111	92	0.9	0.8	0.9	0.7	1.2	0.8
	1905	270	171	171	72	99	99	0.8	0.7	0.8	0.6	1.1	0.8
Other diseases of pharynx.....	1901	262	203	181	102	79	101	0.9	0.9	0.9	0.9	0.9	0.9
	1902	329	235	218	124	94	111	1.0	1.0	1.1	1.1	1.0	1.0
	1903	294	213	184	103	81	110	0.9	0.9	0.9	0.9	0.9	1.0
	1904	340	237	232	129	103	108	1.0	1.0	1.1	1.1	1.1	0.9
	1905	324	225	210	111	99	114	1.0	0.9	1.0	0.9	1.1	0.9
Ulcer of stomach.....	1901	871	645	566	340	226	305	2.8	2.9	2.8	3.0	2.5	2.8
	1902	905	689	608	372	216	297	2.8	3.0	2.9	3.4	2.4	2.6
	1903	905	699	595	329	236	340	2.8	2.9	2.7	2.8	2.5	3.0
	1904	1,044	791	643	370	253	401	3.2	3.3	3.0	3.2	2.7	3.4
	1905	1,094	852	646	404	242	448	3.2	3.5	3.0	3.3	2.6	3.7
Gastritis.....	1901	3,764	2,681	2,327	1,244	1,083	1,437	12.0	12.1	11.5	11.1	11.9	13.1
	1902	3,692	2,597	2,358	1,162	1,096	1,435	11.6	11.4	10.9	10.1	11.9	12.8
	1903	3,797	2,713	2,340	1,274	1,094	1,457	11.7	11.7	11.1	10.7	11.7	12.6
	1904	3,710	2,703	2,250	1,243	1,007	1,400	11.2	11.4	10.5	10.3	10.8	12.4
	1905	3,585	2,570	2,172	1,157	1,015	1,413	10.6	10.6	10.0	9.4	10.8	11.7
Other diseases of stomach.....	1901	1,830	1,170	1,266	626	670	544	5.9	5.3	6.4	5.6	7.3	5.0
	1902	1,869	1,188	1,301	620	681	568	5.9	5.2	6.3	5.4	7.4	5.1
	1903	1,991	1,201	1,469	679	790	522	6.1	5.2	7.0	5.8	8.5	4.5
	1904	2,223	1,412	1,568	777	821	635	6.7	5.9	7.5	6.5	8.8	5.4
	1905	2,446	1,527	1,732	813	919	714	7.2	6.3	8.0	6.6	9.8	5.9
Dentition.....	1901	342	305	158	121	37	184	1.1	1.4	0.8	1.1	0.4	1.7
	1902	321	287	133	99	34	188	1.0	1.3	0.6	0.9	0.4	1.7
	1903	310	185	68	43	25	142	0.6	0.8	0.3	0.4	0.3	1.2
	1904	173	150	57	34	23	116	0.5	0.6	0.3	0.3	0.2	1.0
	1905	209	177	76	44	32	133	0.6	0.7	0.4	0.4	0.3	1.1
Diarrhea and enteritis.....	1901	35,596	28,264	23,619	16,287	7,342	11,977	113.8	127.5	116.3	145.6	80.3	109.1
	1902	33,627	27,194	21,393	14,870	6,443	12,324	105.4	119.7	103.1	129.6	70.0	109.6
	1903	33,035	26,684	20,754	14,303	6,351	12,281	101.5	114.6	98.8	122.6	68.6	106.6
	1904	36,864	29,946	23,547	16,619	6,918	13,727	111.3	125.8	110.2	138.2	74.1	113.2
	1905	39,399	31,307	25,472	17,380	8,092	13,927	116.7	128.5	117.3	141.1	86.1	115.6
Hernia.....	1901	1,272	962	820	510	310	452	4.1	4.3	4.0	4.6	3.4	4.1
	1902	1,316	1,038	836	538	278	480	4.1	4.6	4.0	4.9	3.0	4.3
	1903	1,412	1,107	881	579	305	528	4.3	4.7	4.2	4.9	3.3	4.6
	1904	1,405	1,102	870	567	303	535	4.2	4.6	4.1	4.7	3.2	4.5
	1905	1,413	1,122	904	613	291	509	4.2	4.6	4.2	5.0	3.1	4.2
Obstruction of intestines.....	1901	2,666	1,957	1,637	948	709	1,009	8.5	8.8	8.2	8.5	7.8	9.2
	1902	2,691	2,073	1,644	1,026	618	1,047	8.4	9.1	8.0	8.9	6.7	9.3
	1903	2,844	2,087	1,799	1,042	757	1,015	8.7	9.0	8.6	8.9	8.2	9.1
	1904	3,040	2,289	1,900	1,149	751	1,140	9.2	9.6	8.9	9.6	8.0	9.7
	1905	3,219	2,380	1,994	1,155	839	1,225	9.5	9.8	9.2	9.4	8.9	10.2
Other diseases of intestines.....	1901	682	645	649	322	317	333	3.1	3.0	3.2	3.0	3.5	3.0
	1902	961	620	641	300	341	320	3.0	2.7	3.1	2.6	3.7	2.8
	1903	944	638	614	308	306	330	2.9	2.7	2.9	2.6	3.3	2.9
	1904	960	665	626	322	304	343	2.9	2.8	2.9	2.7	3.3	2.9
	1905	1,061	714	701	354	347	360	3.1	2.9	3.2	2.9	3.7	3.0
Acute yellow atrophy of liver.....	1901	104	68	71	35	36	33	0.3	0.3	0.3	0.3	0.4	0.3
	1902	144	96	91	42	49	53	0.5	0.4	0.4	0.4	0.5	0.5
	1903	119	76	76	33	43	43	0.4	0.3	0.4	0.3	0.5	0.4
	1904	143	90	95	51	44	48	0.4	0.4	0.4	0.4	0.5	0.4
	1905	147	101	92	46	46	55	0.4	0.4	0.4	0.4	0.5	0.5
Hydatid tumors of liver.....	1901	5	8	4	4	4	4	(1)	(1)	(1)	(1)	(1)	(1)
	1902	14	11	10	5	3	1	(1)	(1)	(1)	0.1	(1)	(1)
	1903	9	6	8	5	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	1904	12	7	10	5	5	2	(1)	(1)	(1)	(1)	0.1	(1)
	1905	14	13	9	8	1	5	(1)	0.1	(1)	0.1	(1)	(1)
Cirrhosis of liver.....	1901	4,265	3,461	2,647	1,843	804	1,618	13.6	15.6	13.0	16.5	8.8	14.7
	1902	4,460	3,618	2,671	1,829	842	1,789	14.0	15.9	12.9	15.9	9.2	15.9
	1903	4,731	3,813	2,834	1,916	918	1,897	14.5	16.4	13.5	16.3	9.9	16.5
	1904	5,030	4,048	2,958	1,886	972	2,062	15.1	17.0	13.8	16.5	10.4	17.5
	1905	4,964	4,044	3,041	2,091	950	1,933	14.8	16.6	14.0	17.0	10.1	16.2
Biliary calculi.....	1901	500	377	287	164	123	213	1.6	1.7	1.4	1.5	1.3	1.9
	1902	608	513	379	224	155	280	2.1	2.3	1.8	2.2	1.1	2.6
	1903	795	618	440	263	177	353	2.4	2.7	2.1	2.2	1.9	3.1
	1904	832	643	484	265	189	348	2.5	2.7	2.3	2.5	2.0	3.0
	1905	883	672	508	297	211	375	2.6	2.8	2.3	2.4	2.2	3.1

1 Less than one-tenth.

MORTALITY STATISTICS.

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.						
	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.		
Other diseases of liver.....	1901	2,558	1,688	1,633	763	870	925	8.2	7.6	8.0	6.8	9.5	8.4
	1902	2,483	1,672	1,567	756	811	916	7.8	7.4	7.6	6.6	8.8	8.1
	1903	2,545	1,735	1,593	783	810	932	7.8	7.5	7.6	6.7	8.7	8.3
	1904	2,140	1,593	1,484	737	747	856	7.1	6.7	6.9	6.1	8.0	7.3
	1905	2,289	1,568	1,451	730	721	838	6.8	6.4	6.7	5.9	7.7	7.0
Diseases of spleen.....	1901	82	50	52	20	32	30	0.3	0.2	0.3	0.2	0.4	0.3
	1902	89	61	63	35	28	26	0.3	0.3	0.3	0.3	0.3	0.2
	1903	88	62	57	31	26	31	0.3	0.3	0.3	0.3	0.3	0.3
	1904	76	51	57	32	25	19	0.2	0.2	0.3	0.3	0.3	0.2
	1905	90	55	61	26	35	29	0.3	0.2	0.3	0.2	0.4	0.2
Peritonitis.....	1901	4,091	3,019	2,391	1,319	1,072	1,700	13.1	13.6	11.8	11.8	11.7	15.5
	1902	3,824	2,894	2,119	1,189	930	1,705	12.0	12.7	10.3	10.4	10.1	15.2
	1903	3,333	2,503	1,981	1,151	830	1,352	10.2	10.8	9.4	9.8	9.0	11.7
	1904	3,331	2,394	1,991	1,034	937	1,340	10.1	10.1	9.3	8.8	10.0	11.4
	1905	3,105	2,177	1,881	953	928	1,224	9.2	8.9	8.7	7.7	9.9	10.2
Appendicitis.....	1901	3,131	2,553	1,794	1,216	578	1,337	10.0	11.5	8.8	10.9	6.3	12.2
	1902	3,216	2,629	1,825	1,238	587	1,391	10.1	11.6	8.8	10.8	6.4	12.4
	1903	3,589	2,905	2,031	1,407	624	1,558	11.0	12.7	9.7	12.0	6.7	13.5
	1904	3,946	3,267	2,224	1,545	679	1,722	11.9	13.7	10.4	12.9	7.3	14.6
	1905	4,062	3,410	2,256	1,604	652	1,806	12.0	14.0	10.4	13.0	6.9	15.0
Other diseases of digestive system.....	1901	55	40	29	23	6	26	0.2	0.2	0.1	0.2	0.1	0.2
	1902	95	72	64	41	23	31	0.3	0.3	0.3	0.4	0.3	0.3
	1903	85	68	55	38	17	30	0.3	0.3	0.3	0.3	0.2	0.3
	1904	101	84	67	50	17	34	0.3	0.4	0.3	0.4	0.2	0.3
	1905	104	86	68	50	18	36	0.3	0.4	0.3	0.4	0.2	0.3
VI.—Diseases of genito-urinary sys- tem.....	1901	33,489	25,976	21,650	14,137	7,513	11,839	107.0	117.2	106.6	126.4	82.3	107.8
	1902	34,608	26,944	22,149	14,485	7,664	12,450	108.5	118.6	107.2	126.3	83.4	110.5
	1903	38,013	29,752	23,882	15,621	8,261	14,131	116.8	127.8	113.7	132.9	86.2	122.6
	1904	40,450	31,724	25,629	16,903	8,726	14,821	122.1	133.3	120.0	140.6	93.4	125.9
	1905	41,361	32,567	25,807	17,013	8,794	15,554	122.5	133.7	118.9	138.2	93.6	129.1
Acute nephritis.....	1901	2,468	2,033	1,745	1,280	465	753	8.0	9.2	8.6	11.4	5.1	6.9
	1902	2,983	2,470	2,038	1,325	513	945	9.3	10.9	9.9	13.3	5.6	8.4
	1903	3,173	2,613	2,116	1,556	560	1,057	9.8	11.2	10.1	13.2	6.0	9.2
	1904	2,470	2,832	2,277	1,659	618	1,193	10.5	12.0	10.7	13.8	6.6	10.1
	1905	3,545	2,965	2,305	1,705	600	1,260	10.6	12.2	10.6	13.8	6.4	10.5
Bright's disease.....	1901	25,507	19,968	16,450	10,911	5,539	9,057	81.5	90.1	81.0	97.6	60.7	82.5
	1902	26,136	20,439	16,601	10,907	5,697	9,532	81.9	90.0	80.4	95.1	62.0	84.8
	1903	28,641	22,463	18,042	11,864	6,178	10,599	88.0	96.5	85.9	101.0	66.7	92.0
	1904	30,911	24,349	19,374	13,012	6,502	11,337	93.3	102.3	91.6	108.2	70.3	96.3
	1905	31,631	24,800	19,732	12,991	6,741	11,899	93.7	102.2	90.9	105.5	71.7	98.8
Other diseases of kidneys.....	1901	947	658	596	307	289	351	3.0	3.0	2.9	2.7	3.2	3.2
	1902	938	700	575	337	238	363	2.9	3.1	2.8	2.9	2.6	3.2
	1903	917	670	555	308	247	362	2.8	2.9	2.6	2.6	2.7	3.1
	1904	923	678	608	363	245	315	2.8	2.8	2.8	3.0	2.6	2.7
	1905	906	690	547	331	216	359	2.7	2.8	2.5	2.7	2.3	3.0
Calculi of urinary tract.....	1901	126	104	73	51	22	53	0.4	0.5	0.4	0.5	0.2	0.5
	1902	150	113	86	54	29	54	0.5	0.5	0.5	0.5	0.4	0.5
	1903	151	117	88	51	31	63	0.5	0.5	0.4	0.5	0.4	0.5
	1904	154	117	98	61	37	56	0.5	0.5	0.5	0.5	0.4	0.5
	1905	193	160	106	73	33	87	0.6	0.7	0.5	0.6	0.4	0.7
Diseases of bladder.....	1901	1,530	912	1,100	482	618	430	4.9	4.1	5.4	4.3	6.8	3.9
	1902	1,432	877	1,016	461	555	416	4.5	3.9	4.0	4.0	6.0	3.7
	1903	1,450	899	1,006	455	551	444	4.5	3.9	4.8	3.9	5.9	3.9
	1904	1,908	820	957	399	588	421	4.2	3.4	4.6	3.3	6.3	3.6
	1905	1,257	721	930	394	536	327	3.7	3.0	4.3	3.2	5.7	2.7
Uterine tumor.....	1901	529	443	294	208	86	235	1.7	2.0	1.4	1.9	0.9	2.1
	1902	536	436	338	238	100	238	1.7	1.9	1.6	2.1	1.1	1.8
	1903	608	508	336	236	100	272	1.9	2.2	1.6	2.0	1.1	2.4
	1904	620	540	365	285	80	255	1.9	2.3	1.7	2.4	0.9	2.2
	1905	611	523	338	250	88	273	1.8	2.1	1.6	2.0	0.9	2.3
Other diseases of uterus.....	1901	620	520	336	236	100	284	2.0	2.3	1.7	2.1	1.1	2.6
	1902	606	497	329	230	109	277	1.9	2.2	1.6	1.9	1.2	2.5
	1903	703	579	376	252	124	327	2.2	2.5	1.8	2.1	1.3	2.8
	1904	654	537	350	233	117	304	2.0	2.3	1.6	1.9	1.3	2.6
	1905	682	559	395	272	123	287	2.0	2.3	1.8	2.2	1.3	2.4
Ovarian tumor.....	1901	411	318	290	167	93	151	1.3	1.4	1.3	1.5	1.0	1.4
	1902	428	338	265	175	90	163	1.3	1.5	1.3	1.5	1.0	1.4
	1903	430	362	239	162	77	200	1.3	1.6	1.1	1.4	0.8	1.7
	1904	433	342	255	164	91	178	1.3	1.4	1.2	1.4	1.0	1.7
	1905	490	364	237	161	76	203	1.3	1.5	1.1	1.3	0.8	1.7
Diseases of tubes.....	1901	407	389	198	160	18	209	1.3	1.8	1.0	1.6	0.2	1.9
	1902	460	437	240	217	23	230	1.4	1.9	1.2	1.9	0.3	2.0
	1903	583	551	265	233	32	318	1.8	2.4	1.3	2.0	0.3	2.8
	1904	654	613	316	275	41	338	2.0	2.6	1.5	2.3	0.4	2.9
	1905	662	657	340	305	35	352	2.0	2.7	1.6	2.5	0.4	2.9
Other diseases of genito-urinary system.....	1901	914	631	598	315	283	316	2.9	2.8	2.9	2.8	3.1	2.9
	1902	939	657	645	346	302	291	2.9	2.8	3.1	3.0	3.3	2.6
	1903	1,348	940	859	501	358	489	4.1	4.3	4.1	4.3	3.9	4.2
	1904	1,223	876	799	432	347	424	3.7	3.7	3.7	3.8	3.7	3.6
	1905	1,384	1,038	877	531	346	507	4.1	4.3	4.0	4.3	3.7	4.2

SUMMARY AND RATE TABLES.

165

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.						
	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.		
VII.—Childbirth.....	1901	4,294	3,197	2,704	1,607	1,097	1,590	13.7	14.4	13.3	14.4	12.0	14.5
	1902	4,164	3,113	2,626	1,575	1,051	1,538	13.0	13.7	12.7	13.7	11.4	13.7
	1903	4,599	3,459	2,778	1,659	1,119	1,791	14.0	14.8	13.2	14.1	12.1	15.5
	1904	5,109	3,891	3,216	1,968	1,248	1,893	15.4	16.2	15.1	16.4	13.4	16.1
	1905	5,077	3,927	3,219	2,069	1,150	1,858	15.0	16.1	14.8	16.8	12.2	15.4
Puerperal septicaemia.....	1901	1,882	1,419	1,124	661	463	758	6.0	6.4	5.5	5.9	5.1	6.4
	1902	1,813	1,431	1,092	710	382	721	5.7	6.3	5.3	6.2	4.2	6.4
	1903	1,992	1,554	1,153	715	438	839	6.1	6.7	5.5	6.1	4.7	7.3
	1904	2,291	1,780	1,403	832	511	888	6.9	7.5	6.6	7.4	5.5	7.5
	1905	2,309	1,845	1,401	937	464	908	6.8	7.6	6.5	7.6	4.9	7.5
Puerperal convulsions.....	1901	803	583	546	326	220	257	2.6	2.6	2.7	2.9	2.4	2.3
	1902	768	543	517	292	225	251	2.4	2.4	2.5	2.5	2.4	2.2
	1903	929	662	594	327	267	335	2.9	2.8	2.8	2.8	2.9	2.9
	1904	1,075	763	713	401	312	362	3.2	3.2	3.3	3.3	3.3	3.1
	1905	981	740	655	414	241	326	2.9	3.0	3.0	3.4	2.6	2.7
Other causes incident to childbirth.....	1901	1,109	1,195	1,034	620	414	575	5.1	5.4	5.1	5.5	4.5	5.2
	1902	1,583	1,139	1,017	573	444	569	5.0	5.0	4.9	4.9	4.8	5.0
	1903	1,648	1,234	1,031	617	414	617	5.1	5.3	4.9	5.3	4.5	5.4
	1904	1,743	1,318	1,100	675	425	643	5.3	5.5	5.1	5.6	4.6	5.5
	1905	1,787	1,342	1,163	718	415	624	5.3	5.5	5.4	5.8	4.7	5.2
VIII.—Diseases of skin.....	1901	2,419	1,611	1,601	795	808	816	7.7	7.3	7.9	7.1	8.9	7.4
	1902	2,309	1,488	1,315	734	781	754	7.1	6.5	7.3	6.4	8.5	6.7
	1903	2,470	1,626	1,610	836	774	860	7.6	7.3	7.7	7.1	8.4	7.5
	1904	2,397	1,576	1,643	822	821	754	7.2	6.6	7.7	6.8	8.8	6.4
	1905	2,406	1,604	1,628	826	802	778	7.1	6.6	7.5	6.7	8.5	6.5
Gangrene.....	1901	1,460	881	1,024	445	579	436	4.7	4.0	5.0	4.0	6.3	4.0
	1902	1,327	793	938	404	534	389	4.2	3.5	4.5	3.5	5.8	3.5
	1903	1,482	941	1,030	479	541	462	4.6	4.0	4.9	4.1	5.8	4.0
	1904	1,500	914	1,076	490	586	424	4.5	3.8	5.0	4.1	6.3	3.6
	1905	1,518	933	1,068	483	585	450	4.5	3.8	4.9	3.9	6.2	3.7
Carbuncle.....	1901	166	137	82	53	29	84	0.5	0.6	0.4	0.5	0.3	0.8
	1902	154	120	86	52	34	68	0.5	0.5	0.4	0.5	0.4	0.6
	1903	131	106	88	43	45	63	0.5	0.5	0.4	0.4	0.5	0.5
	1904	134	107	77	50	27	57	0.4	0.4	0.4	0.4	0.3	0.5
	1905	142	102	87	47	40	55	0.4	0.4	0.4	0.4	0.4	0.5
Abscess.....	1901	464	343	296	175	121	168	1.5	1.5	1.5	1.6	1.3	1.5
	1902	448	335	284	171	113	164	1.4	1.5	1.4	1.5	1.2	1.4
	1903	547	448	316	217	99	231	1.7	1.9	1.5	1.8	1.1	2.0
	1904	476	357	309	190	119	167	1.4	1.5	1.4	1.6	1.3	1.4
	1905	432	331	285	184	101	147	1.3	1.4	1.3	1.5	1.1	1.2
Other diseases of skin.....	1901	329	250	201	122	79	128	1.1	1.1	1.0	1.1	0.9	1.2
	1902	340	240	207	107	100	133	1.1	1.1	1.0	0.9	1.1	1.2
	1903	290	201	186	97	89	104	0.9	0.9	0.9	0.8	1.0	0.9
	1904	287	198	181	92	89	106	0.9	0.8	0.8	0.8	1.0	0.9
	1905	314	238	188	112	76	126	0.9	1.0	0.9	0.9	0.8	1.0
IX.—Diseases of locomotor system.....	1901	807	670	504	367	137	303	2.6	3.0	2.5	3.3	1.5	2.8
	1902	849	676	541	368	173	308	2.7	3.0	2.6	3.2	1.9	2.7
	1903	980	817	607	444	163	373	3.0	3.5	2.9	3.8	1.8	3.2
	1904	990	828	614	452	162	376	3.0	3.5	2.9	3.8	1.7	3.2
	1905	1,036	832	653	449	204	383	3.1	3.4	3.0	3.6	2.2	3.2
Diseases of bones.....	1901	642	539	405	302	103	237	2.1	2.4	2.0	2.7	1.1	2.2
	1902	715	569	470	324	146	245	2.2	2.5	2.3	2.8	1.6	2.2
	1903	829	701	508	380	128	321	2.5	3.0	2.4	3.2	1.4	2.8
	1904	861	723	538	400	138	323	2.6	3.0	2.5	3.3	1.5	2.7
	1905	929	754	582	407	175	347	2.8	3.1	2.7	3.3	1.9	2.9
Diseases of joints.....	1901	79	61	50	32	18	29	0.3	0.3	0.2	0.3	0.2	0.3
	1902	57	47	31	21	10	26	0.2	0.2	0.2	0.2	0.1	0.2
	1903	93	79	56	42	14	37	0.3	0.3	0.3	0.4	0.2	0.3
	1904	82	64	49	31	18	33	0.2	0.3	0.2	0.3	0.2	0.3
	1905	66	49	46	29	17	20	0.2	0.2	0.2	0.2	0.2	0.2
Other diseases of locomotor system.....	1901	86	70	49	33	16	37	0.3	0.3	0.2	0.3	0.2	0.3
	1902	77	60	40	23	17	37	0.2	0.3	0.2	0.2	0.2	0.3
	1903	58	37	43	22	21	15	0.2	0.2	0.2	0.2	0.2	0.1
	1904	47	41	27	21	6	20	0.1	0.2	0.1	0.2	0.1	0.2
	1905	41	29	25	13	12	16	0.1	0.1	0.1	0.1	0.1	0.1
X.—Malformations.....	1901	3,433	2,440	2,426	1,413	1,013	1,027	11.0	11.0	11.9	12.6	11.1	9.4
	1902	3,440	2,458	2,454	1,472	982	986	10.8	10.8	11.9	12.8	10.7	8.8
	1903	4,025	2,875	2,701	1,531	1,150	1,324	12.4	12.4	12.9	13.1	12.4	11.5
	1904	4,382	3,192	2,977	1,787	1,190	1,465	13.2	13.4	13.9	14.9	12.7	11.9
	1905	4,588	3,385	3,056	1,853	1,203	1,532	13.6	13.9	14.1	15.0	12.8	12.7
Hydrocephalus.....	1901	571	412	311	282	159	160	1.8	1.9	2.0	2.3	1.7	1.5
	1902	490	355	338	223	135	132	1.5	1.6	1.7	1.9	1.5	1.2
	1903	533	396	362	295	137	171	1.6	1.7	1.7	1.9	1.5	1.5
	1904	541	400	387	246	141	154	1.6	1.7	1.8	2.0	1.5	1.3
	1905	499	377	339	217	122	160	1.5	1.5	1.6	1.8	1.3	1.3
Congenital malformation of heart (cyanosis).....	1901	1,794	1,293	1,217	716	501	577	5.7	5.8	6.0	6.4	5.5	5.3
	1902	1,875	1,387	1,288	800	488	587	5.9	6.1	6.2	7.0	5.3	5.4
	1903	2,141	1,553	1,408	820	588	733	6.6	6.7	6.7	7.0	6.3	6.4
	1904	2,434	1,817	1,616	969	617	818	7.3	7.6	7.6	8.3	6.6	6.9
	1905	2,706	2,041	1,769	1,104	605	937	8.0	8.4	8.1	9.0	7.1	7.8

MORTALITY STATISTICS.

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.						
	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.		
Other congenital malformations.....	1901	1,088	735	798	445	333	290	3.5	3.3	3.9	4.0	3.9	2.6
	1902	1,075	716	805	449	359	267	3.4	3.2	3.9	3.9	3.9	2.4
	1903	1,351	926	931	506	425	420	4.2	4.0	4.4	4.3	4.6	3.6
	1904	1,407	975	974	542	452	433	4.2	4.1	4.6	4.5	4.6	3.7
	1905	1,383	967	948	532	416	435	4.1	4.0	4.4	4.3	4.4	3.0
XI.—Diseases of early infancy.....	1901	20,722	16,250	13,423	8,951	4,472	7,299	66.2	73.3	66.1	80.0	49.0	66.5
	1902	21,811	17,128	14,069	9,386	4,683	7,742	68.4	75.4	68.1	81.8	51.0	68.8
	1903	22,514	18,188	14,060	9,734	4,326	8,454	69.2	78.1	66.9	82.8	46.7	73.4
	1904	24,601	19,604	15,116	10,119	4,997	8,885	72.4	79.9	70.8	84.2	54.5	75.5
	1905	23,617	18,626	15,005	10,014	4,991	8,612	70.0	76.5	69.1	81.3	53.1	71.5
Premature birth.....	1901	8,615	6,527	6,143	4,055	2,088	2,472	21.5	29.4	30.2	36.3	22.9	22.5
	1902	9,087	6,785	6,583	4,281	2,302	2,501	28.5	29.9	31.9	37.3	25.0	22.3
	1903	10,143	7,993	6,873	4,723	2,150	3,270	31.2	34.3	32.7	40.2	23.2	28.4
	1904	11,361	8,789	7,569	4,997	2,572	3,792	34.3	36.9	35.4	41.6	27.5	32.2
	1905	11,102	8,630	7,242	4,760	2,482	3,800	32.9	35.4	33.4	38.7	26.4	32.0
Congenital debility.....	1901	12,107	9,723	7,280	4,896	2,384	4,827	38.7	43.9	35.8	43.8	26.1	41.0
	1902	12,724	10,343	7,486	5,105	2,381	5,238	39.9	45.3	36.2	44.5	25.9	46.6
	1903	12,371	10,195	7,187	5,011	2,176	5,181	38.0	43.8	34.2	42.6	23.5	45.0
	1904	12,610	10,215	7,547	5,122	2,425	5,093	38.1	42.9	35.3	42.6	26.0	43.3
	1905	12,515	10,006	7,763	5,254	2,509	4,732	37.1	41.1	35.8	42.7	26.7	39.5
XII.—Old age.....	1901	14,758	9,014	9,771	4,027	5,744	4,987	47.2	40.7	48.1	36.0	62.9	45.4
	1902	14,225	8,829	9,399	3,923	5,386	4,916	44.6	38.9	45.1	31.2	58.6	43.7
	1903	12,780	7,747	8,601	3,571	5,033	4,176	39.3	33.9	40.9	30.4	54.3	36.2
	1904	12,938	7,711	8,702	3,505	5,197	4,236	39.0	32.5	40.7	29.2	55.6	36.0
	1905	12,301	7,332	8,251	3,282	4,969	4,050	36.4	30.1	38.0	26.7	52.9	33.6
XIII.—Violence.....	1901	33,330	25,642	20,161	12,476	7,688	13,166	106.5	115.7	99.3	111.5	84.2	119.9
	1902	31,135	23,915	18,291	11,071	7,220	12,841	97.6	105.3	88.5	96.5	78.6	114.2
	1903	35,542	27,226	20,804	12,578	8,316	14,648	109.2	117.0	99.4	107.0	89.8	127.1
	1904	36,444	28,058	22,161	13,875	8,386	14,183	110.6	117.9	105.1	115.4	91.9	120.5
	1905	37,778	28,865	22,560	13,677	8,913	15,188	111.9	118.5	101.0	111.1	94.8	126.1
Suicide.....	1901	3,824	3,028	2,105	1,309	796	1,719	12.2	13.7	10.4	11.7	8.7	15.7
	1902	4,051	3,271	2,124	1,311	783	1,931	12.7	14.4	10.3	11.7	8.5	17.2
	1903	4,510	3,611	2,371	1,302	809	2,139	13.9	15.6	11.3	12.8	9.4	18.6
	1904	4,912	3,969	2,611	1,608	913	2,301	14.8	16.7	12.2	13.9	10.1	19.5
	1905	5,438	4,351	2,910	1,853	1,087	2,498	16.1	17.9	13.5	15.0	11.6	20.7
Fractures and dislocations.....	1901	2,697	2,038	1,902	1,213	659	795	8.6	9.2	9.4	11.1	7.2	7.2
	1902	2,776	2,136	1,982	1,312	610	791	8.7	9.4	9.6	11.7	7.0	7.1
	1903	3,063	2,263	2,081	1,311	740	919	9.2	9.7	9.9	11.4	8.0	8.0
	1904	2,968	2,080	2,131	1,306	828	774	8.8	8.7	10.0	10.9	8.9	6.6
	1905	2,599	1,779	1,742	982	760	797	7.5	7.3	8.0	8.0	8.1	6.6
Burns and scalds.....	1901	2,685	2,125	1,575	1,015	560	1,110	8.6	9.6	7.8	9.1	6.1	10.1
	1902	2,575	2,063	1,463	951	512	1,112	8.1	9.1	7.1	8.3	5.0	9.9
	1903	2,667	2,168	1,519	1,020	499	1,148	8.2	9.3	7.2	8.7	5.4	10.0
	1904	2,715	2,193	1,593	1,011	552	1,152	8.3	9.2	7.5	8.7	5.9	9.8
	1905	2,816	2,308	1,610	1,102	538	1,206	8.4	9.5	7.6	8.9	5.7	10.0
Heat and sunstroke.....	1901	4,012	3,643	2,462	2,093	369	1,559	12.8	16.4	12.1	18.7	4.0	14.1
	1902	290	266	105	81	24	185	0.9	1.2	0.5	0.7	0.3	1.6
	1903	520	449	291	223	71	226	1.6	1.9	1.4	1.9	0.8	2.0
	1904	235	201	136	102	34	99	0.7	0.8	0.6	0.8	0.4	0.8
	1905	881	772	601	495	109	277	2.6	3.2	2.8	4.0	1.2	2.3
Cold and freezing.....	1901	154	78	122	46	76	32	0.5	0.4	0.6	0.4	0.8	0.3
	1902	163	88	132	57	75	31	0.5	0.4	0.6	0.5	0.8	0.3
	1903	181	82	142	40	102	42	0.6	0.4	0.7	0.3	1.1	0.4
	1904	227	113	182	68	114	45	0.7	0.5	0.9	0.6	1.2	0.4
	1905	228	125	158	55	103	70	0.7	0.5	0.7	0.4	1.1	0.6
Lightning.....	1901	127	35	101	9	92	26	0.4	0.1	0.2	0.5	0.1	0.2
	1902	108	27	92	11	81	16	0.3	0.1	0.4	0.1	0.9	0.1
	1903	92	24	78	10	68	14	0.3	0.1	0.4	0.1	0.7	0.1
	1904	81	26	67	12	55	14	0.2	0.1	0.3	0.1	0.6	0.1
	1905	80	18	71	9	62	9	0.2	0.1	0.3	0.1	0.7	0.1
Drowning.....	1901	3,380	2,275	2,396	1,291	1,105	984	10.8	10.3	11.8	11.5	12.1	9.0
	1902	3,244	2,243	2,215	1,214	1,001	1,029	10.2	9.9	10.7	10.6	10.9	9.1
	1903	3,418	2,314	2,399	1,295	1,104	1,019	10.5	9.9	11.4	11.0	11.8	8.2
	1904	3,378	2,273	2,416	1,311	1,105	962	10.2	9.6	11.3	10.9	11.6	9.1
	1905	3,389	2,254	2,408	1,273	1,132	981	10.0	9.3	11.1	10.3	12.1	8.1
Inhalation of poisonous gases.....	1901	786	719	467	400	67	319	2.5	3.2	2.3	3.6	0.7	2.9
	1902	950	886	600	536	64	359	3.0	3.9	2.9	4.7	0.7	3.1
	1903	1,715	1,613	703	631	72	1,012	5.3	7.1	3.3	5.4	0.8	8.8
	1904	2,167	2,050	1,712	1,595	117	455	6.5	8.6	8.0	13.3	1.3	3.9
	1905	1,396	1,151	854	699	155	452	3.9	4.7	3.9	5.7	1.6	3.8
Other accidental poisonings.....	1901	1,234	912	783	461	322	451	3.9	4.1	3.9	4.1	3.5	4.1
	1902	1,374	1,038	877	511	336	497	4.3	4.6	4.2	4.7	3.7	4.4
	1903	1,551	1,131	1,083	663	420	468	4.8	4.9	5.2	5.6	4.5	4.1
	1904	1,632	1,205	1,064	637	427	568	4.9	5.1	5.0	5.3	4.6	4.8
	1905	1,269	880	827	438	389	442	3.8	3.6	3.8	3.6	4.1	3.7
Accidental gunshot wounds.....	1901	1,082	750	558	226	332	524	3.5	3.4	2.7	2.0	3.6	4.8
	1902	1,196	873	623	390	323	573	3.7	3.8	3.0	2.6	3.5	5.1
	1903	1,151	782	653	284	469	498	3.4	3.4	3.1	2.4	4.0	4.1
	1904	1,294	882	730	318	412	564	3.9	3.7	3.4	2.6	4.4	4.8
	1905	823	477	524	178	346	299	2.4	2.0	2.4	1.4	3.7	2.5

SUMMARY AND RATE TABLES.

167

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.						
	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	Regis- tration area.	Regis- tration cities.	Registration states.			Regis- tration cities in other states.	
			Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.		
Injuries by machinery.....	1901	196	140	109	53	56	87	0.6	0.6	0.5	0.5	0.6	0.8
	1902	281	222	135	76	59	146	0.9	1.0	0.7	0.7	0.6	1.3
	1903	280	209	150	79	71	130	0.9	0.9	0.7	0.7	0.8	1.1
	1904	329	213	177	70	107	143	1.0	0.9	0.8	0.6	1.1	1.2
	1905	318	286	167	105	62	181	1.0	1.2	0.8	0.9	0.7	1.5
Injuries in mines and quarries.....	1901	271	185	130	41	89	144	0.9	0.8	0.6	0.4	1.0	1.3
	1902	196	122	113	36	77	86	0.6	0.5	0.5	0.3	0.8	0.8
	1903	305	165	172	32	140	133	0.9	0.7	0.8	0.3	1.5	1.2
	1904	329	207	144	22	122	185	1.0	0.9	0.7	0.2	1.3	1.6
	1905	491	276	252	37	215	239	1.5	1.1	1.2	0.3	2.3	2.0
Railroad accidents and injuries.....	1901	4,102	3,039	2,208	1,145	1,063	1,894	13.1	13.7	10.9	10.2	11.6	17.2
	1902	4,185	3,428	2,280	1,223	1,057	2,205	14.1	15.1	11.0	10.7	11.5	19.6
	1903	5,484	4,098	2,900	1,574	1,386	2,524	16.9	17.6	14.1	13.4	15.0	21.9
	1904	5,084	3,804	2,812	1,532	1,280	2,272	15.3	16.0	13.2	12.7	13.7	19.3
	1905	5,731	4,329	3,101	1,699	1,402	2,630	17.0	17.8	14.3	13.8	14.9	21.8
Injuries by vehicles and horses.....	1901	557	411	335	189	146	222	1.8	1.9	1.6	1.7	1.6	2.0
	1902	660	517	375	232	143	285	2.1	2.3	1.8	2.0	1.6	2.5
	1903	907	702	572	367	205	335	2.8	3.0	2.7	3.1	2.2	2.9
	1904	949	744	620	415	205	329	2.9	3.1	2.9	3.5	2.2	2.8
	1905	1,168	968	747	547	200	421	3.5	4.0	3.4	4.4	2.1	3.5
Suffocation.....	1901	551	372	373	194	179	178	1.8	1.7	1.8	1.7	2.0	1.6
	1902	439	303	271	135	136	168	1.4	1.3	1.3	1.2	1.5	1.5
	1903	504	341	304	201	103	140	1.5	1.5	1.7	1.7	1.8	1.2
	1904	553	379	365	189	176	190	1.7	1.6	1.7	1.6	1.9	1.6
	1905	548	369	365	186	179	183	1.6	1.5	1.7	1.5	1.9	1.5
Other accidental injuries.....	1901	5,826	4,378	3,437	1,989	1,448	2,389	18.6	19.8	16.9	17.8	15.9	21.8
	1902	6,303	4,800	3,652	2,149	1,503	2,651	19.8	21.1	17.7	18.7	16.4	23.6
	1903	6,748	5,190	3,877	2,319	1,558	2,871	20.7	22.3	18.5	19.7	16.8	24.9
	1904	6,991	5,311	4,076	2,393	1,683	2,918	21.1	22.3	19.1	19.9	18.0	24.8
	1905	6,987	5,387	4,241	2,641	1,600	2,746	20.7	22.1	19.5	21.4	17.0	22.8
Injuries at birth.....	1901	1,131	873	868	607	261	296	3.6	3.9	4.3	5.4	2.9	2.4
	1902	1,304	958	1,000	654	346	301	4.1	4.2	4.8	5.7	3.8	2.7
	1903	1,909	1,295	1,237	833	404	432	5.1	5.4	5.9	7.1	4.4	3.7
	1904	1,899	1,530	1,339	970	369	560	5.7	6.4	6.3	8.1	4.0	4.8
	1905	2,166	1,709	1,486	1,029	457	680	6.4	7.0	6.8	8.4	4.9	5.6
Homicide.....	1901	709	641	233	165	68	476	2.3	2.9	1.1	1.5	0.7	4.3
	1902	731	674	255	195	60	479	2.3	3.0	1.2	1.7	0.7	4.3
	1903	831	759	296	161	75	598	2.6	3.3	1.1	1.4	0.8	5.2
	1904	935	878	283	226	57	652	2.8	3.7	1.3	1.9	0.6	5.6
	1905	1,540	1,426	463	349	114	1,077	4.6	5.9	2.1	2.8	1.2	8.9
XIV.—Ill-defined causes.....	1901	17,697	12,625	10,365	5,293	5,072	7,332	56.6	57.0	51.0	47.3	55.0	66.8
	1902	16,840	12,382	9,402	4,924	4,478	7,458	52.8	54.5	45.5	42.9	48.7	66.3
	1903	14,997	10,825	8,556	4,684	3,872	6,141	45.2	46.5	40.7	39.9	41.8	53.3
	1904	13,993	10,038	8,254	4,299	3,955	5,739	42.2	42.2	38.6	35.8	42.3	48.7
	1905	13,662	9,966	8,106	4,410	3,696	5,556	40.5	40.9	37.3	35.8	39.3	46.1
"Dropsy".....	1901	1,580	881	937	241	696	643	5.0	4.0	4.6	2.2	7.6	5.9
	1902	1,609	979	854	224	630	755	5.0	4.3	4.1	2.0	6.9	6.7
	1903	1,221	699	719	197	522	502	3.8	3.0	3.4	1.7	5.6	4.4
	1904	1,144	681	623	160	463	521	3.5	2.9	2.9	1.3	5.0	4.0
	1905	1,002	602	587	187	400	415	3.0	2.5	2.7	1.5	4.3	3.4
"Heart failure".....	1901	2,141	1,143	1,351	353	998	790	6.8	5.2	6.7	3.2	10.9	7.2
	1902	2,087	1,315	1,116	344	772	971	6.5	5.8	5.4	3.0	8.4	7.6
	1903	2,189	1,429	1,285	325	760	904	6.7	6.1	6.1	4.5	8.6	8.8
	1904	2,167	1,422	1,213	468	745	954	6.5	6.0	5.7	3.9	8.1	8.4
	1905	1,924	1,171	1,102	349	753	822	5.7	4.8	5.1	2.8	8.0	6.8
Other ill-defined causes.....	1901	11,935	9,373	6,957	4,395	2,562	4,978	38.1	42.3	34.3	39.3	28.1	45.3
	1902	11,411	9,115	6,399	4,163	2,236	5,012	35.8	40.1	31.0	35.8	25.0	44.6
	1903	9,816	7,849	5,651	3,704	1,947	4,165	30.2	33.8	26.9	31.5	21.0	36.1
	1904	9,089	7,101	5,367	3,379	1,988	3,722	27.4	29.8	25.1	28.1	21.3	31.6
	1905	9,502	7,504	5,674	3,676	1,998	3,828	28.1	30.8	26.1	29.9	21.3	31.8
Unknown causes.....	1901	2,041	1,225	1,120	304	816	921	6.5	5.5	5.5	2.7	8.9	8.4
	1902	1,753	973	1,033	253	780	720	6.5	4.3	5.0	2.2	8.5	6.4
	1903	1,471	828	901	258	643	570	4.5	3.6	4.3	2.2	6.9	4.9
	1904	1,593	834	1,051	292	750	542	4.8	4.0	4.0	2.4	8.1	4.6
	1905	1,234	680	743	198	545	491	3.7	2.8	3.4	1.6	5.8	4.1

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
All causes.....	1901	1,637.6	1,551.8	1,517.4	1,332.8	1,839.6	1,558.9	1,718.5	1,617.4
	1902	1,572.9	1,445.7	1,472.8	1,210.4	1,835.6	1,481.0	1,687.2	1,516.0
	1903	1,679.2	1,502.1	1,462.8	1,133.5	1,812.2	1,539.1	1,694.6	1,594.3
	1904	1,610.1	1,554.9	1,574.0	1,275.1	1,952.8	1,585.0	1,611.4	1,609.8
	1905	1,604.0	1,551.4	1,395.6	1,242.7	1,789.2	1,586.2	1,687.2	1,639.7
I.—General diseases.....	1901	510.9	444.4	456.2	425.9	511.6	403.8	482.8	429.9
	1902	437.3	365.7	435.4	380.2	453.2	365.7	447.9	382.3
	1903	490.6	385.6	452.1	363.4	460.4	376.8	452.5	417.4
	1904	417.4	376.7	460.1	403.7	493.8	393.4	431.2	421.8
	1905	434.9	363.6	393.3	384.1	463.9	376.0	427.1	412.1
Typhoid fever.....	1901	38.3	14.6	46.2	46.9	57.5	27.0	20.7	17.2
	1902	24.3	17.0	46.9	49.7	34.6	22.5	19.4	15.6
	1903	28.4	8.9	44.6	39.4	53.6	28.0	19.5	13.6
	1904	18.3	15.2	50.3	37.4	64.2	29.1	18.2	11.8
	1905	23.9	17.2	38.7	36.8	42.0	18.1	18.9	14.8
Exanthematic typhus.....	1901								
	1902								
	1903								
	1904								0.1
	1905			0.3					0.1
Recurrent fever.....	1901								
	1902								
	1903								0.1
	1904								
	1905								
Malarial fever.....	1901	13.1	7.8	7.7	0.0	3.3	1.2	3.0	3.8
	1902	10.4	7.7	6.6	7.7	1.6	3.3	1.7	2.9
	1903	5.9	4.9	5.2	5.2		1.9	2.1	2.6
	1904	5.0	4.3	5.2	5.8	1.6	1.5	1.5	3.3
	1905	5.2	0.6	2.8	6.0	2.4	1.7	1.2	2.1
Smallpox.....	1901	0.3	0.6	0.8	0.8			4.4	0.4
	1902	1.8	0.9	3.5	2.8	5.8	0.7	12.2	2.0
	1903		0.3	18.4	3.6	0.8	1.0	0.8	0.6
	1904			3.6	3.7		0.5	0.4	0.1
	1905			1.4	1.2			0.1	
Measles.....	1901	6.6	10.3	4.6	9.2	1.7	4.7	9.6	3.2
	1902	4.5	5.3	2.8	5.0	3.3	4.5	11.9	10.2
	1903	26.7	13.8	7.4	6.1	4.1	6.0	9.4	9.3
	1904	7.1	10.3	10.1	21.6	4.0	3.1	10.3	3.6
	1905	5.0	6.0	0.4	0.6	4.8	4.8	9.1	6.3
Scarlet fever.....	1901	11.5	5.0	7.0	5.8	0.8	3.3	16.4	6.0
	1902	20.8	12.3	5.9	6.1		2.2	13.5	1.6
	1903	18.1	10.4	6.1	7.5	8.1	1.5	10.7	11.3
	1904	9.0	6.7	7.4	8.6	0.8	1.4	5.1	5.6
	1905	5.0	3.6	3.7	6.1		1.2	4.7	2.4
Whooping cough.....	1901	14.6	5.6	6.7	10.7	7.5	3.6	10.2	5.7
	1902	17.8	11.1	8.2	9.4	6.6	7.4	15.2	8.9
	1903	27.1	21.4	10.4	10.6	26.0	13.1	24.0	11.7
	1904	7.3	5.2	5.1	6.3	12.8	6.7	5.7	5.2
	1905	8.5	5.1	10.2	11.0	4.8	5.6	10.7	5.8
Diphtheria.....	1901	26.7	20.5	19.8	12.3	20.0	9.9	40.2	17.7
	1902	23.4	17.0	19.4	8.1	18.1	10.4	29.9	13.4
	1903	25.7	12.6	20.2	10.6	13.0	10.8	29.1	16.2
	1904	20.3	13.4	13.9	6.4	28.9	15.1	23.6	12.1
	1905	23.4	13.6	13.1	8.5	16.6	9.4	21.4	11.7
Croup.....	1901	0.0	8.7	5.7	6.9	10.0	5.9	6.5	5.9
	1902	7.0	5.8	4.9	4.9	4.9	4.3	5.3	4.1
	1903	6.4	3.1	5.3	4.1	5.7	4.8	4.2	4.3
	1904	4.2	4.3	3.3	3.7	4.0	5.5	3.3	5.0
	1905	4.9	1.8	4.0	3.8	4.8	5.0	3.3	2.6
Influenza.....	1901	46.6	86.1	31.2	41.9	22.5	46.9	24.7	37.4
	1902	12.0	15.1	8.8	13.6	6.6	19.7	6.2	12.3
	1903	27.6	42.9	14.3	16.5	10.6	30.3	15.6	29.4
	1904	28.7	51.3	15.9	22.4	10.4	26.4	12.0	24.3
	1905	23.1	33.2	17.3	27.5	27.7	38.0	17.2	36.0
Miliary fever.....	1901								
	1902							(0)	
	1903								
	1904								
	1905								
Asiatic cholera.....	1901								
	1902								
	1903								
	1904								
	1905								
Cholera nostras.....	1901	2.3	2.8	1.0	1.4	4.2	3.6	1.5	2.4
	1902	2.4	1.9	1.1	1.1	0.8	2.4	1.0	1.8
	1903	1.1	0.3	0.9	1.0		3.8	1.5	1.2
	1904	2.0	0.6	0.7	0.7	2.4	1.9	1.1	1.3
	1905	1.1	1.2	0.6	1.0	2.4	2.9	1.3	1.6

* Less than one-tenth.

SUMMARY AND RATE TABLES.

169

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1,454.3	1,294.3	1,720.2	1,647.4	1,811.3	1,410.8	1,881.6	1,531.7	1,814.6	1,808.9	1,662.6	1,677.5
1,457.7	1,188.0	1,678.7	1,529.8	1,765.9	1,330.8	1,757.6	1,391.4	1,810.1	1,693.0	1,543.9	1,498.4
1,489.0	1,251.3	1,690.5	1,624.6	1,742.5	1,334.8	1,738.9	1,441.5	1,886.0	1,868.2	1,791.4	1,593.8
1,434.9	1,325.5	1,611.1	1,588.7	1,897.7	1,412.6	1,915.1	1,524.6	1,720.3	1,731.9	1,710.4	1,583.1
1,461.0	1,301.4	1,805.8	1,619.9	1,746.7	1,359.7	1,779.2	1,519.3	1,710.7	1,707.7	1,532.7	1,678.7
379.1	326.4	440.8	397.2	458.1	359.2	526.2	425.3	518.2	460.8	417.2	430.2
379.5	282.5	395.1	370.3	457.2	338.6	480.4	342.2	514.7	428.4	336.3	350.1
396.7	305.9	410.3	404.1	463.3	327.8	478.4	356.3	564.5	554.9	377.1	381.3
372.8	319.5	403.8	367.1	508.8	354.6	499.0	376.3	468.4	433.3	394.7	399.0
351.8	297.4	426.4	390.9	441.6	344.4	457.0	375.2	466.6	457.9	413.5	413.1
28.3	25.5	19.8	18.1	20.7	17.8	23.8	27.2	22.4	25.6	20.9	30.0
30.9	21.7	17.6	18.5	23.9	18.5	23.2	23.2	21.2	18.5	18.5	19.2
28.6	22.1	20.9	26.7	21.9	16.3	22.3	21.8	17.1	18.7	24.1	24.9
36.2	20.3	19.9	17.6	20.3	16.4	21.3	21.3	15.4	13.9	23.6	31.0
31.3	21.0	16.7	14.5	17.4	15.1	19.1	21.8	17.3	16.7	34.6	22.9
0.3											
0.1	0.1					(1)					
				0.1		(1)					
4.1	4.8	3.1	0.8	4.2	4.7	4.1	3.1	7.9	8.1	4.2	1.0
4.2	3.9	0.6	0.4	2.8	3.6	3.0	3.2	7.1	3.3		1.4
1.8	3.0	0.6	2.8	1.8	4.8	1.9	2.5	4.6	9.0	2.0	1.3
2.2	2.8	2.3	2.0	2.6	3.0	2.4	2.1	3.9	5.1	2.0	1.7
1.1	2.8	0.6	2.3	1.8	3.3	1.4	2.4	3.5	3.1		2.0
0.4	1.3	1.8	0.8	7.9	6.2	8.2	0.8	1.7			
1.7	1.6	1.8	1.6	22.9	19.9	8.0	1.2	11.8	1.3		0.7
1.7	1.0			0.9	0.8	0.7	0.2	0.3	1.3	2.0	0.7
1.3	1.0	1.2		1.3	1.0	0.1	0.2				
6.2	1.4			0.1	0.1	0.2					
3.6	3.0	2.8	0.8	4.9	1.9	9.4	11.5	3.8	3.4	12.6	8.8
13.9	7.5	7.0	2.8	14.3	6.5	14.6	4.2	4.7	5.9	16.4	4.7
8.2	6.4	8.9	10.6	3.0	2.9	10.4	4.3	32.8	24.5	6.0	8.8
8.5	7.0	4.1		12.0	7.1	17.6	7.1	3.2	3.8		1.0
3.9	4.0	19.6	11.0	5.7	4.4	12.3	8.7	7.8	6.8	15.4	10.1
14.3	11.7	22.3	6.7	9.4	10.4	26.1	6.3	4.5	5.4	18.9	10.1
14.5	9.1	1.2		14.7	7.4	21.6	5.3	6.4	5.9	20.5	7.0
7.1	8.4	1.8	3.1	17.7	18.2	18.5	5.6	13.5	11.6		1.7
7.8	8.5	1.2	3.1	28.3	11.5	20.3	5.8	17.0	10.8	7.8	1.7
5.1	4.4	0.6	1.2	9.9	7.0	11.7	4.8	8.2	5.0	7.7	2.0
8.9	5.6	10.5	4.3	10.5	7.3	7.9	9.9	5.2	1.3	8.4	11.4
14.3	9.0	8.5	6.7	14.4	16.5	13.8	7.6	15.5	21.8		11.5
17.4	14.3	23.2	9.8	16.8	10.9	9.8	10.6	34.5	4.9	4.7	
5.6	5.8	10.5	1.2	6.9	6.4	5.3	5.6	1.6	1.9	15.7	5.0
3.8	4.8	8.1	8.6	9.9	6.6	9.9	8.6	7.8	13.0	7.7	12.1
14.9	14.8	20.4	11.0	31.4	21.2	40.8	16.1	33.0	18.2	14.6	9.1
29.2	9.9	41.3	20.5	32.8	18.8	39.9	14.4	33.3	24.4	2.0	8.1
41.1	14.5	20.9	14.5	38.8	21.4	42.3	11.8	42.3	29.7	16.1	12.8
24.3	12.9	14.6	8.2	47.0	25.2	41.2	14.9	32.7	16.4	9.8	14.1
24.8	10.4	17.3	10.2	31.3	18.7	29.3	12.1	27.9	14.3	21.2	10.4
6.8	5.6	6.2	5.9	11.6	6.6	8.1	5.9	13.8	20.9		5.7
4.3	3.9	15.2	4.7	9.5	6.4	6.9	3.7	5.7	4.0		4.4
6.7	3.9	13.7	3.9	8.6	5.5	6.0	3.3	4.6	5.2	4.0	3.0
3.7	3.2	7.0	4.7	12.1	7.5	5.5	3.6	3.5	3.8	3.9	3.0
4.9	2.7	9.8	2.7	6.9	6.1	4.2	3.0	5.0	6.2	7.7	3.7
34.2	47.2	27.2	39.1	15.8	26.1	24.0	60.2	37.5	44.5	16.8	48.5
6.2	15.0	9.1	14.2	4.1	5.6	6.0	16.8	16.1	11.9	6.2	23.6
13.2	20.1	22.6	44.8	8.9	15.3	12.4	28.5	32.2	39.4	16.1	37.4
15.2	29.3	24.0	33.7	9.0	16.8	15.8	36.6	19.6	30.4	31.4	46.8
11.6	27.3	26.5	47.0	6.4	13.6	10.3	28.6	27.6	29.7	17.3	57.5
						0.1	0.1				
				0.1		(1)	(1)				
1.6	1.6	1.8	2.4	2.1	1.0	1.3	2.6	2.4	2.0	4.2	4.4
1.2	1.6	3.0	0.4	1.5	1.1	0.8	2.1	2.7	1.3		2.4
1.4	1.0	2.4		1.2	0.8	0.9	1.4	1.0	0.6	4.0	0.7
1.4	1.1	0.6	3.5	0.9	1.2	1.1	1.2	1.9		5.9	1.7
1.8	2.2	2.3	3.9	1.1	1.0	0.9	2.3	0.6	1.2	3.8	0.7

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Dysentery	1901	11.6	13.7	12.9	19.5	5.8	7.8	7.6	9.0
	1902	16.5	11.2	18.4	19.7	4.1	4.5	6.0	7.7
	1903	12.3	8.6	11.1	13.2	4.9	4.1	6.2	6.7
	1904	9.3	10.9	11.4	13.9	2.4	5.1	5.9	9.0
	1905	12.5	10.3	9.7	15.5	4.0	5.0	4.7	9.8
Plague.....	1901								
	1902								
	1903								
	1904								
	1905								
Yellow fever.....	1901								
	1902								
	1903								
	1904								
	1905			0.1					
Leprosy.....	1901								
	1902								
	1903								
	1904								
	1905								
Erysipelas.....	1901	6.1	4.4	3.9	3.0	3.3	1.6	5.1	4.0
	1902	6.6	2.2	4.5	3.7	3.3	4.1	4.3	3.5
	1903	4.1	1.0	4.6	2.1	0.8	2.1	3.8	3.3
	1904	5.4	2.7	5.8	4.4	3.2	4.4	6.1	4.0
	1905	5.6	4.2	5.3	4.5	6.3	2.9	5.1	4.3
Other epidemic diseases.....	1901	0.2	0.3		0.1			(1)	0.1
	1902	0.2			0.2	1.6		0.5	0.1
	1903	0.2			0.2		0.2	0.2	0.6
	1904	0.2			0.2			0.2	0.1
	1905	0.2	0.9		0.1			0.1	0.1
Septicemia.....	1901	4.5	3.1	13.1	10.1	5.0	3.5	7.0	6.3
	1902	4.4	2.2	14.8	9.1	10.7	2.9	6.8	6.6
	1903	5.2	1.5	9.4	5.7	9.7	4.3	6.3	5.2
	1904	3.6	4.6	10.9	6.3	11.2	7.2	5.6	3.9
	1905	5.3	3.3	8.9	6.6	5.5	2.1	5.3	3.4
Glanders and farcy.....	1901								
	1902							(1)	
	1903	0.2						(1)	
	1904						0.2	(1)	
	1905					0.8			0.1
Malignant pustule and charbon.....	1901				0.1			0.1	0.1
	1902				0.1		0.2	0.1	
	1903				0.1			0.1	
	1904			(1)			0.5	0.2	0.1
	1905		0.3		0.1			0.1	
Rabies.....	1901				0.1				
	1902				0.1				
	1903			0.3	0.2				
	1904	0.2			0.2				
	1905				0.2			0.1	
Actinomycosis, trichinosis, etc.....	1901								
	1902				(1)			0.1	0.1
	1903				(1)	0.1		(1)	0.1
	1904	0.2			(1)			0.2	0.1
	1905				0.1		0.2	0.2	
Pellagra.....	1901								
	1902								
	1903								
	1904								
	1905								
Tuberculosis of lungs.....	1901	182.5	127.4	179.5	158.1	210.0	144.2	183.5	164.6
	1902	161.2	120.3	172.1	145.8	167.8	133.6	172.1	148.1
	1903	159.0	119.7	175.8	142.8	156.8	123.3	161.1	149.1
	1904	157.9	117.0	187.4	163.1	174.8	141.7	174.5	170.5
	1905	163.4	116.7	156.3	145.6	151.2	118.8	161.7	167.9
Tuberculosis of larynx.....	1901	0.8	1.9	1.9	1.3		2.6	1.1	0.7
	1902	1.3	0.9	2.6	2.0	2.5	0.9	1.2	0.9
	1903	1.4	0.3	2.1	1.3	1.6	1.2	0.9	2.0
	1904	1.2	2.1	2.8	1.5	0.8	1.2	1.3	1.3
	1905	1.1	1.8	2.5	2.0	4.0	2.2	0.9	2.0
Tuberculous meningitis.....	1901	7.8	5.0	8.4	5.2	15.8	6.9	12.4	7.2
	1902	8.4	5.5	6.5	5.3	18.1	6.6	12.1	5.8
	1903	11.3	7.0	6.7	5.0	8.1	6.5	12.3	6.5
	1904	8.8	6.4	9.5	6.3	11.2	7.4	11.8	7.5
	1905	12.3	8.7	6.4	5.0	13.5	9.1	14.2	8.3
Abdominal tuberculosis.....	1901	5.5	3.7	7.2	6.0	7.5	8.1	5.1	3.8
	1902	4.9	4.0	7.1	6.0	12.3	7.4	5.6	2.9
	1903	5.4	6.7	9.1	6.5	7.3	7.6	5.5	3.8
	1904	6.7	2.7	9.5	6.8	9.6	6.9	5.9	4.6
	1905	5.8	2.7	7.3	7.6	8.7	8.7	6.4	5.3

(1) Less than one-tenth.

SUMMARY AND RATE TABLES.

171

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
11.8	7.5	8.0	10.6	9.8	12.4	10.3	10.7	18.6	15.5	4.2	13.1
5.7	5.6	9.1	4.7	9.4	11.3	8.6	9.6	29.6	21.8	8.2	6.7
4.7	5.6	3.6	5.1	7.7	7.7	5.4	6.1	20.0	22.6	4.0	5.7
4.5	6.3	5.9	6.7	9.6	10.1	6.3	8.4	14.4	15.2	3.9	6.1
5.7	7.5	9.2	5.9	8.8	14.3	5.4	10.7	10.7	14.3		
.....											0.3
.....											
.....											
0.3						(1)					
.....						(1)					
.....											
(1)				0.1		(1)					
.....						(1)					
.....						(1)					
.....						(1)					
6.2	4.4	2.5	3.2	3.6	3.0	5.1	5.2	2.4	2.0	4.2	5.7
5.4	3.4	3.6	5.1	3.7	3.2	4.6	3.5	3.7	7.3	6.2	3.7
5.5	3.2	5.4	2.3	4.6	2.7	4.7	4.1	5.9	9.0		3.7
4.5	4.7	8.2	5.1	5.3	3.8	5.9	4.6	6.4	0.6		7.1
4.4	3.4	3.5	3.9	4.6	3.6	6.2	3.8	3.5	3.7	1.9	3.4
.....											
0.4	0.3			0.1	0.1	(1)	0.2				
0.4	0.6	0.6		0.1	0.1	0.2	0.1				0.3
0.1	0.4			0.1	0.1	0.2	(1)	0.7	1.3		
0.3	0.5	0.6		0.1	0.1	0.2	0.1	1.0			0.3
0.3	0.3			0.2	0.2	0.2	0.3	1.3	0.6		1.0
.....											
4.1	5.3	13.0	11.4	6.6	5.5	3.5	5.5	1.0	1.3	8.4	10.1
6.5	5.4	15.2	11.8	6.4	5.0	3.5	5.7	3.4	0.7	8.2	9.8
6.5	3.9	3.0	7.1	6.4	2.7	3.0	5.0	1.6	1.9	8.0	8.1
6.3	5.9	7.0	7.4	4.9	4.0	2.6	5.7	1.0	1.3	13.7	5.0
7.5	6.6		7.4	2.6	3.0	2.7	4.2	3.1	1.2	7.7	5.0
.....											
.....				0.1							
0.1				0.1		0.1					
.....	0.1			0.1		(1)			0.6		
.....						(1)					
.....						(1)					
0.1	0.3					0.2	0.1	0.3	0.7		
0.1					0.1	(1)	0.1				
0.1	0.1				0.1	0.1	0.1		0.6		
0.1	0.1			0.1		(1)	(1)				
.....				0.4	0.6	0.1	(1)				0.3
0.3	(1)			0.3	0.2	0.1					
0.3	0.1			0.2	0.2	(1)	(1)				
.....				0.4	0.3	0.1	(1)	0.1			
.....	0.1					(1)					
0.3					0.1		(1)				
0.1			0.4			(1)					
0.1				0.1		0.1					
.....	0.1					(1)					
.....											
.....											
.....											
103.1	82.2	171.2	130.7	196.9	138.4	210.1	137.1	203.3	170.0	150.3	129.9
103.5	75.9	136.6	133.2	183.5	122.2	188.5	119.3	194.2	148.5	147.6	115.1
101.6	78.3	134.8	123.8	201.0	127.0	193.1	120.5	198.2	172.5	146.5	109.7
110.1	83.0	159.4	127.1	216.4	135.3	202.7	127.4	171.6	168.3	145.3	109.4
104.6	81.2	159.0	118.6	197.7	134.3	192.9	129.2	169.4	157.7	159.6	115.7
.....											
1.9	0.7	1.8	2.0	3.1	2.0	1.7	1.7	2.1		2.1	1.3
0.8	0.9	0.6		3.0	2.2	1.7	1.3	1.0	2.0	2.0	1.4
1.2	1.1	1.8	1.6	2.0	1.1	1.8	1.3	1.6	2.6		0.3
1.0	1.0	2.3	0.8	4.0	2.0	1.9	0.8	0.6	2.5		0.3
1.3	1.4		0.8	2.4	2.6	1.6	1.0	3.5		1.9	0.7
.....											
6.5	2.3	7.4	4.7	9.8	5.6	15.5	3.9	15.1	6.7	12.6	4.0
6.0	3.2	8.5	6.7	10.2	4.1	15.9	4.3	14.1	9.2	6.2	5.4
5.4	4.1	8.9	4.3	10.2	4.7	16.3	4.4	18.7	12.9	18.1	3.7
5.9	4.0	11.1	6.7	12.8	7.7	15.2	3.4	18.0	15.8	17.7	7.7
5.2	4.2	6.3	2.7	15.0	7.7	13.9	4.5	21.3	10.5	17.3	4.4
.....											
6.3	4.7	6.2	5.5	4.2	4.8	5.3	4.4	9.6	5.4	4.2	4.4
5.7	3.3	4.9	2.8	4.9	4.3	5.1	3.8	9.7	2.0	2.0	5.0
4.9	4.0	5.4	3.1	4.0	4.2	4.9	4.3	6.9	6.5	2.0	4.0
7.6	4.8	4.7	5.5	5.7	6.1	5.5	4.2	8.7	8.2	3.9	3.7
5.1	4.6	6.9	3.5	6.5	4.6	5.2	5.1	7.8	5.6	1.9	5.7

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Pott's disease.....	1901	0.8	2.2	1.1	1.6	4.2	2.4	1.9	1.0
	1902	2.1	0.3	0.8	1.1	4.1	2.1	1.4	1.2
	1903	1.2	1.5	0.9	1.1	2.4	2.1	2.1	1.2
	1904	2.2	1.5	1.4	0.9	0.8	1.4	2.2	1.3
	1905	1.8	1.5	1.9	1.3	0.8	1.9	2.1	2.1
Tuberculous abscess.....	1901	0.2			0.3			0.1	
	1902	0.2			0.2		0.3	0.1	0.1
	1903	0.3	0.3	0.6	0.3		0.5	(1)	0.3
	1904			0.4	0.3	1.6	0.5	0.3	0.1
	1905			0.4	0.2	0.8	1.0	0.2	
White swelling.....	1901	1.2	0.3	0.5	0.4		0.3	0.7	0.1
	1902	0.8	0.6	0.3	0.2		0.5	1.0	0.4
	1903	0.2	0.3	0.4	0.2	0.8	0.9	0.2	0.3
	1904	0.2		0.4	0.2	1.6	0.8	1.0	0.4
	1905	1.1	0.4	0.4	0.2		0.2	1.1	0.7
Tuberculosis of other organs.....	1901	1.2	1.2	1.1	1.5		1.7	0.8	0.9
	1902	0.8	0.3	0.9	1.3	0.8	2.2	0.7	1.3
	1903	1.0	1.2	2.2	1.9	0.8	1.4	1.1	1.2
	1904	1.7	1.2	1.7	1.8	0.8	2.1	1.6	1.3
	1905	1.7	1.8	1.9	1.6	1.6	1.5	1.6	1.3
General tuberculosis.....	1901	1.6	3.1	3.2	1.8	0.8	3.8	3.5	4.4
	1902	1.3	2.5	2.8	1.5	7.4	4.7	3.2	3.1
	1903	1.7	3.1	4.8	1.5	9.7	3.1	3.7	6.2
	1904	2.8	1.5	2.8	1.8	7.2	3.3	3.0	4.4
	1905	2.4	2.4	2.8	3.0	7.1	5.1	4.5	5.4
Serofula.....	1901	0.5	0.9	1.0	0.6	1.7	1.0	0.5	0.3
	1902	0.3	0.6	0.5	0.9	0.8	1.5	0.3	0.4
	1903	0.3	0.3	0.4	1.0	0.8	0.9	0.1	0.4
	1904			0.3	0.8		0.3	0.4	0.6
	1905	0.2	0.6	0.4	0.6		0.2	0.3	0.7
Syphilis.....	1901	2.8	0.3	2.6	1.8	2.5	0.5	2.9	1.9
	1902	3.7	1.2	3.1	2.0	3.3	0.3	2.3	1.0
	1903	3.6	2.1	3.3	1.9	0.8	0.9	2.9	1.6
	1904	3.3	2.1	5.2	2.1	3.2	0.7	3.3	2.6
	1905	4.0	0.9	3.6	2.1	4.8	1.0	3.0	2.4
Gonorrhea of the adult.....	1901				(1)			(1)	
	1902				(1)			(1)	
	1903							(1)	
	1904							(1)	
	1905							(1)	
Gonorrheal infections of children.....	1901							(1)	
	1902							0.1	
	1903								
	1904		0.3					0.1	0.1
	1905	0.2			0.2			0.3	0.1
Cancer of mouth.....	1901	2.5	0.6	0.8	0.9	3.3	2.9	2.4	1.9
	1902	2.4	1.9	1.4	0.9	2.5	3.8	1.8	1.9
	1903	2.4	2.1	1.3	1.9		3.3	2.3	3.0
	1904	1.7	2.1	2.2	1.0	1.6	3.6	2.6	3.9
	1905	2.4	3.0	1.0	1.7	1.6	3.6	3.7	4.6
Cancer of stomach and liver.....	1901	24.7	24.3	17.5	14.3	22.5	31.4	21.5	20.0
	1902	21.1	22.8	21.8	15.7	33.8	33.8	24.6	25.0
	1903	26.7	23.0	10.3	18.6	38.2	30.1	25.1	26.2
	1904	24.2	31.0	19.5	19.2	32.9	33.6	27.3	32.7
	1905	27.2	23.8	20.1	20.4	34.0	38.8	26.7	29.2
Cancer of intestines.....	1901	8.4	11.2	4.5	2.7	10.0	9.2	9.5	6.0
	1902	8.6	10.8	3.5	2.7	14.0	8.6	8.7	9.3
	1903	7.8	9.5	5.0	2.5	10.6	9.5	8.8	8.0
	1904	6.8	5.2	4.0	4.4	13.6	10.1	10.7	8.5
	1905	9.0	11.8	7.1	4.9	14.3	10.3	12.0	10.5
Cancer of female genital organs.....	1901	19.5	16.4	13.6	10.6	30.3	25.9	9.0	5.5
	1902	21.3	19.3	20.5	10.6	29.9	26.8	10.0	4.5
	1903	23.0	18.6	19.7	10.8	31.0	26.0	11.1	6.2
	1904	24.1	17.8	21.2	12.7	35.2	16.5	12.4	6.6
	1905	10.8	12.5	8.7	6.7	16.6	12.5	12.7	10.8
Cancer of breast.....	1901	6.8	7.4	3.5	3.3	13.3	6.7	6.7	4.6
	1902	6.5	10.2	4.9	4.3	8.3	9.5	5.8	3.9
	1903	8.9	7.3	3.4	3.6	6.5		6.0	6.4
	1904	6.5	6.7	4.2	3.2	4.0	6.9	9.0	7.9
	1905	7.0	10.6	3.2	4.6	6.3	7.4	8.6	7.7
Cancer of skin.....	1901	2.1	2.8	1.7	2.1	4.2	5.2	2.0	3.2
	1902	1.6	3.7	1.1	2.9	2.5	4.7	1.6	2.2
	1903	2.8	3.7	1.2	3.4	2.4	3.3	1.9	1.6
	1904	2.9	3.3	1.6	3.0	2.4	4.1	2.1	3.4
	1905	2.4	3.9	1.5	3.6	4.0	2.1	1.8	3.8
Cancer of other or unspecified organs.....	1901	15.3	17.1	17.9	12.8	13.3	14.4	24.1	40.7
	1902	15.1	13.9	17.6	12.0	14.8	12.2	23.2	35.6
	1903	16.5	20.2	15.0	12.3	17.9	17.0	25.6	30.3
	1904	14.0	12.8	16.6	10.4	17.7	10.0	22.5	30.1
	1905	15.7	13.3	16.0	12.7	22.2	16.1	21.7	29.3

(1) Less than one-tenth.

SUMMARY AND RATE TABLES.

173

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.4	1.3	1.2	0.4	2.1	0.4	1.4	1.0	1.0	0.7	2.1	1.0
1.7	1.0	1.8	1.2	1.1	0.5	1.7	1.3	0.7	2.0	0.3	0.3
2.4	1.5	0.6	1.6	1.5	1.1	1.8	0.9	2.6	0.6	2.0	2.0
1.2	1.0	0.6	1.2	1.6	0.9	2.0	1.2	3.2	1.9	1.7	1.7
2.0	1.3	2.3	1.2	1.2	1.3	1.8	1.6	1.9	0.6	2.4	2.4
0.1	0.1			0.2	0.1	0.2	0.2			2.1	0.3
0.1	0.1		0.4	0.3		0.1	0.1			2.0	0.3
0.1	0.2			0.5		0.2	0.2			2.0	0.3
0.4	0.2	0.6		0.1	0.1	0.1	0.1	0.3	1.3	2.0	0.3
0.1	0.1	0.6		0.2	0.1	0.2	0.1	0.3			
1.1	0.6	0.6		0.9		0.8	0.5	1.7	3.4	2.1	0.7
1.1	0.5		0.4	0.5	0.4	1.0	0.3	0.3			0.7
0.9	0.8	0.6		0.9	0.8	0.8	0.6	1.6		2.0	0.7
0.8	0.6	0.6		0.7	0.3	0.9	0.6	1.3	1.3	2.0	
1.4	0.8	1.2		0.9	0.7	1.1	0.4	3.1	1.2	1.9	0.7
2.1	0.8	1.8	2.8	1.7	0.2	1.3	0.9	0.7	0.7		1.0
1.3	1.1	0.6	0.8	1.1	0.7	1.0	1.3	1.7		2.0	1.7
1.2	1.4	3.6	0.1	0.9	0.9	1.6	0.9	1.3			1.7
1.5	1.8	1.2	0.8	1.8	0.9	1.5	1.4	1.9			2.0
1.6	1.4		0.8	1.9	0.5	1.6	1.5	0.9	3.7	3.8	1.7
2.3	1.7	1.8	2.0	3.2	1.7	3.1	1.1	4.1	4.7	4.2	3.0
1.5	1.8	2.4	1.9	2.4	1.2	2.0	1.4	7.7	5.0	2.0	2.7
2.5	2.0	3.0	2.8	2.8	3.0	2.7	1.9	7.9	4.5	4.0	5.7
1.9	1.4	2.3	2.4	2.8	2.3	3.0	1.8	7.1	3.2	3.9	3.0
1.4	1.9	4.6	3.9	2.9	2.5	2.4	1.8	6.3	3.1	1.9	1.7
0.8	0.6	0.6	1.2	0.1	0.5	0.2	0.3	0.3	1.3		0.3
0.8	0.5	1.2		0.4	0.1	0.7	0.3	0.7			0.3
0.4	0.6	1.2	0.4	0.4	0.2	0.2	0.3	1.3		2.0	0.3
0.5	0.6	0.6		0.1	0.1	0.3	0.4	0.6			0.3
0.3	0.2			0.1	0.8	0.4	0.4	0.3	1.2		
7.6	1.8	1.8		2.6	1.4	4.9	1.3	4.5	2.0	2.1	2.0
10.5	1.8		1.2	3.4	1.2	4.3	1.2	4.0	5.9		1.0
10.6	2.8	1.8	2.0	3.9	1.5	4.6	1.5	5.3	6.5	4.0	1.0
8.4	2.2	1.2	0.8	3.2	1.4	5.2	1.8	5.1	3.2	5.9	1.0
7.6	1.2	1.2	2.0	3.4	1.2	5.1	1.3	5.6	3.7	3.8	1.7
	0.1					(1)	0.1	0.3			
0.1	(1)	0.6		0.1		0.1	(1)		0.6		
				0.1	0.2	0.2	(1)	0.3			
	0.1				0.1	(3)		0.3	0.7		
				0.1		0.1	0.1	0.3			
				0.1		0.1	(1)	0.3			
1.5	1.5	3.1	2.8	1.4	0.6	2.2	1.7	1.7	2.7	4.2	2.4
1.9	1.7	1.8	2.8	1.4	2.1	1.9	1.4	2.0	3.3	2.0	0.7
1.8	2.0	1.8	2.0	2.1	1.3	2.1	1.8	2.0	1.3		2.7
3.0	2.7	2.3	1.2	1.3	2.0	2.3	1.6	1.9	2.5	2.0	2.4
1.4	1.7	0.6	2.0	1.8	1.5	2.6	2.3	2.8	1.2	3.8	3.0
29.3	22.3	18.6	27.6	24.1	19.2	25.9	23.3	25.5	23.0	25.2	25.2
26.5	23.8	23.1	24.8	19.9	19.3	23.8	24.3	24.9	27.7	10.3	22.9
28.6	26.1	22.6	24.4	23.5	20.4	27.0	24.6	27.2	32.9	12.0	36.4
27.9	27.7	18.8	27.8	23.0	20.3	28.5	26.7	27.9	37.3	17.7	33.0
28.4	27.0	28.8	30.1	24.9	22.1	28.6	27.2	29.8	23.5	11.5	33.6
6.0	4.8	8.7	5.5	9.2	4.9	9.1	6.1	10.0	8.1	6.3	8.8
7.1	5.2	6.1	6.3	6.3	5.7	8.4	7.1	14.8	13.2	8.2	11.1
9.5	4.2	7.1	7.5	5.9	5.1	8.3	7.3	8.9	7.8	4.0	7.7
7.9	6.3	10.0	7.4	6.6	5.4	8.7	6.5	12.5	7.6	2.0	11.4
10.3	5.1	6.9	7.4	7.1	7.7	9.5	7.2	10.4	13.0	9.6	9.4
21.2	19.1	22.6	14.5	9.2	7.5	11.2	6.8	13.1	12.8	12.2	13.8
23.9	13.6	19.8	12.1	8.1	5.4	11.0	6.7	11.2	11.2	23.8	9.0
30.2	14.4	16.1	12.1	10.2	7.7	11.1	7.3	10.5	19.4	23.3	22.1
23.0	16.8	24.8	16.8	10.2	7.0	11.2	8.6	19.6	7.6	26.6	23.6
12.0	6.8	10.4	7.0	11.6	8.0	12.1	7.4	20.1	13.0	9.6	11.1
5.4	5.2	5.6	3.5	3.6	4.5	5.4	6.4	8.6	12.8	6.3	4.7
5.1	5.1	2.4	2.8	4.8	4.1	6.0	7.1	11.1	13.9	10.3	3.7
4.9	5.0	5.4	4.7	5.0	4.7	6.5	6.2	9.2	11.0	4.0	9.8
5.9	7.0	7.0	4.0	4.7	5.1	6.6	6.6	12.5	14.5	2.0	10.8
5.4	4.8	4.0	4.3	5.4	4.7	6.5	6.6	9.7	12.4	5.8	6.1
2.1	3.6		3.2	2.5	1.9	1.7	3.3	2.8	4.7		2.4
2.2	3.1	0.6	3.5	1.5	2.5	1.8	3.1	2.4	5.3		2.0
1.7	4.2		3.1	1.6	1.3	1.9	3.8	1.6	7.8	4.0	5.0
1.7	3.8	2.3	2.3	2.5	2.3	1.4	4.2	2.9	4.0		2.0
2.4	3.2	2.9	2.3	2.4	2.5	2.0	3.6	1.9	4.3	1.9	5.7
11.0	10.9	27.8	45.8	11.8	14.7	13.8	23.0	9.6	7.4	23.1	20.2
13.5	9.6	24.3	43.3	12.4	13.4	13.2	20.9	11.4	14.5	22.6	25.2
17.4	13.9	22.1	36.6	12.5	14.4	15.0	20.4	7.9	16.8	24.1	26.9
12.0	12.4	20.5	32.9	13.0	10.5	14.7	20.3	10.8	10.8	11.8	20.9
11.5	12.4	21.9	36.0	12.8	13.1	14.2	23.1	8.5	7.4	7.7	21.2

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Tumor.....	1901	1.5	3.7	1.7	1.2	1.7	1.9	2.2	2.9
	1902	1.1	1.5	0.6	0.8	0.8	1.4	1.7	1.9
	1903	1.4	2.1	0.9	1.0	2.4	1.9	2.0	2.0
	1904	2.3	1.8	2.6	1.2	0.8	1.2	1.2	1.7
	1905	1.7	0.6	2.4	1.5	3.2	1.4	1.9	2.1
Acute articular rheumatism.....	1901	4.6	5.6	3.5	2.8	4.2	3.5	4.3	3.8
	1902	4.5	6.2	2.5	3.5	1.6	2.6	4.0	2.8
	1903	5.6	5.5	4.0	3.5	6.5	3.8	4.7	3.0
	1904	9.8	5.2	6.5	5.2	7.2	3.4	6.1	5.5
	1905	5.8	4.5	7.9	5.1	4.8	4.3	5.0	7.3
Chronic rheumatism and gout.....	1901	6.0	8.7	6.4	5.9	3.3	2.8	4.0	4.7
	1902	5.4	6.5	6.3	5.8	1.6	4.0	2.4	5.1
	1903	2.5	4.6	5.0	3.5	3.2	2.7	3.3	4.5
	1904	2.6	3.3	2.8	4.7	1.6	3.3	2.5	3.4
	1905	2.4	4.2	3.2	3.2	0.8	3.1	2.0	4.0
Diabetes.....	1901	13.1	12.1	8.6	7.9	13.3	12.5	11.3	13.1
	1902	10.1	18.2	9.4	8.6	18.1	11.4	13.1	15.2
	1903	14.0	11.9	8.8	8.5	12.2	13.2	14.0	15.9
	1904	15.8	19.4	11.4	9.1	16.8	14.2	15.7	16.1
	1905	16.0	12.7	10.1	9.9	16.6	16.4	14.9	19.2
Exophthalmic goiter.....	1901	0.8	0.6	1.0	0.8		0.3	0.3	0.7
	1902	0.5	0.3	0.6	0.4			0.6	0.3
	1903	0.5		1.3	0.9		0.3	0.4	0.6
	1904	0.2	0.3	0.9	0.7	0.8	0.3	0.8	0.1
	1905	1.5	0.6	0.7	1.0		0.3	0.6	0.6
Addison's disease.....	1901	0.2	0.6	0.6	0.3		0.3	0.5	0.4
	1902	0.2	0.9	0.6	0.6	0.8	0.3	0.5	0.4
	1903	0.3	0.3	0.1	0.4	0.8	0.3	0.9	0.9
	1904	0.5		0.1	0.3	1.6	0.7	0.7	0.7
	1905	0.5	0.6	0.1	0.4	1.6	0.7	0.5	0.9
Leukemia.....	1901	1.8	0.6	1.7	0.8	0.8	1.4	1.1	0.9
	1902	1.0	0.6	1.2	1.0	0.8	0.7	1.5	2.0
	1903	0.8	1.2	1.6	0.9	0.8	0.7	1.0	1.6
	1904	0.0	1.2	1.7	0.9	1.6	1.4	1.3	1.5
	1905	0.8	1.2	1.1	1.6	2.4	1.5	1.7	1.0
Anemia, chlorosis.....	1901	3.8	4.7	7.2	4.1	11.7	5.7	7.8	8.8
	1902	2.9	1.5	4.6	4.1	12.3	7.2	5.9	9.9
	1903	3.3	2.5	3.4	3.3	10.0	5.2	6.1	10.1
	1904	3.9	3.6	3.6	3.6	8.8	6.0	5.5	9.0
	1905	4.4	5.7	3.3	2.9	13.5	7.4	6.6	7.4
Alcoholism.....	1901	8.5	5.0	4.1	1.9	8.3	1.6	5.1	5.3
	1902	7.3	6.5	4.8	2.5	3.3	1.9	6.2	4.7
	1903	9.4	4.6	4.6	1.9	5.7	2.1	6.2	6.1
	1904	7.0	5.5	5.1	2.3	6.4	2.1	5.0	4.4
	1905	7.6	6.0	5.1	3.2	4.8	2.1	5.6	4.6
Lead poisoning.....	1901	0.7	0.6	0.2	(1)		0.2	0.4	0.1
	1902	0.2		0.2		0.8	0.9	0.3	0.4
	1903	0.3		0.6	0.1			0.5	0.6
	1904	0.2	0.3		0.1			0.3	0.7
	1905	0.2	0.3	0.3	0.1	0.8		0.3	0.6
Other occupational poisonings.....	1901								
	1902						0.2		
	1903								
	1904								
	1905								
Other chronic poisonings.....	1901	1.0	1.2	0.6	0.6		0.3	0.3	0.6
	1902	0.3	1.5	0.6	0.5	0.8	0.3	0.1	0.1
	1903	0.8	1.2	0.6	0.2		1.0	0.4	0.3
	1904	0.2	1.2	0.6	0.4		0.2	0.1	0.7
	1905	0.8	0.3	0.1	0.7		0.3	0.3	0.9
Scurvy.....	1901			0.2				0.3	
	1902	0.5	0.3					0.1	
	1903	0.3		0.1	0.1		0.2	0.1	0.1
	1904	0.2	0.6		(1)		0.2	0.1	0.3
	1905	0.3						0.3	0.1
Other general diseases.....	1901			0.5	1.0	1.7		0.2	1.9
	1902	0.2		0.9	1.2	1.6		0.3	0.6
	1903		0.6	1.2	0.9		0.5	0.1	0.7
	1904			1.0	0.6		0.2	0.1	0.4
	1905	0.3		1.1	1.1	2.4	0.3	0.3	0.3
11.—Diseases of nervous system.....	1901	191.8	215.0	183.1	164.5	311.6	213.9	196.6	234.5
	1902	197.8	210.3	176.0	138.7	293.6	217.1	197.5	234.2
	1903	198.2	202.9	171.7	136.7	280.9	218.8	188.8	221.2
	1904	193.8	231.5	187.6	149.2	280.2	204.1	183.1	227.5
	1905	224.7	222.8	158.1	147.1	280.0	208.3	201.9	217.1
Encephalitis.....	1901	0.5	2.5	7.7	7.3	5.0	2.9	1.6	2.5
	1902	0.5	1.9	6.0	4.9	4.9	2.2	1.9	1.9
	1903	1.4	1.8	3.0	3.1	4.1	3.1	1.3	1.2
	1904	1.1	0.3	3.6	2.9	2.4	1.2	1.2	1.1
	1905	1.8	0.6	2.6	2.6	1.6	1.5	1.0	1.1

(1) Less than one-tenth.

SUMMARY AND RATE TABLES.

175

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.8	1.3	2.5	2.0	1.3	1.3	1.1	2.2	1.4	1.3	2.1	3.4
1.9	1.3	1.2	2.8	0.5	1.3	1.3	2.0	2.4			2.7
2.4	2.5	3.6	2.8	0.6	0.3	1.6	2.2	0.7		4.0	2.0
2.2	2.1		2.4	1.0	1.0	0.8	1.9	0.3	1.3	2.0	1.7
1.0	1.5	0.6	4.3	1.5	1.1	1.2	1.4	0.9			2.4
5.5	4.8	1.8	2.0	4.1	4.5	6.1	4.8	10.7	3.4	4.2	6.1
5.4	5.4	1.8	3.5	3.0	2.6	4.9	4.7	7.7	4.6		4.7
6.2	4.7	5.4	2.3	3.6	3.1	6.0	4.6	5.3	4.5	2.0	2.0
5.7	6.6	4.1	6.3	5.4	4.5	8.3	5.8	4.5	3.8	2.0	5.7
4.6	5.6	2.9	6.7	5.5	4.4	6.8	5.1	6.6	6.2	3.8	6.7
3.7	4.9	3.1	2.8	2.6	3.4	4.6	5.6	4.5	2.7	2.1	7.1
3.6	5.7	3.6	5.5	2.5	2.6	3.2	5.5	3.7	5.3	4.1	6.7
5.7	4.4	4.8	2.8	2.9	2.4	2.9	6.4	2.3	1.3	8.0	4.0
4.0	3.1	1.8	6.5	2.7	3.0	2.2	4.8	3.2	1.3	2.0	5.4
2.3	4.0	2.9	3.9	2.3	3.4	1.5	4.5	2.2	1.9	1.9	4.0
12.7	9.5	9.3	13.0	9.3	8.1	13.2	12.0	18.9	18.9	8.4	18.2
11.4	12.4	10.9	13.0	8.4	9.6	12.6	11.4	10.8	13.9	10.3	12.8
11.7	11.1	16.1	20.8	10.8	9.7	13.4	14.0	15.8	15.5	18.1	13.5
12.9	13.6	17.6	12.2	11.1	11.0	18.0	14.4	16.0	15.2	15.7	22.2
11.3	10.9	18.4	17.6	11.8	11.7	16.2	14.1	14.7	21.7	23.1	17.2
0.8	0.6		1.6	0.5	0.5	0.7	0.5				2.0
1.1	1.2		0.4	0.4	0.8	0.5	0.6	0.3			0.3
1.2	1.5	0.6	0.8	0.3	0.3	0.6	1.2	0.7	0.6		1.7
1.3	0.7		1.2	0.4	0.9	0.8	0.7	1.0			1.0
1.5	0.9	0.6	0.4	0.2	0.4	0.7	0.8	0.3			2.0
0.5	0.7		1.6	0.3	0.4	0.5	0.7			2.1	0.7
0.4	0.5		0.4	0.3	0.2	0.4	0.8	0.7			1.0
0.5	0.7	1.2	0.4	0.3	0.3	0.7	0.5		0.6		
0.7	0.7	1.2	0.1	0.2	0.2	0.5	0.9	0.6	0.6		1.3
0.1	0.4	0.6	0.4	0.2	0.5	0.4	0.6	0.6			
1.5	0.8		0.8	0.7	0.7	1.0	0.9	2.1			1.3
0.9	0.8	0.6	0.9	0.9	0.5	1.4	0.8	1.0	1.3		2.4
2.0	1.4		0.4	1.0	0.6	1.4	0.9		1.3	2.0	1.7
0.9	0.9	1.2	0.4	0.6	0.9	1.3	1.2	0.6	1.3	3.9	
2.3	1.2		0.8	1.3	1.2	1.6	0.9	0.6	1.2		0.7
8.0	7.0	18.6	10.3	3.5	2.9	3.3	4.9	3.8	6.7	10.5	10.1
6.5	5.8	13.4	10.6	3.2	3.9	3.3	3.5	2.6	6.4	5.2	9.1
6.9	6.5	12.5	4.8	3.7	3.8	2.8	6.5	5.9	10.3	4.0	6.1
8.4	8.7	5.9	9.0	3.4	3.7	3.5	7.1	6.1	5.7	5.9	11.8
10.9	10.0	12.7	10.6	3.8	2.5	3.2	6.6	1.6	3.7	7.7	10.1
3.3	2.1	3.7	2.4	8.3	3.2	7.4	3.7	6.2	10.1	6.3	3.4
3.4	3.2	1.2	3.5	10.7	2.8	7.3	3.4	6.7	6.6		2.4
3.3	4.1	7.1	6.7	11.3	4.0	8.7	4.9	8.2	5.8	8.9	3.4
4.6	3.9	5.3	5.4	11.8	4.0	6.8	9.3	7.4	9.5	7.8	2.7
4.6	2.8	7.5	3.5	9.9	4.5	8.5	3.9	9.7	13.0	9.6	4.7
0.3	0.1		0.3	0.7		0.3	0.2		0.7		0.7
0.1	0.2	1.2	0.4	0.7	0.2	0.3	0.2	0.3			0.3
0.4	0.1	1.2	0.8	0.2	0.1	0.4	0.3				
.....	(1)		0.4	0.4	0.1	0.3	0.2				0.3
.....			1.2	0.6	0.2	0.2	(1)	0.9	0.6		0.3
.....				0.1							
.....				0.1		(1)		0.3			
.....	0.1		0.2			(1)					
0.7	0.5	0.6	0.1	0.1	0.2	0.4	0.6		0.7	2.1	0.3
2.3	0.9	0.6	0.8	0.2	0.2	0.3	0.7	0.3			1.4
0.4	1.0		0.4	0.2	0.2	0.4	0.9	0.7		2.0	2.0
0.8	1.3		0.2	0.2	0.4	0.4	0.3		2.5		1.3
0.4	0.6	0.6	0.1	0.2	0.5	0.3	0.4	0.6			0.3
0.1	0.1	0.6	0.2	0.1	0.1	0.3	(1)		0.7		
0.1	0.2	0.6	0.2	0.2	0.2	0.2	(1)	0.1		2.0	0.3
0.4			0.6	0.1	0.1	0.3		0.3			1.0
0.1		0.6	0.2	0.2	0.3	0.3	0.1				
.....			0.2	0.3		0.2	0.1		0.6		
0.8	0.6	0.6	0.8	1.0	0.5	0.3	0.6				
0.7	0.9	0.6	0.4			0.2	0.7				
0.7	0.5	0.6	0.8	0.3		0.2	0.4	0.3			
0.8	0.7	1.2	1.6	0.2	0.4	0.2	0.5				
1.4	1.3	0.6	0.4	0.5	0.3	0.2	0.8				1.3
175.4	160.7	237.9	255.5	242.9	220.8	175.9	214.5	186.1	220.8	257.9	237.7
159.3	152.6	255.5	256.1	257.9	230.7	166.0	305.2	178.7	225.7	215.2	309.0
173.6	137.1	238.5	237.8	225.9	207.4	156.0	207.5	152.0	207.4	228.7	236.9
164.7	165.7	213.3	239.2	220.1	203.9	183.1	218.1	159.8	231.2	231.7	203.9
176.9	161.8	305.4	229.7	211.5	197.7	186.9	212.3	159.7	176.0	196.2	235.2
3.3	3.1	6.8	3.9	2.0	2.4	0.8	1.9	1.7	4.0	2.1	4.0
2.7	2.9	3.0	5.1	1.9	1.9	0.6	1.2	1.7	9.9	4.1	4.4
2.1	2.1	3.0	3.1	1.6	1.3	0.8	1.9	0.7			2.0
2.3	2.6	2.9	2.1	2.1	1.8	0.5	1.2	1.3	1.9	2.0	0.3
2.4	1.6	2.3	1.6	0.6	1.4	0.7	1.1	0.6	1.2	1.9	4.4

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Meningitis.....	1901	30.9	19.9	29.3	19.9	50.0	31.0	37.3	25.5
	1902	32.6	21.9	26.0	18.7	51.8	25.9	35.3	21.9
	1903	31.8	21.4	23.6	13.1	45.5	23.6	34.7	24.5
	1904	23.7	19.1	29.5	17.6	41.7	23.0	29.5	21.2
	1905	27.1	15.7	25.2	13.9	34.8	20.5	26.2	18.2
Epidemic cerebro-spinal meningitis.....	1901	7.1	4.7	4.9	7.5	5.8	7.3	5.4	4.7
	1902	6.5	4.3	3.8	3.2	0.8	5.3	6.2	4.7
	1903	6.7	5.2	3.1	6.4	8.9	5.9	5.5	4.9
	1904	23.1	15.5	6.5	5.8	4.0	2.9	5.5	4.3
	1905	32.1	18.4	5.7	5.4	7.1	4.3	20.9	10.0
Locomotor ataxia.....	1901	3.1	3.1	1.6	1.3	3.3	3.5	1.8	2.4
	1902	2.6	1.5	1.4	1.5	3.3	2.1	1.8	2.8
	1903	3.8	3.1	2.7	1.6	1.6	2.6	2.1	2.6
	1904	2.6	4.0	2.0	1.9	3.2	4.1	2.2	4.0
	1905	2.1	4.5	2.0	2.1	4.8	2.2	2.3	3.7
Other diseases of spinal cord.....	1901	3.8	6.5	5.4	4.6	7.5	5.7	4.8	6.2
	1902	4.1	6.8	5.1	3.8	6.6	5.9	5.3	5.1
	1903	7.1	4.0	5.6	4.8	4.9	7.7	4.8	6.5
	1904	5.0	5.5	4.9	5.6	6.4	7.6	5.1	6.6
	1905	4.4	7.2	5.9	4.9	3.2	7.2	6.1	7.8
Apoplexy.....	1901	79.6	100.4	53.9	43.2	93.4	82.4	71.4	93.3
	1902	86.6	103.0	57.7	40.0	108.5	93.6	76.5	95.1
	1903	88.7	104.7	54.4	45.3	98.2	98.4	75.9	101.9
	1904	86.2	100.0	57.0	48.4	110.7	98.5	82.0	114.5
	1905	98.8	119.4	52.7	49.2	96.6	101.9	87.6	105.9
Softening of brain.....	1901	5.5	11.8	4.1	4.5	2.5	5.7	2.5	6.5
	1902	4.1	9.0	3.8	4.4	2.5	7.2	2.5	5.7
	1903	2.5	8.3	3.4	4.7	0.8	5.9	2.6	4.9
	1904	3.0	11.2	3.5	4.7	4.0	6.0	3.1	3.7
	1905	2.1	7.5	2.8	4.8	4.0	4.1	2.0	3.1
Paralysis.....	1901	12.3	22.4	29.0	36.1	43.3	34.6	19.2	32.9
	1902	9.9	19.5	24.8	29.5	24.7	31.3	10.8	29.4
	1903	10.3	17.7	26.9	29.3	26.0	30.4	16.1	27.1
	1904	10.7	17.9	30.9	30.8	32.9	23.3	13.6	20.8
	1905	8.7	16.6	24.3	30.3	27.7	20.8	12.0	19.5
General paralysis of insane.....	1901	6.5	4.0	5.4	5.8	13.3	4.3	9.4	11.8
	1902	10.1	4.3	7.1	4.1	7.4	6.0	9.1	13.9
	1903	7.0	4.0	9.8	4.0	7.3	7.7	8.1	10.9
	1904	6.7	5.5	7.8	4.0	16.0	5.8	8.2	11.5
	1905	10.2	3.6	3.9	7.0	21.4	6.8	8.6	12.0
Other forms of mental disease.....	1901	3.8	2.2	2.1	2.4	48.3	4.3	3.2	5.5
	1902	2.9	3.1	4.3	2.2	44.4	3.3	3.5	6.9
	1903	1.9	2.7	4.0	1.4	39.8	2.4	3.2	7.4
	1904	1.9	3.4	6.2	2.6	33.7	3.9	2.9	6.9
	1905	2.9	3.6	2.6	2.3	48.3	2.7	2.9	6.0
Other diseases of brain.....	1901	5.0	6.2	4.8	4.4	10.0	7.6	7.2	8.3
	1902	4.4	4.0	5.1	2.5	9.1	9.1	5.5	6.6
	1903	4.4	5.8	3.0	3.1	10.6	5.3	5.0	5.5
	1904	3.6	3.0	4.3	3.3	4.0	5.7	4.8	6.6
	1905	4.9	6.0	3.6	3.4	6.3	7.2	4.8	4.3
Epilepsy.....	1901	5.0	5.0	6.1	5.2	8.3	3.6	3.6	7.2
	1902	4.9	8.6	4.5	5.2	9.9	3.6	3.3	7.7
	1903	6.5	5.5	6.4	5.0	8.1	5.0	3.5	6.2
	1904	3.6	7.3	6.1	5.2	8.0	2.6	3.8	10.3
	1905	5.2	5.4	4.4	5.9	11.9	4.4	3.6	8.0
Convulsions (nonpuerperal).....	1901	0.7	0.6	1.1	1.1	1.7	1.6	1.5	1.5
	1902	0.8	0.9	1.7	0.8		2.4	1.2	1.6
	1903	0.6		2.1	0.4	2.4	1.0	1.7	0.6
	1904	1.4	1.2	2.3	0.7		2.2	0.9	0.4
	1905	0.9	0.3	1.7	0.8	0.8	0.9	1.0	1.3
Convulsions of children.....	1901	19.4	16.5	20.2	12.6	15.0	12.0	21.1	19.4
	1902	19.8	13.9	14.2	10.1	14.8	14.2	20.0	14.9
	1903	16.1	9.2	14.6	7.9	14.6	11.5	17.1	12.3
	1904	15.2	12.5	15.8	8.9	15.2	9.8	13.9	9.3
	1905	16.0	7.2	11.1	8.0	15.8	10.8	15.9	10.8
Tetanus.....	1901	2.0	3.1	3.2	2.4	1.7	0.5	2.0	1.5
	1902	3.6	1.2	4.6	2.7	0.8	1.0	1.8	0.9
	1903	3.6	4.0	4.3	2.1	4.1	1.0	1.2	1.2
	1904	2.6	1.8	4.3	2.8	2.4	1.7	1.2	1.0
	1905	3.0	2.4	3.9	2.3	2.4	1.0	1.3	1.8
Chorea.....	1901	0.3	0.9	0.3	0.7			0.4	0.3
	1902	0.6		0.2	0.3	0.8	0.3	0.2	0.3
	1903		0.3	0.1	0.3		0.2	0.3	
	1904	0.5	0.3		0.4		0.2	0.4	
	1905			0.4	0.5			0.2	0.3
Other diseases of nervous system.....	1901	4.0	3.7	3.3	5.0	2.5	0.4	2.5	4.4
	1902	3.2	5.6	5.1	4.1	3.3	3.5	2.2	4.2
	1903	2.4	3.4	3.7	3.4	3.2	6.4	2.6	3.9
	1904	1.1	1.8	2.0	2.7	5.6	8.1	2.6	3.4
	1905	2.4	3.6	3.2	2.6	2.4	5.3	2.3	3.0

SUMMARY AND RATE TABLES.

177

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
16.7	10.5	55.6	23.7	52.3	23.7	28.3	19.1	41.6	39.8	56.6	30.0
13.5	8.6	32.8	30.3	48.3	20.1	24.4	15.0	39.0	26.4	69.7	25.9
13.5	8.6	44.1	22.4	44.3	23.3	20.4	15.9	16.4	15.5	44.2	19.9
13.6	8.2	41.0	18.4	36.7	18.2	22.2	17.0	14.1	10.1	66.8	20.6
16.0	9.9	67.4	18.8	28.7	18.9	16.2	15.6	10.7	8.1	34.6	17.5
5.5	5.8	3.7	4.3	4.0	3.8	6.6	4.8	7.9	2.7	8.4	6.7
6.9	5.0	5.5	6.3	4.9	2.9	7.0	4.2	7.4	7.3	4.1	3.0
6.6	4.6	6.3	5.5	5.3	5.3	7.6	5.0	10.8	3.2	6.0	3.4
6.3	5.4	2.3	3.9	16.3	5.6	28.0	5.8	10.9	13.3	7.8	5.0
7.7	6.2	55.3	16.8	30.7	10.6	41.1	8.9	21.3	8.1	11.5	8.4
1.1	1.0	2.5	2.8	2.2	2.6	2.6	2.2	2.4	4.7	2.1	1.3
2.2	2.4	2.4	3.2	1.5	1.8	2.2	2.2	6.0	2.0	4.0	4.0
3.2	2.8	2.4	3.9	2.5	2.4	2.1	2.0	1.6	3.9	4.0	4.0
2.1	2.8	1.8	3.1	1.8	2.8	2.5	1.6	1.3	1.6	2.7	2.7
3.4	2.3	2.9	1.2	2.0	2.8	2.0	2.6	1.3	3.7	3.8	3.4
4.4	5.5	9.9	6.7	4.6	4.1	4.0	5.2	5.8	8.1	4.2	8.4
5.5	5.2	7.9	5.1	4.6	3.9	4.4	4.7	2.4	2.6	10.3	9.1
4.3	5.3	4.2	6.3	5.1	5.6	5.1	7.1	4.6	5.2	8.0	6.7
5.4	5.1	5.3	7.5	5.7	5.5	4.7	6.0	5.5	9.5	7.1	7.1
7.6	4.7	3.5	9.0	5.2	5.6	4.5	6.2	4.7	5.6	3.8	8.1
51.5	52.9	64.8	97.2	85.4	84.7	74.9	93.6	84.0	102.6	90.1	106.1
49.8	53.5	77.7	112.6	85.2	77.4	72.4	97.2	86.0	105.6	73.8	101.3
58.3	57.0	73.3	114.0	86.2	77.8	68.7	100.3	73.5	100.1	76.3	120.8
55.7	60.4	75.0	114.5	81.6	81.5	73.7	107.0	85.3	105.0	88.4	105.7
56.8	58.1	84.7	111.9	84.7	82.0	75.1	103.0	85.0	89.8	86.5	129.9
2.5	5.0	1.8	9.1	3.5	5.9	2.0	4.8	2.8	4.0	8.1	8.1
1.1	4.3	4.9	3.7	3.7	7.8	1.7	5.1	2.0	4.6	4.4	4.4
3.0	3.7	2.1	13.0	2.3	3.9	2.4	5.5	4.3	3.2	8.0	7.4
2.6	4.9	4.7	7.5	2.9	4.9	2.5	4.8	2.6	3.2	3.9	5.0
3.7	2.9	4.0	5.5	2.8	5.1	1.3	3.7	0.9	3.7	1.9	5.7
22.8	33.5	37.7	39.5	16.0	35.4	10.1	37.3	15.1	20.9	33.5	22.9
21.2	29.9	31.0	34.3	16.1	32.1	9.1	30.1	12.4	18.5	10.3	14.8
21.2	34.8	29.2	29.5	14.6	34.3	9.2	29.3	11.8	15.5	16.1	22.2
20.9	31.7	28.7	33.7	14.1	34.6	8.6	29.3	10.6	20.9	11.8	16.5
24.4	32.0	25.4	23.5	11.7	25.1	7.9	27.5	12.6	16.1	5.8	16.1
10.5	4.5	11.1	13.4	3.8	9.3	5.8	10.8	3.4	18.2	6.3	9.7
9.5	6.6	9.1	8.3	4.7	8.8	6.8	12.0	5.0	19.8	5.4	5.4
9.6	5.3	11.3	9.0	5.4	9.5	5.5	11.6	3.6	17.4	12.9	6.7
10.6	5.7	6.4	11.0	6.1	9.5	6.6	13.2	4.2	19.6	7.8	7.1
8.9	7.2	9.2	9.8	3.7	11.4	6.8	12.1	6.3	17.3	7.7	7.7
4.8	2.5	5.0	10.7	2.8	3.4	4.6	3.8	1.4	3.4	4.2	3.4
3.6	2.0	6.7	7.1	1.9	4.4	3.9	3.5	0.3	7.3	4.1	1.4
5.4	3.3	10.7	3.2	3.2	4.3	3.1	4.0	1.6	9.0	2.0	5.1
4.0	3.5	7.6	6.3	2.3	4.3	2.4	3.3	1.6	5.7	3.9	1.7
1.9	2.4	12.7	7.0	3.2	2.8	1.8	4.0	1.6	5.0	5.0	5.0
7.7	4.8	9.3	9.5	4.6	3.6	3.1	4.7	3.4	4.0	4.2	6.7
4.4	3.5	12.1	7.5	4.2	4.0	3.5	3.9	4.4	4.6	4.1	7.0
6.7	3.3	14.9	3.5	4.0	3.2	4.2	3.9	2.3	5.8	8.0	8.4
4.6	3.5	8.2	7.8	4.7	2.3	3.7	4.6	4.2	0.6	3.9	5.7
5.8	4.5	9.8	2.7	4.3	3.9	3.4	4.2	2.2	2.5	7.7	5.4
6.2	7.8	0.6	6.7	3.5	4.8	3.6	6.4	3.4	10.1	6.3	7.4
5.7	6.4	5.5	7.1	3.3	4.3	3.8	6.0	2.4	7.9	4.1	8.7
5.5	6.1	3.6	5.1	3.5	5.1	4.1	6.0	5.3	9.7	6.0	10.1
4.0	6.2	5.3	6.7	3.5	4.9	4.0	6.5	3.2	8.2	2.0	7.7
4.4	4.8	2.9	5.5	3.2	4.8	3.2	5.8	3.5	3.7	5.8	6.4
1.0	1.0	3.1	3.9	2.1	2.6	0.4	1.0	0.7	0.7	0.7	0.7
0.8	0.8	3.0	1.6	2.8	1.2	0.3	0.9	1.3	1.3	2.0	1.4
1.1	1.0	1.2	1.2	3.6	1.9	0.4	0.8	0.3	0.3	2.0	1.0
1.2	1.0	2.9	0.4	1.8	1.2	0.3	1.1	0.3	0.3	1.0	1.0
0.8	1.5	1.2	1.2	1.7	1.5	0.3	1.1	0.3	0.3	0.3	0.3
31.6	16.4	23.5	13.8	49.3	27.5	23.6	12.3	8.3	6.1	25.2	16.3
26.5	14.4	29.7	14.5	47.1	25.2	20.0	13.8	8.4	6.6	24.6	13.1
25.8	13.3	23.3	10.6	38.3	22.2	16.4	10.3	6.9	7.8	20.1	12.1
26.7	14.9	13.5	10.2	30.8	16.3	17.3	11.1	7.4	7.0	15.7	9.4
27.9	18.7	16.7	8.2	25.1	16.4	16.3	10.5	4.7	6.2	21.2	8.1
1.5	1.0	2.4	2.4	3.8	4.8	2.3	1.9	1.7	0.7	4.2	1.7
2.0	1.1	2.4	1.6	4.4	3.3	2.0	1.4	0.7	0.7	1.7	1.7
3.7	1.6	1.8	2.0	3.3	4.5	2.0	2.6	1.3	1.3	12.0	0.7
0.8	1.5	1.2	2.0	3.4	2.1	2.0	1.3	0.6	0.6	3.9	3.0
1.1	0.9	0.6	0.4	1.7	2.1	1.5	1.6	0.6	0.6	1.7	1.7
0.7	0.5	0.6	0.4	0.1	0.1	0.2	0.1	0.3	0.3	0.3	0.3
0.1	0.6	0.6	0.4	0.3	0.1	0.2	0.2	0.3	0.3	0.3	0.3
0.4	0.4	0.6	0.8	0.3	0.1	0.2	0.4	0.4	0.4	0.3	0.3
0.4	0.6	0.6	0.4	0.1	0.1	0.2	0.4	0.4	0.4	0.3	0.7
2.1	3.0	2.5	6.7	1.5	1.6	1.5	4.0	1.4	1.3	6.3	3.4
2.2	3.5	1.2	3.2	2.8	1.5	1.8	2.9	1.0	1.3	2.0	4.4
2.0	2.5	3.0	4.7	1.8	1.6	1.7	2.3	1.0	3.9	2.0	5.1
1.8	2.7	1.2	2.7	1.7	2.6	2.4	2.4	2.5	2.5	5.9	4.4
2.5	2.4	3.5	5.5	1.5	2.4	1.8	3.5	0.9	0.6	3.8	5.7

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.							
	Connecticut.		Indiana.		Maine.		Massachusetts.	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of eye and adnexa	1901		0.2				(1)	0.3
	1902	0.3						0.3
	1903		0.1	0.1		0.2		
	1904	0.3				0.2	0.1	
	1905	0.2		0.1				0.1
Diseases of ear	1901	2.3	1.5	0.5		0.5	1.6	0.6
	1902	0.6	0.3	0.6		0.2	1.2	0.4
	1903	3.0	1.8	0.9	0.8	0.5	1.7	0.3
	1904	1.5	1.2	0.9		0.3	1.9	1.6
	1905	2.0	0.3	1.2		0.5	3.4	0.3
III.—Diseases of circulatory system	1901	152.6	181.8	116.2	91.2	202.5	169.3	201.3
	1902	161.1	183.5	123.5	92.0	176.2	192.5	191.4
	1903	174.8	191.9	128.6	105.6	196.5	183.2	189.0
	1904	171.7	209.9	138.2	114.4	230.1	200.9	245.4
	1905	190.3	218.6	140.4	118.8	207.4	193.4	260.5
Pericarditis	1901	1.6	1.5	3.7	3.3			
	1902	0.8	0.9	3.2	1.9	0.8	3.1	1.3
	1903	1.0	1.2	2.8	2.1	0.8	4.5	1.6
	1904	1.4	1.5	3.2	2.6	0.8	1.0	1.2
	1905	1.1	1.2	2.2	1.7	0.8	1.4	1.8
Endocarditis	1901	10.8	5.6	6.5	2.8	2.5	2.1	11.4
	1902	12.0	6.2	8.2	3.6	0.8	4.3	12.9
	1903	13.0	3.4	6.1	2.6	4.9	4.6	13.4
	1904	12.9	6.1	8.4	3.2	10.5	6.0	14.6
	1905	13.4	5.7	7.1	3.7	10.3	4.6	17.6
Heart disease	1901	117.0	150.8	84.5	70.6	174.2	142.1	141.5
	1902	122.7	153.3	90.3	71.6	167.0	143.1	159.9
	1903	132.2	154.5	100.6	86.0	154.3	151.6	190.9
	1904	131.7	177.1	105.9	93.1	191.6	151.3	154.1
	1905	142.7	180.6	108.6	96.7	167.0	160.7	207.3
Angina pectoris	1901	6.3	9.7	5.6	5.5	10.8	11.1	6.2
	1902	7.6	8.6	5.1	5.9	4.9	11.0	6.2
	1903	6.7	13.5	5.6	6.1	12.2	13.9	7.1
	1904	5.9	8.5	6.2	6.1	9.6	11.3	6.4
	1905	8.8	7.5	6.1	5.9	11.9	11.5	6.3
Diseases of arteries	1901	8.5	6.2	6.7	3.1	4.2	3.3	9.0
	1902	7.8	7.1	7.9	4.2	5.8	4.8	10.7
	1903	12.3	10.1	7.1	4.0	8.1	4.3	12.2
	1904	10.4	8.8	7.5	4.5	8.0	5.7	16.7
	1905	16.4	14.5	8.0	5.4	6.3	6.7	20.1
Embolism and thrombosis	1901	4.6	5.9	1.3	1.5	7.5	4.2	6.6
	1902	6.8	4.6	2.0	1.1	6.6	5.2	6.2
	1903	5.7	4.9	2.0	1.5	8.1	4.0	5.8
	1904	6.8	6.4	2.8	2.0	5.6	6.7	4.7
	1905	5.5	6.9	3.0	1.9	7.9	5.1	4.9
Diseases of veins	1901	0.5	0.6	1.1	0.5	0.8	0.5	0.7
	1902	0.8	0.3	0.2	0.2	0.8	0.2	0.6
	1903	0.5	0.6	0.3	0.3	0.8	0.5	0.4
	1904	0.8	0.3	0.3	0.2	0.8	0.5	0.8
	1905	0.3	1.2	0.7	0.8	1.6	0.7	0.7
Diseases of lymphatics	1901			0.3	(1)			0.2
	1902	0.2			(1)			(1)
	1903		0.6	0.3	0.2		0.2	0.3
	1904	0.1		0.1	(1)	0.8	0.2	0.4
	1905	0.2		0.1	0.2			0.3
Hemorrhages	1901	3.0	1.5	4.9	3.3	1.7	2.9	3.4
	1902	2.4	1.9	4.2	2.8	4.1	2.9	4.1
	1903	2.8	3.1	2.4	2.0	7.3	2.1	3.8
	1904	1.6	1.2	2.8	2.5	2.4	4.1	1.8
	1905	1.8	0.6	3.2	1.8	1.6	2.6	2.4
Other diseases of circulatory system	1901	0.3		1.6	0.6			0.1
	1902		0.6	2.6	0.7			0.1
	1903			0.9	0.8		0.5	0.1
	1904	0.1		1.0	0.2		0.3	(1)
	1905	0.2	0.3	1.4	0.7		0.2	
IV.—Diseases of respiratory system	1901	201.6	188.0	186.0	165.5	200.8	193.5	223.8
	1902	184.5	157.0	156.9	127.8	233.5	182.7	231.8
	1903	204.7	184.8	158.6	111.7	228.1	180.3	237.7
	1904	195.8	173.7	179.2	145.3	234.1	191.2	218.6
	1905	202.6	164.6	149.8	131.2	190.8	187.7	218.5
Diseases of nasal fossa	1901		0.3	0.2	0.5		0.2	
	1902		0.3		0.2			(1)
	1903	0.1	0.3	0.3	0.5			0.2
	1904			0.1	0.3			0.2
	1905			0.3	0.2	0.8	0.5	0.2
Laryngitis	1901	1.2	2.2	1.9	1.9	3.3	1.6	1.7
	1902	1.3	1.9	2.5	1.0	8.3	1.0	1.2
	1903	1.0	1.8	0.7	1.0	2.4	0.9	1.2
	1904	0.6	1.2	1.4	1.0		2.1	1.0
	1905	1.4	0.9	0.6	0.5		0.7	0.6

¹ Less than one-tenth.

SUMMARY AND RATE TABLES

179

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.1	0.1		0.4	0.2	0.1	(1)	0.1				
0.2	0.2			0.1	0.1	(1)	(1)	0.3		2.0	
0.3	0.3	0.6	0.4	0.2		0.1	(1)				0.3
0.1	0.1		0.4		0.1						0.3
1.1	0.9		0.4	0.5	0.5	1.5	0.8	0.7		4.2	0.7
1.6	0.8		0.8	0.5	0.1	2.0	0.5	0.3	0.7		0.3
1.2	1.3	1.8	0.4	0.3	0.3	2.0	0.6	4.3	3.9		1.0
1.7	1.7	4.1	0.8	1.1	1.3	2.3	0.7	2.9	2.5	2.0	0.7
1.1	0.8	3.5	0.4	0.7	0.8	2.1	0.7	2.5	3.1		0.3
122.2	138.7	168.7	199.0	148.9	132.5	151.9	176.7	157.2	170.7	151.0	179.1
153.4	145.3	174.2	214.3	156.3	141.2	159.1	183.2	172.7	160.3	139.4	176.4
148.5	153.6	190.8	232.7	152.3	144.4	163.8	197.6	164.4	191.4	170.5	208.3
155.1	168.0	171.1	242.0	163.4	154.4	182.0	225.6	168.4	192.9	178.7	202.6
156.2	162.2	191.9	238.3	159.6	152.0	179.1	212.7	168.8	187.7	173.1	223.0
1.4	2.3	3.1	2.0	1.9	1.4	1.8	1.5	2.4		6.3	2.4
1.9	1.9	3.0	3.9	1.9	2.3	1.9	1.7	1.0	2.6	2.1	1.7
0.9	2.1	0.6	2.0	1.6	1.8	1.5	2.2	1.0	3.9		2.0
2.2	2.0	1.8	1.2	2.2	0.7	1.5	1.7	1.6	1.3	2.0	2.7
2.2	1.9	1.7	1.2	1.1	0.7	1.3	1.2	0.6	1.9	1.9	1.7
4.8	3.9	5.0	8.3	17.4	6.0	20.8	4.9	12.0	6.1	4.2	4.7
5.7	3.1	7.3	5.5	17.3	8.3	22.3	5.2	10.1	6.6	6.2	8.4
6.3	3.1	3.0	3.5	19.7	6.3	14.0	6.3	11.8	7.8	4.0	7.4
7.1	4.2	10.0	6.3	24.5	10.4	16.0	5.6	9.9	5.7	5.9	7.8
5.6	4.5	4.0	5.5	23.7	9.8	17.5	6.7	19.8	6.2	11.5	6.7
98.5	113.8	134.6	157.2	108.8	107.7	110.4	148.7	129.0	140.3	119.5	146.5
122.6	130.8	134.8	170.6	112.3	113.3	114.0	154.3	140.4	133.3	106.6	134.7
119.7	130.5	162.2	200.1	108.6	115.8	124.6	161.8	133.3	156.3	126.4	172.3
122.9	142.6	139.5	200.0	115.5	123.3	141.1	186.8	134.1	162.6	143.3	167.9
120.5	132.3	156.2	208.9	114.6	118.4	133.9	177.0	123.3	153.7	128.8	179.0
4.8	8.8	12.3	11.0	7.2	5.8	4.7	9.8	3.1	14.2	8.4	13.1
8.2	9.1	9.7	14.2	7.4	5.6	5.3	9.4	3.7	11.2	8.2	14.2
7.9	8.7	9.5	10.6	6.4	8.5	5.3	9.7	7.5	5.8	10.1	11.1
7.1	8.5	10.5	16.1	6.9	6.7	4.9	9.9	6.7	7.6	15.7	6.7
8.6	9.8	8.6	14.1	5.4	6.9	5.6	8.8	7.2	11.2	7.7	13.8
5.5	4.3	5.0	3.9	4.8	4.7	6.7	4.4	4.5	3.4	2.1	4.0
8.5	5.7	6.7	6.7	7.4	4.8	9.2	3.3	5.4	5.9	2.0	4.0
7.2	5.8	3.6	6.3	6.6	3.5	10.1	8.1	6.2	10.3	12.0	7.8
9.2	6.1	2.3	8.2	6.7	6.4	11.1	11.0	9.9	12.7	2.0	6.7
9.4	7.6	5.8	3.5	6.8	8.4	13.8	10.8	12.2	9.3	11.5	13.1
2.6	2.6	5.0	9.5	4.5	4.7	4.4	4.0	3.4	2.7	6.3	4.7
4.0	1.8	8.5	8.3	5.5	4.1	3.4	4.7	5.7	3.3	4.1	9.4
3.2	1.5	6.5	6.3	5.4	3.4	5.6	5.9	2.3	5.2	12.0	3.4
3.6	2.2	4.1	6.3	3.7	3.9	5.1	5.8	2.6	2.5	7.8	5.7
4.4	2.1	11.5	4.3	4.9	6.2	4.5	5.6	4.4	2.5	5.8	5.0
1.0	0.3		0.4	0.5	0.5	0.4	0.6	0.7	2.0		
0.5	0.5		0.4	0.4	0.1	0.7	0.4	1.3	0.7		
0.3	0.5			0.5	0.9	0.6	0.5	0.3	2.6		0.3
0.7	0.5	0.6	0.8	0.4	0.6	0.7	0.7	1.0			0.7
0.6	0.6		0.4	0.7	0.2	0.9	0.5	0.6	1.2		
0.3	0.3	0.6	0.4	0.3	0.1	0.2	(1)	0.3		2.0	
0.3	0.3			0.4	0.1	0.2	0.2	0.3			
0.3	0.1			0.3	0.1	0.3	0.2	0.3			0.3
0.6	0.2			0.5	0.2	0.3	0.2	0.6		1.9	0.7
2.9	2.3	3.1	5.9	3.5	2.0	2.3	2.5	1.7	0.7	4.2	3.4
1.6	1.8	3.0	4.7	3.6	2.6	2.2	1.0	2.4	0.7	8.2	4.7
2.6	1.1	4.8	3.9	3.0	2.1	1.7	2.6	1.6	2.6	4.0	4.0
2.3	1.4	2.3	3.1	3.0	2.5	1.8	2.7	1.9	0.6	2.0	4.1
4.3	2.8	4.0	0.4	2.3	1.0	1.3	1.7	0.6	1.9	3.8	2.4
0.4	0.1		0.4			0.1	0.1		1.3		0.3
0.1	0.3	1.2		0.1		0.1	0.1	0.3			0.3
0.1	0.3	0.6		0.2		0.1	0.3			2.0	
	0.4			0.1		0.1	0.2				
	0.4				0.1	(1)	0.2				
208.6	167.7	241.0	215.2	258.9	176.8	314.1	184.1	230.9	227.4	226.4	228.2
203.6	143.1	258.6	180.9	264.6	164.2	304.9	154.0	234.5	201.3	217.3	221.8
190.1	139.0	210.5	196.1	219.1	161.3	289.1	160.2	275.4	211.6	276.8	192.2
172.5	146.5	204.0	178.4	203.6	193.0	335.7	164.3	247.4	234.7	210.1	208.6
171.0	137.3	201.1	161.2	238.8	165.0	266.9	165.3	256.6	248.5	248.1	230.7
0.7	0.7		0.4	0.1	0.5	0.2	0.4				
0.5	0.7			0.2		0.1	0.1				
0.1	0.8				0.1	(1)	(1)				0.3
0.3	0.5		0.8			0.1	0.3				0.3
	0.7					0.1	0.5	0.3			0.7
1.6	1.5	3.1	0.4	2.5	2.0	1.5	0.8	2.8	1.3	4.2	2.0
2.2	1.0	0.6	1.2	3.0	1.1	1.6	1.0	1.7	2.6	6.1	2.0
0.8	0.8	1.8	1.6	2.3	1.3	1.1	1.1	3.3	0.6	2.0	1.4
1.0	0.6		1.2	1.7	1.1	1.1	1.9	1.3	1.3		1.0
0.8	0.6	1.2	0.4	1.5	0.9	0.6	0.9	0.3	0.6	1.9	0.3

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of larynx.....	1901	0.3	2.2	1.3	0.4		0.9	1.1	0.4
	1902	1.0	0.6	1.4	0.6	1.6	0.9	1.4	1.0
	1903	1.9	0.3	1.2	0.8	1.6	1.0	1.3	0.1
	1904	0.9	1.8	1.0	0.8	1.6	0.5	1.3	0.7
	1905	0.6	1.5	1.5	0.7	1.6	0.2	1.0	0.9
Diseases of thyroid body.....	1901	0.3		0.5	0.2	0.8	0.5	0.2	0.3
	1902	0.2	0.3	0.2	0.4	0.8	0.2	0.1	0.7
	1903				0.1		0.5	0.4	0.4
	1904			0.4	0.4			0.3	0.3
	1905	0.5	0.3	0.3	0.2	0.8	0.2	0.2	0.7
Acute bronchitis.....	1901	28.2	22.7	12.2	10.5	25.9	15.2	23.1	18.7
	1902	26.0	18.2	11.4	8.0	19.8	19.4	27.7	15.3
	1903	23.2	21.4	12.2	9.2	17.1	17.2	22.8	18.1
	1904	19.9	18.8	10.4	8.2	25.7	15.9	22.4	15.9
	1905	20.4	16.0	9.0	0.5	13.5	13.8	21.7	12.8
Chronic bronchitis.....	1901	17.4	18.3	16.4	9.1	15.8	13.2	19.7	18.1
	1902	13.0	10.8	13.0	9.3	11.5	15.7	18.8	18.0
	1903	15.3	23.0	13.2	7.9	8.1	13.2	19.4	15.2
	1904	12.0	14.9	12.7	9.8	15.2	13.2	17.8	18.9
	1905	14.7	16.0	11.3	8.9	11.0	17.1	16.6	22.1
Bronchopneumonia.....	1901	26.7	22.4	15.0	17.5	18.3	14.4	29.0	13.8
	1902	23.5	16.3	14.3	12.6	28.8	13.6	34.3	14.2
	1903	28.7	19.9	19.2	12.7	26.8	17.7	33.6	22.0
	1904	26.2	19.4	23.7	19.6	25.7	21.6	32.8	21.5
	1905	28.3	20.5	19.2	15.6	30.1	21.7	30.1	21.2
Pneumonia.....	1901	111.7	100.1	106.0	101.3	110.0	126.5	128.1	125.2
	1902	102.5	92.5	86.2	75.2	142.3	116.0	128.1	107.5
	1903	111.1	101.9	86.4	62.6	155.1	114.1	133.6	109.4
	1904	116.4	100.9	108.2	86.5	145.1	120.6	126.4	105.9
	1905	117.2	95.0	86.4	79.1	119.5	118.7	131.5	107.3
Pleurisy.....	1901	3.3	6.8	2.0	1.9	5.0	2.4	4.7	4.7
	1902	4.7	2.8	3.4	2.3	4.1	1.5	4.5	4.4
	1903	6.5	2.5	2.2	2.1	4.9	1.9	5.2	3.9
	1904	5.9	4.3	2.5	1.8	2.4	2.7	5.3	4.6
	1905	5.2	4.5	3.6	1.9	1.6	3.9	6.2	2.8
Congestion of lungs.....	1901	8.0	7.8	12.6	10.9	9.2	10.0	8.1	7.4
	1902	5.0	6.2	13.2	8.0	12.3	6.7	8.4	8.8
	1903	10.8	10.4	12.8	7.7	8.9	6.0	8.3	5.4
	1904	8.2	6.7	8.5	8.8	7.2	6.5	6.3	7.2
	1905	8.1	7.5	6.8	7.9	5.5	5.6	5.2	4.1
Gangrene of lungs.....	1901	0.5	0.9	0.5	0.1		0.3	0.6	0.6
	1902	0.3		0.3	0.2		0.5	0.8	0.7
	1903	0.3	0.3		0.2		0.2	0.4	0.3
	1904	0.2	0.3	0.3	0.3	0.8	0.8	0.4	0.4
	1905	0.3		0.7	0.5		0.2	0.5	0.1
Asthma.....	1901	1.2	2.8	7.9	4.3	2.5	4.7	2.5	2.9
	1902	3.2	3.1	5.1	4.0	1.6	2.4	2.5	1.8
	1903	1.4	1.2	3.6	2.3	0.8	4.0	2.4	3.3
	1904	3.1	0.9	4.6	2.8	2.4	3.3	1.8	2.3
	1905	3.2	0.6	4.0	2.0	1.6	1.5	1.9	2.1
Emphysema.....	1901	1.0	1.2	1.1	0.4		0.5	0.5	0.3
	1902	0.6	0.6	0.6	0.8		0.3	0.3	0.7
	1903	1.7		1.0	0.5		0.5	0.3	0.4
	1904	0.2	0.6	0.0	0.5	0.8	0.2	0.1	0.3
	1905	0.3		0.4	0.6	0.8	0.3	0.2	0.3
Hemorrhage of lungs.....	1901	1.3	0.3	2.1	1.8	5.8	0.9	2.3	2.8
	1902	1.3	1.2	2.6	1.8	1.6	2.8	1.8	2.6
	1903	1.1	0.0	2.4	1.2		0.9	2.1	0.4
	1904	0.2	0.9	1.7	1.5	6.4	1.7	1.4	0.6
	1905	0.6	0.6	2.8	1.3	1.6	1.0	1.7	1.6
Other diseases of respiratory system.....	1901	0.5	0.0	4.5	4.7	3.3	2.2	2.0	1.3
	1902	1.0	2.2	2.8	3.4	0.8	1.7	1.9	1.8
	1903	1.6	0.9	3.4	2.9	2.4	2.2	1.6	1.2
	1904	1.1	3.0	2.8	3.0	0.8	2.1	1.6	0.9
	1905	2.0	0.6	2.0	2.4	1.6	1.4	1.0	0.9
V.—Diseases of digestive system.....	1901	207.2	153.2	178.4	165.6	178.3	172.7	211.4	143.2
	1902	213.0	165.6	172.4	152.5	150.3	136.5	205.5	133.5
	1903	207.1	161.3	177.1	140.2	179.4	151.0	208.8	139.4
	1904	224.8	172.8	180.8	146.4	165.9	151.4	203.8	142.4
	1905	238.5	184.8	167.2	157.7	179.7	183.1	220.5	160.9
Diseases of mouth.....	1901	1.0	2.2	1.6	1.2		0.5	0.6	
	1902	0.6	0.3	1.7	0.8		0.8	0.3	0.3
	1903	0.6	0.3	1.0	0.7	0.8	0.7	0.4	0.3
	1904	1.1	0.3	0.9	0.8			0.5	0.1
	1905	0.8	0.9	1.0	0.6	1.6	0.5	0.6	0.7
Tonsillitis.....	1901	0.5	0.9	0.8	2.1	0.8	1.0	0.4	0.4
	1902	1.5	0.3	1.4	1.8	0.8	0.8	0.3	0.4
	1903	1.8	0.6	0.7	1.3		1.9	0.4	0.9
	1904	0.5	0.6	0.9	1.2	0.8	0.8	0.7	0.9
	1905	0.3	1.2	0.4	1.3	1.6	0.7	0.7	1.6

SUMMARY AND RATE TABLES.

181

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.7	1.1	4.9	0.8	2.3	1.0	1.2	0.7	3.1	1.3	0.7	0.7
0.9	0.5	1.2	0.8	2.5	0.4	1.1	0.8	2.0	1.3	2.0	2.7
0.9	1.1	4.2	0.4	1.8	1.3	1.1	0.7	1.0	2.6	1.0	1.0
1.0	0.7	2.9	1.2	1.8	0.4	1.2	0.5	1.3	1.9	2.0	1.7
1.3	1.1	1.2	0.4	1.5	1.1	0.9	1.0	0.6	3.1	0.3	0.3
0.5	0.6	0.4	0.4	0.2	0.2	0.2	0.1	0.3	0.7	0.3	0.3
0.3	0.1	0.2	0.2	0.1	0.1	0.3	0.3	0.3	0.7	0.7	0.7
0.4	0.1	0.2	0.2	0.1	0.1	0.2	0.5	0.3	1.3	0.3	0.3
0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.2	0.6	0.6	0.6	0.6
0.4	0.4	0.4	0.4	0.2	0.1	0.3	0.4	0.4	1.9	1.9	1.9
29.6	17.4	26.0	17.4	25.2	14.8	33.7	17.4	34.1	27.0	35.6	19.8
28.8	15.3	33.4	17.7	24.8	15.5	38.3	15.3	38.6	33.7	43.1	17.5
24.8	16.4	26.2	20.6	26.8	14.0	29.3	15.4	44.6	26.5	36.1	22.2
21.8	16.7	23.1	14.5	24.0	12.8	32.1	12.1	33.7	24.7	17.6	20.9
22.2	10.0	19.0	14.5	20.0	12.0	25.9	12.6	29.5	26.0	34.6	21.9
17.9	13.4	17.3	18.5	18.6	12.9	21.2	16.4	24.1	20.9	12.6	18.2
17.2	11.6	22.5	13.0	15.5	11.8	18.5	11.9	16.1	17.2	8.2	13.5
13.8	11.6	17.9	20.8	14.3	11.7	15.5	13.8	10.7	12.3	22.1	13.8
14.6	14.6	11.1	16.9	16.0	10.8	14.7	13.5	15.3	18.3	7.8	29.9
13.0	13.5	11.5	14.9	14.1	10.9	13.2	13.5	15.4	18.0	13.5	14.1
28.3	16.9	25.3	24.1	37.3	20.3	55.4	19.4	28.9	14.8	29.3	19.2
30.5	15.6	26.1	13.0	53.9	26.1	65.0	14.8	36.6	29.7	28.7	23.9
33.3	18.0	21.5	16.5	42.3	23.5	70.5	19.9	50.2	39.4	30.1	20.9
26.1	18.5	27.6	18.4	48.3	29.5	79.1	20.9	44.3	42.4	27.5	21.8
26.2	16.4	35.1	12.9	43.7	26.0	70.3	22.2	45.2	35.3	26.9	24.2
101.6	98.0	132.9	131.1	141.9	104.0	175.5	106.5	119.4	148.4	110.5	145.5
95.3	81.8	146.3	117.5	138.6	87.2	157.2	88.9	124.6	108.2	100.5	142.0
94.0	74.0	127.6	122.2	140.9	87.4	146.8	83.0	142.8	129.8	148.5	110.7
86.9	77.0	119.0	104.7	181.8	118.9	185.4	97.9	138.9	132.8	135.5	122.8
82.3	68.1	118.7	105.6	132.1	94.9	136.3	98.6	154.1	150.0	140.4	143.0
5.4	2.8	3.7	3.5	6.1	3.5	7.0	3.0	4.1	5.4	8.4	4.0
5.5	2.5	4.9	2.8	4.4	3.8	6.7	2.5	5.7	4.0	2.0	2.7
3.7	2.7	3.0	4.5	4.5	3.3	6.7	3.0	5.9	3.9	8.0	4.0
2.7	3.0	4.7	2.3	6.0	4.0	2.7	3.7	2.6	7.6	2.0	3.7
3.5	3.1	2.9	2.3	6.2	3.0	6.9	3.4	5.6	3.1	7.7	4.0
9.5	6.8	17.9	11.8	13.8	11.5	9.2	12.6	7.6	4.7	10.5	9.4
9.5	5.7	15.8	8.3	11.1	9.7	7.1	10.9	1.7	0.7	14.4	10.1
6.9	5.7	6.5	5.9	12.4	10.3	8.1	11.7	1.0	0.6	12.0	8.7
6.9	6.2	8.8	10.6	14.6	7.7	6.1	8.9	3.2	3.2	9.8	8.7
9.1	6.2	6.3	4.3	11.1	9.3	5.2	7.5	1.9	1.9	13.5	8.4
0.4	0.2	0.8	0.7	0.7	0.4	0.8	0.3	0.3	0.7	4.2	0.3
0.9	0.3	0.4	0.6	0.8	0.8	0.7	0.4	0.4	0.3	0.3	0.3
0.5	0.3	0.4	0.3	0.2	0.2	0.4	0.4	0.3	0.3	1.4	1.4
0.7	0.5	0.8	0.5	0.8	0.6	0.6	0.3	0.3	0.3	2.0	0.3
0.6	0.5	0.4	0.4	1.1	0.4	0.7	0.2	0.3	0.3	0.3	0.3
6.7	3.4	3.7	1.6	3.4	1.6	2.9	1.9	4.1	2.6	4.1	3.4
5.0	3.6	3.6	2.3	3.2	2.8	2.9	1.6	3.7	1.9	4.1	3.7
3.0	3.3	1.8	2.8	2.6	2.5	3.3	2.2	3.3	1.9	2.0	1.7
5.7	3.2	0.6	5.1	3.3	2.8	3.2	1.6	2.2	1.3	5.9	1.7
5.4	3.5	2.3	0.4	2.7	2.2	2.3	1.9	2.8	5.6	1.9	1.3
0.3	0.6	0.6	1.2	1.6	0.6	1.3	0.3	0.3	0.7	0.7	0.7
0.8	0.3	0.3	1.6	1.7	1.6	1.2	0.3	0.7	0.6	0.6	0.7
0.5	0.6	0.3	1.1	1.1	0.1	1.2	0.2	0.7	0.6	0.6	0.7
0.1	0.5	0.3	0.8	0.6	0.6	0.8	0.4	0.9	1.9	1.9	0.7
0.9	0.5	0.6	0.4	0.6	0.5	0.6	0.2	0.9	1.9	1.9	0.3
2.7	1.6	3.1	3.2	3.5	2.0	2.2	2.5	1.0	0.7	2.1	2.0
2.4	1.0	3.0	1.6	3.2	2.7	2.0	1.7	1.0	0.7	8.2	0.7
3.2	1.3	0.4	3.4	3.2	3.2	2.5	1.9	1.6	1.3	10.0	1.7
1.5	1.7	0.4	3.8	1.9	1.9	1.8	0.6	0.6	0.6	0.6	2.0
2.3	1.9	1.2	0.4	3.1	2.7	1.9	1.7	0.9	3.1	1.9	0.3
3.4	2.7	2.5	0.8	1.9	1.4	1.8	1.7	0.7	0.7	0.7	2.7
3.8	3.1	1.2	2.3	1.8	1.6	1.4	1.2	1.7	0.7	0.7	4.0
3.7	2.3	0.8	2.1	2.3	2.2	2.2	1.5	0.7	0.6	6.0	2.4
3.1	2.3	0.3	0.9	1.3	1.4	1.1	1.1	0.3	0.6	0.6	2.4
3.2	2.0	1.2	1.2	1.1	0.9	1.6	0.9	0.6	0.6	1.9	1.3
208.0	165.5	248.4	142.6	234.9	165.5	251.4	145.8	294.9	237.5	178.2	141.0
198.6	145.2	217.3	133.2	220.4	150.8	221.3	137.9	280.2	235.1	172.2	122.8
202.0	162.5	240.3	144.3	238.3	134.4	237.1	135.1	285.6	245.5	225.8	156.5
190.6	162.2	228.0	152.6	251.1	159.2	239.0	144.4	236.5	206.6	216.0	151.1
207.1	182.9	256.4	160.8	235.0	153.6	235.7	156.9	240.4	210.1	251.9	160.8
1.2	1.3	0.6	0.8	1.3	0.5	0.7	0.3	0.7	0.7	0.7	0.7
0.9	1.3	1.2	0.2	0.2	0.5	0.6	0.3	1.3	0.7	0.7	0.7
1.4	1.0	0.4	0.9	0.9	0.7	0.7	0.5	0.7	0.6	2.0	0.3
0.5	1.0	0.5	0.2	0.2	0.9	0.9	0.7	0.6	0.6	1.9	0.3
0.8	0.7	0.4	0.4	0.9	0.3	0.5	0.7	0.6	1.2	1.9	0.3
0.5	1.7	0.8	0.8	0.8	1.0	0.8	0.7	0.3	0.7	2.1	0.3
0.7	1.0	1.8	0.8	0.4	0.6	0.5	0.8	0.7	2.6	0.7	0.7
0.9	1.6	0.6	0.8	0.4	0.8	0.8	0.9	0.7	1.9	0.7	0.3
0.9	1.8	0.6	1.6	0.6	0.7	0.8	1.2	1.3	0.6	0.6	0.7
0.3	1.0	2.3	1.2	0.5	1.1	0.6	0.9	0.6	0.6	0.6	0.7

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of pharynx.....	1901	0.7	1.5	0.5	0.5	1.7	1.0	0.5	0.9
	1902	0.5	0.3	0.5	0.8	0.8	1.9	0.3	0.4
	1903	0.2	0.6	0.9	0.3	0.8	1.7	0.6	0.4
	1904	0.8	0.9	0.3	0.8	0.8	1.4	0.8	0.6
	1905	0.3	0.3	0.6	0.8	0.8	1.4	0.7	0.6
Diseases of esophagus.....	1901	0.5	0.6	0.2	0.1			0.3	0.3
	1902	1.0	0.3	0.8	0.2	0.8	0.2	0.4	0.7
	1903	0.3	0.6		0.2		0.2	0.4	0.3
	1904	0.3	0.6	0.4	0.2		0.3	0.6	
	1905	0.3		0.3	0.2		0.3	0.4	0.6
Ulcer of stomach.....	1901	2.8	2.2	2.1	2.0	1.7	2.8	2.9	2.8
	1902	3.6	0.6	2.3	1.8	0.8	2.1	3.0	2.5
	1903	2.5	1.2	2.2	2.1	1.6	1.9	2.6	2.0
	1904	2.6	1.5	2.6	2.2	1.6	3.4	2.7	2.6
	1905	4.0	2.7	2.9	1.9	4.8	2.4	2.6	3.6
Gastritis.....	1901	14.8	14.6	14.0	13.8	9.2	12.6	8.6	11.3
	1902	13.3	18.8	12.8	11.7	4.1	12.1	8.9	12.3
	1903	14.6	18.1	14.3	11.3	8.1	11.0	9.5	11.1
	1904	16.5	14.3	13.0	8.9	11.2	11.7	9.4	9.2
	1905	12.8	14.2	10.9	10.0	7.1	12.3	9.0	8.7
Other diseases of stomach.....	1901	5.8	6.8	5.6	8.6	6.7	7.6	4.6	6.9
	1902	4.7	9.3	7.7	9.1	10.7	6.4	4.8	5.8
	1903	6.5	6.7	8.4	7.1	6.5	10.3	5.7	6.1
	1904	6.8	10.0	6.8	6.9	13.7	9.9	6.0	7.6
	1905	7.4	10.6	5.8	9.2	12.7	10.9	6.6	8.5
Dentition.....	1901	0.8	0.9		0.4		0.2	0.6	0.6
	1902	0.3	0.3	0.5	0.6	0.8	0.7	0.6	0.4
	1903			0.1	0.2		0.2	0.4	0.3
	1904	0.2		0.1	0.2		0.2	0.3	0.6
	1905	0.2	0.3		0.3		0.2	0.4	0.1
Diarrhea and enteritis.....	1901	128.1	67.8	84.2	88.9	95.0	96.4	132.3	70.8
	1902	129.6	86.4	78.2	78.7	80.6	61.5	130.4	66.0
	1903	119.2	81.4	84.1	69.5	86.9	72.9	131.0	72.7
	1904	134.8	80.6	86.7	75.1	68.9	68.8	126.8	74.1
	1905	149.0	100.4	74.7	80.6	94.2	96.6	140.6	91.6
Intestinal parasites.....	1901	0.3			0.3	0.8	1.0	0.3	
	1902						0.3	0.2	
	1903		0.3		0.2		0.2	(1)	0.1
	1904			0.1	0.2		0.2		
	1905	0.2			0.1		0.3	0.2	
Hernia.....	1901	3.6	4.4	3.2	2.2	7.5	4.0	4.2	4.0
	1902	4.1	1.2	3.2	2.2	7.4	3.1	4.5	3.5
	1903	4.3	3.7	2.5	2.6	2.4	3.1	4.3	3.2
	1904	5.7	3.3	4.9	2.8	6.4	2.7	4.4	3.3
	1905	4.1	2.7	3.6	2.1	2.4	3.9	5.0	2.6
Obstruction of intestines.....	1901	7.5	9.4	7.9	6.7	7.5	6.4	7.8	7.5
	1902	8.9	8.0	9.5	5.9	5.8	5.9	7.7	6.4
	1903	8.6	9.5	11.0	7.5	12.2	8.1	8.6	8.5
	1904	10.7	9.7	11.0	7.2	8.0	8.7	8.9	8.2
	1905	10.5	8.4	9.3	9.8	15.8	8.4	9.1	10.0
Other diseases of intestines.....	1901	1.6	1.2	3.9	3.8	3.3	2.8	2.9	2.9
	1902	2.1	2.2	3.5	4.0	3.3	3.3	2.0	2.2
	1903	2.2	1.9	4.0	3.7	1.6	3.4	2.2	1.4
	1904	2.0	1.8	4.8	3.7	3.2	2.9	2.5	2.9
	1905	3.0	3.0	4.4	4.9	2.4	3.9	2.6	3.8
Acute yellow atrophy of liver.....	1901	0.3		0.8	0.2		0.5	0.2	0.6
	1902	0.5	0.3	0.6	0.2		0.8	0.2	0.6
	1903	0.1	1.2	0.1	0.4			0.1	0.1
	1904	0.3	0.3	0.6	0.5		1.4	0.4	0.4
	1905	0.3	1.2	0.6	0.5	0.8	0.7	0.5	0.1
Hydatid tumor of liver.....	1901								
	1902				(1)			0.1	
	1903								
	1904		0.3						
	1905								
Cirrhosis of liver.....	1901	13.1	15.0	11.2	5.9	6.2	6.4	10.6	8.4
	1902	16.7	12.0	9.7	7.4	9.1	6.0	10.1	8.9
	1903	16.2	9.5	11.0	7.6	8.9	9.6	10.0	9.1
	1904	13.5	18.0	13.6	8.5	7.2	7.9	10.4	7.9
	1905	15.2	14.8	12.4	7.8	3.2	7.9	11.1	10.0
Biliary calculi.....	1901	0.7	1.5	1.4	1.7	0.8	0.9	2.3	0.7
	1902	1.9	1.2	2.3	1.7	0.8	1.9	2.0	1.3
	1903	3.0	2.8	2.5	2.1	3.3	1.0	3.0	2.2
	1904	3.0	1.8	2.5	2.3	0.8	2.6	2.2	1.9
	1905	1.8	3.0	2.9	2.3	3.2	3.1	3.0	2.7
Other diseases of liver.....	1901	7.1	9.0	9.2	9.8	7.5	10.2	6.6	8.0
	1902	5.4	7.7	10.9	9.6	6.6	9.5	7.0	7.1
	1903	6.5	10.7	10.6	9.1	15.4	9.1	6.0	7.5
	1904	7.1	7.3	12.0	8.9	4.8	9.3	5.1	8.5
	1905	5.9	5.4	11.1	8.3	6.3	8.9	5.2	4.3

(1) Less than one-tenth.

SUMMARY AND RATE TABLES.

183

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.9		0.8	1.0	0.6	0.5	0.4	0.3		2.1	
0.9	1.2		0.4	0.5	0.4	0.7	0.3	1.0			1.0
0.1	1.1		1.6	0.5	0.1	0.6	0.5	0.7			0.3
0.4	1.0		1.2	1.1	1.1	0.7	1.0	0.3			0.3
0.5	1.1		0.4	0.4	0.1	0.5	0.8				1.7
0.3	0.3			0.6	0.1	0.3	0.2	0.7			1.0
0.8	0.3			0.3	0.4	0.5	0.2	0.7		2.0	1.0
0.4	0.3			0.4	0.1	0.4	0.3				0.3
0.3	0.2		0.4	0.2	0.1	0.4	0.3				0.7
0.4	0.3			0.3	0.2	0.4	0.2		0.6		0.3
2.2	3.5	1.8	2.8	1.8	2.4	3.5	2.2	3.4	2.0	2.1	1.7
3.0	2.8	4.9	3.2	2.8	2.0	4.1	2.7	1.0	5.3	6.1	1.7
2.9	3.3	1.2	2.4	2.6	1.5	3.1	2.8	1.6	1.3	8.0	6.7
2.8	3.3	5.9	3.1	2.8	2.5	3.6	2.9	5.1	1.9	7.9	2.4
3.4	2.8	4.0	3.9	2.8	2.2	3.5	2.5	2.8	2.5		4.0
12.4	9.9	14.3	9.5	15.0	11.8	9.5	11.3	14.5	15.5	10.5	11.8
13.3	9.2	9.7	13.8	12.6	12.7	8.5	11.9	11.8	10.6	6.1	17.5
11.9	9.2	15.5	11.8	14.5	13.6	8.2	12.6	15.8	11.0	26.1	12.5
9.9	11.7	13.5	12.5	14.1	12.5	7.8	10.5	11.9	10.1	11.8	11.8
8.4	10.7	16.1	14.5	11.3	9.7	7.9	11.5	6.9	3.1	13.5	13.1
8.7	7.2	6.8	6.7	4.7	6.0	4.7	7.3	21.7	8.8		5.4
7.8	6.5	6.1	10.2	3.6	4.3	4.1	8.1	24.9	9.9	10.3	4.7
8.0	8.0	6.6	14.1	5.1	5.8	4.4	10.5	12.5	18.7	14.1	6.7
8.5	7.1	7.6	7.1	5.4	7.5	5.1	11.1	20.2	13.3	5.9	14.5
8.9	9.3	8.6	12.1	5.7	6.9	5.0	11.2	18.5	16.7	13.5	7.4
0.7	0.6	3.7		0.4	0.2	1.6	0.4	1.4			0.3
0.4	0.2	6.1	0.4	0.4	0.4	1.1	0.1	0.7			
0.5	0.5	0.6		0.4	0.5	0.4	0.2	1.3	0.6		0.3
0.3	0.3	1.2		0.5	0.4	0.3	0.1				0.3
0.1	0.1	2.3		0.3	1.0	0.4	0.5	0.3			0.3
109.6	83.9	171.8	68.7	142.8	97.9	163.7	63.8	191.0	161.9	113.1	60.6
93.2	67.1	133.5	32.8	130.0	88.5	137.8	58.8	176.7	172.3	94.3	37.8
104.0	78.3	158.0	61.3	114.5	70.6	124.3	51.3	182.1	161.5	126.4	64.7
95.7	73.7	141.8	65.1	137.9	48.9	132.9	61.7	143.1	160.7	111.9	57.9
108.4	93.1	165.9	75.9	146.6	92.5	152.0	75.8	150.9	142.5	150.0	73.0
0.1	0.5				0.2		0.3				
0.1	0.3				0.1	(1)	0.3	0.3			
0.1	0.2					0.1	0.1	0.1	0.3		0.7
0.1	0.3		0.4	0.2		0.1	0.2	0.3			
4.1	4.1	2.5	2.8	5.1	3.1	4.6	3.6	8.9	4.7	4.2	2.4
5.7	3.5	0.6	3.9	4.4	2.6	5.1	3.3	6.0	3.3	8.2	4.7
4.3	3.8	1.8	4.7	4.8	1.9	5.7	3.3	7.5	2.6	14.1	7.8
3.1	3.2	1.7	5.5	4.2	2.7	5.2	3.5	4.8	3.8	7.9	5.0
2.9	3.7	2.9	4.3	3.6	3.0	6.0	3.4	5.6	1.9	5.8	3.7
11.1	8.8	5.0	9.1	8.5	8.5	8.8	7.9	6.9	4.0	6.3	8.1
10.5	8.0	9.1	7.8	8.6	5.8	9.6	6.8	5.4	5.3	6.1	7.4
11.3	8.1	8.3	4.3	9.3	5.9	8.5	10.1	4.6	4.5	8.0	7.4
10.2	9.2	9.4	9.4	12.0	6.2	9.1	8.5	6.7	2.5	9.8	7.1
11.3	9.2	10.4	7.8	10.1	7.2	8.8	9.1	5.6	4.3	17.3	7.7
2.7	3.4	1.8	2.8	2.7	2.0	2.8	3.7	5.5	1.3	4.2	2.0
5.4	4.0	3.0	3.2	2.1	2.8	2.2	3.7	4.0	7.3		4.0
2.8	3.4	3.0	2.4	3.0	2.7	2.4	3.2	4.6	4.5	4.0	2.0
2.8	3.8	4.7	2.4	2.5	1.7	2.2	3.1	3.5	5.1	5.9	2.7
4.3	3.7	6.3	3.9	2.5	1.7	2.1	2.8	4.1	3.1	5.8	3.7
0.5	0.6	1.8	0.4	0.2	0.1	0.3	0.4		0.7		0.3
0.7	0.8	1.2		0.7	0.4	0.3	0.7		0.7		0.3
0.3	0.3		2.0	0.4	0.8	0.3	0.5	0.7		2.0	0.7
0.5	0.5		0.4	0.4	0.2	0.5	0.4	0.3	0.6		0.7
0.9	0.5	0.6	0.4	0.3	0.3	0.3	0.5	0.3	0.6		0.3
0.3	(1)			0.1		(1)		0.3			
0.3	0.1			0.2	0.1	(1)	(1)		0.6		
.....	0.2			0.2		(1)					
.....		0.4		0.1		0.1					
9.5	8.2	9.9	5.1	10.5	10.5	21.3	11.2	13.5	14.8	8.4	6.7
10.5	8.9	11.6	8.3	19.2	8.2	19.8	11.7	16.1	11.2	10.3	7.8
10.7	11.0	11.9	8.4	20.3	10.2	19.9	11.4	19.4	14.0	10.0	7.1
12.7	11.2	9.4	10.6	18.8	10.3	20.6	11.7	13.8	13.3	3.9	9.4
10.9	10.7	3.2	13.3	20.3	9.6	21.4	11.0	13.4	14.3	7.7	10.1
2.6	1.5		1.2	0.5	0.8	1.3	1.5	0.7	2.0	4.2	1.0
3.6	2.2		0.4	1.7	1.8	1.7	1.5	2.7	3.3	4.1	1.0
4.2	2.0	1.2	2.0	1.5	0.9	1.8	1.8	2.0	3.2		3.7
2.8	2.5	1.2	1.6	2.6	1.6	2.5	1.8	3.9	0.6	3.9	3.0
2.4	2.8	1.2	2.3	2.4	1.9	2.2	1.5	2.8	1.9		3.0
11.1	9.2	11.1	12.6	6.1	5.1	5.4	10.7	6.9	6.7	1.2	14.1
10.2	9.7	6.7	9.1	7.1	6.5	5.3	8.5	7.8	13.2	4.1	8.7
8.2	9.7	8.6	8.6	6.6	6.9	5.9	9.0	8.2	3.2	6.0	6.1
7.1	8.3	8.2	10.6	6.7	4.0	3.3	8.1	3.9	6.3	7.9	7.4
10.3	9.4	10.9	8.2	7.1	5.1	4.5	7.9	6.3	4.3	3.8	8.1

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of spleen.....	1901	0.2	0.6	0.2	0.4		0.2	0.2	0.7
	1902	0.3	0.3	0.8	0.1		0.5	0.3	0.1
	1903	0.3		0.1	0.4		0.3	0.3	0.3
	1904	0.3	0.6		0.2		0.2	0.2	0.4
	1905	0.3		0.1	0.3		0.5	0.1	0.3
Peritonitis.....	1901	8.0	8.4	24.1	11.6	20.8	12.5	15.0	10.5
	1902	8.6	10.2	18.4	10.8	16.5	10.2	12.3	7.6
	1903	9.4	6.1	14.6	7.6	13.0	5.2	11.8	7.2
	1904	8.2	6.4	16.8	11.0	16.8	12.5	9.7	6.7
	1905	7.0	8.4	14.2	10.5	10.3	11.5	9.0	6.4
Appendicitis.....	1901	9.6	6.2	7.2	5.4	5.8	5.5	10.1	5.0
	1902	9.7	5.9	7.4	5.0	7.4	8.5	9.7	5.8
	1903	10.7	6.1	8.0	6.2	17.9	10.0	11.0	5.2
	1904	10.1	5.2	11.8	5.3	21.7	6.3	11.5	6.0
	1905	14.7	7.2	11.6	6.1	12.7	8.7	12.8	4.6
Other diseases of digestive system.....	1901	0.2		0.3			0.2	0.6	0.1
	1902	0.2		0.2	0.1			0.5	0.6
	1903	0.1		0.1	0.1		0.2	0.4	0.3
	1904	0.3	0.3	0.3	(1)			0.7	
	1905	0.5		0.1	0.1		0.2	0.3	6.3
VI.—Diseases of genito-urinary system.....	1901	104.7	104.4	75.4	57.6	130.0	91.9	96.0	86.0
	1902	106.7	110.7	83.0	58.4	140.6	89.7	94.0	81.2
	1903	112.7	115.1	90.4	61.9	147.8	103.6	101.4	94.0
	1904	126.5	110.4	94.0	67.4	149.9	99.1	102.9	109.6
	1905	119.8	111.9	89.5	65.4	143.3	99.9	107.4	102.2
Acute nephritis.....	1901	9.1	7.8	5.1	3.1	6.7	7.8	8.4	4.6
	1902	13.8	7.4	5.2	3.2	7.4	5.9	8.2	6.6
	1903	14.0	7.7	6.7	3.2	10.6	7.1	8.6	6.4
	1904	15.5	6.7	5.9	4.5	9.6	7.7	7.9	7.6
	1905	13.4	8.7	7.9	4.2	9.5	6.2	7.5	4.8
Bright's disease.....	1901	75.1	78.0	56.1	42.8	105.8	66.0	70.0	66.4
	1902	78.7	83.9	60.8	44.3	115.2	66.1	68.3	60.9
	1903	78.2	87.2	64.4	44.7	112.0	76.2	74.1	70.1
	1904	93.0	91.7	69.7	49.4	121.0	73.2	74.8	84.7
	1905	87.7	87.1	65.1	49.6	109.3	77.1	78.6	82.0
Other diseases of kidneys.....	1901	2.3	1.2	2.1	2.3	5.8	3.1	3.2	3.1
	1902	2.1	2.8	2.8	2.1	6.6	2.4	2.9	2.3
	1903	1.4	2.8	2.7	2.6	3.3	4.3	2.4	3.6
	1904	3.3	2.7	2.6	2.4	2.4	2.4	2.7	1.9
	1905	1.8	2.4	2.5	2.3	5.5	3.1	3.3	0.4
Calculi of urinary tract.....	1901	0.7	0.3		0.1			0.6	0.1
	1902	0.5	0.6	0.3	0.2		0.3	0.8	0.4
	1903	0.5		0.3	0.3		1.6	0.3	0.4
	1904	0.6	0.9	0.1	0.4	0.8	0.2	0.7	0.1
	1905	1.2		0.3	0.3	0.8	0.2	0.7	0.3
Diseases of bladder.....	1901	7.0	8.1	4.6	4.5	7.5	7.3	4.7	6.9
	1902	4.1	7.7	4.9	4.2	4.9	7.2	4.3	6.4
	1903	6.4	8.3	5.5	4.5	9.0	6.9	4.4	6.7
	1904	3.3	6.1	5.5	4.7	6.4	7.9	3.9	6.9
	1905	4.1	5.4	3.5	3.3	4.0	5.8	3.7	6.3
Diseases of urethra, urinary abscess, etc.....	1901	0.5	0.6	0.2	0.1		0.2	0.6	
	1902	0.2		0.2	0.1		0.5	0.5	0.1
	1903	0.6			0.3	0.8		0.4	0.1
	1904	0.6		0.1	0.1	0.8	0.2	0.6	0.3
	1905	0.6	0.3	0.1	0.2	0.8		0.6	0.6
Diseases of prostate.....	1901	4.3	6.8	1.6	3.2	3.5	6.4	1.8	1.8
	1902	6.5	7.9	3.4	2.7		4.0	2.4	2.5
	1903	8.3	8.5	5.7	5.4	5.1	7.1	3.3	4.1
	1904	6.0	11.4	4.7	4.0	3.4	6.7	4.0	4.6
	1905	4.0	3.0	3.2	2.1	4.8	3.2	4.2	3.0
Nonvenereal diseases of male genital organs.....	1901	1.0					0.3		
	1902	0.3	0.6	0.3				(1)	
	1903		0.6		0.3		0.7	0.1	
	1904	0.6						0.2	0.1
	1905	0.2		0.1			0.2		
Metritis.....	1901			0.6	0.2			0.1	
	1902	0.6	0.6	0.3	0.7		0.4	0.3	0.1
	1903		1.2	1.2	0.5			0.1	
	1904			0.3	0.5			0.4	0.1
	1905	0.6		0.3	0.3			0.2	0.1
Uterine hemorrhage (nonpuerperal).....	1901	1.0		0.9	0.5		0.4	0.2	0.4
	1902	0.3	0.6	1.2			1.4	0.1	
	1903	0.9		0.3	0.5		0.7	0.2	0.4
	1904	0.9	1.2	1.1	0.8		0.4	0.2	0.3
	1905	0.6	0.6	0.1	0.3	0.8	0.9	0.3	0.1
Uterine tumor.....	1901	4.0	4.4	3.5	0.9		1.8	1.9	1.0
	1902	1.6	0.6	2.8	1.1	3.1	1.8	1.5	0.6
	1903	4.1	1.9	2.9	1.5	1.0		2.5	1.0
	1904	4.3	3.7	3.2	1.6		0.7	2.3	0.9
	1905	1.7	1.5	1.5	0.7	1.6	0.9	1.7	1.3

(1) Less than one-tenth.

185

NUMBER OF DEATHS PER 100.00 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.2	1.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.1	0.5	0.4	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.3
0.4	0.6	0.4	0.2	0.2	0.1	0.3	0.3	0.3	0.3	0.3	0.3
0.7	0.3	1.2	0.4	0.3	0.7	0.1	0.4	0.3	0.3	3.9	0.3
0.6	0.5	0.4	0.3	0.3	0.7	0.1	0.4	0.3	0.3	0.3	0.3
14.5	10.9	14.3	12.2	15.8	11.3	8.5	13.0	3.4	9.4	8.4	14.8
14.1	9.6	15.2	10.2	16.5	10.1	6.9	10.3	4.4	5.9	10.3	14.8
14.0	10.2	17.9	10.6	12.9	8.1	6.8	10.2	4.9	6.5	16.0	17.5
14.1	11.5	14.0	10.2	9.7	6.4	6.3	10.3	3.5	5.7	15.7	13.1
16.8	12.9	11.5	12.5	8.5	6.1	5.1	8.9	3.1	3.1	11.5	15.1
15.3	8.7	1.8	5.1	7.8	3.1	12.1	6.7	13.1	4.0	8.4	10.5
16.4	7.8	4.2	8.3	8.8	2.8	11.5	7.0	14.1	5.3	10.3	9.4
15.1	9.5	7.1	7.1	9.4	3.0	12.7	5.7	16.7	7.8	14.1	11.1
16.9	11.0	7.0	9.0	10.9	3.8	14.0	7.5	12.2	3.2	19.6	13.5
15.3	9.8	5.2	7.4	10.7	3.9	13.4	6.7	15.1	9.3	21.2	7.1
0.3	0.1	0.6	0.2	0.2	0.1	0.1	0.1	0.3	0.3	0.3	0.3
0.1	0.3	0.6	0.3	0.3	0.1	0.4	0.4	0.3	0.3	0.3	0.3
0.3	0.2	0.4	0.3	0.3	0.3	0.3	0.3	1.0	0.6	0.6	0.7
0.3	0.2	0.4	0.1	0.1	0.7	0.5	0.1	0.3	0.6	0.6	0.3
0.3	0.2	0.6	0.2	0.2	0.2	0.5	0.4	0.6	0.6	0.6	0.3
73.1	65.0	89.9	91.2	118.0	91.3	157.7	97.6	128.3	164.0	104.8	96.0
85.6	69.5	85.6	102.4	120.3	88.4	154.3	99.8	144.1	138.6	88.2	99.6
84.9	71.1	97.2	119.5	123.8	93.9	160.8	105.4	158.5	153.1	120.4	102.6
91.0	76.3	89.7	121.6	129.8	90.5	171.5	109.3	153.6	158.8	141.4	108.7
96.0	72.5	107.7	129.1	136.6	102.1	165.4	111.3	155.6	172.3	140.4	106.6
6.0	3.1	11.1	5.1	13.5	8.0	14.0	5.7	10.0	4.7	12.6	9.4
6.6	3.4	10.3	7.8	17.0	7.8	16.9	7.2	12.8	1.2	2.1	4.4
8.6	5.0	10.7	6.7	17.0	7.2	15.7	7.3	15.4	11.0	6.0	9.4
7.5	5.4	7.6	9.8	17.9	8.2	16.7	8.1	17.3	4.4	7.8	5.1
8.2	3.9	12.1	5.5	19.2	11.2	16.3	7.8	16.0	14.9	7.7	6.7
43.3	42.3	61.2	70.7	92.0	70.6	126.9	73.5	95.0	139.7	71.3	63.0
49.8	47.4	55.8	79.6	93.3	70.5	119.6	73.8	105.8	139.3	70.9	76.1
45.7	48.8	69.8	83.3	96.3	72.2	121.4	81.0	121.1	130.5	90.3	74.4
57.7	51.8	66.8	97.3	98.7	70.9	137.2	83.7	117.4	139.8	108.0	82.4
63.9	53.9	81.8	101.7	102.2	79.2	128.8	84.1	117.0	140.7		

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of uterus.....	1901	0.7	0.6	2.8	1.6	3.2	1.4	1.2	0.4
	1902	1.3	0.6	4.9	1.6	1.1	1.1	1.0	0.4
	1903	3.2	1.9	5.0	1.8	4.7	2.5	1.3	0.3
	1904	3.5	3.1	3.4	2.2	7.7	3.2	1.3	0.4
	1905	0.8	0.9	1.2	1.0	3.2	1.0	1.5	0.9
Ovarian tumor.....	1901	4.6	2.5	2.8	1.6	1.6	3.5	1.3	0.4
	1902	1.6	3.7	2.1	1.8	6.3	3.5	1.0	0.6
	1903	4.1	2.5	3.5	1.3	3.1	3.5	1.2	0.6
	1904	1.5	1.2	4.6	2.1	4.6	1.8	1.1	1.0
	1905	1.4	0.6	1.1	1.0		0.9	1.5	0.3
Diseases of tubes.....	1901	4.0		0.6	0.3		1.1	1.6	0.6
	1902	3.3		1.8	0.3	3.1	1.1	2.3	
	1903	1.9	1.2	1.2	0.9	4.7	0.7	1.8	
	1904	2.2	1.8	2.0	0.6		1.8	2.2	0.3
	1905	1.5	1.2	1.9	0.2	2.4	0.5	1.4	
Other diseases of female genital organs.....	1901	0.3	1.3	1.3	0.8			0.2	0.1
	1902	0.3	0.6	0.6	0.4		1.1	0.5	0.1
	1903	0.3	0.6	1.8	0.6			0.4	0.1
	1904	0.6		0.6	0.4		0.7	0.3	0.1
	1905	0.2		0.6	0.1			0.1	0.3
Nonpuerperal diseases of breast (cancer excepted).....	1901		1.3	0.3	0.1			(1)	
	1902		1.2						
	1903	0.3			0.1			0.2	
	1904							0.2	0.3
	1905	0.2				0.8		(1)	0.3
VII.—Childbirth.....	1901	25.4	21.4	19.6	21.2	15.9	23.7	10.1	7.2
	1902	30.3	21.2	18.3	18.2	29.9	31.1	10.3	6.9
	1903	28.1	24.2	19.5	21.7	29.5	26.0	12.8	8.1
	1904	29.6	21.5	22.7	25.2	23.0	26.7	14.1	10.8
	1905	16.3	13.6	10.9	12.3	10.3	12.1	13.0	8.5
Accidents of pregnancy.....	1901	3.0	1.9	0.9	2.3		2.1	1.0	0.3
	1902	4.8	2.5	2.4	3.3	6.3	3.9	1.5	0.9
	1903	2.5	3.1	1.8	2.0	6.2	5.6	2.2	0.6
	1904	4.6	2.5	4.3	2.1	1.5	3.2	2.2	0.6
	1905	3.2	1.8	1.8	1.2	0.8	1.2	2.1	1.0
Puerperal hemorrhage.....	1901	2.0	0.6	0.9	1.4	3.2	1.4	0.8	0.4
	1902	2.3	0.6	0.6	0.7	3.1	0.7	0.8	0.3
	1903	3.8	2.5	1.5	1.1	1.6	1.8	1.2	0.7
	1904	1.5	3.1	1.4	1.6	3.1	1.7	1.4	0.4
	1905	1.4	0.6	1.0	0.9	1.6	0.0	1.3	0.7
Other accidents of labor.....	1901	2.0	0.6	3.2	1.0	1.6	1.1	1.2	0.3
	1902	2.3	1.8	1.5	0.9	1.6	1.8	0.9	0.1
	1903	2.2	0.6	0.9	0.9	3.1	1.8	0.7	0.7
	1904	2.2	0.6	0.6	1.3		2.1	1.1	0.7
	1905	0.6	0.6	0.6	0.3		0.2	0.7	1.1
Puerperal septicemia.....	1901	8.9	8.8	9.2	10.4		9.6	3.4	2.7
	1902	11.9	6.9	8.6	7.4	3.2	11.0	3.6	1.5
	1903	9.5	8.1	11.5	10.7	12.4	12.7	4.5	2.2
	1904	10.5	8.6	9.5	12.4	13.8	10.2	4.6	4.0
	1905	5.9	5.7	4.4	7.1	6.3	5.0	4.3	3.1
Puerperal convulsions.....	1901	5.9	6.3	4.1	3.0		3.5	2.4	1.8
	1902	4.5	6.9	3.4	2.8	4.7	4.9	2.3	1.2
	1903	7.6	9.3	2.0	3.1	1.6	5.6	2.7	2.2
	1904	6.5	6.1	4.6	5.8	3.1	4.2	2.9	3.0
	1905	3.8	2.4	1.7	1.9	1.6	1.7	2.7	1.7
Puerperal phlegmasia alba dolens.....	1901								
	1902								
	1903								
	1904								
	1905		0.3						
Other puerperal accidents.....	1901	3.6	3.2	1.3	3.1	7.9	6.0	1.2	1.8
	1902	4.5	2.5	1.8	3.0	3.2	7.1	1.3	2.9
	1903	2.5	0.6	1.8	2.6	4.6	4.2	1.4	1.7
	1904	4.3	0.6	2.3		1.5	5.3	1.8	2.0
	1905	1.4	2.1	1.5	0.9		3.2	1.9	0.9
Puerperal diseases of breast.....	1901								
	1902				0.1				
	1903								
	1904								
	1905								
VIII.—Diseases of skin.....	1901	11.2	10.2	5.4	5.4	9.2	16.4	6.9	9.9
	1902	8.1	8.6	6.8	6.8	12.3	11.9	7.1	9.3
	1903	9.8	8.3	5.6	4.7	14.6	12.0	7.0	10.4
	1904	7.3	8.1	6.5	5.4	8.0	10.8	6.7	9.0
	1905	7.1	0.3	7.9	6.6	7.1	12.7	7.1	8.4
Gangrene.....	1901	6.3	6.5	2.7	2.8	4.2	8.5	4.5	7.5
	1902	5.4	6.2	3.7	3.8	10.7	9.5	4.1	6.4
	1903	6.2	6.5	3.1	2.4	9.0	10.1	4.3	8.1
	1904	4.8	6.4	3.2	3.7	6.4	8.4	4.4	5.7
	1905	3.5	8.4	4.7	4.4	4.8	10.3	4.3	6.5

(1) Less than one-tenth.

SUMMARY AND RATE TABLES.

187

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
9.0	2.1	3.6	0.8	1.0	0.4	1.6	1.0	1.7	0.7	4.1	2.1
7.7	1.9	0.8	0.5	1.0	0.5	1.1	0.9	2.0	0.7	0.7	0.7
4.7	3.9	3.2	0.7	0.7	0.7	2.0	0.6	1.0	0.6	7.8	0.7
5.9	2.2	3.4	0.7	0.2	0.2	1.5	0.6	1.0	0.6	3.8	1.4
3.9	1.1	1.2	1.6	1.0	1.0	1.5	0.6	1.9	0.6	0.3	0.3
4.1	3.3	3.2	0.5	0.5	0.5	1.5	0.8	3.1	1.3	4.1	4.2
5.3	2.4	1.6	0.6	0.2	0.2	1.8	1.0	2.7	0.7	2.8	2.8
3.1	1.4	2.3	0.5	0.3	0.3	1.5	1.0	1.0	1.0	2.1	2.1
5.1	3.2	1.1	0.5	0.7	0.7	1.5	0.8	1.3	0.6	1.4	1.4
1.5	1.1	0.6	0.5	0.1	0.1	1.3	0.9	3.1	1.2	5.8	1.0
4.1	0.5	1.1	0.7	0.2	0.2	1.7	0.2	0.7	1.3	0.7	0.7
10.4	1.2	0.5	0.5	0.2	0.2	1.8	0.3	1.7	1.3	3.9	0.7
7.5	0.8	1.6	1.7	0.1	0.1	2.4	0.5	2.6	0.6	1.9	1.9
3.8	1.1	0.8	2.0	0.3	0.3	3.1	0.3	4.4	1.9	2.1	2.1
2.5	0.5	0.4	0.6	0.2	0.2	0.3	0.3	1.3	0.7	0.7	0.7
1.4	1.1	0.6	0.3	0.1	0.1	0.4	0.1	0.3	0.7	0.7	0.7
1.3	0.7	0.3	0.2	0.1	0.1	0.4	0.1	0.3	0.7	0.7	0.7
2.1	0.7	0.3	0.2	0.1	0.1	0.4	0.1	0.3	0.7	0.7	0.7
0.8	0.2	0.3	0.3	0.3	0.3	0.3	0.1	0.6	0.6	0.6	0.6
0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.1	0.6	0.6	0.6	0.6
0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3
36.4	40.5	14.3	13.7	11.5	7.9	16.6	11.9	20.3	16.2	12.2	20.8
34.0	38.8	11.7	14.5	14.0	7.1	15.1	10.6	15.5	16.5	11.9	24.9
29.2	36.8	16.1	24.1	13.1	9.5	15.3	11.0	14.8	11.0	15.5	32.5
36.5	43.1	16.9	18.4	15.1	9.4	18.0	11.5	22.8	16.4	19.0	37.4
15.7	14.5	12.7	12.1	15.5	10.4	19.4	11.2	23.8	14.9	21.2	18.5
6.5	4.2	1.2	2.4	1.0	0.5	2.4	1.1	2.1	2.7	2.1	2.1
3.7	3.3	2.3	0.8	1.1	1.1	1.7	1.5	0.7	1.3	4.8	4.8
3.9	3.8	2.3	4.0	1.4	0.7	1.8	0.7	2.0	1.3	6.9	6.9
3.1	4.1	2.3	2.4	1.3	0.2	1.9	0.7	3.9	0.6	3.8	3.8
1.0	1.5	2.3	2.3	0.8	1.2	1.6	1.0	1.9	1.9	5.8	2.7
1.6	1.8	0.8	0.7	1.4	1.4	1.2	1.0	2.1	0.7	4.1	0.7
3.2	3.0	1.2	0.8	1.0	0.5	1.3	0.8	1.0	0.8	1.4	1.4
3.4	2.4	3.5	2.4	1.3	0.1	1.6	0.5	2.6	1.0	0.7	0.7
0.8	3.5	1.1	4.8	1.5	0.8	1.4	1.1	1.0	0.6	0.7	0.7
1.3	1.4	0.6	0.4	1.6	0.8	1.6	0.9	1.3	3.7	3.8	1.0
2.7	1.1	1.3	0.5	1.3	0.5	1.3	0.7	1.7	3.4	1.4	1.4
3.4	2.1	1.3	0.9	1.3	0.9	1.1	0.7	1.0	0.7	4.0	2.1
1.1	1.7	1.4	1.3	1.4	1.3	1.3	0.3	2.0	2.0	1.4	1.4
3.3	2.3	1.1	1.3	1.3	0.6	1.2	0.4	1.9	1.9	3.8	1.4
0.8	0.5	0.8	1.2	1.1	1.1	1.4	0.6	1.6	1.6	1.9	1.7
14.7	20.6	7.1	5.7	4.5	3.0	7.2	3.9	8.3	4.0	4.1	6.2
14.1	16.6	4.7	5.7	6.4	2.6	7.5	2.8	6.7	7.9	7.9	7.6
13.0	16.2	8.0	7.3	5.0	4.1	7.0	3.9	6.9	3.9	3.9	7.6
16.6	18.3	5.6	7.2	7.7	4.3	8.8	3.8	12.2	7.6	7.6	11.8
7.3	5.8	3.5	3.1	8.1	3.8	9.7	3.5	10.4	6.2	5.0	5.0
5.4	6.7	4.8	0.8	2.9	1.9	3.0	3.0	5.2	4.7	4.0	6.9
6.9	7.7	2.3	4.0	2.6	1.6	2.6	3.0	4.7	4.6	3.5	3.5
6.5	6.5	1.1	5.6	3.3	2.3	2.8	3.6	2.6	1.9	7.7	11.8
9.9	10.7	3.4	1.6	2.7	2.2	3.6	3.4	2.9	3.8	10.4	10.4
2.7	2.9	2.9	3.9	2.6	2.4	3.8	3.2	6.6	1.2	7.7	3.4
0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5.2	6.1	1.2	4.0	1.1	0.6	1.5	2.2	1.0	0.7	3.5	3.5
2.7	6.0	1.2	3.2	1.3	0.5	1.0	1.8	1.3	1.3	5.5	5.5
1.3	6.0	3.5	4.8	0.7	1.0	0.9	1.9	0.3	1.3	3.9	4.1
2.8	4.2	3.4	2.4	0.6	1.2	1.1	2.1	1.0	1.9	3.8	7.6
2.7	2.4	3.5	1.6	1.1	1.1	1.3	1.9	2.2	1.9	1.9	4.0
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7.6	7.5	8.0	16.2	6.8	6.9	6.8	10.8	6.9	10.8	12.6	14.1
7.2	7.4	7.3	11.4	6.4	6.9	5.5	10.0	3.7	6.6	6.2	8.4
6.7	8.6	10.1	10.6	6.5	6.9	6.6	9.2	15.5	6.0	6.7	6.7
6.0	8.3	8.8	12.5	8.0	8.1	6.4	10.7	6.4	8.2	9.8	12.1
7.0	8.4	6.9	11.3	5.4	7.1	6.3	9.0	6.6	7.4	15.4	10.8
4.0	4.5	5.0	13.0	3.8	5.3	3.6	8.4	2.8	10.1	10.5	11.4
3.2	4.8	5.5	9.4	3.6	5.7	2.9	6.9	1.3	2.6	4.1	6.0
3.4	5.3	7.7	7.5	3.8	5.3	3.5	7.2	5.6	2.8	4.0	4.1
4.3	5.1	4.7	9.8	4.9	5.9	3.6	8.3	3.9	2.8	7.8	7.7
3.5	5.5	4.0	9.8	2.8	4.9	3.8	6.9	3.1	5.0	13.5	7.7

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Carbuncle.....	1901	0.5		0.2	0.6	0.8	0.5	0.4	0.1
	1902	0.2	0.6	0.8	0.4	0.8	0.8	0.5	0.1
	1903	0.3		0.3	0.7	0.8		0.6	0.3
	1904	0.3	0.9	0.6	0.2	0.8		0.5	0.3
	1905	0.3	0.3	0.6	0.6	0.8	0.5	0.6	0.4
Abscess.....	1901	2.8	2.2	1.4	1.2	2.5	1.2	1.1	1.3
	1902	1.9	1.5	1.5	1.4		1.4	1.6	1.3
	1903	2.1	0.9	0.7	0.6	2.4	1.2	1.4	0.9
	1904	1.1	0.9	1.9	0.6	0.8	2.2	1.4	1.4
	1905	2.1	0.3	1.9	1.0	0.8	0.9	1.2	0.9
Other diseases of skin.....	1901	1.6	1.5	1.1	0.8	1.7	0.2	0.9	0.9
	1902	0.6	0.3	0.8	1.2	0.8	0.2	1.0	1.5
	1903	1.2	0.9	1.5	1.0	2.4	0.7	0.7	1.2
	1904	1.1	0.9	0.8	0.0		0.2	0.5	1.6
	1905	1.2	1.2	0.7	0.6	0.8	1.0	1.0	0.6
IX.—Diseases of locomotor system.....	1901	2.5	1.5	2.1	1.3	0.8	0.9	2.8	1.3
	1902	2.6	2.2	2.8	1.5	0.8	1.5	2.9	2.2
	1903	2.5	3.4	2.8	1.5	1.6	2.1	3.0	1.4
	1904	3.0	2.1	2.8	1.9	3.2	1.2	3.3	1.6
	1905	2.7	2.4	1.4	1.5	3.2	1.4	3.6	1.7
Diseases of bones.....	1901	2.1	1.5	1.7	1.2	0.8	0.9	2.4	0.9
	1902	2.6	2.2	1.8	1.2		1.0	2.5	2.2
	1903	1.6	2.8	2.4	1.2	1.6	1.7	2.6	1.2
	1904	2.3	1.5	2.5	1.6	2.4	1.2	3.0	1.4
	1905	2.3	2.1	1.2	1.3	3.2	1.4	3.3	1.6
Diseases of joints.....	1901	0.2		0.2	0.1			0.2	0.3
	1902			0.5	0.1	0.8		0.1	
	1903	0.8		0.4	0.1		0.2	0.3	0.3
	1904	0.2	0.3	0.3	0.2			0.2	0.1
	1905	0.3	0.3	0.1	0.2			0.2	0.1
Amputation.....	1901			0.2				0.1	
	1902			0.3	(1)		0.2	0.1	
	1903		0.3		0.1		0.2	0.1	
	1904	0.2				0.8			
	1905								
Other diseases of organs of locomotion.....	1901	0.2			(1)			0.1	0.1
	1902			0.2	0.2		0.3	0.1	
	1903	0.1	0.3		0.1			0.1	
	1904	0.3	0.3		0.1			0.1	
	1905	0.2			0.1			0.1	
X.—Malformations.....	1901	12.6	12.4	9.7	12.4	7.5	0.7	12.2	9.1
	1902	16.0	13.0	10.3	10.5	9.9	9.5	11.5	9.8
	1903	13.1	14.1	9.9	11.1	8.1	8.9	13.6	13.6
	1904	16.0	14.0	9.5	11.7	8.8	8.2	14.7	16.2
	1905	17.2	13.6	9.4	11.4	11.9	11.8	14.5	12.8
Hydrocephalus.....	1901	3.3	1.9	1.3	1.6	0.8	2.2	2.6	1.5
	1902	1.6	2.5	1.4	1.1	4.1	1.7	2.1	2.2
	1903	2.2	2.8	0.9	1.6	0.8	1.5	2.3	1.4
	1904	2.3	1.5	1.6	1.4	0.8	1.2	2.1	2.0
	1905	1.8	1.5	0.7	0.9	3.2	1.9	1.5	1.7
Congenital malformation of heart (cyanosis).....	1901	5.0	6.8	4.3	6.4	1.7	4.9	5.8	4.1
	1902	7.6	6.5	5.5	5.4	3.3	4.0	5.9	4.5
	1903	6.0	7.3	5.6	5.7	4.9	3.3	6.7	8.4
	1904	8.1	7.6	5.2	5.8	5.0	4.3	7.5	7.5
	1905	10.9	8.1	6.2	6.8	5.5	6.5	8.4	7.5
Other congenital malformations.....	1901	4.3	3.7	4.1	4.4	5.0	2.6	3.7	3.5
	1902	6.8	4.0	3.4	4.0	2.5	3.8	3.8	3.1
	1903	4.9	4.0	3.4	3.8	2.4	4.1	4.6	3.8
	1904	5.6	4.9	2.7	4.5	2.4	2.7	5.1	6.7
	1905	4.4	3.9	2.5	3.7	3.2	3.4	4.6	3.6
XI.—Diseases of early infancy.....	1901	79.8	63.4	97.1	64.1	48.3	31.2	100.4	82.9
	1902	79.5	65.7	102.5	75.0	63.3	45.4	103.2	89.0
	1903	82.8	60.3	76.8	48.1	85.3	40.4	105.0	69.8
	1904	79.5	64.1	100.0	70.7	90.6	56.1	103.3	63.0
	1905	71.4	60.9	80.3	62.4	72.8	64.5	94.9	55.6
Premature birth.....	1901	47.5	32.6	42.7	28.1	1.7	12.3	43.7	25.2
	1902	47.4	38.5	48.8	33.3		19.7	47.0	27.8
	1903	46.3	36.7	33.9	22.0	42.3	24.4	51.8	28.7
	1904	47.8	40.1	52.7	36.6	47.3	29.0	53.9	32.1
	1905	43.3	35.3	32.5	29.8	30.1	33.2	40.3	29.0
Congenital debility.....	1901	17.9	16.5	15.5	10.5	25.8	13.3	36.8	23.0
	1902	18.0	13.0	14.8	8.5	23.8	18.5	39.1	22.5
	1903	18.6	14.1	12.5	8.3	28.4	16.2	35.9	17.8
	1904	16.8	14.0	12.9	9.3	25.7	19.0	32.2	18.7
	1905	23.3	20.8	44.5	29.4	35.6	26.3	38.2	22.1
Other diseases of early infancy.....	1901	4.0	4.0	3.0	3.1	6.7	1.6	2.6	2.9
	1902	4.4	3.1	2.6	3.7	3.3	2.4	3.5	2.6
	1903	5.7	1.2	2.1	2.4	1.6	2.8	3.4	2.9
	1904	4.7	2.1	4.2	3.2	2.4	2.6	4.4	2.7
	1905	2.7	3.0	2.1	1.5	3.2	2.2	3.7	2.8

(1) Less than one-tenth.

189

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.5	0.4	0.6	0.4	0.5	0.1	0.6	0.2	0.3	0.3	2.1	0.3
0.7	0.4	0.6	0.4	0.4	0.2	0.4	0.3	0.3	1.3	0.3	0.3
0.3	0.6	0.6	0.8	0.3	0.2	0.3	0.5	0.7	1.9	0.3	0.3
0.5	0.2	0.6	0.6	0.3	0.6	0.4	0.3	0.3	0.6	0.7	0.7
0.1	0.3	0.6	0.4	0.5	0.4	0.3	0.3	0.6	0.6	0.7	0.7
2.1	1.6	1.2	2.0	1.4	0.6	1.6	1.3	2.1	0.7	1.7	1.7
1.6	1.0	1.2	1.2	1.6	0.5	1.4	1.3	0.7	2.0	1.0	1.0
1.6	1.4	1.8	1.9	2.1	0.2	2.0	1.3	2.6	3.9	2.0	0.7
0.8	1.6	1.8	1.2	2.1	1.2	1.7	1.2	0.6	0.6	2.0	3.4
1.4	1.7	1.2	0.4	1.6	0.8	1.5	1.1	1.6	0.6	1.9	1.0
1.0	1.0	1.8	1.2	1.2	1.0	1.0	0.9	1.7	0.7	2.1	0.7
1.7	1.2	0.4	0.9	0.5	0.5	0.8	1.4	1.3	0.7	1.4	1.4
1.4	1.3	0.6	0.4	0.5	0.9	0.7	0.7	0.3	1.9	1.0	1.0
0.4	1.4	1.7	1.5	0.8	0.4	0.8	0.9	1.6	1.2	1.0	1.0
1.9	0.8	1.2	0.8	0.6	1.0	0.8	0.7	1.9	1.2	1.3	1.3
2.3	2.1	0.6	0.8	2.9	1.7	3.9	1.4	4.8	2.0	1.3	1.3
3.6	2.2	1.8	2.8	2.5	1.4	3.7	1.8	3.4	4.6	2.0	1.7
2.6	2.0	3.6	0.8	3.6	1.9	4.6	1.5	3.6	3.2	6.0	1.7
2.6	2.1	2.3	2.0	4.6	2.1	4.2	1.2	3.9	3.8	7.9	1.0
3.3	2.4	2.0	2.0	4.4	1.9	4.0	2.5	4.1	5.0	1.9	4.7
2.1	1.6	0.6	0.4	2.6	1.0	3.1	1.0	3.1	2.0	0.7	0.7
3.4	1.9	1.6	1.6	2.9	1.3	3.3	1.6	3.0	4.6	1.4	1.4
2.1	3.0	0.4	0.4	3.2	1.4	4.0	1.2	3.0	3.2	6.0	1.7
2.1	1.8	2.3	1.6	4.0	1.7	3.7	1.1	3.9	3.8	7.9	1.0
3.0	2.1	2.9	1.6	4.1	1.9	3.5	2.1	4.1	5.0	1.9	2.7
0.1	0.2	0.6	0.8	0.2	0.5	0.4	0.3	0.7	0.7	2.0	0.3
0.1	0.1	0.6	0.8	0.2	0.1	0.2	0.1	0.3	0.3	0.3	0.3
0.1	0.3	0.6	0.4	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.3
0.5	0.2	0.4	0.2	0.3	0.1	0.3	0.3	0.3	0.3	0.3	0.3
0.4	0.2	0.4	0.2	0.3	0.2	0.2	0.1	0.3	0.3	0.3	0.3
0.1	0.3	0.4	0.4	0.1	0.1	0.1	0.1	0.7	0.7	0.3	0.3
0.1	0.2	0.4	0.4	0.1	0.2	(1)	0.1	0.3	0.3	0.3	0.3
0.1	0.1	0.4	0.4	0.1	0.1	(1)	0.1	0.3	0.3	0.3	0.3
0.3	0.2	0.4	0.4	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3
11.9	13.6	8.7	8.7	14.9	8.3	12.9	10.0	18.6	16.2	23.1	9.7
13.9	12.2	8.4	7.8	13.7	12.5	13.2	9.5	16.1	17.8	18.5	8.4
12.6	14.3	9.6	13.8	15.4	12.0	13.3	11.6	16.4	14.9	16.0	17.8

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS.

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Lack of care.....	1901	10.4	10.3	35.9	22.4	14.1	4.0	17.3	10.9
	1902	9.7	11.1	36.3	27.5	14.8	4.8	13.6	11.1
	1903	12.2	8.3	28.3	14.5	13.0	6.0	11.8	10.6
	1904	10.2	7.9	30.2	21.6	15.2	5.5	12.9	9.5
	1905	2.1	1.8	1.2	1.7	4.0	2.7	3.7	1.7
XII.—Old age.....	1901	27.7	39.2	45.2	43.7	77.5	88.4	44.7	89.3
	1902	26.3	38.9	46.0	44.5	81.4	91.8	43.0	92.7
	1903	27.1	35.2	37.0	29.9	72.3	89.6	39.6	82.5
	1904	22.2	33.7	42.1	40.5	90.6	97.9	33.3	61.1
	1905	20.8	35.6	40.0	36.8	70.5	97.1	30.2	60.2
XIII.—Violence.....	1901	97.5	104.1	87.2	66.1	76.6	73.8	91.1	83.2
	1902	97.5	93.1	91.4	62.1	102.0	67.6	81.7	76.1
	1903	117.1	103.4	97.6	73.4	82.8	71.3	90.2	86.1
	1904	112.7	111.5	106.1	70.5	118.6	90.4	92.2	86.5
	1905	121.5	121.5	101.7	75.3	93.8	76.4	96.7	99.0
Suicide by poison.....	1901	4.8	3.1	4.9	1.2	0.8	1.6	2.2	1.0
	1902	4.2	3.1	3.1	0.8	0.8	2.1	2.0	1.6
	1903	6.4	4.9	5.6	1.6	0.8	1.9	2.3	1.9
	1904	6.5	3.3	7.2	1.9	1.6	1.2	2.6	0.9
	1905	8.7	1.8	10.0	3.3	4.0	0.9	2.7	1.8
Suicide by asphyxia.....	1901	0.7	0.3	0.3	0.1	0.8	0.5	0.5	0.3
	1902	0.5	0.3	0.3	0.1	0.8	0.7	0.7	0.1
	1903	0.6	0.3	0.3	0.1	0.8	1.2	1.2	0.3
	1904	1.2	0.1	0.1	0.1	0.8	0.7	0.7	0.3
	1905	1.1	0.6	0.7	0.1	0.8	1.3	1.3	0.1
Suicide by hanging or strangulation.....	1901	1.5	2.8	1.1	1.2	2.5	4.9	1.4	3.8
	1902	2.4	1.9	0.6	0.8	1.9	2.9	1.4	2.3
	1903	1.1	1.5	1.0	1.6	3.3	1.7	1.7	3.3
	1904	2.8	2.4	1.4	1.4	4.0	3.6	1.2	2.6
	1905	1.8	4.8	2.2	1.9	1.6	3.4	1.7	3.7
Suicide by drowning.....	1901	0.2	0.6	0.6	0.4	1.7	1.2	1.1	2.2
	1902	0.2	3.7	0.2	0.2	0.8	1.0	0.8	0.6
	1903	0.5	0.6	0.4	0.4	1.6	1.9	0.5	1.2
	1904	0.5	0.9	1.3	0.3	0.8	1.0	0.9	2.3
	1905	1.1	1.3	1.0	0.3	2.1	0.8	0.8	1.6
Suicide by firearms.....	1901	2.0	1.5	1.6	0.9	0.8	2.8	2.7	2.4
	1902	1.1	3.1	0.8	0.4	4.1	2.8	2.3	3.1
	1903	2.5	1.5	2.2	1.7	4.1	3.1	2.5	2.0
	1904	2.9	4.0	2.2	2.0	3.2	4.0	2.8	3.9
	1905	2.6	3.0	4.7	2.9	4.0	3.2	2.4	3.4
Suicide by cutting instruments.....	1901	0.5	0.9	0.2	0.2	0.8	1.2	0.7	0.3
	1902	1.1	0.6	0.2	(1)	0.8	1.0	0.9	0.1
	1903	0.6	1.5	0.3	0.5	0.5	0.5	1.2	1.9
	1904	1.1	1.2	0.3	0.3	1.6	0.3	0.9	0.3
	1905	0.8	0.3	0.4	0.4	2.4	0.9	0.9	0.9
Suicide by jumping from high places.....	1901	0.2	0.2	0.2	0.2	0.2	(1)	(1)	(1)
	1902	0.2	0.3	0.2	0.1	0.8	0.3	0.3	0.1
	1903	0.2	0.3	(1)	(1)	0.8	0.1	0.1	0.1
	1904	0.2	0.3	0.1	(1)	0.8	(1)	(1)	(1)
	1905	0.2	0.3	0.1	0.1	0.8	(1)	(1)	(1)
Suicide by crushing.....	1901	0.2	0.3	0.1	0.1	0.8	0.2	0.1	0.1
	1902	0.2	0.6	0.1	(1)	0.8	(1)	(1)	0.1
	1903	0.2	0.3	0.1	0.1	0.8	(1)	(1)	0.1
	1904	0.2	0.3	0.1	0.1	0.8	(1)	(1)	0.1
	1905	0.2	0.3	0.1	0.1	0.8	(1)	(1)	0.1
Other suicides.....	1901	0.3	2.2	2.1	2.3	0.8	0.5	1.7	2.1
	1902	0.6	1.2	7.7	2.9	0.8	0.2	1.0	2.0
	1903	0.5	1.5	0.6	0.9	0.8	1.0	1.0	1.0
	1904	0.3	2.7	1.9	0.6	3.2	2.2	0.4	1.3
	1905	0.3	3.3	0.7	1.1	0.8	0.7	0.3	0.4
Fractures.....	1901	11.9	13.7	5.4	3.7	5.0	4.0	11.5	7.2
	1902	11.8	12.0	9.2	5.4	9.1	4.3	12.1	8.8
	1903	15.3	8.0	8.2	5.9	7.3	4.8	12.4	8.3
	1904	14.3	11.8	10.4	6.4	14.4	7.9	10.1	9.5
	1905	10.0	11.5	8.9	4.8	9.5	4.3	8.9	10.2
Dislocations.....	1901	0.3	0.3	0.1	0.1	0.8	0.2	(1)	(1)
	1902	0.2	0.3	0.3	0.1	0.8	0.3	0.3	0.3
	1903	0.3	0.3	0.3	0.2	0.8	0.2	0.2	0.3
	1904	0.3	0.6	0.1	0.2	0.8	0.3	0.3	0.6
	1905	0.3	0.6	0.1	0.2	0.8	0.3	0.3	0.6
Burns and scalds.....	1901	10.3	7.4	7.2	6.6	9.2	6.2	9.1	5.5
	1902	10.9	8.0	9.8	6.7	9.1	6.6	8.3	4.1
	1903	8.9	5.8	8.8	6.1	6.5	5.5	7.9	5.2
	1904	10.7	8.8	8.7	6.6	8.8	5.5	8.2	5.2
	1905	9.3	4.5	7.7	5.4	3.3	5.8	9.2	7.3
Heat and sunstroke.....	1901	5.3	4.7	6.4	2.6	0.8	1.4	7.2	5.7
	1902	0.3	0.3	0.9	0.2	1.0	0.2	0.5	0.3
	1903	1.7	2.2	0.7	0.6	0.8	0.2	0.8	0.6
	1904	0.2	0.3	0.3	0.3	0.8	0.3	0.9	0.6
	1905	2.1	3.6	1.2	0.7	0.8	0.5	2.6	1.3

(1) Less than one-tenth.

SUMMARY AND RATE TABLES.

191

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
9.9	6.1	19.2	9.9	11.5	9.2	7.8	7.5	28.9	4.7	14.6	6.1
11.1	6.1	17.6	8.7	15.5	7.5	7.7	6.0	9.1	2.0	20.5	5.6
14.2	7.2	11.9	5.9	14.8	8.0	7.1	7.1	13.1	5.8	12.1	6.1
18.6	8.5	18.1	5.9	15.1	10.3	8.2	7.6	11.6	2.5	17.7	11.1
10.9	3.2	2.9	3.5	3.6	1.4	2.3	2.6	1.6	3.7	5.5	4.4
42.9	49.7	56.8	111.9	21.8	35.1	31.1	76.1	35.8	62.7	56.6	106.7
33.9	41.1	61.3	91.8	22.6	28.1	27.8	70.1	45.0	58.7	81.1	96.0
39.8	43.1	56.6	86.5	20.3	31.1	23.1	69.3	30.2	57.5	88.3	73.7
42.6	51.0	55.1	101.6	21.1	29.5	22.1	65.1	32.7	49.3	57.0	76.7
47.9	48.7	47.2	89.2	18.1	26.6	19.8	62.3	25.1	45.9	75.0	75.4
99.1	88.9	76.0	75.0	111.0	98.9	122.2	92.1	91.6	105.3	84.0	69.0
91.9	81.1	63.1	59.1	103.3	83.7	102.2	89.0	96.1	97.7	80.0	72.3
105.7	92.8	106.7	91.6	120.3	98.0	112.9	97.9	102.1	113.0	70.2	99.0
90.1	98.1	88.5	79.2	120.0	91.6	130.7	101.1	102.7	102.5	72.7	84.1
81.6	97.7	88.7	85.7	128.6	98.4	118.0	107.2	91.3	96.0	96.2	94.2
4.5	2.0	1.8	2.0	7.6	1.3	5.0	1.2	2.1	4.0	2.1	2.0
4.9	2.0	0.8	0.8	6.3	1.5	5.0	1.0	3.0	2.0	2.1	0.3
4.0	2.0	0.6	0.8	8.0	2.7	5.6	2.5	3.0	4.5	3.7	3.7
7.1	3.1	1.2	0.8	7.8	3.0	5.1	2.0	1.8	3.2	2.0	3.7
6.3	2.5	1.7	1.2	7.9	3.1	4.0	3.0	2.5	1.9	3.8	1.7
0.1	0.1			1.7	0.1	1.3	(1)	1.4			0.7
0.7	0.2			2.2	0.1	1.2	(1)	1.7	0.7		
0.1	(1)	1.2		1.5	0.5	1.8	(1)	3.0	1.3		
0.6	0.1	0.6		1.8	0.6	2.1		2.2	1.9		
1.8	2.0	2.5	3.2	2.4	1.2	3.2	0.1	1.3			
1.7	1.8	1.2	1.6	1.7	2.3	1.9	2.5	1.7	6.1		3.0
1.8	2.1	3.0	2.0	1.6	1.8	2.0	2.6	1.7	3.3		2.4
2.3	2.9	1.2	3.1	1.8	2.5	1.1	3.1	2.0	1.9	2.0	3.4
2.7	3.3	2.3	3.5	2.1	2.7	2.2	4.2	2.2	3.2	3.9	3.7
1.1	0.4	1.2	1.2	2.1	2.8	2.0	3.4	1.3	1.9		5.7
0.4	1.0	0.6	0.8	0.6	0.2	0.2	0.6	1.0	2.0		0.3
0.8	1.0	1.2	1.2	0.6	0.7	0.5	1.1	0.7	2.6		0.3
0.8	0.5	1.8	1.2	0.8	0.2	0.2	0.7	1.0	0.6	2.0	1.0
0.6	0.7	0.6	1.2	0.6	0.3	0.2	0.8	0.6	2.5	2.0	1.0
1.8	1.9	0.6	2.0	0.3	0.8	0.6	0.9	0.6	3.1	1.9	1.7
2.3	1.6	2.4	1.2	2.6	2.4	2.6	1.7	2.4	4.7	2.1	3.4
3.3	2.2	5.4	2.4	2.5	1.8	3.2	1.7	2.0	4.0		1.4
3.1	2.5	2.3	3.9	3.1	2.1	2.8	1.6	1.6	1.9	2.0	1.7
1.3	2.0	2.3	2.0	2.9	2.2	2.9	1.7	2.9	1.9	5.9	2.7
0.8	0.7	1.2		4.1	3.1	4.5	3.5	3.5	2.5		3.0
0.5	0.6			1.0	0.6	0.7	0.6	1.0	0.7		1.0
1.2	0.7	0.6		0.4	0.7	0.5	0.9	1.3	1.3	2.1	0.3
0.5	0.8		2.0	0.9	0.7	0.8	1.0	0.3			1.0
0.9	0.5	1.2		1.5	0.6	0.7	0.7	0.3			1.7
0.1	0.1			0.9	0.3	0.9	0.8	1.3	2.5		0.7
0.1				0.1	0.1	0.3					
0.3	0.1			0.1		0.2	(1)	0.3	0.7		0.3
.....				0.1		0.4			0.6		
.....				0.2		0.5	(1)				
.....						0.4	(1)	0.3			
.....	0.1				0.1		(1)				
.....						0.1	(1)				
0.1	0.1			0.1		0.1	(1)				
0.5	1.2	1.8	5.1	0.3	0.6	0.3	1.0				0.7
0.8	1.6	1.2	2.8	0.1	1.4	0.1	1.5	0.3		2.1	2.7
0.1	0.7	0.6	3.9	0.3	0.8	0.1	0.7				0.7
0.7	0.3	1.2	1.5	0.1	1.1	0.1	0.7				
1.1	1.0	1.2	3.1	0.4	0.7	0.2	0.9	0.3			0.7
8.1	5.3	8.7	11.0	9.6	6.8	12.9	10.3	0.7	2.7	6.3	8.8
7.4	5.7	11.6	6.3	11.2	6.4	12.9	8.4	1.3	2.6	12.3	8.1
10.8	6.7	14.9	9.4	13.2	6.7	11.2	10.2	2.6	1.9	4.0	14.5
11.5	7.4	6.4	5.5	11.3	6.7	11.4	13.0	1.3		3.9	7.1
7.7	6.6	13.8	12.5	9.4	5.4	6.1	12.0	1.9	0.6	9.6	7.7
0.4	0.1				0.4	0.1	0.5				0.3
0.4					0.2	0.2	0.3				
0.1	0.3	0.6		0.2	0.3	0.2	0.3			2.0	
0.3	0.2			0.2	0.1	0.1	0.2				
0.3	0.2	1.2		0.2		0.1	0.2	0.3			
6.9	6.6	6.8	2.4	12.7	7.3	8.7	5.5	8.6	6.7	8.4	5.7
7.3	5.9	9.1	3.5	8.5	6.3	7.9	4.8	9.4	4.0	4.1	2.0
6.7	6.1	8.3	6.3	11.3	6.0	8.5	4.0	8.9	4.5	6.0	5.7
5.4	6.3	7.6	4.7	11.3	6.8	8.6	5.3	5.5	5.7	9.8	2.7
5.1	6.7	8.6	8.2	11.9	7.2	9.1	4.6	4.7	3.7	3.8	3.7
3.2	1.7	6.2	4.3	33.1	12.3	27.0	4.3	9.6	4.0	6.3	1.7
0.7	0.3			0.5	0.5	0.8	0.2	0.3		2.0	0.3
1.3	0.3		0.4	3.7	1.9	2.3	0.8	1.3	1.9		
0.8	0.3	1.2	0.8	1.8	0.4	0.7	0.3	1.3	1.3		0.3
0.8	0.6	4.0	0.1	7.8	3.2	5.0	1.2	2.2	1.2	1.9	

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Cold and freezing.....	1901	0.5	1.9	0.2	0.7	0.8	0.9	0.5	0.4
	1902	1.1	0.9	0.3	0.5	2.5	0.3	0.5	1.6
	1903	0.3	0.9	0.3	0.9		0.7	0.6	1.6
	1904	0.9	1.8	0.6	0.6		0.2	0.7	1.7
	1905	0.8	2.4	0.4	0.4	0.8	0.3	0.4	1.1
Lightning.....	1901		1.2	0.2	1.2		0.2	(1)	0.4
	1902		0.6		1.6	0.8	0.3	(1)	0.3
	1903		0.9	0.4	1.2			(1)	0.3
	1904		1.2	0.3	0.6		0.2	0.1	0.1
	1905		0.3	0.3	1.2				0.3
Drowning.....	1901	11.5	18.0	4.8	4.4	10.8	16.6	11.4	15.2
	1902	9.2	10.5	5.5	3.8	18.9	15.9	12.0	13.6
	1903	12.6	16.3	6.7	4.5	11.4	19.3	10.5	14.2
	1904	11.3	14.0	7.1	5.3	20.1	21.1	9.6	12.2
	1905	11.2	20.2	7.6	4.4	8.7	12.0	8.6	14.7
Inhalation of poisonous gases.....	1901	2.8	0.6	2.1	0.3	1.7	0.3	1.6	0.7
	1902	2.3	0.6	0.8	0.2	4.9	0.5	2.9	0.4
	1903	6.2	0.6	0.9	0.6	1.6	0.3	2.7	0.9
	1904	5.0	2.1	2.2	0.4	4.0	1.0	3.0	1.0
	1905	5.2	0.6	0.8	0.6		0.3	2.6	0.3
Conflagration.....	1901								
	1902								
	1903					0.8		0.1	
	1904			0.1	0.2				
	1905		4.8		0.1		2.6	2.7	0.7
Other accidental poisonings.....	1901	4.3	3.4	5.1	3.5	5.8	2.2	3.0	2.9
	1902	4.7	2.8	7.1	4.6	3.3	1.9	3.1	3.1
	1903	5.4	3.1	6.7	5.0	4.9	3.1	3.2	2.8
	1904	4.6	5.8	7.8	4.6	1.6	5.2	3.3	4.6
	1905	4.6	4.8	3.0	2.8	8.7	2.7	3.2	3.7
Accidental gunshot wounds.....	1901	1.6	1.9	3.9	4.2	1.7	2.6	1.0	3.1
	1902	2.9	3.7	4.2	4.0	3.3	2.2	1.2	2.2
	1903	2.2	1.8	6.6	5.3	4.1	2.4	1.2	2.8
	1904	2.5	4.6	4.9	6.0	5.6	5.0	1.2	1.3
	1905	2.9	2.7	2.6	3.6	3.2	3.8	0.9	2.8
Injuries by machinery.....	1901	0.5	0.6	0.8	0.3	0.8	0.5	0.5	0.3
	1902	1.0	0.6	0.9	0.5	0.8		0.2	0.4
	1903	0.5	0.6	0.9	0.5	0.8	1.2	0.6	0.4
	1904	0.6	1.5	0.9	0.4		2.2	0.8	0.9
	1905	0.9	0.3	1.4	0.5	0.8	1.4	1.2	
Injuries in mines and quarries.....	1901			0.5	0.7		0.2	0.1	0.3
	1902				0.2		0.2		
	1903			0.9	2.6	0.8			
	1904		0.3	0.4	1.5		0.2	(1)	
	1905	0.2	0.0	0.6	2.6			0.1	
Railroad accidents and injuries.....	1901	11.0	13.1	16.0	9.6	7.5	3.8	8.0	10.8
	1902	13.3	15.8	10.9	7.2	5.8	4.5	9.4	12.9
	1903	16.2	20.2	23.4	11.3	13.9	5.7	10.9	11.9
	1904	16.8	21.0	19.8	10.7	13.6	4.8	10.6	12.0
	1905	18.7	21.1	18.7	13.0	15.8	5.3	10.5	15.9
Injuries by vehicles and horses.....	1901	0.8	2.2	0.5	0.9	2.5	1.7	0.4	0.9
	1902	1.0	1.5	0.3	1.1	0.8	1.4	0.6	0.4
	1903	1.4	1.8	1.3	2.2	0.8	2.6	1.7	2.2
	1904	1.7	1.2	1.0	2.0	0.8	2.4	2.5	1.7
	1905	2.7	2.4	3.6	1.8	2.4	1.4	3.0	2.6
Suffocation.....	1901	2.7	3.1	2.4	3.0	2.5	0.7	2.5	1.2
	1902	2.8	0.6	2.0	2.0	2.5	0.7	1.4	0.9
	1903	2.5	2.2	1.5	2.5		1.2	1.9	1.0
	1904	1.9	0.9	2.2	1.4	2.4	1.0	2.6	1.9
	1905	1.8	2.4	2.4	2.1	0.8	0.7	2.1	2.3
Injuries at birth.....	1901	7.0	4.4	1.3	1.9	5.0	2.2	7.4	1.5
	1902	9.6	6.5	2.8	2.6		2.4	6.3	2.5
	1903	13.3	5.5	1.5	2.6	0.8	2.9	6.9	3.3
	1904	10.1	7.0	2.8	2.2	5.6	3.3	10.0	3.6
	1905	12.6	6.9	3.3	4.0	3.2	4.1	9.4	5.4
Other accidental traumatism.....	1901	13.1	13.4	7.2	6.2	9.2	12.8	13.2	7.8
	1902	12.2	10.8	6.3	5.1	18.1	12.6	9.5	7.4
	1903	14.8	15.9	12.1	8.5	13.0	8.9	12.7	12.4
	1904	13.2	13.1	13.5	9.7	16.1	11.8	13.5	13.8
	1905	17.5	14.8	14.0	10.5	15.8	15.0	15.3	14.5
Burning by corrosive substances.....	1901							(1)	
	1902		1.2						
	1903							(1)	
	1904	0.2							
	1905	0.2	0.3		0.1			0.1	
Other external violence.....	1901	1.8	2.5	10.0	9.5	4.2	3.5	5.0	5.9
	1902	3.2	2.8	17.8	9.6	8.3	3.1	5.8	6.4
	1903	2.5	4.3	4.6	4.7	2.4	3.6	3.6	5.8
	1904	2.6	4.0	5.3	4.2	8.0	5.7	3.6	3.7
	1905	2.6	2.4	4.1	3.4	4.0	2.7	3.0	3.0

(1) Less than one-tenth.

SUMMARY AND RATE TABLES

193

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.4	0.7	1.2	0.8	0.4	0.6	0.4	1.0	1.0	3.4		
0.1	1.1		1.9	0.5	0.5	0.4	0.8	1.0		2.0	0.3
0.3	0.6	0.6	1.6	0.7	2.4	0.2	1.3	1.3	1.3		0.7
0.7	1.9	0.6	2.0	0.8	1.3	0.4	1.3	1.0			0.7
0.8	1.4	0.6	0.8	0.9	0.8	0.3	1.6		1.9	1.9	0.3
0.1	1.6		0.4	0.1	1.6	0.1	0.8				0.7
0.1	0.8		1.6	0.3	0.5	0.1	0.9		0.7		
0.3	1.4			0.1	0.8	(1)	0.3		0.6		
0.1	0.8			0.2	0.4	0.1	0.7				0.7
0.3	0.8			0.2	0.9	0.1	0.4				1.0
10.5	13.0	8.7	11.8	13.7	15.9	12.5	13.3	8.3	23.6	14.6	9.1
11.8	10.4	10.3	9.1	10.4	15.8	10.8	13.4	7.1	17.2	6.2	8.4
10.7	10.1	13.1	20.4	12.9	15.3	11.4	13.4	7.9	30.4	14.1	7.4
8.8	11.5	12.9	12.1	12.6	13.4	11.6	13.8	6.7	20.9	9.8	10.1
10.3	13.7	14.4	10.6	10.7	16.9	11.2	13.4	8.8	21.1	13.5	8.4
0.8	0.7			3.4	1.4	5.1	1.1	3.8		2.1	0.3
2.4	0.7	0.6	0.4	4.3	0.9	6.7	1.2	6.0	0.7	4.1	0.3
2.4	0.5	4.2	0.4	5.1	1.7	6.5	0.9	6.2			
2.2	0.4	4.1	0.8	5.5	3.0	6.9	1.5	3.5	1.3		0.3
1.1	0.9			7.7	2.3	5.7	0.8	3.5			
0.1	0.6					1.0	0.2				
0.1	1.3	0.6	1.2	0.1		17.8					
						1.4	0.7				0.3
4.8	3.0	4.4	3.9	3.0	3.8	4.7	4.3	2.8	2.0	4.2	4.4
3.7	3.7	2.1	1.9	3.4	2.2	5.9	4.0	2.4	1.3	4.1	4.7
6.3	5.3	6.5	3.5	3.8	3.5	7.1	5.2	3.3	3.2	8.1	5.1
5.7	4.7	4.1	4.7	4.5	3.6	6.3	4.7	1.3	3.8	5.9	3.4
4.9	4.3	5.8	5.9	4.0	4.3	3.2	5.1	3.1	1.9	9.6	6.4
3.3	4.7	1.2	2.4	1.3	2.8	2.3	3.8	0.7	1.3	4.2	3.0
3.5	3.7	2.4	1.2	2.9	2.7	3.0	3.7		1.3		2.7
3.7	5.3	3.0	4.3	2.6	2.9	2.3	3.4		2.6		4.0
2.2	4.6	0.6	5.5	2.8	4.0	3.2	4.1	0.3	0.6		4.1
1.8	4.8	1.2	2.0	2.4	2.2	1.1	4.1	0.3	1.2	5.8	4.4
0.7	1.3	0.6		1.3	0.5	0.3	0.7				
1.6	1.4	1.2	0.4	0.8	0.5	0.4	0.5	3.4	1.3	2.0	0.3
1.1	1.1	1.2	0.4	0.9	0.8	0.6	1.0	1.0	1.3	2.0	1.7
1.0	2.2		1.2	0.7	0.9	0.4	0.8	1.0	1.9	2.0	1.3
0.1	0.7	0.6	1.6	1.3	0.7	0.6	0.6	1.9		1.9	2.0
4.8	3.9				0.2	(1)					0.7
4.4	3.5			0.1	1.1	(1)	0.1				
3.0	3.9		0.4		0.8	(1)	0.5		0.6		0.3
1.8	4.2			0.1	0.8	(1)	0.1				2.0
3.4	6.8			0.4	1.2		0.7				5.0
13.9	10.0	13.0	6.3	20.2	17.6	7.9	15.6	10.0	10.8	10.5	6.7
13.5	9.1	4.9	5.5	20.9	17.8	8.4	16.1	12.4	13.2	14.4	9.1
17.2	13.7	10.7	6.7	23.4	23.5	10.7	19.2	11.8	15.5	8.0	13.1
11.5	11.0	11.1	7.8	21.8	19.7	10.4	18.3	14.1	11.4	5.9	12.1
9.4	11.1	8.6	5.9	21.9	17.6	13.0	20.7	11.3	13.0	11.5	9.1
1.4	3.4	0.6	0.8	1.0	0.6	2.6	1.4	4.5	4.0		0.7
2.3	3.1	1.8	1.2	0.9	0.6	3.0	1.4	5.0	3.3	2.0	1.7
2.6	2.7		2.7	1.4	0.8	4.6	2.1	5.9	4.5	2.0	2.7
1.7	3.1		3.1	1.6	1.0	5.2	1.9	3.5	5.7		3.0
2.0	3.0	1.7	1.6	2.8	1.1	6.3	1.9	1.3	4.3	3.8	3.0
2.1	1.6	3.1	2.4	1.3	1.3	1.3	1.9	1.7	4.7		1.3
1.6	1.7	0.6	1.2	1.1	1.8	0.8	1.1	1.3	1.3		2.7
1.8	1.5	1.8	2.0	1.6	1.4	1.6	1.5	1.6	3.2		2.7
1.5	2.9	2.9	1.2	0.8	2.2	1.1	1.8	2.6	3.8	2.0	1.0
1.4	2.2	1.7	1.2	1.2	2.2	1.2	1.7	2.5	2.5		1.3
4.8	3.1	1.2	0.8	6.1	2.6	4.8	3.9	6.9	8.8	4.2	1.7
4.6	3.0	1.2	1.9	5.3	3.3	5.5	5.0	11.1	13.9	8.2	5.8
4.2	4.8	4.2	2.4	6.5	5.4	7.8	5.3	11.5	11.6	6.0	5.1
4.1	3.8	8.8	0.8	8.0	4.5	7.9	5.0	18.0	12.7		2.4
3.5	3.8	1.2	2.7	6.6	5.7	9.3	3.5	15.7	13.0	5.8	4.0
15.3	13.8	4.4	5.9	14.5	11.4	15.6	11.1	21.7	12.1	12.6	8.1
13.2	14.8	6.1	7.1	13.1	8.5	18.0	11.9	20.2	13.9	10.3	11.5
12.7	14.2	15.5	9.8	12.5	10.6	19.4	13.3	23.3	13.6	8.0	14.5
11.2	16.1	15.8	10.6	16.0	10.6	20.3	15.1	24.7	17.1	13.7	16.8
13.4	14.1	9.2	12.5	16.2	10.5	23.2	14.1	18.8	16.1	13.4	18.2
						0.1	0.1		0.7		
0.1	0.1				0.1	0.1	0.1				
0.1						(1)					
0.1							0.4				
5.6	4.4	6.2	7.9	2.8	3.5	1.7	4.2	2.1	2.0	8.4	4.4
3.6	5.1	4.9	8.7	4.1	4.4	2.3	4.7	1.7	2.6	2.0	6.4
6.7	3.9	8.9	10.6	3.1	3.4	2.6	5.0	3.0	2.6	4.0	10.1
3.2	5.2	4.1	5.1	1.8	3.7	1.9	4.8	1.3	1.9	3.9	8.0
3.4	3.9	5.2	7.4	2.8	3.0	1.2	4.3	1.6	1.9	3.8	3.7

MORTALITY STATISTICS.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Starvation, privation, etc.	1901	0.5			(1)			0.4	
	1902	0.2	0.3	0.2	0.1		0.3	(1)	0.1
	1903	0.5		0.3				0.2	
	1904		0.3	0.6	(1)		0.3	(1)	
	1905		0.3		0.1		0.2	0.1	
Homicide	1901	0.3		2.4	0.5	1.7	1.6	1.1	1.3
	1902	0.5		2.0	0.6		0.3	1.3	0.6
	1903	0.6	0.9	1.3	1.1	2.4	1.0	1.3	0.7
	1904	0.3		3.0	0.7	2.4		1.5	0.3
	1905	1.8	0.9	4.7	2.6	3.2	2.1	1.5	0.4
XIV.—Ill-defined diseases	1901	24.7	22.7	65.5	59.2	76.6	87.9	55.9	61.7
	1902	26.4	20.9	53.6	51.6	80.6	70.2	56.4	63.8
	1903	24.6	23.9	44.8	34.8	69.0	76.4	48.4	46.9
	1904	24.5	22.8	45.4	35.8	56.9	81.0	33.4	34.2
	1905	26.0	24.4	42.9	32.1	43.5	61.9	38.1	32.0
"Dropsy"	1901	0.5	0.9	10.9	9.9	4.2	8.7	1.2	4.0
	1902	1.1	1.2	7.4	10.3	2.5	5.7	1.5	4.5
	1903	1.0	3.7	5.6	6.5	4.1	6.7	1.1	1.7
	1904	0.1	3.1	3.6	6.2	0.8	5.2	1.0	1.7
	1905	1.2	1.2	8.9	5.5	1.6	3.2	0.3	1.3
"Heart failure"	1901			9.7	11.9	3.3	18.3	4.0	15.0
	1902			4.9	7.6	11.5	11.2	4.5	15.3
	1903	0.5	0.6	7.3	6.9	9.7	11.9	3.5	10.7
	1904	0.5	0.6	7.7	7.0	1.6	12.5	3.0	6.0
	1905	0.8		5.9	6.3	5.5	13.5	2.3	5.5
Sudden death	1901	0.2		0.9	0.6		0.3	0.6	0.3
	1902	0.5	0.6		0.4	2.5	1.4	0.5	0.7
	1903	0.3	1.2		0.2	1.6	3.4	0.4	
	1904		0.6	0.3	0.1		0.7	0.2	0.1
	1905	0.6	0.3	0.4	0.5	0.8	1.7	0.3	0.3
Unspecified or ill-defined causes of death	1901	2.0	1.9	7.9	6.3	15.0	6.4	9.7	9.6
	1902	5.4	1.5	7.4	3.8	12.3	5.3	7.7	7.6
	1903	5.1	6.4	5.8	3.5	13.8	6.2	6.6	8.4
	1904	1.9	2.4	4.8	2.9	11.2	7.2	4.7	5.3
	1905	4.4	4.2	3.2	2.5	7.1	2.9	6.2	6.5
Inanition, over 3 months	1901	3.3	2.2	13.3	8.0	9.2	5.2	5.4	3.5
	1902	4.4	4.6	14.0	8.5	17.3	5.7	5.8	5.1
	1903	2.5	2.2	9.6	4.5	7.3	3.1	5.2	4.8
	1904	3.1	1.8	12.9	5.6	12.0	5.5	3.7	4.0
	1905	2.6	3.3	12.4	6.1	6.3	4.8	5.5	4.0
Debility, over 3 months	1901	3.3	3.4	10.2	11.0	14.1	10.0	11.1	13.1
	1902	3.7	3.1	8.6	7.9	14.8	8.8	9.5	10.4
	1903	2.7	2.2	7.0	5.2	14.6	11.0	8.9	9.0
	1904	3.4	0.6	5.4	4.5	8.8		3.3	4.2
	1905	3.5	3.9	4.8	3.6	11.9	7.2	4.0	4.7
Marasmus, over 3 months	1901	8.4	4.4	7.5	2.9	15.0	4.5	20.1	8.8
	1902	7.8	5.3	6.2	2.4	12.3	2.9	23.2	13.3
	1903	10.0	4.6	4.3	1.4	11.4	4.3	17.9	8.7
	1904	9.3	4.6	4.3	2.3	7.2	4.8	14.4	9.0
	1905	8.8	6.6	3.9	1.8	4.0	5.6	17.1	8.4
Fever	1901	0.2	0.9	2.2	3.1		0.7	0.9	0.1
	1902	0.3	0.6	3.1	2.8		2.2	0.2	
	1903	0.1	1.5	3.3	2.1		1.0	0.2	0.7
	1904	0.6	1.2	1.4	2.2		1.2	0.2	1.3
	1905	0.2		1.7	1.8		0.7	0.1	
Unknown causes	1901	6.8	9.0	2.9	5.5	15.8	33.8	3.6	7.9
	1902	3.2	4.0	2.0	7.9	7.4	27.0	3.6	6.9
	1903	2.4	1.5	1.9	4.5	6.5	28.8	4.6	2.9
	1904	5.6	7.9	3.0	5.0	15.3	35.5	2.8	2.4
	1905	4.0	4.8	1.7	4.1	6.3	22.2	2.1	1.3

¹ Less than one-tenth.

SUMMARY AND RATE TABLES.

195

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.											
Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.1	0.6	0.1	0.1	0.1	0.1	0.4				
0.3	0.2					0.1	0.2		2.0		
0.4	0.1			0.1	0.1	0.1	0.2		0.6		0.3
				0.1	0.1	0.1	0.2				
0.1	(1) 0.1			0.1	0.1	0.1	0.1		0.6		
1.1	1.6		0.4	0.9	0.1	1.8	0.4	2.8	0.7		0.3
1.5	1.2			1.4	0.8	2.0	0.3	2.7	4.0		0.3
1.4	1.3			0.7	0.2	1.4	0.5	2.3	1.9		0.3
1.0	1.0		0.8	1.3	0.5	2.2	0.5	3.5	1.9	2.0	0.3
0.9	0.5	1.2	0.4	1.8	1.4	3.5	0.6	2.5	0.6	1.9	2.0
45.6	50.0	80.4	100.7	65.1	57.6	39.9	44.5	32.0	35.8	52.4	77.5
39.2	41.8	86.2	69.2	62.0	58.3	33.0	40.9	24.2	19.8	69.7	58.6
35.7	43.2	53.7	33.0	56.1	49.9	33.7	35.5	28.6	24.5	54.2	45.1
42.5	46.6	53.9	47.8	51.3	44.5	31.7	39.8	24.3	19.0	48.7	48.1
49.4	52.5	62.2	48.1	51.2	37.6	29.5	34.2	24.5	20.4	61.5	48.1
4.9	8.8	6.8	5.9	2.2	3.8	1.2	9.0	0.3		6.3	4.7
3.4	6.8	7.9	6.3	2.1	6.2	1.1	7.2	0.7		2.0	1.7
5.7	7.3	1.8	4.3	0.9	2.9	1.1	6.6	1.0	1.9		2.0
3.4	7.3	2.3	3.1	1.6	2.1	0.8	5.0	0.6	0.6	2.0	2.7
5.4	6.5	2.3	3.1	1.1	1.6	0.6	4.9	0.3		7.7	2.0
4.1	7.2	8.0	23.7	6.9	11.7	1.5	9.4	0.7	0.7	4.2	18.9
3.2	4.3	6.1	21.3	7.6	10.4	1.4	8.7	1.0	0.7	8.2	10.4
4.7	6.2	10.1	11.0	11.1	13.4	3.6	8.5	0.3	0.6	8.0	8.1
4.8	7.5	6.4	9.8	4.5	8.0	4.1	9.8	1.0		19.6	8.7
5.7	10.1	5.2	10.6	5.4	6.3	2.0	8.6		0.6	9.6	13.5
	0.7	1.2	1.2	0.3	0.2	0.2	0.4				1.0
0.3	1.1	1.8	1.6	1.4	0.4	0.1	0.3	0.3			0.7
	0.5	1.2		0.2		(1) 0.1	0.9	0.7		4.0	2.4
0.5	0.2	1.2		0.1	0.2	0.1	1.0		1.3	2.0	1.3
0.9	0.9	0.6	2.3	0.3	0.3	0.2	0.6	0.6	1.2	3.8	2.4
4.3	6.4	6.2	19.0	4.8	4.7	2.3	5.3	2.4	1.3	14.6	12.8
4.7	5.2	6.1	7.5	3.6	3.7	1.5	4.0	2.0	0.7	12.3	9.1
4.5	4.1	7.5	5.9	3.5	3.5	1.5	3.3	2.6	2.6	18.1	5.0
1.9	3.2	7.6	9.4	2.1	1.7	1.0	3.9	2.6	2.5	7.8	3.4
5.4	3.2	15.0	8.6	4.3	2.2	0.7	2.9	3.8	2.5	3.8	4.0
6.0	2.6	9.3	1.6	7.9	4.1	3.4	4.2	13.4	12.1	8.4	3.7
6.9	2.2	7.9	4.7	7.0	6.0	3.2	3.8	7.7	7.3	6.2	2.4
3.8	3.3	5.4	5.1	5.8	4.2	3.7	2.6	11.2	14.2	10.1	3.7
4.9	3.6	10.6	3.5	6.8	3.2	3.1	4.0	9.6	7.6	15.7	4.0
8.2	5.1	10.4	3.5	6.8	4.2	4.5	3.5	11.6	8.7	3.8	4.4
4.3	5.4	18.6	19.3	5.1	6.8	2.6	9.1	5.8		8.4	11.8
3.8	5.0	18.2	11.1	4.6	7.2	1.5	7.7	6.7	1.3	12.3	6.7
3.2	4.7	10.1	15.3	6.0	5.9	2.5	6.1	7.5	1.3	4.0	5.7
3.4	4.6	4.1	7.8	2.5	6.4	1.6	7.3	1.3	0.6	2.0	6.1
5.6	7.8	6.9	11.7	3.7	4.3	1.6	5.8	0.9		11.5	5.4
11.6	3.4	13.0	7.5	35.3	22.1	28.1	5.1	4.5	5.4	8.4	2.4
7.6	2.4	21.8	3.5	34.2	20.5	23.8	6.2	4.0	5.3	20.5	6.0
7.6	2.2	10.7	3.5	26.7	17.5	20.4	5.3	2.6	1.3	6.0	2.7
12.4	3.0	12.9	4.7	30.9	19.4	20.6	6.7	5.5	3.2	15.7	3.0
11.3	3.5	15.0	3.9	27.9	17.1	19.6	6.7	5.0	1.2	15.4	3.7
1.2	1.0	0.6	1.6	0.8	1.1	0.2	0.8				2.4
0.3	0.6		0.8	0.3	1.3	0.1	0.7			2.0	2.0
0.4	0.7	0.6	0.4	0.3	0.7	0.3	0.8	0.3			0.7
0.4	0.7	1.8	0.8	0.3	0.6	0.3	0.6		0.6		2.4
0.4	0.7	0.6		0.2	0.7	0.1	0.3				2.0
9.2	14.5	16.7	20.9	1.8	3.0	0.4	1.1	4.8	16.2	2.1	19.8
9.0	14.2	16.4	9.4	1.2	2.7	0.3	2.3	0.7	4.6	6.2	19.6
7.8	14.2	6.0	7.5	1.5	1.8	0.4	1.4	2.3	2.6	4.0	14.8
10.8	16.5	7.0	4.7	2.5	2.8	0.2	1.4	3.9	2.5	3.9	16.5
6.5	12.7	6.3	4.3	1.5	1.0	0.2	0.9	2.2	6.2	5.8	10.8



GENERAL TABLES

(197)

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

		WHITE.											
		Native.											
REGISTRATION AREA.		Total.	Both parents.			Mixed parentage.			Parent- age not stated.	Foreign.	Un- known.	Colored.	
			Native.	Foreign.	Un- known.	Native and foreign.	Native and un-known.	Foreign and un-known.					
SUMMARIES.													
1	The registration area.....	545,533	172,220	98,687	37,503	30,107	12,066	2,883	4,381	140,951	8,517	37,818	
2	Registration cities.....	411,062	105,167	81,827	26,994	22,829	5,881	2,123	4,381	117,160	6,420	35,280	
3	Registration states.....	345,843	119,639	67,414	20,066	21,336	9,769	2,037		89,601	4,182	11,519	
4	Cities in registration states.....	211,392	52,586	53,554	9,157	14,058	3,584	1,277		66,110	2,085	8,981	
5	Rural part of registration states.....	134,471	67,053	13,860	10,909	7,278	6,185	760		23,791	2,067	2,538	
6	Registration cities in other states.....	199,670	52,581	31,273	17,837	8,771	2,297	846	4,381	51,050	4,335	26,299	
REGISTRATION STATES.													
7	Connecticut.....	16,289	4,849	3,720	976	939	668	114		4,413	271	339	
8	District of Columbia.....	6,201	1,770	289	478	163	34	13		636	58	2,760	
9	Indiana.....	34,392	19,736	2,001	3,426	1,180	2,340	265		3,573	559	1,312	
10	Maine.....	11,537	6,478	995	1,017	747	554	25		1,523	142	56	
11	Massachusetts.....	50,343	14,845	11,836	1,762	3,770	1,530	375		14,985	400	837	
12	Michigan.....	34,542	12,011	5,273	2,047	3,068	1,252	291		9,509	550	541	
13	New Hampshire.....	7,274	2,000	1,185	843	381	380	38		1,284	238	16	
14	New Jersey.....	33,912	11,029	7,058	1,730	1,710	235	150		8,945	331	1,624	
15	New York.....	137,222	39,750	32,499	7,013	8,430	2,363	684		41,621	1,433	3,519	
16	Rhode Island.....	8,308	2,531	2,156	107	561	41	27		2,445	43	297	
17	Vermont.....	5,943	2,831	489	667	387	372	55		967	157	18	
REGISTRATION CITIES.													
18	Adams town, Mass.....	223	26	83	10	26	2	1		72		6	
19	Alameda, Cal.....	246	67	34	9	22	11	3		94			
20	Albany, N. Y.....	1,811	527	312	269	67	21	6		543	27	39	
21	Alexandria, Va.....	307								8	1	135	
22	Allegheny, Pa.....	2,683	729	712	164	174	16	12	163	743	38	95	
23	Allentown, Pa.....	693	429	73	36	22	28	3		89	18	2	
24	Altoona, Pa.....	816	471	109	30	42	13	4		122	7	18	
25	Amherst town, Mass.....	137	61	24	3	18	2			29			
26	Amsterdam, N. Y.....	365	122	105	12	12	5	3		99	2	5	
27	Anderson, Ind.....	265	178	9	15	9	23	1		19	3	8	
28	Ann Arbor, Mich.....	250	96	34	9	17	4	2		71	6	11	
29	Annapolis, Md.....	191	61	3	6	5	3			8		105	
30	Ansonia, Conn.....	200	34	61	7	13	4			69		7	
31	Appleton, Wis.....	198	53	34	6	19	10			75	1		
32	Arlington town, Mass.....	115	41	21	1	14	4	1		33			
33	Ashtabula, Ohio.....	210	98	47		4				51	6	4	
34	Atlanta, Ga.....	2,480	937	17	165	17	4			56	54	1,230	
35	Atlantic City, N. J.....	626	263	59	49	25	4	1		90	7	128	
36	Attleboro town, Mass.....	174	62	36	1	23	3			44	2	2	
37	Auburn, N. Y.....	517	214	57	25	28	3	1		138	2	19	
38	Augusta, Me.....	288	96	37	54	15	23	2		54	4	3	
39	Aurora, Ill.....	310								82	17	1	
40	Baltimore, Md.....	10,698	3,176	1,287	672	482	232	61	210	1,884	113	2,761	
41	Bangor, Me.....	421	160	41	65	19	25	2		76	28	5	
42	Barre, Vt.....	164	53	41	6	13	8	1		40			
43	Bath, Me.....	164	116	12		12	3			20		1	
44	Battle Creek, Mich.....	341	176	17	33	15	30	1		51	6	12	
45	Bay City, Mich.....	512	116	91	23	69	15	7		184	6	1	
46	Bayonne, N. J.....	670	116	247	9	37	4			226	6	15	
47	Bellaire, Ohio.....	179	77	25	13	12	5	1		27	7	12	
48	Belleville, Ill.....	295								104	12	6	
49	Beloit, Wis.....	173	72	17	9	9	10	2		47	5	2	
50	Bennington town, Vt.....	164	65	11	20	10	9	2		34	13		
51	Berlin, N. H.....	169	9	60	6	12	1			64	7	2	
52	Beverly, Mass.....	249	130	33	3	20	5	1		54	1	2	
53	Biddeford, Me.....	284	59	102	6	23				94			
54	Binghamton, N. Y.....	789	403	114	71	26	24	1		132	10	8	
55	Boston, Mass.....	10,987	2,293	2,840	315	768	284	125		3,921	120	301	
56	Bridgeport, Conn.....	1,357	320	400	51	77	27	14		424	20	24	
57	Bridgeton, N. J.....	191	114	3	36	1	2			9	7	19	
58	Bristol town, Conn.....	167	44	50	19	11	10			29	4		
59	Brockton, Mass.....	623	221	126	25	49	18	2		135	39	8	
60	Brookline town, Mass.....	260	121	37	4	18	4			74			
61	Buffalo, N. Y.....	5,882	1,353	1,732	94	438	65	22		2,046	30	62	
62	Burlington, Iowa.....	306	98	42	15	25	12	2		100	6	6	
63	Burlington, Vt.....	434	158	48	49	40	20	5		101	8	5	
64	Cambridge, Mass.....	1,441	329	372	25	109	23	11		493	7	75	
65	Camden, N. J.....	1,354	600	177	76	74	12	3		234	14	164	
66	Canton, Ohio.....	416	192	52	36	19	16	8		80	5	8	
67	Carbondale, Pa.....	281	99	50	8	18	7	2		92	3	2	
68	Carlisle, Pa.....	151	96		11	2				7	9	26	
69	Central Falls, R. I.....	363	50	167	1	26	1	2		115	1		
70	Charleston, S. C.....	1,631	191	31	97	28	20	2		89	16	1,157	
71	Chelsea, Mass.....	686	179	168	38	53	17	8		193	7	33	
72	Chicago, Ill.....	27,548	2,950	5,441	6,109	1,122	79	111		9,980	749	937	
73	Chicopee, Mass.....	359	65	148	1	27	6	7		102			
74	Chillicothe, Ohio.....	184	102	17	9	2	3			25	3	22	
75	Cincinnati, Ohio.....	6,699	2,189	1,232	244	329	21	5		1,922	51	616	
76	Cleveland, Ohio.....	6,419	1,588	1,970	197	213	16	30		2,227	16	162	
77	Clinton town, Mass.....	215	52	61	3	21	5	1		72			

COLOR, NATIVITY, AND MONTH.

199

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
49,074	49,288	52,010	46,296	43,700	40,407	48,340	46,890	42,203	41,303	41,687	44,204	131
36,982	36,904	38,272	34,813	33,108	31,106	37,733	35,178	31,010	30,923	31,629	33,881	83
30,940	31,102	33,501	29,784	27,655	24,051	30,754	30,341	27,204	25,948	26,223	27,378	82
18,848	18,118	19,763	18,431	17,063	15,650	20,117	18,029	16,011	15,568	16,175	17,055	34
12,092	12,084	13,738	11,453	10,592	9,301	10,407	11,712	11,193	10,380	10,048	10,323	48
18,134	18,186	18,509	16,512	16,045	15,456	17,586	16,549	14,999	15,355	15,164	16,826	49
1,411	1,362	1,576	1,395	1,301	1,287	1,652	1,417	1,199	1,165	1,256	1,321	16
567	551	580	549	423	474	582	535	412	481	503	544	8
3,281	3,028	3,483	2,590	2,491	2,385	2,756	3,014	2,908	2,650	2,579	2,631	11
988	1,023	1,227	1,031	979	845	786	1,018	1,029	957	823	810	16
4,481	4,405	4,651	4,211	4,185	3,520	4,478	4,795	3,914	3,809	3,853	4,012	9
3,120	3,253	3,410	3,028	2,742	2,397	2,461	2,836	3,068	2,802	2,681	2,694	20
628	701	785	688	597	429	553	636	583	554	554	554	2
3,143	2,949	3,103	2,880	2,677	2,573	3,530	3,073	2,398	2,318	2,620	2,607	2
11,952	11,889	13,167	12,322	11,077	10,026	12,924	11,825	10,590	10,064	10,311	11,041	4
757	713	828	657	661	568	724	771	612	605	604	678	16
540	558	659	493	522	437	408	421	461	453	464	486	2
18	13	20	26	19	12	14	19	17	22	21	22	18
22	25	13	20	18	29	22	16	16	26	16	21	2
150	162	161	157	148	109	156	154	165	136	151	132	20
34	33	24	19	17	23	20	30	28	24	28	27	21
282	278	220	193	204	253	215	233	171	225	197	203	22
66	75	60	60	52	50	80	56	46	44	51	53	23
74	65	84	86	59	58	58	78	48	53	68	59	1
11	13	14	12	14	11	3	13	15	9	9	13	25
29	33	29	31	36	22	39	37	18	23	22	46	26
26	33	25	20	19	24	36	26	10	15	23	8	27
24	23	26	24	19	22	17	19	9	32	19	16	28
17	23	12	14	8	14	21	20	13	15	15	19	29
14	20	15	17	22	17	13	16	16	17	13	20	30
17	11	20	13	22	11	20	13	16	12	22	20	1
5	18	7	13	6	11	11	12	4	9	6	13	32
7	23	19	16	18	22	24	20	11	17	13	20	33
244	257	228	169	226	222	218	224	187	172	153	178	34
42	48	45	49	52	55	77	82	50	47	27	42	35
19	17	18	12	15	15	15	13	15	13	15	14	36
40	37	42	45	47	37	50	57	44	43	38	37	37
24	22	24	25	29	27	18	33	23	23	19	21	38
26	28	26	26	26	26	25	30	27	26	24	24	39
863	881	958	894	774	803	1,155	859	821	823	905	872	40
45	52	48	31	30	24	27	31	29	38	34	31	1
16	14	22	11	13	9	11	9	12	10	21	16	42
15	13	21	18	11	8	9	18	12	14	16	9	43
24	31	30	30	27	30	30	38	32	30	31	23	44
41	41	35	38	47	45	25	50	65	41	41	41	2
59	54	58	57	50	43	85	67	48	44	52	53	46
14	19	20	15	21	12	10	12	17	9	14	16	47
24	27	25	19	25	30	27	28	25	18	22	25	48
17	12	13	12	11	9	9	13	8	9	13	24	1
13	18	13	15	11	11	14	16	11	11	15	15	50
10	10	21	16	16	9	16	15	12	16	20	13	51
28	19	19	25	11	17	14	31	18	27	23	17	52
29	24	37	30	28	16	16	37	25	12	14	16	53
73	68	76	55	71	53	72	86	47	57	58	73	54
1,001	968	992	949	930	784	1,009	978	839	841	838	895	1
119	99	106	105	99	122	156	114	114	88	107	127	56
17	23	26	14	11	11	25	12	10	11	14	17	57
11	20	16	23	11	13	17	21	9	9	8	9	38
51	61	103	41	44	42	39	62	48	48	51	51	1
25	24	23	34	25	18	12	17	20	18	19	25	60
490	521	497	570	462	397	487	550	495	467	469	477	61
36	27	28	26	26	17	21	23	24	15	27	36	62
42	27	51	20	43	34	38	39	31	35	39	35	63
129	126	128	126	124	109	118	126	130	111	116	101	64
131	143	138	117	92	97	150	116	89	102	102	102	65
40	31	49	28	30	40	24	38	31	32	44	32	66
26	17	30	25	19	17	28	35	16	15	22	31	67
10	8	16	13	15	11	11	13	11	14	10	19	68
37	29	32	30	22	31	30	38	31	36	36	31	69
118	137	122	158	158	149	177	144	104	143	143	143	70
78	90	56	57	58	35	82	88	62	67	50	63	71
2,430	2,490	2,587	2,339	2,189	2,023	2,307	2,465	2,152	2,148	2,097	2,321	72
25	30	31	24	33	30	46	36	26	27	17	31	73
30	14	11	13	14	15	15	11	9	15	18	19	74
638	672	693	545	545	489	569	472	388	494	494	512	75
570	553	578	513	518	496	663	544	489	483	493	512	76
8	15	22	20	23	11	14	26	21	23	18	14	77

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.	Total.	WHITE.							Foreign.	Un- known.	Colored.
		Native.						Parent- age not stated.			
		Both parents.			Mixed parentage.						
		Native.	Foreign.	Un- known.	Native and foreign.	Native and un- known.	Foreign and un- known.				
REGISTRATION CITIES—Continued.											
78 Cohoes, N. Y.	518	117	146	11	63	7	4	162	7	1	
79 Columbia, Pa.	154	88	14	5	7	1		26	1	12	
80 Columbus, Ind.	81	84	1	18	2	6	4	9	2	5	
81 Columbus, Ohio	2,224	981	229	140	122	74	13	347	56	262	
82 Concord, N. H.	372	146	39	59	18	16		78	14	2	
83 Corning, N. Y.	214	98	34	21	10	7	1	40	2	1	
84 Cortland, N. Y.	111	41	6	32	2	4	1	15	6	4	
85 Covington, Ky.	806	337	98	59	32	2	1	200	4	73	
86 Danbury town, Conn.	337	117	44	23	16	27	2	86	6	16	
87 Danvers town, Mass.	258	100	27	15	15	9		58	2	2	
88 Davenport, Iowa.	566	137	93	30	41	13	5	211	24	12	
89 Dayton, Ohio.	1,420	640	197	90	59	23	6	273	10	122	
90 Decatur, Ill.	291						236	33	12	10	
91 Denver, Colo.	2,887	894	391	322	186	149	45	718	67	115	
92 Detroit, Mich.	4,695	788	1,090	362	446	102	45	1,709	63	90	
93 Dover, N. H.	263	78	47	31	8	16	10	64	15		
94 Dubois, Pa.	125	54	32	8	2			28			
95 Duluth, Minn.	835	139	208	26	74	5	3	351	18	11	
96 Dunkirk, N. Y.	226	57	66	6	18	7		70	2		
97 Eau Claire, Wis.	189	41	39	20	8	5	2	74	2		
98 Elizabeth, N. J.	942	231	255	22	66	1	3	318	5	41	
99 Elkhart, Ind.	214	114	11	37	6	12	3	24	6	1	
100 Elmira, N. Y.	554	239	74	54	22	24	7	115	3	16	
101 Elwood, Ind.	157	102	17	4	10	10	2	10	1	1	
102 Erie, Pa.	928	281	200	122	47	6	1	256	8	7	
103 Escanaba, Mich.	251	53	64	5	29	6		86	8		
104 Evansville, Ind.	856	301	92	53	52	32	10	154	7	155	
105 Everett, Mass.	404	135	79	10	46	4	6	115	1	8	
106 Fall River, Mass.	2,109	251	917	19	181	21	20	687	9	4	
107 Findlay, Ohio	225	128	18	20	12	20	4	15	1	7	
108 Fitchburg, Mass.	451	112	135	11	38	12	2	138	3		
109 Flint, Mich.	229	98	18	27	24	0	2	42	2	7	
110 Fort Wayne, Ind.	683	264	94	67	38	20	8	178	8	6	
111 Framingham town, Mass.	200	65	30	16	17	14	1	51	5	1	
112 Frederick, Md.	202	101	3	15	5	5		14	18	41	
113 Fresno, Cal.	278							185	53	2	
114 Gardner town, Mass.	172	54	50	11	16	7		33	2	38	
115 Geneva, N. Y.	169	57	24	23	10	2	2	46	1	2	
116 Glens Falls, N. Y.	215	124	29	11	10	3	1	35	1		
117 Gloucester, Mass.	396	157	81	7	39	9	2	99	1	1	
118 Gloversville, N. Y.	234	121	23	28	13	6		56	3	4	
119 Grand Rapids, Mich.	1,598	424	294	52	127	47	8	427	6	13	
120 Green Bay, Wis.	343	75	55	24	41	26	3	104	12	3	
121 Greenwich town, Conn.	227	67	48	16	12	9	1	54	5	15	
122 Hamilton, Ohio	330	179	43	1	16	1		83	3	4	
123 Hammond, Ind.	215	51	50	9	17	6	2	73	7		
124 Harrisburg, Pa.	813	302	21	181	23	6		76	93	111	
125 Harrison, N. J.	236	68	75	16	12			63	1	1	
126 Hartford, Conn.	1,827	378	391	105	89	32	17	454	16	45	
127 Haverhill, Mass.	605	242	104	29	57	22	1	141	2	7	
128 Hazelton, Pa.	238							169	69		
129 Hohoken, N. J.	1,358	227	418	10	66	4	4	614	10	5	
130 Holyoke, Mass.	823	91	276	30	78	24	14	306	4		
131 Hudson, N. Y.	203	90	24	12	11	8	2	34	5	17	
132 Huntington, Ind.	107	53	12	17	1	10	2	12			
133 Hyde Park town, Mass.	197	55	49	3	18	4	1	64		3	
134 Indianapolis, Ind.	2,998	1,151	206	329	99	210	38	446	70	449	
135 Iron Mountain, Mich.	151	7	80	2	11	1		50			
136 Ironton, Ohio	205	132	16	1	7	1		21		27	
137 Ironwood, Mich.	139	11	64	1	6		1	55	1		
138 Ishpeming, Mich.	169	10	62	2	16	1	1	78			
139 Ithaca, N. Y.	209	96	17	21	4	15	1	41	4	10	
140 Jackson, Mich.	415	180	53	20	33	14	4	97	7	7	
141 Jacksonville, Fla.	1,013							325	42	13	
142 Jacksonville, Ill.	296							196	41	633	
143 Jamestown, N. Y.	316	106	45	18	17	11	3	114	1	41	
144 Jeffersonville, Ind.	181	84	19	17	6	6	2	14	3	30	
145 Jersey City, N. J.	4,427	1,050	1,263	173	294	19	19	1,453	43	113	
146 Johnstown, N. Y.	143	64	13	18	7	16	3	19	1	2	
147 Johnstown, Pa.	626	230	106	75	8	20	1	168	4	14	
148 Kalamazoo, Mich.	550	206	55	63	39	27		121	20	19	
149 Kansas City, Mo.	3,029	1,050	170	480	80	38	14	383	258	556	
150 Keene, N. H.	168	81	17	20	6	14		24	6		
151 Key West, Fla.	439							111	2	164	
152 Kingston, N. Y.	479	235	74	4	27	6	2	162	3	26	
153 Kokomo, Ind.	183	104	5	22	2	22		16	2	10	
154 Laconia, N. H.	153	66	20	24	9	4		27	3		
155 Lafayette, Ind.	345	129	33	62	12	13	4	79	7	6	
156 Lancaster, Pa.	618	462	44	15		1		65		11	
157 Lansing, Mich.	267	135	26	17	19	9	5	39	8	9	

COLOR, NATIVITY, AND MONTH.

201

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
42	56	71	37	35	20	53	42	47	37	42	36	78
13	15	12	14	17	5	15	16	12	7	13	15	79
11	24	13	10	5	8	6	11	15	10	6	6	80
177	216	243	106	186	162	203	175	148	173	162	182	81
45	45	37	27	39	32	19	41	20	24	25	17	82
23	13	20	21	18	11	18	20	19	25	14	12	83
8	8	9	8	12	8	12	11	7	12	3	13	84
68	83	82	70	70	58	66	61	74	52	52	70	85
31	27	35	12	22	36	35	20	31	21	37	26	86
21	18	23	24	16	20	18	23	22	28	25	20	87
56	60	67	44	26	44	43	44	49	40	38	45	88
134	121	139	111	123	101	122	125	109	116	104	115	89
33	24	33	23	26	18	23	22	18	21	21	24	90
302	288	251	217	203	192	230	257	217	234	239	284	91
411	385	444	415	390	340	443	402	348	318	398	396	92
20	19	21	23	17	18	30	30	32	18	18	17	93
10	10	14	15	6	8	8	12	9	14	9	10	94
57	61	70	62	72	58	70	77	79	80	84	65	95
19	13	25	28	12	23	17	8	18	22	21	20	96
18	15	19	18	17	6	15	16	16	17	20	12	97
75	80	82	74	71	66	104	89	77	66	78	80	98
15	14	24	13	22	14	16	12	13	23	19	20	99
48	48	65	50	41	36	35	35	34	38	42	62	100
14	17	17	12	11	3	14	25	13	5	15	11	101
75	84	105	88	90	66	71	93	65	67	63	61	102
21	26	39	33	22	17	14	17	19	16	8	16	103
70	92	72	69	50	68	73	71	62	73	77	79	104
40	28	36	42	40	35	23	35	34	30	30	31	105
167	212	195	158	183	139	248	215	139	144	146	162	106
14	14	22	20	17	22	21	21	22	16	15	21	107
35	33	37	36	33	30	52	40	52	28	47	27	108
27	17	25	24	21	21	10	16	16	16	13	23	109
66	66	70	42	51	65	45	67	42	45	59	65	110
15	24	24	24	11	15	13	17	12	15	16	14	111
20	17	11	14	21	9	24	25	15	19	15	12	112
22	22	19	17	18	23	33	17	23	32	23	29	113
17	12	8	27	18	6	14	18	11	19	14	7	114
13	16	21	14	13	9	15	17	16	9	12	14	115
15	20	10	15	22	20	22	16	15	13	23	24	116
29	39	39	22	33	35	27	31	42	32	34	33	117
21	19	23	19	18	11	14	32	14	20	24	19	118
120	127	128	123	110	105	96	124	143	112	120	85	119
29	24	24	24	24	25	22	34	28	36	27	28	120
19	13	17	15	17	17	26	25	21	21	13	21	121
27	27	36	21	26	29	28	33	25	23	29	26	122
6	18	21	15	20	14	20	26	22	20	22	11	123
71	69	81	72	84	55	60	71	57	62	66	61	124
20	16	16	26	21	16	27	18	9	10	19	21	125
162	126	131	137	121	140	147	114	108	109	125	104	126
49	52	52	65	55	47	45	61	42	50	44	43	127
25	24	14	17	16	15	27	26	14	15	23	22	128
126	100	128	129	106	108	137	106	86	107	118	107	129
65	67	69	74	93	60	69	80	70	64	48	50	130
19	15	22	14	14	18	16	22	19	14	11	19	131
10	7	5	11	9	11	10	14	6	11	13	13	132
15	11	17	16	18	15	18	23	19	11	20	14	133
282	300	276	232	254	209	282	250	224	223	230	236	134
6	11	10	16	8	8	7	25	7	13	14	6	135
27	13	26	13	22	22	8	14	23	16	12	9	136
8	15	13	17	14	9	4	9	17	14	9	10	137
12	16	18	12	14	11	18	17	13	15	13	10	138
19	15	21	11	11	13	16	16	14	15	22	12	139
45	38	31	25	33	30	35	46	25	38	37	32	140
83	75	90	94	103	73	70	66	95	88	82	94	141
31	29	28	27	26	21	19	27	20	26	20	22	142
23	28	30	30	25	19	22	38	29	23	26	23	143
406	357	435	376	345	388	446	350	329	321	338	366	144
14	16	18	13	18	1	10	10	11	14	9	9	145
49	39	61	52	49	48	71	49	55	48	49	50	146
52	49	62	50	47	35	42	55	43	46	30	39	147
305	317	314	231	231	231	251	240	210	240	228	238	148
16	8	20	16	18	12	11	11	15	21	12	12	149
32	29	35	41	52	43	37	33	34	31	30	38	150
45	44	47	44	39	28	36	33	35	43	40	45	151
17	22	17	13	12	13	13	18	16	15	14	13	152
10	18	14	16	14	8	14	18	16	18	11	11	153
36	34	37	35	30	21	32	28	31	27	33	32	154
56	49	73	56	43	44	56	53	47	41	44	56	155
18	19	34	31	23	12	15	18	27	29	23	18	156

MORTALITY STATISTICS.

TABLE I.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.	Total.	WHITE.							Foreign.	Un-known.	Colored.
		Native.									
		Both parents.			Mixed parentage.			Parent- age not stated.			
		Native.	Foreign.	Un- known.	Native and foreign.	Native and un- known.	Foreign and un- known.				
REGISTRATION CITIES—Continued.											
158 Lawrence, Mass.	1,384	158	539	17	125	7	3		529	3	
159 Leadville, Colo.	211	41	45	23	15	10	2		60	5	1
160 Leavenworth, Kans.	331	107	20	24	4	9	2		79	14	72
161 Leominster town, Mass.	204	80	34	16	22	6	1		37	4	4
162 Lima, Ohio.	324	79	15	129	3	1			34	41	20
163 Lincoln, Nebr.	411	157	40	96	12	6			84	8	8
164 Lockport, N. Y.	229	81	41	29	18		2		81	3	2
165 Logansport, Ind.	324	117	18	48	9	22	1		48	26	5
166 Los Angeles, Cal.	3,344	1,081	296	570	148	92	30		805	133	186
167 Louisville, Ky.	4,020	927	209	781	76	97	40		647	63	1,180
168 Lowell, Mass.	1,901	272	685	31	139	31	13		708	8	3
169 Lynchburg, Va.	189	35	2	41		3			7	198	278
170 Lynn, Mass.	1,262	423	248	39	104	43	9		348	17	31
171 McKeesport, Pa.	764	185	248	17	31	7			243	8	25
172 Madison, Wis.	231	71	49	12	16	9	6		60	5	3
173 Mahanoy City, Pa.	308	82	132		5						
174 Malden, Mass.	506	182	101	14	42	16	5		88	1	6
175 Manchester, N. H.	1,296	241	498	62	91	26	8		130	4	1
176 Manchester town, Conn.	182	36	59	10	8	9			361	5	5
177 Manitowoc, Wis.	170	35	20	6	11	3	4		87	1	2
178 Mankato, Minn.	167	54	28	2	10				84	1	
179 Marietta, Ohio.	190	96	17	27	11				61	5	1
180 Marinette, Wis.	203	57	43	4	21	10	1		22	3	3
181 Marion, Ind.	259	167	4	21	6	32	3		79	5	2
182 Marlboro, Mass.	206	68	35	7	18	9			5	4	17
183 Marquette, Mich.	179	21	44	5	16	3	3		79	5	3
184 Massillon, Ohio.	138	49	24	11	14		2		34	1	3
185 Meadville, Pa.	160	68	14	15	3	2			23	1	4
186 Medford, Mass.	296	123	46	4	15	9	1		63		5
187 Melrose, Mass.	192	95	23	3	19	9	1		36	2	4
188 Memphis, Tenn.	2,164	496	90	139	43	26	4		174	42	1,150
189 Menominee, Mich.	143	20	31	4	23	3	2		58	1	1
190 Meriden town, Conn.	401	81	95	1	23	30	4		157	3	1
191 Michigan City, Ind.	185	39	44	12	16	4	1		64	2	3
192 Middletown, N. Y.	289	148	25	29	5	13			50	4	15
193 Middletown, Ohio.											
194 Middle-town town, Conn.	107	45	9	17	3	5	1		24	1	2
195 Milford town, Mass.	449	145	100	31	17	6	2		132	8	8
196 Millville, N. J.	183	70	54	10	5	5			96	1	1
197 Milwaukee, Wis.	162	126	12	2	5	1			10	1	5
198 Minneapolis, Minn.	4,084	692	1,233	129	400	29	4		1,554	25	17
199 Mobile, Ala.	2,469	626	543	100	174	30	16		840	102	38
200 Montclair, N. J.	1,062	87	61	16	17	9	5	364	106	12	580
201 Morristown, N. J.	286	84	51	8	11	1			52	2	40
202 Mt. Carmel, Pa.	227	115	49		11	1	1		57	1	30
203 Mt. Vernon, N. Y.					7				56		
204 Muncie, Ind.	325	100	72	9	21	4	1		98	1	19
205 Muscatine, Iowa.	299	266	27	23	17	20	2		29	3	12
206 Muskegon, Mich.	210	88	33	7	15	6	4		54	1	2
207 Nashua, N. H.	268	57	30	23	20	10	5		118	4	1
208 Nashville, Tenn.	375	93	109	12	33	13	7		102	6	
209 Natick town, Mass.	1,848	692	45	61	22	47	3		83	9	926
210 Naugatuck, Conn.	149	57	27	7	8	2	2		44	2	
211 New Albany, Ind.	148	35	49	2	14	5			40	3	
212 New Bedford, Mass.	345	164	19	20	20	6	4		64		48
213 New Britain town, Conn.	1,297	273	417	45	104	28			347	3	71
214 New Brunswick, N. J.	534	91	208	13	31	10	1		175	5	
215 New Haven, Conn.	430	134	64	54	14	5			105	27	30
216 New London, Conn.											
217 New Orleans, La.	2,290	496	596	121	138	68	6		707	18	77
218 New Rochelle, N. Y.	548	124	64	16	18	9	3		86	10	12
219 New York, N. Y.	7,329	1,936	970	35	398				1,444	13	2,632
220 Bronx borough.	265	65	70	3	18				76	2	31
221 Brooklyn borough.	73,573	13,148	22,693	2,139	4,880	386	336		26,962	563	2,457
222 Manhattan borough.	5,515	969	1,589	111	431	36	27		2,099	33	220
223 Queens borough.	23,880	5,323	7,052	480	1,820	158	109		8,142	102	624
224 Richmond borough.	39,792	5,737	12,943	1,466	2,179	164	183		15,115	402	1,485
225 Newark, N. J.	3,189	779	866	36	274	18	13		1,098	14	87
226 Newark, Ohio.	1,397	352	320	46	115	10	4		507	12	31
227 Newburg, N. Y.	5,000	1,291	1,270	346	238	26	30		1,590	26	213
228 Newburyport, Mass.	333	32	14	8	14	1			47	2	10
229 Newcastle, Pa.	499	210	79	28	17	13	5		113	8	16
230 Newport, Ky.	285	141	31	10	20	10			71		2
231 Newport, R. I.	526	58	82	212	6	2			104	37	19
232 Newton, Mass.											
233 Niagara Falls, N. Y.	578	265	121	4	31	3			144	1	10
234 Norfolk, Va.	132	76	17	31	3		2		95	4	39
	487	216	51	25	13				125	1	9
	423	79	112	8	56	8			156	3	
	1,216	303	25	25	18	12	1		45	6	680

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
95	105	118	121	121	103	163	118	120	93	108	119	158
21	15	20	22	15	17	12	15	22	10	15	27	159
28	28	46	29	26	23	28	35	21	29	19	18	160
21	21	21	15	14	9	16	18	26	10	16	161	161
26	29	29	27	24	21	20	34	26	33	30	25	162
40	40	30	30	37	30	27	41	41	38	23	34	163
22	24	29	25	16	18	16	26	18	21	26	18	164
32	45	28	16	20	15	20	35	33	26	30	24	165
337	317	328	329	293	272	215	234	223	243	248	308	166
353	387	411	356	310	372	342	272	275	296	301	345	167
168	139	160	167	166	148	209	175	138	141	132	157	168
51	43	40	30	41	41	47	50	40	34	33	39	169
134	120	109	101	121	85	85	123	96	106	87	95	170
69	58	56	64	40	68	87	64	76	61	52	69	171
27	25	20	19	27	18	14	13	22	18	19	9	172
22	20	21	26	35	28	33	31	28	14	25	25	173
72	44	48	36	45	35	35	45	29	36	39	62	174
110	119	149	136	100	128	92	126	92	80	90	97	175
12	13	14	17	13	11	17	27	13	12	20	13	176
16	6	16	15	18	14	7	23	18	19	16	2	177
8	15	12	13	18	14	11	12	18	16	18	12	178
18	19	19	23	10	13	18	15	20	14	14	9	179
20	17	24	12	13	15	13	21	16	13	16	22	180
30	16	35	19	19	17	15	24	39	15	12	15	181
25	24	25	24	16	8	14	16	12	15	16	14	182
13	12	18	16	17	18	11	15	17	17	15	10	183
11	11	13	8	8	11	13	12	19	12	8	14	184
22	17	18	31	13	22	17	18	10	12	14	185	185
17	10	22	14	15	22	21	23	19	21	20	21	186
192	207	210	169	131	210	201	189	155	165	167	168	188
15	10	15	13	14	9	7	13	12	16	8	11	189
36	31	37	25	30	27	32	44	35	44	30	42	190
8	19	11	18	17	15	11	23	19	19	18	18	191
23	24	28	34	27	21	14	28	22	24	21	19	192
13	14	5	8	6	9	6	9	5	7	16	9	193
35	34	61	29	44	31	44	37	31	30	38	3	194
14	16	15	17	22	8	13	18	14	16	14	16	195
11	11	16	16	8	19	17	11	10	17	10	17	196
393	302	338	371	362	281	293	342	327	346	329	382	197
201	200	230	186	216	176	216	207	196	220	214	207	198
85	112	71	80	116	85	85	74	69	95	87	103	199
25	23	26	32	14	17	38	29	22	14	22	22	200
21	20	12	18	20	18	32	27	16	12	19	19	201
23	10	19	12	14	13	38	24	11	25	12	26	202
31	31	33	22	25	27	36	27	22	25	31	15	203
46	48	33	30	26	26	25	25	38	25	40	24	204
17	24	36	27	11	9	10	16	16	17	10	17	205
23	24	25	20	20	23	18	17	24	25	25	24	206
27	46	54	27	29	17	27	32	36	22	21	34	207
198	183	162	145	161	151	174	149	129	143	120	133	208
14	9	14	8	16	10	16	20	15	5	15	7	209
19	10	17	10	6	10	21	16	10	10	11	7	210
28	24	28	36	28	33	25	34	25	30	32	19	211
132	125	101	90	85	88	139	138	100	84	108	104	212
34	46	55	45	43	47	60	50	35	33	45	41	213
39	38	34	35	35	33	64	31	33	23	27	38	214
199	205	240	162	191	190	219	173	146	159	160	181	215
25	34	38	32	22	51	30	27	18	21	21	21	216
683	669	600	505	711	605	549	737	596	564	531	585	217
21	22	19	17	21	18	41	23	16	18	22	27	218
6,643	6,135	6,841	6,659	5,958	5,646	7,542	6,091	5,418	5,272	5,399	5,964	219
504	430	513	481	469	387	576	458	421	400	412	462	220
2,192	1,922	2,106	2,076	1,883	1,924	2,543	2,047	1,732	1,701	1,761	2,001	221
3,542	3,444	3,851	3,735	3,271	3,000	3,844	3,145	2,830	2,824	2,868	3,133	222
258	253	251	222	222	238	301	292	272	227	240	261	223
147	86	120	103	113	97	188	152	87	99	98	107	224
468	408	444	446	431	426	485	391	352	342	371	436	225
25	25	34	28	27	23	44	38	31	28	38	30	226
34	30	45	34	33	30	45	69	44	44	44	44	227
26	25	30	15	17	24	28	27	23	24	23	21	228
45	50	50	42	30	30	49	46	53	32	38	61	229
57	45	39	42	37	43	60	59	50	49	54	42	230
21	34	35	32	34	21	38	47	37	32	28	44	231
31	46	42	36	42	36	47	43	42	42	34	29	232
38	42	25	25	31	33	48	37	32	30	35	26	233
105	101	107	107	108	115	114	89	83	88	106	93	234

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.		Total.	WHITE.							Foreign.	Un- known.	Colored.
			Native.									
			Both parents.			Mixed parentage.			Parent- age not stated.			
			Native.	Foreign.	Un- known.	Native and foreign.	Native and unknown.	Foreign and unknown.				
REGISTRATION CITIES—Continued.												
235	Norristown, Pa.	523	165	57	125	7	1			123	20	19
236	North Adams, Mass.	315	81	75	20	22	15	2		92	4	1
237	Northampton, Mass.	331	128	55	3	29	10			103		3
238	Norwalk town, Conn.	351	162	47	16	18	17	3		77	4	7
239	Norwich town, Conn.	459	125	106	25	24	15	5		143	2	14
240	Oakland, Cal.	1,144	327	194	72	72	17	4		406	12	40
241	Ogdensburg, N. Y.	366	94	51	41	39	11	2		119	9	
242	Olean, N. Y.	118	46	19	11	4	2			32	2	2
243	Omaha, Nebr.	1,300	373	184	131	79	14	2		407	31	76
244	Orange, N. J.	553	123	132	28	33	1	2		163	2	69
245	Ottawa, Ill.	137							75	46	15	1
246	Owosso, Mich.	105	50	7	3	13	7	2		23		
247	Paducah, Ky.	247			1					9	14	156
248	Passaic, N. J.	688	87	309	43	21	3	14		190	3	15
249	Paterson, N. J.	1,848	407	109	121	140	17	9		697	2	46
250	Pawtucket, R. I.	725	180	185	5	63	3	2		280	1	6
251	Peabody town, Mass.	171	11	35	2	15	1	1		45		1
252	Peekskill, N. Y.	204	110	37	3	11	6			28	2	7
253	Perth Amboy, N. J.	313	66	151	6	7	1	3		76	1	2
254	Peru, Ind.	119	60	15	15	4	6	3		13	2	
255	Petersburg, Va.	532	178	2	16	2	4			5	7	318
256	Philadelphia, Pa.	25,058	8,189	5,002	1,103	1,367	184	63		6,731	245	2,174
257	Phillipsburg, N. J.	135	86	13	3	4		1		26	1	1
258	Pittsburg, Pa.	7,268	1,814	1,995	191	428	69	36		1,996	157	582
259	Pittsfield, Mass.	413	140	73	19	24	13	1		131	4	5
260	Plainfield, N. J.	295	140	33	8	12		3		51	1	47
261	Plymouth, Pa.	198	28	74	1	23				72		
262	Plymouth town, Mass.	162	85	30	3	6		1		26	1	4
263	Pontiac, Mich.	165	70	27	8	13	6			61	4	6
264	Port Huron, Mich.	278	61	41	8	42	4			119	3	
265	Port Jervis, N. Y.	155	86	16	12	8	3			28	2	
266	Portland, Me.	949	397	108	79	63	53	2		215	23	9
267	Portland, Oreg.	1,425	396	160	163	83	61	22		392	62	86
268	Portsmouth, N. H.	183	83	19	17	14	4	1		36	4	5
269	Portsmouth, Ohio	283	146	18	21	11	17	0		36	3	19
270	Pottstown, Pa.	216	185	10		1				8		6
271	Pottsville, Pa.	330	174	51	4	14				69	15	3
272	Poughkeepsie, N. Y.	436	172	64	38	25	13	1		103	3	15
273	Providence, R. I.	3,475	955	953	28	236	21	14		1,090	13	165
274	Pueblo, Colo.	712	251	83	66	33	23	3		143	63	47
275	Quincy, Ill.	568							312	161	43	52
276	Quincy, Mass.	367	100	107	3	24	10	2		121		
277	Raleigh, N. C.	351	180	2	26	1	3				25	164
278	Reading, Pa.	1,329	912	117	109	24	4	1		111	37	14
279	Revere town, Mass.	149	44	29	9	15	2	1		47	2	
280	Richmond, Ind.	255	135	22	12	11	6	1		44	2	22
281	Richmond, Va.	1,921	699	48	85	28	9	1		93	28	930
282	Rochester, N. H.	135	75	9	7	8				21	0	
283	Rochester, N. Y.	2,782	764	635	138	190	28	18		966	24	17
284	Rockland, Me.	154	116	2	5	8				15	2	
285	Rome, N. Y.	317	114	42	22	12	5	5		104	7	6
286	Rutland, Vt.	191	62	25	31	15	13	4		36	2	3
287	Sacramento, Cal.	700	116	61	169	19	19	4		178	26	105
288	Saginaw, Mich.	445	151	100	20	65	19	8		220	19	3
289	St. Joseph, Mo.	876	497	76	26	32	1			152	9	83
290	St. Louis, Mo.	10,715	2,607	1,410	1,503	475	129	61		3,104	254	1,202
291	St. Paul, Minn.	1,971	334	377	373	60	4	3		687	97	36
292	Salem, Mass.	741	226	220	1	80	17	4		184	2	7
293	Salt Lake City, Utah	1,680	367	184	76	100	16	2		354	24	17
294	San Antonio, Tex.	1,495	580	196	76	58	9	4		385	22	156
295	San Diego, Cal.	457	147	39	81	29	15	1		116	13	16
296	San Francisco, Cal.	7,332	1,111	1,285	568	419	149	75		3,651	176	468
297	San Jose, Cal.	364	108	42	31	26	7			121	3	23
298	Saratoga Springs, N. Y.	267	94	32	31	16	15	1		48	8	22
299	Sault Ste. Marie, Mich.	192	24	61	5	22	2	4		63	8	3
300	Savannah, Ga.	1,723							400	100	5	1,128
301	Schenectady, N. Y.	791	257	222	24	45	14	4		190	18	8
302	Scranton, Pa.	2,111	745	379	105	66	4			626	3	9
303	Seattle, Wash.	1,150	378	111	89	66	21	8		282	128	67
304	Sioux City, Iowa	519	168	83	45	52	13	3		134	11	10
305	Somerville, Mass.	960	308	192	33	83	39	2		300	3	
306	South Bend, Ind.	655	211	169	30	50	19	9		138	8	15
307	South Bethlehem, Pa.	166	59	38		2				65		2
308	Southbridge town, Mass.	196	40	65	1	30	2			57		1
309	Spokane, Wash.	702	224	83	69	57	36	7		164	43	22
310	Springfield, Ill.	612							413	141	27	61
311	Springfield, Mass.	1,128	409	208	50	76	48	7		392	12	26
312	Stamford town, Conn.	453	128	160	30	25	26	8		114	16	6
313	Steubenville, Pa.	232	107	48		1				36		40
314	Stonington town, Conn.	159	58	31	5	9	1	1		48	1	2

COLOR, NATIVITY, AND MONTH.

205

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
53	48	50	40	44	31	45	53	43	36	37	43	235
21	30	25	31	23	22	30	32	23	23	23	26	236
23	27	28	20	21	26	26	31	29	25	23	27	237
30	27	41	20	22	10	35	33	30	28	30	29	238
38	33	37	40	32	44	43	41	22	45	38	43	239
110	93	98	75	97	76	91	86	93	104	101	117	240
20	32	38	22	31	32	23	30	40	35	31	32	241
10	11	4	8	11	11	15	15	5	11	8	9	242
112	161	122	118	81	82	100	100	93	103	106	121	243
41	35	54	54	51	56	56	51	28	37	45	42	244
18	12	17	10	10	30	9	8	6	10	15	11	245
6	11	10	10	8	6	9	12	10	16	10	10	246
40	42	38	30	33	32	45	31	35	21	33	44	247
57	52	71	59	55	53	82	63	51	47	51	47	248
178	159	168	135	149	131	201	151	133	138	155	147	249
81	70	81	37	56	48	57	66	61	46	63	59	250
17	16	15	16	7	10	17	17	20	16	11	16	251
18	10	11	15	15	17	35	21	15	11	9	27	252
23	29	40	22	26	22	40	32	20	25	20	24	253
14	11	9	4	2	15	2	15	14	13	4	13	254
47	44	48	29	32	52	55	51	48	42	40	38	255
2,281	2,372	2,481	2,193	1,967	1,870	2,338	1,964	1,708	1,778	1,894	2,206	256
9	15	10	13	12	14	10	13	8	10	5	5	257
617	679	593	556	573	633	729	602	529	511	567	647	258
28	55	48	31	26	21	36	49	28	33	26	26	259
20	31	22	20	19	21	29	37	21	14	29	29	260
17	16	20	21	22	11	13	16	19	11	14	15	261
17	11	18	11	13	12	13	16	19	11	9	12	262
18	16	22	20	14	17	19	16	13	22	8	12	263
29	28	26	21	14	13	17	33	27	19	19	32	264
11	10	12	10	10	9	18	23	17	15	9	11	265
89	91	75	80	81	75	65	95	78	77	65	72	266
131	104	135	121	116	116	101	132	112	122	110	105	267
20	23	17	18	13	13	12	17	17	14	8	14	268
26	34	36	16	23	11	27	22	29	15	23	21	269
18	27	20	23	16	9	15	14	15	23	15	21	270
20	17	45	30	20	28	39	31	19	23	20	27	271
43	42	33	39	32	43	48	31	29	28	34	34	272
369	312	351	287	293	253	289	309	236	216	240	290	273
81	63	50	54	45	77	53	67	50	50	67	55	274
62	47	67	45	40	36	57	57	49	28	31	49	275
29	28	39	35	22	25	31	37	34	37	19	31	276
21	33	33	29	35	36	31	29	23	37	15	28	277
133	107	115	99	108	90	145	129	104	98	121	80	278
12	9	10	12	19	12	12	21	11	8	10	13	279
27	30	23	19	21	0	21	22	17	15	21	21	280
135	190	192	160	125	223	185	142	143	137	136	152	281
9	15	19	17	16	15	3	8	13	12	15	13	282
213	237	266	266	216	183	211	250	208	226	232	214	283
10	13	14	12	10	17	8	19	17	10	15	9	284
25	18	31	32	23	27	30	23	23	21	34	38	285
20	21	19	30	17	8	10	15	13	16	10	21	286
43	36	48	59	66	15	53	61	58	77	75	55	287
49	55	50	55	49	47	39	50	55	50	51	58	288
95	110	86	62	52	65	71	69	71	48	71	76	289
1,090	1,077	1,021	814	842	860	912	802	756	708	868	874	290
185	191	192	168	172	154	116	166	150	152	125	114	291
60	50	57	57	50	59	81	84	57	54	68	55	292
89	81	88	81	57	57	84	98	104	138	95	106	293
122	162	133	112	162	138	130	103	92	104	101	136	294
46	35	44	10	42	31	25	29	21	45	43	53	295
677	592	624	615	591	535	569	542	578	641	659	708	296
30	23	36	37	37	36	35	21	21	23	32	48	297
19	25	33	13	21	20	30	31	31	25	16	21	298
19	16	16	19	21	11	11	25	19	17	7	11	299
169	189	189	117	150	135	118	115	133	149	104	125	300
67	80	80	63	63	49	68	76	73	60	51	59	301
179	186	179	179	154	200	178	182	132	132	133	132	302
111	95	98	98	100	75	108	113	94	85	73	99	303
42	51	50	37	35	42	36	41	49	42	35	56	304
90	83	107	80	71	58	85	78	73	67	88	77	305
54	49	51	63	49	50	50	62	55	47	49	66	306
11	13	13	21	18	13	17	9	5	13	15	17	307
16	11	11	21	7	10	13	34	19	11	17	17	308
53	56	54	49	54	18	64	71	66	68	62	57	309
59	63	66	60	40	38	55	41	51	48	37	61	310
115	106	106	90	104	86	104	102	79	61	80	82	311
37	40	48	40	35	38	30	35	37	34	29	30	312
9	24	18	19	26	15	30	19	19	22	19	12	313
11	15	14	13	9	17	14	15	20	11	6	11	314

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.		Total.	WHITE.							Foreign.	Un- known.	Colored.
			Native.									
			Both parents.			Mixed parentage.			Parent- age not stated.			
			Native.	Foreign.	Un- known.	Native and foreign.	Native and un- known.	Foreign and un- known.				
REGISTRATION CITIES—Continued.												
315	Superior, Wis.	329	44	82	30	21		1		108	35	8
316	Syracuse, N. Y.	1,820	599	314	101	123				476	41	36
317	Tacoma, Wash.	566	157	74	41	36		67	27	189	37	16
318	Taunton, Mass.	676	199	178	33	48	20	8		175	7	8
319	Terre Haute, Ind.	777	397	52	51	32	45	6		123	12	56
320	Tiffin, Ohio.	141	90	7		5				39		
321	Toledo, Ohio.	2,121	630	385	172	167	41	22		556	101	47
322	Torrington town, Conn.	206	37	56	8	10				50	1	4
323	Traverse City, Mich.	209	62	15	40	13				60	11	
321	Trenton, N. J.	1,413	476	276	112	72	20	4		339	29	85
325	Troy, N. Y.	1,641	505	381	51	121	32	4		514	8	25
326	Union, N. J.	302	61	77	6	31	4	3		117	1	2
327	Utica, N. Y.	1,130	367	233	50	74	15	15		354	16	6
328	Vernon town, Conn.	117	23	23	4	8	5			48	5	1
329	Vincennes, Ind.	210	117	10	22	5	17			32	3	4
330	Wabash, Ind.	99	60	6	8	9	5			7		4
331	Wakefield town, Mass.	113	68	19	2	13	3			37		1
332	Wallingford town, Conn.	118	28	27	5	7	8	2		37	1	3
333	Waltham, Mass.	363	114	81	15	32	12	1		101	4	
334	Ware town, Mass.	127	27	48		9	1	2		40		
335	Washington, D. C.	6,201	1,770	289	478	163	31	13		636	58	2,760
336	Washington, Ind.	130	71	6	13	11	9	1		9	6	4
337	Waterbury, Conn.	957	188	317	10	82	18	11		315	4	6
338	Watertown, N. Y.	381	167	67	17	37	9			81		
339	Watertown town, Mass.	136	40	31	5	9	6	1		39		2
340	Watervliet, N. Y.	283	92	72	8	34	4	1		70	1	1
341	Webster town, Mass.	152	77	66	4	11	5	1		47	1	
342	Westfield town, Mass.	212	70	37	28	11	6	1		49	1	
343	Weymouth town, Mass.	174	90	21	4	15	4	1		38		1
344	Wheeling, W. Va.	629	207	89	48	41	27	12		151	13	41
345	Wichita, Kans.	502	296	16	70	9	12			51	25	23
346	Williamsport, Pa.	482	232	31	70	15	32	5		58	9	30
347	Wilmington, Del.	1,389							908	228	25	228
348	Wilmington, N. C.	535	173	4	22	2	6			20	8	300
349	Windham town, Conn.	216	57	43	11	20	12			67	5	1
350	Winona, Minn.	258	73	70	3	25				84	3	
351	Woburn, Mass.	219	57	41	4	18	7			85	2	2
352	Woonsocket, R. I.	489	86	172	6	55				167	3	
353	Worcester, Mass.	2,266	531	587	112	179	84	14		712	13	34
354	Yonkers, N. Y.	1,021	214	374	22	80	8	4		290	4	25
355	Youngstown, Ohio.	991	297	282	20	40	4	1		304	12	35
CONNECTICUT RURAL.												
356	Fairfield county.	721	301	96	83	28	45	5		142	13	7
357	Hartford county.	1,076	370	205	77	61	92	7		211	33	20
358	Litchfield county.	829	328	107	81	40	53	5		177	20	15
359	Middlesex county.	357	170	47	23	15	15	4		73	5	5
360	New Haven county.	795	332	139	59	29	43	4		152	16	21
361	New London county.	209	232	63	31	30	45	2		88	12	6
362	Tolland county.	252	118	28	22	12	17	2		41	9	3
363	Windham county.	605	221	87	43	54	40	3		130	16	11
INDIANA RURAL.												
364	Adams county.	236	130	18	23	8	11	1		34	1	
365	Allen county.	240	157	32	22	18	13			42	5	1
366	Bartholomew county.	187	118	5	10	6	17	1		20	1	
367	Benton county.	131	76	6	17	4		1		14	5	1
368	Blackford county.	230	179	7	15	2	13	1		12	1	
369	Boone county.	302	226	4	25	5	28	1		9	3	1
370	Brown county.	87	45		22	11		2		3	4	
371	Carroll county.	228	152	3	42	4	22	2		10	3	
372	Cass county.	228	100	6	66	3	17	2		16	18	
373	Clark county.	265	136	7	25	12	29	2		16	7	31
374	Clay county.	397	230	20	42	20	38	3		37	4	3
375	Clinton county.	425	315	4	50	5	25	3		14	5	4
376	Crawford county.	162	112		21	2	13	1		7	6	
377	Daviess county.	283	227	5	16	5	19	1		6	2	1
378	Dearborn county.	316	138	37	21	14	14	4		67	13	5
379	Decatur county.	294	187	11	33	9	27	1		19	3	4
380	Dekalb county.	301	188	17	33	21	16			21	3	2
381	Delaware county.	303	229	2	29	6	21	1		10	2	3
382	Dubois county.	267	135	29	17	19	13	2		51	1	
383	Elkhart county.	383	221	12	54	15	35	6		33	7	
384	Fayette county.	166	107	5	9	6	18	1		12	1	7
385	Floyd county.	107	53	8	9	7	9			12	1	7
386	Fountain county.	238	176	10	17	7	15	2		8	3	
387	Franklin county.	185	93	16	18	15	10	4		31	3	2
388	Fulton county.	229	150	8	21	6	22	1		16	2	3

COLOR, NATIVITY, AND MONTH.

207

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
25	29	29	28	21	20	22	38	37	27	32	21	315
139	173	174	112	119	132	166	171	132	131	118	163	316
48	67	65	43	46	33	44	47	48	42	61	42	317
59	67	65	19	37	35	60	81	35	51	56	38	318
86	76	75	39	58	54	63	49	58	71	58	70	319
7	8	16	17	12	12	9	14	15	10	17	4	320
202	181	182	184	185	144	181	197	198	169	133	144	321
22	10	21	15	20	11	21	26	16	11	10	19	322
16	20	22	25	18	16	11	15	15	18	17	16	323
135	124	125	113	104	73	160	120	115	99	131	114	324
161	162	172	159	127	126	154	124	105	91	135	125	325
27	23	28	9	23	31	21	21	31	23	30	29	326
76	80	82	85	97	85	93	114	117	93	93	117	327
11	13	8	12	15	3	14	12	5	7	4	11	328
10	21	18	17	18	18	13	17	16	21	14	27	329
11	6	10	5	14	7	7	6	9	7	8	9	330
14	18	17	12	13	8	9	12	10	9	11	10	331
12	7	12	11	9	8	13	9	9	8	8	12	332
36	30	37	25	29	29	27	36	26	21	28	37	333
10	8	16	11	8	7	9	16	16	10	8	8	334
567	551	580	549	423	474	582	535	412	481	503	544	335
10	14	11	10	9	13	7	8	11	13	9	12	336
83	68	104	59	75	69	137	87	74	61	68	72	337
36	38	32	31	32	25	30	16	31	38	26	26	338
13	17	21	14	12	6	9	7	12	10	6	9	339
24	18	20	32	19	22	26	24	20	15	32	22	340
13	17	15	12	12	8	15	9	8	12	18	13	341
12	22	29	18	14	12	19	21	23	11	17	14	342
21	22	8	12	11	11	8	28	13	19	10	11	343
60	57	51	52	16	42	53	48	31	53	58	72	344
53	46	42	10	28	42	46	41	43	41	42	38	345
44	40	30	40	35	34	47	59	17	30	38	46	346
121	121	102	104	107	113	158	124	112	110	103	110	347
38	34	41	37	36	50	50	52	57	57	33	50	348
16	15	26	19	22	13	25	22	15	14	12	17	349
36	26	30	17	19	18	23	21	21	18	21	18	350
21	25	14	16	18	9	10	18	20	19	29	20	351
37	38	43	43	32	38	53	56	33	40	36	40	352
192	197	197	197	189	168	217	226	177	179	163	164	353
84	97	109	83	76	77	96	96	64	84	56	56	354
77	96	93	86	83	81	106	82	75	78	71	63	355
59	74	72	64	67	54	60	72	42	55	50	53	356
95	75	105	89	78	76	121	89	85	81	90	92	357
74	70	77	88	67	62	66	68	63	37	71	65	358
33	43	38	33	25	25	35	21	20	23	35	26	359
72	72	71	62	73	53	73	67	58	62	64	68	360
35	46	50	41	39	41	41	49	47	38	32	47	361
21	21	23	23	17	20	20	23	20	19	24	21	362
43	55	55	51	51	47	43	58	49	46	51	56	363
28	26	18	20	17	15	16	18	22	15	14	17	364
20	30	32	20	33	20	22	20	32	25	18	18	365
18	16	18	9	14	10	18	11	20	16	19	18	366
16	11	14	7	13	19	10	7	11	8	4	11	367
23	32	15	13	15	13	16	34	25	16	13	15	368
27	37	27	28	16	15	28	26	19	21	31	24	369
10	10	12	8	6	6	9	7	6	2	2	5	370
24	31	32	11	15	14	10	29	18	18	22	14	371
28	12	27	26	11	13	15	19	27	16	17	17	372
19	33	32	14	22	25	27	23	22	30	11	17	373
42	38	32	35	30	16	42	44	31	26	31	32	374
40	53	41	35	21	32	40	41	20	23	28	42	375
25	10	12	15	11	15	11	10	15	11	7	8	376
26	27	25	19	18	15	26	25	32	22	24	22	377
35	26	35	31	21	21	18	17	31	22	30	25	378
24	34	28	19	25	25	19	33	31	21	23	12	379
24	32	40	25	14	22	15	30	19	27	32	21	380
26	33	26	27	16	24	27	29	23	31	19	22	381
29	34	29	14	20	12	32	23	18	17	17	17	382
28	39	36	26	34	28	34	37	34	32	24	31	383
9	14	19	10	12	6	13	12	16	18	13	24	384
0	12	10	14	4	5	10	13	9	5	5	7	385
31	26	29	19	13	15	17	19	20	12	17	20	386
13	26	20	13	7	18	18	15	13	18	14	19	387
19	25	23	26	29	10	14	25	18	7	15	15	388

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.		Total.	WHITE.							Foreign.	Un-known.	Colored.
			Native.						Parent- age not stated.			
			Both parents.			Mixed parentage.						
			Native.	Foreign.	Un-known.	Native and foreign.	Native and un- known.	Foreign and un- known.				
INDIANA RURAL—Continued.												
350	Gibson county.....	406	269	16	20	9	23	3		26	7	24
350	Grant county.....	551	298	12	126	11	27	1		54	4	18
351	Greene county.....	467	316	19	32	13	54	3		24	4	2
352	Hamilton county.....	371	263	7	34	8	37	1		5	3	13
353	Hancock county.....	292	194	13	25	9	30	2		16	2	1
354	Harrison county.....	263	155	14	28	17	19	2		17	5	6
355	Hendricks county.....	241	195	4	10	1	17	1		10	2	1
356	Henry county.....	326	228	7	29	5	29	1		8	4	15
357	Howard county.....	193	138	1	21	5	21	1		2	1	3
358	Huntington county.....	190	131	10	22	7	13	3		12	1	
359	Jackson county.....	384	252	20	34	17	29	3		23	4	2
400	Jasper county.....	121	71	3	13	2	11			19	2	
401	Jay county.....	362	271	10	33	10	22	1		10	3	
402	Jefferson county.....	328	198	14	27	11	24	3		32	1	18
403	Jennings county.....	213	121	11	25	2	22	2		22	2	6
404	Johnson county.....	240	163	4	29	1	29	1		4	4	5
405	Knox county.....	244	213	8	22	9	18			18	3	3
406	Kosciusko county.....	346	227	6	33	13	34	4		24	3	2
407	Lagrange county.....	209	141	9	29	7	10	1		11	1	
408	Lake county.....	379	80	118	19	22	11	2		111	15	1
409	Laporte county.....	367	109	43	46	24	22	4		107	9	3
410	Lawrence county.....	409	317	4	31	5	28	2		11	5	6
411	Madison county.....	392	287	10	24	7	29	3		13	12	7
412	Marion county.....	476	296	29	81	8	30	5		55	40	29
413	Marshall county.....	255	131	11	44	8	22	3		30		
414	Martin county.....	165	124	1	13	4	11	4		5	2	1
415	Miami county.....	221	131	3	35	7	27			16	2	
416	Monroe county.....	311	213	3	46	5	21			11	4	8
417	Montgomery county.....	400	297	10	31	10	29	2		13	2	6
418	Morgan county.....	298	208	1	34	3	36	2		8	6	
419	Newton county.....	108	70	10	8	4	2	1		12	1	
420	Noble county.....	254	143	15	28	13	21			33	1	
421	Ohio county.....	58	34	2	9		4	1		3		5
422	Orange county.....	201	160		19		14			4	1	3
423	Owen county.....	170	122	3	18	4	17	1		3		2
424	Parke county.....	298	210	6	29	4	23	1		14	5	6
425	Perry county.....	253	133	14	18	8	16	5		48	4	7
426	Pike county.....	297	217	1	28	8	24	1		13	3	2
427	Porter county.....	251	100	28	18	11	21	7		62	2	1
428	Posey county.....	303	181	16	20	11	21			25	7	22
429	Pulaski county.....	133	75	6	11	3	6			28	3	1
430	Putnam county.....	263	210	2	15	4	15	4		5	3	5
431	Randolph county.....	371	262	7	29	9	40	3		17		4
432	Ripley county.....	249	135	19	21	10	9	4		47	1	3
433	Rush county.....	221	162	2	22	5	11	1		8		10
434	St. Joseph county.....	351	179	41	32	27	9	4		55	4	
435	Scott county.....	125	91	2	17	1	12			2		
436	Shelby county.....	352	243	9	24	7	31	2		16	3	17
437	Spencer county.....	266	150	17	24	8	11			31	3	22
438	Starke county.....	137	73	10	10	8	11	1		23	1	
439	Steuben county.....	201	133	3	28	5	14	1		15	2	
440	Sullivan county.....	436	314	9	36	9	35	2		9	14	8
441	Switzerland county.....	138	93	4	11	6	9	2		6	2	2
442	Tippecanoe county.....	269	135	19	50	12	14			33	4	2
443	Tipton county.....	215	159	4	19	5	13	1		10	4	
444	Union county.....	82	51	2	8	2	10	1		8		
445	Vanderburg county.....	236	85	26	31	13	8	2		45	12	20
446	Vermilion county.....	242	137	26	18	3	17	1		14	4	2
447	Vigo county.....	252	149	10	28	9	20	2		14	7	13
448	Wabash county.....	203	136	5	29	8	8	1		12	3	1
449	Warren county.....	125	85	3	15	3	14			2	3	
450	Warrick county.....	289	189	15	14	3	17	2		28	3	18
451	Washington county.....	254	210	2	15	6	14			2	3	2
452	Wayne county.....	302	170	13	53	5	21	2		21	4	13
453	Wells county.....	268	200	8	16	7	17			15	5	
454	White county.....	135	135	12	6	9	18			21		1
455	Whitley county.....	178	169	7	20	9	14	1		16	1	1
MAINE RURAL.												
456	Androscoggin county.....	914	383	169	75	60	26	3		190	7	1
457	Arrowsick county.....	831	331	95	33	144	13	1		196	9	2
458	Cumberland county.....	836	579	47	57	32	44	2		71	4	1
459	Franklin county.....	292	197	22	25	14	19			11	4	
460	Hancock county.....	538	383	14	58	19	31			27	3	3
461	Kennebec county.....	849	515	57	88	51	36	1		86	10	5
462	Knox county.....	330	232	17	27	7	10			19	6	2
463	Lincoln county.....	269	193	3	29	11	17			8	4	1

209

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
45	38	46	26	31	28	32	33	39	26	33	29	380	
49	59	67	39	35	30	47	44	39	42	50	50	390	
49	47	47	31	31	41	43	39	36	34	26	43	391	
43	33	41	33	15	31	36	31	21	32	23	19	392	
35	31	33	21	18	22	21	37	19	12	16	27	393	
22	26	41	28	20	14	20	23	16	20	21	11	394	
27	19	30	15	16	22	14	29	15	11	24	19	395	
28	39	24	26	21	20	28	32	31	21	29	27	396	
13	23	24	11	15	13	12	17	17	11	17	24	397	
24	21	20	17	17	9	15	17	28	14	11	6	398	
48	45	44	38	24	23	22	33	24	27	27	29	399	
10	13	14	7	10	11	8	7	17	7	13	4	400	
18	36	37	27	27	25	28	36	46	35	29	17	401	
32	57	34	19	11	17	25	26	29	29	24	29	402	
18	26	34	13	19	7	19	15	11	20	21	10	403	
31	21	27	18	20	17	20	21	15	22	13	15	404	
33	33	35	25	19	12	35	18	21	26	21	15	405	
38	35	34	17	28	23	16	31	47	28	27	19	406	
20	22	19	18	11	14	13	18	16	19	15	24	407	
36	28	42	27	32	26	29	31	44	36	25	23	408	
36	26	54	21	26	29	23	27	36	36	20	33	409	
47	32	37	30	36	35	32	39	34	34	27	27	410	
37	29	34	22	24	24	35	27	30	34	24	34	411	
26	28	55	37	40	31	36	40	44	44	38	58	412	
35	25	33	23	12	15	17	23	17	23	21	11	413	
12	22	16	10	14	13	13	11	14	7	11	16	414	
17	28	21	17	22	11	26	18	21	17	16	13	415	
28	39	36	12	27	40	40	21	27	15	16	16	416	
40	36	44	28	31	34	34	33	39	22	33	26	417	
35	31	30	22	21	15	27	23	21	18	28	27	418	
11	13	8	7	11	7	7	6	11	8	9	10	419	
16	26	26	21	18	21	18	16	31	23	28	10	420	
5	6	9	4	3	3	7	5	7	7	10	10	421	
27	21	24	10	11	10	10	18	19	16	16	14	422	
19	24	12	7	11	15	13	15	14	10	15	14	423	
35	32	36	19	27	16	19	22	26	23	21	22	424	
27	29	27	21	20	29	14	25	22	11	16	12	425	
39	32	31	27	17	14	15	25	30	25	19	23	426	
27	31	18	14	20	20	31	14	17	19	15	21	427	
23	26	32	30	17	17	29	21	35	32	21	14	428	
26	11	12	16	10	6	6	10	10	9	7	10	429	
27	32												

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.		Total.	WHITE.						Foreign.	Un-known.	Colored.	
			Native.									
			Both parents.			Mixed parentage.						Parent-age not stated.
			Native.	Foreign.	Un-known.	Native and foreign.	Native and un-known.	Foreign and un-known.				
MAINE RURAL.—Continued.												
464	Oxford county.....	505	314	32	50	17	30	1	29	2		
465	Penobscot county.....	911	510	71	95	66	47		93	10	19	
466	Piscataquis county.....	274	182	12	23	16	11		24	5	1	
467	Sagadahoc county.....	160	116	7	11	2	14		10			
468	Somerset county.....	564	340	35	63	25	36	2	55	8		
469	Waldo county.....	416	307	9	50	7	22		17	4		
470	Washington county.....	683	313	46	59	91	25	3	148	4	1	
471	York county.....	905	609	53	72	42	53	3	65	6	2	
MASSACHUSETTS RURAL.												
472	Barnstable county.....	507	321	54	20	30	22	1	40	3	13	
473	Berkshire county.....	571	253	63	33	33	32	2	128	9	18	
474	Bristol county.....	694	328	106	28	38	37	6	143	2	6	
475	Dukes county.....	58	55	2	3	6	4	1	12	2	3	
476	Essex county.....	1,133	556	152	43	76	48	9	236	8	5	
477	Franklin county.....	731	365	106	65	36	37	4	109	8	1	
478	Hampden county.....	583	198	135	33	43	29	1	137	7		
479	Hampshire county.....	476	193	70	31	30	42	4	100	3		
480	Middlesex county.....	2,119	727	263	128	112	64	17	736	16	56	
481	Nantucket county.....	66	46	4	6	3	3		4			
482	Norfolk county.....	1,281	532	193	58	85	53	7	333	12	8	
483	Plymouth county.....	1,107	565	100	50	56	57	4	227	11	37	
484	Suffolk county.....	98	42	9	8	8	6		23		2	
485	Worcester county.....	2,069	827	357	109	159	92	14	490	14		
MICHIGAN RURAL.												
486	Alcona county.....	60	10	11	2	8	2	2	23	1	1	
487	Alger county.....	81	15	22	1	10	2		25	2	4	
488	Allegan county.....	511	249	42	45	31	27	1	98	8	10	
489	Alpena county.....	224	38	41	8	41	7	3	86			
490	Antrim county.....	246	110	22	10	28	13	4	49	6	4	
491	Arenac county.....	95	23	10		14	4		36	4	2	
492	Baraga county.....	79	8	30	1	3	6	2	16	4	17	
493	Barry county.....	270	137	15	29	22	4	19	42	8		
494	Bay county.....	253	64	41	15	34	2	2	83	2	8	
495	Benzie county.....	134	55	8	15	9	7	1	28	2	9	
496	Berrien county.....	622	255	61	46	45	33	4	125	18	14	
497	Branch county.....	349	209	11	38	13	35	1	37	3	2	
498	Calhoun county.....	424	234	39	39	24	30		63	11	3	
499	Cass county.....	290	151	3	28	13	23	4	29	5	34	
500	Charlevoix county.....	233	88	26	10	36	5	1	43	6	18	
501	Cheboygan county.....	216	56	32	13	32	5	3	61	8	6	
502	Chippewa county.....	114	9	38	6	12	1	2	35	2	9	
503	Clare county.....	87	34	6	2	14	4	1	24	2		
504	Clinton county.....	284	144	17	34	14	16	3	52	4		
505	Crawford county.....	41	12	6	4	4	2		13			
506	Delta county.....	185	36	51	3	22			65	7	1	
507	Dickinson county.....	109	9	41	1	10	1		44	2	1	
508	Eaton county.....	455	229	10	40	21	30	2	42	7	4	
509	Emmet county.....	364	130	20	16	20	14	1	33	5	27	
510	Genesee county.....	378	222	26	15	19	29	2	59	6		
511	Gladwin county.....	66	26	8	4	11	1	1	14		1	
512	Gogebic county.....	150	10	63	1	7			67	1	1	
513	Grand Traverse county.....	149	73	6	13	13	11		30		3	
514	Gratiot county.....	364	216	15	40	25	19	2	40	6	1	
515	Hillsdale county.....	361	211	11	26	19	26	5	36	5	2	
516	Houghton county.....	1,052	103	453	2	95	6	5	380	7	1	
517	Huron county.....	369	54	70	9	54	4	3	175			
518	Ingham county.....	318	181	19	30	13	20	3	39	7	6	
519	Ionia county.....	420	227	26	44	43	25	6	67	9	3	
520	Iosco county.....	108	22	20		18	5		41		2	
521	Iron county.....	123	15	50	2	6	1		48	1		
522	Isabella county.....	228	118	23	17	27	16	8	57	6	16	
523	Jackson county.....	292	177	21	21	14	15		35	8	1	
524	Kalamazoo county.....	279	142	14	17	10	17	7	47	3	4	
525	Kalkaska county.....	108	49	4	13	16	5	1	14			
526	Kent county.....	652	291	71	37	56	26	11	136	21	3	
527	Keweenaw county.....	61	3	25	1	12			20			
528	Lake county.....	59	27	3	6	6	3		10	4		
529	Lapeer county.....	383	150	37	20	31	36	7	98	3	1	
530	Leelanaw county.....	141	54	19	6	15	2		28		17	
531	Lenawee county.....	681	404	35	52	35	29	2	112	7	5	
532	Livingston county.....	237	132	19	13	16	17	4	29	5	2	
533	Luce county.....	94	11	30	2	2	2		42	5		
534	Mackinac county.....	96	25	15	1	6	2	1	36	4	6	
535	Macomb county.....	417	176	38	12	36	8	3	129	8		

211

MONTH.												
January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
56	55	64	47	44	33	33	46	37	30	27	33	464
71	80	103	84	76	67	61	95	72	65	75	54	465
24	25	22	19	20	20	26	18	29	24	22	23	466
15	21	23	9	12	21	7	13	9	12	9	11	467
41	39	74	59	44	40	26	41	66	49	42	41	468
31	51	55	38	48	34	24	17	33	26	30	29	469
58	60	88	67	48	48	41	62	90	57	56	37	470
72	86	96	70	68	60	71	95	76	82	63	66	471
32	46	51	42	39	38	42	47	45	39	43	43	472
38	72	57	30	40	33	45	53	60	46	47	50	473
74	73	71	52	49	52	54	68	43	50	51	57	474
3	8	4	5	5	6	8	8	10	9	6	16	475
103	104	105	105	90	76	84	118	89	72	89	98	476
58	88	75	65	66	35	46	79	51	56	45	67	477
43	53	53	38	55	36	54	65	49	48	43	46	478
37	42	60	37	32	31	39	44	27	28	55	44	479
217	203	198	180	200	145	189	186	145	172	177	157	480
2	12	5	4	7	7	7	5	7	2	4	11	481
134	118	118	113	110	71	101	123	111	91	96	95	482
101	126	96	91	83	91	92	101	83	77	85	81	483
11	8	8	4	5	9	6	14	10	8	3	12	484
184	200	201	163	151	160	154	215	105	160	141	172	485
6	6	6	7	5	3	6	2	4	7	3	5	486
5	5	8	4	4	7	8	12	12	8	4	4	487
51	54	51	42	51	29	37	42	49	37	33	35	488
22	14	12	13	22	18	11	27	26	18	22	18	489
13	30	26	24	23	17	12	19	21	25	18	18	490
15	10	10	10	4	7	6	4	9	8	4	8	491
4	6	7	10	10	4	3	7	16	4	2	6	492
31	29	20	21	24	25	16	30	18	22	26	26	493
28	21	31	22	11	17	18	16	29	25	19	16	494
15	10	16	11	13	7	9	12	11	19	7	8	495
49	49	71	52	56	30	48	49	59	60	48	50	496
26	38	38	27	28	28	24	16	28	30	31	38	497
49	51	44	33	39	26	26	32	31	26	30	36	498
23	29	32	28	26	21	20	26	20	23	16	26	499
13	23	24	19	13	20	18	21	25	20	16	21	500
13	15	19	16	17	15	23	22	34	16	16	10	501
7	15	9	8	8	6	11	10	14	7	4	13	502
10	13	7	6	5	7	10	4	6	12	7	7	503
22	20	30	26	28	33	19	17	21	21	24	23	504
1	6	4	3	2	4</							

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

REGISTRATION AREA.		Total.	WHITE.							Foreign.	Un-known.	Colored.
			Native.						Parent- age not stated.			
			Both parents.			Mixed parentage.						
			Native.	Foreign.	Un- known.	Native and foreign.	Native and un- known.	Foreign and un- known.				
MICHIGAN RURAL—Continued.												
536	Manistee county.....	351	88	96	3	45	9	2	133	3	2	
537	Marquette county.....	227	13	72	2	24	2	3	101	7		
538	Mason county.....	264	99	40	5	29	7	1	71	3	9	
539	Mecosta county.....	278	140	16	15	23	18		56	7	3	
540	Menominee county.....	129	26	39	3	13	3	1	39	2	3	
541	Midland county.....	178	77	23	7	18	10	1	40	1	1	
542	Missaukee county.....	131	56	21	6	10	2		31	1	4	
543	Monroe county.....	422	197	45	21	32	9	4	110	4		
544	Montcalm county.....	412	221	32	26	34	18	2	75	2	2	
545	Montmorency county.....	39	12	5	2	4	1		11	1		
546	Muskegon county.....	191	60	16	9	21	7	3	72	3		
547	Newaygo county.....	201	86	13	21	15	11	1	49	3	2	
548	Oakland county.....	482	255	40	34	34	21	4	91	2	1	
549	Oceana county.....	232	111	11	34	23	12		29	1	11	
550	Ogemaw county.....	115	50	12	10	14	4		23	1	1	
551	Ontonagon county.....	102	14	25	3	9		1	43	7		
552	Oscoda county.....	245	110	15	18	29	6		63	3		
553	Osceola county.....	14	9				1	1	2	1		
554	Otsego county.....	90	30	11	5	9	7	2	20	6		
555	Ottawa county.....	542	143	89	19	60	14	3	208	4	2	
556	Presque Isle county.....	111	36	20	8	10	3	1	28	5		
557	Roscommon county.....	29	12	2	1	5	3		4	2		
558	Saginaw county.....	470	142	67	20	46	14	8	159	8	6	
559	St. Clair county.....	499	133	69	11	51	3	2	218	11	1	
560	St. Joseph county.....	315	209	14	15	14	17	3	43			
561	Sanilac county.....	437	81	82	8	64	9	3	184	3		
562	Schoolcraft county.....	95	15	25	4	11	3		32	3	1	
563	Shiawassee county.....	337	165	22	25	26	24	2	68	4	1	
564	Tuscola county.....	417	160	51	20	38	14	3	129	2		
565	Van Buren county.....	484	285	21	43	23	27	3	63	6	13	
566	Washtenaw county.....	402	190	39	19	23	14		96	6	15	
567	Wayne county.....	1,176	514	212	74	113	17	14	399	15	18	
568	Wexford county.....	267	118	29	14	32	10	2	59	3		
NEW HAMPSHIRE RURAL.												
569	Belknap county.....	201	112	5	44	6	16	1	6	11		
570	Carroll county.....	277	163	6	50	10	23		14	11		
571	Cheshire county.....	329	163	40	38	16	21		40	11		
572	Coos county.....	242	94	19	48	18	15	2	35	11		
573	Grafton county.....	606	284	30	109	35	38		74	36		
574	Hillsboro county.....	606	287	56	55	31	46	2	68	30	1	
575	Merrimack county.....	561	285	45	83	25	35	1	65	20	2	
576	Rockingham county.....	593	382	59	102	13	53	1	102	23	2	
577	Strafford county.....	290	125	51	28	17	17	2	41	9		
578	Sullivan county.....	291	142	28	46	12	17	2	33	10	1	
NEW JERSEY RURAL.												
579	Atlantic county.....	345	181	49	17	13	5		66		14	
580	Bergen county.....	1,268	454	250	42	90	4	2	357	22	47	
581	Burlington county.....	878	541	52	36	22	13	2	117	23	72	
582	Camden county.....	596	274	50	30	32	2	1	84	5	82	
583	Cape May county.....	198	134	16	2	8			14	1	23	
584	Cumberland county.....	374	230	29	31	11	4		42		27	
585	Essex county.....	1,013	423	174	47	57	9	2	244	11	46	
586	Gloucester county.....	434	280	28	19	13	1	5	42	5	32	
587	Hudson county.....	1,366	266	350	60	89	5	6	571	8	11	
588	Hunterdon county.....	434	343	19	17	8	4	1	36		6	
589	Mercer county.....	256	161	13	10	6	2		28	2	34	
590	Middlesex county.....	684	243	190	28	26	7	4	155	17	14	
591	Monmouth county.....	1,261	714	104	48	44	9	2	161	16	163	
592	Morris county.....	809	404	84	77	32	7	3	173	8	21	
593	Ocean county.....	245	184	13	3	5	3		20	5	12	
594	Passaic county.....	286	114	63	11	14	4	3	67	1	9	
595	Salem county.....	365	245	7	19	1	4		21	4	64	
596	Somerset county.....	520	256	99	11	19	5	2	91	3	34	
597	Sussex county.....	254	206	11	5	4	3		22		1	
598	Union county.....	483	157	69	52	28	4	2	117	8	46	
599	Warren county.....	397	303	23	15	5	7		37	2	5	
NEW YORK RURAL.												
600	Albany county.....	599	283	66	19	22	18	4	86	6	5	
601	Allegany county.....	515	303	28	66	15	16	1	78	5	3	
602	Broome county.....	481	297	21	69	9	38		32	13	2	
603	Cattaraugus county.....	678	320	65	87	26	30	5	127	11	7	
604	Cayuga county.....	544	316	28	57	22	20	3	87	8	3	

COLOR, NATIVITY, AND MONTH.

213

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
41	34	34	33	20	30	29	24	35	30	36	34	1 536
12	17	23	13	18	17	11	22	32	28	14	20	537
14	20	25	19	18	18	14	28	33	35	27	12	1 538
37	23	28	32	20	22	14	20	23	26	19	14	539
6	15	20	8	8	8	10	11	15	11	7	9	540
20	21	20	7	15	11	19	12	20	15	8	10	541
12	10	12	10	8	7	8	15	14	16	10	9	542
57	49	45	36	22	33	19	29	38	31	29	34	543
44	50	43	37	42	26	17	23	37	31	22	30	544
4	5	4	1		2	4	3	5	7	2	1	545
16	27	24	19	18	13	10	12	10	14	16	12	546
19	30	16	21	11	9	11	14	29	29	9	16	547
62	63	43	30	32	36	42	26	42	33	32	41	548
19	25	26	22	24	10	13	23	21	24	15	10	549
13	13	10	5	11	7	7	3	13	15	6	12	550
12	11	6	11	10	15	6	7	10	9	6	7	551
17	38	19	13	21	7	22	16	29	22	18	15	552
1	4	2	2	2	1	2	1	1	2	2	2	553
9	8	6	11	11	8	7	4	11	5	5	3	554
44	54	55	53	43	40	27	53	39	47	37	40	555
14	5	9	10	6	5	6	13	11	11	10	11	556
47	41	7	2	6	2		3	2	2	1	2	557
52	58	50	33	43	39	38	49	39	42	31	31	558
36	33	45	34	37	31	40	54	40	54	48	48	559
39	60	20	28	27	19	23	24	20	27	28	29	1 560
6	6	47	36	38	32	26	21	35	37	41	28	561
32	29	10	13	7	10	6	6	6	11	5	9	562
41	34	45	41	36	24	24	25	26	30	28	36	563
42	57	51	57	33	36	28	37	31	30	35	47	565
35	45	40	47	29	21	28	22	32	33	29	41	566
110	99	122	98	76	79	107	107	88	98	98	94	567
18	24	36	31	15	17	11	22	25	18	32	18	568
17	21	18	18	23	11	17	11	15	15	15	20	569
34	18	39	24	23	19	28	9	25	25	25	19	570
35	26	46	25	25	15	22	32	30	23	18	32	571
19	25	22	40	12	15	30	22	15	23	14	15	572
62	59	56	63	54	38	40	38	48	40	32	56	573
43	60	67	52	55	43	60	42	44	43	48	49	574
44	55	60	58	50	27	27	53	43	51	48	45	575
68	78	75	65	67	36	42	71	63	69	50	51	2 576
18	25	24	27	22	14	20	37	25	28	21	28	577
21	30	30	31	16	18	16	23	28	22	34	22	578
25	28	37	27	29	23	31	27	27	31	32	27	1 579
120	99	101	115	107	85	131	129	78	93	120	90	580
66	100	73	81	67	55	89	85	70	57	62	53	581
56	65	50	57	38	44	32	57	32	35	41	29	582
19	22	13	15	12	13	19	31	14	7	16	17	583
34	48	41	35	31	27	29	35	18	26	28	22	584
124	89	90	95	85	74	82	75	69	69	75	86	585
37	61	35	30	31	27	56	31	35	29	36	29	586
133	105	124	103	130	128	125	132	95	95	98	98	587
30	46	43	34	32	31	42	51	38	28	26	33	588
26	29	27	20	20	16	25	22	21	17	16	17	589
76	89	58	68	58	52	62	56	44	46	44	30	590
119	87	107	102	91	112	142	166	82	96	73	74	591
94	71	63	74	64	45	92	84	51	52	60	50	592
19	17	28	25	23	19	20	27	18	16	17	16	593
27	23	21	17	20	22	38	38	13	20	25	22	594
28	45	40	36	24	24	28	42	27	16	28	27	595
52	33	54	57	34	37	75	58	42	29	22	26	1 596
30	28	16	16	23	21	17	23	18	17	25	17	597
52	38	34	34	36	41	47	49	29	35	43	45	598
26	37	51	31	23	22	34	34	37	29	47	26	599
52	47	49	63	48	39	34	32	37	36	41	31	600
47	47	47	44	39	40	33	35	55	49	24	50	601
46	50	41	40	39	33	35	37	36	41	32	51	602
48	62	62	63	66	49	51	58	65	43	56	62	603
39	51	74	66	26	24	36	47	51	46	33	51	604

MORTALITY STATISTICS.

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

WHITE.												Colored.
REGISTRATION AREA.	Total.	Native.						Parent- age not stated.	Foreign.	Un- known.		
		Both parents.			Mixed parentage.							
		Native.	Foreign.	Un- known.	Native and foreign.	Native and un- known.	Foreign and un- known.					
NEW YORK RURAL.—Continued.												
605 Chautauqua county.....	752	372	64	93	31	27	2		136	22	5	
606 Chemung county.....	255	173	11	26	6	20	2		11	5	1	
607 Chenango county.....	509	350	18	118	9	38	5		44	14	3	
608 Clinton county.....	605	304	54	36	45	17	5		132	5	7	
609 Columbia county.....	528	292	36	49	21	25	2		62	14	27	
610 Cortland county.....	313	184	11	55	8	26	2		23	9	1	
611 Delaware county.....	584	346	32	60	29	42	5		57	12	1	
612 Dutchess county.....	1,143	532	126	84	43	53	4		244	25	32	
613 Erie county.....	1,334	407	295	75	25	25	9		410	22	16	
614 Essex county.....	489	257	44	44	28	24	2		78	6	6	
615 Franklin county.....	755	347	102	33	78	19	9		141	8	18	
616 Fulton county.....	201	114	6	32	6	10	2		29	3	2	
617 Genesee county.....	571	264	63	45	24	18	3		142	7	5	
618 Greene county.....	524	280	49	46	26	30	1		62	8	13	
619 Hamilton county.....	42	22	2	8	1	1			7	1		
620 Herkimer county.....	679	294	66	104	31	24	3		138	15	4	
621 Jefferson county.....	752	402	62	71	45	28	6		119	17	2	
622 Lewis county.....	362	173	41	39	16	17	2		68	4	2	
623 Livingston county.....	567	234	62	86	35	20	3		113	11	3	
624 Madison county.....	685	416	40	64	31	36	3		75	10	10	
625 Monroe county.....	787	316	93	52	63	20	2		223	10	8	
626 Montgomery county.....	358	209	30	31	15	19	2		47	4	1	
627 Nassau county.....	925	384	140	42	48	23	3		208	11	66	
628 Niagara county.....	582	267	77	44	39	15	4		169	13	14	
629 Oneida county.....	898	410	127	68	45	25	4		204	12	3	
630 Onondaga county.....	911	421	83	87	38	42	5		210	22	3	
631 Ontario county.....	618	328	58	42	35	19	4		119	8	3	
632 Orange county.....	946	475	111	71	41	33	2		150	24	39	
633 Orleans county.....	405	168	46	32	29	20	3		101	2	4	
634 Oswego county.....	1,161	583	107	150	60	43	8		187	18	5	
635 Otsego county.....	843	559	46	72	22	22	56		67	15	3	
636 Putnam county.....	234	135	20	14	10	11	1		40	4	3	
637 Rensselaer county.....	707	381	73	47	34	28	2		127	11	4	
638 Rockland county.....	621	259	81	31	39	27	2		134	11	37	
639 St. Lawrence county.....	1,076	520	126	73	97	30	4		211	8	7	
640 Saratoga county.....	799	405	109	51	51	31	8		131	7	6	
641 Schoenectady county.....	160	94	12	9	8	6	1		29	1		
642 Schoharie county.....	375	240	11	49	5	34	1		23	4	4	
643 Schuyler county.....	247	164	8	25	7	11	3		22	3	8	
644 Seneca county.....	538	240	40	76	20	24	3		119	11	8	
645 Steuben county.....	1,077	511	43	270	36	45	4		152	9	7	
646 Suffolk county.....	1,530	508	161	102	55	29	4		481	35	65	
647 Sullivan county.....	633	291	91	37	38	19	3		167	6	1	
648 Tioga county.....	444	256	14	74	17	35	6		31	10	1	
649 Tompkins county.....	331	234	12	38	9	20	1		14	1	2	
650 Ulster county.....	882	554	77	48	36	18	6		124	10	9	
651 Warren county.....	221	138	11	21	9	12	2		24	4		
652 Washington county.....	790	402	60	68	30	39	9		141	7	4	
653 Wayne county.....	817	382	82	75	44	42	6		174	9	3	
654 Westchester county.....	1,768	625	330	100	103	39	9		447	34	81	
655 Wyoming county.....	443	262	39	40	20	17	1		87	5	2	
656 Yates county.....	285	100	11	52	7	20	2		28	4	1	
RHODE ISLAND RURAL.												
657 Bristol county.....	295	82	89	15	15	2			86	1	5	
658 Kent county.....	508	209	151	1	43	5	2		143	2	12	
659 Newport county.....	174	87	44	2	9	2			22	3	5	
660 Providence county.....	1,312	480	260	27	70	3	4		391	7	40	
661 Washington county.....	407	269	29	5	13	1	1		56	8	25	
VERMONT RURAL.												
662 Addison county.....	334	204	13	42	15	20	2		32	6		
663 Bennington county.....	229	132	25	20	7	13	2		22	8		
664 Caledonia county.....	418	219	35	37	32	21	2		63	9		
665 Chittenden county.....	365	149	43	35	31	16	3		81	7		
666 Essex county.....	110	41	10	9	12	10			23	4	1	
667 Franklin county.....	458	186	51	38	38	27	8		93	14	3	
668 Grand Isle county.....	30	4	3	4	10	4	2		15	2		
669 Lamoille county.....	170	84	3	29	12	15	1		19	7		
670 Orange county.....	380	237	11	52	21	24	4		24	7		
671 Orleans county.....	392	169	20	45	43	22	7		75	11		
672 Rutland county.....	531	236	61	47	25	27	2		121	9	3	
673 Washington county.....	511	210	46	66	32	46	7		87	14	3	
674 Windham county.....	484	265	28	67	14	42	1		49	18		
675 Windsor county.....	538	331	15	70	17	55	2		52	16		

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
62	60	75	69	62	55	55	63	74	58	54	65	605
22	23	19	22	28	19	18	24	29	14	15	22	106
62	44	67	58	51	45	48	39	57	46	33	49	107
50	47	61	67	46	51	43	62	48	40	40	47	108
41	55	61	50	56	39	44	34	43	26	35	44	109
24	34	48	23	23	26	29	18	30	19	17	22	610
43	72	71	51	37	43	36	53	49	45	44	40	611
100	109	127	93	112	65	106	91	95	90	84	71	612
91	125	136	116	105	82	118	144	91	100	117	109	613
39	39	55	47	38	46	30	51	42	32	34	36	614
56	59	67	63	52	55	71	79	65	53	63	72	615
20	17	26	15	15	14	12	15	17	16	17	20	616
40	51	67	47	52	49	37	57	37	45	45	44	617
40	36	64	48	44	31	43	48	44	34	54	38	618
4	1	5	3	3	3	5	4	5	5	2	2	619
55	60	62	53	61	46	47	62	54	58	61	60	620
29	66	81	66	56	62	62	64	62	62	54	58	621
20	33	52	33	34	24	28	33	33	26	23	23	622
41	48	66	59	41	40	36	54	50	41	44	53	623
59	78	73	55	62	52	48	52	37	51	40	56	624
68	74	74	56	74	57	75	70	71	49	68	51	625
36	31	40	34	23	44	49	38	32	19	30	27	626
73	69	67	74	72	57	116	118	81	51	65	80	627
45	64	61	59	41	49	39	48	46	40	48	39	628
72	97	73	91	78	70	66	81	72	63	61	74	629
69	99	103	77	77	72	70	75	62	60	71	76	630
56	41	62	50	51	44	49	61	61	41	55	45	631
91	87	79	86	74	59	76	95	74	92	68	65	632
35	41	45	54	31	26	30	31	25	33	30	24	633
99	97	115	114	104	66	66	96	121	96	99	88	634
79	89	104	77	69	60	63	59	55	68	54	66	635
19	22	22	20	25	12	21	32	13	16	16	14	636
69	75	64	64	54	41	56	61	61	44	67	67	637
47	45	46	52	55	46	77	67	46	51	52	50	638
77	97	113	83	92	62	105	100	93	94	99	61	639
76	72	83	59	65	55	75	53	66	64	60	71	640
16	17	17	14	14	12	13	10	15	10	12	10	641
27	35	42	35	40	21	33	22	32	24	32	30	642
21	25	29	30	21	21	21	20	15	18	12	12	643
38	62	63	54	38	37	43	52	41	41	32	37	644
83	102	116	102	84	73	76	81	85	102	91	81	645
139	142	143	131	116	104	138	139	121	127	105	124	646
42	65	77	59	48	48	59	72	49	55	45	43	647
42	49	53	38	33	32	31	28	41	27	40	27	648
30	35	34	39	26	19	23	26	21	32	21	23	649
83	81	105	61	64	61	68	79	75	66	67	72	650
18	30	20	18	13	13	25	22	10	15	20	10	651
82	73	64	71	63	63	50	77	70	50	64	63	652
63	84	100	81	73	48	44	63	71	67	69	63	653
182	155	170	140	109	113	208	168	153	99	126	145	654
37	41	59	47	29	39	23	25	36	34	35	38	655
25	25	32	21	25	18	27	24	21	24	19	21	656
23	20	29	27	29	15	32	24	33	21	18	24	657
49	47	50	60	42	46	59	53	36	42	36	42	658
17	18	13	16	9	8	13	23	14	16	12	15	659
122	98	139	99	108	89	124	125	110	100	97	101	660
31	47	46	29	36	30	32	30	21	35	38	32	661
41	33	53	27	17	24	35	18	24	23	20	19	662
16	20	26	24	14	14	12	21	20	15	19	16	663
42	36	52	26	30	29	27	27	49	34	25	37	664
35	36	43	35	33	27	21	30	27	37	16	25	665
14	11	9	6	13	10	4	8	11	6	5	13	666
33	39	45	48	36	30	31	37	36	37	45	41	667
5	7	9	4	6	6	6	8	2	5	9	3	668
16	14	24	18	13	15	13	10	11	12	15	9	669
34	40	46	31	38	31	20	22	26	31	33	28	670
47	41	47	34	25	25	24	27	35	29	25	33	671
47	57	58	32	38	44	42	40	49	37	47	40	672
38	52	51	38	58	39	40	25	38	31	56	42	673
37	40	63	50	59	33	31	36	31	36	28	39	674
53	52	58	52	48	48	25	33	30	48	37	54	675

TABLE 2.—DEATHS IN EACH

REGISTRATION AREA.		AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
SUMMARIES.												
1	The registration area.....	545,533	105,583	21,960	9,638	5,916	4,317	147,384	12,851	8,835	14,941	22,600
2	Registration cities.....	411,062	83,826	17,930	7,853	4,769	3,534	117,912	10,197	6,754	11,512	18,100
3	Registration states.....	34,863	66,894	13,806	6,073	3,757	2,660	93,190	8,197	5,433	8,741	12,592
4	Cities in registration states.....	211,392	45,161	9,776	4,288	2,610	1,877	63,718	5,543	3,352	5,312	8,092
5	Rural part of registration states.....	134,471	21,727	4,030	1,785	1,147	783	29,472	2,654	2,081	3,429	4,500
6	Registration cities in other states.....	199,670	38,659	8,154	3,565	2,159	1,657	54,194	4,654	3,402	6,200	10,008
REGISTRATION STATES.												
7	Connecticut.....	16,289	3,147	387	262	162	130	4,238	411	248	377	549
8	District of Columbia.....	6,201	1,143	230	99	58	35	1,565	115	85	210	329
9	Indiana.....	31,392	6,223	1,316	561	352	229	8,084	775	660	1,169	1,602
10	Maine.....	11,537	1,908	272	144	72	55	2,451	197	163	268	391
11	Massachusetts.....	50,343	10,400	1,840	855	506	342	13,943	1,018	735	1,011	1,447
12	Michigan.....	34,542	6,901	1,175	501	312	242	9,134	770	670	972	1,322
13	New Hampshire.....	7,274	1,205	261	111	68	50	1,695	159	103	168	191
14	New Jersey.....	33,912	7,153	1,465	675	428	329	10,050	1,039	567	911	1,221
15	New York.....	137,222	26,213	6,174	2,633	1,664	1,145	37,819	3,404	2,022	3,291	4,886
16	Rhode Island.....	8,208	1,704	381	144	84	74	2,387	187	103	185	280
17	Vermont.....	5,943	891	155	65	51	29	1,194	122	77	149	184
REGISTRATION CITIES.												
18	Adams town, Mass.....	223	70	17	5	3	1	96	2	3	6	8
19	Alameda, Cal.....	246	24	5	7	2	1	38	4	1	8	9
20	Albany, N. Y.....	1,811	239	58	23	14	12	346	26	24	44	68
21	Alexandria, Va.....	307	66	9	3	5	1	87	5	5	14	14
22	Allegheny, Pa.....	2,683	638	243	85	54	39	1,059	84	44	86	136
23	Allentown, Pa.....	693	167	15	12	9	9	212	24	10	20	28
24	Altoona, Pa.....	816	183	39	11	12	10	255	24	16	32	53
25	Amesbury town, Mass.....	137	30	5	2	1	1	39	1	3	6	6
26	Amsterdam, N. Y.....	365	75	15	2	4	1	97	6	11	9	21
27	Anderson, Ind.....	265	55	10	3	1	1	69	6	6	14	10
28	Ann Arbor, Mich.....	250	14	2	1	3	2	19	4	2	8	9
29	Annapolis, Md.....	191	59	6	1	1	2	69	4	3	9	7
30	Ansonia, Conn.....	200	33	10	3	3	2	71	11	2	5	8
31	Appleton, Wis.....	198	56	4	4	3	4	71	5	4	3	8
32	Arlington town, Mass.....	115	17	2	3	2	2	24	2	1	2	5
33	Ashtabula, Ohio.....	210	44	12	1	1	3	61	3	1	6	13
34	Atlanta, Ga.....	2,480	498	132	64	23	23	740	76	63	106	161
35	Atlantic City, N. J.....	626	131	16	6	5	1	159	16	12	12	18
36	Attleboro town, Mass.....	174	45	8	2	2	2	59	5	3	4	7
37	Auburn, N. Y.....	517	97	13	7	1	4	124	12	7	7	18
38	Augusta, Me.....	258	42	4	7	2	2	57	2	3	7	7
39	Aurora, Ill.....	310	48	6	8	2	1	65	7	4	8	19
40	Baltimore, Md.....	10,698	2,467	525	250	128	104	3,474	200	157	278	454
41	Bangor, Me.....	421	42	9	6	1	1	59	9	1	10	23
42	Barre, Vt.....	164	46	3	6	1	1	58	9	4	5	4
43	Bath, Me.....	164	19	4	1	3	1	28	4	4	2	5
44	Battle Creek, Mich.....	341	44	8	5	1	1	59	6	5	8	18
45	Bay City, Mich.....	512	113	21	12	10	2	158	13	15	19	17
46	Bayonne, N. J.....	670	192	56	23	9	7	287	16	7	17	23
47	Bellevue, Ohio.....	179	46	15	7	1	1	69	5	1	5	5
48	Bellefonte, Pa.....	295	64	9	1	1	1	75	5	6	7	11
49	Beloit, Wis.....	173	18	7	4	1	2	32	3	6	5	6
50	Bennington town, Vt.....	164	27	3	1	2	3	36	8	2	3	8
51	Berlin, N. H.....	169	60	14	4	3	4	85	8	3	5	5
52	Beverly, Mass.....	249	33	5	3	3	2	46	7	5	3	7
53	Biddeford, Me.....	284	89	13	9	3	2	116	8	4	8	10
54	Binghamton, N. Y.....	789	99	16	4	4	7	130	18	11	20	27
55	Boston, Mass.....	10,987	2,157	447	218	113	85	3,020	233	156	217	379
56	Bridgeport, Conn.....	1,357	303	52	30	14	8	407	45	29	35	64
57	Bridgeton, N. J.....	191	35	4	3	1	1	44	4	4	1	6
58	Bristol town, Conn.....	167	41	8	1	4	4	58	6	5	7	4
59	Brockton, Mass.....	623	107	19	10	5	4	145	12	10	20	16
60	Brookline town, Mass.....	260	39	5	4	2	2	50	3	5	3	3
61	Buffalo, N. Y.....	5,882	1,349	275	121	64	38	1,847	153	86	150	220
62	Burlington, Iowa.....	306	48	8	2	4	5	67	6	2	9	15
63	Burlington, Vt.....	434	122	22	4	7	3	158	16	7	9	13
64	Cambridge, Mass.....	1,414	305	52	31	23	5	416	27	20	34	52
65	Camden, N. J.....	1,354	309	49	21	17	14	410	45	13	44	66
66	Canton, Ohio.....	416	89	12	6	3	5	115	7	13	12	19
67	Carbondale, Pa.....	281	47	12	8	5	3	75	14	6	8	12
68	Carlisle, Pa.....	151	16	2	1	1	1	19	1	2	3	7
69	Central Falls, R. I.....	363	120	37	13	5	1	176	9	4	13	11
70	Charleston, S. C.....	1,431	378	113	64	22	13	590	35	20	32	108
71	Chelsea, Mass.....	696	158	30	11	5	3	207	13	9	11	22
72	Chicago, Ill.....	27,548	6,094	1,509	593	357	230	8,783	671	443	700	1,200
73	Chilcopee, Mass.....	356	124	24	12	3	3	166	7	4	4	8
74	Chillicothe, Ohio.....	184	31	6	1	1	1	39	3	4	6	7
75	Cincinnati, Ohio.....	6,469	948	251	125	77	56	1,457	118	134	204	280
76	Cleveland, Ohio.....	6,419	1,609	274	115	88	55	2,141	128	93	154	252
77	Clinton town, Mass.....	215	54	2	4	1	2	63	3	5	5	16
78	Cohoes, N. Y.....	518	133	39	10	8	4	194	19	8	11	17
79	Columbia, Pa.....	254	31	5	3	2	1	42	3	2	6	6
80	Columbus, Ind.....	131	28	7	2	3	1	41	3	3	3	6
81	Columbus, Ohio.....	2,224	277	51	32	16	12	388	54	55	105	154
82	Concord, N. H.....	372	34	8	2	2	1	47	3	5	10	9

REGISTRATION AREA, BY AGE: 1905.

AGE—continued.															
25 to 29	30 to 31	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 71	75 to 79	80 to 84	85 to 89	90 to 91	95 and over.	Un-known.
24,438	24,506	26,296	25,143	25,948	26,671	27,054	31,026	32,037	31,343	27,928	19,889	10,841	3,601	1,158	1,043
20,012	20,237	21,932	20,706	21,067	21,227	20,449	22,650	22,021	20,020	16,530	10,946	5,686	1,822	661	591
13,795	14,113	15,096	14,681	15,278	16,112	17,244	20,301	21,759	21,829	20,196	14,727	8,282	2,793	821	678
9,399	9,814	10,732	10,244	10,397	10,668	10,639	11,925	11,743	10,506	8,798	5,784	3,127	1,019	324	226
4,396	4,269	4,361	4,437	4,881	5,444	6,005	8,376	10,016	11,323	11,398	8,943	5,155	1,779	497	432
10,643	10,393	11,200	10,462	10,670	10,559	9,810	10,725	10,278	9,514	7,732	5,162	2,559	863	337	365
638	633	657	708	700	739	824	995	993	1,064	1,013	788	427	170	37	80
332	311	274	263	319	354	318	438	409	333	267	153	83	33	11	8
1,373	1,400	1,372	1,230	1,305	1,411	1,519	1,950	2,279	2,388	2,264	1,638	846	293	87	196
353	345	304	336	390	493	562	719	917	980	1,070	799	511	170	40	52
1,925	1,995	2,129	2,016	2,106	2,509	2,670	3,068	3,269	3,243	2,806	2,294	1,296	438	138	67
1,288	1,191	1,205	1,214	1,416	1,393	1,592	1,933	2,294	2,539	2,376	1,749	990	305	102	67
226	236	223	265	274	296	345	418	556	570	604	475	290	105	38	37
1,415	1,534	1,561	1,549	1,690	1,572	1,698	1,991	1,865	1,893	1,581	1,011	559	181	57	27
5,727	6,032	6,836	6,588	6,550	6,640	6,951	7,933	8,216	7,789	7,198	5,116	2,862	938	297	102
340	348	354	351	379	436	441	474	560	489	423	283	147	57	17	7
178	188	161	161	219	239	294	342	443	541	534	459	271	108	36	43
15	9	6	10	3	9	9	11	8	10	6	8	4			18
8	6	12	18	7	11	8	21	20	24	23	15	9	3	1	9
92	79	93	72	110	110	117	156	142	134	98	55	36	10	3	20
18	15	9	14	19	23	19	20	13	9	12	6	5	2		21
141	121	122	112	97	99	96	116	111	105	75	50	19	8	2	22
28	30	26	25	32	34	32	39	41	31	28	20	15	8		7
47	43	39	28	42	21	31	31	26	40	33	27	13	5	1	3
5	2	2	5	4	3	4	14	11	12	8	10	5	3		23
15	10	20	16	18	19	15	29	25	17	10	14	8	4		1
16	14	8	10	13	16	8	12	17	14	13	12	4		2	26
12	21	15	14	17	13	19	20	18	24	13	14	6	1		1
9	9	9	8	12	11	8	8	11	3	4	4	3			28
12	3	7	8	9	6	14	9	12	3	10	3	4	2		29
6	3	7	1	7	9	5	7	13	15	14	10	5	3		2
4	4	7	5	1	6	4	9	11	8	10	3	5	4		32
13	11	9	8	9	13	8	10	7	9	13	10	2	1		1
171	152	129	114	124	138	115	95	101	82	50	28	17	8	9	33
31	21	36	26	36	40	39	39	39	36	37	15	10	4		34
4	8	4	6	3	6	10	6	11	15	7	12	3	1		35
14	26	20	24	23	37	35	29	37	35	23	21	4	1		37
10	12	16	11	19	13	22	19	26	26	14	12	6	3		2
8	11	5	18	13	17	14	13	18	31	21	16	8	3	2	38
487	458	520	479	562	489	557	607	568	501	419	272	148	43	22	3
21	18	15	20	26	26	17	20	40	28	30	36	11	4	4	3
11	2	10	7	12	7	5	5	7	2	7	3	2	3	1	42
10	5	3	11	3	7	5	14	18	13	18	10	2	1	1	43
21	13	20	12	17	18	13	16	24	36	24	17	8	6		44
19	15	19	21	25	22	23	33	27	38	23	8	9	4	3	1
28	30	40	31	32	30	35	25	26	16	10	9	3	3	2	45
9	9	9	9	12	6	9	5	10	5	4	4	1			46
16	12	15	4	11	20	13	15	18	21	32	6	4	3		2
12	7	9	9	8	12	13	13	8	14	12	9	6	1		48
1	5	2	6	3	3	5	19	10	11	14	10	3	2		3
5	12	9	9	7	3	6	7	6	3	4	4	1	1		4
10	12	9	12	11	12	25	24	23	23	14	7	7	5	1	51
14	8	12	9	6	12	9	10	15	13	14	10	5	1		53
27	34	38	30	27	32	38	70	66	63	73	37	21	5	2	54
520	556	612	559	601	651	627	677	654	564	407	294	170	51	17	2
77	64	59	77	70	66	56	71	55	74	54	31	12	6		36
9	4	5	7	8	9	9	16	16	21	15	12	3	1		57
6	3	5	6	4	6	6	6	6	10	10	10	6	5		1
23	34	28	28	25	28	35	34	36	39	36	23	13	1	1	36
7	17	8	8	14	18	22	22	24	16	22	14	8	4		59
242	249	286	277	311	292	285	323	311	279	255	179	100	26	10	1
16	15	15	11	13	15	9	17	17	15	26	23	12	3		62
18	14	9	12	16	10	29	14	27	19	22	20	14	5	1	1
64	68	65	65	53	81	93	71	85	69	70	59	39	11	2	63
61	67	58	51	69	59	68	68	73	63	32	20	4	4	1	65
16	14	15	17	25	15	24	21	27	31	23	13	6	1		2
14	18	7	15	12	17	16	19	13	7	14	6	5	1		66
6	3	2	9	7	8	7	12	22	21	9	7	3	1		2
11	12	10	9	15	16	12	17	17	14	12	8	1	1		68
82	69	80	97	80	51	54	73	51	58	38	35	20	5		1
23	19	30	30	29	26	40	30	48	46	43	30	12	4	1	70
1,356	1,413	1,621	1,547	1,594	1,485	1,301	1,327	1,255	1,050	805	519	256	83	34	6
16	13	8	10	12	9	17	18	20	15	16	9	2	2		73
6	11	13	10	5	8	10	15	7	12	13	9	4	2		74
320	326	411	361	423	393	322	465	380	382	319	208	101	19	8	1
298	294	317	323	303	311	333	352	339	275	218	174	85	20	7	2
9	12	8	8	13	10	7	13	14	11	8	5				75
17	14	25	20	19	17	24	37	34	21	20	10	3	3		8
6	6	5	6	6	3	7	10	9	11	13	6	4	1		79
4	8	5	2	1	3	3	4	6	19	3	9	1	1		80
157	145	135	117	132	102	111	125	122	110	94	46	35	10	1	14
15	17	18	19	28	12	20	19	45	34	28	22	17	2	2	81

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.		AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
REGISTRATION CITIES—Continued.												
83	Corning, N. Y.	214	34	9	4	2		40				
84	Cortland, N. Y.	111	17	5	1	2		25	5			9
85	Covington, Ky.	806	128	25	16	6		185	23	16	25	39
86	Danbury town, Conn.	337	52	7	2	1	10	63	7	6	6	7
87	Danvers town, Mass.	258	12	4	4	1	2	22	2	4	3	4
88	Davenport, Iowa	566	70	15	6	7	1	99	14	8	15	28
89	Dayton, Ohio	1,420	228	39	10	9	11	297	39	19	53	66
90	Decatur, Ill.	291	51	4	4	1	3	63	9	5	13	14
91	Denver, Colo.	2,887	402	61	21	18	17	519	35	46	77	178
92	Detroit, Mich.	4,695	1,231	160	82	44	46	1,563	119	80	137	181
93	Dover, N. H.	263	49	11	8	3	1	72	2	5	8	10
94	Dubois, Pa.	125	38	8	3	1	3	53	7	2	2	5
95	Duluth, Minn.	835	175	30	10	4	5	224	25	23	34	54
96	Dunkirk, N. Y.	226	39	10	3	2	2	77	6	5	5	12
97	Eau Claire, Wis.	189	23	6	2	3	3	36	1	6	7	9
98	Elizabeth, N. J.	912	221	46	14	16	14	311	34	12	29	36
99	Elkhart, Ind.	214	33	7	5		1	46	5	3	6	10
100	Elmira, N. Y.	554	54	9	5	1	3	72	4	9	26	28
101	Elwood, Ind.	157	45	15	1	2	3	66	3	9	4	4
102	Erie, Pa.	328	199	43	20	12	8	282	28	16	24	32
103	Escanaba, Mich.	251	83	18	4	3		108	2	8	9	15
104	Evansville, Ind.	856	149	23	17	16	11	216	24	20	25	48
105	Everett, Mass.	401	95	11	11	4	1	122	14	5	5	20
106	Fall River, Mass.	2,109	846	161	61	24	25	1,117	40	19	37	42
107	Findlay, Ohio	225	27	2	2	1	2	34	5	5	10	13
108	Fitchburg, Mass.	451	121	18	7	5	3	154	4	6	11	18
109	Flint, Mich.	229	37	7	1	2		47		4	10	4
110	Fort Wayne, Ind.	683	112	15	9	2	1	139	12	12	25	38
111	Framingham town, Mass.	200	28	3	2	1	1	35	3	3	6	9
112	Frederick, Md.	202	33	4	2	1	1	41	2		2	7
113	Fresno, Cal.	278	50	12	9	2	1	74	5	5	8	23
114	Gardner town, Mass.	172	55	9	2	3	1	70	3	1	1	3
115	Geneva, N. Y.	169	24	5	1	1	1	32	1	3	3	9
116	Glens Falls, N. Y.	215	22	3	3		2	30	9	2	2	10
117	Gloucester, Mass.	396	89	19	6	3	3	120	9	9	5	20
118	Gloversville, N. Y.	234	48	3	2	3	1	57	6	3	5	9
119	Grand Rapids, Mich.	1,398	284	55	28	17	17	401	31	31	42	66
120	Green Bay, Wis.	343	99	11	8	3	2	120	5	9	11	12
121	Greenwich town, Conn.	227	47	9		3	2	61	4	6	8	9
122	Hamilton, Ohio	330	64	14	7	4	2	91	9	2	6	21
123	Hammond, Ind.	215	52	8	5	1		66	5	7	6	16
124	Harrisburg, Pa.	813	144	26	12	3	4	189	17	14	29	46
125	Harrison, N. J.	236	71	10	11	4	1	97	11	4	9	12
126	Hartford, Conn.	1,527	285	41	25	20	18	359	35	33	32	51
127	Haverhill, Mass.	605	101	25	8	7	3	144	10	11	16	14
128	Hazleton, Pa.	238	66	13	8	5	2	94	4	3	4	16
129	Hoboken, N. J.	1,358	233	64	30	19	17	383	50	28	55	50
130	Holyoke, Mass.	823	250	34	26	19	12	330	28	12	27	18
131	Hudson, N. Y.	203	31	2	1		2	35	2	3	6	10
132	Huntington, Ind.	107	15	3		1		19	2		4	3
133	Hyde Park town, Mass.	197	41	9	3	1		54	5	6	1	3
134	Indianapolis, Ind.	2,958	486	89	42	26	13	656	59	58	105	154
135	Iron Mountain, Mich.	151	60	19	5	4		88	2	1	5	6
136	Ironton, Ohio	205	31	14	6	4	6	61	10	3	9	4
137	Ironwood, Mich.	139	45	8	4	1	2	60	8	4	4	10
138	Ishpeming, Mich.	169	41	16		2	1	60	5	8	5	9
139	Ithaca, N. Y.	209	16	4		2		22	2		5	5
140	Jackson, Mich.	415	51	6	3	4	4	68	11	6	10	20
141	Jacksonville, Fla.	1,013	173	32	19	10	5	239	15	29	43	82
142	Jacksonville, Ill.	296	33	1		1		35	4	4	9	12
143	Jamestown, N. Y.	316	54	5	5	1		65	6	6	10	12
144	Jeffersonville, Ind.	181	25	5	2	1	2	39	8	4	7	12
145	Jersey City, N. J.	4,427	560	205	110	66	51	1,422	159	83	128	181
146	Johnstown, N. Y.	143	38	4	2	1		35	2	1	2	6
147	Johnstown, Pa.	626	137	23	21	10	6	217	23	13	26	39
148	Kalamazoo, Mich.	550	67	18	3	4	1	93	7	6	9	18
149	Kansas City, Mo.	3,029	460	72	31	24	21	608	61	52	112	197
150	Keene, N. H.	168	23	16	5		3	32	1		2	2
151	Key West, Fla.	439	153	25	3	3	8	194	9	3	12	19
152	Kingston, N. Y.	479	75	14	6	8	6	109	10	9	23	19
153	Kokomo, Ind.	183	28	3	4	2	1	38	6	8	8	8
154	Laconia, N. H.	153	21		3			24	2	2	3	4
155	Lafayette, Ind.	345	32	3	2	2	2	46	5	4	7	17
156	Lancaster, Pa.	618	101	23	10	6	3	148	18	11	15	22
157	Lansing, Mich.	267	40	7	3	5	1	56	10	3	7	9
158	Lawrence, Mass.	1,384	413	95	43	22	7	580	42	27	46	46
159	Leadville, Colo.	211	39	5	2	3	2	51	9	1	9	11
160	Leavenworth, Kans.	331	58	4	9	5	3	79	11	5	8	16
161	Leominster town, Mass.	204	44	7	2	1		54	4	1	5	7
162	Lima, Ohio	324	45	9	6	1	1	62	10	13	17	20
163	Lincoln, Nebr.	411	72	18	8	4	6	108	18	10	11	19
164	Lockport, N. Y.	259	29	9	2		2	42	5	5	12	13
165	Logansport, Ind.	324	41	8	5	1	1	57	10	4	7	13
166	Los Angeles, Cal.	3,344	664	125	52	49	31	481	66	51	103	179
167	Louisville, Ky.	4,020	651	125	52	49	31	508	88	74	146	216

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Un-known.
16	14	11	10	14	10	14	14	10	12	6	4	2	3		83
4	4	5	4	6	7	3	10	6	6	11	1	3	3		84
51	45	34	43	34	36	30	39	51	58	42	29	21	5		85
15	17	11	14	14	21	14	31	25	24	25	21	8	4		86
7	13	16	18	17	21	20	16	23	22	24	12	8	3		87
33	28	24	20	32	26	21	22	30	50	52	42	12	5	2	88
62	70	60	65	72	82	79	120	90	72	83	61	26	4		89
16	10	9	15	14	16	8	20	17	18	18	10	10	2	1	90
271	241	211	211	196	147	135	148	137	106	92	50	22	2	2	91
177	182	220	188	239	208	217	224	279	218	209	132	85	22	6	92
6	8	9	7	13	15	11	12	14	22	21	12	11	1		93
3	6	5	4	7	5	2	6	3	6	5	2	1			94
54	42	59	63	57	42	29	24	20	16	20	21	9	1	1	95
7	3	15	5	10	11	6	8	14	12	14	8	6	1	1	96
9	6	13	5	7	14	14	12	13	17	6	8	4	1		97
39	36	46	53	51	45	40	49	41	34	41	28	11	2	1	98
7	9	7	7	8	13	13	15	18	13	17	11	4	2		99
21	24	29	24	25	40	48	48	41	39	32	31	10	3		100
1	8	8	6	5	4	5	7	5	7	8	3	1	2	1	101
32	40	25	42	31	33	37	73	71	56	56	26	18	4	2	102
13	14	9	11	9	12	8	6	7	8	5	2	3	1		103
49	47	59	51	52	30	53	45	39	36	32	24	7	3	1	104
11	19	15	9	15	27	25	23	32	11	15	8	2			105
43	74	70	51	83	72	85	101	89	75	46	36	21	8		106
12	13	11	10	8	17	20	18	14	12	11	3	8	1		107
18	12	14	23	13	25	20	21	38	18	24	18	0	4		108
10	15	7	8	12	8	10	12	12	23	17	12	11	3		109
30	26	37	24	24	36	49	31	42	47	46	26	13	3		110
5	6	8	6	6	6	11	7	7	22	16	13	11	3	2	111
8	8	5	4	8	10	9	18	19	15	24	9	7	2		112
13	15	16	6	15	16	21	12	20	12	10	4	2			113
2	3	4	8	7	11	7	10	13	14	10	11	1			114
12	9	11	8	11	11	11	10	10	10	16	9	7			115
13	13	21	11	14	15	20	21	27	26	20	12	11	1	1	116
10	10	7	6	10	17	18	7	18	22	19	6	4			117
66	59	50	40	56	61	69	54	85	71	89	67	26	8	4	118
12	7	19	15	14	14	17	17	14	11	20	13	11	2	4	119
10	7	10	8	10	10	9	15	13	14	14	13	5	2	1	120
17	16	15	13	10	13	17	13	10	15	26	15	8			121
15	7	15	10	12	7	7	5	10	10	4	5	6	1		122
46	39	33	38	34	43	38	47	40	48	31	25	13	2	1	123
13	11	10	10	8	11	5	10	11	11	10	3	3			124
85	77	83	82	79	86	76	74	83	82	66	50	29	7	4	125
30	28	36	22	23	48	31	30	36	47	39	19	17	2	2	126
9	8	13	3	11	14	13	6	14	11	7	6	2			127
78	81	70	101	81	71	58	77	72	44	33	12	5	6	1	128
43	31	35	30	36	32	30	37	31	31	23	19	5	2	2	129
11	7	7	7	7	11	12	14	20	16	12	12	7	2		130
8	5	3	5	5	7	4	7	10	6	6	4	4			131
3	4	13	9	7	10	12	14	15	15	8	16	2			132
149	150	158	142	142	165	149	185	213	170	144	91	56	15	8	133
7	4	2	4	8	2	5	6	3	4	4	5	1			134
11	9	5	8	8	11	9	14	10	7	5	5	8	2		135
10	9	8	6	6	2	3	3	1	1	4	4	5			136
8	6	6	11	6	3	9	10	4	5	7	2	4		1	137
6	7	11	7	17	10	18	16	15	26	20	12	6	2		138
17	16	21	12	27	21	28	38	30	29	23	21	9	5	3	139
69	62	66	74	51	45	45	35	30	30	16	4	4			140
11	21	24	17	20	8	19	17	22	22	22	14	4	2		141
8	13	11	15	23	16	11	20	34	19	17	18	11			142
6	9	9	11	9	8	6	11	13	7	10	9	2			143
194	285	257	225	210	222	236	231	192	160	117	76	31	14	3	144
4		4	9	5	5	6	7	7	14	11	13	8			145
46	39	30	22	29	19	19	21	16	22	19	19	3	3	1	146
32	18	26	34	42	26	26	30	50	50	37	25	14	6		147
214	198	213	167	185	197	158	166	141	131	108	70	27	8	9	148
11	6	7	5	10	8	7	8	12	19	12	7	7	4	2	149
13	17	25	13	11	12	18	24	24	11	10	10	9	1	2	150
20	19	26	21	13	31	25	36	30	22	32	20	12	1	1	151
3	5	3	6	5	11	6	13	12	14	13	11	7	3	1	152
6	8	4	3	6	6	7	14	12	15	14	13	8			153
12	15	23	11	12	19	21	34	35	35	20	22	9	5	2	154
10	22	25	24	38	27	27	33	27	48	42	40	17	4	1	155
9	9	14	12	13	12	14	21	15	21	21	11	5	2	3	156
47	46	63	62	62	49	43	73	62	59	46	30	11			157
11	6	12	12	17	16	15	10	5	8	2	3	3		2	158
13	9	13	12	14	8	13	21	26	29	26	13	8		4	159
10	9	6	3	5	14	12	13	11	11	7	11	5	6		160
17	15	14	14	14	13	16	22	20	18	12	12	2	2		161
20	17	13	21	27	12	17	28	25	24	20	12	6	3		162
9	5	12	9	8	14	12	15	25	20	23	14	12	2	2	163
10	14	9	16	20	15	13	22	15	35	31	13	12		4	164
232	239	260	215	238	212	153	230	193	185	127	99	41	7	5	165
244	212	237	235	200	217	188	245	228	208	184	103	36	15	8	166

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.	AGE.										
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
REGISTRATION CITIES—Continued.											
168 Lowell, Mass.	1901	496	102	37	30	25	690	40	28	44	70
169 Lynchburg, Va.	489	131	22	10	6	3	172	14	15	27	27
170 Lynn, Mass.	1,262	246	45	14	13	9	227	20	20	28	47
171 McKeesport, Pa.	764	211	43	22	17	11	304	26	15	34	51
172 Madison, Wis.	231	39	5	1	2	2	49	5	3	9	13
173 Mahanoy City, Pa.	308	105	17	10	10	5	147	16	4	5	14
174 Milleden, Mass.	506	67	18	9	3	3	130	7	11	8	18
175 Manchester, N. H.	1,296	356	103	45	18	24	546	62	23	41	42
176 Manchester town, Conn.	182	46	5	5	1	4	61	5	4	6	5
177 Manitowoc, Wis.	170	39	6	6	2	2	55	1	3	5	3
178 Mankato, Minn.	167	22	5	1	4	4	32	2	7	5	9
179 Marietta, Ohio.	190	22	7	3	1	1	34	7	4	3	10
180 Marinette, Wis.	203	49	5	4	1	1	60	3	6	4	9
181 Marion, Ind.	259	53	8	4	2	1	68	6	8	14	17
182 Marlboro, Mass.	209	33	4	1	1	1	38	5	3	7	13
183 Marquette, Mich.	170	34	8	1	1	1	44	5	2	4	8
184 Massillon, Ohio.	138	27	2	1	1	1	32	4	2	3	6
185 Mendon, Pa.	160	26	4	1	2	3	33	4	4	2	3
186 Medford, Mass.	266	42	7	3	3	2	55	5	4	4	11
187 Melrose, Mass.	192	23	4	2	2	2	31	3	4	7	5
188 Memphis, Tenn.	2,164	267	74	36	33	16	456	45	41	108	105
189 Menominee, Mich.	143	30	3	2	2	2	37	3	11	5	6
190 Meriden town, Conn.	401	56	17	3	5	6	87	7	5	10	10
191 Michigan City, Ind.	185	39	11	6	1	2	59	7	2	7	10
192 Middletown, N. Y.	289	23	9	1	1	1	35	9	5	8	13
193 Middletown, Ohio.	107	13	3	1	1	1	18	5	6	4	4
194 Middletown town, Conn.	449	66	7	4	4	1	82	5	3	5	10
195 Milford town, Mass.	183	30	8	4	3	3	48	3	4	4	2
196 Millville, N. J.	162	40	12	3	1	4	60	3	1	4	8
197 Milwaukee, Wis.	4,083	1,075	173	67	44	45	1,404	106	75	127	197
198 Minneapolis, Minn.	2,469	370	54	31	26	16	497	63	53	80	131
199 Mobile, Ala.	1,062	163	23	12	11	4	213	18	15	44	82
200 Montclair, N. J.	259	93	11	5	1	3	113	9	6	4	7
201 Morristown, N. J.	244	64	7	3	3	3	85	7	5	2	6
202 Mt. Carmel, Pa.	227	75	13	8	3	7	106	14	3	3	9
203 Mt. Vernon, N. Y.	325	65	22	1	3	3	94	10	2	10	7
204 Muncie, Ind.	399	90	13	4	5	1	113	19	9	17	22
205 Muscatine, Iowa.	210	27	4	2	2	2	38	8	7	8	12
206 Muskegon, Mich.	268	44	8	3	1	4	59	1	5	7	8
207 Nashua, N. H.	375	92	17	10	6	4	120	10	8	11	16
208 Nashville, Tenn.	1,848	360	106	44	30	16	556	52	38	92	125
209 Natick town, Mass.	149	13	2	2	1	1	18	3	1	3	6
210 Naugatuck, Conn.	148	41	5	4	1	1	51	4	3	6	10
211 New Albany, Ind.	345	45	7	0	1	5	67	9	10	17	12
212 New Bedford, Mass.	1,297	417	64	26	18	7	532	22	21	28	44
213 New Britain town, Conn.	534	157	18	10	8	1	224	6	8	11	14
214 New Brunswick, N. J.	430	98	23	12	1	8	142	9	8	11	10
215 New Haven, Conn.	2,220	430	84	52	25	28	619	68	36	58	91
216 New London, Conn.	344	62	6	2	2	2	73	1	3	6	12
217 New Orleans, La.	7,329	1,132	240	83	55	54	1,564	107	132	283	476
218 New Rochelle, N. Y.	265	76	18	1	4	3	102	5	6	2	6
219 New York, N. Y.	73,573	16,498	4,307	1,824	1,102	747	24,478	2,128	1,106	1,737	2,769
220 Bronx borough.	5,315	916	253	123	75	52	1,419	160	120	163	282
221 Brooklyn borough.	23,840	5,122	1,384	633	392	245	7,776	728	370	604	894
222 Manhattan borough.	39,562	9,408	2,465	987	575	394	13,829	1,112	549	846	1,436
223 Queens borough.	3,189	757	151	68	40	30	1,064	100	54	80	116
224 Richmond borough.	1,397	295	54	13	11	17	330	28	16	24	41
225 Newark, N. J.	5,000	1,008	215	104	66	62	1,455	177	92	115	194
226 Newark, Ohio.	353	66	11	4	1	1	83	10	7	8	17
227 Newburg, N. Y.	459	74	18	5	2	5	104	12	5	11	18
228 Newburyport, Mass.	285	37	9	7	1	1	54	4	1	4	10
229 Newcastle, Pa.	326	125	27	12	1	4	169	15	11	23	25
230 Newport, Ky.	578	99	16	10	12	7	144	13	17	23	27
231 Newport, R. I.	401	80	14	2	1	3	100	8	5	13	16
232 Newton, Mass.	487	62	14	9	9	1	116	10	12	9	22
233 Niagara Falls, N. Y.	423	101	21	7	13	2	144	18	15	15	24
234 Norfolk, Va.	1,216	251	53	25	13	10	352	27	8	26	84
235 Norristown, Pa.	523	52	16	1	4	3	76	12	6	7	23
236 North Adams, Mass.	315	65	8	6	6	2	89	6	6	7	14
237 Northampton, Mass.	331	37	7	5	2	2	71	4	3	5	6
238 Norwalk town, Conn.	331	40	6	3	3	2	63	12	3	12	12
239 Norwich town, Conn.	459	81	18	7	1	1	107	10	5	12	13
240 Oakland, Cal.	1,144	125	24	16	8	6	179	26	17	43	32
241 Ogdensburg, N. Y.	366	46	9	1	3	1	60	11	5	7	8
242 Okan, N. Y.	118	3	1	1	2	2	30	3	1	3	3
243 Omaha, Nebr.	1,700	230	37	15	9	7	266	30	27	53	56
244 Orange, N. J.	533	118	32	15	9	3	177	5	12	14	20
245 Ottawa, Ill.	137	6	1	2	1	2	12	7	1	3	8
246 Owosso, Mich.	105	18	4	1	1	2	27	1	1	9	3
247 Paducah, Ky.	427	54	20	11	7	7	98	19	10	28	36
248 Passaic, N. J.	688	249	80	20	11	7	367	20	14	17	25
249 Paterson, N. J.	1,848	418	63	25	23	13	542	44	25	66	66

AREA, BY AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
81 27 61 56 14	80 14 50 40 9	92 24 64 42 10	72 18 47 35 9	85 15 37 33 20	96 17 78 26 11	97 21 78 15 9	102 16 80 22 8	96 26 79 21 7	93 19 51 70 10	55 9 62 10 16	47 12 31 21 8	26 9 21 4 8	4 2 2 2 2	2 3 1 1 1	168 169 170 171 172	
10 18 39 1 3	13 12 44 3 6	13 15 48 7 7	9 22 49 5 8	10 28 33 7 6	12 23 41 9 5	14 29 47 8 4	14 23 67 7 7	34 49 11 13 13	7 53 8 8 18	8 32 48 10 9	4 22 13 22 11	1 13 4 3 5	1 4 3 1 2	1 4 2 1 1	173 174 175 176 177	
7 7 10 19 10	6 8 14 6 12	7 11 15 12 8	9 10 6 9 5	16 6 15 8 5	10 8 4 20 13	9 12 8 13 17	7 7 15 7 11	10 16 13 12 14	7 10 8 18 12	15 13 4 14 12	3 11 4 4 15	3 4 1 1 2	1 3 1 1 2	1 1 1 1 1	178 179 180 181 182	
14 6 7 2 10	11 8 6 6 8	7 4 6 10 8	12 5 6 9 6	14 6 5 10 6	5 7 4 16 13	5 11 7 11 6	8 7 13 18 13	10 9 13 31 13	12 12 18 22 11	9 4 10 19 14	6 7 7 15 15	2 4 5 16 6	2 7 7 8 8	1 1 1 1 1	183 184 185 186 187	
182 9 19 6 12	147 5 11 5 14	167 7 13 8 18	121 5 19 6 11	97 5 26 6 20	157 10 17 9 10	100 7 32 8 16	92 6 26 10 22	89 5 28 9 27	68 6 26 9 25	41 10 28 9 17	34 4 21 4 21	14 3 8 1 3	5 3 2 2 2	3 1 1 1 1	188 189 190 191 192	
3 18 7 170	5 19 8 6 160	3 26 12 6 152	3 33 8 5 185	2 28 4 3 178	3 29 7 2 178	4 17 7 8 176	5 33 11 10 174	6 35 17 11 191	12 33 12 8 209	10 42 16 16 170	11 18 8 4 132	11 8 6 4 68	2 18 4 1 22	1 1 1 8 8	193 194 195 196 197	
164 66 12 9 6	134 82 10 9 12	115 84 6 11 9	149 45 12 11 10	134 52 11 10 5	127 57 10 10 10	102 52 11 12 8	131 50 16 11 9	143 69 9 9 9	147 43 16 14 7	133 38 18 9 4	96 29 4 13 1	36 15 4 4 1	21 4 4 4 1	2 4 4 2 1	198 199 200 201 202	
8 14 9 10	11 21 8 6	18 21 9 13	13 22 4 12	15 27 16 8	12 22 10 12	14 22 13 8 26	17 19 8 15 22	23 10 8 15 22	17 14 11 18 22	15 18 14 18 18	12 5 3 3 2	4 3 1 2 2	4 3 3 2 2	1 2 1 1 1	203 204 205 206 207	
7 96 5 9	11 87 2 8	12 110 3 3	15 80 6 4	13 83 8 3	16 94 9 5	22 78 9 8	17 84 8 10	18 78 20 5	25 67 18 5	16 45 12 3	8 33 10 7	3 31 7 3	3 11 1 3	1 8 1 1	208 209 210 211	
16 38 21 17	12 45 25 17	12 35 15 17	14 52 19 13	17 45 24 18	19 55 24 21	20 48 27 22	28 74 24 34	18 58 26 16	24 53 21 23	20 36 9 26	15 30 20 10	7 10 6 6	3 13 2 2	1 3 2 1	212 213 214 215	
82 14 475 12	108 10 455 22	114 15 491 6	111 24 449 14	106 14 449 10	123 22 458 8	112 15 382 14	159 31 387 7	127 19 316 9	114 25 329 9	86 64 275 17	64 20 141 9	34 13 81 4	13 5 34 3	3 39 39 3	2 5 6 218	
3,531 335 1,088 1,003 144	3,809 380 1,195 2,026 66	4,349 465 1,266 2,357 186 75	4,113 320 1,238 2,319 157 79	3,873 337 1,181 2,106 170 79	3,763 278 1,145 2,109 157 74	3,573 224 1,195 2,050 153 61	3,817 279 1,266 2,050 154 68	3,520 229 1,273 1,760 172 86	2,767 193 1,011 1,342 124 97	2,135 161 818 989 90 80	1,228 104 483 519 77 45	620 15 78 272 33 21	189 15 22 77 13 6	59 3 22 34 3 6	6 3 3 223 224 224	
244 17 15 5 28	261 16 22 14 25	254 22 30 5 21	275 15 26 12 15	246 20 37 16 28	261 20 23 16 20	265 14 30 24 20	298 23 38 23 25	263 260 41 19 20	360 13 27 24 20	169 10 41 20 22	91 58 18 20 16	58 10 7 15 4	13 2 7 5 3	5 1 7 3 1	225 226 227 228 229	
29 16 14 16 84	26 15 13 16 70	21 11 10 21 87	22 15 24 16 82	34 18 10 13 72	28 18 21 13 81	26 12 21 23 45	30 28 44 7 59	32 25 31 23 53	39 30 49 23 36	32 30 31 14 34	15 10 49 8 16	11 5 18 3 14	3 4 7 2 2	3 4 3 4 4	230 231 232 233 234	
13 12 8 18	21 9 12 16	37 16 10 12	27 12 14 13	29 19 15 19	33 13 14 24	35 21 18 21 31	27 17 28 28 29	31 16 34 28 29	35 13 24 22 39	58 9 16 24 38	18 9 16 6 8	20 8 5 3 8	5 1 2 3 1	2 2 1 1 1	235 236 237 238 239	
62 14 3 78 35	66 13 3 68 28	56 19 4 85 32	47 25 6 83 24	47 25 4 83 25	70 18 7 86 25	57 20 4 80 27	81 31 11 79 33	85 30 6 87 22	82 38 12 62 20	110 24 6 42 25	60 15 7 39 9	18 14 2 15 9	8 2 2 5 2	1 2 2 2 2	3 241 242 243 244	
5 4 16 77	2 2 34 89	6 5 30 35 90	2 10 24 30 81	2 7 12 30 113	2 2 15 24 106	2 3 15 27 86	10 3 21 21 129	12 4 11 18 104	23 6 13 9 79	16 8 11 5 61	6 9 4 8 48	4 3 4 6 26	1 3 4 1 15	2 1 1 1 1	245 246 247 248 249	

MORTALITY. STATISTICS.

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.	AGE.										
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
REGISTRATION CITIES—Continued.											
230 Pawtucket, R. I.	725	164	35	10	6	6	221	19	11	10	20
231 Peabody town, Mass.	171	28	7	2	2		39	1	2	3	12
232 Peekskill, N. Y.	204	30	10	18	7	5	70	10	4	3	6
233 Perth Amboy, N. J.	313	117	26	3	8	3	157	19	7	2	9
234 Peru, Ind.	119	26	5			1	32	3	1	2	4
235 Petersburg, Va.	532	118	32	11	8	7	176	10	10	17	33
236 Philadelphia, Pa.	25,658	5,263	1,072	425	233	213	7,206	554	371	673	1,011
237 Phillipsburg, N. J.	135	29	6	4			39	7	2	3	2
238 Pittsburg, Pa.	7,288	1,794	545	223	141	93	2,799	231	124	265	404
239 Pittsfield, Mass.	413	50	4	8	6	1	78	9	5	8	20
240 Plainfield, N. J.	295	44	15	6	4	3	72	6	7	10	9
241 Plymouth, Pa.	198	41	19	6	5	6	77	9	4	6	11
242 Plymouth town, Mass.	162	31	4	4	1		40	2	1	5	3
243 Pontiac, Mich.	195	15	2	4			22		1	4	5
244 Port Huron, Mich.	278	52	11	1			69	10	12	4	13
245 Port Jervis, N. Y.	155	34	7	2	2	1	46	5	2	1	2
246 Portland, Me.	949	146	16	9	7	2	180	18	21	19	34
247 Portland, Oreg.	1,425	163	33	14	9	11	230	33	25	44	78
248 Portsmouth, N. H.	183	18	6	4			28	1	2	2	7
249 Portsmouth, Ohio.	283	56	14	5	3		78	4	8	17	26
250 Pottstown, Pa.	216	48	7	5	4	1	65	2	2	6	6
251 Pottsville, Pa.	330	61	6	1		2	70	14	5	12	26
252 Poughkeepsie, N. Y.	436	61	14	7	4	1	87	8	5	8	19
253 Providence, R. I.	3,475	683	139	67	40	31	960	87	40	81	133
254 Pueblo, Colo.	712	131	18	10	4		169	12	14	30	47
255 Quincy, Ill.	508	88	16	8	5	2	119	10	11	11	25
256 Quincy, Mass.	82	82	16	7	5	2	112	7	6	10	11
257 Raleigh, N. C.	351	85	18	9	6	6	124	10	10	7	21
258 Reading, Pa.	1,320	362	39	24	11	11	447	25	15	39	40
259 Revere town, Mass.	149	31	5			2	38	3	3	5	9
260 Richmond, Ind.	255	30	10	4	4		51	2	4	7	7
261 Richmond, Va.	1,921	385	68	27	27	3	517	29	34	62	114
262 Rochester, N. H.	155	28	6	2	2		38	4	1	5	4
263 Rochester, N. Y.	2,782	415	84	47	39	27	612	87	46	91	105
264 Rockland, Me.	154	22	4	2		2	30	2	3	4	13
265 Rome, N. Y.	317	22	14	2	2		40	13	4	13	21
266 Rutland, Vt.	191	22	4				34	1	5	4	13
267 Sacramento, Cal.	700	75	12	5	7	2	164	15	14	14	48
268 Saginaw, Mich.	605	110	10	8	8	4	140	12	6	22	34
269 St. Joseph, Mo.	876	111	29	16	7	5	168	12	14	27	57
270 St. Louis, Mo.	10,745	1,732	300	143	97	71	2,393	240	158	323	505
271 St. Paul, Minn.	1,971	402	32	30	23	14	521	72	48	63	95
272 Salem, Mass.	741	198	42	13	11	7	271	18	13	15	19
273 Salt Lake City, Utah.	1,040	182	40	22	15	17	285	44	45	40	57
274 San Antonio, Tex.	1,495	318	54	16	13	11	412	37	29	51	106
275 San Diego, Cal.	457	38	8	5	1	4	56	4	5	11	16
276 San Francisco, Cal.	7,332	868	142	70	47	37	1,164	120	78	143	318
277 San Jose, Cal.	364	39	8	5			53	5	5	13	22
278 Saratoga Springs, N. Y.	267	34	1		1		38	6	5	10	11
279 Sault Ste. Marie, Mich.	192	58	13	6	5	5	87	4	3	5	14
280 Savannah, Ga.	1,723	315	74	36	11	10	446	44	41	60	139
281 Schenectady, N. Y.	701	201	18	18	20	10	301	13	12	19	28
282 Scranton, Pa.	2,111	615	85	57	43	20	830	40	22	55	91
283 Seattle, Wash.	1,150	257	18	7	7	9	253	28	21	28	58
284 Sioux City, Iowa.	519	86	16	7	6		124	25	10	19	29
285 Somerville, Mass.	960	164	19	11	9	5	208	28	12	15	42
286 South Bend, Ind.	655	188	27	12	7	7	241	16	13	22	31
287 South Bethlehem, Pa.	166	21	5	3	1	2	32	9	4	5	7
288 Southbridge town, Mass.	196	58	11	6	9	8	92	15	6	3	7
289 Spokane, Wash.	702	125	29	10	8	7	179	21	16	30	50
290 Springfield, Ill.	642	123	18	13	5	7	166	15	13	17	27
291 Springfield, Mass.	1,128	200	33	8	14	7	262	35	17	27	39
292 Stamford town, Conn.	453	76	20	10	7	2	115	11	2	11	16
293 Steubton, Pa.	232	93	3	5	2	4	113	7	3	11	12
294 Stonington town, Conn.	139	35	4	1			44	4	1	2	5
295 Superior, Wis.	329	82	16	6	1	2	107	5	4	16	24
296 Syracuse, N. Y.	1,820	328	57	31	12	9	437	41	37	46	56
297 Tacoma, Wash.	569	85	17	5	7	4	118	18	14	21	44
298 Taunton, Mass.	676	149	30	10	4	4	197	10	9	9	22
299 Terre Haute, Ind.	777	141	34	11	12	9	267	16	18	37	46
300 Tiffin, Ohio.	141	9	2				11	2	5	7	4
301 Toledo, Ohio.	2,121	353	56	28	14	15	466	45	42	65	114
302 Torrington town, Conn.	206	76	7	4	2	2	91	3	4	7	7
303 Traverse City, Mich.	209	17	4	4	2	2	28			4	11
304 Trenton, N. J.	1,413	319	51	20	17	16	423	39	24	49	56
305 Troy, N. Y.	1,641	277	48	28	25	12	390	36	30	37	51
306 Union, N. J.	302	72	16	11	4	2	105	12	1	5	9
307 Utica, N. Y.	1,150	213	34	13	7	6	273	16	12	32	47
308 Vernon town, Conn.	117	24	4			1	29		2	2	4
309 Vincennes, Ind.	210	46	8	5	3		62	3	2	6	8
310 Wabash, Ind.	99	16	2	4		1	23	2	1	3	11
311 Wakefield town, Mass.	143	18	7	1	1		27	2	1	3	6
312 Wallingford town, Conn.	118	28	2	2			32	2	2	5	5
313 Waltham, Mass.	363	39	7	5	3	1	55	15	17	15	22
314 Ware town, Mass.	127	35	8	2	2	2	49	2	4	1	3

AREA, BY AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
27	22	26	33	27	50	43	44	50	54	34	17	11	4	1	1	250
3	8	7	4	11	7	15	11	11	17	10	10	6	2			251
3	14	3	5	5	13	12	13	10	10	8	9	6				252
10	9	13	11	15	13	3	16	9	7	3	6	3	1			253
7	8	6	4	2	7	8	3	10	5	8	5	2	1	1		254
30	19	20	20	14	32	33	39	23	25	14	7	4	2	2	2	255
1,071	1,150	1,275	1,290	1,279	1,354	1,317	1,432	1,371	1,342	1,123	734	388	129	33		256
6	4	4	4	3	9	11	9	7	6	4	1	1				257
440	358	306	311	304	270	291	295	215	201	157	115	61	24	5	2	258
15	19	12	28	15	23	21	27	30	32	28	23	16	1	3		259
14	14	16	7	14	9	19	21	21	26	10	10	5	2	3		260
6	7	6	6	12	12	9	8	3	6	2	5	3		1	1	261
8	2	6	4	7	4	8	6	11	10	15	18	10	1	1		262
4	14	14	14	16	17	8	16	16	18	11	7	7	2	1		263
12	11	9	12	22	15	13	15	14	16	16	8					264
7	9	6	10	7	7	12	5	8	9	11	2	3	2	1		265
31	41	33	10	39	57	49	76	72	87	67	10	23	14	6		266
81	96	90	78	85	86	92	93	83	83	73	41	17	3	1	9	267
7	11	13	10	10	11	11	11	22	14	10	10	5	5		1	268
15	15	11	5	9	12	8	12	17	11	11	16			1		269
7	10	15	7	9	9	9	11	16	14	13	8	4	1		2	270
17	11	13	21	11	10	15	15	19	25	12	10	11		1		271
14	23	17	17	17	22	30	28	39	29	27	28	12	5	1		272
174	171	194	179	171	197	208	194	204	177	141	85	51	16	8	1	273
43	55	64	49	19	32	36	31	26	26	17	9	1	1			274
19	26	30	25	32	29	34	38	31	27	43	32	16	3	1	6	275
16	12	19	12	16	24	13	18	26	27	18	9	5	3	2	1	276
16	7	9	9	12	13	15	19	11	11	14	16	4	1	3	9	277
50	57	44	15	53	60	76	68	78	79	58	52	27	13	2	1	278
8	7	5	13	9	11	8	8	5	8	4	2	2				279
13	4	14	5	14	21	11	12	15	19	28	11	9	6	2		280
97	114	103	90	95	108	119	110	87	104	50	50	12	6	1	19	281
6	6	3	4	4	10	9	5	7	15	13	11	3	1		3	282
115	103	112	134	162	144	136	201	150	183	181	107	76	32	4		283
3	6	2	2	6	9	7	9	18	9	11	7	6	5		2	284
14	7	15	12	17	12	16	17	14	25	22	27	12	4	2		285
49	10	10	10	10	13	13	12	10	15	10	6	0	2	2		286
24	21	23	33	26	38	24	41	47	34	30	18	9	1		3	287
38	46	54	43	45	55	52	51	62	51	43	29	16	3	3	2	288
614	637	763	683	680	569	564	588	602	539	395	275	132	43	9	3	289
83	97	91	105	107	109	102	94	109	87	76	66	30	9	5		290
30	19	20	30	18	32	34	40	40	44	30	12	4	4			291
61	51	61	45	46	46	46	45	42	50	50	38	16	1		3	292
122	100	90	78	80	54	54	63	58	60	40	28	24	1	5	3	293
20	22	28	27	23	29	20	40	37	52	29	21	12	3		7	294
395	444	519	487	495	543	450	528	517	495	320	181	96	23	9		295
21	13	17	18	19	16	19	30	32	25	24	20	7	1			296
7	7	6	15	13	11	22	22	20	18	16	17	6	3	1		297
16	9	6	6	9	9	7	5	4	3	3		3				298
122	102	88	117	94	109	68	72	67	57	47	20	13	9	4	4	300
42	30	38	35	47	25	29	30	33	35	26	19	12	4	1	3	301
114	86	105	99	92	108	102	105	93	67	57	37	9	5	1		302
70	82	81	87	73	78	58	44	55	51	43	20	11	5	1	4	303
29	27	30	24	29	31	30	25	25	11	20	15	8	1	3		304
25	36	32	35	43	50	49	65	67	88	83	46	27	6	2		305
26	31	17	24	29	27	23	29	29	21	33	28	7	6	1	1	306
7	15	7	9	10	7	7	11	18	7	4	1	4	1			307
7	4	4	3	2	6	4	5	12	9	6	1	2	1			308
42	49	54	39	32	39	30	36	24	21	20	11	2	3		1	309
45	42	21	32	38	29	29	34	33	26	33	26	29	11	7	2	310
48	61	60	48	42	47	61	72	66	84	46	29	9	9	2	1	311
19	18	19	22	23	24	33	22	27	26	24	17	14	4	2	4	312
12	7	5	6	6	7	7	12	10	6	6	1					313
5	2	7	5	7	7	8	7	7	5	14	7					314
20	21	19	20	13	15	15	13	10	10	7	6		1	2	1	315
66	79	82	99	98	103	108	100	124	112	100	81	28	8	3	2	316
26	31	35	27	29	23	33	36	38	30	14	18	5	2			317
25	21	20	32	35	34	34	43	44	39	36	33	18	9	1		318
31	36	38	38	36	49	36	37	35	40	35	23	10	3	1	6	319
8	7	10	7	3	5	8	6	15	17	14	5	6	1			320
103	127	115	96	109	103	118	126	134	114	105	83	44	8	6	4	321
8	9	9	4	5	4	9	13	4	9	6	5	4	1	1		322
16	13	12	8	14	10	12	14	23	16	16	6	24	1			323
59	50	80	62	70	73	78	74	68	87	54	36	24	6		1	324
64	92	88	93	77	85	99	117	121	104	69	54	27	5	2		325
17	16	17	16	18	12	7	20	18	9	9	6	5				326
48	41	56	48	59	60	57	65	78	87	79	48	32	7	4	1	327
4	9	2	5	5	5	7	10	8	9	7	2	3	1	1		328
7	12	17	10	7	12	7	11	13	15	10	4	2	2			329
1	4	5	1	4	8	3	9	8	3	4	4	4	4			330
5	7	2	3	7	4	9	9	12	15	16	6	6	2	1		331
7	4	4	3	6	1	8	7	5	7	11	6	1		1		332
20	15	12	16	11	13	23	20	23	28	27	17	6	6	1	1	333
8	8	2	2	5	5	5	3	4	5	12	4	3	1	1		334

MORTALITY STATISTICS.

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.		AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
REGISTRATION CITIES—Continued.												
335	Washington, D. C.	6,201	1,143	230	99	58	35	1,565	115	85	210	329
336	Washington, Ind.	130	18	2	7	—	—	27	4	3	3	8
337	Waterbury, Conn.	937	249	54	15	11	10	339	54	20	20	53
338	Watertown, N. Y.	381	79	15	2	6	5	107	11	6	10	16
339	Watertown town, Mass.	136	28	4	2	3	5	42	2	—	3	4
340	Watervliet, N. Y.	283	55	15	7	1	1	79	11	9	6	6
341	Webster town, Mass.	152	53	6	4	3	1	67	5	3	7	5
342	Westfield town, Mass.	212	40	8	3	3	—	51	6	3	4	8
343	Weymouth town, Mass.	174	27	3	3	1	1	35	—	—	2	2
344	Wheeling, W. Va.	629	98	23	14	7	3	145	26	14	19	30
345	Wichita, Kans.	502	81	12	8	7	3	111	14	11	18	26
346	Williamsport, Pa.	482	69	13	6	2	—	90	12	14	23	31
347	Wilmington, Del.	1,389	276	60	35	12	11	394	28	29	38	62
348	Wilmington, N. C.	535	119	29	12	7	4	171	13	11	26	32
349	Windham town, Conn.	216	49	9	3	4	4	69	6	4	3	5
350	Winona, Minn.	258	41	10	9	4	4	68	10	2	11	13
351	Woburn, Mass.	219	31	7	5	2	3	48	2	—	6	4
352	Woonsocket, R. I.	489	150	32	17	7	12	218	16	5	6	17
353	Worcester, Mass.	2,266	503	60	25	15	18	621	37	39	49	87
354	Yonkers, N. Y.	1,021	202	67	26	15	26	396	34	21	29	30
355	Youngstown, Ohio.	994	262	62	23	15	11	373	33	17	25	56
CONNECTICUT RURAL.												
356	Fairfield county.	723	81	21	12	6	5	125	19	6	9	20
357	Hartford county.	1,076	199	41	23	4	5	272	17	16	28	25
358	Litchfield county.	829	121	18	6	9	5	159	14	13	23	24
359	Middlesex county.	357	49	5	8	4	5	71	7	3	9	10
360	New Haven county.	785	135	22	8	10	4	179	15	2	16	24
361	New London county.	509	76	13	5	3	1	98	10	5	9	10
362	Tolland county.	252	36	10	2	3	—	51	3	4	5	7
363	Windham county.	605	114	15	10	3	6	148	14	11	9	14
INDIANA RURAL.												
364	Adams county.	226	45	13	3	3	—	64	13	3	8	9
365	Allen county.	240	58	11	5	3	—	77	4	12	10	13
366	Bartholomew county.	187	36	9	—	1	—	46	8	1	4	7
367	Benton county.	131	26	8	3	1	1	39	2	4	4	6
368	Blackford county.	230	46	4	3	3	3	59	8	5	5	12
369	Boone county.	392	51	12	5	4	—	72	9	8	10	20
370	Brown county.	87	9	3	1	1	—	15	2	2	3	3
371	Carroll county.	238	46	11	3	2	2	64	3	5	10	18
372	Cass county.	228	28	9	5	2	1	45	5	—	4	7
373	Clark county.	265	56	14	6	6	2	84	1	4	4	6
374	Clay county.	397	90	15	14	3	4	126	15	7	17	14
375	Clinton county.	425	83	12	7	3	1	106	9	9	14	24
376	Crawford county.	162	38	6	4	1	—	49	6	3	8	11
377	Daviess county.	283	76	23	3	5	3	110	9	6	8	9
378	Dearborn county.	316	47	5	7	3	1	63	6	8	11	15
379	Decatur county.	294	40	4	6	3	1	54	5	1	6	14
380	Dekalb county.	301	56	7	3	5	—	71	8	4	11	11
381	Delaware county.	303	71	16	4	—	3	94	7	6	10	11
382	Dubois county.	267	55	14	5	4	2	80	5	7	8	20
383	Elkhart county.	383	58	11	7	—	2	78	2	4	10	12
384	Fayette county.	166	25	6	2	3	—	36	5	2	7	7
385	Floyd county.	107	16	3	2	—	—	21	2	4	2	7
386	Fountain county.	238	38	8	6	2	1	55	5	3	6	10
387	Franklin county.	195	38	7	—	—	—	45	2	3	7	6
388	Fulton county.	229	38	11	4	3	1	57	3	4	6	15
389	Gibson county.	406	92	15	11	4	4	126	6	13	14	21
390	Grant county.	551	97	22	6	3	4	132	11	12	20	19
391	Greene county.	467	97	30	11	9	6	153	13	13	28	28
392	Hamilton county.	371	56	10	11	7	1	85	7	6	10	17
393	Hancock county.	292	58	14	5	2	—	79	6	4	9	17
394	Harrison county.	263	48	7	2	1	2	60	5	9	16	9
395	Hendricks county.	241	33	9	3	5	—	50	3	2	12	15
396	Henry county.	326	53	5	3	3	2	66	9	4	11	15
397	Howard county.	193	41	4	2	2	3	52	1	2	8	9
398	Huntington county.	199	28	11	3	1	1	44	4	5	2	10
399	Jackson county.	384	98	25	6	4	—	133	10	5	26	14
400	Jasper county.	121	25	5	1	3	—	34	1	2	4	6
401	Jay county.	362	85	24	6	—	1	122	6	7	11	16
402	Jefferson county.	528	37	11	8	5	4	65	8	3	14	16
403	Jennings county.	213	17	6	5	2	2	32	6	3	6	10
404	Johnson county.	240	35	6	1	3	3	48	7	5	9	11
405	Knox county.	294	78	28	8	5	4	123	10	4	10	11
406	Kosciusko county.	346	58	10	10	2	3	83	4	10	3	12
407	Lagrange county.	209	27	8	3	1	1	40	4	3	4	12
408	Lake county.	379	110	24	6	6	3	149	10	6	7	17
409	Laporte county.	367	58	11	3	3	5	80	5	5	12	11
410	Lawrence county.	409	91	22	12	10	5	140	13	7	14	27
411	Madison county.	392	92	23	5	4	7	131	12	5	12	21
412	Marion county.	476	42	13	4	3	2	64	5	7	9	19
413	Marshall county.	285	37	5	2	2	1	47	7	5	7	8

AREA, BY AGE: 1905—Continued.

AGE—continued.															Un- known.
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	
332	311	274	263	319	354	318	438	406	333	267	155	83	33	11	335
7	3	12	5	8	4	4	3	11	11	7	8	7	2	1	336
30	41	54	41	46	47	43	40	42	40	33	19	14	2	1	337
15	10	18	17	18	12	11	24	22	21	23	24	14	2	1	338
5	2	7	1	5	7	8	9	15	7	4	9	6	1	1	339
7	14	18	12	14	12	13	18	21	16	14	7	3	2	1	340
8	4	3	3	7	3	5	6	7	6	4	3	5	1	1	341
12	11	8	8	8	7	3	16	16	12	15	14	5	5	1	342
3	7	6	7	10	7	8	14	14	17	24	6	7	4	1	343
38	27	46	31	21	23	27	37	39	18	37	19	11	4	3	344
30	24	18	25	20	23	29	33	32	27	20	22	10	4	2	345
24	24	17	20	17	26	24	46	34	31	22	21	6	1	2	346
74	53	65	73	60	79	83	79	74	74	46	39	27	7	3	347
35	24	17	26	23	33	30	27	25	17	10	5	5	3	1	348
3	10	6	6	2	7	18	16	23	12	8	10	6	1	1	349
11	9	9	10	8	9	9	16	17	23	19	11	5	2	1	350
4	15	9	10	6	9	16	23	23	17	16	10	4	2	3	351
25	22	14	18	14	16	16	23	16	26	18	11	7	1	1	352
110	88	104	111	104	106	141	120	139	140	113	94	48	13	2	353
50	44	60	41	36	39	51	47	47	30	28	23	8	4	1	354
55	38	38	33	37	44	50	60	38	43	27	19	4	3	1	355
13	17	24	17	31	23	30	59	67	70	67	59	45	17	3	356
38	31	27	39	32	43	48	56	72	89	97	70	41	15	2	357
31	26	20	30	30	26	47	63	63	59	78	69	28	16	6	358
11	7	10	15	8	11	14	24	16	36	36	33	24	8	2	359
30	30	26	30	34	30	36	43	57	73	59	58	31	9	6	360
15	15	15	16	27	20	25	36	38	46	44	40	17	12	11	361
6	4	11	12	6	4	16	16	16	23	23	23	11	8	1	362
16	21	20	15	20	22	36	30	34	52	54	47	25	13	1	363
10	6	6	6	9	6	9	14	12	10	17	16	4	4	1	364
10	10	11	10	13	6	11	13	19	21	19	17	7	7	1	365
5	3	9	5	3	9	4	13	19	10	21	10	8	2	2	366
4	3	5	1	2	3	6	4	16	16	7	5	3	2	2	367
13	14	13	10	10	4	9	15	13	13	14	9	3	2	1	368
8	12	7	11	12	8	6	20	17	26	24	17	11	3	1	369
4	4	5	1	3	3	4	3	4	8	14	4	3	1	2	370
12	3	9	5	6	7	7	18	12	22	14	9	3	3	2	371
11	8	9	11	13	9	16	14	15	20	19	12	6	2	2	372
13	12	5	8	8	9	10	16	22	21	13	18	7	2	2	373
23	22	10	12	11	9	15	28	24	19	21	12	7	2	3	374
16	16	19	11	16	20	20	21	32	28	26	18	11	4	2	375
9	4	4	4	2	4	9	6	10	8	7	7	6	1	3	376
9	9	8	10	7	12	7	12	12	16	16	12	9	1	1	377
10	7	7	11	16	10	10	21	16	23	35	23	16	2	5	378
14	10	15	14	4	14	16	19	20	17	29	30	6	1	2	379
11	9	10	10	8	13	14	13	18	23	24	28	7	3	1	380
15	6	10	10	7	11	12	10	16	20	17	16	5	7	1	381
11	6	10	10	11	12	9	15	13	15	20	10	7	1	1	382
9	11	16	12	12	17	18	23	38	43	37	26	9	5	1	383
12	10	5	4	6	6	7	8	6	16	12	7	6	2	2	384
6	4	4	3	6	5	4	8	5	8	8	3	5	2	1	385
6	19	10	6	9	7	15	8	17	14	24	12	9	2	2	386
6	5	9	11	6	3	8	15	9	16	14	12	12	4	2	387
6	8	7	10	1	8	8	18	18	19	24	9	5	2	1	388
17	21	13	9	15	21	17	21	25	21	23	11	6	2	3	389
13	22	13	10	16	19	23	61	50	44	38	27	10	6	3	390
23	17	17	11	18	14	13	5	26	31	27	18	6	3	3	391
13	14	13	15	16	9	17	17	29	35	25	21	17	5	1	392
7	5	11	10	12	5	19	15	19	32	21	18	2	1	1	393
8	12	12	9	7	8	9	13	19	14	29	14	5	2	3	394
7	8	7	8	9	14	14	19	19	20	14	16	4	5	2	395
18	11	10	10	12	16	24	17	28	35	29	20	6	4	1	396
2	3	7	10	13	9	12	12	12	18	8	6	1	1	2	397
7	8	5	8	9	12	16	12	12	12	14	9	5	3	2	398
15	14	14	9	17	12	13	17	18	35	9	11	8	1	1	399
4	2	3	5	8	5	5	3	6	12	6	10	5	1	2	400
12	13	16	14	11	13	15	16	16	19	16	18	2	2	1	401
7	7	11	12	8	7	18	26	20	23	30	22	20	3	1	402
9	10	11	7	9	9	16	16	20	23	17	10	10	4	1	403
9	10	11	10	10	11	12	15	14	17	18	14	8	1	1	404
9	11	13	11	7	10	4	10	10	14	11	15	4	1	1	405
13	9	5	10	15	15	24	28	29	34	20	20	8	3	1	406
3	5	11	11	12	12	12	18	19	20	13	14	8	2	2	407
6	8	22	14	19	16	9	12	13	18	14	23	7	1	6	408
11	14	15	8	10	17	17	32	27	31	20	30	12	6	3	409
18	12	9	15	15	11	19	13	17	19	21	15	7	4	1	410
17	12	12	11	17	18	19	14	22	24	24	10	17	2	1	411
20	20	32	26	42	28	36	37	31	30	30	17	11	2	6	412
6	4	8	7	8	15	15	21	15	30	19	22	12	1	2	413

MORTALITY STATISTICS.

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.	AGE.										
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
INDIANA RURAL—Continued.											
414 Martin county.....	165	26	12	1	4	1	44	5	4	5	15
415 Miami county.....	221	43	8	5	3	1	60	3	2	11	6
416 Monroe county.....	311	60	15	7	5	1	97	13	4	6	15
417 Montgomery county.....	400	61	10	1	2	1	74	10	5	8	14
418 Morgan county.....	298	35	10	3	1	2	71	4	7	12	17
419 Newton county.....	108	26	5	2	2	2	37	5	1	3	2
420 Noble county.....	254	36	7	4	2	2	48	3	2	8	9
421 Ohio county.....	58	3	5	2	1	1	11	3	1	3	2
422 Orange county.....	201	31	10	5	5	2	53	8	5	10	9
423 Owen county.....	170	23	5	2	1	1	32	5	4	2	10
424 Parke county.....	208	44	15	5	9	3	76	5	5	10	15
425 Perry county.....	253	42	9	7	2	1	61	3	4	13	11
426 Pike county.....	297	63	22	3	3	2	93	13	10	12	11
427 Porter county.....	251	46	5	4	1	1	56	7	6	11	6
428 Posey county.....	303	73	16	8	5	3	103	6	5	16	14
429 Pulaski county.....	133	21	7	2	1	3	34	3	1	5	6
430 Putnam county.....	263	36	8	1	1	1	46	5	4	14	10
431 Randolph county.....	371	66	15	10	1	1	93	6	3	15	9
432 Ripley county.....	249	33	3	3	2	2	41	8	5	10	14
433 Rush county.....	221	37	6	2	1	2	48	5	3	3	11
434 St. Joseph county.....	351	94	10	4	2	1	111	7	10	3	13
435 Scott county.....	125	19	7	4	4	4	30	3	2	8	8
436 Shelby county.....	352	58	11	3	4	1	81	11	4	13	13
437 Spencer county.....	266	50	11	3	4	1	66	5	8	9	8
438 Starke county.....	137	27	9	4	2	1	43	3	3	6	8
439 Steuben county.....	201	28	2	3	1	2	36	4	6	7	0
440 Sullivan county.....	436	101	32	14	9	0	162	10	12	16	16
441 Switzerland county.....	138	22	2	2	2	3	28	4	5	4	7
442 Tipton county.....	299	36	11	8	3	3	48	6	3	9	8
443 Union county.....	215	36	11	8	3	3	58	3	3	8	6
444 Vanderburg county.....	82	5	1	1	1	1	8	1	1	1	4
445 Vermilion county.....	236	40	8	3	2	2	64	4	5	9	11
446 Vigo county.....	242	63	13	1	3	2	82	3	5	10	9
447 Wabash county.....	252	58	16	5	2	2	83	9	8	6	14
448 Warren county.....	203	31	6	6	1	3	47	5	1	6	12
449 Warrick county.....	125	17	7	1	2	1	27	1	1	6	7
450 Washington county.....	289	60	12	4	1	3	80	10	10	7	11
451 Wayne county.....	254	46	7	3	2	1	50	6	5	13	8
452 Wells county.....	302	28	5	1	1	1	36	1	3	6	7
453 White county.....	268	46	14	4	7	2	76	7	3	10	17
454 White county.....	220	3	3	1	4	3	44	3	5	6	16
455 Whitley county.....	178	27	6	2	2	2	39	3	6	6	3
MAINE RURAL.											
456 Androscoggin county.....	914	185	24	17	5	3	234	20	15	19	32
457 Aroostook county.....	831	286	45	16	9	10	306	17	24	25	31
458 Cumberland county.....	836	103	16	9	3	3	134	14	6	20	21
459 Franklin county.....	292	50	4	1	3	3	61	8	6	5	8
460 Hancock county.....	538	75	13	4	4	4	100	10	2	12	20
461 Kennebec county.....	839	119	20	9	4	3	155	9	11	18	11
462 Knox county.....	338	4	4	1	1	1	47	4	4	9	9
463 Lincoln county.....	229	24	4	1	2	1	31	5	1	5	6
464 Oxford county.....	505	72	12	5	4	5	93	9	8	2	16
465 Penobscot county.....	911	172	21	18	8	5	226	14	11	19	42
466 Piscataquis county.....	294	41	3	1	1	3	49	6	3	12	13
467 Sagadahoc county.....	160	16	1	1	1	1	17	1	1	3	2
468 Somerset county.....	564	86	10	6	3	4	109	7	11	10	16
469 Waldo county.....	416	31	6	2	2	4	39	6	2	8	17
470 Washington county.....	683	110	18	12	6	4	150	11	12	27	25
471 York county.....	905	140	19	5	4	2	170	13	10	15	20
MASSACHUSETTS RURAL.											
472 Barnstable county.....	507	62	16	9	8	5	95	6	8	9	8
473 Berkshire county.....	571	85	18	6	4	6	119	7	9	12	18
474 Bristol county.....	694	111	10	14	6	5	146	13	6	0	26
475 Dukes county.....	88	8	1	1	1	1	10	2	1	1	1
476 Essex county.....	1,133	164	28	12	10	8	222	23	19	24	27
477 Franklin county.....	731	135	17	5	5	5	162	8	6	16	22
478 Hampden county.....	583	157	8	6	5	1	177	7	6	19	20
479 Hampshire county.....	476	73	13	7	2	1	96	10	8	5	11
480 Middlesex county.....	2,119	232	36	15	3	12	298	26	34	37	59
481 Nantucket county.....	66	5	1	1	1	1	6	1	1	3	3
482 Norfolk county.....	1,281	194	28	13	13	5	253	24	20	31	38
483 Plymouth county.....	1,167	126	19	2	5	4	156	18	13	15	37
484 Suffolk county.....	98	13	2	2	2	2	17	1	1	2	2
485 Worcester county.....	2,060	370	60	40	20	12	502	33	22	41	55
MICHIGAN RURAL.											
486 Alcona county.....	60	15	3	3	1	1	22	1	1	2	2
487 Alger county.....	51	31	3	3	2	1	40	3	3	2	4
488 Allegan county.....	514	75	13	3	8	1	99	9	4	18	13
489 Alpena county.....	224	70	7	2	3	1	83	2	4	10	8
490 Antrim county.....	246	70	8	4	1	5	88	8	6	8	10

[illegible]

MORTALITY STATISTICS.

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.	AGE.										
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
MICHIGAN RURAL—Continued.											
491 Arenac county.....	95	27	3	1	2		33	5	2	1	4
492 Baraga county.....	70	22	8	3	1		34	4	1	5	4
493 Barry county.....	270	27	6	2	1		39	2	5	7	16
494 Bay county.....	253	76	16	3	5		105	2	5	7	8
495 Benzie county.....	134	40	6	4			50	3	2	4	4
496 Berrien county.....	622	111	14	8	5	2	140	13	14	11	15
497 Branch county.....	349	53	9	3	2		69	5	8	3	7
498 Calhoun county.....	424	42	8	5	1	2	58	2	6	6	8
499 Cass county.....	290	33	5	2			40	4	4	6	6
500 Charlevoix county.....	233	63	16	6		2	87	4	8	12	10
501 Cheboygan county.....	216	56	10	2	4	2	74	10	4	6	13
502 Chippewa county.....	114	36	6	4		2	50	7	5	4	6
503 Clare county.....	87	22	3	5	2		32	3	2	3	3
504 Clinton county.....	284	27	5	3	1		37	6	4	8	9
505 Crawford county.....	41	9	4			1	14	2		1	2
506 Delta county.....	185	61	7	2	1	4	75	9	6	6	10
507 Dickinson county.....	109	38	7	5			52			1	2
508 Eaton county.....	455	54	6	5	4		60	6	5	11	9
509 Emmet county.....	266	68	12	3	1	3	87	10	8	7	11
510 Genesee county.....	378	45	10	4	4	3	66	8	6	5	12
511 Gladwin county.....	66	21	4	1			26	5	3	3	
512 Gogebic county.....	150	52	9	5	1		67	6	2	2	11
513 Grand Traverse county.....	149	36	8	2	1		47	1	1	4	2
514 Gratiot county.....	364	57	6		4	2	69	4	7	10	16
515 Hillsdale county.....	361	42	4	2	1		49	7	5	7	15
516 Houghton county.....	1,052	363	76	22	17	15	493	33	30	29	50
517 Huron county.....	369	93	12	3	1	4	113	6	7	11	14
518 Ingham county.....	318	35	8	4	2	1	50	3	3	8	11
519 Ionia county.....	450	54	8	2	4	3	71	8	8	11	21
520 Iosco county.....	108	25	3	3	4	1	36	6	3	5	1
521 Iron county.....	123	43	4	2	5	2	56	2	4	6	4
522 Isabella county.....	288	54	6	11	1	2	65	11	8	10	8
523 Jackson county.....	292	28	7	1	1	2	39	7	4	7	6
524 Kalamazoo county.....	259	31	4	5	1	1	42	4	4	4	3
525 Kalkaska county.....	108	26	4	2	1		33	5	1	4	3
526 Kent county.....	652	90	16	8	5	6	134	9	10	11	13
527 Keweenaw county.....	61	26	4	2	1	2	35		3	1	6
528 Lake county.....	59	8	2	5	1	1	17	1	1	1	4
529 Leapeer county.....	383	45	11	1	2		59	14	13	27	18
530 Leelanau county.....	141	44	11	5	4	2	66	2	4	6	9
531 Lenawee county.....	681	88	12	6	1		107	9	12	14	17
532 Livingston county.....	237	23	4	2	2	3	34	1	5	4	8
533 Lapeer county.....	94	15	2	2	2		21	1	4	2	4
534 Mackinac county.....	96	26	1	1		1	29	2	1	6	3
535 Macomb county.....	417	47	12	7	5	2	73	6	5	6	17
536 Manistee county.....	381	96	10	4	2	2	114	19	9	12	21
537 Marquette county.....	227	56	19	7	3	6	91	3	2	3	16
538 Mason county.....	264	54	16	9	2	2	83	11	11	11	8
539 Mecosta county.....	278	57	10	3	4		74	9	7	13	9
540 Menominee county.....	129	47	6	3	3		59	3	5	3	4
541 Midland county.....	178	29	11	7			47		6	7	6
542 Missaukee county.....	131	32	11	3	4		50	4	2	8	5
543 Monroe county.....	422	63	14	4	1	1	83	9	10	11	14
544 Montcalm county.....	412	83	14	5	3		107	5	7	13	16
545 Montmorency county.....	39	10		2		1	13	1	1		1
546 Muskegon county.....	191	24	3	4		1	32	3	4	3	9
547 Newaygo county.....	201	33	11	1		3	48	4	5	7	10
548 Oakland county.....	482	48	14	4	6	2	74	8	5	14	21
549 Oceana county.....	232	55	11	1	3	1	71	11	6	8	6
550 Ogemaw county.....	115	38	2	5			47	2	3	2	3
551 Ontonagon county.....	102	34	2	2		1	39	1	1	3	4
552 Osceola county.....	245	32	6	6			69	8	4	8	6
553 Oscoda county.....	14	1			5		1				
554 Otsego county.....	90	27	6				34	1		8	1
555 Ottawa county.....	542	102	20	5	5	4	136	10	11	13	17
556 Presque Isle county.....	111	34	5	4	1		44	3	1	3	6
557 Roscommon county.....	29	7					1				
558 Saginaw county.....	470	105	8	1	1	1	121	15	9	17	14
559 St. Clair county.....	499	77	16	6	4	2	105	8	11	12	19
560 St. Joseph county.....	315	32	4		1	1	38	8	7	11	14
561 Sanilac county.....	437	97	14	10	3	4	128	15	11	16	15
562 Schoolcraft county.....	95	25	5	2	1		35	3	1	3	5
563 Shiawassee county.....	337	40	1	5	2		48	7	3	8	11
564 Tuscola county.....	417	85	9	7	3	2	106	6	12	10	13
565 Van Buren county.....	484	78	12	6	3	1	100	8	8	8	18
566 Washtenaw county.....	402	43	4	3	3	1	54	4	7	8	9
567 Wayne county.....	1,176	248	48	13	7	10	326	27	20	33	44
568 Wexford county.....	267	52	17	8	5	1	83	12	6	7	11
NEW HAMPSHIRE RURAL.											
569 Belknap county.....	201	20	2	5	2	1	30	4	1	3	5
570 Carroll county.....	277	30	4	1	2	1	38	1	3	9	6
571 Cheshire county.....	329	46	7	4	6	1	64	12	6	6	6
572 Coos county.....	242	36	3	3	2	2	46	5	5	9	8
573 Grafton county.....	606	58	9	3	6	1	77	7	11	16	20

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.
1	4	2	3	3	4	6	2	7	8	4	2	2	1	1	401
2	5	2	2	1	3	2	3	1	3	4	1	1	1	1	492
4	5	7	10	8	14	12	20	17	27	37	25	12	1	1	493
12	5	8	9	2	13	9	14	16	13	13	7	3	2	2	494
3	2	3	5	6	3	5	11	9	8	5	8	3	1	1	495
25	12	18	25	28	18	37	43	44	62	50	39	18	7	2	496
9	2	6	6	8	6	17	25	27	48	47	30	19	5	2	497
12	11	6	18	16	22	26	32	41	33	47	42	25	6	2	498
10	11	8	9	8	9	16	25	27	29	30	29	16	2	1	499
9	6	12	9	8	10	11	10	8	9	7	10	2	1	1	500
10	11	6	9	10	7	6	7	18	6	6	9	3	1	1	501
8	4	4	1	1	3	4	8	3	3	3	1	2	1	1	502
2	3	7	1	3	3	8	4	8	4	3	3	3	1	1	503
13	5	1	7	11	10	14	22	31	27	35	20	12	5	1	504
2	2	1	1	1	1	3	3	1	6	4	1	1	2	1	505
10	5	11	4	5	6	3	6	8	7	3	3	3	1	4	506
7	6	6	15	3	5	3	4	1	4	4	6	6	4	2	507
14	16	11	15	15	14	25	38	40	44	48	40	20	9	4	508
12	11	11	13	12	20	15	31	29	16	13	8	6	3	1	509
9	9	11	13	12	20	15	31	29	42	34	34	19	3	1	510
3	1	3	3	2	3	4	2	1	3	3	1	1	1	1	511
9	7	10	10	7	2	4	3	5	1	2	2	1	1	1	512
7	3	3	5	8	6	8	8	19	12	13	8	12	3	3	513
10	14	9	14	16	17	28	22	36	42	39	21	20	8	1	514
12	7	10	10	10	10	17	19	43	42	39	30	20	8	1	515
54	54	31	31	41	21	35	32	34	29	27	16	5	1	2	516
14	12	9	10	10	16	13	21	14	21	23	38	10	3	4	517
1	7	8	10	16	12	18	31	27	29	36	27	14	6	1	518
10	11	11	10	14	19	28	28	41	51	40	39	21	7	1	519
3	3	3	5	4	4	4	3	8	8	4	4	3	1	1	520
9	8	6	5	3	6	2	2	1	1	3	5	10	2	3	521
7	9	8	11	13	14	20	14	18	22	24	11	10	2	3	522
9	10	6	9	13	13	16	15	32	35	26	24	14	4	3	523
10	9	4	8	11	10	15	15	22	29	28	23	16	4	1	524
5	4	2	7	3	7	4	8	0	4	4	6	1	1	1	525
21	13	14	19	22	26	34	51	55	78	66	43	21	4	5	526
2	1	3	2	2	1	3	1	4	3	2	2	1	1	1	527
2	2	3	4	2	3	5	2	4	3	2	2	2	1	1	528
14	12	7	15	9	11	12	23	24	39	32	19	23	10	1	529
3	3	3	2	4	2	5	7	8	4	6	4	4	1	1	530
18	13	18	18	24	32	31	40	62	79	69	62	34	15	6	531
7	7	8	4	9	4	12	19	25	23	19	17	19	7	1	532
4	6	3	2	7	8	5	6	3	2	2	4	1	1	3	533
7	9	5	2	1	5	8	2	1	6	4	1	2	1	1	534
12	15	17	14	15	26	21	31	35	44	44	22	19	2	1	535
16	9	12	7	13	20	18	19	31	19	20	14	6	2	1	536
13	11	10	11	13	3	8	10	9	6	3	8	3	2	4	537
8	5	5	6	16	10	13	20	20	14	9	5	6	2	1	538
9	10	7	8	6	12	10	21	20	22	24	9	4	1	2	539
6	7	1	3	4	5	5	4	1	6	4	5	4	4	1	540
10	5	3	7	9	4	9	10	12	16	8	13	5	1	1	541
5	3	4	3	7	4	5	2	8	5	4	5	5	2	2	542
19	14	10	9	13	11	19	25	28	42	44	36	19	2	1	543
10	14	13	11	14	19	15	24	32	45	35	16	10	4	2	544
1	1	1	3	1	6	2	2	1	2	3	1	1	1	1	545
8	3	3	5	7	3	12	19	17	15	20	20	7	1	1	546
3	6	7	10	6	6	6	13	20	13	19	13	4	1	1	547
7	13	7	13	15	29	27	40	42	49	51	31	31	7	1	548
8	10	3	3	7	8	10	17	16	18	16	8	5	1	1	549
4	3	7	3	3	3	10	3	2	20	7	7	1	1	1	550
10	5	7	2	8	2	2	5	3	4	2	2	1	1	1	551
17	6	9	5	6	11	10	15	12	23	15	13	4	4	1	552
2	1	4	3	4	2	6	1	3	3	4	4	1	1	1	553
15	16	18	23	22	22	21	31	31	48	44	38	19	4	2	554
6	6	4	3	1	5	5	7	3	4	5	1	1	1	1	555
1	1	1	1	1	2	3	3	2	1	1	1	1	1	1	556
14	12	11	15	15	24	28	35	37	37	30	26	25	5	1	557
18	10	15	15	18	13	27	40	38	48	48	39	26	14	3	558
9	3	8	10	11	20	15	25	26	30	34	26	15	4	1	559
14	29	13	10	16	8	20	22	21	34	36	19	11	6	1	560
4	2	8	10	7	4	3	1	2	3	3	3	3	4	2	561
9	10	9	14	10	12	19	21	33	36	36	25	16	4	1	562
10	7	7	11	18	27	23	18	22	40	32	37	18	7	2	563
14	16	20	20	47	12	29	34	41	46	46	36	19	4	1	564
37	48	63	47	42	41	29	70	77	80	68	55	23	7	5	565
9	7	8	14	11	15	16	13	15	15	15	11	5	2	1	566
3	10	5	9	6	9	7	7	24	18	20	21	12	4	2	567
0	11	6	7	9	9	11	13	31	22	35	38	15	7	1	568
14	8	6	10	13	15	14	21	28	32	29	21	14	9	1	569
9	10	7	12	4	9	10	15	10	25	24	18	8	3	1	570
25	15	23	27	18	31	28	45	51	56	63	38	31	13	9	571

MORTALITY STATISTICS.

TABLE 2.—DEATHS IN EACH REGISTRATION

		REGISTRATION AREA.	AGE.									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19
NEW HAMPSHIRE RURAL—Continued.												
574	Hillsboro county.....	606	60	15	3	6	3	87	8	6	7	13
575	Merrimack county.....	561	76	16	3	5	1	98	12	7	8	10
576	Rockingham county.....	737	91	17	4	1	3	116	9	7	12	12
577	Stratford county.....	290	64	10	6	2	1	83	3	4	5	4
578	Sullivan county.....	291	43	5	3	2	2	55	4	4	6	8
NEW JERSEY RURAL.												
579	Atlantic county.....	345	71	11	5	4		91	13	8	4	4
580	Bergen county.....	1,268	269	49	23	13	7	361	31	21	38	43
581	Burlington county.....	878	141	27	7	4	7	186	15	10	25	32
582	Camden county.....	566	114	19	12	8	5	159	6	8	10	20
583	Cape May county.....	198	32	10	6	2		50	5	4	5	7
584	Cumberland county.....	374	61	9	5	1	3	79	9	4	13	14
585	Essex county.....	1,013	173	37	21	23	10	264	30	16	20	38
586	Gloucester county.....	434	88	11	3		2	104	13	4	18	10
587	Hudson county.....	1,366	263	70	36	19	15	403	47	29	32	33
588	Hunterdon county.....	434	53	6	4	4	2	69	6	2	7	17
589	Mercer county.....	256	45	11	2	4		62	7	2	9	5
590	Middlesex county.....	684	153	35	16	15	6	225	38	12	12	23
591	Monmouth county.....	1,261	214	48	28	9	5	304	38	25	34	46
592	Morris county.....	809	130	20	11	9	10	180	23	10	16	33
593	Ocean county.....	245	39	4	5	1	2	51	3	3	4	2
594	Passaic county.....	286	66	15	3	4	3	91	8	4	9	8
595	Salem county.....	365	80	15	5	2	2	104	6	7	8	10
596	Somerset county.....	520	105	33	15	9	7	160	24	8	17	11
597	Sussex county.....	254	46	3	2	3	1	55	5	6	6	14
598	Union county.....	483	92	16	10	5	5	128	11	10	13	20
599	Warren county.....	397	47	8	3	4	3	65	9	10	13	16
NEW YORK RURAL.												
600	Albany county.....	509	73	21	2	8	5	109	9	8	18	17
601	Allegany county.....	515	42	14	8	3		68	3	7	11	12
602	Broome county.....	481	46	7	6	2		61	8	7	11	14
603	Cattaraugus county.....	678	96	12	7	6	7	128	9	13	17	18
604	Cayuga county.....	544	49	12	3	3	2	60	9	2	8	5
605	Chautauqua county.....	752	84	13	9	6		112	11	15	12	14
606	Chemung county.....	255	28	2	2	1		32	3	3	3	7
607	Chenango county.....	599	43	10	8	2		63	8	8	9	13
608	Clinton county.....	605	128	24	8	10	4	174	17	13	15	24
609	Columbia county.....	528	56	5	3	3	1	68	7	6	14	15
610	Cortland county.....	313	22	3	2	4	1	32	3	3	5	8
611	Delaware county.....	584	76	12	5	5	2	98	11	6	13	12
612	Dutchess county.....	1,143	135	17	15	8	5	180	23	15	29	33
613	Erie county.....	1,334	240	42	26	13	14	335	21	19	35	40
614	Essex county.....	489	64	10	5	3	2	84	5	2	13	24
615	Franklin county.....	755	109	33	19	13	5	239	13	12	20	32
616	Fulton county.....	301	10	4	1	2		26	1	1	4	4
617	Genesee county.....	571	68	9	4	3	2	86	7	7	13	11
618	Greene county.....	524	57	10	3	1	3	76	4	3	13	17
619	Hamilton county.....	42	3	1		1		5	1	1	2	
620	Herkimer county.....	679	84	11	7	3	4	109	12	13	11	16
621	Jefferson county.....	752	94	9	4	5		119	13	5	18	23
622	Lewis county.....	362	38	6	10	2	4	60	4	7	7	9
623	Livingston county.....	367	54	7	8	2	2	71	5	11	28	19
624	Madison county.....	685	83	6	4	4	3	100	10	7	13	19
625	Monroe county.....	787	109	20	4	6	4	143	17	11	13	19
626	Montgomery county.....	358	37	4	2	2	1	46	3	8	7	12
627	Nassau county.....	925	219	31	12	6	7	275	19	13	13	35
628	Niagara county.....	682	111	12	6	6	2	137	4	10	19	26
629	Oneida county.....	898	101	17	10	5	3	136	13	6	12	30
630	Onondaga county.....	911	102	22	5	5	4	138	19	14	18	25
631	Ontario county.....	618	75	19	6	3	2	105	9	10	13	15
632	Orange county.....	946	144	37	12	6	14	213	19	14	39	20
633	Orleans county.....	405	64	5	1	2	2	74	5	7	8	15
634	Oswego county.....	1,161	177	25	13	8	9	232	26	11	30	42
635	Otsego county.....	843	75	16	9	5	5	110	9	4	16	21
636	Putnam county.....	234	33	14	2	3	1	53	5	1	5	7
637	Rensselaer county.....	707	99	18	11	6	4	138	12	11	15	21
638	Rockland county.....	621	100	21	12	9	9	151	22	7	19	12
639	St. Lawrence county.....	1,076	167	29	20	10	7	233	10	15	36	32
640	Saratoga county.....	799	110	22	14	5	2	153	15	14	14	20
641	Schenectady county.....	160	19	3	2	3		27	5	2	1	2
642	Schoharie county.....	375	39	6	1	2		48	3	9	6	10
643	Schuyler county.....	247	14	5	1	1		21	4	8		7
644	Seneca county.....	538	33	4	3	2	1	43	6	3	11	13
645	Steuben county.....	1,077	90	13	12	11	1	127	13	8	23	41
646	Suffolk county.....	1,530	150	31	13	11	5	210	31	14	37	40
647	Sullivan county.....	653	58	10	5	2	5	80	10	14	25	45
648	Tioga county.....	444	40	9	4	1		54	5	5	5	10
649	Tompkins county.....	331	28	3	3	2	4	40	6	3	7	6
650	Ulster county.....	882	134	24	8	4	3	173	21	7	26	38
651	Warren county.....	221	31	4	4	1	2	42	4	4	5	10
652	Washington county.....	700	102	26	4	0	2	143	13	12	23	20

AREA, BY AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 31	35 to 39	40 to 44	45 to 49	50 to 51	55 to 59	60 to 64	65 to 69	70 to 71	75 to 79	80 to 84	85 to 89	90 to 91	95 and over.	Un-known.	
19	21	10	20	27	24	36	42	56	56	66	51	35	14	7	1	574
18	16	18	16	16	26	30	31	40	57	52	42	29	9	4	2	575
14	20	27	23	27	31	40	47	70	67	74	74	44	16	2	5	576
8	6	4	8	10	8	16	12	16	27	35	22	13	4	1	1	577
8	7	3	9	14	18	14	26	26	20	31	19	8	3	4	4	578
11	10	9	11	12	6	25	21	27	27	26	20	16	3	1		579
48	47	49	48	55	55	62	82	75	84	77	44	30	8	5	5	580
30	33	22	34	39	31	49	61	70	73	73	53	28	9	5		581
22	24	24	26	23	27	36	24	29	42	45	25	9	7			582
10	4	6	5	7	11	17	7	12	14	14	9	6	4		1	583
6	8	13	8	16	13	15	23	39	34	38	22	13	7		1	584
38	32	34	47	37	41	57	60	68	62	68	55	24	6	2	1	585
12	15	10	11	21	19	18	29	30	39	37	24	16	4			586
41	37	62	77	82	73	68	91	81	74	56	40	16	2		2	587
19	10	14	16	11	16	15	23	37	53	53	32	27	7	2	1	588
12	13	8	9	13	6	14	20	17	15	20	15	7	1			589
26	30	22	27	22	21	27	36	38	42	28	32	15	2			590
46	44	54	52	60	53	75	78	65	109	67	60	28	13	6	2	591
27	39	40	39	42	26	41	61	54	56	58	40	18	3	3		592
10	5	15	15	14	19	12	13	21	18	17	11	7	1	1		593
9	8	11	5	11	13	14	20	13	25	24	3	6	1	1		594
16	8	8	8	18	10	12	19	30	36	34	24	5	5			595
18	13	10	13	17	19	24	28	33	33	33	27	19	2	2		596
14	13	13	7	11	10	11	16	18	17	20	17	3				597
18	24	21	17	23	18	18	27	33	46	18	19	12	5	2		598
16	13	9	20	15	19	21	24	32	35	35	30	10	4	1		599
18	9	23	18	14	16	23	24	42	41	55	39	18	4	2	2	600
15	15	18	12	14	28	30	30	44	59	58	51	29	9	1	1	601
12	11	7	17	10	27	24	33	54	55	55	38	25	8	2	2	602
19	22	17	21	16	32	39	50	53	62	64	62	28	6	2		603
14	15	11	5	21	20	15	35	54	73	81	59	34	10	1	3	604
15	20	14	31	25	23	39	60	67	85	83	74	39	8	3	2	605
9	3	6	7	6	11	19	15	36	31	37	15	9	2			606
10	15	12	24	22	20	46	48	63	56	70	63	27	13	2		607
21	24	17	14	20	16	26	28	53	53	44	37	22	9	4		608
19	15	15	11	20	20	32	31	55	48	64	47	31	6	3	1	609
7	6	8	3	11	13	19	26	29	32	40	33	21	12	2		610
18	12	21	11	16	33	26	37	50	53	74	50	29	9	1	4	611
31	40	45	44	47	49	61	81	114	102	105	79	41	15	4	5	612
45	32	50	60	46	55	62	73	101	96	97	60	11	11	3	1	613
32	19	27	20	15	11	25	25	34	31	41	38	31	10	2		614
41	30	36	30	37	26	23	27	36	53	35	32	18	8	5		615
2	6	4	7	8	11	12	15	10	23	31	21	9	8	1		616
16	20	14	22	26	22	35	28	62	68	51	17	16	16	3	2	617
21	18	18	17	15	23	39	29	56	39	57	45	24	8	2		618
3		4	1	2	5	3	4	2	3	4	1		1			619
14	24	28	26	19	30	30	47	61	63	72	52	32	7	4		620
28	22	23	17	13	30	46	37	53	75	75	42	44	18	3	2	621
10	5	9	5	13	13	30	27	28	32	38	40	11	9		1	622
15	21	26	16	24	23	21	33	55	38	64	52	31	13	2		623
11	17	33	16	18	22	32	48	74	66	87	68	30	12	2		624
19	24	21	22	26	31	44	47	65	74	90	56	49	9	7		625
11	8	14	12	12	12	23	25	43	43	41	27	25	10	2		626
34	34	27	45	19	36	38	58	67	66	63	46	23	10	3	1	627
19	19	18	25	20	21	27	32	35	40	51	40	26	9	3		628
20	24	30	29	38	27	50	55	69	91	105	90	48	20	4	1	629
20	25	24	23	37	33	42	67	70	108	99	72	43	18	3	4	630
29	33	32	38	38	34	48	55	81	84	64	50	31	8		3	631
15	15	18	20	16	17	24	19	35	40	41	34	19	10	4	1	632
40	27	22	47	38	28	56	69	84	107	126	93	58	17	6	2	633
8	8	12	8	16	17	24	19	35	40	41	34	19	10	4	1	634
19	25	18	24	37	37	47	60	86	84	98	85	46	13	3	1	635
11	6	6	8	10	10	16	20	16	18	24	14	3	10			636
29	17	17	28	32	32	38	71	53	60	50	44	28	9	2		637
22	18	27	24	19	34	40	33	47	47	51	24	17	3	2		638
32	30	19	36	48	46	44	58	73	82	125	76	59	14	6	2	639
37	28	31	26	26	33	43	46	56	64	68	59	43	16	4	3	640
7	6	3	9	10	13	11	14	17	19	3	3					641
7	12	6	9	10	8	15	20	27	32	18	25	20	4	2		642
5	3	6	8	5	8	15	20	27	32	18	25	20	4	2		643
16	16	10	20	31	36	36	55	57	53	49	45	27	9	1	1	644
36	26	30	22	34	34	63	110	114	143	105	82	41	17	5	3	645
49	69	71	96	95	91	95	110	115	124	119	82	3	15	1	4	646
32	37	37	30	32	24	26	38	48	45	41	47	23	10	1	2	647
6	17	13	10	13	27	36	34	43	43	38	45	26	11	3		648
4	6	8	8	8	16	9	33	35	41	34	35	20	9	3		649
22	20	21	34	27	39	50	65	76	87	79	52	29	16			650
5	4	7	8	8	10	11	11	14	21	21	12	12	2		1	651
17	23	32	30	32	42	36	67	74	65	80	42	29	17	2	1	652

MORTALITY STATISTICS.

TABLE 2.—DEATHS IN EACH REGISTRATION

REGISTRATION AREA.		AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
NEW YORK RURAL.—Continued.												
653	Wayne county.....	817	81	15	6	5	3	110	15	13	14	19
654	Westchester county.....	1,768	342	89	25	12	16	484	44	20	34	65
655	Wyoming county.....	443	40	8	3	6	2	57	8	6	5	6
656	Yates county.....	285	22	3	8	2	2	37	3	5	3	5
RHODE ISLAND RURAL.												
657	Bristol county.....	295	66	21	6	2	1	96	2	4	8	6
658	Kent county.....	568	124	39	9	7	6	185	7	11	10	17
659	Newport county.....	174	40	9	4	5	4	62	2	1	2	3
660	Providence county.....	1,312	231	46	12	8	7	304	30	16	28	45
661	Washington county.....	407	46	9	4	3	3	65	7	6	14	12
VERMONT RURAL.												
662	Addison county.....	334	45	9	2	2	2	60	6	5	10	7
663	Bennington county.....	229	41	2	4	1	1	48	2	2	5	10
664	Caledonia county.....	418	77	15	5	2	2	99	7	4	10	12
665	Chittenden county.....	365	66	15	5	7	2	95	7	4	12	12
666	Essex county.....	110	18	4	1	1	1	24	5	5	2	2
667	Franklin county.....	458	64	17	11	3	1	96	14	6	9	18
668	Grand Isle county.....	70	16	1	1	1	1	18	1	1	4	3
669	Lamoille county.....	170	20	2	4	1	1	27	3	2	1	4
670	Orange county.....	380	32	9	2	2	1	44	5	7	11	7
671	Orleans county.....	302	47	7	4	4	3	65	9	7	15	11
672	Rutland county.....	531	78	11	5	5	3	102	5	9	3	18
673	Washington county.....	511	69	13	3	4	2	81	12	4	14	14
674	Windham county.....	484	65	6	3	5	1	80	6	1	17	11
675	Windsor county.....	538	49	10	5	3	2	69	7	3	15	17

AREA. BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.
21	15	23	30	27	35	42	54	64	93	82	98	40	16	4	2
47	72	88	68	67	80	90	108	100	114	104	102	48	24	5	4
12	10	11	12	17	19	18	35	44	47	57	43	23	11	2	655
10	3	6	7	6	9	18	18	23	36	44	28	16	6	1	656
5	7	8	4	13	15	16	17	28	20	17	16	9	3	1	657
17	23	24	20	19	31	31	28	37	38	30	21	10	8	1	658
6	6	2	7	7	4	4	6	18	12	17	9	5	1	1	659
52	50	72	54	70	69	75	97	74	77	92	64	29	11	1	660
7	17	13	12	19	20	24	25	31	41	32	33	19	7	2	661
9	13	6	6	14	12	11	18	24	31	38	32	19	8	4	662
4	10	4	3	8	7	12	12	19	26	25	18	6	5	2	663
8	14	9	9	17	23	18	24	30	36	33	33	18	5	4	664
15	6	9	7	7	15	12	17	26	40	29	27	12	10	1	665
2	4	2	2	5	2	12	7	5	5	10	7	4	3	2	666
17	22	11	12	15	22	18	22	38	27	42	26	28	8	3	667
1	1	3	2	2	2	1	3	8	11	5	3	3	3	3	668
2	5	7	5	4	6	11	13	16	17	16	13	10	3	3	669
6	10	6	13	13	22	15	32	25	43	47	42	16	9	3	670
11	8	14	11	9	12	18	20	32	31	42	36	25	6	4	671
16	19	20	17	26	20	24	33	41	47	49	37	27	11	4	672
19	15	17	15	25	21	22	34	54	58	43	33	21	7	1	673
12	15	13	13	10	20	42	28	25	61	46	53	16	10	5	674
17	13	0	14	20	25	26	29	46	64	51	56	41	11	3	675

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

CAUSES OF DEATH.														
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
SUMMARIES.														
1	The registration area	545,533	9,479	1,321	308	2,557	2,284	3,599	8,039	6,426	5,076	56,770	8,582	24,330
2	Registration cities	411,062	7,321	992	258	2,063	1,854	2,859	6,431	5,462	3,410	44,910	6,783	17,670
3	Registration states	345,863	4,871	547	130	1,614	1,470	1,945	5,120	4,453	3,182	33,811	5,327	15,983
4	Cities in registration states	211,392	2,713	218	80	1,120	1,040	1,205	3,712	1,689	1,616	21,981	3,328	9,323
5	Rural part of registration states	131,471	2,158	329	50	491	430	740	1,408	2,764	1,566	11,860	1,799	6,660
6	Registration cities in other states	199,670	4,608	774	178	943	814	1,654	2,919	1,973	1,894	22,929	3,255	8,347
REGISTRATION STATES.														
7	Connecticut	16,289	214	66		53	51	73	237	262	182	1,462	237	751
8	District of Columbia	6,201	146	11	9	8	11	71	49	86	24	842	132	230
9	Indiana	34,392	1,000	137	34	14	146	200	365	663	526	3,977	580	1,482
10	Maine	11,537	159	13		34	7	39	111	257	79	886	240	661
11	Massachusetts	50,343	540	43	2	233	125	287	667	649	371	4,900	889	2,682
12	Michigan	34,542	618	59	74	102	117	114	467	875	332	2,261	421	1,643
13	New Hampshire	7,274	66	7		62	4	36	80	166	61	579	71	359
14	New Jersey	33,912	352	52	1	110	186	182	697	203	357	3,659	575	1,356
15	New York	137,222	1,608	137	10	901	779	767	2,252	1,276	1,311	14,015	1,952	6,139
16	Rhode Island	8,308	82	16		36	34	46	138	136	83	813	184	386
17	Vermont	5,943	86	6		38	10	40	57	180	36	427	66	294
REGISTRATION CITIES.														
18	Adams town, Mass.	223	10			5	2	10	3	6	1	30	3	5
19	Alameda, Cal.	246						5	1		1	25	7	14
20	Albany, N. Y.	1,811	19	1		13	2	9	16	20	9	207	32	83
21	Alexandria, Va.	307	6					1	6	3	1	26	4	7
22	Allentown, Pa.	2,683	181	1		79	24	37	28	25	22	176	47	71
23	Allentown, Pa.	693	17					3	31	1	14	66	3	28
24	Altoona, Pa.	816	31	1		5	7	16	16	2	4	53	14	24
25	Amesbury town, Mass.	137	4						1	2	3	18		3
26	Amsterdam, N. Y.	365	5			5			1	3	4	32	4	15
27	Anderson, Ind.	265	6	1					2	5	4	33	4	10
28	Ann Arbor, Mich.	250	2							6	1	21	2	22
29	Annapolis, Md.	191	7						1	4	2	26		2
30	Ansonia, Conn.	200	5						4	3	1	14		8
31	Appleton, Wis.	198	3		1			5	7		2	17	2	10
32	Arlington town, Mass.	115	1				1			2		10	3	9
33	Ashtabula, Ohio.	210	9			1				1		12	2	9
34	Atlanta, Ga.	2,440	72	7		20	2	24	53	52	51	273	26	52
35	Atlantic City, N. J.	626	7			1	2	4	6	3	4	46	12	26
36	Attleboro town, Mass.	174	1			1	1	1	3	1	1	19	3	8
37	Auburn, N. Y.	517	6	1		9	2	3	8	10	3	39	13	25
38	Augusta, Me.	288	6	1					3	4	1	19	2	10
39	Aurora, Ill.	310	2					4	4	2	3	24	10	20
40	Baltimore, Md.	10,698	165	18		84	36	69	94	96	65	1,249	222	443
41	Bangor, Me.	421	18	2		2			9	9	2	38	12	31
42	Barre, Vt.	164	4			1	2		2	1		26	3	3
43	Bath, Me.	164	1			1			4	1	2	19	1	10
44	Battle Creek, Mich.	341	3	2	1			3	3	5	1	34	4	17
45	Bay City, Mich.	512	10	2		3	2	1	7	1	5	40	6	28
46	Bayonne, N. J.	670	5	1		1	2	5	14	1	15	64	12	16
47	Bellaire, Ohio.	179	2			1	1	1	2	1		20	3	5
48	Bellefonte, Pa.	295	9		2			1	5	2	2	19	3	19
49	Beloit, Wis.	173	3			1		1	3	1	1	19	2	7
50	Bennington town, Vt.	164	6			3	2			5	1	15	4	8
51	Berlin, N. H.	169	1			4			1	1	3	6	2	7
52	Beverly, Mass.	249	5				1	1	7	2	2	17	2	17
53	Bideford, Me.	284	13					1	9	1	2	20	0	4
54	Binghamton, N. Y.	789	7	1		1	12	1	5	6	9	71	8	39
55	Boston, Mass.	10,985	124	3	1	75	49	58	142	71	61	1,200	247	626
56	Bridgeport, Conn.	1,357	11	2		8	7	6	23	11	10	167	28	37
57	Bridgeton, N. J.	191	4	1					1	2	3	15	3	9
58	Bristol town, Conn.	167	2					1	1	5	4	14	5	5
59	Brockton, Mass.	623	9	1			4	6	1	19	6	67	15	25
60	Brookline town, Mass.	249							3	3		15	3	34
61	Buffalo, N. Y.	5,882	92			66	16	63	63	25	40	499	110	332
62	Burlington, Iowa.	306	13				5	1	1	1	2	29	3	25
63	Burlington, Vt.	434	4			2		2	11	1	2	27	5	7
64	Cambridge, Mass.	1,444	12	2		5	5	14	28	7	11	176	25	89
65	Camden, N. J.	1,354	15	3		1	5	2	34	6	9	147	22	46
66	Canton, Ohio.	416	5					2	12	8	4	28	1	11
67	Carbondale, Pa.	281	10			2	4	1	14	4	3	11	1	8
68	Carlisle, Pa.	151	2	1						2	1	15		7
69	Central Falls, R. I.	363	2	1		8	1	4	7	9	2	35	7	10
70	Charleston, S. C.	1,631	30	24	1	8	2	34	3	19	12	199	13	34
71	Chelsea, Mass.	626	9	1		1	1	2	3	13	2	66	4	35
72	Chicago, Ill.	27,548	329	17	61	254	82	365	434	199	183	3,240	457	1,306
73	Chillicothe, Mass.	356	2	1		2		1	11	6	4	36	6	10
74	Chillicothe, Ohio.	184	8						2	1	1	17	2	11
75	Cincinnati, Ohio.	6,609	141	2	2	10	75	57	79	76	60	865	132	253
76	Cleveland, Ohio.	6,419	65	5		10	50	33	110	29	31	558	56	281
77	Clinton town, Mass.	215	6	1		2		2	2	1	3	15	5	20

PRINCIPAL CAUSES.

235

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905.

CAUSES OF DEATH—continued.																	
Tu- mor.	Di- abetes.	Men- ingitis.	Other diseases of nervous system.	Diseases of circula- tory system.	Pneumonia.	Other diseases of respira- tory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
501 359 318 176 142 183	4,397 3,156 3,066 1,825 1,241 1,331	11,654 9,378 8,467 6,291 2,176 3,187	49,902 34,324 33,214 17,636 15,578 16,688	56,503 41,497 39,153 22,429 17,009 19,068	39,068 30,351 24,437 15,723 8,714 14,631	30,377 24,207 19,528 13,458 6,170 10,849	33,032 26,833 21,410 15,211 1,893 11,622	6,367 4,474 4,062 2,169 7,505 2,305	29,541 27,855 18,111 10,696 1,803 11,430	35,196 32,835 22,037 14,696 7,341 13,159	5,077 3,927 3,219 2,069 1,150 1,858	23,617 18,626 15,065 10,614 4,991 8,612	5,438 4,351 2,940 1,833 1,087 2,498	32,340 21,514 19,650 11,824 7,826 12,690	12,428 9,277 7,363 4,212 3,151 5,065	38,090 26,392 24,375 12,877 11,498 13,715	1,234 689 743 108 545 491
13 3 46 12 58 34	147 47 267 117 478 282	502 58 600 198 1,280 472	1,715 559 3,420 1,355 4,891 3,784	1,977 682 3,337 1,393 6,791 4,100	1,088 421 2,171 845 6,791 1,851	791 339 1,477 494 2,503 1,924	1,150 358 1,560 571 3,392 1,961	163 71 556 113 486 540	869 323 2,176 614 2,326 2,367	983 482 1,579 637 2,508 1,591	152 54 320 81 359 381	672 391 1,802 469 2,575 1,460	160 60 335 83 319 288	1,052 320 1,895 846 2,602 2,106	210 96 2,699 1,154 3,396 1,041	1,015 418 2,699 2,459 3,298 565	
12 28 102 3 7	77 252 1,254 82 63	304 1,001 3,823 128 101	813 3,408 11,874 665 700	942 3,352 15,267 841 753	476 2,492 10,080 733 498	285 1,553 8,983 492 287	412 2,261 8,914 612 219	70 357 1,501 99 76	397 1,647 6,684 391 314	437 2,318 10,413 675 324	53 285 1,365 100 66	215 1,459 5,526 301 225	44 334 1,219 55 43	329 2,147 8,036 391 287	209 945 2,459 94 140	686 1,885 8,717 542 565	22 28 35 16 35
.....	3 3 19 2 1	2 5 48 7 5	23 22 185 7 201	19 39 247 39 150	12 20 87 28 311	8 13 100 15 180	24 6 53 11 220	2 2 17 1 40	10 121 181 28 137	8 21 181 28 88	 4 9 9 28	 10 31 16 23 139	3 4 16 3 28	6 4 103 20 172	5 1 31 12 102	8 140 143	 13
.....	7 6 3 1	11 18 3 2	80 85 18 28	54 65 14 59	63 38 15 31	25 39 4 19	41 39 6 24	6 2 1 1	28 38 12 25	40 39 12 15	6 9 3	35 35 10 18	2 9 4	42 123 20	47 30 4 15	43 55 9 22	 1 26 1 20
.....	1 1 1 3 2	2 4 13 3 13	27 20 16 13 15	38 12 16 13 15	15 5 10 11 12	11 14 15 7 2	 11 15 11 5	4 1 6 7 2	28 19 12 14 2	13 19 10 6 6	3 2 2 2 2	4 7 6 14 5	3 2 1 1 1	7 14 10 5 8	12 20 10 13 21	26 20 9 13 11	 5 31
.....	4 5 2 1 1	14 33 10 12 5	225 51 20 67	13 84 18 65	32 45 13 48	4 32 12 15	10 37 6 31	1 2 5 12	12 142 5 20	2 173 5 23	 31 5 1	11 103 43 13	3 23 6 7	35 150 38 17	7 103 1 8	19 136 44 54	1 35 1
.....	1 4 1 1 1	5 62 4 4 1	93 891 51 16	27 979 47 6	12 767 32 19	9 725 21 13	19 753 12 5	1 8 4 2	9 472 22 3	12 13 24 2	2 1 1 1	13 667 82 18	7 82 3 1	11 525 39 10	9 327 6 9	11 299 2 1	
.....	1 7 4 3 1	1 4 20 6	25 43 55 53	24 47 48 46	17 18 21 26	9 11 33 40	4 13 38 68	3 5 10 2	5 19 15 10	10 19 36 44	2 1 3 2	10 15 45 11	2 1 9 2	15 16 38 58	17 3 28 19		
.....	1 2 2 2 2	5 3 2 8 5	25 15 9 16 25	27 15 25 19 44	10 14 8 19 18	17 8 4 9 10	24 4 8 19 16	2 2 5 3 9	22 18 9 8 9	10 10 10 8 13	 1 3 3 3	18 6 7 13	 7 6 1	36 13 10 15	12 2 2 15 4	19 21 11 15 13	
.....	1 9 103 2 2	5 17 279 1 2	23 101 868 25	24 110 1,455 21	27 56 955 23	18 24 568 19	20 34 648 15	3 24 80 10	13 45 572 16	15 47 492 16	 14 87 111	33 35 497 47	1 6 86 10	10 46 622 7	12 57 690 104	12 54 36 8	53 54 55 57
.....	2 1 5 5 2	9 13 6 114 7	14 63 61 461	23 62 59 706	18 27 13 328	2 25 9 386	27 16 9 426	2 4 1 6	5 4 7 50	9 39 19 347	 1 1 50	6 41 12 319	2 2 89 74	8 14 13 350	 73 470 431	6 1	
.....	2 4 5 1 2	2 13 37 13 5	36 129 133 44 23	40 188 108 45 25	37 128 108 34 23	27 75 83 16 23	41 60 69 20 21	9 18 132 7 21	21 74 94 36 21	28 14 132 13 3	4 14 9 4 2	4 37 10 23 4	1 10 5 5 28	19 50 48 31 11	14 38 67 48 16	52 1 1 1 3	
.....	2 1 2 2 11	2 13 83 222	17 24 183 406	27 18 61 1,792	6 36 128 2,440	8 40 72 2,459	6 46 165 1,851	9 9 55 2,254	14 19 53 1,494	9 18 181 2,217	 6 21 282	4 12 29 941	3 2 3 433	5 13 53 1,570	8 6 61 196	8 136 136 1,379	1 1 1
.....	3 36 8	12 168 36	39 569 142	22 634 588	25 19 488	19 11 422	45 505 402	3 112 54	21 368 372	14 6 362	2 60 54	2 240 331	1 90 100	23 400 413	12 129 157	 459 490	73 74 75

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

REGISTRATION AREA.		CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
78	Cohoes, N. Y.	518	13			22	2	1	7	8	2	42	5	16
79	Columbia, Pa.	154	6				1			4	1	10		4
80	Columbus, Ind.	131	4					2		3	2	24		6
81	Columbus, Ohio.	2,224	121		2		3	14	35	22	16	283	45	104
82	Concord, N. H.	372	2			2			1	7	6	37	6	25
83	Corning, N. Y.	214	4					2	7	1	1	13	2	9
84	Cortland, N. Y.	111	3				1			1	1	6		9
85	Covington, Ky.	806	21				9	2	10	14	6	164	7	20
86	Danbury town, Conn.	337	5	2					14	3	4	35	2	20
87	Danvers town, Mass.	258	4					2	6	1		35	2	10
88	Davenport, Iowa.	566	6			3								
89	Dayton, Ohio.	1,420	22	3		10	4	11	16	7	4	50	3	34
90	Decatur, Ill.	291	5					3	15	11	5	179	36	76
91	Denver, Colo.	2,887	61	3		4	18	37	24	13	10	692	45	130
92	Detroit, Mich.	4,695	69	3	1	3	31	13	118	29	31	347	61	223
93	Dover, N. H.	263	6			3		6	1	6	1	21	3	13
94	Dubois, Pa.	123	3			2	4		2	2		4	1	2
95	Duluth, Minn.	835	29				1	2	12	5	3	69	19	37
96	Dunkirk, N. Y.	226	7						4	13	2	14	2	11
97	Eau Claire, Wis.	189	3						3		1	25	5	14
98	Elizabeth, N. J.	942	5			5	11	5	34	3	2	92	24	31
99	Elkhart, Ind.	214	9					4	3	3	2	22	6	12
100	Elmira, N. Y.	554	10	2					12	5	7	49	14	35
101	Elwood, Ind.	157	9					2	3	1	5	12	3	4
102	Erie, Pa.	928	10			11	2	19	30	8	8	63	14	45
103	Escanaba, Mich.	251	21			1				5	8	23	7	5
104	Evansville, Ind.	856	27	4	1		2	3	27	11	9	112	18	39
105	Everett, Mass.	404	7		1		1	7	17	9	4	47	13	31
106	Fall River, Mass.	2,109	12	2		33		26	28	16	13	156	24	73
107	Findlay, Ohio.	225	7				3	1	4	2	4	38	3	16
108	Fitchburg, Mass.	451	4			3		2	5	3	3	29	5	16
109	Flint, Mich.	229	3					1	2		1	16	1	14
110	Fort Wayne, Ind.	683	8	1	1		1	1	4	4	2	68	10	41
111	Framingham town, Mass.	290	3					2	1	4	1	8	3	8
112	Frederick, Md.	202	1				2	3	1			19		13
113	Fresno, Cal.	278	11				2	1	6	3	3	32	6	8
114	Gardner town, Mass.	172	1			3		1	1	6	1	8	3	3
115	Geneva, N. Y.	169	4					1		4	4	13	5	11
116	Glen Falls, N. Y.	215	3	1		1		2	3	3	1	18	4	12
117	Gloucester, Mass.	396	6			1	1	7	11	8	3	41	9	26
118	Gloversville, N. Y.	234	4	1		2	2	2			2	17		15
119	Grand Rapids, Mich.	1,398	48		34	6	3	2	34	13	12	74	25	63
120	Green Bay, Wis.	343	7			2		1		5	2	32	3	15
121	Greenwich town, Conn.	227	5			2		2	6	2	2	19	3	11
122	Hamilton, Ohio.	330	4				1	7	6	1	4	30	9	15
123	Hammond, Ind.	215	10					8	4	2	3	12	5	10
124	Harrisburg, Pa.	813	38	2		2	6	3	8	7	7	67	11	25
125	Harrison, N. J.	226	3			2	1		8	1	4	28	4	5
126	Hartford, Conn.	1,527	16	1		5	2	3	65	15	13	155	22	83
127	Haverhill, Mass.	605	8			2		4	8	8	2	72	13	41
128	Hazleton, Pa.	238	5			1	2	3	8		4	14	1	5
129	Hoboken, N. J.	1,358	9			7	6	8	31	2	13	169	22	56
130	Holyoke, Mass.	823	4	1		8	2	5	23	9	9	81	11	34
131	Hudson, N. Y.	203	5	1				1		4		18	1	6
132	Huntington, Ind.	107	5							1		11		6
133	Hyde Park town, Mass.	197	2	3				1	2	3	2	15	3	7
134	Indianapolis, Ind.	2,998	64	5	1	1	9	11	21	33	21	351	52	109
135	Iron Mountain, Mich.	151	2			7			3		1	12	1	5
136	Ironton, Ohio.	205	8	1			4	7	6	1	5	31	2	6
137	Ironwood, Mich.	139	6			1			4	4	1	8		2
138	Ishpeming, Mich.	169	1			3		2	3		2	19	2	8
139	Ithaca, N. Y.	209	2	3					1	3	2	16	1	13
140	Jackson, Mich.	415	16	1	11			2	12	3	5	35	4	19
141	Jacksonville, Fla.	1,013	33	32				1	4	2	18	158	10	25
142	Jacksonville, Ill.	256	5			1				3	1	38	6	9
143	Jamestown, N. Y.	316	8			3	4	2	1	6	7	18	4	16
144	Jeffersonville, Ind.	181	3				2	2	2	4	1	23	10	11
145	Jersey City, N. J.	4,427	46	3		11	16	23	94	11	21	473	63	154
146	Johnstown, N. Y.	143	1						2	3	2	10	1	8
147	Johnstown, Pa.	626	19			1	12	5	10	1	2	33	1	11
148	Kalamazoo, Mich.	550	6			2	1	4	4	4	4	38	7	28
149	Kansas City, Mo.	3,629	110	12	25	2	4	14	46	40	18	361	33	110
150	Keene, N. H.	188	4			7			1	7		16	5	12
151	Key West, Fla.	489	12	4		1	3		2	2	4	71	5	16
152	Kingston, N. Y.	479	8	2			1	9	9	7	2	56	8	17
153	Kokomo, Ind.	183	3					3	1	3	2	20	2	11
154	Lacombe, N. H.	153	13	1					3	4	1	8	1	11
155	Lafayette, Ind.	345	20	1					4	12	9	37	3	14
156	Lancaster, Pa.	618	20	1					4	12	9	60	20	29
157	Lansing, Mich.	267	9	1					5	4	3	13	1	9

PRINCIPAL CAUSES.

237

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tu- mor.	Di- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of circula- tory system.	Pneum- onia.	Other diseases of respira- tory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
							Under 2 years.	2 years and over.									
	3	22	47	48	29	40	45	6	22	28	5	25	4	36	22	18	78
	1	1	18	13	11	15	11	4	7	9	2	5	2	17	3	15	79
	15	6	10	6	9	3	6	2	12	6	2	12	7	3	6	2	80
	1	46	225	265	184	81	67	21	141	91	13	49	7	133	46	172	81
	2	11	58	60	16	9	10	7	17	24	5	7	4	11	8	26	82
	1	3	5	23	20	6	11	2	17	13	2	12	3	20	4	18	83
	2	2	13	14	6	3	4	2	4	8	3	6	1	6	2	9	84
	2	35	67	80	70	26	30	10	47	65	8	34	8	43	32	54	85
	3	9	51	49	14	12	14	5	17	19	1	14	5	13	4	13	86
	2	3	50	43	15	27	2	5	11	15		2	3	3		14	87
	1	7	6	56	75	34	13	4	49	14	8	23	8	47	9	63	88
	1	13	38	136	144	86	60	16	86	77	12	66	27	39	121		89
	3	5	33	31	20	6	11	3	183	31	2	11	2	16	8	1	90
	7	39	162	272	221	108	77	19	183	183	29	104	51	104	25		91
	2	36	91	424	434	344	284	58	311	249	61	333	37	198	153	474	92
	4	7	21	43	13	7	27	3	6	25		6		14	10	16	93
	2	2	6	13	5	5	8	1	2	8	2	13		13	8	18	94
	4	39	52	64	54	33	62	8	73	45	11	40	11	88	19	54	95
	1	4	12	17	22	7	10	4	20	9	1	12	2	31	1	20	96
	1	6	2	13	10	8	8		13	9	3	7	2	4	1	21	97
	9	18	60	90	79	40	79	6	44	71	3	44	5	79	35	48	98
	4	1	33	27	10	9	7	1	6	5	3	12	5	13	4	13	99
	6	9	50	72	42	20	15	7	25	52	7	16	12	40	5	42	100
	2	4	13	7	7	9	14	2	11	3		15	2	9	7	8	101
	3	5	14	77	61	34	58	13	80	53	15	49	3	77	9	65	102
	2	4	10	10	12	13	42	6	15	5		14		17	11	17	103
	1	8	65	83	39	44	39	13	63	32	7	65	12	38	23	50	104
	5	9	37	41	31	19	15	3	19	17	3	25		12	10	27	105
	1	14	158	162	194	166	352	21	75	98	8	190	3	58	60	105	106
	2	3	33	22	7	8	5	3	9	10	2	9	2	17	3	12	107
	6	15	44	80	25	24	35	6	17	9	6	40	8	29	9	28	108
	2	6	22	21	18	14	9	1	17	14	2	12	2	7	12	29	109
	3	9	83	49	36	42	22	6	60	61	5	29	0	53	15	33	110
	3	2	29	38	12	3	5		11	12		13	3	17	2	18	111
	3	1	30	18	6	8	12	3	14	15	2	8		8	19	16	112
	7	12	20	18	15	15	15	5	19	9	3	10	5	29	25	14	113
	2	13	16	16	7	5	5	2	9	9		21	3	3	1	23	114
	1	1	14	22	7	6	6	4	14	8		3	2	13	5	14	115
	5	5	18	27	18	3	11	4	13	15	4	5	1	17	1	23	116
	1	2	32	50	18	15	28	2	16	20	4	22	2	20	10	27	117
	2	3	26	34	12	15	12	2	14	20	3	16	2	10	2	14	118
	1	23	116	172	71	73	76	32	109	58	11	61	18	54	48		119
	1	13	20	18	13	18	18	1	13	20		23	2	21	22	2	120
	2	26	21	11	13	15	15	3	21	14		7	3	26	3	15	121
	1	10	33	24	30	16	12	4	30	21	4	20	5	16	9	17	122
	1	18	11	14	3	15	3	3	17	8	4	6	3	26	5	25	123
	4	9	99	66	20	4	40	4	43	43	7	46	7	98	46	50	124
	1	10	14	16	11	3	10	3	12	12	3	17	2	8	10	18	125
	16	37	118	172	110	63	80	10	93	87	18	73	12	104	13	137	126
	1	12	58	99	44	19	32	4	20	35	6	20	2	31	13	38	127
	2	5	20	16	15	21	19	1	12	16		17		19	16	15	128
	1	80	95	128	137	91	80	9	71	63	14	46	20	88	30	44	129
	1	50	38	71	67	61	75	8	39	34		61	5	40	28	48	130
	1	6	26	31	9	15	9	1	7	15	1	5		18	4	15	131
	1	5	13	9	7	4	8	1	7	9		3	1	11	1	4	132
	4	6	22	17	19	4	21	4	6	7	3	11	2	17	3	13	133
	3	71	272	322	218	155	87	42	180	141	27	150	43	153	100	281	134
	1	3	14	8	11	11	20	4	1	4		4		10	4	11	135
	1	4	12	2	6	8	10	13	1	15	1	4		12	9	16	136
	2	6	14	12	6	22	16		4	7	2	2	1	17	3	13	137
	4	23	33	36	16	4	3	2	11	26	5	9		9	2	23	138
	1	8	48	63	17	17	16	2	28	19	7	8		16	14	41	139
	1	2	54	53	23	14	3	4	17	74	8	58	4	70	66	71	140
	3	5	54	53	23	14	3	4	17	74	8	58	4	70	66	71	141
	1	6	28	30	17	20	13	1	19	20	1	18	1	15	2	24	142
	1	11	13	13	11	18	6	12	12	18		4		14	11		143
	4	215	363	396	342	262	367	55	225	310	42	103	47	321	117	260	144
	2	5	23	19	12	5	2	3	8	23	1	8	3	5	5	8	145
	5	13	61	27	54	13	41	4	29	23	1	37	3	106	72	18	146
	3	7	113	87	25	24	21	13	32	38	5	15	6	28	1	38	147
	6	18	300	308	100	93	26	26	184	152	29	139	45	224	124	28	148
	1	3	210	12	12	17	58	11	16	14	3	19	2	6	41	28	149
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	150
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	151
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	152
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	153
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	154
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	155
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	156
	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	157

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

REGISTRATION AREA.		CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
158	Lawrence, Mass.	1,284	16	1		28	10	1	12	13	7	114	14	61
159	Leadville, Colo.	211	2					2	1	3	2	3		2
160	Leavenworth, Kans.	331	7	2				5	14	2	4	34		16
161	Leominster town, Mass.	204	1	1					13	2	2	19	5	14
162	Lima, Ohio.	324	6				2		14	4	3	38	5	11
163	Lincoln, Nebr.	411	11			2		2						
164	Lockport, N. Y.	250	11			4	1	1	23	3	2	27	12	18
165	Logansport, Ind.	324	13			1		1	6	6	4	24	1	13
166	Los Angeles, Cal.	3,344	55			3	3	32	38	22	17	643	64	175
167	Louisville, Ky.	4,020	110	14	1	1	8	11	29	40	49	508	37	126
168	Lowell, Mass.	1,901	18			8		17	20	16	6	146	33	69
169	Lynchburg, Va.	489	13			4	5	1	2	3	5	46	11	14
170	Lynn, Mass.	1,262	18			3	2	3	8	15	8	102	24	68
171	McKeesport, Pa.	764	36			3	4	2	22	4	3	46	6	15
172	Madison, Wis.	231	1		1	1			2	4	3	29	5	14
173	Manhatten City, Pa.	308	5				1		19	1	1	8		7
174	Malden, Mass.	506	4					4	5	5	4	53	7	23
175	Manchester, N. H.	1,256	12			12	1	6	36	10	10	109	13	34
176	Manchester town, Conn.	182	4	1				4	7	3	6	19	1	5
177	Manitowee, Wis.	170	2					6	5	1	4	19		6
178	Mankato, Minn.	167	4							7	8	13	1	12
179	Marietta, Ohio.	190	5	1				3		3	4	17	3	10
180	Marionette, Wis.	203	6						1	3	2	21	7	13
181	Marion, Ind.	259	11						1	5	9	34	3	7
182	Marlboro, Mass.	209	1							3	9	28	3	12
183	Marquette, Mich.	179	4									19	2	9
184	Massillon, Ohio.	138	6					2	3	2	1	8	1	6
185	Meadville, Pa.	160	4					5	3	1		9	1	11
186	Medford, Mass.	266	3	1			2	1	2	5		17	3	25
187	Melrose, Mass.	192				4	1		1	1	1	18	3	49
188	Memphis, Tenn.	2,164	41	148	1		3	16	15	38	34	278	17	42
189	Menominee, Mich.	145	5					1	4			8		12
190	Meriden town, Conn.	401	3	5		2	1	8	4	18	3	43	8	27
191	Michigan City, Ind.	185	6	1					8	1	2	20	4	11
192	Middletown, N. Y.	289	6			2			6	7	3	26	1	7
193	Middletown, Ohio.	107					1		3	1		11	3	10
194	Middletown town, Conn.	449		3				2	1			56	8	13
195	Milford town, Mass.	183				1	1		2	2	10	16	2	8
196	Millville, N. J.	162	5				1		7	2	1	21		8
197	Milwaukee, Wis.	4,083	71	1	1	9	24	40	42	24	19	419	60	203
198	Minneapolis, Minn.	2,469	64	2	1	2	9	3	55	13	10	244	50	164
199	Mobile, Ala.	1,062	45	14		2	1	3	3	25	21	173	10	37
200	Montclair, N. J.	289	3			1	2		2	5	1	21	2	15
201	Morristown, N. J.	244	11			2		2	4	2	1	24	4	8
202	Mt. Carmel, Pa.	227		1		1	8		5		2	7		4
203	Mt. Vernon, N. Y.	325	6			1	2		2	2	6	25	3	16
204	Muncie, Ind.	399	20	1	1			1	10	8	5	49	7	9
205	Muscataine, Iowa.	210	9			1		1	1	4		15	3	7
206	Muskogean, Mich.	268	6		1			1	4	7		16	4	18
207	Nashua, N. H.	375	2			5			3	5	2	42	5	12
208	Nashville, Tenn.	1,448	60	30				68	8	44	27	280	39	54
209	Natick town, Mass.	149				1		1	1	1	1	13		10
210	Naugatuck, Conn.	148	1					1	1	4		25	1	5
211	New Albany, Ind.	345	14	2			4	1	4	5	3	44	5	13
212	New Bedford, Mass.	1,297	6			1	2	10	28	7	4	118	22	53
213	New Britain town, Conn.	514	6	1		2	2	1	3	4	2	44	8	20
214	New Brunswick, N. J.	430	8			1	4	1	6		2	38	9	11
215	New Haven, Conn.	2,239	51	13		3	8	10	16	24	29	187	35	110
216	New London, Conn.	348	6							7	4	30	6	20
217	New Orleans, La.	7,329	101	50	6	2	8	30	42	109	496	980	92	263
218	New Rochelle, N. Y.	265	4	1				3	6	1		19	2	10
219	New York, N. Y.	73,573	641	57	10	445	489	374	1,493	344	503	8,445	1,177	2,892
220	Bronx borough.	5,515	39			48	71	198	33	198	21	1,448	72	162
221	Brooklyn borough.	23,880	288	25	9	167	198	128	570	140	164	2,423	397	916
222	Manhattan borough.	39,592	268	17	1	216	198	178	636	157	279	4,151	636	1,635
223	Queens borough.	3,189	35	7		12	16	27	71	14	22	271	47	100
224	Richmond borough.	1,397	11	1		2	6	8	18	12	11	155	25	49
225	Newark, N. J.	5,000	40	4		12	47	44	111	19	46	683	100	198
226	Newark, Ohio.	353	11				1	2	5	5	4	68	9	16
227	Newburg, N. Y.	499	11	1				2	8	3	1	65	1	25
228	Newburyport, Mass.	285	9					1	8	1		22	5	9
229	Newcastle, Pa.	526	18	1		5	3	3	7	13	3	25	7	14
230	Newport, Ky.	578	10				4	3	26	2	7	55	13	24
231	Newport, R. I.	400	6			2	1	4	2	4	1	35	8	15
232	Newton, Mass.	497	4					9	10	7	1	31	10	36
233	Niagara Falls, N. Y.	423	48	1		5	5	4	15	1	4	18	3	18
234	Norfolk, Va.	1,216	22	13	1	6	1	10	5	10	15	183	20	40
235	Norristown, Pa.	523	11				1		14		4	40	7	14
236	North Adams, Mass.	315	3						11	8	2	23	4	10
237	Northampton, Mass.	331	4					2	6	2	5	21	5	24
238	Norwalk town, Conn.	351	5				1	2	4	5	4	34	4	20
239	Norwich town, Conn.	459	3	3		1		1	1	6	16	34	7	19

PRINCIPAL CAUSES.

239

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.															
Tu- mor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of circula- tory system.	Pneu- monia.	Other diseases of respira- tory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	Cause un- known.
1	6	79	109	106	129	112	192	12	57	64	12	69	3	49	158
1	1	2	12	20	54	18	7	3	14	12	2	15	15	3	159
1	2	2	36	27	29	9	3	5	17	18	1	26	1	17	160
1	2	2	19	29	12	3	9	1	14	13	1	14	13	10	161
1	11	21	30	30	25	15	11	7	22	14	4	10	3	25	162
3	4	7	33	32	32	8	18	8	33	20	4	16	9	28	163
1	1	4	33	32	14	11	7	5	12	17	2	11	6	9	164
1	1	2	35	29	16	12	14	7	17	19	3	8	1	30	165
5	24	73	252	348	178	156	75	37	231	193	15	89	26	244	166
4	108	412	351	336	205	110	46	227	249	15	219	33	171	211	167
2	12	94	174	242	133	168	248	23	127	15	15	98	9	64	168
1	1	3	45	55	27	17	21	5	27	17	3	29	4	31	169
17	56	122	147	123	58	76	12	67	67	77	6	61	7	69	170
2	20	65	51	85	47	49	7	53	53	27	8	49	10	87	171
1	2	22	28	12	13	2	3	17	15	15	16	4	11	22	172
3	6	48	11	29	21	63	3	14	17	5	17	5	23	16	173
1	4	63	75	42	23	25	1	19	37	3	34	7	20	8	174
12	154	125	96	76	72	143	15	72	52	9	74	5	46	39	175
2	4	16	16	11	10	16	3	5	7	2	11	5	11	2	176
1	2	17	11	11	18	7	1	13	3	1	3	3	4	9	177
2	2	14	15	11	6	3	1	16	10	1	7	3	11	5	178
2	2	21	23	11	9	2	1	18	6	1	6	5	9	2	179
1	1	19	9	10	18	13	1	17	1	2	18	4	7	8	180
1	1	20	21	21	6	12	3	22	18	3	14	3	10	10	181
1	1	12	38	18	9	7	1	11	14	1	8	9	9	5	182
1	1	16	20	5	6	18	2	16	9	1	10	1	14	3	183
1	1	18	20	2	6	18	2	16	7	1	10	1	13	2	184
1	1	19	26	11	7	7	1	9	11	1	10	1	10	1	185
1	5	31	49	18	9	6	3	8	17	1	21	1	6	2	186
1	2	16	39	7	7	3	4	8	13	3	10	1	10	24	187
4	2	33	123	146	164	86	91	40	124	139	29	51	25	199	188
1	3	11	11	11	7	11	2	12	12	8	1	10	3	14	189
1	1	32	39	22	19	16	13	6	25	1	12	7	16	3	190
1	2	40	22	8	8	13	6	6	10	1	3	1	11	9	191
1	12	40	34	24	11	9	7	20	17	2	6	1	23	8	192
1	5	8	13	2	5	4	10	8	7	7	5	1	8	1	193
1	15	90	87	14	20	17	10	18	16	16	17	4	20	1	194
1	8	25	25	15	8	9	5	11	10	5	5	2	5	3	195
1	2	14	18	2	14	13	4	14	14	2	10	1	5	4	196
4	40	71	493	417	200	289	24	35	192	40	200	73	223	60	197
1	40	40	199	241	181	110	114	32	167	175	25	61	52	158	198
2	5	4	124	91	44	34	39	13	40	8	7	41	5	64	199
1	4	4	21	23	22	9	47	5	14	12	6	16	3	34	200
1	2	2	29	25	10	8	34	5	14	5	1	14	8	15	201
1	3	30	30	16	14	21	12	10	10	1	15	1	25	17	202
2	5	28	42	33	12	18	3	28	32	2	17	2	22	6	203
1	4	29	36	31	15	20	7	25	20	2	29	7	14	4	204
1	7	18	18	21	11	4	11	11	9	3	3	1	5	9	205
1	3	42	23	25	10	13	5	21	19	3	10	1	8	22	206
2	9	34	45	25	19	23	3	21	14	1	22	1	21	9	207
3	20	138	179	137	107	92	31	115	39	18	76	17	107	16	208
1	3	17	32	7	3	4	2	8	10	1	3	3	18	1	209
1	3	16	11	11	8	21	3	2	10	4	5	1	6	1	210
1	4	7	35	12	16	7	5	21	20	3	17	6	22	9	211
1	6	25	124	157	82	147	11	53	73	6	122	4	43	43	212
1	16	43	48	45	37	61	6	37	21	9	37	6	32	5	213
1	6	13	56	43	11	40	4	18	31	2	12	1	29	16	214
1	21	142	188	263	176	111	143	19	119	19	93	25	114	44	215
1	5	4	37	47	23	12	21	4	17	1	11	4	34	6	216
3	20	113	654	702	417	269	363	116	324	622	75	223	54	141	217
1	8	8	24	14	18	33	3	10	16	7	19	1	16	8	218
36	656	2,531	4,817	6,947	5,945	5,895	6,073	648	3,135	6,499	837	3,294	689	4,134	1,142
2	38	118	348	456	329	283	307	35	171	534	63	191	31	215	3,501
2	207	607	1,733	2,638	2,016	1,864	2,111	265	1,067	1,986	277	701	183	389	1,218
26	351	1,714	2,370	3,344	3,241	3,484	3,151	303	1,777	3,669	401	2,129	401	2,280	622
1	23	75	252	368	256	196	352	37	128	248	40	119	57	238	55
1	17	17	114	141	103	68	152	16	62	132	16	64	9	94	21
2	36	161	410	472	335	319	323	53	256	372	49	221	77	243	130
2	2	4	34	34	20	17	18	2	24	8	6	10	7	38	233
3	6	14	45	56	37	43	13	22	35	4	10	7	2	12	36
3	3	9	51	25	14	14	3	18	17	1	6	3	9	17	39
0	3	4	39	31	48	26	36	3	51	16	6	20	3	69	41
2	2	18	72	48	36	33	20	6	35	20	2	29	4	33	20
5	5	38	55	46	39	29	29	2	33	18	6	18	8	37	36
2	6	13	23	24	23	23	30	1	25	25	3	15	3	45	37
1	12	141	114	67	66	78	20	29	86	78	13	48	11	74	20
3	10	89	84	45	24	15	8	17	33	3	11	5	37	13	39
5	4	43	37	16	16	12	4	31	15	3	10	2	18	3	25
4	16	26	43	21	17	12	2	40	14	27	13	4	15	2	1
1	6	12	47	62	33	30	29	3	28	20	6	20	5	28	32

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

REGISTRATION AREA.		CAUSES OF DEATH.												Cancer.
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	
REGISTRATION CITIES—Continued.														
240	Oakland, Cal.	1,144	26	2			1	17	9	6	4	106	25	81
241	Ogdensburg, N. Y.	366	6			4				4	12	46	5	22
242	Olean, N. Y.	118					1	2	3	1	1	4		8
243	Omaha, Nebr.	1,300	30	2		2	8	20	13	23	10	101	19	87
244	Orange, N. J.	553	6			2	3	3	12	1	2	86	15	24
245	Ottawa, Ill.	137	2											
246	Owosso, Mich.	105	1					1	1	3	1	9	1	4
247	Paducah, Ky.	127	20	26	1		1	10	2	4	4	9	1	3
248	Passaic, N. J.	688	3	1		13	5	1	13	2	3	74	2	8
249	Patterson, N. J.	1,818	16	3		3	3	3	41	10	21	197	36	82
250	Pawtucket, R. I.	725	3	3		4	5	6	10	34	2	75	11	39
251	Pembroke town, Mass.	171	1	1					1	1	5	20	5	6
252	Peekskill, N. Y.	201	2			15		7	7	1	1	20	4	13
253	Perth Amboy, N. J.	313	4			2	4	5	19	1	2	13	4	13
254	Peru, Ind.	119	4				1		1	2	1	10	1	6
255	Petersburg, Va.	532	14	12				4	5	14	5	60	10	7
256	Philadelphia, Pa.	25,058	724	19		91	67	168	466	253	109	2,899	466	1,091
257	Phillipsburg, N. J.	135	3					1	3	3	2	12	2	7
258	Pittsburg, Pa.	7,268	393	4		136	167	128	100	56	37	550	121	200
259	Pittsfield, Mass.	413	10			3		9	1	5	2	31	2	25
260	Plainfield, N. J.	295	3			2		3	1	1	17	33	3	15
261	Plymouth, Pa.	198	5						6					2
262	Plymouth town, Mass.	162	2			1			2		2	14	5	5
263	Pontiac, Mich.	195	3	1					1	2	2	8	1	18
264	Port Huron, Mich.	278	3			1	1		12	3	3	11	1	15
265	Port Jervis, N. Y.	155	9						4	5	3	9		7
266	Portland, Me.	919	14					5	10	15	5	77	22	61
267	Portland, Oreg.	1,425	36			2	2	3	17	11	12	131	31	93
268	Portsmouth, N. H.	183	1	1				1	1	1	1	19	2	10
269	Portsmouth, Ohio.	283	16	1			2	3	3	5	3	37	4	14
270	Pottstown, Pa.	216	8						2	2	1	27	1	5
271	Pottsville, Pa.	330	9				1		3	2	2	10		16
272	Poughkeepsie, N. Y.	436	12	1		1		6	5	3	2	32	2	27
273	Providence, R. I.	3,175	40	7		5	18	8	72	37	40	338	100	193
274	Pueblo, Colo.	712	21			2		18	4	5	2	103	7	22
275	Quincy, Ill.	568	10	1	2	2	3	4	5	7	6	58	17	21
276	Quincy, Mass.	367	3				3	1	13	3		42	7	21
277	Raleigh, N. C.	351	6	3		11		4	7	2	8	46	6	11
278	Reading, Pa.	1,329	23	1		1	4	16	23	15	12	93	14	48
279	Revere town, Mass.	119	2			1		1		3	2	15	4	11
280	Richmond, Ind.	255	1	1						5	2	26	7	11
281	Richmond, Va.	1,921	39	28	1	4	1	1	12	22	30	205	27	58
282	Rochester, N. H.	155	2			1		1	3	2		18	1	7
283	Rochester, N. Y.	2,782	21			29	25	19	99	16	24	268	38	171
284	Rockland, Me.	154	1			3			1	5	4	18		9
285	Rome, N. Y.	317	7			3	4		9	2	3	31	5	12
286	Rutland, Vt.	191	4			2			2	2	3	15	3	8
287	Sacramento, Cal.	700	19	4	1	1	1	2	18	2	3	88	22	27
288	Saginaw, Mich.	605	12			1	1	1	17	2	5	37	5	39
289	St. Joseph, Mo.	876	9	6	1		1	3	11	14	11	79	8	32
290	St. Louis, Mo.	10,715	111	98	61	52	15	55	162	138	65	1,408	175	468
291	St. Paul, Minn.	1,571	21		1	19	16	16	64	8	15	221	50	114
292	Salem, Mass.	711	10			5			20	3	4	62	8	39
293	Salt Lake City, Utah.	1,080	60			28	2	3	45	13	6	51	6	38
294	San Antonio, Tex.	1,495	27	7				4	38	36	14	387	19	43
295	San Diego, Cal.	157	3	3				3	1	13	1	86	5	21
296	San Francisco, Cal.	7,332	87	4	1	3	4	43	59	30	44	1,006	169	456
297	San Jose, Cal.	364	3			1			4	5	3	59	13	22
298	Saratoga Springs, N. Y.	267	5				1	1	1	4		26	2	13
299	Sault Ste. Marie, Mich.	492	8			4	1		2		3	13	3	3
300	Savannah, Ga.	1,723	27	104		5	1		7	43	9	189	19	39
301	Schenectady, N. Y.	791	4			8	9	2	11	4	4	74	8	27
302	Seranton, Pa.	2,111	20	3		20	17	8	37	13	17	105		39
303	Seattle, Wash.	1,150	36			7	1	4	12	5	14	101	38	54
304	Sioux City, Iowa.	519	10	1		2		8	11	7	3	31	7	34
305	Somerville, Mass.	960	9				4	4	17	16	15	76	20	52
306	South Bend, Ind.	655	12		6		6	5	8	6	5	67	7	23
307	South Bethlehem, Pa.	166	2						7	1	2	20	1	3
308	Southbridge town, Mass.	196	4						25		4	21	3	3
309	Spokane, Wash.	702	30			5	2	2	15	4	7	63	13	33
310	Springfield, Ill.	642	14		1	1	2	2	11	5	6	76	9	26
311	Springfield, Mass.	1,128	20	3		2	1	2	27	16	5	85	35	77
312	Stamford town, Conn.	453	6	1		2	1	7	5	10	3	34	8	21
313	Stetion, Pa.	232	7					1	7		1	19	4	8
314	Stonington town, Conn.	159						2	2	5	1	13	3	8
315	Superior, Wis.	329	11		1	1	1	8	2	1	3	39	3	15
316	Syracuse, N. Y.	1,820	20			6	41	5	19	10	16	141	21	95
317	Tacoma, Wash.	566	12					1	14	4	4	57	15	29
318	Taunton, Mass.	676	3	2		1	3	3	10	9	2	74	10	13
319	Terre Haute, Ind.	777	25	2				16	18	7	12	74	8	29

PRINCIPAL CAUSES.

241

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																		
Tu- mor.	Dia- betes.	Meni- ngitis.	Other diseases of nervous system.	Diseases of circula- tory system.	Pneu- monia.	Other diseases of respi- ratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
							Under 2 years.	2 years and over.										
.....	11	28	101	194	77	51	31	14	70	82	16	15	22	76	7	69	240	
.....	3	6	41	42	21	20	12	2	18	43	3	7	2	12	8	27	241	
.....	7	7	10	17	10	5	3		9	7		3		14	1	12	242	
.....	9	9	117	145	79	54	36	6	115	64	11	49	23	105	19	135	243	
.....	6	16	47	59	35	32	40	7	33	24	3	28	3	28	12	25	244	
.....	1	2	14	17	13	14	1	2	13	11				8	7	12	245	
.....	1	2	12	12	3	3	5	1	7	5		4		5	2	17	246	
.....	1	11	21	12	47	19	12	5	24	6	4	10	5	29	33	19	247	
.....	2	3	19	46	39	57	64	77	32	22	6	58	3	54	21	32	248	
.....	13	60	160	222	134	106	139	27	78	114	16	86	18	105	54	96	249	
.....	9	8	56	87	72	47	58	9	36	45	6	32		22	9	36	250	
.....	1	4	19	41	10	6	10	2	4	14		6	2	7	4	7	251	
.....	1	6	20	16	7	13	13	2	9	14	1	1		16	4	8	252	
.....	1	12	11	8	30	22	55	2	11	23	5	14	1	26	13	9	253	
.....	1	5	12	13	7	7	8		9	6	1	8		5	3	8	254	
.....	2	8	61	60	23	17	38	8	24	54	7	22	1	20	28	25	255	
.....	18	198	223	1,933	2,920	1,388	1,398	308	1,217	2,348	218	1,229	196	1,257	594	1,490	256	
.....	2	20	113	493	506	770	412	94	401	220	84	375	57	645	175	391	257	
.....	3	9	39	69	18	15	17	2	19	22	4	16	3	38	8	40	258	
.....	7	10	21	29	18	13	20	6	22	18	4	10	3	19	3	14	259	
.....	1	12	26	13	27	20	16	2	8	8	1	6		15	22	11	260	
.....	2	6	11	28	4	9	9		10	10	1	11		8	4	21	261	
.....	2	1	50	18	19	8	6		11	6	3	3		9	3	15	262	
.....	3	6	24	40	25	9	18	6	19	30	3	13		12	1	19	263	
.....	1	3	10	17	9	3	12	2	17	11		9	2	6	6	10	264	
.....	2	10	110	123	55	31	39	3	51	78	7	30	9	45	19	98	265	
.....	21	29	120	170	87	37	48	10	102	90	11	34	31	134	23	134	266	
.....	2	3	19	21	14	5	9	4	11	15	2	11		20	9	20	267	
.....	1	4	19	27	23	6	14	3	15	7		23	3	15	5	26	268	
.....	2	4	29	24	8	12	9	4	9	7	3	10	2	13	18	15	269	
.....	2	8	42	31	28	2	33	5	29	33	5	6	5	24	2	23	270	
.....	1	10	52	53	32	30	14	5	26	21	8	19	3	34	3	32	271	
.....	2	29	255	356	315	195	201	35	196	294	50	122	29	187	45	215	272	
.....	1	2	10	86	37	65	23	38	5	48	36	5	32	12	65	4	59	273
.....	3	4	46	67	39	39	35	9	44	11	3	11	8	27	15	55	274	
.....	1	14	19	62	30	13	29	2	8	11	3	26	3	27	4	21	275	
.....	1	8	29	20	23	18	23	13	21	7	2	10	3	13	13	18	276	
.....	10	20	195	134	76	44	89	14	68	68	7	92	10	92	39	120	277	
.....	1	1	14	16	11	11	9	2	7	12	1	2	1	10	3	9	278	
.....	2	7	18	38	11	9	7	8	19	20	2	11	6	15	3	25	279	
.....	1	8	229	165	132	140	127	29	107	116	17	77	15	77	81	141	280	
.....	1	1	9	18	17	11	8		7	12	1	3	2	6	6	12	281	
.....	5	46	253	309	175	180	134	38	181	184	31	48	22	133	48	255	282	
.....	3	3	10	17	8	2	9	2	8	11		5	2	7	1	26	283	
.....	4	4	47	30	10	12	2	1	14	14	2	4	1	25	25	47	284	
.....	1	4	13	22	16	4	6	2	20	21	3	1	1	12	3	16	285	
.....	1	12	52	77	51	26	17	5	42	30	5	20	20	55	26	63	286	
.....	1	8	59	70	37	24	38	4	42	27	4	22	11	45	21	63	287	
.....	2	15	85	114	70	37	35	16	68	43	4	16	19	67	34	76	288	
.....	10	66	120	786	915	834	732	416	641	729	104	549	186	618	185	796	289	
.....	1	21	35	150	189	116	83	67	114	104	15	123	37	116	37	187	290	
.....	3	7	17	84	92	36	29	82	26	39	6	68	2	30	34	31	291	
.....	3	2	14	64	94	109	52	46	10	80	59	12	42	74	31	104	292	
.....	3	21	121	55	63	58	117	15	80	51	10	88	23	46	51	111	293	
.....	7	9	56	53	11	18	12	6	21	17	2	6	15	28	11	40	294	
.....	73	83	515	1,117	457	378	204	44	478	449	66	244	227	426	54	602	295	
.....	4	8	39	51	17	13	14	6	17	16	8	10	8	23	2	18	296	
.....	1	3	28	34	19	15	7	3	15	40	1	15		13	4	16	297	
.....	1	5	12	13	14	10	20	4	12	13	7	8	3	14	6	10	298	
.....	7	14	190	110	174	88	66	14	75	104	21	50	7	71	77	125	299	
.....	2	4	51	79	65	48	80	7	41	44	10	49	4	50	18	48	300	
.....	1	12	269	64	186	142	179	16	83	98	8	156	12	199	243	107	301	
.....	1	18	79	130	67	29	58	10	61	63	8	62	30	127	19	105	302	
.....	10	4	41	50	33	21	16	4	54	23	7	21	9	43	15	46	303	
.....	6	16	113	152	90	52	50	6	46	52	13	49	4	35	4	39	304	
.....	6	18	60	62	33	26	55	9	48	27	4	4		27	13	14	305	
.....	3	10	10	4	3	10	30	3	8	12	1	15		5	8	10	306	
.....	5	9	40	46	41	30	44	3	66	40	9	32	12	60	19	58	307	
.....	1	11	52	41	43	30	23	3	54	45	7	31	7	43	28	66	308	
.....	2	19	92	123	91	32	53	9	53	130	12	55	5	38	75	138	309	
.....	3	24	36	30	29	20	23	4	22	46	2	12	5	26	11	25	310	
.....	15	20	15	21	5	25	6	9	9	7		19	1	14	28	8	311	
.....	1	17	29	10	11	9	3	3	6	5	2	6	1	8	4	13	312	
.....	3	9	17	19	32	10	36	2	13	15	4	7	8	30	13	26	313	
.....	5	18	41	207	119	93	102	16	118	104	15	76	12	104	31	158	314	
.....	5	14	42	70	41	19	25	2	43	28	6	17	11	39	26	42	315	
.....	1	7	20	72	56	40	56	5	28	28	8	33	1	23	17	33	316	
.....	1	6	59	98	66	24	27	13	43	38	4	47	15	57	18	56	317	

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

REGISTRATION AREA.		CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malaria fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
320	Tiffin, Ohio.....	141	2						2			20	3	8
321	Toledo, Ohio.....	2,121	71	8	1	2	6	6	21	32	26	216	38	105
322	Torrington town, Conn.....	206	3			3	1		5	3		20	4	12
323	Traverse City, Mich.....	209	3						1	3	3	25	2	1
324	Trenton, N. J.....	1,413	21	3		5	7	11	21	6	12	177	27	55
325	Troy, N. Y.....	1,611	39	2		32	21	11	10	23	11	200	20	60
326	Union, N. J.....	392	3				3		5	1	1	31	5	13
327	Utica, N. Y.....	1,150	8	1			10	4	12	9	11	110	19	61
328	Vernon town, Conn.....	117	2							2	2	9	2	4
329	Vincennes, Ind.....	210	6	1		1	1	8			7	22	3	8
330	Wabash Ind.....	99							1			17	3	5
331	Wakefield town, Mass.....	113	1						1	1	2	19	2	10
332	Wallingford town, Conn.....	118		1					2	1	1	12	1	5
333	Waltham, Mass.....	363	14					1	1	16		27	10	16
334	Ware town, Mass.....	127						2	2	2		15	4	2
335	Washington, D. C.....	6,201	116	11	9	8	11	71	40	86	21	832	132	230
336	Washington, Ind.....	139	7				1	1	2	3		19	3	5
337	Waterbury, Conn.....	357	19	1		5	5	3	20	13	9	88	11	29
338	Watertown, N. Y.....	381	6			7		1	1	1	1	21	6	19
339	Watertown town, Mass.....	136				1			1	5	1	11	2	5
340	Watervliet, N. Y.....	283	8			7	4	3	6	6	1	32	2	10
341	Webster town, Mass.....	152	2			3		4	6	3	2	17	2	8
342	Westfield town, Mass.....	212	3				2		1	1		21	3	9
343	Weymouth town, Mass.....	174						1	1	1	1	16	1	8
344	Wheeling, W. Va.....	629	35				4	5	8	3	2	63	9	21
345	Wichita, Kans.....	502	12						11	13	1	37	5	31
346	Williamsport, Pa.....	482	21	1		1	1		3	13	5	28	4	20
347	Wilmington, Del.....	1,389	30			1	2	16	21	7	5	159	18	12
348	Wilmington, N. C.....	535	17	25	1			2	8	19	5	41	11	12
349	Windham town, Conn.....	216	3					9	2	7	3	23	4	8
350	Winona, Minn.....	258	2					2	23	7	1	23	1	14
351	Woburn, Mass.....	219	4			2			2	8	1	23	5	13
352	Woonsocket, R. I.....	489	4			6	1	3	14	4	6	57	18	8
353	Worcester, Mass.....	2,266	27	4		5	4	25	11	9	20	220	43	103
354	Yonkers, N. Y.....	1,021	3	2		7	7	17	21	7	2	108	26	40
355	Youngstown, Ohio.....	594	35			5	16	11	44	11	6	60	10	35
CONNECTICUT RURAL.														
356	Fairfield county.....	723	8	9		6	2	1	15	15	10	32	8	32
357	Hartford county.....	1,076	8	2		6		1	10	24	13	72	13	51
358	Litchfield county.....	829	12	2		2	3	3	11	22	3	63	14	50
359	Middlesex county.....	357	2	4		1	1	1	5	4	1	31	6	17
360	New Haven county.....	795	9	11			1	2	2	15	12	63	7	38
361	New London county.....	509	7	2			1	4	2	8	5	36	8	24
362	Tolland county.....	252	5			2	2	1	2	9	3	16	3	11
363	Windham county.....	605	6	2		9	2	4	4	14	8	51	6	35
INDIANA RURAL.														
364	Adams county.....	226	8				2		5	8	1	22	5	12
365	Allen county.....	220	5					3	2	2	3	23	5	20
366	Bartholomew county.....	187	5	2				2	2	7	3	28	4	15
367	Benton county.....	131	3	2				2	1	1	2	7	2	9
368	Blackford county.....	230	8	1				1	8	2	1	24	8	6
369	Boone county.....	302	7	1			1	6	4	7	8	46	6	15
370	Brown county.....	87						1	1	5	3	14	3	3
371	Carroll county.....	238	12				3	2	1	3	6	21	4	8
372	Cass county.....	228	5					1	1	1	11	16	2	3
373	Clark county.....	265	7		1			4	4	7	4	27	6	7
374	Clay county.....	397	10	3	1		4	8	3	6	8	45	6	7
375	Clinton county.....	425	11					8	1	12	7	67	5	18
376	Crawford county.....	162	5	2	2		2	6	4	3	3	20	1	5
377	Davies county.....	283	10	1				8	3	9	2	32	4	8
378	Dearborn county.....	316	10	2			1	1		4	4	46	7	12
379	Decatur county.....	294	5	3			3	4		11	8	36	4	16
380	DeKalb county.....	301	10				2	3	7	8	1	28	5	23
381	Delaware county.....	303	10	1				2	2	1	6	36	6	13
382	Dubois county.....	267	12	4	2			4	1	6	15	29	4	8
383	Elkhart county.....	383	9		1	1		1	1	5	5	35	7	26
384	Fayette county.....	166	2				1	1		6	2	28	4	7
385	Floyd county.....	107	4				2		1	4	1	17	3	6
386	Fountain county.....	238	7	3			4	2	1	13	8	21	3	7
387	Franklin county.....	195	2				1	2		6		28	3	8
388	Fulton county.....	229	6	1		1	1	5	1	7	5	16	2	17
389	Gibson county.....	406	13	7					12	11	10	53	3	10
390	Grant county.....	551	13	3			3	9		13	14	58	7	16
391	Greene county.....	467	19	8	2	1	6	11	7	7	9	55	6	12
392	Hamilton county.....	371	14	3			1	2	2	9	6	48	7	14
393	Hancock county.....	292	6					1	3	6	9	32	5	10
394	Harrison county.....	263	15	1			3	1	2	14	4	31	3	11
395	Hendricks county.....	241	3						1	6	2	36	2	9
396	Henry county.....	326	12	1		1	1		2	7	8	37	6	15
397	Howard county.....	193	3						2	5	2	22	2	16
398	Huntington county.....	199	9						1	3	4	20	2	12

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tu- mor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of circula- tory system.	Pneu- monia.	Other diseases of respi- ratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
							Under 2 years.	2 years and over									
.....	1	2	17	22	5	7	3	5	10	4	2	1	2	10	2	13	320
.....	11	37	279	198	107	99	125	31	142	98	18	47	22	151	41	179	321
.....	1	5	17	13	7	11	29	1	9	8	3	15	1	17	3	15	322
.....	2	2	50	32	12	10	4	7	9	5	2	5	5	5	6	20	323
.....	1	6	201	89	115	70	97	7	67	78	12	59	8	70	52	102	324
.....	1	10	41	153	178	111	109	76	14	106	107	10	70	6	71	89	325
.....	4	10	23	15	21	17	17	3	21	20	1	13	10	14	18	1	326
.....	1	14	28	126	142	95	54	50	62	76	10	64	6	19	68	1	327
.....	4	1	16	21	1	6	12	3	5	3	4	5	5	4	5	1	328
.....	1	1	6	12	20	13	14	9	19	15	4	15	1	12	2	7	329
.....		3	10	16	6	3	2		8	3		4	1	7	1		330
.....		1	18	20	13	9		4	3	1		4	1	2	9		331
.....		1	11	6	13	3	10		8	1		12	1	1	1		332
.....		3	8	49	57	34	16	3	17	19	2	8	2	23	5	20	333
.....		7	10	16	8	8	16	1	2	8	1	6		9	4	6	334
.....																	
.....	3	47	58	559	421	339	338	71	323	482	54	301	60	320	96	418	335
.....		12	13	13	5	6	124	16	32	50	14	48	3	70	4	12	336
.....	2	28	8	37	45	20	23	6	31	17	6	20	3	25	6	30	337
.....	2	6	4	9	24	9	7	1	8	2	3	10		2	5	14	338
.....		2	5	27	34	28	21	12	13	14	5	8		15	6	10	340
.....	1	5	13	7	11	9	15	4	4	2			5	6	14	4	341
.....		5	20	29	30	5	5	7	11	11	2	20	1	8	19		342
.....	1	3	3	24	36	8	11	1	7	10		7		4	14		343
.....		25	59	42	41	37	27	13	46	32	8	17	5	38	26	54	344
.....	4	5	46	35	24	15	16	5	52	23	6	31	1	28	39	49	345
.....	1	6	10	54	29	28	16	4	50	24	7	15	1	29	16	44	346
.....	3	51	153	116	109	60	63	9	62	95	7	65	9	99	84	99	347
.....		3	59	52	20	11	41	10	27	29	11	27	6	29	19	36	348
.....	2	3	17	23	11	10	26		16	16	3	3		11	2		349
.....	6	1	21	23	17	14	7	1	16	4	2	11	3	20	4	25	350
.....	1	3	21	40	17	15	5	1	7	15	4	5	1	10	4	12	351
.....		3	34	31	39	31	83	9	21	33	8	30		14	4	15	352
.....	1	19	46	240	168	109	142	37	109	85	21	171	25	111	42	163	353
.....	4	9	101	91	53	52	128	9	47	59	15	35	1	59	50	1	354
.....	2	6	20	97	56	51	86	8	54	37	6	59	3	78	34	55	355
.....		13	89	135	38	34	30	3	32	55		24	8	47	14	39	356
.....	4	10	118	133	74	58	12	12	62	48	6	42	10	14	86	5	357
.....	8	12	111	100	44	29	36	13	48	58	5	31	11	64	9	3	358
.....	2	9	50	47	27	11	14	3	20	26	1	12	2	20	5	1	359
.....	1	29	110	103	58	37	35	5	45	45	12	32	7	57	11	33	360
.....	2	12	49	85	33	17	28	3	22	40	10	19	4	31	6	49	361
.....	1	3	31	40	12	12	18	3	16	12	3	8		12	4	19	362
.....	2	14	68	82	31	31	36	9	35	34	5	34	9	37	2	34	363
.....		2	26	9	9	16	7	4	11	12	1	17	3	12	8	19	364
.....	2	2	46	17	17	18	12	8	22	13	4	8	2	19	26	1	365
.....	2	3	23	23	16	7	12	3	4	7	2	10	1	4	13		366
.....	1	1	1	26	16	1	9	6	16	7	7	14	2	14	8	11	367
.....		8	35	24	16	11	10	4	19	13		9	3	10	7	28	368
.....	1	5	5	12	4	6	4	1	6	7		2	1	3	5	5	369
.....		5	30	18	19	11	6	1	15	14	2	11	4	13	2	20	370
.....	1	4	21	10	12	14	13	7	11	18	3	7	3	11	8	18	371
.....	1	1	25	25	20	4	13	6	19	17	1	22	2	17	9	10	372
.....		3	44	42	13	20	20	9	23	18	11	32	7	22	8	14	373
.....	4	5	34	49	28	11	11	8	25	19	2	34	5	19	10	32	374
.....		7	14	7	7	4	10	4	11	3		8		10	13	2	375
.....	1	5	26	24	18	14	22	2	12	16	3	20	1	18	6	1	376
.....		5	41	28	13	26	6	5	16	16		12	1	28	2	21	377
.....	2	2	28	30	18	16	6	8	15	8	4	12	8	14	9	22	378
.....	5	4	20	33	14	12	6	4	23	17	2	17		26	6		379
.....	1	4	20	21	19	9	13	4	25	9	1	27	3	24	6	1	380
.....	2	6	16	15	27	10	14	4	12	14	5	14	4	15	6	17	381
.....	3	9	44	62	20	11	16	3	27	15	3	14	5	8	13	39	382
.....		1	16	14	8	7	1	1	13	4	1	9	1	5	1	15	383
.....		3	11	12	4	6	2	2	3	5	1	6	1	1	2	10	384
.....	6	6	31	10	8	9	9	2	15	3		10	4	14	25	1	385
.....	1	1	17	12	13	7	13	5	12	13	1	11	1	1	1	1	386
.....		6	22	14	6	9	1	1	20	14	4	8		10	4	27	387
.....	2	2	33	32	39	19	19	10	20	16	5	21	1	28	6	25	388
.....	4	10	64	43	26	26	18	5	29	14	1	25	3	19	16	2	389
.....	1	7	41	24	26	25	21	11	28	18		26	5	34	30	1	390
.....	2	2	45	48	23	12	11	12	26	9	2	17	1	11	32	1	391
.....	1	4	29	24	29	8	16	6	28	20	1	16	3	11	6	18	392
.....	3	6	26	26	14	12	8	1	22	12	2			14	4		393
.....	2	1	31	22	15	10	10	2	17	11	3	14		12	5		394
.....	6	10	40	21	11	12	10	4	28	12			4	13	10	22	395
.....	2	1	17	20	19	4	9	3	18	5	4	11	2	12	5	12	396
.....	2	4	27	14	9	6	10	2	18	12	2	3	2	19	4	12	397

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

		CAUSES OF DEATH.												
REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
399	Jackson county.....	384	15	2			4	2	1	10	8	58	13	11
400	Jasper county.....	121		1						3	8	12	1	8
401	Jay county.....	362	10							8	8	44	5	10
402	Jefferson county.....	328	4				2		12	7	1	51	6	13
403	Jennings county.....	213	8	2			5		2	7	3	39	2	14
404	Johnson county.....	240	3							4	3	37	7	8
405	Knox county.....	294	16	6			4	6	4	1	3	28	3	12
406	Kosciusko county.....	346	13	2			1	2	1	4	4	18	2	23
407	Lagrange county.....	209	6				2	1	2	7	3	16	3	9
408	Lake county.....	379	8	1	1			6	12	5	2	12	1	12
409	Laporte county.....	367	6											
410	Lawrence county.....	409	29	1			4		2	11	7	33	6	27
411	Madison county.....	392	22	3	1			5	3	6	5	58	10	15
412	Marion county.....	476	6					2	2	7	7	36	7	20
413	Marshall county.....	255	10	3			2			5	4	17	13	11
414	Martin county.....	165	11	1			2	1	2	6	4	32	6	9
415	Miami county.....	221	7	2						7	4	13	3	6
416	Monroe county.....	311	13				7	5	5	4	4	33	7	9
417	Montgomery county.....	400	5					5	1	9	4	48	6	25
418	Morgan county.....	298	1	1				6		12		38	5	14
419	Newton county.....	108	3							1		9	1	1
420	Noble county.....	254	5	2		1			1	4	2	21	5	11
421	Ohio county.....	58							1	1		11	1	4
422	Orange county.....	201	11	1			3	1	1	3	5	42	4	8
423	Owen county.....	170	4	1			2	4		2	1	27	5	8
424	Parke county.....	298	11	3			3	3	4	6	7	35	8	14
425	Perry county.....	253	7	1				4	2	5	8	41	9	9
426	Pike county.....	297	10	4	1		1	6	4	7	7	42	3	12
427	Porter county.....	251	5			2	1	3	2	3	1	19	8	16
428	Posey county.....	303	5	8					6	8	6	41	9	14
429	Pulaski county.....	133	6					1	2	2	2	15		11
430	Putnam county.....	263	7	1				2	1	3	5	42	4	12
431	Randolph county.....	371	7	1					4	5	9	46	6	14
432	Ripley county.....	249	4				3		1	3	4	29	10	7
433	Rush county.....	221	4	2				4	2	8	3	20	7	12
434	St. Joseph county.....	351	10				1	4	2	4	3	39	7	10
435	Scott county.....	125		2			2	1	2	5	2	25	2	5
436	Shelby county.....	352	14	1			4	1	2	15	3	35	11	17
437	Spencer county.....	266	6	1		2	1	4	2	17	6	47	2	8
438	Starke county.....	137	6	1				1	3	5	1	15		2
439	Steuben county.....	201	3				2	1	4	6	4	16	5	14
440	Sullivan county.....	436	12	2	9		3	12	11	4	7	45	6	13
441	Switzerland county.....	138					1		1	6	2	23	2	12
442	Tiptecanoe county.....	269	7				2		2	2	4	32		16
443	Tipton county.....	215	7			1		1		5	3	26	2	16
444	Union county.....	82	3					3		1		8		8
445	Vanderburg county.....	236	1	2				3	0	7	2	20	6	5
446	Vermilion county.....	242	6	2		1	3	2	1	4	6	28	4	10
447	Vigo county.....	252	6	5	3		2	2	5	2	4	25	1	6
448	Wabash county.....	203	5				1	2	5	2	6	22	1	9
449	Warren county.....	125	7					3	1	4	1	9	1	6
450	Warrick county.....	289	11	2			3		2	10	5	31	5	4
451	Washington county.....	254	10					3	5	9	6	39	2	5
452	Wayne county.....	302	5					1	2	4	1	33	4	14
453	Wells county.....	268	8					1	2	3	2	33	4	13
454	White county.....	220	13				1	2	1	7	7	16	2	14
455	Whitley county.....	178	10						1	1	2	13	3	9
MAINE RURAL.														
456	Androscoggin county.....	914	13	1		2	1	2	9	15	4	59	21	54
457	Aroostook county.....	831	14				2	1	14	18	8	59	8	24
458	Cumberland county.....	836	8			1	1	6	5	25	4	51	22	61
459	Franklin county.....	292	1			3		1		10	4	18	3	18
460	Hancock county.....	538	5			3			2	12	2	38	12	25
461	Kennebec county.....	849	8	1		2		3	6	23	6	64	8	58
462	Knox county.....	330	2			5		1	1	4	1	29	9	23
463	Lincoln county.....	209	1						2	7	1	14	6	17
464	Oxford county.....	503	3	1					5	13	5	29	17	24
465	Penobscot county.....	911	13	2		1		8	16	29	6	91	29	40
466	Piscataquis county.....	274	3			1		1	6	4	4	20	3	19
467	Sagadahoc county.....	160	3	1				1	2	4	1	8	1	18
468	Somerset county.....	564	3	1		4		2	9	14	1	41	7	31
469	Waldo county.....	416	4			1		1	5	1	4	46	4	24
470	Washington county.....	683	7	2		2		4	6	18	9	71	12	42
471	York county.....	905	18	1		4	3	2	7	19	6	57	12	58
MASSACHUSETTS RURAL.														
472	Barnstable county.....	507	4			7			8	12		40	6	31
473	Berkshire county.....	571	12			2		3	12	7	2	48	4	38
474	Bristol county.....	694	10				3	4	4	11	7	62	9	50
475	Dukes county.....	88	1						1	1		2	1	9
476	Essex county.....	1,133	14	1			1	1	14	26	8	99	25	69

PRINCIPAL CAUSES.

245

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Child-birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	2	5	27	36	32	13	20	5	19	10	3	31	4	24	8	20	1	399
1	2	12	5	14	5	5	5	1	7	10	2	7	1	6	3	5	1	400
2	31	28	16	23	29	12	29	29	10	2	18	1	15	6	28	2	401	
5	1	24	39	30	11	8	4	20	21	3	12	6	11	6	32	2	402	
1	3	25	18	12	5	5	6	15	15	9	1	6	8	8	16	1	403	
2	5	21	17	16	9	10	7	17	9	3	13	2	11	6	29		404	
1	9	18	16	20	18	14	4	11	11	1	22	2	14	10	31	1	405	
4	5	47	45	17	17	17	8	11	14	3	14	4	15	5	25	4	406	
4	3	28	33	4	6	10	2	10	8	3	6	6	10	6	19		407	
2	6	27	27	31	33	45	3	10	17	1	17	6	47	4	36	1	408	
1	2	10	42	38	14	18	12	5	20	25	2	23	3	24	6	36		409
5	5	21	29	27	21	35	6	15	15	7	6	25	1	20	9	32	2	410
5	12	21	31	9	15	30	4	35	29	3	3	27	4	15	29	1	411	
4	4	92	36	24	12	15	12	21	30	5	18	3	31	9	33		412	
1	3	36	29	12	16	9	3	16	14	1	5	3	8	4	27		413	
1	5	10	10	8	7	6	5	8	3	3	3	6	2	6	4	6	1	414
2	5	26	27	15	9	11	5	14	12	1	1	12	1	10	7	19	1	415
4	1	39	21	20	18	22	5	11	11	6	6	19	1	14	10	21	1	416
7	5	47	51	25	10	21	5	29	16	4	4	14	2	13	11	36	1	417
3	3	33	37	22	19	12	6	14	12	1	1	18	2	9	5	26	2	418
2	3	15	16	6	7	6	4	7	3	2	2	9	1	7	2	5		419
1	1	34	41	13	4	6	8	16	16	1	1	11	1	20	3	26		420
3	1	9	3	4	2	2	1	6	1	1	3	8	1	5	1	8		421
1	3	12	16	15	10	8	1	8	9	3	3	8	5	5	14	11		422
3	3	11	32	15	3	6	3	12	3	1	1	5	7	4	4		423	
2	1	29	31	30	9	12	11	13	10	3	3	9	18	3	23		424	
1	1	17	22	19	11	11	6	23	9	5	8	8	10	6	15	1		425
2	4	10	17	24	16	18	5	21	10	4	17	2	17	6	17	2		426
1	1	32	23	20	21	12	7	17	6	4	12	3	16	1	22		427	
1	10	19	12	26	14	18	7	20	11	4	4	23	3	15	4	16	4	428
1	3	16	7	15	11	5	4	11	6	1	1	1	5	5	5			429
4	6	25	31	20	15	6	3	9	14	1	1	14	1	10	12	5		430
1	4	33	45	13	19	3	5	23	14	1	1	18	2	13	5	34	1	431
1	1	22	21	24	13	4	1	16	14	3	3	9	3	18	6	20	2	432
1	2	26	24	8	6	12	6	21	11	1	1	10	10	2	19			433
6	3	26	32	27	16	26	5	18	17	3	3	24	3	19	11	26		434
1	4	8	14	7	4	9	1	6	6	4	3	3	1	3	3	4		435
3	4	38	35	15	20	15	7	26	13	6	6	2	4	15	4	31	1	436
1	8	28	14	11	8	17	4	14	5	1	1	14	1	11	10	22		437
3	2	8	10	6	12	8	2	12	5	2	2	2	1	10	6	13	1	438
3	2	26	18	2	4	8	4	21	4	5	7	1	13	5	22			439
3	9	31	40	20	17	26	8	20	25	4	9	26	2	14	26	2		440
3	8	18	9	2	2	2	6	17	8	4	9	1	12	3	10			441
4	3	37	17	12	6	6	4	17	9	3	3	14	5	16	10	23		442
5	1	23	15	7	8	18	4	16	10	2	11	3	8	4	19			443
1	11	8	2	6	6	12	7	4	10	7	2	2	1	5	1	9		444
1	6	22	12	6	6	12	7	8	8	7	2	15	1	15	1	15		445
1	1	19	21	9	13	2	9	21	2	2	4	10	2	22	13	15		446
1	1	3	23	21	9	17	9	13	9	9	4	10	2	22	13	15		447
1	4	7	25	8	6	6	2	19	8	1	1	10	1	14	3	13		448
1	1	11	11	5	1	12	1	10	9	3	3	2	1	7	5			449
1	4	29	27	15	25	8	8	15	15	9	2	9	3	11	11	18		450
1	1	19	29	34	6	12	4	13	9	2	2	9	3	6	4	20	2	451
2	7	65	42	15	3	4	1	16	16	5	8	5	12	7	35			452
3	1	31	19	24	10	22	5	17	18	5	11	5	19	2	14	2		453
2	2	22	28	8	11	9	5	11	13	3	6	4	14	3	19			454
2	2	25	21	8	5	5	1	17	14	2	11	1	10	2	13			455
1	15	17	98	92	87	45	76	7	66	43	3	32	6	42	14	81	8	456
2	8	13	56	48	58	32	118	15	42	31	10	60	3	39	25	63	60	457
1	9	12	109	123	43	33	26	8	37	57	7	31	7	33	15	96	5	458
5	5	7	32	18	13	9	2	21	22	2	2	13	5	22	6	21	4	459
5	8	8	57	68	53	31	25	8	34	29	7	21	3	13	16	51	10	460
2	19	114	114	67	47	22	5	46	43	2	2	28	5	41	24	77	6	461
3	4	58	14	7	6	4	5	15	10	1	1	14	5	13	9	59		462
3	4	31	41	8	12	3	5	16	22	2	2	5	2	9	10	44	4	463
1	5	8	61	74	29	23	18	9	27	28	3	19	5	22	17	56	3	464
8	16	91	65	48	62	9	38	39	5	5	37	4	41	20	95	9		465
4	9	26	27	18	17	9	3	21	9	1	1	12	8	12	8	37		466
4	23	27	22	5	3	3	13	2	13	2	4	1	2	1	11	2		467
1	4	9	70	63	48	11	21	9	38	26	9	25	4	28	13	66	6	468
2	4	55	65	32	17	5	27	27	23	3	3	14	2	10	11	53	3	469
5	7	72	91	69	26	27	37	37	32	8	8	21	2	21	17	61	8	470
4	12	136	117	63	37	38	7	39	60	6	6	41	8	33	26	89	2	471
6	6	72	72	23	21	20	5	35	28	2	2	13	4	19	10	62	1	472
1	8	12	52	35	32	26	6	27	34	3	3	20	7	39	6	39		473
12	12	64	64	32	34	24	9	30	50	1	1	24	5	33	21	71	1	474
2	17	25	131	201	64	42	52	11	45	60	3	48	6	65	24	78	1	475
2	17	25	131	201	64	42	52	11	45	60	3	48	6	65	24	78	1	476

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

CAUSES OF DEATH.													
REGISTRATION AREA.	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MASSACHUSETTS RURAL.—Continued.													
477 Franklin county.....	731	2			1			5	19	10	58	15	42
478 Hampden county.....	583	4			1			2	12	3	57	9	24
479 Hampshire county.....	476	3			5		1	5	15	6	32	5	26
480 Middlesex county.....	2,119	9	2		5	3	2	12	36	21	354	43	123
481 Nantucket county.....	66							1	2		4		3
482 Norfolk county.....	1,281	11	2		4	3	1	9	24	20	127	17	67
483 Plymouth county.....	1,167	13	5		2	4	1	10	26	10	104	16	80
484 Suffolk county.....	98		1						1	2	4		5
485 Worcester county.....	2,069	21	4		17		19	19	51	23	189	26	103
MICHIGAN RURAL.													
486 Alcona county.....	60				1	3			3	1	5		2
487 Alger county.....	81								1	1	4		
488 Allegan county.....	514	12	2	1	1	4	3	3	13	5	32	6	27
489 Alpena county.....	224	4		2		3			3	4	12	1	12
490 Antrim county.....	246	6						2	8	2	13	4	8
491 Arenac county.....	95			1				1		1	3	1	3
492 Baraga county.....	79	1					1		1		9		
493 Barry county.....	270	1	2				1	1	7	3	18	3	13
494 Bay county.....	253	4			4	1	4	3	6	2	19	2	8
495 Benzie county.....	134	3							2	1	11	2	7
496 Berrien county.....	622	10	1		1		2	3	6	8	33	13	28
497 Branch county.....	349	2				3	1		9	6	17	4	13
498 Calhoun county.....	424	3	1				1		10	5	28	2	32
499 Cass county.....	290	2	1					2	8	1	18	3	17
500 Charlevoix county.....	233	3			1		2	1	1	2	11	4	7
501 Cheboygan county.....	216	2			1	1		1	1	3	17	4	6
502 Chippewa county.....	114	1				1		5	2	4	11		3
503 Clare county.....	87	1					2	1	2	1	2	1	6
504 Clinton county.....	284	9				1			5	2	20	3	26
505 Crawford county.....	41								1		1		
506 Delta county.....	185	6					1	8	4	5	7	1	3
507 Dickinson county.....	109	1			1		3	3	3		8	3	5
508 Eaton county.....	455	6					2	5	18	3	27	5	24
509 Emmet county.....	266	6					2	2	2	4	18	5	9
510 Genesee county.....	378	9	3		1			6	6		23	5	19
511 Gladwin county.....	66	1					1	1	1		5		1
512 Gogebic county.....	150	2						2	3		3	1	5
513 Grand Traverse county.....	149	4			1				3	3	6		2
514 Gratiot county.....	364	6		1					15	3	25	1	23
515 Hillsdale county.....	361	6				1		3	5	3	22	4	21
516 Houghton county.....	1,052	12			14	18	2	19	3	4	81	33	42
517 Huron county.....	369	5		1		2	2	1	12	5	24	5	15
518 Ingham county.....	318	3					1	5	5	2	15	4	22
519 Ionia county.....	450	9	6			1	1	1	11	10	34	2	28
520 Iosco county.....	108					5		1	1	2	6	2	5
521 Iron county.....	123	3					10	2		1	7	1	3
522 Isabella county.....	288	6					1	5	2	2	19	5	6
523 Jackson county.....	262	7	1	5		1	2	1	9	5	16		14
524 Kalamazoo county.....	259	3			3	1	1	1	3	1	15	1	10
525 Kalkaska county.....	108	1	1			1	1		3		10	1	2
526 Kent county.....	632	13		2	1	1		14	6	12	40	8	40
527 Keweenaw county.....	61	1			1			1	1		7	2	3
528 Lake county.....	59	2	1			6		1			1		
529 Lapeer county.....	383	5	1		2	1		2	9	2	17	5	17
530 Leelanau county.....	141	1						4	1	1	8		4
531 Lenawee county.....	681	4	3			1	6	4	26	5	27	8	42
532 Livingston county.....	237	8	1				1	5	12	2	13	2	17
533 Luce county.....	94	1							3	1	4	1	1
534 Mackinac county.....	96	2							1		15	1	1
535 Macomb county.....	417	11	2			2		4	2	4	23	6	29
536 Manistee county.....	381	11	1		1	1		14	6	5	36	2	15
537 Marquette county.....	227	2		1	1	1	6		1		18	4	9
538 Mason county.....	264	3	1		1	1			10		17	1	8
539 Mecosta county.....	278	5	4	1	1	1		5	7	2	13	4	13
540 Menominee county.....	129							2	2		12		5
541 Midland county.....	178	3					1	2	6		17	2	5
542 Missaukee county.....	131	2					7	1	4	3	8	1	7
543 Monroe county.....	422	5						4	3	2	34	4	20
544 Montcalm county.....	412	4	1					3	4	7	14	4	17
545 Montmorency county.....	39	1					3		1		4	1	1
546 Muskegon county.....	191	4							9	3	16	2	5
547 Newaygo county.....	201	1	2					2	12	5	17	3	5
548 Oakland county.....	482	8	1			2		6	13	7	24	1	34
549 Oceana county.....	232	2				1		2	12	4	15	1	9
550 Ogemaw county.....	115	2		1					1	2	3	2	4
551 Ontonagon county.....	102	1						2		1	8	1	2
552 Osceola county.....	245	8	1					2	2		10	2	15
553 Oscoda county.....	14									1	2		
554 Otsego county.....	90	3				1			3	1	2	1	1
555 Ottawa county.....	542	6	2	3		7	1	3	12	2	38	7	35

PRINCIPAL CAUSES.

247

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905 -Continued.

CAUSES OF DEATH-continued.																		
Tu- mor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of circ- ulatory system.	Pneu- monia.	Other diseases of respi- ratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.	
							Under years.	2 years and over.										
1	9	16	76	101	51	32	31	4	41	51	2	30	9	10	16	59	2	477
1	8	8	66	72	39	27	55	6	33	31	5	32	7	11	7	37	478	
3	6	10	65	80	31	25	19	1	20	22	4	20	9	11	28	33	479	
2	21	23	221	395	139	81	61	26	66	97	10	32	9	111	28	151	7	480
1	1	8	8	16	1	3	1	1	1	6	1	1	1	4	7	7	481	
1	17	15	160	222	92	56	51	15	48	75	11	50	5	70	24	80	1	482
2	10	12	121	185	61	50	41	16	48	63	2	31	10	55	27	101	1	481
1	1	2	16	15	13	1	6	1	7	7	1	2	4	4	2	8	1	484
3	15	57	256	281	112	91	114	31	75	87	16	67	18	101	43	192	2	485
2	1	3	8	8	4	5	2	2	8	5	2	2	2	2	2	5	4	486
1	7	4	56	66	10	31	20	10	39	32	3	13	6	33	11	46	5	487
1	1	1	31	17	11	8	24	2	19	3	2	11	1	11	10	23	3	488
1	15	13	26	9	9	17	25	4	13	7	7	13	2	24	6	17	3	490
1	1	1	7	13	8	9	8	2	8	1	1	9	7	7	3	6	7	491
1	5	4	40	51	5	7	5	1	3	1	1	6	3	11	1	6	7	492
1	2	2	21	20	10	10	27	2	17	9	3	16	5	18	6	25	2	494
1	2	2	11	13	8	9	13	3	3	5	4	5	1	14	4	9	9	495
1	9	7	77	83	23	31	26	4	41	41	4	29	9	49	19	60	1	496
1	8	7	50	59	15	14	13	4	22	14	1	15	2	17	14	10	1	497
1	2	3	69	78	17	22	10	8	27	22	1	10	5	21	16	30	1	498
1	4	2	42	47	9	15	6	4	24	26	4	11	3	12	10	18	1	499
1	1	4	25	24	7	14	21	6	18	5	0	8	3	29	4	23	3	500
1	3	4	10	21	13	8	17	8	13	7	2	19	1	21	7	14	5	501
1	1	1	8	8	12	7	11	7	6	1	1	3	2	9	1	7	4	502
1	3	3	37	40	13	12	5	3	6	2	2	1	2	12	9	26	2	504
1	1	6	2	2	5	2	2	29	17	1	1	1	1	3	2	5	5	505
2	2	2	21	15	8	12	22	1	14	3	3	7	1	17	6	11	8	506
1	4	5	60	77	32	20	7	1	36	25	3	2	3	14	1	7	4	507
1	4	5	23	31	8	19	24	6	17	9	5	17	3	13	13	27	1	508
1	4	5	48	62	18	19	14	3	34	21	3	8	3	16	21	28	2	510
1	2	10	7	7	6	5	4	3	3	1	1	1	2	5	2	3	3	511
1	1	11	6	6	9	7	19	5	5	0	6	11	2	32	7	7	6	512
1	1	18	17	17	10	7	16	2	6	4	3	3	1	7	4	21	5	513
1	3	4	40	53	22	20	16	25	20	5	14	3	13	7	6	38	2	514
1	4	48	71	10	9	10	5	29	14	5	16	2	15	12	35	3	515	
5	22	68	62	60	60	156	6	51	33	15	67	5	105	26	66	17	516	
1	3	31	41	19	15	23	4	27	21	5	13	2	18	9	58	10	517	
2	5	46	53	9	18	5	7	29	12	2	7	4	18	7	33	1	518	
1	1	72	58	25	24	9	6	31	13	2	10	2	25	15	43	3	519	
1	6	14	4	4	4	7	5	6	3	2	5	7	9	12	12	5	520	
1	1	6	3	3	5	10	9	1	8	2	2	7	28	4	6	6	521	
1	2	27	38	18	13	13	8	4	17	8	4	12	3	18	7	25	4	522
1	4	39	42	17	17	10	7	9	17	10	2	4	3	15	11	21	1	523
1	1	44	40	17	12	7	2	17	8	1	5	1	1	14	2	7	4	524
10	11	63	89	34	31	18	16	44	42	8	20	9	20	10	77	1	526	
1	7	3	5	2	3	8	3	4	1	10	9	1	5	1	6	527		
1	7	53	41	24	5	4	19	30	12	5	14	1	18	11	48	6	528	
1	11	13	10	8	18	4	4	9	4	2	9	8	2	22	17	18	6	530
1	7	6	79	102	37	32	23	17	55	33	4	16	3	46	22	66	6	531
1	5	26	45	7	14	3	4	1	13	7	1	1	1	8	14	29	2	532
1	1	28	5	9	3	4	1	6	6	4	1	2	2	12	4	10	4	534
1	1	9	8	2	3	4	1	3	3	4	4	13	6	17	7	51	1	535
1	4	49	16	28	12	7	7	30	43	5	5	1	3	17	4	51	4	536
2	2	27	33	23	22	19	5	36	20	4	23	3	26	9	31	4	537	
3	5	5	14	6	17	33	6	7	9	2	8	1	51	5	9	2	538	
1	1	17	33	17	18	28	7	21	18	3	3	2	11	6	31	4	539	
1	1	30	31	14	10	7	6	33	19	4	11	2	12	3	11	5	540	
1	3	9	9	8	11	12	2	5	3	1	1	2	12	2	8	4	541	
25	20	9	3	3	17	8	15	5	5	5	5	4	11	5	24	1	541	
8	13	15	6	12	1	1	1	9	2	1	18	3	24	15	41	1	542	
5	57	30	29	14	7	7	6	31	15	5	16	2	19	6	42	1	543	
5	64	21	19	15	6	1	1	34	23	6	16	2	19	6	42	1	544	
1	1	3	1	1	1	1	1	5	1	1	1	1	1	2	7	545		
1	1	3	26	24	10	12	3	3	12	11	6	6	1	11	5	23	1	546
1	1	2	15	7	7	15	2	3	15	8	4	5	1	9	6	13	3	547
1	8	73	77	31	18	9	9	5	38	20	3	12	7	20	14	42	1	548
1	1	36	36	17	10	7	8	14	11	3	2	5	2	12	2	8	4	550
6	7	4	8	16	1	1	1	4	3	3	1	7	21	3	6	5	551	
2	1	5	10	23	18	23	21	9	17	8	1	4	2	13	5	29	2	552
1	1	1	1	4	1	1	1	3	1	1	5	1	4	8	4	12	4	553
1	6	2	6	6	6	9	23	5	41	20	5	22	5	26	18	49	4	554

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

REGISTRATION AREA.		CAUSES OF DEATH.												Cancer.
		All causes	Typhoid fever.	Malarial fever.	Small-pox	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	
MICHIGAN RURAL—Continued.														
556	Presque Isle county.....	111	1				1		1	3	9	2		
557	Roscommon county.....	29									2			
558	Saginaw county.....	470	6	4		1		1	8	4	20	3	25	
559	St. Clair county.....	499	10	1		3			5	7	26	5	21	
560	St. Joseph county.....	315	4		1				2	8	24	6	22	
561	Sanilac county.....	437	14					4	19	4	36	3	23	
562	Schoolcraft county.....	95	3								1	4	3	
563	Shiawassee county.....	337	5	1	3			5	1	2	22		19	
564	Tuscola county.....	417	7			1		1	6	4	25	8	22	
565	Van Buren county.....	484	7	2				2	3	22	6	21	9	
566	Washtenaw county.....	402	6	2		1			3	8	5	30	10	
567	Wayne county.....	1,176	24			3	2	3	23	17	10	88	10	
568	Wexford county.....	267	5	1			4		5	11	3	10	2	
NEW HAMPSHIRE RURAL.														
569	Belknap county.....	201	3	1					2	4	1	11	2	
570	Carroll county.....	277	1			3	1		19	2	26	4	20	
571	Cheshire county.....	329				3		3	11	6	3	23	2	
572	Coos county.....	242							5	2	2	2	12	
573	Grafton county.....	606	7	3		1		1	1	20	3	43	4	
574	Hillsboro county.....	606	1	1		8			5	16	6	46	4	
575	Merrimack county.....	561	7	1		6	2	1	1	14	4	49	3	
576	Rockingham county.....	737	9	1		2		4	2	21	3	54	8	
577	Strafford county.....	290	3			2		9	2	11	7	8	2	
578	Sullivan county.....	291	6			3		3	4	2	4	22	2	
NEW JERSEY RURAL.														
579	Atlantic county.....	345	3			1		3	10	4	2	33	8	
580	Bergen county.....	1,298	9	2		2	7	3	20	3	11	111	19	
581	Burlington county.....	878	15				5		4	11	7	83	13	
582	Camden county.....	566	7	1				2	8	7	2	78	7	
583	Cape May county.....	198	3						3	2	6	16	2	
584	Cumberland county.....	374	12						3	8	7	35	3	
585	Essex county.....	1,013	8			1	9	8	32	5	8	116	24	
586	Gloucester county.....	434	3						7	11	3	41	7	
587	Hudson county.....	1,366	11	4	1	4	13	3	40	4	27	129	17	
588	Hunterdon county.....	434	2					5	2	4	1	42	7	
589	Mercer county.....	256	4			1		1	4	3		38	1	
590	Middlesex county.....	684	3	6		11	18	1	24	9	16	57	4	
591	Monmouth county.....	1,261	23	6		7	2	6	27	10	16	129	20	
592	Morris county.....	809	3	1		2	2	5	9	13	13	72	10	
593	Ocean county.....	245	7	2		3	1		3	3	1	22	4	
594	Passaic county.....	286	1			1			4	1	2	26	4	
595	Salem county.....	365	5	2		1		2	3	6		31	5	
596	Somerset county.....	520	6	2		4	5	5	7	5	33	41	12	
597	Sussex county.....	254	1			3			3		3	35	3	
598	Union county.....	483	7	2		1	2		13	3	9	57	10	
599	Warren county.....	397	5					2	2	12	8	36	3	
NEW YORK RURAL.														
600	Albany county.....	509	11			6	4	5	6	4	2	43	4	
601	Allegany county.....	515	10				1	5	3	24	15	18	4	
602	Broome county.....	481	7				2		3	17	4	25	2	
603	Cattaraugus county.....	678	4	1		2		13	11	9	9	41	3	
604	Cayuga county.....	544	5				2	4	4	13	9	34	6	
605	Chautauqua county.....	752	5			3	1	4	4	15	7	46	8	
606	Chemung county.....	255	5	1					3	7	3	19	3	
607	Chenango county.....	599	6	1		2	4	1	3	16	6	41	6	
608	Clinton county.....	605	9			3		6	7	22	4	61	6	
609	Columbia county.....	528	8			5	1	1	4	16	1	55	5	
610	Cortland county.....	313	2				1			5	3	17	3	
611	Delaware county.....	584	7	1				3	5	12	9	42	5	
612	Dutchess county.....	1,143	10	2		2	2	7	13	17	9	122	13	
613	Erie county.....	1,334	13			6	8	13	16	35	9	82	8	
614	Essex county.....	489	6	1			1	7	3	15	4	62	6	
615	Franklin county.....	755	10	2		13	3	25	7	11	7	139	16	
616	Fulton county.....	201	1						1	6	4	20		
617	Genesee county.....	571	7	1		1		4	3	11	7	37	8	
618	Greene county.....	524	11	1		8		2	2	9	5	55	4	
619	Hamilton county.....	42	1									3		
620	Herkimer county.....	679	2	1		1	6	2	5	7	11	56	5	
621	Jefferson county.....	752	11	2					5	5	8	51	13	
622	Lewis county.....	362	6			1		2	7	4	2	22	2	
623	Livingston county.....	567	8				2	1	3	9	6	32	5	
624	Madison county.....	685	3			1	4	1	4	10	8	46	5	
625	Monroe county.....	787	5			10	3	3	18	10	7	44	12	
626	Montgomery county.....	358	6			2	3	5	2	7	3	30	4	
627	Nassau county.....	425	18	5		2			22	10	10	75	8	
628	Niagara county.....	582	14	1		5	3		2	10	2	47	13	
629	Oneida county.....	898	11	2		2	4	3	12	7	4	69	11	

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tu- mor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of cir- cu- latory system.	Pneu- monia.	Other diseases of respi- ratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
							Under 2 years.	2 years and over.									
1	1	2	4	8	5	7	10	1	6	3	4	13	14	3	10	2	556
1	7	2	42	73	25	23	36	5	27	20	4	15	35	23	1	357	557
2	4	4	61	60	23	26	22	9	27	20	4	21	47	21	30	7	558
1	4	3	52	48	37	21	22	5	27	7	6	16	3	17	12	39	561
1	2	3	11	7	6	5	9	2	4	4	2	6	2	4	3	13	562
1	6	7	48	51	19	8	6	3	29	23	5	9	2	21	6	45	563
2	7	7	59	65	17	18	20	3	30	12	5	23	5	22	11	36	564
2	3	3	45	75	24	20	12	4	36	28	1	22	2	32	15	54	565
2	2	2	43	59	21	24	7	2	26	25	1	12	4	21	13	48	566
2	2	21	160	129	70	73	73	8	61	46	12	41	8	73	45	113	567
3	5	5	18	25	23	9	21	0	17	6	10	1	1	22	15	33	568
2	4	6	28	42	10	7	5	2	10	9	1	5	1	9	6	25	569
1	3	3	31	36	19	15	4	3	20	13	1	5	2	12	4	26	570
1	3	8	32	52	25	15	17	3	15	19	3	6	2	19	7	25	571
1	5	3	29	26	24	6	10	4	9	17	3	3	1	19	6	25	572
1	9	15	66	79	31	20	14	5	41	40	4	6	3	38	20	86	573
3	4	16	93	79	37	22	13	2	39	54	7	18	9	21	8	61	574
1	3	14	69	97	31	16	27	4	29	30	5	11	3	19	16	75	575
2	3	14	79	116	62	18	33	7	44	48	6	15	3	35	26	85	576
2	2	6	33	38	13	12	31	2	21	18	7	9	2	7	11	21	577
4	6	6	36	44	18	11	8	2	12	26	2	5	5	12	8	35	578
1	2	3	38	50	8	16	23	4	22	32	4	8	1	14	19	31	579
1	12	32	147	158	112	50	87	9	50	78	11	58	10	95	40	68	580
1	7	17	102	118	50	44	43	14	33	71	6	34	3	63	29	54	581
5	10	10	82	67	41	27	36	7	16	35	3	23	3	29	13	42	582
1	5	37	37	16	8	19	10	2	12	13	2	4	1	13	10	8	583
1	5	6	61	36	34	16	15	2	20	25	3	14	4	18	9	21	584
1	9	36	105	136	72	61	43	7	31	67	5	50	20	35	15	55	585
1	2	7	57	55	34	9	22	6	26	33	3	22	1	22	18	25	586
23	46	153	106	119	87	97	13	59	95	95	9	44	16	84	33	86	587
1	1	5	71	65	10	24	13	9	16	34	3	13	3	28	14	33	588
1	2	2	33	28	17	10	9	7	9	11	3	8	3	23	9	15	589
1	5	15	68	40	56	38	49	11	25	40	7	21	5	71	21	35	590
1	5	25	165	100	65	48	64	19	71	75	11	43	4	85	41	81	591
7	16	104	99	48	65	33	11	36	57	7	2	23	3	54	11	62	592
3	4	28	24	11	11	3	15	3	19	19	2	7	3	7	4	20	593
1	10	30	31	21	18	27	3	11	22	22	5	10	5	22	5	16	594
5	5	35	29	27	16	27	5	21	27	27	3	16	2	19	19	19	595
4	9	69	43	28	24	45	7	26	29	29	2	18	5	24	5	39	596
5	8	33	31	27	20	11	3	14	11	6	1	6	4	16	6	10	597
1	4	48	41	42	23	17	9	8	24	28	4	19	9	43	4	27	598
6	13	54	61	44	28	14	7	23	33	5	22	1	34	22	36	2	600
2	5	62	88	37	14	16	13	4	34	26	4	10	9	26	49	2	601
2	8	75	118	40	31	17	10	28	35	5	23	7	43	14	53	2	602
5	12	90	113	47	39	17	10	55	43	2	16	4	59	16	90	2	605
2	5	27	39	16	5	10	2	14	18	2	7	7	20	4	23	2	606
12	6	83	94	52	23	17	9	30	46	5	15	5	26	7	35	2	607
3	10	66	79	29	37	4	26	10	26	6	25	6	28	27	48	2	608
1	5	78	72	30	29	9	7	24	37	2	18	6	39	4	41	1	609
7	1	55	47	24	20	7	4	11	28	2	4	2	15	2	36	1	610
1	6	66	90	49	25	22	9	36	41	13	22	13	2	21	51	1	611
3	10	188	142	76	48	38	16	37	64	15	24	16	69	21	109	1	612
1	14	25	154	80	76	40	17	80	61	7	45	15	142	25	100	1	613
5	9	56	62	29	24	30	3	18	26	7	15	5	26	12	51	1	614
2	9	57	65	50	32	34	12	2	30	34	8	37	3	37	23	63	615
1	3	24	37	12	3	2	2	18	31	1	6	1	5	5	17	5	616
2	7	76	89	26	22	20	4	22	42	3	13	10	2	35	19	56	617
8	6	70	70	33	18	18	1	2	22	5	1	1	2	33	11	36	618
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	619
3	17	75	96	57	26	22	11	41	55	2	15	6	52	18	56	2	620
10	4	84	121	59	28	19	11	38	41	1	46	35	18	11	100	2	621
1	4	36	50	21	8	11	12	17	17	1	12	3	18	7	47	1	622
2	7	91	61	41	21	13	10	30	34	5	16	13	37	16	46	1	623
1	15	91	114	38	22	20	3	39	36	9	24	8	56	8	59	2	624
15	14	93	110	54	31	35	15	30	49	5	28	14	61	15	62	2	625
1	7	47	50	10	12	8	5	16	28	8	32	7	47	32	47	2	626
1	10	91	108	56	54	28	18	35	35	9	45	6	49	23	40	2	627
1	10	64	93	37	22	22	6	28	29	6	29	3	43	24	38	1	628
19	19	106	133	70	51	21	27	54	40	7	26	5	48	33	81	2	629

MORTALITY STATISTICS.

TABLE 3.—DEATHS IN EACH REGISTRATION AREA.

REGISTRATION AREA.		CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.														
630	Onondaga county.....	911	13	2		1	10	4	5	8	6	87	4	42
631	Ontario county.....	618	7			2	3	5	7	5	15	44	4	49
632	Orange county.....	946	15	5		3	1	4	16	14	13	99	8	113
633	Orleans county.....	465	2	1		3	2	3	3	11	2	37	3	18
634	Oswego county.....	1,161	28	1		18	6	1	15	14	20	84	15	59
635	Otsego county.....	843	7	1		12	1	3	2	18	11	49	6	50
636	Putnam county.....	231	1	1		1			4	5	3	25	3	8
637	Rensselaer county.....	767	16			13	10	2	4	11	10	75	5	34
638	Rockland county.....	621	8	4		3	8	5	11	11	7	48	4	26
639	St. Lawrence county.....	1,076	26			18	1	15	8	23	11	92	18	67
640	Saratoga county.....	799	24	1		3		3	7	18	11	79	9	36
641	Schenectady county.....	100	4			1	3		1	3	1	17	1	7
642	Schoharie county.....	375	5			5		2	4	7	8	22	5	25
643	Schuyler county.....	247	3			1	1		3	6	6	16	6	10
644	Seneca county.....	538	7			2		2		17	6	58	4	20
645	Steuben county.....	1,077	12			2		3	14	12	13	91	16	67
646	Suffolk county.....	1,530	18	5		4		1	18	15	21	149	15	65
647	Sullivan county.....	653	14	2					2	10	4	162	8	17
648	Tioga county.....	444	8			1		1	2	14	7	16	2	22
649	Tompkins county.....	331	6						2	6	5	19	6	22
650	Ulster county.....	882	9	2		1		1	16	29	7	81	12	42
651	Warren county.....	221	7					1	4	2	2	10	1	9
652	Washington county.....	790	28			16	3	1	4	19	14	64	9	41
653	Wayne county.....	817	14	2		6	3	12	5	17	10	53	4	37
654	Westchester county.....	1,768	21	9		8	5	19	33	26	17	179	24	95
655	Wyoming county.....	413	3					3	1	18	7	23	6	32
656	Yates county.....	285	2				1	1		10	4	19	4	17
RHODE ISLAND RURAL.														
657	Bristol county.....	295		1		3		1	5	8	3	22	4	16
658	Kent county.....	568	1	1		2	5	6	11	5	5	75	7	24
659	Newport county.....	174	1					6	2	2	1	10	1	10
660	Providence county.....	1,312	17	3		6	1	6	13	25	18	163	23	49
661	Washington county.....	407	8				2	1	2	8	5	33	5	22
VERMONT RURAL.														
662	Addison county.....	334	14			4		3		23	2	13	2	21
663	Bennington county.....	229	9			1		4	1	5	4	13	6	10
664	Caledonia county.....	418	6	1		3		7	2	14	3	22	4	25
665	Chittenden county.....	365	5					1	8	7	4	30	6	14
666	Essex county.....	110							3	1	1	9	2	5
667	Franklin county.....	458	8			1		2	7	18	1	33	1	24
668	Grand Isle county.....	70								2	2	11		7
669	Lamoille county.....	170	2	2				2		9	1	11	2	6
670	Orange county.....	349	4			1			1	13	1	22	6	25
671	Orleans county.....	392	2	2		1		3	5	14	3	28	5	22
672	Rutland county.....	531	5			3	1	2	3	15	6	43	3	26
673	Washington county.....	511	6			0	1	3	5	10	2	37	4	20
674	Windham county.....	481	4			2	4	5	5	14	2	25	4	26
675	Windsor county.....	538	3	1		8		2	2	26	1	42	6	37

PRINCIPAL CAUSES.

251

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tu- mor.	Dia- betes.	Menin- gitis.	Other diseases of nervous system.	Diseases of circula- tory system.	Pneu- monia.	Other diseases of respira- tory system.	Diarrhea and enteritis.		Other diseases of diges- tive system.	Bright's disease and ne- phritis.	Child- birth.	Diseases of early infancy.	Suicide.	Other violence.	Ill- defined causes.	All other causes.	Cause un- known.
							Under 2 years.	2 years and over.									
1	7	17	112	152	48	39	23	9	57	52	3	28	8	64	14	96	630
10	10	10	84	83	38	24	16	4	31	33	5	24	6	37	9	60	631
11	39	91	102	102	61	41	49	14	44	55	6	32	9	83	26	65	632
2	2	1	47	62	18	18	12	5	26	20	2	19	6	22	13	50	633
7	12	157	191	191	67	39	59	15	67	70	7	51	4	42	22	91	634
8	5	109	156	156	74	18	8	9	52	63	8	28	9	44	11	81	635
1	1	26	23	23	19	13	13	4	7	22	2	7	2	18	3	17	636
2	6	12	65	88	60	23	12	16	39	54	1	31	2	53	10	53	637
1	5	13	66	81	28	24	44	6	31	67	6	23	3	51	9	28	638
1	11	12	104	146	60	56	45	23	63	50	7	32	7	48	17	113	639
1	6	20	85	100	63	56	27	7	38	54	3	17	2	42	22	64	640
4	5	22	18	12	12	8	4	1	5	10	2	4	1	16	5	9	641
3	6	53	48	19	9	9	6	6	20	27	3	11	3	15	12	45	642
3	3	37	41	15	2	1	1	1	23	16	1	3	4	17	3	25	643
3	5	94	81	31	21	6	17	28	38	38	1	11	4	26	7	49	644
12	9	141	185	55	50	11	15	52	54	54	9	26	12	64	21	127	645
11	25	274	214	79	41	41	41	66	111	111	9	43	5	64	21	109	646
3	15	81	73	39	23	11	9	35	33	33	4	10	1	31	18	45	647
1	5	64	68	43	13	15	14	23	24	24	2	7	6	24	11	47	648
1	3	57	51	17	19	8	2	19	17	17	2	8	4	17	8	32	649
3	10	127	117	65	45	37	9	53	47	47	6	23	0	58	20	50	650
2	23	33	33	17	9	6	2	16	15	15	7	9	3	14	4	23	651
1	4	81	93	62	35	31	8	39	54	10	10	20	3	41	19	76	652
1	11	15	111	126	43	30	24	10	50	55	7	22	6	42	17	84	653
1	17	47	152	187	114	107	118	22	66	117	12	75	10	142	47	98	654
3	4	5	33	76	18	21	16	2	24	27	5	9	10	27	43	43	655
2	4	37	58	10	7	6	7	17	17	11	2	6	7	15	2	36	656
4	3	27	31	20	25	29	4	13	21	21	2	15	2	13	4	18	657
3	11	49	45	41	36	44	8	29	45	45	5	21	4	31	7	46	658
2	2	19	24	17	6	14	10	10	13	13	1	5	12	13	2	14	659
19	9	128	137	120	57	91	19	41	122	122	14	30	9	63	9	85	660
7	1	35	46	41	35	14	4	16	50	50	3	10	2	15	1	38	661
1	4	3	40	37	26	16	9	16	16	20	4	12	1	10	9	33	662
1	4	22	31	14	10	8	2	11	11	12	1	13	4	16	6	25	663
6	9	45	62	35	13	18	2	19	16	16	4	22	2	21	17	31	664
6	5	39	46	44	17	17	6	14	25	25	3	14	1	12	6	35	665
1	3	10	10	12	7	8	7	7	7	3	2	2	1	5	4	12	666
1	4	9	50	44	46	16	29	8	18	10	9	14	3	29	11	58	667
2	2	4	8	7	9	4	1	2	11	11	4	3	3	7	4	16	668
2	5	26	21	14	4	3	7	11	11	18	4	12	3	8	6	40	669
1	6	8	42	53	30	16	10	8	30	18	7	11	3	12	8	41	670
1	6	7	57	60	48	26	23	10	31	39	7	15	6	34	9	41	671
1	3	9	70	66	49	35	9	3	29	24	7	11	8	34	19	38	672
3	6	87	73	29	18	12	4	25	29	29	4	14	5	22	9	48	673
4	6	74	90	36	27	8	6	25	38	38	2	16	3	17	3	53	674

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
THE REGISTRATION AREA.												
1	Total.....	545,533	105,553	21,960	9,638	5,916	4,317	147,384	12,851	8,835	14,911	22,600
2	Males.....	292,912	59,047	11,658	5,006	3,025	2,244	80,980	6,559	4,524	7,345	11,637
3	Females.....	252,621	46,506	10,302	4,632	2,891	2,073	66,404	6,292	4,311	7,566	10,963
4	White.....	507,715	97,901	20,121	8,784	5,445	4,001	136,255	11,965	8,056	13,273	19,786
5	Males.....	273,005	54,919	10,729	4,501	2,797	2,086	75,122	6,145	4,190	6,633	10,190
6	Females.....	234,710	42,982	9,392	4,193	2,648	1,918	61,133	5,820	3,866	6,640	9,596
7	Native.....	358,247	66,862	19,539	8,461	5,139	3,785	133,786	11,179	7,426	11,097	14,627
8	Males.....	190,403	34,358	10,416	4,428	2,650	1,968	73,820	5,751	3,876	5,407	7,208
9	Females.....	167,844	32,504	9,123	4,033	2,489	1,817	59,966	5,428	3,550	5,690	7,419
10	Both parents native..... (M..)	88,928	23,345	4,122	1,828	1,095	880	31,270	2,623	1,867	2,648	3,371
11	One or both parents foreign..... (M..)	83,262	18,177	3,691	1,677	1,058	801	25,404	2,531	1,688	2,805	3,703
12	Parentage unknown..... (M..)	71,622	26,352	5,723	2,361	1,406	971	36,813	2,776	1,691	2,229	2,893
13	Parentage not stated..... (M..)	60,655	20,162	4,916	2,167	1,275	916	29,676	2,562	1,623	2,278	2,861
14	Both parents native..... (F..)	27,477	4,075	471	191	132	97	4,966	296	275	461	823
15	One or both parents foreign..... (F..)	22,362	3,389	429	194	127	81	4,220	279	179	418	714
16	Parentage unknown..... (F..)	2,376	586	100	48	37	20	771	56	43	66	121
17	Parentage not stated..... (F..)	2,005	476	87	55	29	19	666	53	50	69	111
18	Foreign.....	140,951	630	512	294	292	210	1,938	728	573	2,129	4,816
19	Males.....	76,703	340	276	149	141	112	1,018	364	281	1,133	2,717
20	Females.....	64,248	290	236	145	151	98	920	364	289	996	2,099
21	Unknown.....	8,517	409	70	29	14	9	531	58	57	137	343
22	Males.....	5,890	221	37	14	6	6	284	30	30	93	235
23	Females.....	2,618	188	33	15	8	3	247	28	27	44	108
24	Colored.....	37,818	7,652	1,839	854	471	313	11,129	886	770	1,668	2,814
25	Males.....	19,907	4,128	929	415	228	158	5,858	414	334	712	1,447
26	Females.....	17,911	3,524	910	439	243	155	5,271	472	445	956	1,367
27	Black..... (M..)	18,831	4,046	918	401	224	154	5,746	409	330	689	1,391
28	Indian..... (M..)	17,067	3,456	900	433	239	153	5,181	437	432	943	1,350
29	Chinese and Japanese..... (M..)	156	30	6	9	1	1	55	3	3	12	10
30	Chinese and Japanese..... (F..)	143	31	6	2	2	4	43	10	10	9	12
31	Chinese and Japanese..... (M..)	917	43	5	2	3	1	57	2	2	11	46
32	Chinese and Japanese..... (F..)	101	37	4	3	2	1	47	5	3	4	5
REGISTRATION CITIES.												
33	Total.....	411,082	83,826	17,030	7,853	4,709	3,534	117,912	10,197	6,754	11,512	18,100
34	Males.....	222,052	46,802	9,491	4,071	2,419	1,838	64,621	5,182	3,449	5,653	9,446
35	Females.....	189,010	37,024	8,439	3,782	2,350	1,696	53,291	5,015	3,305	5,859	8,654
36	White.....	375,782	76,685	16,206	7,059	4,329	3,237	107,516	9,383	6,040	9,960	15,434
37	Males.....	203,481	42,945	8,022	3,690	2,265	1,688	59,150	4,802	3,138	4,990	8,069
38	Females.....	172,301	33,740	7,384	3,369	2,124	1,549	48,366	4,581	2,902	4,970	7,365
39	Native.....	252,202	75,786	15,694	6,770	4,073	3,011	105,364	8,704	5,518	8,027	10,965
40	Males.....	135,336	42,457	8,315	3,543	2,081	1,583	58,009	4,462	2,882	3,952	5,507
41	Females.....	116,866	33,329	7,349	3,227	1,992	1,458	47,355	4,242	2,636	4,075	5,458
42	Both parents native..... (M..)	54,707	15,933	2,802	1,290	738	632	21,365	1,794	1,212	1,687	2,303
43	One or both parents foreign..... (M..)	50,440	12,399	2,545	1,156	735	579	17,334	1,746	1,080	1,760	2,339
44	Parentage unknown..... (M..)	50,831	22,224	5,013	2,065	1,212	843	31,357	2,351	1,397	1,815	2,407
45	Parentage not stated..... (M..)	49,948	17,348	4,318	1,845	1,067	787	25,395	2,194	1,352	1,896	2,384
46	Both parents native..... (F..)	18,422	3,714	430	170	111	88	4,516	261	230	384	676
47	One or both parents foreign..... (F..)	14,453	3,166	399	171	111	73	3,860	249	154	350	604
48	Parentage unknown..... (F..)	2,376	586	100	48	37	20	771	56	43	66	121
49	Parentage not stated..... (F..)	2,005	476	87	55	29	19	666	53	50	69	111
50	Foreign.....	117,160	530	451	263	246	188	1,678	632	477	1,825	4,189
51	Males.....	63,619	287	242	134	120	100	883	316	231	967	2,379
52	Females.....	53,541	243	209	129	126	88	795	316	246	858	1,810
53	Unknown.....	6,420	369	61	26	10	8	474	47	45	108	280
54	Males.....	4,526	201	35	13	4	5	258	24	25	71	183
55	Females.....	1,894	168	26	13	6	3	216	23	20	37	97
56	Colored.....	35,280	7,141	1,724	794	440	297	10,396	814	714	1,552	2,666
57	Males.....	18,571	3,857	893	381	214	150	5,471	380	311	663	1,277
58	Females.....	16,709	3,284	835	413	226	147	4,925	434	403	889	1,289
59	Black..... (M..)	17,643	3,809	864	379	211	146	5,409	378	310	650	1,329
60	Indian..... (M..)	16,390	3,243	851	409	223	146	4,872	428	400	885	1,283
61	Chinese and Japanese..... (M..)	21	5	1	1	1	1	5	1	1	2	2
62	Chinese and Japanese..... (F..)	19	4	1	2	3	4	6	2	1	11	1
63	Chinese and Japanese..... (M..)	907	43	5	2	3	1	57	2	2	11	46
64	Chinese and Japanese..... (F..)	100	37	4	3	2	1	47	5	3	4	5

AGE, SEX, COLOR, AND NATIVITY.

253

STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Un-known.	
24,438	24,506	26,296	25,143	25,948	26,671	27,654	31,026	32,037	31,313	27,928	19,889	10,841	3,401	1,158	1,043	1
12,743	13,448	15,061	11,637	15,229	15,329	15,018	16,853	16,782	15,868	13,874	9,529	4,897	1,437	392	685	2
11,695	11,058	11,235	10,506	10,719	11,332	12,006	14,173	15,250	15,175	14,054	13,320	5,944	2,164	766	358	3
21,757	22,183	23,825	23,026	23,935	24,638	25,500	29,504	30,809	30,414	27,307	19,483	10,572	3,463	981	923	4
11,338	12,143	13,667	13,406	14,091	11,190	14,227	16,090	16,164	15,402	13,568	9,398	4,778	1,394	345	614	5
10,419	10,010	10,158	9,620	9,844	10,448	11,273	13,591	14,705	15,012	13,759	10,085	5,791	2,060	639	399	6
15,134	14,997	14,509	13,199	14,053	13,260	12,888	14,360	15,497	15,795	15,231	11,507	6,619	2,289	543	338	7
7,528	7,928	8,018	7,288	7,861	7,391	7,043	7,789	8,192	8,129	7,553	5,480	2,805	896	167	183	8
7,606	7,069	6,491	5,911	6,192	5,869	5,845	6,571	7,305	7,666	7,681	6,027	3,724	1,393	356	155	9
2,987	2,842	2,852	2,643	3,058	3,491	3,913	4,636	4,990	5,165	4,731	3,408	1,723	516	79	85	10
3,400	3,007	2,747	2,526	2,825	3,016	3,341	4,054	4,361	4,973	5,033	3,691	2,431	835	218	67	11
3,367	3,814	3,796	3,377	3,182	2,225	1,187	1,228	964	697	534	331	206	56	15	38	12
3,235	3,081	2,824	2,380	2,266	1,837	1,292	1,112	961	683	559	441	239	88	27	32	13
1,018	1,129	1,214	1,253	1,180	1,549	1,547	1,825	2,133	2,184	2,213	1,691	953	290	70	53	14
895	891	858	927	1,013	940	1,123	1,315	1,598	1,908	2,016	1,551	998	462	124	50	15
126	143	125	115	141	133	96	100	105	83	75	50	13	4	3	7	16
105	90	82	78	88	76	86	90	85	102	73	41	36	8	7	6	17
6,183	6,677	8,589	9,069	9,162	10,721	12,073	14,551	14,794	14,122	11,660	7,667	3,779	1,117	421	185	14
3,487	3,819	5,086	5,500	5,651	6,307	6,808	7,807	7,585	6,987	5,790	3,770	1,865	471	171	113	15
2,695	2,858	3,500	3,569	3,511	4,414	5,265	6,744	7,209	7,135	5,790	3,897	1,974	646	250	72	16
440	509	730	758	720	657	539	593	578	497	413	399	174	57	17	400	17
524	396	563	618	579	492	376	404	387	286	225	148	78	27	7	318	18
117	113	167	140	141	165	163	189	191	211	188	161	96	30	10	82	19
2,681	2,323	2,471	2,117	2,013	2,033	1,551	1,522	1,168	929	621	406	299	135	177	120	20
1,405	1,305	1,394	1,231	1,158	1,149	821	853	623	466	306	171	119	43	47	71	21
1,276	1,018	1,077	886	875	881	733	669	515	463	315	235	150	95	130	49	22
1,321	1,213	1,287	1,117	1,029	1,010	728	798	589	447	297	165	118	42	46	67	23
1,262	1,001	1,039	876	871	878	726	665	538	462	311	230	147	92	127	46	24
5	5	11	4	5	5	4	5	6	7	5	4	1	1	1	1	25
3	6	3	6	3	5	5	2	5	1	4	5	3	3	3	3	2
79	87	96	110	101	134	94	50	28	12	4	2	2	2	2	5	26
11	8	5	4	1	1	2	2	2							1	27
20,042	20,237	21,932	20,706	21,067	21,227	20,449	22,650	22,021	20,030	16,530	10,946	5,686	1,827	661	591	28
10,675	11,318	12,797	12,324	12,617	12,368	11,508	12,287	11,502	9,839	7,801	4,940	2,422	655	213	375	29
9,397	8,919	9,135	8,382	8,450	8,839	8,941	10,363	10,519	10,181	8,669	6,006	3,264	1,167	448	216	30
17,478	18,047	19,579	18,095	19,165	19,307	19,010	21,248	20,960	19,205	15,982	10,099	5,458	1,713	494	496	31
9,331	10,081	11,476	11,116	11,741	11,283	10,742	11,505	10,937	9,437	7,000	4,812	2,323	624	168	322	32
8,147	7,966	8,103	7,552	7,624	8,021	8,268	9,742	10,023	9,768	8,382	5,797	3,135	1,089	326	174	33
11,609	11,701	11,323	10,073	10,462	9,355	8,271	8,519	8,419	7,845	6,997	4,935	2,748	939	203	165	34
5,983	6,379	6,451	5,754	6,070	5,327	4,607	4,661	4,434	3,921	3,255	2,131	1,111	318	55	87	35
5,686	5,322	4,872	4,319	4,412	4,028	3,661	3,898	3,985	3,924	3,742	2,804	1,637	621	148	78	36
2,092	2,045	2,006	1,804	2,051	2,221	2,336	2,596	2,554	2,421	1,986	1,324	647	202	24	37	37
2,201	1,948	1,786	1,575	1,745	1,847	1,972	2,221	2,397	2,479	2,432	1,891	1,071	388	95	27	38
2,565	3,256	3,269	2,802	2,689	1,825	1,174	913	677	423	294	152	111	25	8	21	39
2,684	2,578	2,361	1,974	1,858	1,488	975	829	691	450	361	262	137	50	13	20	40
900	937	1,051	1,033	1,169	1,001	1,052	1,098	994	900	605	340	87	20	22	1	41
696	706	640	692	721	617	631	736	812	893	873	607	389	175	33	25	42
126	143	125	115	141	133	96	100	105	85	75	50	13	4	3	7	43
105	90	82	78	88	76	86	90	85	102	73	44	36	8	7	6	44
5,430	5,914	7,627	7,993	8,103	9,419	10,346	12,273	12,135	11,052	8,771	5,532	2,628	754	282	100	39
3,073	3,371	4,540	4,875	5,011	5,543	5,855	6,597	6,220	5,336	4,226	2,623	1,183	298	108	54	40
2,357	2,543	3,087	3,118	3,092	3,876	4,491	5,746	5,915	5,716	4,545	2,909	1,445	456	174	46	41
379	432	629	632	600	533	393	456	406	308	214	142	82	20	9	231	42
275	331	485	517	483	413	280	318	283	180	119	58	29	8	5	181	43
104	101	144	115	117	120	113	138	123	128	95	84	53	12	4	50	44
2,564	2,190	2,353	2,008	1,902	1,920	1,439	1,402	1,061	815	548	337	228	109	167	95	45
1,344	1,237	1,321	1,178	1,073	1,085	796	781	565	402	261	128	99	31	45	53	46
1,220	953	1,032	830	829	835	673	621	496	413	287	209	129	78	122	42	47
1,266	1,150	1,222	1,069	973	952	671	731	535	390	256	126	99	31	45	51	48
1,209	945	1,027	826	825	830	671	618	493	413	289	208	129	78	121	41	49
1		4		1	1	1	1	2	2	1	1				1	50
77	87	95	109	98	132	94	50	12	12	4	2				1	
11	8	5	4	1	1	1	2	2							1	

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES.

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
REGISTRATION STATES.												
51	Total.....	345,863	66,894	13,806	6,073	3,757	2,660	93,190	8,197	5,433	8,741	12,502
52	Males.....	183,085	37,489	7,430	3,174	1,941	1,401	51,435	4,211	2,736	4,297	6,355
53	Females.....	162,778	29,405	6,376	2,899	1,816	1,259	41,755	3,986	2,697	4,444	6,237
54	White.....	334,344	64,353	13,217	5,780	3,602	2,555	89,513	7,886	5,191	8,252	11,836
55	Males.....	177,105	36,098	7,117	3,029	1,863	1,349	49,456	4,076	2,645	4,089	5,984
56	Females.....	157,239	28,255	6,100	2,757	1,739	1,206	40,057	3,810	2,546	4,163	5,852
57	Native.....	240,261	63,674	12,825	5,575	3,382	2,401	87,857	7,325	4,743	6,758	8,648
58	Males.....	126,844	35,733	6,906	2,927	1,787	1,258	48,581	3,787	2,431	3,313	4,286
59	Females.....	113,417	27,941	5,919	2,648	1,625	1,143	39,276	3,538	2,312	3,445	4,412
60	Both parents native..... (M.)	61,429	15,162	2,647	1,167	712	547	20,235	1,712	1,269	1,723	2,070
61	One or both parents foreign..... (F.)	58,210	11,826	2,335	1,067	668	488	16,384	1,645	1,144	1,791	2,323
62	Parentage unknown..... (M.)	49,479	18,002	4,097	1,700	1,002	689	26,390	1,982	1,146	1,424	1,842
63	Foreign..... (F.)	41,308	14,738	3,451	1,511	915	633	21,248	1,817	1,114	1,461	1,784
64	Parentage unknown..... (M.)	15,936	1,669	192	60	43	22	1,956	93	85	166	324
65	Foreign..... (F.)	13,899	1,377	133	70	42	22	1,644	76	54	103	305
66	Unknown.....	89,901	465	359	200	216	151	1,391	540	428	1,447	3,093
67	Males.....	47,424	252	193	99	104	88	736	276	204	740	1,653
68	Females.....	42,477	213	166	101	112	63	655	264	224	707	1,410
69	Colored.....	4,182	214	33	11	4	3	265	21	20	47	125
70	Males.....	2,837	113	18	3	2	3	139	13	10	36	95
71	Females.....	1,345	101	15	8	2	2	126	8	10	11	30
72	Black..... (M.)	5,940	1,391	313	115	78	52	1,979	135	91	208	371
73	Indian..... (F.)	5,539	1,150	276	142	77	53	1,698	176	151	281	385
74	Chinese and Japanese..... (M.)	5,700	1,355	305	136	76	52	1,924	132	88	197	355
75	Chinese and Japanese..... (F.)	5,403	1,119	270	139	76	52	1,656	167	141	272	373
76	Chinese and Japanese..... (M.)	143	34	6	9	1	1	50	3	3	11	8
77	Chinese and Japanese..... (F.)	136	29	6	2	1	1	39	9	10	9	11
78	Chinese and Japanese..... (M.)	137	2	2	1	1	1	5	5	5	5	5
79	Chinese and Japanese..... (F.)	6	2	2	1	1	1	3	3	3	3	3
CITIES IN REGISTRATION STATES.												
80	Total.....	211,392	45,167	9,776	4,288	2,610	1,877	63,718	5,543	3,352	5,312	8,092
81	Males.....	112,225	25,244	5,263	2,230	1,335	995	35,076	2,834	1,661	2,603	4,164
82	Females.....	99,167	19,923	4,513	2,058	1,275	882	28,642	2,709	1,691	2,707	3,928
83	White.....	202,411	43,137	9,302	4,061	2,486	1,788	60,774	5,304	3,175	4,939	7,484
84	Males.....	107,581	24,124	5,010	2,128	1,271	951	33,484	2,733	1,593	2,446	3,863
85	Females.....	94,830	19,013	4,292	1,933	1,215	837	27,290	2,571	1,582	2,493	3,621
86	Native.....	134,216	42,508	8,980	3,881	2,316	1,657	59,435	4,850	2,835	3,778	4,986
87	Males.....	71,777	23,832	4,835	2,042	1,188	873	32,770	2,498	1,437	1,858	2,535
88	Females.....	62,439	18,766	4,145	1,842	1,128	784	26,665	2,352	1,398	1,920	2,451
89	Both parents native..... (M.)	27,208	7,750	1,327	599	355	299	10,330	883	545	762	1,002
90	One or both parents foreign..... (F.)	25,378	6,048	1,189	546	365	266	8,414	837	526	746	979
91	Parentage unknown..... (M.)	37,488	14,774	3,387	1,404	808	561	20,934	1,557	852	1,010	1,356
92	Foreign..... (F.)	31,201	11,624	2,853	1,249	737	504	16,967	1,449	843	1,079	1,307
93	Parentage unknown..... (M.)	6,881	1,308	121	39	25	13	1,506	58	40	86	177
94	Foreign..... (F.)	5,860	1,094	103	47	26	14	1,284	46	29	95	165
95	Unknown.....	66,110	365	298	169	170	129	1,131	444	332	1,143	2,436
96	Males.....	34,340	199	159	84	83	76	601	228	151	574	1,285
97	Females.....	31,770	166	139	85	87	53	530	216	181	569	1,151
98	Colored.....	2,085	174	24	8	2	2	208	10	8	18	62
99	Males.....	1,464	93	16	2	2	2	113	7	5	14	43
100	Females.....	621	81	8	6	2	2	95	3	3	4	19
101	Black.....	8,981	2,030	474	227	124	89	2,944	230	177	373	608
102	Males.....	4,644	1,120	253	111	61	44	1,592	101	68	159	301
103	Females.....	4,337	910	221	116	60	45	1,352	138	109	214	307
104	Both parents native..... (M.)	4,509	1,118	251	111	63	44	1,587	101	68	158	293
105	One or both parents foreign..... (F.)	4,326	906	221	115	60	45	1,347	138	109	214	306
106	Parentage unknown..... (M.)	8	2	2	1	1	1	2	2	2	2	2
107	Foreign..... (F.)	6	2	2	1	1	1	2	2	2	2	2
108	Chinese and Japanese..... (M.)	127	2	2	1	1	1	2	2	2	2	2
109	Chinese and Japanese..... (F.)	5	2	2	1	1	1	3	3	3	3	3

255

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Un-known.
13,795	14,113	15,096	14,681	15,278	16,112	17,244	20,301	21,759	21,829	20,196	14,727	8,282	2,798	821	678
6,979 6,816	7,550 6,563	8,401 6,695	8,255 6,426	8,679 6,599	8,884 7,228	9,316 7,928	10,794 9,707	11,265 10,554	11,019 10,810	10,101 10,065	7,196 7,531	3,801 4,481	1,140 1,658	281 340	450 228
13,072	13,445	14,461	14,141	14,666	15,535	16,792	19,816	21,350	21,493	19,960	14,522	8,154	2,737	777	632
6,619 6,453	7,190 6,255	8,041 6,420	7,964 6,180	8,359 6,337	8,573 6,962	9,092 7,700	10,517 9,299	10,987 10,363	10,853 10,640	9,978 9,982	7,117 7,455	3,760 4,424	1,117 1,620	269 508	419 213
9,026	8,922	8,711	8,052	8,726	8,399	8,810	10,267	11,568	12,252	12,264	9,513	5,561	1,950	475	234
4,428 4,598	4,652 4,270	4,719 3,992	4,300 3,722	4,770 3,956	4,659 3,940	4,720 4,060	5,520 4,747	6,086 5,482	6,338 5,914	6,166 6,098	4,500 4,923	2,473 3,088	777 1,173	143 332	125 109
1,818 2,120 2,250 2,088	1,702 1,903 2,118 1,973	1,742 1,728 2,471 1,855	1,661 1,651 2,089 1,586	1,964 1,916 2,089 1,472	2,394 2,131 2,440 1,435	2,776 2,440 2,886 1,219	3,453 3,437 886 861	3,846 3,647 993 796	4,150 3,942 394 470	3,952 3,942 256 381	2,028 3,312 158 311	1,499 2,074 43 175	473 711 43 62	70 199 10 69	61 54 16 21
380 385	432 394	506 409	563 485	717 568	830 590	964 789	1,241 954	1,579 1,195	1,696 1,502	1,820 1,669	1,406 1,300	816 839	261 400	63 114	38 34
3,901	4,307	5,466	5,751	5,646	6,630	7,718	9,269	9,481	8,950	7,405	4,844	2,507	745	290	122
2,081 1,820	2,366 1,941	3,092 2,374	3,354 2,397	3,324 2,322	3,697 2,933	4,196 3,522	4,815 4,454	4,704 4,777	4,355 4,595	3,663 3,742	2,416 2,428	1,233 1,274	320 425	122 168	77 45
145	216	284	341	324	306	264	280	301	291	291	215	116	42	12	276
110 35	172 44	230 54	280 61	265 59	217 89	176 88	182 104	197 104	160 131	149 142	111 104	54 62	30 22	4 8	217 59
723	668	635	537	582	577	422	485	409	336	236	155	98	61	44	46
360 363	360 308	360 275	291 262	320 262	311 286	224 228	277 208	218 191	166 170	123 113	79 76	41 57	23 38	12 32	31 15
337 360 4 3 19	338 301 5 6 17	330 272 9 3 21	266 240 9 6 21	299 259 8 3 13	284 265 5 1 22	215 222 3 5 6	271 206 2 2 1	211 187 6 5 1	159 169 7 4 1	118 109 5 4 1	74 72 4 3 1	40 54 1 3	21 35 1 3	11 30 1 2	29 13 2 2
9,399	9,841	10,732	10,244	10,597	10,668	10,639	11,925	11,743	10,506	8,798	5,784	3,127	1,019	324	226
4,911 4,458	5,420 4,424	6,137 4,595	5,942 4,302	6,067 4,330	5,913 4,755	5,776 4,863	6,228 5,097	5,920 5,823	4,990 5,516	4,088 4,710	2,567 3,217	1,326 1,801	338 661	102 222	140 86
8,793	9,300	10,215</													

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES.

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
RURAL PART OF REGISTRATION STATES.												
99	Total.....	131,471	21,727	4,030	1,785	1,147	783	29,472	2,654	2,681	3,429	4,500
100	Males.....	70,890	12,245	2,167	935	606	406	16,359	1,377	1,075	1,692	2,191
101	Females.....	63,611	9,482	1,863	850	541	377	13,113	1,277	1,606	1,737	2,309
102	White.....	131,933	21,216	3,915	1,725	1,116	767	28,739	2,582	2,016	3,313	4,352
103	Males.....	69,524	11,974	2,107	901	592	398	15,972	1,343	1,052	1,643	2,121
104	Females.....	62,409	9,242	1,808	824	524	369	12,767	1,239	964	1,670	2,231
105	Native.....	106,045	21,076	3,845	1,601	1,066	744	28,422	2,475	1,908	2,980	3,662
106	Males.....	55,067	11,901	2,071	885	569	385	15,811	1,289	994	1,455	1,701
107	Females.....	50,978	9,175	1,774	806	497	359	12,611	1,186	914	1,525	1,961
108	Both parents native.....	(M) 34,221	7,412	1,329	568	357	248	9,905	820	655	961	1,068
109	One or both parents foreign.....	(F) 32,832	5,778	1,446	321	303	222	7,970	788	618	1,045	1,314
110	Parentage unknown.....	(M) 11,791	4,128	710	296	194	128	5,456	425	291	414	486
111	Foreign.....	(F) 10,107	3,114	598	262	178	129	4,281	368	271	382	477
112	Parentage not stated.....	(M) 9,055	361	41	21	18	9	450	35	45	80	147
113	Chinese and Japanese.....	(F) 8,049	283	30	23	16	8	360	30	25	98	140
114	Unknown.....	2,097	40	9	3	4	1	57	11	12	29	63
115	Males.....	1,373	20	2	1	2	1	26	6	5	22	52
116	Females.....	724	20	7	2	2		31	5	7	7	11
117	Colored.....	2,538	511	115	60	31	16	733	72	65	116	148
118	Males.....	1,336	271	60	34	14	8	387	34	23	49	70
119	Females.....	1,202	240	55	26	17	8	346	38	42	67	78
120	Black.....	(M) 1,191	237	54	25	13	8	337	31	20	39	62
121	Indian.....	(F) 1,077	213	49	24	16	7	309	29	32	58	67
122	Chinese and Japanese.....	(M) 135	34	6	9	1		50	3	3	10	8
123	Chinese and Japanese.....	(F) 124	27	6	2	1	1	37	9	10	9	11
REGISTRATION CITIES IN OTHER STATES.												
124	Total.....	199,670	38,659	8,154	3,565	2,159	1,657	54,194	4,654	3,402	6,200	10,008
125	Males.....	109,827	21,558	4,228	1,832	1,081	843	29,545	2,348	1,788	3,048	5,282
126	Females.....	89,843	17,101	3,926	1,733	1,075	814	24,649	2,306	1,614	3,152	4,726
127	White.....	173,371	33,548	6,904	2,998	1,843	1,449	46,742	4,079	2,865	5,021	7,950
128	Males.....	95,900	18,821	3,612	1,562	934	737	25,606	2,069	1,545	2,544	4,206
129	Females.....	77,471	14,727	3,292	1,436	909	712	21,076	2,010	1,320	2,477	3,744
130	Native.....	117,986	33,188	6,714	2,886	1,757	1,384	45,929	3,854	2,683	4,249	5,979
131	Males.....	63,559	18,625	3,510	1,501	893	710	25,239	1,964	1,445	2,094	2,972
132	Females.....	54,427	14,563	3,204	1,385	864	674	20,690	1,890	1,238	2,155	3,007
133	Both parents native.....	(M) 27,499	8,183	1,475	661	383	333	11,035	911	667	925	1,301
134	One or both parents foreign.....	(F) 25,082	6,351	1,356	610	390	313	9,020	889	554	1,014	1,380
135	Parentage unknown.....	(M) 22,143	7,450	1,626	661	401	282	10,423	794	545	805	1,051
136	Parentage not stated.....	(F) 18,747	5,724	1,465	596	360	283	8,428	745	509	817	1,077
137	Foreign.....	(M) 11,541	2,406	309	131	89	75	3,010	203	190	298	490
138	Chinese and Japanese.....	(F) 8,593	2,012	296	124	85	59	2,576	203	125	253	439
139	Parentage not stated.....	(M) 2,376	586	100	48	17	20	771	56	43	66	121
140	Chinese and Japanese.....	(F) 2,005	476	87	59	29	19	666	53	50	69	111
141	Unknown.....	51,030	165	153	94	76	59	547	188	145	682	1,753
142	Males.....	29,279	88	83	50	37	24	287	88	80	333	1,094
143	Females.....	21,771	77	70	44	39	35	265	100	65	280	659
144	Unknown.....	4,335	195	37	18	10	6	266	37	37	90	218
145	Males.....	3,062	108	19	11	4	3	145	17	20	57	140
146	Females.....	1,273	87	18	7	6	3	121	20	17	33	78
147	Colored.....	26,299	5,111	1,250	567	316	208	7,452	575	537	1,179	2,058
148	Males.....	13,927	2,737	616	270	150	106	3,879	279	243	504	1,076
149	Females.....	12,372	2,374	634	297	166	102	3,573	296	294	675	982
150	Black.....	(M) 13,134	2,691	613	268	148	102	3,822	277	242	492	1,036
151	Indian.....	(F) 12,264	2,337	630	294	163	101	3,525	290	291	671	977
152	Chinese and Japanese.....	(M) 13	5					5			1	2
153	Chinese and Japanese.....	(F) 13	2		1	1		4	1		1	1
154	Chinese and Japanese.....	(M) 780	41	3	2	2	4	52	2	1	11	38
155	Chinese and Japanese.....	(F) 95	35	4	2	2	1	44	5	3	4	4

AGE, SEX, COLOR, AND NATIVITY.

257

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Un-known	
4,396	4,269	4,364	4,437	4,881	5,444	6,065	8,376	10,016	11,323	11,398	8,943	5,155	1,779	497	452	99
2,968	2,180	2,364	2,413	2,612	2,971	3,540	4,566	5,285	6,029	6,013	4,629	2,475	782	179	310	100
2,428	2,139	2,100	2,124	2,269	2,473	3,065	3,810	4,731	5,294	5,385	4,314	2,680	997	318	142	101
4,279	4,136	4,246	4,328	4,770	5,331	6,190	8,256	9,909	11,209	11,325	8,874	5,114	1,750	487	427	102
2,007	2,062	2,191	2,209	2,517	2,907	3,485	4,191	5,227	5,965	5,968	4,586	2,455	770	177	292	103
2,272	2,074	2,035	2,068	2,223	2,424	3,005	3,762	4,682	5,241	5,357	4,288	2,659	980	310	135	104
3,465	3,296	3,186	3,126	3,591	3,905	4,617	5,841	7,078	7,950	8,237	6,572	3,871	1,350	340	173	105
1,515	1,519	1,567	1,534	1,811	2,064	2,436	3,128	3,758	4,298	4,298	3,349	1,784	578	112	96	106
1,920	1,747	1,619	1,592	1,780	1,841	2,181	2,713	3,320	3,742	3,699	3,223	2,087	772	228	77	107
895	797	846	839	1,007	1,270	1,577	2,040	2,436	2,744	2,745	2,084	1,076	314	55	48	108
1,199	1,059	961	951	1,080	1,169	1,372	1,833	2,264	2,491	2,401	2,100	1,374	447	123	40	109
502	358	328	328	493	492	518	615	787	874	874	619	317	31	7	12	110
519	503	460	406	408	349	317	291	270	233	195	104	38	14	179	31	110
148	191	193	220	311	392	546	773	1,035	1,190	1,313	1,086	613	203	50	31	110
172	185	198	235	292	323	492	589	786	1,015	1,143	944	609	287	91	25	110
753	763	959	1,076	1,059	1,302	1,727	2,278	2,659	3,070	2,889	2,135	1,151	363	139	85	111
414	448	516	625	640	764	933	1,280	1,365	1,651	1,564	1,147	622	173	63	50	112
339	315	413	451	419	538	774	998	1,294	1,410	1,325	988	520	190	76	26	113
61	77	101	126	120	124	146	137	172	189	199	167	92	37	8	169	114
48	65	78	101	96	79	96	86	104	106	106	90	49	19	2	137	115
13	12	23	25	24	45	50	51	68	83	93	77	43	18	6	32	116
117	133	118	109	111	113	115	120	107	114	73	69	41	29	10	25	117
61	68	73	53	65	64	55	72	58	64	45	43	20	12	2	18	118
56	65	45	56	46	49	60	48	49	50	28	26	21	17	8	7	119
55	63	65	48	56	58	52	67	54	57	41	39	19	11	1	16	120
53	59	62	50	43	48	55	47	45	49	26	22	18	14	6	5	120
4	5	7	4	7	4	3	5	4	7	4	4	1	1	1	2	121
3	6	3	6	3	1	4	1	4	1	2	4	3	3	2	2	121
2		1	1	2	2											122
						1										
10,643	10,393	11,200	10,462	10,670	10,569	9,810	10,725	10,278	9,514	7,732	5,162	2,559	803	337	365	123
5,764	5,895	6,600	6,382	6,550	6,455	5,732	6,059	5,582	4,849	3,773	2,373	1,096	297	111	235	124
4,879	4,495	4,540	4,080	4,120	4,104	4,078	4,666	4,696	4,665	3,959	2,789	1,463	506	226	130	125
8,085	8,738	9,364	8,882	9,239	9,103	8,708	9,688	9,519	8,921	7,347	4,911	2,388	726	204	291	126
4,719	4,953	5,620	5,442	5,732	5,617	5,135	5,483	5,177	4,549	3,600	2,281	1,018	277	76	195	127
3,966	3,783	3,738	3,440	3,507	3,486	3,373	4,205	4,342	4,372	3,757	2,630	1,370	449	128	96	128
6,108	6,075	5,798	5,147	5,327	4,661	4,078	4,093	3,929	3,543	2,970	1,994	1,058	339	68	104	129
3,100	3,276	3,299	2,958	3,091	2,732	2,323	2,269	2,106	1,791	1,387	890	422	119	24	58	130
3,008	2,799	2,499	2,189	2,236	1,929	1,755	1,824	1,823	1,752	1,583	1,104	636	220	44	46	131
1,169	1,140	1,110	982	1,094	1,097	1,137	1,183	1,144	1,015	779	480	224	73	9	24	132
1,270	1,104	1,019	875	909	885	901	1,017	1,014	1,031	985	679	377	124	19	13	132
1,137	1,296	1,326	1,171	1,093	792	507	402	303	205	140	75	48	13	5	12	133
1,150	1,105	969	794	794	618	431	356	321	213	178	130	64	26	8	11	133
668	697	738	690	703	710	583	584	554	488	393	285	137	29	7	15	134
483	467	429	442	445	330	334	361	405	490	347	251	159	62	10	16	134
126	143	125	115	141	133	96	100	105	83	75	50	13	4	3	7	135
105	90	82	78	88	76	86	90	85	102	73	44	36	8	7	6	135
2,282	2,370	3,120	3,318	3,516	4,091	4,355	5,282	5,313	5,172	4,255	2,823	1,272	372	131	63	136
1,406	1,453	1,994	2,146	2,327	2,610	2,612	2,992	2,881	2,932	2,127	1,354	572	151	49	36	137
876	917	1,126	1,172	1,189	1,481	1,743	2,200	2,432	2,540	2,128	1,469	700	221	82	27	138
295	293	446	417	396	351	275	313	277	206	122	94	58	15	5	124	139
213	224	333	338	314	275	200	222	190	126	76	37	24	7	3	101	140
82	69	113	79	82	76	75	91	87	80	46	57	34	8	2	23	141
1,958	1,655	1,830	1,580	1,431	1,456	1,102	1,037	759	593	355	251	171	77	133	74	142
1,045	945	1,034	940	818	838	597	576	405	300	183	92	78	20	35	40	143
913	710	802	640	613	618	505	461	354	202	202	159	93	57	98	34	144
984	875	957	851	730	726	508	527	378	288	179	91	78	20	35	38	145
902	793	797	636	612	613	504	469	351	293	202	158	93	57	97	33	145
1		2				1									1	146
60	70	75	89	88	112	88	49	27	12	4	1				1	147
11	7	5	4	1	1	1	2	2							1	147

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES.

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
CONNECTICUT.												
148	Total.....	16,289	3,147	537	262	162	130	4,238	411	248	377	549
149	Males.....	8,506	1,776	271	142	86	62	2,337	226	138	180	287
150	Females.....	7,683	1,371	266	120	76	68	1,901	185	110	197	262
151	White.....	15,950	3,077	525	253	159	127	4,141	400	240	363	531
152	Males.....	8,427	1,739	266	138	85	61	2,289	220	136	176	281
153	Females.....	7,523	1,338	259	115	74	66	1,852	180	104	187	250
154	Native.....	11,266	3,062	507	245	147	124	4,085	372	213	297	333
155	Males.....	5,925	1,728	261	134	79	58	2,260	210	123	150	177
156	Females.....	5,341	1,334	246	111	68	66	1,825	162	90	147	156
157	Both parents native.....	(M) 2,449	506	81	42	22	15	666	86	45	64	76
	(F) 2,400	421	05	32	18	19	13	555	30	27	30	35
158	One or both parents foreign.....	(M) 2,631	1,182	175	88	53	41	1,339	117	72	81	91
	(F) 2,142	881	176	77	49	47	2	1,230	94	60	83	88
159	Parentage unknown.....	(M) 845	40	5	4	4	2	55	7	6	5	10
	(F) 799	32	5	2	1	1	1	40	2	3	14	13
160	Foreign.....	4,413	6	17	8	12	3	46	27	27	66	183
161	Males.....	2,320	5	4	4	6	3	22	9	13	26	92
162	Females.....	2,093	1	13	4	6	1	24	18	14	40	91
163	Unknown.....	271	9	1	1	1	1	10	1	1	1	15
164	Males.....	182	6	1	1	1	1	7	1	1	1	12
165	Females.....	89	3	1	1	1	1	3	1	1	1	3
166	Colored.....	339	70	12	9	3	3	97	11	8	14	18
167	Males.....	169	37	5	4	1	1	48	6	2	4	6
168	Females.....	170	33	7	5	2	2	49	5	6	10	12
169	Black.....	(M) 163	37	5	4	1	1	48	6	2	4	6
	(F) 168	33	7	5	2	2	2	49	5	6	10	12
170	Indian.....	(M) 3	1	1	1	1	1	1	1	1	1	1
	(F) 2	1	1	1	1	1	1	1	1	1	1	1
171	Chinese and Japanese.....	(M) 3	1	1	1	1	1	1	1	1	1	1
	(F) 1	1	1	1	1	1	1	1	1	1	1	1
DISTRICT OF COLUMBIA.												
172	Total.....	6,201	1,143	230	99	58	35	1,565	115	85	210	329
173	Males.....	3,325	637	120	57	35	21	870	57	41	79	174
174	Females.....	2,876	506	110	42	23	14	695	58	44	131	155
175	White.....	3,441	482	85	37	19	17	640	51	42	83	137
176	Males.....	1,899	285	41	21	11	9	367	27	26	34	76
177	Females.....	1,542	197	44	16	8	8	273	24	16	49	61
178	Native.....	2,747	481	85	36	19	17	638	51	42	76	124
179	Males.....	1,480	284	41	21	11	9	366	27	26	29	66
180	Females.....	1,267	197	44	15	8	8	272	24	16	47	58
181	Both parents native.....	(M) 928	209	29	16	7	5	266	19	16	16	36
	(F) 842	145	30	11	3	2	2	196	19	11	20	29
182	One or both parents foreign.....	(M) 249	49	8	3	2	2	64	2	7	5	14
	(F) 215	30	7	3	4	1	1	45	3	4	8	10
183	Parentage unknown.....	(M) 363	26	4	2	2	2	36	6	3	8	16
	(F) 209	22	7	1	1	1	1	31	2	1	10	19
184	Foreign.....	636	1	1	1	1	1	2	1	1	7	10
185	Males.....	379	1	1	1	1	1	1	1	1	5	8
186	Females.....	257	1	1	1	1	1	1	1	1	2	2
187	Unknown.....	58	1	1	1	1	1	1	1	1	1	3
188	Males.....	40	1	1	1	1	1	1	1	1	1	2
189	Females.....	18	1	1	1	1	1	1	1	1	1	1
190	Colored.....	2,760	661	145	62	39	18	925	64	43	127	192
191	Males.....	1,426	352	79	36	24	12	503	30	15	45	98
192	Females.....	1,334	309	66	26	15	6	422	34	28	82	94
193	Black.....	(M) 1,419	352	79	36	24	12	503	30	15	45	98
	(F) 1,334	309	66	26	15	6	6	422	34	28	82	94
194	Chinese and Japanese.....	(M) 7	1	1	1	1	1	1	1	1	1	1
	(F) 1	1	1	1	1	1	1	1	1	1	1	1

259

25 to 29	30 to 31	35 to 39	40 to 41	45 to 49	50 to 51	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
638	633	657	708	700	739	824	995	993	1,064	1,013	788	427	170	37	80	148
328	335	373	427	398	421	466	520	501	535	480	348	168	41	13	54	149
310	298	284	281	302	318	358	475	492	529	530	440	229	109	24	26	150
619	611	636	691	680	728	812	983	974	1,050	1,001	784	423	166	37	77	151
319	324	363	416	387	416	458	512	493	524	476	346	165	60	13	53	152
300	287	273	278	293	312	354	471	481	526	525	438	258	106	24	24	153
419	393	342	379	390	360	355	448	515	619	634	575	330	139	29	19	154
215	207	186	222	201	200	197	230	272	316	307	256	127	50	7	9	155
204	186	156	157	186	160	158	218	243	303	347	319	203	89	22	10	156
74	63	50	83	71	99	113	141	164	208	182	151	71	32	4	4	157
72	63	60	58	80	86	89	147	168	184	226	208	133	55	14	4	157
128	127	109	109	96	31	27	14	6	14	10	3	2	2	1	3	158
112	105	82	72	73	50	31	15	13	8	7	7	5	1	1	3	158
13	15	27	30	37	49	53	62	94	102	111	95	53	16	3	2	159
20	18	14	27	33	24	38	56	62	111	114	101	62	33	8	3	159
190	208	279	292	272	357	441	518	440	410	330	194	82	24	8	19	160
99	107	163	175	165	208	248	274	206	200	162	84	36	10	6	15	161
91	101	116	117	107	119	193	244	234	210	168	110	46	14	2	4	162
10	10	15	23	18	11	16	17	19	21	17	15	11	3		39	163
5	10	14	19	18	8	13	8	15	8	7	6	2			29	164
5		1	4		3	3	3	4	13	10	9	9	3		10	165
19	22	21	14	20	11	12	12	19	14	12	4	4	4		3	166
9	11	10	11	11	5	8	8	8	11	11	2	3	1		1	167
10	11	11	3	9	6	4	4	11	3	4	2	1	3		2	168
9	11	9	10	10	4	7	8	7	11	4	2	3	1		1	169
10	11	11	3	9	6	4	4	11	3	7	2	1	3		1	169
.....		1		1				1							1	170
.....			1		1	1										171
.....																172
332	311	274	263	319	354	318	438	405	333	267	155	83	33	11		172
181	184	158	145	172	188	167	261	229	167	125	71	28</				

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
INDIANA.												
195	Total	34,392	6,223	1,316	564	352	229	8,684	775	660	1,169	1,602
196	Males	17,907	3,542	713	291	181	111	4,888	395	340	511	709
197	Females	16,485	2,681	603	273	171	118	3,796	380	320	658	893
198	White	33,080	6,010	1,262	535	332	216	8,355	733	625	1,102	1,518
199	Males	17,211	3,417	682	277	169	106	4,651	383	327	482	677
200	Females	15,869	2,593	580	258	163	110	3,704	350	298	620	841
201	Native	28,948	5,691	1,255	534	327	216	8,323	730	620	1,079	1,449
202	Males	14,847	3,406	679	277	166	106	4,631	381	324	466	634
203	Females	14,101	2,285	576	257	161	110	3,692	349	296	613	815
204	Both parents native	(M) 9,995 (F) 9,741	2,877 2,308	599 520	238 228	137 138	91 93	3,933 3,187	320 311	269 262	388 493	478 641
205	One or both parents foreign	(M) 1,813 (F) 1,631	352 261	67 42	28 21	12 18	12 11	480 353	50 28	41 25	54 72	96 105
206	Parentage unknown	(M) 3,039 (F) 2,727	177 116	22 14	11 8	8 5	3 6	221 149	11 10	14 9	24 48	60 69
207	Foreign	3,573	11	6	1	4		22	2	3	17	56
208	Males	2,013	6	3		2		11	2	3	12	34
209	Females	1,560	5	3	1			11			5	22
210	Unknown	559	8	1		1		10	1	2	6	13
211	Males	351	5			1		6			4	9
212	Females	208	3	1				4		2	2	4
213	Colored	1,312	213	54	20	20	13	329	42	35	67	84
214	Males	696	125	31	14	12	5	187	12	13	29	32
215	Females	616	88	23	15	8	8	142	30	22	38	52
216	Black	(M) 696 (F) 615	125 87	31 23	14 15	12 8	5 8	187 141	12 30	13 22	29 38	32 52
217	Indian	(M) 1 (F) 1	1					1				
MAINE.												
218	Total	11,537	1,908	272	144	72	55	2,451	197	163	268	381
219	Males	5,933	1,098	141	83	41	31	1,394	103	84	143	180
220	Females	5,604	810	131	61	31	24	1,057	94	79	125	201
221	White	11,481	1,901	271	144	71	55	2,442	197	161	266	375
222	Males	5,900	1,093	141	83	40	31	1,388	103	84	141	175
223	Females	5,581	809	130	61	31	24	1,054	94	77	125	200
224	Native	9,816	1,880	263	140	66	51	2,400	190	142	230	290
225	Males	5,052	1,082	136	81	38	28	1,390	98	77	119	134
226	Females	4,764	798	127	59	28	23	1,035	92	65	111	156
227	Both parents native	(M) 3,284 (F) 3,194	549 427	70 77	45 32	20 16	16 15	700 567	62 48	48 31	79 82	87 103
228	One or both parents foreign	(M) 990 (F) 777	490 336	63 49	35 24	18 12	11 8	617 429	31 39	25 15	32 22	31 36
229	Parentage unknown	(M) 778 (F) 793	43 35	3 1	1 3			48 39	5 5	4 2	8 7	16 17
230	Foreign	1,523	19	8	3	5	4	39	7	18	34	81
231	Males	769	11	5	2	2	3	23	5	7	20	37
232	Females	754	8	3	1	3	1	16	2	11	14	44
233	Unknown	142	2		1			3		1	2	4
234	Males	79										
235	Females	63	2		1			3		1		4
236	Colored	56	7	1		1		9		2	2	6
237	Males	33	5					6				5
238	Females	23	2	1		1		3		2		1
239	Black	(M) 22 (F) 18	3 2	1				3 3		1	1	4
240	Indian	(M) 11 (F) 5	2			1		3			1	1

AGE, SEX, COLOR, AND NATIVITY.

251

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.
1,373	1,300	1,372	1,230	1,305	1,411	1,549	1,950	2,270	2,388	2,264	1,638	846	293	87	196
608	575	661	616	704	807	828	1,078	1,235	1,254	1,200	854	396	147	34	118
765	725	711	614	602	604	721	872	1,042	1,131	1,061	784	430	146	33	78
1,291	1,223	1,298	1,180	1,234	1,372	1,481	1,892	2,211	2,363	2,234	1,616	831	287	80	171
572	537	617	586	659	772	791	1,043	1,197	1,229	1,180	841	370	143	32	102
719	686	681	594	575	600	693	849	1,014	1,114	1,054	755	441	144	48	69
1,214	1,157	1,153	1,045	1,068	1,143	1,217	1,484	1,711	1,748	1,662	1,155	614	223	51	102
523	499	524	495	549	633	635	814	922	891	859	597	280	114	18	55
691	658	629	550	519	510	582	670	789	857	803	558	334	109	33	47
351	297	309	264	301	370	359	463	483	457	453	288	120	52	5	32
476	458	396	331	313	399	311	395	471	473	397	268	153	54	13	29
86	100	121	115	115	93	73	81	81	62	53	48	32	9	2	7
118	113	123	103	91	72	76	78	63	74	55	42	38	5	4	205
83	93	92	113	133	170	203	270	358	372	353	261	128	53	11	16
97	87	110	116	115	129	195	197	255	310	351	248	148	50	16	18
60	50	104	108	123	195	225	366	453	532	523	424	204	59	27	20
37	25	67	73	83	120	131	207	240	295	291	220	105	25	13	10
23	25	37	35	40	75	94	159	213	237	232	195	96	34	14	10
17	16	41	27	43	34	42	42	47	63	49	37	15	5	2	49
12	13	26	18	27	19	25	22	35	43	30	15	5	4	1	37
5	3	15	9	16	15	17	20	12	20	19	22	8	1	1	12
82	77	74	50	71	69	65	58	59	45	30	22	15	6	7	25
36	38	44	30	44	35	37	35	38	25	20	13	6	4	2	16
46	39	30	20	27	34	28	23	21	20	10	9	9	2	5	9
36	38	44	30	44	35	37	35	38	25	20	13	6	4	2	16
46	39	30	20	27	34	28	23	21	20	10	9	9	2	5	9
353	345	304	336	390	493	562	719	947	980	1,070	799	511	170	46	52
165	145	158	173	190	257	272	375	495	482	531	431	248	63	10	31
188	200	146	163	200	236	290	344	449	498	539	368	263	107	36	21
351	345	301	331	388	489	560	717	946	975	1,066	796	509	169	46	51
163	145	157	170	189	255	270	374	497	480	529	430	247	63	10	30
188	200	144	161	199	234	290	343	449	495	537	366	262	106	36	21
278	265	218	238	306	383	448	601	791	802	905	674	448	142	50	25
129	102	110	128	146	196	213	312	415	408	456	359	213	50	8	14
149	163	108	110	160	187	235	289	376	394	449	315	235	92	52	11
87	62	80	91	103	140	148	238	308	285	338	247	135	35	4	7
105	121	79	73	115	134	173	216	267	279	320	218	161	62	20	3
30	30	22	16	18	20	15	17	22	20	18	12	9	1	1	4
30	26	19	19	17	22	18	19	20	15	14	9	2	2	1	3
12	10	8	21	25	36	50	57	85	103	100	100	69	14	4	3
14	16	10	18	28	31	44	54	89	100	115	88	72	28	11	5
60	70	78	86	71	101	106	110	145	160	145	115	57	21	5	5
31	35	42	38	37	55	54	57	78	68	66	67	34	10	2	3
38	35	36	48	34	46	52	53	67	92	79	48	23	11	3	2
4	10	5	7	11	5	6	6	10	13	16	7	4	6	1	21
3	8	5	4	6	4	3	5	4	4	7	4	4	3	1	13
1	2		3	5	1	3	1	6	9	9	3	4			8
2			5	2	4	2	2	1	5	4	3	2	1		1
2		1	3	1	2	2	1	1	2	2	1	1			1
.....		2	2		2	2		1	1	2	1	1			1
.....		2	2	1	2		1	2		2	1	1			1
2			1				1	1	1						240

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
MASSACHUSETTS.												
241	Total.....	50,343	10,400	1,840	855	506	312	13,943	1,018	735	1,041	1,647
242	Males.....	25,936	5,940	987	466	260	197	7,850	518	377	514	836
243	Females.....	24,407	4,460	853	389	246	115	6,093	500	358	527	811
244	White.....	49,506	10,232	1,810	831	495	331	13,719	1,003	715	1,007	1,596
245	Males.....	25,455	5,856	971	440	256	192	7,724	511	371	491	803
246	Females.....	24,051	4,376	839	382	239	139	5,995	492	344	516	793
247	Native.....	34,121	10,149	1,755	805	469	310	13,488	921	636	753	1,038
248	Males.....	18,020	5,800	935	436	237	178	7,586	472	337	376	520
249	Females.....	16,101	4,349	820	369	232	132	5,902	449	299	377	518
250	Both parents native..... (M..)	7,645	1,489	230	110	57	47	1,923	148	124	162	206
	 (F..)	7,200	1,130	166	87	51	40	1,474	151	80	123	183
251	One or both parents foreign..... (M..)	8,752	4,114	706	325	179	131	5,455	320	206	207	298
	 (F..)	7,232	3,041	647	275	178	91	4,232	296	209	246	317
252	Parentage unknown..... (M..)	1,623	197	9	1	1		208	4	7	7	16
	 (F..)	1,649	178	7	7	3	1	196	2	1	8	28
253	Foreign.....	14,985	89	47	24	25	21	206	78	77	252	346
254	Males.....	7,192	49	32	12	19	14	126	37	33	114	274
255	Females.....	7,793	40	15	12	6	7	80	41	44	138	272
256	Unknown.....	400	14	8	2	1		25	4	2	2	12
257	Males.....	243	7	4	1			12	2	1	1	9
258	Females.....	157	7	4	1			13	2	1	1	3
259	Colored.....	837	148	30	24	11	11	224	15	20	34	51
260	Males.....	481	84	16	17	4	5	126	7	6	23	33
261	Females.....	356	64	14	7	7	6	98	8	14	11	18
262	Black..... (M..)	454	84	16	17	4	5	126	7	6	23	32
	 (F..)	352	63	14	7	7	6	97	8	14	11	18
263	Indian..... (M..)	4						1				1
	 (F..)	4										
264	Chinese and Japanese..... (M..)	23										
	 (F..)											
MICHIGAN.												
265	Total.....	31,542	6,904	1,175	501	312	242	9,134	770	670	972	1,322
266	Males.....	18,683	3,880	622	258	154	126	5,040	403	335	504	663
267	Females.....	15,859	3,024	553	243	158	116	4,094	367	335	468	659
268	White.....	34,001	6,793	1,152	483	310	239	8,977	752	653	941	1,285
269	Males.....	18,390	3,818	609	246	154	125	4,952	398	331	490	642
270	Females.....	15,611	2,975	543	237	156	114	4,025	354	322	451	643
271	Native.....	23,942	6,736	1,111	469	292	222	8,830	706	610	840	983
272	Males.....	12,620	2,789	592	240	148	116	4,885	373	311	425	447
273	Females.....	11,322	2,947	519	229	144	106	3,945	333	305	415	536
274	Both parents native..... (M..)	6,209	1,741	289	111	73	54	2,268	170	147	189	186
	 (F..)	5,892	1,410	255	100	71	43	1,879	159	143	188	253
275	One or both parents foreign..... (M..)	4,619	1,832	295	129	72	62	2,390	202	162	215	245
	 (F..)	4,013	1,362	257	123	71	60	1,875	171	157	212	251
276	Parentage unknown..... (M..)	1,792	216	8		3		227	1	2	21	26
	 (F..)	1,507	175	7	6	2	3	193	3	5	15	32
277	Foreign.....	9,599	38	36	13	18	17	122	44	33	93	281
278	Males.....	5,361	21	16	6	6	9	58	24	18	57	179
279	Females.....	4,148	17	20	7	12	8	64	20	15	36	102
280	Unknown.....	550	19	5	1			25	2	4	8	21
281	Males.....	409	8	1				9	1	2	8	16
282	Females.....	141	11	4	1			16	1	2		5
283	Colored.....	541	111	25	18	2	3	157	18	17	31	37
284	Males.....	293	62	13	12		1	88	5	4	14	21
285	Females.....	248	49	10	6	2	2	69	13	13	17	16
286	Black..... (M..)	296	36	9	7		1	53	2	2	6	16
	 (F..)	154	24	4	4	2	1	35	3	5	9	11
287	Indian..... (M..)	87	26	4	5			35	3	2	8	5
	 (F..)	94	25	6	2		1	34	8	8	8	5

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
1,925	1,995	2,129	2,016	2,106	2,500	2,670	3,068	3,269	3,243	2,866	2,224	1,296	438	138	67	241
994	1,023	1,140	1,095	1,105	1,333	1,390	1,584	1,561	1,532	1,301	1,003	541	150	43	44	242
931	972	980	921	1,001	1,176	1,280	1,484	1,708	1,711	1,545	1,219	755	288	95	23	243
1,863	1,930	2,072	1,975	2,057	2,461	2,629	3,033	3,243	3,221	2,845	2,210	1,287	436	137	67	244
949	987	1,108	1,072	1,073	1,303	1,370	1,559	1,545	1,527	1,289	998	538	150	43	44	245
914	943	964	903	984	1,158	1,259	1,474	1,698	1,694	1,556	1,212	749	286	94	23	246
1,078	1,075	1,016	979	1,128	1,282	1,264	1,410	1,590	1,734	1,802	1,532	934	337	87	7	247
558	571	573	535	405	701	696	759	815	879	832	697	370	113	22	3	248
520	504	473	444	523	581	568	651	775	835	970	835	564	224	65	4	249
196	191	197	201	255	368	444	531	595	644	585	510	264	84	14		250
170	188	174	170	212	312	374	433	560	618	708	629	411	143	48		251
342	354	348	284	296	232	132	104	70	38	34	17	9	2	1	3	251
324	281	292	234	213	195	111	97	65	49	40	35	22	10		3	252
20	26	28	50	54	101	120	121	150	197	213	170	97	27	7		252
26	35	37	40	68	83	83	121	150	188	222	171	131	71	17	1	252
772	831	999	963	908	1,148	1,338	1,584	1,630	1,468	1,023	661	347	97	50	7	253
384	400	515	513	454	579	659	774	720	641	451	291	166	37	21	3	254
388	431	481	450	454	509	679	810	910	827	572	370	181	60	29	4	255
13	24	27	33	21	31	27	39	23	19	20	17	6	2		53	256
7	16	20	24	14	23	15	26	10	7	6	10	2			38	257
6	8	7	9	7	8	12	13	13	12	14	7	4	2		15	258
62	65	57	41	49	48	41	35	26	22	21	14	9	2	1		259
45	36	32	23	22	30	20	25	16	5	12	7	3				260
17	29	25	18	17	18	21	10	10	17	9	7	6	2	1		261
39	35	28	20	29	24	19	25	15	5	12	6	3				262
17	29	25	18	17	18	20	9	10	17	8	7	6	2	1		263
.....				1		1		1		1	1					263
6	1	4	3	2	6	1										264
.....																
1,288	1,191	1,205	1,214	1,416	1,393	1,592	1,953	2,294	2,539	2,376	1,749	990	305	102	67	265
618	601	616	653	792	794	891	1,118	1,202	1,404	1,331	941	528	156	41	52	266
670	590	589	561	624	599	701	835	1,092	1,135	1,045	808	462	149	61	15	267
1,270	1,162	1,180	1,192	1,396	1,373	1,568	1,946	2,270	2,518	2,369	1,732	978	294	97	61	268
609	582	597	641	782	782	878	1,108	1,188	1,392	1,326	923	522	150	38	48	269
661	579	583	551	614	591	690	828	1,082	1,126	1,040	799	456	144	59	13	270
885	761	717	665	803	762	829	1,020	1,222	1,369	1,230	921	544	158	47	14	271
383	361	347	312	424	404	425	555	640	759	687	484	286	84	20	8	272
502	400	370	353	379	358	404	465	582	610	563	437	238	74	27	6	273
159	144	153	131	194	226	252	334	364	446	386	262	155	43	8	3	274
241	180	183	173	195	178	240	270	343	371	329	240	158	39	13	1	275
192	179	149	134	162	101	88	83	92	88	70	45	21	8	2	1	275
221	176	146	139	119	111	85	79	81	71	49	37	20	8	4	3	276
32	38	45	47	68	77	85	139	184	225	231	187	110	34	10	4	276
40	44	41	41	65	69	79	110	158	168	185	140	80	27	10	2	277
367	371	433	492	552	568	699	877	993	1,111	1,071	784	422	131	50	15	277
211	201	226	298	323	344	421	521	606	611	431	228	64	18	11	278	
156	170	207	194	229	224	278	356	482	505	460	353	194	67	32	4	278
18	30	30	35	41	43	40	39	55	28	45	27	12	5		22	280
15	21	24	31	35	34	32	32	37	27	28	18	8	2		29	281
3	9	6	4	6	9	8	7	18	11	17	9	4	3		3	282
18	29	25	22	20	20	24	17	24	21	10	17	12	11	5	6	283
9	18	19	12	10	12	13	10	14	12	5	8	6	6	3	4	284
9	11	6	10	10	8	11	7	10	9	5	9	6	5	2	2	284
7	14	11	9	9	9	13	7	13	10	2	7	5	5	2	4	286
6	7	4	9	7	7	8	6	7	9	5	7	4	2			286
2	4	8	3	3	3		3	1	2	3	1	1	1			287
3	4	2	1	3	1	3	1	3			2	2	3	2	1	287

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES.

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
NEW HAMPSHIRE.												
288	Total.....	7,274	1,205	261	111	68	50	1,695	159	103	168	191
289	Males.....	3,491	656	140	61	34	24	915	82	46	70	91
290	Females.....	3,783	549	121	50	34	26	780	77	57	98	100
291	White.....	7,258	1,201	261	111	68	50	1,691	159	103	168	190
292	Males.....	3,488	654	140	61	34	24	913	82	46	70	91
293	Females.....	3,770	547	121	50	34	26	778	77	57	98	99
294	Native.....	5,731	1,103	241	107	60	45	1,616	143	87	120	121
295	Males.....	2,933	635	129	59	31	22	876	73	36	54	53
296	Females.....	2,803	528	112	48	29	23	740	70	51	66	71
297	Both parents native..... (M)	1,460	193	37	17	10	4	261	24	11	26	25
	 (F)	1,449	186	31	11	11	4	243	22	25	31	31
298	One or both parents foreign..... (M)	887	415	87	42	20	18	582	47	20	24	23
	 (F)	737	316	70	35	15	18	463	47	23	31	28
299	Parentage unknown..... (M)	106	27	5	1	1	1	33	2	5	4	5
	 (F)	617	26	2	2	3	1	34	1	3	4	9
300	Foreign.....	1,284	30	17	4	8	4	63	16	16	42	62
301	Males.....	618	14	9	2	3	1	29	9	10	12	35
302	Females.....	666	16	8	2	5	3	34	7	6	30	27
303	Unknown.....	238	8	3			1	12			6	4
304	Males.....	137	5	2			1	8			4	3
305	Females.....	101	3	1				4			2	1
306	Colored.....	16	4					4				1
307	Males.....	6	2					2				1
308	Females.....	10	2					2				
309	Black..... (M)	6	2					2				1
	 (F)	10	2					2				
NEW JERSEY.												
310	Total.....	33,912	7,153	1,465	675	428	329	10,050	1,039	567	911	1,221
311	Males.....	18,309	4,007	796	342	213	164	5,522	558	293	458	618
312	Females.....	15,603	3,146	669	333	215	165	4,528	481	274	453	603
313	White.....	32,088	6,715	1,359	623	390	305	9,392	976	520	830	1,117
314	Males.....	17,386	3,759	737	316	196	154	5,162	526	270	424	570
315	Females.....	14,702	2,956	622	307	194	151	4,230	450	250	406	547
316	Native.....	22,842	6,652	1,337	597	368	293	9,247	903	483	659	803
317	Males.....	12,257	3,724	727	304	186	150	5,091	485	251	333	495
318	Females.....	10,555	2,928	610	293	182	143	4,156	418	232	326	398
319	Both parents native..... (M)	6,231	1,653	289	127	74	71	2,214	216	132	176	202
	 (F)	5,698	1,345	247	131	82	58	1,853	197	105	163	215
320	One or both parents foreign..... (M)	4,897	1,655	426	172	111	77	2,741	258	109	137	167
	 (F)	4,021	1,506	357	158	95	80	2,196	206	118	149	149
321	Parentage unknown..... (M)	1,129	116	12	5	1	2	136	11	10	20	36
	 (F)	836	87	6	4	5	5	107	15	9	14	34
322	Foreign.....	8,945	44	21	24	22	12	123	71	33	163	308
323	Males.....	4,881	23	10	10	10	4	57	40	17	85	161
324	Females.....	4,064	21	11	14	12	8	66	31	16	78	147
325	Unknown.....	331	19	1	2			22	2	4	8	6
326	Males.....	248	12		2			14	1	2	6	4
327	Females.....	83	7	1				8	1	2	2	2
328	Colored.....	1,824	438	106	52	38	24	658	63	47	81	104
329	Males.....	923	248	59	26	17	10	370	32	23	34	48
330	Females.....	901	190	47	26	21	14	288	31	24	47	56
331	Black..... (M)	910	248	59	26	16	10	359	32	23	34	48
	 (F)	901	190	47	26	21	14	298	31	24	47	56
332	Chinese and Japanese..... (F)	4						1				

265

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
226	236	223	265	274	296	345	418	556	570	604	475	290	105	38	37	288
99 127	102 134	110 113	138 127	151 123	152 144	190 155	216 202	291 265	280 290	309 295	244 231	133 157	36 69	13 25	26 11	289
224	236	222	261	274	296	343	418	554	570	604	475	290	105	38	37	291
99 125	102 134	110 112	136 125	151 123	152 144	189 154	216 202	290 264	280 290	309 295	244 231	133 157	36 69	13 25	26 11	292
152	166	130	177	181	207	237	285	412	443	487	305	238	93	25	13	294
69 83	71 95	66 64	93 84	99 87	104 103	137 100	152 133	217 195	223 220	251 236	203 192	111 127	32 61	6 19	7 6	295
37 47	34 55	31 33	43 49	56 57	66 68	88 56	96 84	133 131	156 134	161 142	128 116	60 76	19 35	2 8	3 5	297
23 26	30 22	26 16	27 16	21 14	9 8	8 9	2 10	5 6	7 7	2 6	5 1	2 2	1 1	1 1	1 1	298
9 10	7 18	9 15	9 19	9 16	9 27	9 35	9 39	9 58	9 79	9 88	9 75	9 49	9 25	9 11	9 2	299
65	64	85	75	79	76	91	117	119	104	89	52	40	10	9	10	300
21 41	27 37	40 45	39 36	45 34	40 36	42 49	59 58	60 59	45 59	45 44	25 27	17 23	2 8	6 3	7 4	301
7	6	7	9	9	13	15	16	23	23	28	28	12	2	4	14	303
6 1	4 2	4 3	4 5	7 2	8 5	10 5	5 11	13 10	12 11	13 15	16 12	5 7	2	1 3	12 2	304
2		1	4		2		2									306
2		1	2		1		1		1							307
2		1	2		1		1		1							308
2		1	2		1		1		1							309
1,415	1,534	1,561	1,549	1,600	1,572	1,698	1,991	1,865	1,893	1,581	1,041	559	181	57	27	310
749 666	878 656	899 662	896 633	931 669	893 679	957 741	1,071 920	985 880	952 941	775 806	516 525	241 315	73 108	18 39	23 4	311
1,296	1,444	1,469	1,472	1,526	1,499	1,622	1,922	1,808	1,839	1,547	1,019	544	171	48	24	313
698 598	811 603	846 623	854 618	886 640	854 645	931 691	1,034 888	956 852	924 915	759 788	504 513	237 307	72 102	16 32	20 4	314
872	941	881	819	844	733	800	911	866	998	881	633	375	123	36	4	316
436 436	539 402	504 375	463 356	483 381	395 338	455 345	505 406	468 398	509 489	429 452	316 317	153 222	44 79	9 27	2 2	317
200 186	176 169	183 169	186 150	190 200	208 201	200 219	345 290	367 295	404 385	332 363	248 252					

AGE, SEX, COLOR, AND NATIVITY.

267

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
5,727	6,032	6,836	6,588	6,570	6,640	6,951	7,953	8,216	7,789	7,198	5,116	2,862	938	252	102	333
2,987	3,439	4,011	3,822	3,924	3,693	3,794	4,128	4,213	3,877	3,548	2,421	1,318	369	86	69	334
2,740	2,593	2,825	2,736	2,646	2,947	3,157	3,825	4,003	3,912	3,650	2,695	1,544	369	166	33	335
5,492	5,805	6,617	6,407	6,331	6,472	6,831	7,818	8,116	7,706	7,136	5,072	2,841	924	241	94	336
2,872	3,311	3,881	3,765	3,829	3,597	3,731	4,056	4,168	3,835	3,518	2,397	1,311	365	84	63	337
2,620	2,497	2,736	2,642	2,562	2,875	3,100	3,762	3,948	3,871	3,618	2,675	1,530	359	157	31	338
3,645	3,673	3,798	3,349	3,519	3,176	3,090	3,463	3,710	3,740	3,794	3,000	1,732	608	125	25	339
1,870	2,049	2,185	1,853	2,031	1,725	1,679	1,836	1,939	1,923	1,909	1,382	783	238	41	11	340
1,775	1,624	1,613	1,466	1,488	1,448	1,411	1,627	1,771	1,817	1,885	1,618	949	370	84	14	341
601	627	640	569	673	739	890	1,056	1,167	1,246	1,216	894	482	146	19	4	342
718	502	531	543	557	690	766	989	1,154	1,234	1,275	1,117	651	221	45	7	343
1,137	1,279	1,330	1,141	1,109	746	516	400	305	207	160	92	68	15	4	6	344
962	954	953	776	750	608	419	373	306	183	163	141	67	28	9	1	345
132	143	195	173	241	243	273	380	467	470	533	396	233	77	18	4	346
105	108	129	147	151	150	226	265	311	398	447	360	231	121	30	1	347
1,790	2,044	2,694	2,894	2,750	3,185	3,659	4,276	4,318	3,892	3,269	2,013	1,060	306	111	32	348
955	1,188	1,590	1,741	1,691	1,786	1,996	2,162	2,171	1,876	1,370	682	504	123	41	19	349
836	856	1,104	1,153	1,059	1,399	1,663	2,114	2,147	2,016	1,699	1,031	565	183	70	13	350
57	91	125	164	122	111	82	79	88	74	73	59	40	10	5	37	351
47	74	106	141	107	83	56	58	58	36	39	33	24	4	2	33	352
10	17	19	23	15	28	26	21	30	38	34	26	16	6	3	4	353
235	224	219	181	179	168	120	135	100	83	62	44	21	14	11	8	354
115	128	130	87	95	96	63	72	45	42	30	24	7	4	2	6	355
120	96	89	94	84	72	57	63	55	41	32	20	14	10	9	2	356
102	114	114	72	82	82	58	70	41	38	28	21	7	4	2	4	357
120	93	88	89	84	72	53	63	54	41	32	18	13	10	9	2	358
1	2	1	3	3	2	3	1	3	4	2	2	1	1	1	1	359
13	13	16	15	10	12	2	1	1	1	1	1	1	1	1	1	360
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	361
340	348	374	351	379	436	441	474	500	489	423	283	147	57	17	7	362
182	180	203	189	200	211	221	250	240	235	205	131	48	23	4	2	363
188	168	171	162	179	225	230	215	260	254	218	152	99	34	13	5	364
327	333	357	333	357	421	423	459	488	476	414	279	146	53	16	7	365
146	173	196	178	190	206	213	251	233	231	201	127	47	21	4	2	366
181	160	161	155	167	215	210	205	255	245	213	152	99	32	12	5	367
197	197	188	168	170	225	199	195	221	240	259	185	111	35	13	3	368
87	103	100	96	85	129	104	107	110	119	128	78	32	17	3	369	370
110	94	88	72	85	105	95	88	111	121	131	107	79	18	10	3	371
25	30	29	38	46	71	67	88	94	102	121	78	29	14	3	372	373
36	30	38	33	45	66	61	78	98	113	122	101	79	17	10	3	374
58	70	67	55	34	41	30	15	8	6	2	1	1	1	1	1	375
71	61	49	37	36	36	29	8	11	5	2	2	2	2	2	2	376
4	3	4	3	5	8	7	4	11	5	5	4	2	2	2	2	377
3	3	1	2	4	3	5	2	2	3	7	4	1	1	1	1	378
129	134	164	160	181	190	221	263	264	234	152	93	35	18	3	3	379
58	68	91	77	99	82	109	147	121	110	72	49	15	4	1	1	380
71	66	73	83	82	108	112	116	143	124	80	44	20	14	2	2	381
1	2	5	5	6	6	3	1	3	2	3	1	1	1	1	1	382
1	2	5	5	6	6	3	1	3	2	3	1	1	1	1	1	383
13	15	17	18	22	15	18	15	12	13	9	4	1	4	1	1	384
6	7	7	11	10	5	8	5	7	4	4	4	1	2	1	1	385
7	8	10	7	12	10	10	10	5	9	5	5	2	2	1	1	386
6	7	7	10	10	4	8	5	7	4	4	4	1	2	1	1	387
7	8	10	7	12	10	10	10	5	9	5	5	2	2	1	1	388
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	389

MORTALITY STATISTICS.

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES.

REGISTRATION AREA.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
VERMONT.												
380	Total.....	5,943	894	155	65	51	29	1,194	122	77	149	184
381	Males.....	3,108	494	91	37	21	17	690	47	32	65	89
382	Females.....	2,835	400	64	28	30	12	504	75	45	84	95
383	White.....	5,925	891	155	65	51	29	1,191	122	77	149	184
384	Males.....	3,095	492	91	37	21	17	658	47	32	65	89
385	Females.....	2,830	399	64	28	30	12	533	75	45	84	95
386	Native.....	4,801	882	152	58	47	27	1,166	115	70	131	150
387	Males.....	2,481	488	90	34	20	15	647	43	27	57	66
388	Females.....	2,320	394	62	24	27	12	519	72	43	74	84
389	Both parents native..... (M.)	1,468	294	63	22	13	9	401	29	18	39	33
390	One or both parents foreign..... (F.)	1,393	203	39	16	12	7	307	41	26	49	51
391	Parentage unknown..... (M.)	481	106	24	11	6	3	213	14	9	15	26
392	Parentage unknown..... (F.)	532	133	21	7	14	3	178	23	16	14	20
393	Foreign.....	507	28	2	1	1	2	34	5	1	11	13
394	Foreign.....	967	6	2	5	2	2	17	4	5	17	30
395	Males.....	529	3	1	3	2	2	9	1	4	8	19
396	Females.....	438	3	1	2	2	2	8	3	1	9	11
397	Unknown.....	157	3	1	2	2	2	8	3	2	1	4
398	Males.....	85	1	1	1	1	1	2	3	1	1	4
399	Females.....	72	2	1	2	1	1	6	1	1	1	1
400	Colored.....	18	3					3				
401	Males.....	13	2					2				
402	Females.....	5	1					1				
	Black..... (M.)	12	2					2				
	Indian..... (F.)	1	1					1				

MORTALITY STATISTICS.

TABLE 5.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes.....	545,533	411,062	345,833	211,392	134,471	199,670	11,143	5,146	6,201	10,092	24,300
2	1.—General diseases.....	145,263	110,755	88,884	54,376	34,508	56,379	2,861	1,206	1,778	2,844	7,511
3	Typhoid fever.....	9,479	7,321	4,871	2,713	2,158	4,068	157	57	146	280	720
4	Epidemic typhus.....	3	2	3	2	1	1				2	
5	Recurrent fever.....	1	1									
6	Malarial fever.....	1,321	992	517	218	299	774	34	32	11	20	117
7	Smallpox.....	308	258	130	80	50	178			9	10	24
8	Measles.....	2,557	2,063	1,614	1,120	494	943	33	20	8	3	11
9	Scarlet fever.....	2,284	1,851	1,470	1,040	430	814	39	42	11	27	110
10	Whooping cough.....	3,599	2,820	1,945	1,205	740	1,651	56	17	71	74	216
11	Diphtheria.....	6,709	5,633	4,248	3,172	1,076	2,461	154	45	46	95	166
12	Croup.....	1,340	998	872	510	362	458	32	6	3	29	75
13	Influenza.....	6,426	3,662	4,453	1,689	2,764	1,973	152	110	86	125	538
14	Miliary fever.....											
15	Asiatic cholera.....											
16	Cholera nostras.....	449	282	299	132	167	150	7	4	1	4	19
17	Dysentery.....	2,588	1,574	1,805	791	1,014	783	82	34	17	70	303
18	Plague.....											
19	Yellow fever.....	438	438	2	2		436				1	
20	Leprosy.....	8	8	1	1		7					
21	Erysipelas.....	1,510	1,150	1,025	665	360	485	37	14	6	38	88
22	Other epidemic diseases.....	79	55	47	23	24	32	1	3			1
23	Septicæmia.....	1,780	1,322	967	509	458	813	35	11	11	64	130
24	Erysipelas and erythema.....	3	3	2	2	1						
25	Malignant pustule and charbon.....	20	16	13	9	4						
26	Rabies.....	44	34	22	12	10	22					
27	Actinomycosis, trichinosis, etc.....	15	12	11	8	3	4					1
28	Pellagra.....											
29	Tuberculosis of lungs.....	56,770	44,910	33,841	21,981	11,869	22,920	1,075	387	832	1,130	2,847
30	Tuberculosis of larynx.....	610	460	351	201	150	239	7	6	7	18	40
31	Tuberculosis of meninges.....	3,264	2,736	2,147	1,619	528	1,117	81	29	42	46	98
32	Abdominal tuberculosis.....	2,193	1,664	1,273	744	529	920	38	9	42	53	148
33	Pott's disease.....	563	423	358	218	140	205	12	5	3	14	25
34	Tuberculous abscess.....	61	46	40	25	15	21				3	4
35	White swelling.....	261	215	182	136	46	70	7	2	3	3	4
36	Tuberculosis of other organs.....	539	401	333	198	135	206	11	6	6	11	31
37	General tuberculosis.....	1,091	835	643	387	256	448	16	8	29	20	59
38	Scrofula.....	126	83	87	44	43	39	1	2	3	3	12
39	Syphilis.....	1,334	1,397	711	564	147	823	26	3	29	26	41
40	Gonorrhea of the adult.....	27	24	15	12	3	12					
41	Gonorrheal infections of children.....	35	30	20	15	5	15					
42	Cancer of mouth.....	792	579	523	310	213	269	16	10	7	7	33
43	Cancer of stomach and liver.....	8,939	6,474	5,824	3,359	2,465	3,115	179	79	85	145	398
44	Cancer of intestines.....	2,732	2,060	1,852	1,180	672	880	59	39	24	51	96
45	Cancer of female genital organs.....	3,437	2,871	2,267	1,501	766	1,370	71	41	48	63	131
46	Cancer of breast.....	2,010	1,451	1,372	813	559	638	46	35	22	23	89
47	Cancer of skin.....	818	494	583	259	324	235	16	13	10	11	70
48	Cancer of other or unspecified organs.....	5,402	3,741	3,562	1,901	1,661	1,840	103	44	34	110	249
49	Tumor.....	501	359	318	176	142	183	11	2	3	17	29
50	Acute articular rheumatism.....	1,918	1,418	1,252	752	500	666	38	15	22	57	100
51	Chronic rheumatism and gout.....	969	751	591	236	358	315	16	14	6	23	63
52	Diabetes.....	4,397	3,156	3,066	1,825	1,241	1,331	105	42	47	73	194
53	Exophthalmic goiter.....	256	182	160	86	74	96	10	2	3	5	20
54	Addison's disease.....	141	91	95	45	50	46	3	2		1	7
55	Leukemia.....	480	367	302	189	113	178	5	4	5	8	32
56	Anæmia, chlorosis.....	1,687	1,092	1,172	577	595	515	29	19	10	24	57
57	Alcoholism.....	2,106	1,752	1,293	939	351	813	50	20	29	37	62
58	Lead poisoning.....	87	73	47	33	14	40	1	1		2	1
59	Other occupational poisonings.....	8	6	5	3	2	3					
60	Other chronic poisonings.....	169	119	87	37	50	82	5	1	1	1	14
61	Scurvy.....	44	37	35	28	7	9	2				
62	Other general diseases.....	205	129	126	50	76	79	2			8	21
63	11.—Diseases of nervous system.....	61,556	43,802	41,081	23,927	17,754	19,875	1,478	739	617	1,143	2,877
64	Encephalitis.....	465	309	286	130	156	179	12	2	4	19	51
65	Meningitis.....	6,510	5,128	4,029	2,617	1,412	2,511	178	52	50	182	272
66	Epidemic cerebro-spinal meningitis.....	5,114	4,330	4,438	3,674	2,61	676	211	61	8	41	105
67	Locomotor ataxia.....	883	641	550	308	242	333	14	15	6	21	41
68	Other diseases of spinal cord.....	1,724	1,167	1,199	642	557	525	29	24	24	43	96
69	Apoplexy.....	24,390	16,598	17,440	9,648	7,792	6,950	650	396	291	381	962
70	Softening of brain.....	1,042	652	643	233	390	399	14	25	18	20	93
71	Paralysis.....	5,981	3,440	4,011	1,770	2,541	1,970	57	55	54	176	593
72	General paralysis of insane.....	2,470	1,579	1,751	880	871	699	67	12	24	28	137
73	Other forms of mental disease.....	1,039	717	679	357	322	360	19	12	8	19	45
74	Other diseases of brain.....	1,436	1,033	922	519	403	514	32	20	24	26	66
75	Epilepsy.....	1,367	841	985	462	523	382	31	18	26	32	115
76	Convulsions.....	316	241	191	92	102	152	6	1	2	12	16
77	Convulsions of children.....	6,331	5,222	3,249	2,110	1,109	3,082	105	24	67	80	156
78	Tetanus.....	1,033	880	357	204	153	676	20	8	6	28	44
79	Chorea.....	87	47	62	22	40	25				4	10
80	Other diseases of nervous system.....	787	493	543	249	294	244	16	12	3	23	80
81	Diseases of eye and adnexa.....	26	17	15	6	9	11	1				1
82	Diseases of ear.....	515	441	328	254	74	187	13	1	2	9	21

URBAN AND RURAL MORTALITY.

271

REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1905.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,200	9,277	38,820	11,523	11,541	23,001	3,134	4,140	21,476	12,436	100,320	36,902	5,452	2,756	953	4,990	1
586	2,199	9,827	3,107	2,803	5,257	740	999	5,467	3,150	25,768	9,112	1,487	739	215	1,228	2
53	106	436	104	247	371	29	37	214	138	1,078	530	55	27	18	68	3
3	10	28	15	9	50	1	6	22	30	79	58	11	5		6	4
		2		49	25				1	10						5
6	28	200	44	31	71	34	28	70	40	683	211	25	11	8	30	8
6	7	108	17	40	77	1	3	122	64	662	117	26	8	4	6	9
6	33	246	41	30	84	14	22	122	60	557	210	28	21	4	36	10
21	55	82	196	184	30	26	385	171	1,633	293	89	23	11	31	11	11
6	20	75	18	39	48	17	7	85	56	234	72	16	10	4	11	12
35	222	396	253	92	483	46	120	79	124	581	695	88	46	9	171	13
3	17	30	11	14	38	4	10	14	9	81	55	2	2	2	2	14
5	20	109	69	45	132	16	15	108	131	305	260	34	23		18	17
																18
8	17	118	30	35	60	6	10	57	33	348	92	11	6	1	10	19
		2	1	2	6			3	2	11	7	4			3	20
7	12	121	24	59	116	12	19	32	27	154	102	10	2	4	15	23
1		3	1	1				1		1	1					24
		2		2				5	3	4	1					25
	1	5		1						5	2					26
										3						27
191	695	3,720	1,180	826	1,435	276	303	2,431	1,228	10,877	3,138	540	303	83	344	28
5	13	21	14	10	24		2	29	24	92	25	11		1	2	29
17	53	327	58	41	74	11	7	196	70	781	109	68	17	9	13	30
11	51	147	37	40	82	12	9	80	42	295	125	25	9	1	17	31
1	11	48	15	16	23	4	3	15	12	99	38	6	1		7	32
1	6	4		1	1	1		3	1	12	3	1				33
2	1	26	5	11	15	2		11	6	62	9	10	2	1	2	34
9	30	104	38	11	34	8	10	23	5	88	37	3	6	2	5	35
								36	23	133	44	20	5	1	5	36
	1	8	5	2	3			1	7	25	10	1	2		1	37
6	6	68	17	60	21	2	5	42	11	285	32	18	6	2	5	38
		1						1	2	10	1					39
2	21	85	32	11	30	1	5	22	14	148	57	9	2	2	9	40
43	227	615	205	224	478	50	77	306	202	1,611	661	95	35	6	100	41
18	60	275	74	81	90	12	19	87	70	535	175	33	21	5	28	42
21	73	203	76	95	130	18	18	143	73	680	180	64	21	5	33	43
8	43	198	54	43	85	7	11	67	43	365	161	31	20	3	18	44
5	18	42	27	19	56	5	6	29	23	115	87	6	7	1	17	45
28	91	500	206	91	220	38	92	157	120	803	561	27	12	4	63	46
4	8	43	15	26	8	1	11	18	10	68	34	3			7	47
6	25	115	51	36	99	5	17	68	40	382	123	21	10	2	20	48
1	18	45	28	18	70	5	10	28	31	86	109	7	3	1	12	49
21	96	343	135	89	193	32	45	145	107	911	343	47	35	12	51	50
	2	14	4	12	16	1	1	3	5	37	19	1			6	51
2	4	11	6	7	7			2	5	22	14	2			4	52
3	9	39	7	18	21	2		16	11	93	23	2	2		2	53
17	43	153	52	86	177	22	27	47	23	180	161	5	6	4	30	54
6	12	128	32	36	49	13	9	122	41	482	94	31	21	5	14	55
		8	4				3	7	2	11	1	3	1		1	56
		8		3	10			3	5	15	10				1	57
		8	1	1		1		2	3	14	2		1			58
3	2	6	2	11	23	1	1	6	3	13	20				4	59
365	1,218	4,645	1,526	1,397	2,859	530	587	2,601	1,808	10,540	5,157	509	284	102	699	60
2	9	23	8	19	28	4	4	13	7	37	26	2	2	1	13	61
44	120	602	128	126	175	117	48	333	173	913	379	34	13	18	52	62
9	25	480	70	61	110	96	43	378	97	2,316	215	68	13	6	25	63
6	13	51	26	27	40	5	3	24	26	145	62	4	6	2	10	64
4	42	140	55	60	83	6	23	64	51	235	150	15	9	2	24	65
122	566	2,015	744	449	1,026	147	286	1,042	750	4,235	2,501	271	145	45	356	66
5	24	45	22	29	52	7	14	35	47	76	90	3	6	1	17	67
35	157	276	137	193	566	44	60	144	230	448	609	40	26	3	48	68
27	40	197	84	70	128	16	25	46	101	381	293	20	28	4	23	69
61	16	66	42	15	42	22	18	39	26	103	98	5	8		15	70
8	42	110	30	46	70	17	7	53	36	192	103	7	4	4	16	71
15	26	82	56	35	85	5	14	39	44	180	140	11	6	3	19	72
1	5	23	9	6	27	2	3	21	14	18	26	1			1	73
20	63	366	76	220	331	29	21	308	150	919	254	15	10	11	24	74
3	6	29	13	9	29	1	1	1	19	85	40	2	1		5	75
		5	2		13		1	1		11	10		1		2	76
	31	54	21	20	42	6	14	18	22	101	84	3	1	2	17	77
		1	1	2	2		1	1		4	1				1	78
	3	78	2	9	14	6	1	8	7	121	16	8	5		1	79

CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
			Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
III.—Diseases of circulatory system	58,503	41,497	39,435	22,420	17,006	19,068	1,252	725	682	1,015	2,322
81 Pericarditis.....	591	456	396	168	138	288	7	4	9	16	33
82 Endocarditis.....	4,265	3,684	2,551	1,974	581	1,711	85	19	21	51	72
83 Heart disease.....	44,723	30,854	30,789	16,869	13,920	13,931	939	599	560	785	1,891
84 Angina pectoris.....	2,281	1,479	1,003	781	892	678	58	25	26	41	115
85 Diseases of arteries.....	4,145	3,258	2,556	1,669	887	1,589	108	48	40	58	105
86 Embolism and thrombosis.....	1,117	1,036	968	587	384	449	36	23	19	22	38
89 Diseases of veins.....	227	169	150	92	58	77	2	4	1	5	15
91 Diseases of lymphatics.....	73	57	45	29	16	28	1	1	1	4	4
92 Hemorrhages.....	719	511	424	218	175	296	12	2	6	23	36
93 Other diseases of circulatory system.....	59	31	41	13	28	18	1	1	1	10	13
IV.—Diseases of respiratory system	69,415	54,561	43,965	29,081	14,881	25,480	1,333	516	760	1,083	2,565
95 Diseases of nasal fossa.....	88	53	51	19	35	31	1	1	1	2	4
96 Laryngitis.....	258	187	162	94	71	96	9	3	1	4	10
97 Other diseases of larynx.....	352	266	215	129	56	137	4	5	7	11	13
98 Diseases of thyroid body.....	110	81	60	31	29	50	3	1	1	2	3
99 Acute bronchitis.....	6,598	5,292	4,151	2,818	1,306	2,444	131	53	104	65	185
100 Chronic bronchitis.....	4,711	3,454	2,966	1,709	1,257	1,745	97	53	37	82	175
101 Bronchopneumonia.....	11,608	9,730	7,965	4,687	1,858	3,453	186	68	106	139	306
102 Pneumonia.....	39,068	30,454	24,137	15,734	8,711	11,631	771	317	423	625	1,546
103 Pleurisy.....	1,627	1,315	1,017	535	282	610	31	15	11	26	37
104 Congestion of lungs.....	2,297	1,637	1,451	791	600	843	53	25	39	49	151
105 Gangrene of lungs.....	174	144	107	77	30	67	2	1	2	5	10
106 Asthma.....	1,109	902	536	329	207	573	21	2	13	29	40
107 Emphysema.....	176	138	102	61	38	74	2	1	3	3	11
108 Hemorrhage of lungs.....	707	551	401	245	156	306	13	4	13	30	25
109 Other diseases of respiratory system.....	562	427	335	200	135	227	12	2	6	21	46
V.—Diseases of digestive system	68,940	53,343	43,583	27,986	15,597	25,357	1,569	613	752	1,209	3,083
111 Diseases of mouth.....	242	172	138	78	60	91	5	3	1	7	12
112 Tonsillitis.....	579	471	371	22	99	99	2	1	1	3	26
113 Diseases of pharynx.....	207	134	130	65	74	68	2	1	1	4	16
114 Diseases of esophagus.....	117	92	71	46	25	46	2	1	1	2	4
115 Ulcer of stomach.....	1,091	852	646	401	242	448	26	9	14	21	37
116 Gastritis.....	3,585	2,570	2,172	1,157	1,015	1,413	81	47	67	79	196
117 Other diseases of stomach.....	2,110	1,527	1,732	814	919	714	49	35	50	42	180
118 Dentition.....	309	175	76	41	32	133	1	1	1	1	5
119 Diarrhea and enteritis under 2 years.....	33,032	26,834	21,410	15,211	6,399	11,622	868	282	358	403	1,157
120 Diarrhea and enteritis, 2 years and over.....	6,367	4,474	4,062	2,169	1,893	2,365	112	51	71	137	419
121 Intestinal parasites.....	48	31	33	16	17	15	1	1	1	2	2
122 Hernia.....	1,413	1,122	901	613	291	506	27	9	10	26	41
123 Obstruction of intestines.....	3,219	2,380	1,991	1,155	839	1,225	69	28	35	67	192
124 Other diseases of intestines.....	1,013	683	668	338	330	345	20	10	11	32	96
125 Acute yellow atrophy of liver.....	147	101	92	46	46	55	2	4	4	4	10
126 Hydatid tumors of liver.....	14	13	9	8	1	7	1	1	1	1	1
127 Cirrhosis of liver.....	4,991	4,011	3,011	2,091	950	1,953	100	49	36	90	153
128 Biliary calculi.....	883	672	508	297	211	375	12	10	9	21	44
129 Other diseases of liver.....	2,289	1,568	1,451	730	721	838	39	18	19	80	162
130 Diseases of spleen.....	90	55	61	26	35	29	2	1	1	3	5
131 Peritonitis.....	3,105	2,177	1,881	953	528	1,221	40	28	25	103	265
132 Appendicitis.....	4,062	3,410	2,256	1,601	652	1,806	97	24	39	81	119
133 Other diseases of digestive system.....	101	86	68	50	18	36	3	1	2	1	2
VI.—Diseases of genito-urinary system.....	41,361	32,567	25,807	17,013	8,791	15,551	788	371	563	617	1,278
134 Acute nephritis.....	3,565	2,965	2,305	1,705	600	1,260	88	29	79	57	82
135 Bright's disease.....	31,631	21,890	19,732	12,991	6,741	11,899	577	289	403	471	969
137 Other diseases of kidneys.....	906	690	547	331	216	359	12	8	9	18	44
138 Calculi of urinary tract.....	193	160	106	73	33	87	8	1	1	2	6
139 Diseases of bladder.....	1,257	721	930	391	536	327	27	18	17	25	64
140 Diseases of urethra, urinary abscess, etc.....	152	131	83	65	18	69	4	1	4	1	3
141 Diseases of prostate.....	1,083	771	714	405	309	369	26	10	11	23	41
142 Nonvenereal diseases of male genital organs.....	31	26	22	17	5	9	1	1	1	1	1
143 Metritis.....	160	86	60	46	14	40	4	1	1	2	6
144 Uterine hemorrhage.....	86	59	56	29	27	30	4	2	1	1	6
145 Uterine tumor.....	611	523	338	250	88	273	11	5	13	11	13
146 Other diseases of uterus.....	496	414	279	197	82	217	5	3	4	9	19
147 Ovarian tumor.....	440	364	237	161	76	203	9	2	3	8	19
148 Diseases of tubes.....	692	657	340	305	35	332	10	4	12	11	4
149 Other diseases of female genital organs.....	91	81	45	35	10	49	1	1	2	4	2
150 Nonpuerperal diseases of breast (cancer excepted).....	24	20	13	9	4	11	1	1	1	1	1
VII.—Childbirth.....	5,077	3,927	3,219	2,069	1,150	1,858	107	45	54	79	241
152 Accidents of pregnancy.....	537	415	333	211	122	204	21	6	5	13	24
153 Puerperal hemorrhage.....	413	319	273	179	94	140	9	2	3	7	18
154 Other accidents of labor.....	286	228	192	134	58	94	4	2	5	4	6
155 Puerperal septicemia.....	2,309	1,845	1,401	937	464	908	39	19	19	32	139
156 Puerperal convulsions.....	981	740	655	414	241	326	25	8	14	12	37
157 Puerperal plegmiasia alba dolens.....	7	3	4	4	4	3	1	1	1	1	1
158 Other puerperal accidents.....	542	376	300	194	106	182	9	7	8	11	17
159 Puerperal diseases of breast.....	2	1	1	1	1	1	1	1	1	1	1

273

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.	
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.
202	1,131	4,960	1,831	1,231	2,846	333	609	1,962	1,390	10,101	5,166	538	303	90	663
1	8	23	13	17	33	3	3	13	6	76	30	2	3	1	5
13	27	305	87	41	80	7	11	291	90	984	162	63	10	6	20
211	910	3,730	1,457	932	2,338	271	531	1,409	1,083	7,152	4,298	393	218	67	532
15	37	116	70	68	173	15	36	66	63	316	214	23	18	4	41
8	69	463	158	74	131	10	9	84	77	779	263	39	15	6	39
10	30	113	31	35	37	20	11	60	57	255	135	11	4	3	15
2	4	17	4	5	11	1	1	2	2	59	13	2	2	2	9
2	15	7	5	5	4	4	4	3	2	11	4	2	3	1	2
2	1	56	11	34	49	7	1	28	9	76	42	2	3	2	7
211	1,098	5,028	1,251	1,351	2,427	319	412	2,906	1,509	15,017	4,016	824	401	129	656
1	3	5	5	2	12	2	2	18	8	35	21	1	1	1	2
2	4	11	11	6	11	2	1	15	3	59	24	2	5	1	96
2	1	22	6	10	20	2	1	10	10	59	24	2	5	1	97
1	1	5	5	7	7	1	1	3	1	16	10	1	1	1	98
17	81	499	90	175	336	33	37	216	110	1,463	307	91	42	18	65
15	100	383	155	103	238	20	38	173	100	743	427	49	29	7	42
38	127	692	149	207	289	61	33	537	238	3,962	539	111	57	11	72
151	691	3,025	751	650	1,301	206	270	1,621	868	7,686	2,391	491	242	73	425
2	23	112	20	28	54	5	6	76	27	389	83	18	5	1	12
7	33	119	29	72	109	11	16	136	85	295	181	6	3	7	25
2	1	12	1	5	8	1	1	13	1	37	4	1	1	1	105
2	9	44	15	43	62	4	1	33	20	130	45	9	3	1	4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	107
2	11	39	11	18	33	2	1	38	25	105	42	3	5	1	108
2	8	22	6	25	36	2	3	13	8	93	22	2	2	1	4
227	1,071	5,073	1,131	1,636	3,232	445	431	2,890	1,405	13,288	3,811	766	339	131	178
2	3	13	5	6	13	1	1	11	3	30	17	2	2	1	111
2	4	16	11	2	19	3	1	6	10	31	21	2	1	2	112
1	2	10	4	1	19	3	1	5	1	31	19	1	1	5	113
6	14	60	25	27	50	7	10	4	20	21	5	1	1	1	114
9	72	208	61	66	189	28	37	139	80	418	280	22	5	7	39
15	64	153	60	70	161</										

MORTALITY STATISTICS.

TABLE 5.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
			Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160 VIII.—Diseases of skin.....	2,406	1,601	1,628	826	802	778	47	34	28	57	130
161 Gangrene.....	1,518	933	1,068	483	585	450	23	28	21	34	66
162 Carbuncle.....	142	102	57	47	40	55	2	1	1	4	12
163 Abscess.....	432	331	285	184	101	147	14	1	6	14	20
164 Other diseases of skin.....	314	238	188	112	76	126	8	4		5	12
165 IX.—Diseases of locomotor system.....	1,036	832	653	449	204	353	18	8	11	10	30
166 Diseases of bones.....	929	754	682	407	175	347	15	7	11	9	25
167 Diseases of joints.....	66	49	46	29	17	26	2	1		1	3
168 Amputation.....	18	14	9	5	4	9					
169 Other diseases of organs of locomotion.....	23	15	16	8	8	7	1				2
170 X.—Malformations.....	4,588	3,385	3,056	1,853	1,203	1,532	113	45	30	68	222
171 Hydrocephalus.....	499	377	339	217	122	160	12	5	4	5	17
172 Congenital malformation of heart (cyanosis).....	2,706	2,041	1,769	1,104	665	937	72	27	19	45	132
173 Other congenital malformations.....	1,383	967	948	532	416	435	20	13	7	18	73
174 XI.—Diseases of early infancy.....	23,617	18,626	15,005	10,014	4,991	8,612	470	202	301	581	1,221
175 Premature birth.....	11,102	8,620	7,242	4,700	2,482	3,800	285	117	192	235	583
176 Congenital debility.....	10,626	8,512	6,553	4,469	2,084	4,073	153	69	93	322	575
177 Other diseases of early infancy.....	840	670	582	392	190	278	18	10	7	15	29
178 Lack of care.....	1,029	794	628	393	235	401	14	6	9	9	34
179 XII.—Old age.....	12,301	7,332	8,251	3,282	4,969	4,050	137	118	149	289	719
180 XIII.—Violence.....	37,778	28,865	22,590	13,677	8,913	15,188	799	413	350	757	1,473
181 Suicide by poison.....	1,820	1,577	843	600	243	977	57	6	17	72	64
182 Suicide by asphyxia.....	516	405	280	208	71	227	7	2	5	5	1
183 Suicide by hanging or strangulation.....	791	497	541	244	297	353	12	16	5	10	38
184 Suicide by drowning.....	276	186	174	84	90	102	5	4	7	6	6
185 Suicide by firearms.....	1,435	1,157	741	463	278	694	17	10	20	34	57
186 Suicide by cutting instruments.....	306	250	165	109	56	141	5	1	3		7
187 Suicide by jumping from high places.....	54	53	31	30	1	23			4		
188 Suicide by crushing.....	26	20	14	8	6	12			1		
189 Other suicides.....	211	116	142	47	95	95		11	1	5	1
190 Fractures.....	2,480	1,747	1,705	963	742	784	66	38	19	64	94
191 Dislocations.....	50	32	37	19	18	13		2	1	1	3
192 Burns and scalds.....	2,846	2,308	1,640	1,102	538	1,206	61	15	36	56	105
193 Heat and sunstroke.....	881	772	604	495	109	277	14	12	12	9	14
194 Cold and freezing.....	228	125	158	85	73	70	5	8		3	8
195 Lightning.....	80	18	71	9	62	9		1		2	23
196 Drowning.....	3,389	2,254	2,408	1,273	1,135	981	74	67	35	55	87
197 Inhalation of poisonous gases.....	1,034	960	622	548	74	412	34	2	11	6	12
198 Congestion.....	272	191	232	151	81	40		16	4		1
199 Other accidental poisonings.....	1,269	880	827	438	389	442	30	16	5	22	54
200 Accidental gunshot wounds.....	823	477	524	178	346	299	19	9	6	19	71
201 Injuries by machinery.....	348	286	167	105	62	181	6	1	1	10	9
202 Injuries in mines and quarries.....	491	276	252	37	215	239	1	3		4	50
203 Railroad accidents and injuries.....	5,731	4,329	3,101	1,099	1,402	2,630	123	70	47	135	265
204 Injuries by vehicles and horses.....	1,168	968	747	547	200	421	18	8	18	26	36
205 Suffocation.....	548	369	365	186	179	183	12	8	4	17	41
206 Injuries at birth.....	2,166	1,709	1,486	1,029	457	680	83	23	15	24	79
207 Other accidental traumatism.....	5,662	4,418	3,598	2,354	1,244	2,064	115	49	72	101	205
208 Burning by corrosive substances.....	8	6	6	4	2	2	1	1			1
209 Other external violence.....	1,295	950	618	273	345	677	17	8	6	30	67
210 Starvation, privation, etc.....	22	13	19	10	9	3		1			1
211 Homicide.....	1,540	1,426	463	349	114	1,077	12	3	28	34	51
212 XIV.—Ill-defined causes.....	13,602	9,966	8,106	4,410	3,696	5,556	171	81	96	310	628
213 "Dropsy".....	1,002	602	587	187	400	415	8	4	4	64	107
214 "Heart failure".....	1,924	1,171	1,102	349	753	822	5		1	43	123
215 Sudden death.....	152	81	111	40	71	41	4			3	9
216 Unspecified or ill-defined causes of death.....	1,202	856	731	385	346	471	20	14	4	23	48
217 Inanition, over 3 months.....	2,117	1,679	1,175	737	438	942	17	11	35	90	120
218 Debility, over 3 months.....	1,585	1,065	893	373	520	692	23	13	8	35	70
219 Marasmus, over 3 months.....	4,290	3,738	2,665	2,113	552	1,625	38	22	42	28	36
220 Fever.....	156	85	99	28	71	57	1		2	12	35
221 Unknown causes.....	1,234	689	743	108	545	491	26	16		12	80

URBAN AND RURAL MORTALITY.

275

REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1905—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
9	74	164	59	55	148	12	29	67	65	338	219	21	12	8	32	160
6	60	100	46	28	97	7	25	34	45	213	167	10	8	7	23	161
1	3	14	3	1	6	1	1	6	4	17	7	1	1	1	2	162
1	5	28	6	11	30	2	1	20	7	82	27	5	1	1	3	163
1	6	22	4	15	15	2	2	7	9	46	18	6	2	1	4	164
4	8	83	12	26	42	5	5	54	17	224	60	13	8	1	14	165
4	8	76	11	24	37	5	4	51	17	198	50	13	8	1	8	166
		5	1				1	2		19	7				4	167
					2					4	1				1	168
		2		2	3					3	2				1	169
15	60	333	90	124	256	35	51	190	123	883	284	52	25	10	38	170
4	11	34	12	11	26	5	7	16	10	115	25	7	7	4	2	171
7	38	194	53	68	126	17	28	95	70	351	160	30	10	6	21	172
4	20	105	25	45	104	13	16	79	43	217	99	15	8		15	173
92	377	2,184	391	597	863	132	83	1,006	453	4,369	1,157	220	81	62	103	174
38	194	1,135	204	221	406	6	10	403	224	2,012	598	113	39	30	97	175
45	154	880	155	277	352	115	54	427	189	2,043	470	87	36	27	50	176
4	13	84	20	13	48	6	5	42	17	186	45	15		2	3	177
5	16	85	12	86	57	5	14	44	13	128	64	5	6	3	13	178
89	568	696	423	378	860	82	228	223	243	1,119	1,512	81	74	39	224	179
121	447	2,225	696	668	1,726	154	219	1,581	900	6,651	2,604	291	155	50	280	180
5	5	62	13	50	44	3	3	97	28	227	72	8	3	2	5	181
1	1	30	1	5	2			11	11	181	3	4				182
2	20	39	26	21	59	4	9	26	26	115	83	4	3		17	183
12	12	18	11	5	13	1	3	4	7	35	23	2	5	1	5	184
5	19	56	24	10	36	4	5	50	28	256	86	11	4		9	185
3	5	21	6	7	8	2		11	3	53	20	4	4		2	186
		1						2		21	1	1				187
		1		1	1					5	2		1			188
1	4	7	3	9	17	2	8	5	6	14	22	1			2	189
12	25	228	72	61	116	24	32	116	49	362	292	6	1	5	23	190
		6	4	2	4	2		2		4	5	1				191
7	34	211	51	40	118	15	21	146	66	513	111	15	6	2	11	192
	3	59	9	6	11	7	1	96	29	284	28	7	2	1		193
1	2	10	8	6	25	1	2	11	7	17	39		3	1	1	194
		2		2	15			2	8	3	10				3	195
11	70	197	103	81	242	25	27	131	155	629	325	28	34	7	25	196
	2	60	2	16	16			95	21	322	19	11				197
15	63	63	5	9	23	1	3	1		81	17				1	198
11	16	74	26	39	76	10	15	49	39	183	125	10	3	5	19	199
4	22	20	20	14	84	2	5	29	20	61	100	1	2	3	13	200
1	8	28		1	13	1	4	16	6	34	15	6		1	6	201
20	31	241	112	27	120			5	11		16				15	202
				74	197	15	15	269	161	733	508	36	21	6	27	203
3	8	68	18	16	53	3	4	35	10	354	47	4	7	2	9	204
1	4	48	16	11	38	3	3	15	20	67	41	8	4		4	205
4	24	216	38	28	67	2	7	81	52	323	134	50	21	3	12	206
20	88	351	102	106	249	16	32	199	96	1,306	343	60	26	8	54	207
		2		1												208
5	16	70	21	27	60	9	19	35	27	67	104	5	3	2	11	209
	1	3		1	1			1	1	5	3		1			210
4	12	35	3	7	9	2	1	22	13	196	15	8	1	1	6	211
55	362	877	225	390	927	108	123	629	344	1,664	830	78	33	32	143	212
2	19	8	9	43	114	4	8	13	15	36	118	1		4	6	213
7	79	53	39	45	178	9	27	66	58	115	208		1	5	40	214
1	10	7	2	7	16	1	6	4	3	9	15	2	2	2	7	215
9	17	143	46	43	92	26	22	53	20	41	71	12	4	2	12	216
8	28	127	28	65	91	18	9	84	38	254	86	37	14	2	13	217
15	42	64	33	44	137	12	30	45	39	88	140	3		6	16	218
5	33	394	59	89	61	26	10	343	156	1,104	162	16	2	8	11	219
	4	2		3	13	1		2	6	5	7				6	220
8	130	49	9	51	225	11	11	19	9	12	23	7	10	3	32	221

MORTALITY STATISTICS.

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

CAUSE OF DEATH.		AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1 All causes.....		345,333	105,533	21,940	9,638	5,916	4,317	147,384	12,851	8,835	14,941	22,600
2 Males.....		292,912	89,047	11,658	5,006	3,025	2,244	80,980	6,559	4,524	7,345	11,637
3 Females.....		252,421	46,506	10,302	4,632	2,891	2,073	66,404	6,292	4,311	7,596	10,963
4 I.—General diseases.....		145,263	8,440	5,204	3,525	2,570	1,950	21,689	5,493	3,374	7,271	11,584
5 Males.....		73,529	4,538	2,698	1,767	1,281	980	11,234	2,585	1,406	3,133	5,689
6 Females.....		71,734	3,902	2,506	1,758	1,289	970	10,455	2,908	1,968	4,138	5,895
7 Typhoid fever.....	(M.)	5,532	29	42	53	61	54	239	237	287	634	978
	(F.)	3,917	20	39	57	63	63	242	252	375	620	583
8 Malarial fever.....	(M.)	676	61	43	22	16	8	150	39	18	29	38
	(F.)	645	54	31	26	16	11	138	34	31	32	49
9 Smallpox.....	(M.)	292	10	3	2	3	3	21	7	2	9	27
	(F.)	104	15	3	3	2	3	26	3	2	7	12
10 Measles.....	(M.)	1,297	337	432	203	109	55	1,127	89	16	10	5
	(F.)	1,240	292	409	195	101	51	1,028	113	25	13	17
11 Scarlet fever.....	(M.)	1,152	72	123	194	167	129	685	307	80	26	17
	(F.)	1,132	48	123	165	157	114	607	329	99	37	25
12 Whooping cough.....	(M.)	1,624	932	375	143	70	36	1,576	38	5		1
	(F.)	1,045	491	200	95	54	34	1,885	73	8		
13 Diphtheria.....	(M.)	3,301	224	539	457	420	362	1,989	878	222	88	30
	(F.)	3,408	178	440	482	416	370	1,886	1,059	257	62	43
14 Croup.....	(M.)	740	102	149	139	114	96	600	121	12		
	(F.)	590	75	116	126	91	63	471	101	6	3	2
15 Influenza.....	(M.)	2,886	313	69	40	16	12	450	41	25	46	66
	(F.)	3,540	224	57	28	26	14	349	50	41	50	66
16 Cholera nostras.....	(M.)	242	43	15	2	5	7	72	6	6	7	1
	(F.)	267	29	15	4	6		53	8	1	1	10
17 Dysentery.....	(M.)	1,257	289	138	55	44		517	29	9	6	24
	(F.)	1,331	197	89	55	26	14	384	43	4	10	22
18 Erysipelas.....	(M.)	842	228	10	6		2	246	4			
	(F.)	668	234	12	7	2	3	258	3	7	7	8
19 Other epidemic diseases.....	(M.)	365	23	8	1	6	3	41	10	22	27	52
	(F.)	164	14	4	5	2	3	28	16	9	27	18
20 Septicemia.....	(M.)	824	9	8	8	3	6	113	28	32	27	43
	(F.)	956	100	8	8	4	3	199	32	15	53	126
21 Tuberculosis of lungs.....	(M.)	31,647	391	227	117	59	39	833	212	226	1,491	3,752
	(F.)	25,723	316	214	109	78	62	779	257	637	2,725	4,231
22 Tuberculosis of larynx.....	(M.)	405	3	1	1		1	6			10	30
	(F.)	205			5			11	4	5	9	27
23 Tuberculous meningitis.....	(M.)	1,713	452	349	201	107	75	1,164	188	77	33	44
	(F.)	1,151	380	314	176	114	66	1,050	191	73	53	46
24 Abdominal tuberculosis.....	(M.)	977	100	45	29	16	9	199	82	22	79	81
	(F.)	1,216	90	39	22	12	11	174	47	50	101	132
25 Pott's disease.....	(M.)	318	14	8	7	10	10	49	30	44	31	30
	(F.)	245	9	11	12	11	5	48	20	22	16	18
26 Tuberculous abscess.....	(M.)	31	3	3				6	2	1	1	2
	(F.)	30	5					16	22		1	3
27 White swelling.....	(M.)	132	12	1	1			22	16		10	15
	(F.)	109	3	1	3	2	3	12	13	16		10
28 Tuberculosis of other organs.....	(M.)	299	12	9	8	4	3	36	4	8	22	28
	(F.)	240	8	6	10	3	3	30	5	9	12	25
29 General tuberculosis.....	(M.)	561	45	29	16	7	5	102	24	25	42	69
	(F.)	550	43	9	16	10	4	82	23	30	41	81
30 Scrofula.....	(M.)	67	33	6	6	5	2	52	4	2	1	2
	(F.)	59	26	5	2	4		40	4	2		
31 Venereal diseases.....	(M.)	636	491	22	11	2	1	537	1	2	11	35
	(F.)	660	389	16	3	6		419	4	2	9	33
32 Cancer of mouth.....	(M.)	643		1	1		1	2	1	1	1	3
	(F.)	149		1		1	1	3		2		1
33 Cancer of stomach and liver.....	(M.)	4,388	2	1	1		1	6	4	2	2	7
	(F.)	4,551	5	2				8	6	1	3	14
34 Cancer of intestines.....	(M.)	1,129						1	3		8	22
	(F.)	1,403	2		1	1	3	5	2	2	3	13
35 Cancer of female genital organs.....	(M.)	3,637								4	9	10
	(F.)	16										2
36 Cancer of breast.....	(M.)	1,994									1	3
	(F.)	539										
37 Cancer of skin.....	(M.)	279		2	1			1		2		1
	(F.)	2,474	10	6	8	7	8	39	24	19	42	46
38 Cancer of other or unspecified organs.....	(M.)	2,928	5	6	6	7	7	31	19	14	28	28
	(F.)	137	9	2	2	1	2	16	1	1	1	6
39 Tumor.....	(M.)	364	5	3				11	1		8	4
	(F.)	1,407	22	7	9	11	18	67	62	112	92	65
40 Rheumatism.....	(M.)	1,420	17	5	5	10	17	54	83	105	68	62
	(F.)	2,134	7	5	7	11	8	38	38	65	73	55
41 Diabetes.....	(M.)	2,262	5	1	5	5	4	20	52	65	48	57
	(F.)	925	92	24	9	9	3	137	32	19	42	42
42 Anemia, leukemia.....	(M.)	1,242	89	18	11	10	6	134	25	31	50	71
	(F.)	1,518							3	4		28
43 Alcoholism.....	(M.)	288								1	17	17
	(F.)	185	1					1			2	6
44 Chronic poisonings.....	(M.)	79			1			1			1	3
	(F.)	288	55	11	7	4	1	78	13	6	8	13
45 Other general diseases.....	(M.)	440	27	13	7	6	5	58	6	11	17	23

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.
24,438	24,506	26,296	25,143	25,948	26,671	27,054	31,026	32,037	31,343	27,928	19,889	10,841	3,601	1,158	1,043
12,743	13,448	15,691	14,637	15,229	15,339	15,048	16,833	16,787	15,888	13,874	9,500	4,897	1,437	399	685
11,693	11,058	11,235	10,506	10,719	11,332	12,066	14,173	15,250	15,475	14,054	10,330	5,944	2,164	796	358
11,841	11,057	10,596	9,471	8,976	8,314	7,586	7,551	6,933	5,510	4,070	2,361	1,047	292	87	227
6,023	6,030	5,934	5,310	4,917	4,407	3,798	3,754	3,239	2,412	1,850	1,066	444	110	27	131
5,818	5,027	4,602	4,161	4,039	3,907	3,788	3,797	3,624	3,068	2,220	1,268	603	182	60	96
824	586	498	352	276	200	143	114	58	56	23	11	2			14
455	346	261	192	167	117	102	77	60	39	32	16	6	1		4
44	41	37	24	30	30	35	45	34	24	27	16	10		1	4
42	24	27	25	43	34	31	36	36	19	25	10	6		1	2
35	22	14	20	15	11	6	2	3	3	1					
16	14	9	4	6	2	4	1	1							
6	4														
13	10	6	11	6	1	5	3	3	1	2					10
11	9	6	5	1		1									
10	9	7	3	1	1	1	1								11
2	2														
1															
27	20	12	15	8	6	3	2	2	1	1					12
35	21														13
2															
54	65	81	89	115	137	151	229	214	316	324	279	143	44	12	5
67	89	81	107	115	151	192	245	356	423	437	385	222	77	28	6
7	4	10	10	12	15	9	11	12	13	17	18	10	4		
7	9	4	6	7	10	5	11	20	23	18	11	10	1		
15	6	31	27	26	39	38	61	84	90	93	74	49	11	1	2
21	19	26	25	27	61	57	81	104	128	137	101	60	14	4	2
20	33	40	46	66	56	47	59	51	50	34	27	16	7	1	
18	18	23	39	34	32	33	35	35	31	40	22	16	6	3	
43	38	40	28	25	15	13	6	2	1						
13	12	8	10	3	4	3	4	3							
36	50	65	48	59	52	67	55	45	38	28	25	7	2	1	3
155	100	84	53	30	42	32	31	28	31	17	8	3			
4,115	4,191	3,943	3,203	2,673	2,024	1,412	1,111	797	407	235	107	28	5	1	53
4,161	3,330	2,628	1,890	1,289	984	753	638	557	435	237	97	30	6	3	34
48	40	47	51	48	42	25	27	7	8	5	5				
40	15	4	12	16	4	15	2	5	5	1	1				
48	36	30	13	11	18	12	12	5	4	1					
27	22	30	13	10	4	4									
78	71	58	82	53	30	44	32	42	9	16	5	2			
135	107	119	61	63	46	45	42	45	22	15	4	3	1		
19	23	18	16	11	10	8	7	10	4	4	1	2			
16	16	12	14	4	2	9	5	7	6	1	2	2			
2	2	2	2	2	2	4	4	4	1						
10	6	5	5	6	6	2	2	3	3	3	1	1			
5	10	4	8	7	7	2	5	1	1	2					
26	24	19	28	27	17	14	12	13	6	9	2	3	1		
23	15	21	15	21	10	17	11	8	3	5	6	3			
70	44	45	34	31	18	18	17	14	3	3	1				
59	39	41	36	20	19	11	17	13	2	5	2				
1	1														
39	55	49	43	50	49	25	21	17	5	4	2				
38	41	29	25	23	12	8	6	3	4	4					
5	10	22	35	55	72	85	88	92	84	44	29	8	3	1	2
1	2	4	10	8	14	13	23	22	14	5	5	3	1		
21	72	135	276	413	513	622	672	657	492	295	142	45	6	1	5
39	71	161	276	386	529	597	679	690	580	355	154	49	8	1	5
23	32	55	78	94	116	141	158	156	121	75	34	7	1		
29	35	79	138	157	192	191	169	212	176	93	50	19	3	2	3
68	178	304	438	591	547	499	377	267	173	100	49	13	4		
12	59	136	165	251	226	256	201	167	132	107					
3	3	14	22	26	39	49	56	64	72	93	58	23	10	3	5
3	5	5	6	8	19	11	29	35	46	42	27	18	17	2	1
45	73	104	136	181	242	260	331	317	236	206	109	47	8	2	4
42	89	157	224	290	336	357	346	329	258	205	109	44	10	5	7
3	3	11	12	14	12	12	12	12	9	5	3	1			
61	68	62	89	86	84	82	88	114	38	24	15	6			
69	74	71	58	69	77	116	107	109	115	77	62	28	12	1	2
77	86	99	107	124	219	229	286	262	190	132	56	15	3	1	4
54	57	77	89	140	213	278	330	322	234	142	52	19	3	1	1
27	34	57	50	72	86	80	76	58	46	38	17	7	3		
63	49	91	96	107	95	94	106	93	58	48	22	7	4	1	3
121	214	300	291	263	200	124	107	76	28	16	2				
25	41	46	50	37	26	11	14	12	1	1					
16	19	16	23	25	15	18	17	16	7	3	1				
7	12	7	6	4	7	4	8	6	4	5					
14	16	23	24	8	15	17	17	6	15	8	6	1			
40	36	42	40	40	35	22	21	9	4	4	1	3	1	1	1

MORTALITY STATISTICS.

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

CAUSE OF DEATH.		AGE.											
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	
46	II.—Diseases of nervous system		61,556	10,017	2,530	1,346	837	583	15,313	1,930	1,127	1,091	1,037
47	Males		32,950	5,780	1,357	727	440	317	8,621	1,012	599	635	576
48	Females		28,606	4,237	1,173	619	397	266	6,692	918	528	456	461
49	Encephalitis	(M. 247 F. 218)	(75 55)	(33 15)	(17 15)	(5 2)	(5 2)	(135 89)	(7 14)	(6 7)	(6 7)	(11 11)	(11 7)
50	Meningitis	(M. 6,461 F. 5,193)	(1,739 1,300)	(845 722)	(503 420)	(333 288)	(246 195)	(3,666 2,925)	(739 717)	(390 358)	(381 247)	(253 176)	(253 176)
51	Locomotor ataxia	(M. 652 F. 221)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)
52	Other diseases of spinal cord	(M. 939 F. 783)	(45 48)	(24 17)	(13 9)	(6 12)	(4 7)	(95 93)	(20 18)	(9 13)	(19 11)	(24 16)	(24 16)
53	Apoplexy	(M. 12,336 F. 12,054)	(289 196)	(51 51)	(22 19)	(15 14)	(8 8)	(385 288)	(30 31)	(22 26)	(41 36)	(63 78)	(63 78)
54	Softening of brain	(M. 598 F. 444)	(1 —)	(1 —)	(— —)	(— —)	(— —)	(2 1)	(— —)	(— —)	(— —)	(— —)	(— —)
55	Paralysis	(M. 2,819 F. 3,162)	(28 20)	(10 11)	(12 6)	(3 2)	(2 5)	(55 44)	(12 8)	(8 15)	(13 8)	(18 21)	(18 21)
56	General paralysis of insane	(M. 1,676 F. 774)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)
57	Other forms of mental disease	(M. 489 F. 550)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)	(— —)
58	Other diseases of brain	(M. 834 F. 602)	(102 63)	(27 22)	(15 13)	(7 10)	(5 6)	(156 117)	(37 25)	(23 22)	(29 25)	(48 24)	(48 24)
59	Epilepsy	(M. 819 F. 548)	(42 35)	(12 3)	(12 —)	(8 —)	(2 —)	(76 45)	(25 15)	(32 25)	(63 43)	(76 44)	(76 44)
60	Convulsions	(M. 3,692 F. 2,985)	(3,065 2,266)	(314 297)	(114 119)	(45 46)	(28 28)	(3,575 2,756)	(51 52)	(4 11)	(5 26)	(45 36)	(45 36)
61	Tetanus	(M. 725 F. 308)	(298 192)	(6 3)	(2 3)	(3 2)	(7 5)	(316 205)	(59 15)	(75 20)	(39 3)	(25 8)	(25 8)
62	Other diseases of nervous system	(M. 663 F. 752)	(96 62)	(34 30)	(17 13)	(9 20)	(4 5)	(160 130)	(31 22)	(28 28)	(33 38)	(33 21)	(33 21)
63	III.—Diseases of circulatory system		58,503	1,191	116	93	78	99	1,577	673	909	1,034	1,104
64	Males		30,775	669	55	53	36	58	871	294	365	491	519
65	Females		27,728	522	61	40	42	41	706	379	544	543	585
66	Pericarditis	(M. 340 F. 234)	(10 3)	(3 4)	(— —)	(— —)	(— —)	(4 2)	(21 14)	(10 11)	(11 13)	(14 13)	(14 11)
67	Endocarditis	(M. 2,066 F. 2,199)	(36 44)	(12 7)	(10 5)	(3 4)	(11 13)	(74 73)	(60 86)	(38 82)	(60 93)	(56 69)	(56 69)
68	Heart disease	(M. 23,304 F. 21,419)	(405 321)	(27 38)	(23 22)	(22 30)	(35 22)	(512 433)	(209 260)	(298 425)	(391 398)	(407 421)	(407 421)
69	Angina pectoris	(M. 1,358 F. 923)	(1 —)	(2 —)	(— —)	(— —)	(— —)	(3 2)	(1 7)	(3 4)	(5 9)	(2 16)	(2 16)
70	Diseases of arteries	(M. 2,539 F. 1,606)	(2 3)	(1 —)	(1 —)	(— —)	(— —)	(2 4)	(7 —)	(1 4)	(6 8)	(8 5)	(8 5)
71	Embolism and thrombosis	(M. 801 F. 91)	(13 2)	(— —)	(4 1)	(1 1)	(1 1)	(19 5)	(5 —)	(2 1)	(6 1)	(9 3)	(9 3)
72	Diseases of veins	(M. 136 F. 7)	(3 —)	(1 —)	(1 —)	(1 —)	(1 —)	(5 —)	(— —)	(1 —)	(1 —)	(2 —)	(2 —)
73	Diseases of lymphatics	(M. 35 F. 38)	(10 —)	(3 —)	(1 —)	(1 —)	(1 —)	(19 15)	(1 3)	(1 —)	(— —)	(— —)	(— —)
74	Other diseases of circulatory system	(M. 426 F. 352)	(189 123)	(4 3)	(6 6)	(7 2)	(5 3)	(211 142)	(11 5)	(11 10)	(9 9)	(23 23)	(23 23)
75	IV.—Diseases of respiratory system		69,445	16,512	6,043	2,282	1,063	661	26,561	1,410	656	1,205	1,674
76	Males		37,441	9,314	3,145	1,174	530	333	14,496	700	309	611	969
77	Females		32,004	7,198	2,898	1,108	533	328	12,065	710	347	594	705
78	Laryngitis	(M. 144 F. 114)	(25 19)	(20 9)	(16 16)	(10 14)	(10 6)	(81 61)	(25 17)	(2 4)	(3 4)	(4 —)	(4 —)
79	Other diseases of larynx	(M. 218 F. 134)	(65 42)	(25 19)	(19 10)	(12 12)	(9 7)	(130 90)	(20 16)	(4 —)	(1 —)	(4 2)	(4 2)
80	Diseases of thyroid body	(M. 24 F. 86)	(4 —)	(— —)	(— —)	(— —)	(— —)	(4 —)	(1 —)	(1 —)	(2 —)	(3 —)	(3 —)
81	Acute bronchitis	(M. 3,399 F. 3,199)	(2,238 1,748)	(478 467)	(143 156)	(54 59)	(28 33)	(2,941 2,463)	(25 46)	(10 13)	(4 14)	(3 10)	(3 10)
82	Chronic bronchitis	(M. 2,110 F. 2,601)	(69 57)	(33 28)	(9 12)	(4 2)	(4 4)	(119 103)	(20 34)	(11 14)	(8 36)	(32 34)	(32 34)
83	Bronchopneumonia	(M. 5,917 F. 5,601)	(2,622 2,122)	(1,101 1,013)	(361 363)	(162 146)	(79 87)	(4,315 3,725)	(130 141)	(27 34)	(25 41)	(50 44)	(50 44)
84	Pneumonia	(M. 21,820 F. 17,248)	(3,803 2,840)	(1,385 1,276)	(567 510)	(269 285)	(177 167)	(6,301 5,078)	(412 412)	(204 250)	(492 420)	(751 622)	(751 622)
85	Pleurisy	(M. 978 F. 649)	(48 30)	(43 36)	(22 22)	(11 11)	(7 10)	(131 109)	(29 25)	(28 13)	(38 28)	(53 31)	(53 31)
86	Congestion of lungs	(M. 1,155 F. 1,142)	(348 276)	(39 37)	(21 14)	(12 9)	(9 6)	(429 342)	(16 8)	(9 10)	(11 26)	(13 18)	(13 18)
87	Gangrene of lungs	(M. 120 F. 54)	(1 —)	(1 —)	(— —)	(— —)	(— —)	(3 —)	(2 —)	(3 —)	(1 —)	(4 —)	(4 —)
88	Asthma and emphysema	(M. 680 F. 605)	(14 13)	(6 3)	(4 1)	(1 —)	(4 3)	(29 20)	(2 2)	(4 —)	(1 —)	(7 0)	(7 0)
89	Hemorrhage of lungs	(M. 467 F. 240)	(27 16)	(1 —)	(1 —)	(— —)	(— —)	(32 17)	(1 —)	(3 —)	(12 —)	(25 16)	(25 16)
90	Other diseases of respiratory system	(M. 409 F. 241)	(50 30)	(14 9)	(11 3)	(4 1)	(2 5)	(81 48)	(8 8)	(3 6)	(14 11)	(15 11)	(15 11)

CAUSES OF DEATH, BY SEX AND AGE.

279

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.
1,099	1,313	1,753	2,139	2,692	3,221	3,629	4,568	5,124	5,423	4,806	3,230	1,519	360	79	103
630	756	1,033	1,235	1,577	1,798	1,920	2,438	2,667	2,739	2,300	1,520	668	138	27	61
469	557	720	904	1,115	1,423	1,709	2,130	2,457	2,684	2,506	1,710	851	222	52	42
7	7	8	9	9	4	13	5	5	7	3	4	1			2
3	13	10	9	4	4	7	11	5	7	9	5	1			2
199	179	136	116	101	88	61	66	36	33	24	17	3			4
126	98	111	111	63	39	32	46	35	14	24	17	3			4
7	16	27	67	83	96	82	91	71	50	26	19	3			1
5	5	13	12	25	29	37	26	33	27	11	1	1			2
23	40	33	56	61	74	87	111	112	81	61	24	6			1
26	27	46	35	48	54	73	64	89	65	67	28	9			1
111	170	330	441	710	941	1,114	1,519	1,706	1,748	1,460	975	418			29
91	111	215	400	500	867	1,061	1,371	1,574	1,738	1,640	1,109	551			25
6	11	10	18	25	35	39	61	82	106	102	53	137			2
1	8	7	8	14	21	33	39	67	102	70	24	4			2
27	41	55	78	103	132	222	301	367	455	403	317	147			6
21	26	43	89	115	169	213	319	430	523	485	377	187			4
22	78	194	230	250	182	130	122	119	119	116	64	29			8
15	34	56	58	68	18	67	68	72	93	85	56	39			1
21	30	38	43	56	57	40	42	42	46	31	15	7			2
29	38	51	61	52	44	41	44	47	43	31	22	13			4
51	44	63	83	51	50	50	50	50	43	29	13	7			1
26	43	36	40	43	29	29	27	27	22	22	15	6			1
72	61	74	59	52	48	33	37	39	22	27	11	5			1
49	39	55	42	35	33	28	32	21	11	17	5	6			2
4	12	4	4	5	6	4	1	2	1	2	2	2			2
29	24	10	12	6	3	3	6	4	1	2	2	2			1
37	28	28	25	16	26	16	14	12	4	1	1	1			1
9	6	10	7	7	4	3	4	2	1	1	1	1			1
34	27	33	26	23	35	29	33	31	30	37	17	11			1
36	37	36	38	49	39	50	48	41	46	43	18	14			2
1,400	1,791	2,481	2,817	3,470	4,118	4,820	6,178	6,822	6,892	6,100	3,809	1,774	448	123	103
689	909	1,347	1,461	1,869	2,315	2,682	3,319	3,682	3,612	3,180	1,979	847			67
771	882	1,134	1,356	1,601	1,803	2,138	2,829	3,140	3,280	2,920	1,800	927			36
18	20	25	21	23	17	25	26	29	30	21	12	4			2
13	8	23	15	17	14	16	18	25	11	11	8	4			1
89	87	121	141	133	158	186	214	186	186	151	72	45			4
99	81	119	111	121	117	155	215	207	216	167	111	48			6
503	689	1,043	1,109	1,411	1,783	2,048	2,377	2,867	2,785	2,380	1,473	588			28
555	671	851	1,080	1,287	1,489	1,713	2,245	2,473	2,348	2,281	1,385	650			53
8	31	46	37	30	191	191	26	301	181	126	62	20			1
26	31	37	39	38	91	117	118	133	95	59	25	3			1
17	11	10	21	26	38	49	90	138	198	287	267	216			19
31	28	33	35	42	55	52	59	54	60	67	45	8			4
31	47	46	51	62	54	55	71	79	76	76	41	24			4
8	1	4	9	13	4	11	7	15	5	7	3	2			1
2	2	1	1	1	13	13	15	19	2	11	6	3			3
1	2	1	2	2	3	3	3	2	1	1	1	1			1
21	18	15	18	14	19	10	13	8	9	8	3	5			1
27	22	27	18	14	7	5	10	12	6	8	3	2			1
1,991	2,223	2,783	2,620	2,701	2,920	3,031	3,568	3,798	3,925	3,587	2,573	1,462	485	132	100
1,217	1,399	1,840	1,780	1,769	1,769	1,724	1,853	1,779	1,766	1,516	1,081	579			61
774	824	943	849	932	1,100	1,307	1,715	2,019	2,159	2,071	1,494	883			30
3	1	2	3	3	5	3	2	4	2	1	2	2			1
4	2	3	1	2	2	2	2	1	2	2	2	2			2
7	6	4	5	6	7	5	6	6	4	4	1	1			1
2	1	4	2	2	4	1	3	3	1	1	1	1			1
4	5	8	7	5	10	2	17	6	3	4	2	1			1
14	12	16	12	18	19	27	32	33	57	52	60	34			4
9	12	9	10	15	21	33	48	73	91	113	106	65			10
26	29	48	62	63	78	147	190	233	287	296	249	118			37
47	34	42	43	58	83	137	190	318	361	401	342	212			78
30	35	63	88	95	94	167	113	142	139	155	178	72			22
47	51	63	62	61	72	94	131	173	209	242	240	180			49
930	1,126	1,446	1,395	1,360	1,285	1,189	1,232	1,093	1,029	785	482	250			76
556	617	697	605	663	806	816	1,096	1,187	1,181	1,048	694	385			118
66	65	81	76	80	70	52	51	54	43	29	18	8			3
46	29	30	37	36	40	55	34	43	42	42	17	9			1
26	18	39	31	40	63	55	61	61	71	90	72	41			13
23	22	28	23	22	44	49	48	78	104	108	98	60			24
7	9	11	13	14	14	14	14	6	7	3	1	2			2
4	7	3	3	4	3	6	4	4	2	2	2	2			3
8	14	21	29	26	70	66	70	96	89	86	41	12			3
12	20	8	18	37	42	45	68	68	91	73	40	32			2
44	41	51	42	40	35	35	30	20	10	11	6	2			1
12	13	20	17	18	27	22	20	22	12	12	9	4			1
25	31	24	21	20	30	27	20	28	14	5	13	6			3
9	12	19	17	10	12	10	10	11	13	16	5	5			2

MORTALITY STATISTICS.

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

CAUSE OF DEATH.	AGE.										
	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91 V.—Diseases of digestive system.....	58,240	30,631	6,099	1,329	565	393	30,017	1,194	1,032	1,149	1,475
92 Males.....	26,533	16,893	3,536	691	321	221	21,462	590	570	580	671
93 Females.....	32,407	13,738	2,563	638	244	172	17,555	604	462	569	804
94 Diseases of mouth.....	M. 114	88	3	2	2	2	95	6	1	2	2
95 Tonsillitis.....	F. 118	79	8	5	1	1	93	3	3	1	1
96 Other diseases of pharynx.....	M. 139	13	16	5	10	11	55	24	12	4	6
97 Ulcer of stomach.....	F. 131	15	6	14	6	10	51	35	9	8	7
98 Gastritis.....	M. 208	41	12	6	2	1	62	8	2	4	2
99 Other diseases of stomach.....	F. 116	23	1	5	3	4	41	6	5	4	2
100 Dentition.....	M. 479	5	1	1	2	1	3	2	2	15	15
101 Diarrhea and enteritis.....	F. 1,672	386	74	28	16	10	514	26	9	17	35
102 Hernia.....	M. 1,913	340	57	21	16	9	443	34	14	18	32
103 Obstruction of intestines.....	F. 1,299	556	44	19	7	8	634	17	6	6	11
104 Other diseases of intestines.....	M. 1,147	436	34	12	12	4	498	16	5	13	10
105 Acute yellow atrophy of liver.....	F. 121	80	36	4	1	1	121	88	5	2	2
106 Hydatid tumors of liver.....	M. 88	49	34	4	2	1	8	3	1	4	2
107 Cirrhosis of liver.....	F. 21,091	15,062	3,643	538	210	126	18,379	175	53	45	40
108 Biliary calculi.....	M. 18,308	12,393	2,534	513	183	86	15,679	158	37	54	75
109 Other diseases of liver.....	F. 691	79	7	4	2	2	62	3	2	2	2
110 Diseases of spleen.....	M. 722	13	2	2	1	1	18	3	1	2	1
111 Peritonitis.....	F. 1,635	312	44	30	25	18	420	49	42	56	74
112 Appendicitis.....	M. 1,584	190	27	19	12	12	200	35	31	31	82
113 Other diseases of digestive system.....	F. 558	108	18	9	6	6	117	18	14	14	23
114 VI.—Diseases of genito-urinary system.....	M. 533	8	1	6	2	6	111	11	6	16	21
115 Acute nephritis.....	F. 81	4	1	1	1	1	5	1	1	2	2
116 Bright's disease.....	M. 11	3	1	1	1	1	3	1	1	2	2
117 Other diseases of kidneys.....	F. 3,313	5	3	4	1	2	15	7	3	12	23
118 Calculi of urinary tract.....	M. 1,681	3	3	3	1	3	13	8	4	9	17
119 Diseases of bladder.....	F. 263	1	1	1	1	1	1	1	1	1	3
120 Uterine tumor.....	M. 620	1	1	1	1	1	1	1	1	1	6
121 Other diseases of uterus.....	F. 1,126	51	11	8	11	3	84	11	8	26	31
122 Ovarian tumor.....	M. 1,163	46	9	8	5	5	73	20	18	15	31
123 Diseases of tubes.....	F. 42	1	1	1	1	1	1	1	1	3	3
124 Other diseases of genito-urinary system.....	M. 1,144	92	21	25	16	18	172	50	78	80	76
125 Childbirth.....	F. 1,961	48	28	14	11	13	114	76	93	140	263
126 VII.—Childbirth.....	M. 2,372	8	2	10	14	20	49	192	339	289	304
127 Puerperal septicemia.....	F. 1,666	6	2	10	14	20	52	193	234	232	185
128 Puerperal convulsions.....	M. 53	3	1	1	1	1	3	1	1	1	5
129 Other causes incident to childbirth.....	F. 51	1	1	1	1	1	1	1	1	1	1
130 VIII.—Diseases of skin.....	M. 41,361	582	159	147	120	96	1,104	340	318	639	1,196
131 Males.....	22,531	355	86	80	52	46	619	173	135	218	425
132 Females.....	18,830	227	73	67	68	50	485	167	183	421	771
133 Gangrene.....	M. 1,858	112	35	34	22	16	219	73	34	60	99
134 Carbuncle.....	F. 1,707	74	24	35	20	22	184	72	60	76	114
135 Abscess.....	M. 17,644	180	42	40	27	28	317	87	92	147	294
136 Other diseases of skin.....	F. 13,987	119	44	29	35	27	254	85	106	236	375
137 Other diseases of skin.....	M. 554	31	3	3	3	2	41	5	4	8	11
138 Gangrene.....	F. 352	22	3	3	3	2	31	5	5	8	17
139 Carbuncle.....	M. 141	3	3	3	1	1	7	7	2	3	2
140 Abscess.....	F. 52	1	1	1	1	1	1	1	1	1	2
141 Other diseases of skin.....	M. 1,079	18	1	3	1	1	22	1	2	5	6
142 Gangrene.....	F. 178	6	1	1	1	1	7	1	1	3	2
143 Carbuncle.....	M. 611	6	1	1	1	1	1	1	1	1	6
144 Abscess.....	F. 682	1	1	1	1	1	1	1	1	1	23
145 Other diseases of skin.....	M. 440	1	1	1	1	1	1	1	1	1	91
146 Gangrene.....	F. 692	1	1	1	1	1	1	1	1	1	55
147 Carbuncle.....	M. 1,255	11	2	1	1	1	13	1	1	1	129
148 Abscess.....	F. 129	6	1	1	1	1	6	1	2	1	10
149 Other diseases of skin.....	M. 5,077	8	1	1	1	1	8	1	1	1	12
150 Childbirth.....	F. 2,309	4	1	1	1	1	4	1	1	1	1,057
151 Puerperal septicemia.....	M. 981	1	1	1	1	1	1	1	1	1	518
152 Puerperal convulsions.....	F. 1,787	1	1	1	1	1	1	1	1	1	237
153 Other causes incident to childbirth.....	M. 2,406	305	40	25	10	13	393	25	15	27	272
154 Males.....	1,356	169	20	13	4	6	212	13	8	17	26
155 Females.....	1,050	136	20	12	6	7	181	12	7	10	14
156 Gangrene.....	M. 840	15	5	7	2	2	31	6	3	3	6
157 Carbuncle.....	F. 678	15	3	7	4	4	33	5	4	1	4
158 Abscess.....	M. 106	17	1	1	1	1	18	1	1	2	3
159 Other diseases of skin.....	F. 36	7	1	1	2	3	12	1	1	1	16
160 Gangrene.....	M. 241	41	7	6	2	3	59	6	5	8	9
161 Carbuncle.....	F. 191	51	11	2	1	1	67	5	3	1	1
162 Abscess.....	M. 169	96	7	2	1	1	104	1	1	1	1
163 Other diseases of skin.....	F. 145	63	4	2	1	1	69	1	1	1	1

CAUSES OF DEATH, BY SEX AND AGE.

281

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known
1,643	1,651	1,948	1,970	2,138	2,168	2,220	2,456	2,516	2,222	1,899	1,288	654	194	52	63
782	771	977	1,056	1,159	1,220	1,216	1,305	1,291	1,072	863	551	277	79	19	32
861	880	971	911	979	948	1,004	1,151	1,225	1,190	997	737	377	115	33	31
4	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1
7	7	2	2	3	2	3	2	2	3	3	3	1	1	1	1
5	5	2	2	3	3	3	2	1	2	4	1	1	1	1	1
2	8	4	1	2	12	12	20	11	7	13	12	6	3	1	1
31	41	51	72	79	54	70	39	49	37	34	17	4	1	1	1
36	32	46	45	33	37	37	32	39	34	21	12	4	2	3	3
32	47	50	62	70	81	94	131	110	132	125	81	52	15	3	4
52	53	55	68	63	79	100	139	160	170	168	152	64	20	5	4
24	25	39	41	41	53	46	61	71	63	70	47	27	11	2	4
26	28	28	27	27	45	34	43	55	71	76	85	42	18	3	3
74	62	90	80	90	104	146	182	195	224	230	168	103	29	8	5
62	95	97	102	117	125	141	225	263	305	296	241	161	53	14	8
9	18	35	33	36	51	48	67	83	65	50	46	20	5	3	3
9	13	34	53	84	69	86	81	93	75	53	30	12	2	1	1
69	74	74	80	82	90	100	82	110	94	82	34	16	4	1	1
84	81	80	80	97	87	93	110	127	105	84	54	23	6	2	3
25	22	23	32	15	20	23	43	40	27	31	21	14	3	2	1
33	30	33	22	33	24	20	14	25	23	31	24	13	3	1	1
6	5	7	6	4	6	8	1	3	5	1	2	1	1	1	1
9	7	8	3	6	8	5	4	5	4	3	1	1	1	1	1
1	4	1	1	2	2	1	1	1	1	1	1	1	1	1	1
79	141	246	341	410	473	386	416	368	209	122	44	12	3	3	3
40	86	126	151	193	177	178	187	168	160	98	41	13	6	2	4
5	8	12	12	22	31	47	33	36	17	17	12	4	2	1	1
18	25	43	47	61	79	78	71	81	51	31	19	7	1	1	1
50	42	80	83	101	111	111	97	106	81	65	51	17	2	1	2
27	43	63	76	91	90	107	117	117	108	87	51	25	2	2	1
4	4	3	2	2	2	2	3	4	4	3	1	1	1	1	1
86	53	82	76	68	58	50	61	52	40	23	14	5	2	1	1
268	241	207	142	93	59	49	65	51	47	26	11	10	2	4	4
272	214	163	136	131	78	55	63	41	19	22	4	4	1	1	1
186	126	113	86	68	58	48	39	24	19	15	9	2	1	1	1
3	3	5	7	3	4	5	2	3	2	1	1	1	1	1	1
1,731	2,059	2,441	2,655	3,081	3,419	3,622	4,231	4,217	3,925	3,295	1,895	800	223	55	55
623	875	1,094	1,273	1,623	1,886	2,104	2,484	2,324	2,449	2,065	1,207	500	135	29	30
1,108	1,184	1,347	1,382	1,438	1,533	1,518	1,747	1,693	1,476	1,230	688	300	88	26	23
119	134	137	135	149	141	138	110	117	87	54	30	15	4	1	2
150	144	148	123	120	93	117	88	73	63	37	32	8	1	1	1
471	678	870	1,060	1,377	1,632	1,801	2,088	2,030	1,879	1,519	804	365	84	16	24
564	644	791	882	1,031	1,256	1,278	1,541	1,519	1,326	1,106	609	271	76	23	14
15	26	43	29	38	30	37	53	52	59	44	36	16	3	2	2
22	33	32	32	22	24	24	22	20	15	22	10	2	4	1	1
6	8	7	7	6	7	11	20	12	12	7	7	1	1	1	1
4	4	4	3	4	6	5	7	7	2	3	2	1	1	1	1
11	12	18	22	26	37	52	85	130	179	200	157	92	30	5	1
21	5	6	4	7	7	6	12	13	24	33	19	12	5	1	1
113	48	106	118	115	64	44	33	21	15	12	3	3	2	1	1
41	97	86	91	70	34	10	11	12	7	3	4	3	1	1	1
100	134	101	63	49	30	29	29	23	21	13	8	3	1	1	1
8	17	19	20	27	39	2	1	3	1	1	1	1	1	1	1
26	20	19	12	8	7	3	128	174	233	236	173	71	14	5	2
1,227	1,094	889	366	46	2	1	1	1	1	1	1	1	1	1	1
581	470	357	128	17	2	1	1	1	1	1	1	1	1	1	1
236	159	142	66	6	1	1	1	1	1	1	1	1	1	1	1
410	435	390	172	23	1	1	1	1	1	1	1	1	1	1	1
46	49	57	67	86	96	112	147	228	243	311	247	149	53	8	5
30	35	39	43	42	52	62	67	109	150	181	140	77	29	3	1
10	14	18	24	44	44	50	60	119	99	130	107	72	26	5	4
10	14	19	23	16	25	45	53	78	119	162	125	72	27	2	1
6	4	4	10	26	31	30	42	97	87	113	87	63	1	5	1
6	4	5	4	9	5	5	14	14	7	5	3	1	1	1	1
12	15	15	10	12	16	17	13	12	13	7	7	1	1	1	1
4	7	8	9	9	7	11	9	10	6	5	6	4	1	1	1
2	3	6	3	6	3	5	5	5	11	7	5	4	1	1	1
									9	9	13	5			

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
138	IX.—Diseases of locomotor system.....	1,036	240	110	50	28	18	446	68	58	32	38
139	Males.....	627	143	62	29	15	11	260	45	38	22	29
140	Females.....	409	97	48	21	13	7	186	23	20	10	9
141	Diseases of bones..... (M.....)	563	136	62	29	15	11	233	42	35	16	26
	(F.....)	366	94	47	21	13	6	181	23	20	9	9
142	Diseases of joints..... (M.....)	36	5					5	1			
	(F.....)	30	2	1			1	4				
143	Other diseases of locomotor system..... (M.....)	28	2					2	2	2	3	1
	(F.....)	13	1					1				
144	X.—Malformations.....	4,588	4,299	123	44	30	15	4,511	41	14	8	7
145	Males.....	2,624	2,472	65	22	18	7	2,584	23	8	6	2
146	Females.....	1,964	1,827	58	22	12	8	1,927	18	6	2	5
147	Hydrocephalus..... (M.....)	305	221	40	14	11	3	289	10	2	2	1
	(F.....)	194	137	20	8	5	4	183	5	1	1	3
148	Congenital malformation of heart (cyanosis)..... (M.....)	1,550	1,537	15	7	4	2	1,564	7	6	3	
	(F.....)	1,126	1,074	18	7	4	3	1,106	11	5	1	1
149	Other congenital malformations..... (M.....)	739	714	10	1	4	2	731	6		1	
	(F.....)	644	616	11	7	3	1	638	2			1
150	XI.—Diseases of early infancy.....	23,617	23,617					23,617				
151	Males.....	13,344	13,344					13,344				
152	Females.....	10,273	10,273					10,273				
153	Premature birth..... (M.....)	6,232	6,232					6,232				
	(F.....)	4,870	4,870					4,870				
154	Congenital debility..... (M.....)	7,112	7,112					7,112				
	(F.....)	5,403	5,403					5,403				
155	XII.—Old age.....	12,301										
156	Males.....	5,306										
157	Females.....	6,995										
158	XIII.—Violence.....	37,778	3,148	638	611	538	431	5,366	1,563	1,250	2,022	3,250
159	Males.....	28,783	1,874	364	351	294	233	3,116	1,064	1,049	1,597	2,671
160	Females.....	8,995	1,274	274	260	244	198	2,250	499	201	425	579
161	Suicide..... (M.....)	4,121									91	322
	(F.....)	1,317									54	212
162	Fractures and dislocations..... (M.....)	1,621	4	4	4	5	12	32	33	7	73	107
	(F.....)	918	9	9	5	5	2	30	9	7	10	10
163	Burns and scalds..... (M.....)	1,177	47	145	174	132	71	509	90	20	32	49
	(F.....)	1,669	103	100	118	136	124	512	216	52	63	87
164	Heat and stroke..... (M.....)	609	34	21	4	5	1	111	7	4	12	22
	(F.....)	272	89	12	4	5	1	111	4	2	8	7
165	Cold and freezing..... (M.....)	184	4	1				1	1		4	9
	(F.....)	44	9	1	1			12	1		1	
166	Lightning..... (M.....)	63					1	1	5	3	11	8
	(F.....)	17							4	2	1	4
167	Drowning..... (M.....)	3,083	12	25	28	24	28	117	283	361	373	356
	(F.....)	364	11	22	8	7	6	54	26	28	50	22
168	Inhalation of poisonous gases..... (M.....)	1,877	12	11	4	4	4	34	20	14	35	84
	(F.....)	429	8	4	4	6	4	26	16	17	34	40
169	Other accidental poisonings..... (M.....)	759	77	60	44	28	20	229	37	13	17	26
	(F.....)	510	46	57	42	23	12	180	24	10	16	40
170	Accidental gunshot wounds..... (M.....)	727	1	2	4	2	2	11	28	94	131	99
	(F.....)	96	1	1	2	3	3	10	5	9	13	15
171	Injuries by machinery..... (M.....)	340						1	3	0	30	62
	(F.....)	8							1		1	
172	Injuries in mines and quarries..... (M.....)	489				1		1	1	1	39	84
	(F.....)	2							1			
173	Railroad accidents and injuries..... (M.....)	5,285	2	8	22	18	21	71	201	179	320	608
	(F.....)	416	3	10	9	9	12	45	62	16	27	26
174	Injuries by vehicles and horses..... (M.....)	1,029	3	9	12	17	14	32	121	59	54	58
	(F.....)	139	2	4	13	7	3	20	30	5	2	4
175	Suffocation..... (M.....)	366	181	7	4	3	1	199	6	9	12	9
	(F.....)	182	139	3	2	5	2	131	1	1	1	1
176	Other accidental injuries..... (M.....)	5,569	97	69	51	53	53	323	201	203	290	457
	(F.....)	1,437	49	48	49	35	26	207	84	35	32	39
177	Injuries at birth..... (M.....)	1,306	1,306					1,306				
	(F.....)	860	860									
178	Homicide..... (M.....)	1,185	19	2		2		23	7	15	74	218
	(F.....)	355	15	3	3	3	2	26	13	9	31	72
179	XIV.—Ill-defined causes.....	13,602	6,571	898	186	77	58	7,790	114	74	82	138
180	Males.....	7,113	3,526	470	99	34	32	4,161	60	37	35	60
181	Females.....	6,549	3,045	428	87	43	26	3,629	54	37	47	78
182	"Dropsy"..... (M.....)	442	10	4		2		16	6	4	7	8
	(F.....)	560	14					23	7		7	7
183	"Heart failure"..... (M.....)	1,082	112	11	3	1	8	143	17	7	12	19
	(F.....)	842	86	4	2	1	3	96	13	9	8	19
184	Other ill-defined causes..... (M.....)	4,808	3,017	433	88	22	21	3,581	31	21	8	23
	(F.....)	4,634	2,651	398	77	36	17	3,179	30	19	25	39
185	Unknown causes..... (M.....)	721	387	22	0	3	3	421	6	5	8	10
	(F.....)	513	294	22	5	5	5	331	7	2	7	13

CAUSES OF DEATH, BY SEX AND AGE.

283

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Un-known.	
30	30	38	34	34	34	31	38	50	34	19	16	6				138
18	16	26	22	21	20	20	22	30	19	9	8	2				139
12	14	12	12	13	14	11	16	20	15	10	8	4				140
15	15	20	18	16	18	19	19	24	14	6	5	2				141
10	12	12	9	9	11	8	11	18	11	6	5	2				142
2	1	3	2	3	2	2	1	6	2	1	1	1				143
2	2		3	2	2	2	5	2	1	2	3	2				144
1		3	2	2	1	1	2	2	3	2	2					145
2	1	1		1						1					1	146
1	1															147
1	1	1		1						1					1	148
1	1															149
1																150
																151
																152
																153
																154
							219	545	1,481	2,321	3,301	2,635	1,266	514	19	155
							83	232	657	1,058	1,474	1,138	467	166	5	156
							130	293	824	1,263	1,827	1,497	799	348	14	157
3,180	3,004	3,060	2,716	2,421	1,994	1,587	1,509	1,271	1,052	867	665	442	159	49	291	158
2,650	2,547	2,649	2,309	2,093	1,668	1,305	1,203	893	677	486	306	174	56	12	258	159
530	457	411	407	328	326	306	306	378	375	381	359	268	103	37	33	160
382	423	462	458	447	393	323	279	216	186	80	46	22	2		25	161
194	155	132	120	101	89	88	54	36	13	15	7	4	1		4	162
111	131	137	147	139	93	73	80	70	85	73	70	58	21		9	163
4	8	15	14	10	22	27	51	63	124	135	163	137	37		20	164
62	61	48	57	37	37	25	21	16	20	16	13	1	1		2	165
97	79	63	64	58	69	47	66	53	49	45	26	16	3		2	166
33	41	50	62	53	36	33	30	24	21	19	8	5	2		3	167
6	9	10	10	8	19	19	17	13	11	14	7	2	1		4	168
9	6	11	10	15	19	23	27	10	6	9	1	1	1		1	169
8	4	5	3	6	3	2	3	4	2	2	5		1			170
2	1	1	1	1	1	2	3	3					1			171
265	217	265	205	177	139	90	66	55	30	13	8	2	1		62	172
19	19	12	11	12	8	7	6	7	8	2	2	1	1		6	173
68	98	98	87	78	57	49	37	31	28	16	10	7	2		26	174
39	26	22	34	23	16	18	21	20	22	20	15	6	4		6	175
32	54	60	67	53	30	36	27	31	19	12	6	4	2		9	176
33	27	33	26	23	22	18	16	21	9	9	1	1	1		1	177
60	56	55	46	40	35	23	20	9	6	3	1	1	1		1	178
10	10	8	9	1	1	2	2	2	5	1						179
42	39	26	34	27	23	21	12	4								180
1																181
87	60	45	41	18	14	8	6	3	1	1	1				4	182
1	76	60														183
688	556	505	453	387	292	218	214	149	92	56	27	19	1		68	184
27	20	22	26	17	27	31	23	27	24	13	14	2	2		1	185
73	87	86	87	73	64	44	60	39	30	23	10	4	2		2	186
4	10	3	4	6	9	9	6	8	7	6	3	3	1		2	187
18	21	16	12	12	20	9	6	6	2	2	2	1				188
1	1	2	3	1	3	4	2	2	3	1	1					189
472	509	499	449	448	370	298	296	215	181	158	94	48	22		23	190
42	48	49	63	50	46	67	89	116	102	111	105	93	37	1	1	191
																192
240	179	170	87	60	39	24	17	9	6	7	2	1			16	193
52	42	38	21	20	10	6	4	1	2	2	1				5	194
194	234	249	279	302	376	416	501	603	630	661	499	293	119	39	69	195
80	110	122	148	159	204	217	299	321	325	336	247	131	48	14	39	196
114	124	127	131	143	172	199	233	282	305	325	262	162	71	25	30	197
10	17	15	22	28	27	26	32	45	60	51	42	14	7	2	3	198
21	18	20	22	23	36	40	54	68	50	66	27	13	3	2	4	199
21	44	43	53	60	73	88	107	119	102	89	29	22	6	1	4	200
30	27	38	32	30	51	61	64	83	100	74	47	35	14	1	9	201
32	36	43	51	47	76	81	97	134	146	182	131	92	31	11	11	202
32	68	58	65	66	78	97	104	119	145	167	155	98	43	18	9	203
17	13	21	22	24	28	22	33	30	17	14	5	3	1	3	21	204
11	11	11	12	15	7	1	10	12	10	18	11	2	1	3	18	205

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905.
CONNECTICUT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	16,289	3,147	537	262	162	130	411	625	1,187	1,290	1,308	1,563	1,988	2,077	1,215	207	80
I.—General diseases.....	4,067	260	135	88	53	63	167	261	508	531	501	456	438	330	158	26	19
Typhoid fever.....	214	1	4	4	5	2	7	34	59	40	37	10	9	7	1		2
Malaria fever.....	66	1	4	4	1	2	2	3	5	3	4	7	11	9	8		
Smallpox.....	53	21	15	9	1	3	3	1	1	1	1			2			
Measles.....	51		8	3	5	4	20	8	2	1							
Scarlet fever.....																	
Whooping cough.....	73	44	15	4	4	3	2	1	2								
Diphtheria.....	199	15	24	16	18	29	66	21	4	1							
Croup.....	38	5	8	6	3	2	9	4	7								
Influenza.....	262	23	5	4	2	2	4	4	7								
Cholera nostras.....	11	1					1			2		2	1	2	2		
Dysentery.....	116	20	9	4			7	1	3	2	3	6	23	23	14	1	
Erysipelas.....	51	19	2						1		6	8	5	4	2		
Other epidemic diseases.....	4	3															
Septicemia.....	46	4				1	1	3	6								1
Tuberculosis of lungs.....	1,462	33	16	10	4	2	9	134	404	356	223	136	68	52	11	1	3
Tuberculosis of larynx.....	13							1	2	4	2	2	1	1			
Tuberculous meningitis.....	110	24	22	14	8	11	17	6	2	2	3				1		
Abdominal tuberculosis.....	47	4		1			3	4	15	6	5	6	3				
Pott's disease.....	17		1	1			2	3	2	3	3	1	1				
Tuberculous abscess.....																	
White swelling.....	9	1			1		1	1	2		2	1					
Tuberculosis of other organs.....	17	2		1				2	2	2	3		1		2		
General tuberculosis.....	24	3					1	7	5	6		1	1				
Serofula.....	3	2	1														
Veneral diseases.....	30	21	2						2		3		1	1			
Cancer of mouth.....	26									1	6	4	8	6	1		
Cancer of stomach and liver.....	258						1		3	7	43	70	63	55	11	3	2
Cancer of intestines.....	98	1							3	5	12	19	36	16	6		
Cancer of female genital organs.....	112							1	1	15	32	23	23	11	5		1
Cancer of breast.....	81									9	13	18	17	14	8		2
Cancer of skin.....	29								1	1	1	4	3	10	4	4	1
Cancer of other or unspecified organs.....	147		1	1		1	1	2	3	9	23	25	41	25	14		
Tumor.....	13		1	1					1		3	3	3	2			
Rheumatism.....	83	3			1	1	6	13	6	5	7	8	12	14	7		
Diabetes.....	147						3	5	13	9	14	31	45	17	8		1
Anemia, leukemia.....	57	7		1				4	4	4	7	12	10	5	2		1
Alcoholism.....	70								5	12	25	18	3				4
Chronic poisonings.....	8									3		3	1	1			
Other general diseases.....	22	2	1				1	2	1	7	2	2	4				
II.—Diseases of nervous system.....	2,217	254	87	64	30	25	84	91	79	89	158	209	335	426	251	26	9
Encephalitis.....	14	1					1	2			3	2	2		1		
Meningitis.....	502	101	64	48	27	23	71	69	35	18	22	9		5	1		2
Locomotor ataxia.....	29									1	4	4	10	9	1		
Other diseases of spinal cord.....	53	3	3	1			2		1	6	3	6	8	13	7		
Apoplexy.....	1,046	8	2	3				4	13	23	79	137	250	315	189	21	2
Softening of brain.....	39									2	1	5	6	17	7	1	
Paralysis.....	112	1	2						1	2	5	10	23	20	22	4	
General paralysis of insane.....	79								2	16	16	12	9	11	12		1
Other forms of mental disease.....	31								4	1	5	7	6	6	2		
Other diseases of brain.....	52	8	1	1	1	1	1	5	4	9	7	5	3	2	3		1
Epilepsy.....	52	5	2				3	5	10	6	8	4	3	3	1		2
Convulsions.....	130	105	12	10	1	1	2	2	2	1	1	1					
Tetanus.....	28	15					3	2	3	2		2	1				
Other diseases of nervous system.....	44	7	1	1	1		1	4	2	2	4	5	5	5	5		1
III.—Diseases of circulatory system.....	1,977	28	3	2	5	1	27	49	59	103	161	273	438	522	265	25	6
Pericarditis.....	11	1					2		1	3		1	2				
Endocarditis.....	107	3					3	6	4	11	13	21	26	12			
Heart disease.....	1,538	12	1	1	4	1	19	41	45	87	132	222	357	402	184	24	6
Angina pectoris.....	83	1	1					1	2	5	8	14	18	25	7	1	
Diseases of arteries.....	156							1	1		3	15	20	54	54	8	
Embolism and thrombosis.....	59	4					2		2	2	4	5	19	14	7		
Diseases of veins.....	6										2	2	1		1		
Diseases of lymphatics.....	1																
Other diseases of circulatory system.....	16	7	1	1	1		1		1	2	1	1					
IV.—Diseases of respiratory system.....	1,879	396	127	36	32	13	34	35	79	126	152	197	247	232	137	28	8
Laryngitis.....	12	1	2	3	1	1					1	1	2				
Other diseases of larynx.....	9	1					1				1		2				
Diseases of thyroid body.....	187	111	20	6	4	1	4	1	1	2	2	3	8	4	15	2	3
Acute bronchitis.....	150	5	3					2	4	2	6	12	32	44	32	6	2
Chronic bronchitis.....																	
Bronchopneumonia.....	254	90	37	7	7	3	5	1	4	6	5	13	19	30	21	5	1
Pneumonia.....	1,088	140	62	17	20	5	22	28	61	106	116	143	157	121	61	7	2
Pleurisy.....	49	1	2				2		1	4	7	6	13	8		1	
Congestion of lungs.....	78	24		2		1		2	2	2	3	9	6	15	6	6	
Gangrene of lungs.....	2								1		1		5	6	2	1	
Asthma and emphysema.....	25	1								1	3	6	1				
Hemorrhage of lungs.....	6	2								1	1	1	1	1			
Other diseases of respiratory system.....	15			1					1	3	6	2	1	1			

CAUSES OF DEATH, BY AGE.

285

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
V.—Diseases of digestive system	2,182	1,106	161	37	17	10	33	64	75	89	96	129	131	128	90	13	
Diseases of mouth	8	7			1							1					
Tonsillitis	6					2	2										
Other diseases of pharynx	5	1	1						1		1			1			
Ulcer of stomach	35							1	3	4	9	5	4	7	2		
Gastritis	131	34	4	1	1		2	3	4	5	5	9	13	9	23	6	
Other diseases of stomach	84	33	4		1	2			2	3	2	10	7	12	7	1	
Dentition	2	2															
Diarrhea and enteritis	1,313	1,001	149	28	5	2	10	4	11	5	6	11	21	26	28	6	
Hernia	36	1							1	3	5	6	9	8	3		
Obstruction of intestines	97	12	1	4	4		1	5	2	9	7	13	20	9	10		
Other diseases of intestines	31	5		1			1	3		1	3	6	5	5	1		
Acute yellow atrophy of liver	6	1							1			2					
Hydatid tumors of liver																	
Cirrhosis of liver	149						1	1	4	24	29	39	28	16	7		
Biliary calculi	22								1		3	6	4	7	1		
Other diseases of liver	57		1		1		1	1	6	4	5	14	8	9	7		
Diseases of spleen	71								1								
Peritonitis	71	7	1	1	2	3	5	11	15	7	9	1	8	3	1		
Appendicitis	121			1	1	1	10	35	23	23	12	6	6	3			
Other diseases of digestive system	3	2												1			
VI.—Diseases of genito-urinary system	1,159	14	1	2	4	4	10	27	82	95	141	174	248	240	102	12	3
Acute nephritis	117	3	1	1	1	2	2	10	11	18	19	15	17	8	6		
Bright's disease	866				1	3	2	7	13	48	54	99	145	203	199	74	8
Other diseases of kidneys	20	4							1	4	4	1		2	3	1	
Calculi of urinary tract	8								1	2		2	2	1			
Diseases of bladder	45						1		2		2	3	11	13	10	3	
Uterine tumor	16									3	8	1	1	2	1		
Other diseases of uterus	18								10	2	3			1			
Ovarian tumor	11							1	1	3	3	2	1				
Diseases of tubes	14							1	6	4	2	1					
Other diseases of genito-urinary system	44								1	3	1	4	13	14	8		
VII.—Childbirth	152							2	59	73	18						
Puerperal septicemia	58							1	23	27	7						
Puerperal convulsions	33								17	13	3						
Other causes incident to childbirth	61							1	19	33	8						
VIII.—Diseases of skin	81	11			1			2	2	3	4	2	18	18	18	2	
Gangrene	51	1							1	2		2	13	15	15	2	
Carbuncle	3	1												1	1		
Abscess	15	4			1			2	1	1	2		2	2			
Other diseases of skin	12	5									2		3		2		
IX.—Diseases of locomotor system	26	11		1			1	1	1		2	1	2	4	2		
Diseases of bones	22	11		1				1	1	1		2	1	2			
Diseases of joints	3													1	2		
Other diseases of locomotor system	1													1			
X.—Malformations	158	147	2	2	4	1	1	1									
Hydrocephalus	17	9	2	1	4	1											
Congenital malformation of heart (cyanosis)	99			1				1									
Other congenital malformations	42	41						1									
XI.—Diseases of early infancy	672	672															
Premature birth	402	402															
Congenital debility	270	270															
XII.—Old age	255													13	68	127	46
XIII.—Violence	1,212	131	9	28	16	12	53	91	182	165	166	109	102	68	45	10	25
Suicide	160						6	31	26	31	31	19	5	4			4
Fractures and dislocations	106						2	1	9	10	9	12	14	17	20	8	
Burns and scalds	76	1	4	12	6	5	2	1	6	12	5	2	7	6	2		
Heat and sunstroke	26	1		1	1		1		5	4	2	2	4	2	2		1
Cold and freezing	13								1	2	4	1	2	1	2		
Lightning	1																
Drowning	141	1		5	4	4	15	28	25	16	19	3	4	4	1		8
Inhalation of poisonous gases	42	1					1	7	13	12	9	4	3	2	2		
Other accidental poisonings	46	6	1	6	2		3		8	6	4	3	2	3	1		1
Accidental gunshot wounds	28						4	9	4	5	1	1	1	1			2
Injuries by machinery	7							2	1		1	2					
Injuries in mines and quarries	4										2	1					
Railroad accidents and injuries	193						6	16	35	31	38	17	13	3	3		6
Injuries by vehicles and horses	26			2	1		3	3		3	4	5	3	2			
Suffocation	20	10			1		1	2	2	1	2	2	1				
Other accidental injuries	182	2	4	2	1	3	13	12	16	24	35	22	25	20	10	2	1
Injuries at birth	106	106															
Homicide	15	2						1	4	3	1		1	2			1
XIV.—Ill-defined causes	252	117	12	2		1	1	1	1	13	9	13	13	31	20	9	9
"Dropsy"	12	2										2	2	3	1	2	
"Heart failure"	5	1									1	2	2	1			
Other ill-defined causes	193	98	12	2		1	1		1	11	8	8	23	16	7		4
Unknown causes	42	16						1		2	6	4	3	3	2		5

MORTALITY STATISTICS.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
INDIANA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1.	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	34,392	6,223	1,316	564	352	229	775	1,829	2,975	2,672	2,535	2,990	4,220	4,652	2,484	580	196
I.—General diseases.....	10,355	601	307	196	146	117	378	949	1,729	1,258	1,041	1,021	1,157	965	379	43	62
Typhoid fever.....	1,600	13	17	21	14	19	79	207	251	119	99	66	51	29	7		5
Malarial fever.....	137	20	6	5	4	3	7	8	19	7	9	10	15	16	7		1
Smallpox.....	34	3	1	1		1	1	1	4	5	9	5		1			2
Measles.....	14	8	1	1				2				1					1
Scarlet fever.....	146	9	7	21	21	17	40	17	3		1						1
Whooping cough.....	200	177	50	32	9	7	11	4									
Diphtheria.....	261	9	23	32	32	28	89	36	9	2		1					
Croup.....	104	14	15	17	20	16	19	2	1								
Influenza.....	663	60	11	5	4	3	9	13	17	22	38	45	96	179	137	21	3
Cholera nostras.....	23	1	2				1	1		1		4	4	1	4		
Dysentery.....	373	58	62	25	12	2	6	3	3	11	7	27	37	68	43	7	2
Erysipelas.....	126	45	3	2			2	4		6	13	5	10	19	11	2	
Other epidemic diseases.....	4																
Septicemia.....	194	25	2		1	1	7	18	34	27	6	18	25	16	7	2	2
Tuberculosis of lungs.....	3,977	44	36	13	12	2	39	457	1,190	814	474	321	306	173	32		31
Tuberculosis of larynx.....	58	2		1				7	12	15	4	10	4	2			
Tuberculous meningitis.....	144	32	36	10	9	6	16	14	12	3	3	1	1	1			
Abdominal tuberculosis.....	201	15	11	2		1	4	19	32	42	23	21	17	10	1		2
Pott's disease.....	39	7	2				5	6	2	3	5	1	1				
Tuberculous abscess.....	7								4		1		1				
White swelling.....	7						1	2				1		1			
Tuberculosis of other organs.....	45	1	1	1	1		1	5	9	2	9	1	1	2	3		1
General tuberculosis.....	79	3	3	1	1		1	10	20	14	7	10	6	2	1		
Serofinla.....	15	5	1		1		2	1		1	1	1	1				1
Venereal diseases.....	70	36	1					6		6	8	7	2	4			
Cancer of mouth.....	49								1	1	7	14	12	4	1		2
Cancer of stomach and liver.....	543	1	1				3	1	2	19	59	121	173	125	36		1
Cancer of intestines.....	147							2	7	7	23	28	44	29	6		
Cancer of female genital organs.....	194								4	25	53	57	33	19	3		
Cancer of breast.....	112							1		5	25	26	25	22	8		
Cancer of skin.....	81				1				2	5	9	16	30	15	3		
Cancer of other or unspecified organs.....	365	1			3		3	6	9	18	47	61	104	77	19	2	5
Tumor.....	46						2		3	4	7	8	12	7			
Rheumatism.....	243			1			4	12	33	17	16	19	36	44	15	1	
Diabetes.....	267	2		1			2	10	23	23	15	25	43	61	45	8	2
Anemia, leukemia.....	121	6	3	2			5	11	16	13	13	15	16	16	5		
Alcoholism.....	99						1	1	6	20	33	21	13	3			1
Chronic poisonings.....	18									3	4	3	5	2	1		
Other general diseases.....	68	7	2		1		3	4	2	11	9	13	9	5			
II.—Diseases of nervous system.....	4,020	512	165	79	47	33	82	126	142	206	293	422	680	786	363	36	16
Encephalitis.....	70	23	14	3	4	1	1	5	4	6	4	1	2				
Meningitis.....	600	205	90	53	26	19	47	36	29	36	20	19	15	4	1		
Locomotor ataxia.....	62								3	4	7	11	15	10			
Other diseases of spinal cord.....	139	12	4	2	1			8	6	9	13	27	26	20	5		
Apoplexy.....	1,343	58	15	2	5	4	6	14	30	48	100	183	324	355	178	17	5
Softening of brain.....	113								1	2	6	12	33	43	15	1	
Paralysis.....	769	6	3	2	1	2	3	4	12	13	33	81	180	270	137	18	4
General paralysis of insane.....	165								1	1	20	33	28	26	45		2
Other forms of mental disease.....	61								1	3	8	18	13	11	6	3	1
Other diseases of brain.....	92	13	5	4		2	4	5	8	9	14	10	6	8	4		
Epilepsy.....	147	4	2				2	15	31	25	23	19	13	8	2		3
Convulsions.....	264	191	27	7	8	3	2	8	4	5	1	3	2	1	2		
Tetanus.....	72	23	1	1	2	5	11	6	5	5	3	3	1				
Other diseases of nervous system.....	120	7	4	5	1		6	15	4	11	12	8	24	15	7		1
III.—Diseases of circulatory system.....	3,337	95	7	7	4	3	22	84	111	191	252	435	822	886	365	28	25
Pericarditis.....	49	1						3	2	3	5	6	14	12	3		
Endocarditis.....	123	2	1			2	1	7	8	13	8	10	21	26	14		
Heart disease.....	2,676	54	5	5	3	1	17	65	76	139	204	352	687	732	292	23	21
Angina pectoris.....	159						1	2	5	15	11	29	37	44	11	1	3
Diseases of arteries.....	163	1							1	2	12	17	30	57	38	4	1
Embolism and thrombosis.....	60	1						3	9	8	5	12	11	8	3		
Diseases of veins.....	20								2	2	3	4	6	2	3		
Diseases of lymphatics.....	5								1	1	1	1	1				
Other diseases of circulatory system.....	82	36	1	2	1		2	4	9	8	4	5	1	4	1		
IV.—Diseases of respiratory system.....	3,648	943	262	88	58	24	81	146	156	176	188	264	394	520	287	42	19
Laryngitis.....	14	1	1	2	1	1	5	1			1		1				
Other diseases of larynx.....	24	8	1	1	2		5	1	2		2						
Diseases of thyroid body.....	5																
Acute bronchitis.....	229	165	27	9	5	1	1	1	2	1	4	5	9	15	5		1
Chronic bronchitis.....	257	6	6	4	1		2	4	5	7	13	14	42	82	60	10	1
Bronchopneumonia.....	445	161	65	18	10	2	10	5	4	5	7	11	32	53	27	5	
Pneumonia.....	2,171	470	146	47	36	14	54	111	143	138	188	246	291	141	18	14	14
Pleurisy.....	63	1	1	1	2	1	1	8	5	2	9	8	10	3	1		
Congestion of lungs.....	203	8	10	6	1	2	1	5	5	3	4	9	12	33	21	2	1
Gangrene of lungs.....	15								2	2	2	4	4	1			
Asthma and emphysema.....	83	1				1			2	3	1	11	19	29	15	1	
Hemorrhage of lungs.....	45	3	1			1		3	4	2	6	8	6	8	3		
Other diseases of respiratory system.....	73	7	4			1	2	7	11		4	7	17	4			

CAUSES OF DEATH, BY AGE.

289.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
V.—Diseases of digestive system.....	4,292	1,390	450	129	48	26	96	177	216	213	219	295	416	376	201	22	13
Diseases of mouth.....	19	14	2	1									1		1		
Tonsillitis.....	29	5	1	2	1	1	10	5	1		1	1					
Other diseases of pharynx.....	26	6	1	1			3			2		1	4		2	2	1
Ulcer of stomach.....	58							1	5	10	12	11	9	6	4		
Gastritis.....	275	28	5	5	5		3	5	16	20	26	25	46	50	36	2	3
Other diseases of stomach.....	222	88	6		2	1	4	3	7	10	9	9	14	36	28	4	1
Denitition.....	5	4	1														
Diarrhea and enteritis.....	2,116	1,148	412	101	28	11	28	13	23	22	21	46	86	107	60	7	3
Hernia.....	67	10		2					3	1	9	8	17	11	5	1	
Obstruction of intestines.....	259	12	10	6	2	6	15	19	17	17	18	33	27	34	8		5
Other diseases of intestines.....	130	14	4	3	2	3	6	7	8	10	8	5	23	23	13		1
Acute yellow atrophy of liver.....	14									3	3		3		1		
Hydatid tumors of liver.....	243	1						3	13	11	23	57	70	46	15	2	2
Cirrhosis of liver.....	65							2	6	5	17	19	10	6			
Biliary calculi.....	242	13	4	2	3	2	3	7	7	17	30	48	32	33	17	3	1
Other diseases of liver.....	8								1	1		1					
Diseases of spleen.....	208	16	4	5	3	2	50	65	61	34	34	18	30	0			
Peritonitis.....	203	1		1	2	1	15	63	48	22	18	13	9	6	2	1	1
Appendicitis.....	3										2		1				
Other diseases of digestive system.....	1,925	31	18	10	9	4	20	49	100	118	102	259	395	471	176	18	12
VI.—Diseases of genito-urinary system.....	139	3	9	2	4	1	9	7	14	19	16	16	12	20	5		2
Acute nephritis.....	1,440	23	9	8	3	3	9	36	54	99	143	214	330	353	133	16	7
Bright's disease.....	62	3			1		1	1	1	2		1	3	1	1		1
Other diseases of kidneys.....	8								1	1		1	3	1			
Calculi of urinary tract.....	89	1			1				4	3	3	17	30	20			
Diseases of bladder.....	24									4	10	5	3	2			
Uterine tumor.....	43						1	2	11	11	12	3		1			2
Other diseases of uterus.....	27							1	5		7	5	7	2			
Ovarian tumor.....	18							1	6	2							
Diseases of tubes.....	65	1						6	7			5	11	38	7	1	
Other diseases of genito-urinary system.....	320							30	147	119	23						1
VII.—Childbirth.....	171							19	83	57	11						1
Puerperal septicaemia.....	49							7	25	15	2						
Puerperal convulsions.....	100							4	39	47	10						
Other causes incident to childbirth.....	187	21	1	1		2	2		5	11	11	11	33	48	28	11	2
VIII.—Diseases of skin.....	120	2	1			1			3	3	5	7	22	41	24	10	1
Gangrene.....	16	3								2	3	1	6	1			
Carbuncle.....	31	9		1		1	2		2	4	2	1	5	4	2		1
Other diseases of skin.....	17	7							2	1	2	1	2	2	2	1	
IX.—Diseases of locomotor system.....	40	6	3	1	4	2	1	3	2	3	2	2	4	4	3		
Diseases of bones.....	31	6	3	1	4	2	1	3	2	3		2	4	1	2		
Diseases of joints.....	4										1						
Other diseases of locomotor system.....	2										1				1		
X.—Malformations.....	290	273	5	5	2		4	1									
Hydrocephalus.....	22	16	3	1	1		1										
Congenital malformation of heart (cyanosis).....	177	168	2	2	1		3	1									
Other congenital malformations.....	91	89		2													
XI.—Diseases of early infancy.....	1,802	1,802															
Premature birth.....	818	818															
Congenital debility.....	984	984															
XII.—Old age.....	1,008												40	314	499	149	6
XIII.—Violence.....	2,230	177	32	33	32	17	80	251	348	315	250	210	165	160	89	22	29
Suicide.....	835							23	65	65	61	56	22	21	7	1	1
Fractures and dislocations.....	162	1			1		2	12	6	16	15	16	15	31	34	11	2
Burns and scalds.....	161	4	16	17	16	9	14	15	19	12	11	8	5	10	3	1	1
Heat and sunstroke.....	23	1	2		1					4	6	2	3	2	2		
Cold and freezing.....	11	1								1		3	1	4	1		
Lightning.....	25						4	5	8		5	1				1	
Drowning.....	142	3	7		1	1	10	51	27	18	7	6	4	3	2		2
Inhalation of poisonous gases.....	19	1			1		1	2	1	4	3		1	3	2		
Other accidental poisonings.....	76	11	13	5	4		2	1	3	8	8	6	8	5	1		1
Accidental gunshot wounds.....	90		1	2	3	1	6	42	15	5	5	9					1
Injuries by machinery.....	19							2	5	2	3	4		2			1
Injuries in mines and quarries.....	54						2	6	15	12	7	6	4				2
Railroad accidents and injuries.....	400		1		1		9	44	96	85	57	36	33	17	6		14
Injuries by vehicles and horses.....	62			1		2	10	5	6	8		7	9	6	1		
Suffocation.....	58	40				1	1	2	3	4		4		2	1		
Other accidental injuries.....	405	12	12	8	4	2	14	34	56	38	49	37	49	32	29	7	2
Injuries at birth.....	103	103															
Homicide.....	85							5	7	23	28	8	9	1			2
XIV.—Ill-defined causes.....	938	336	46	15	2	1	9	13	19	32	51	71	114	122	92	9	6
"Dropsy".....	171	1	3	1			1	3	5	13	12	28	37	37	25	3	2
"Heart failure".....	166	19					2	3	5	8	18	17	38	32	22	1	1
Other ill-defined causes.....	509	254	40	14	2		4	7	8	10	17	24	36	46	42	4	1
Unknown causes.....	92	62	3			1	2		1	1	1	2	3		3	1	2

MORTALITY STATISTICS.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
MASSACHUSETTS.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.	
All causes.....	50,343	10,400	1,840	855	506	342	1,018	1,776	3,572	4,124	4,122	5,179	6,337	6,109	3,520	576	67	
I.—General diseases.....	12,934	780	487	321	216	150	412	786	1,868	1,845	1,495	1,566	1,519	1,025	386	43	5	
Typhoid fever.....	540	5	1	7	5	2	19	00	152	119	67	88	17	7	1			
Malarial fever.....	43	1	1	1			1	4										
Smallpox.....	2																	
Measles.....	252	60	92	37	23	12	13	7	3	3	1		1	1				
Scarlet fever.....	125	10	11	15	15	9	40	18	5		2							
Whooping cough.....	287	159	73	29	13	3	6		1	1		1		1				
Diphtheria.....	574	36	86	89	80	65	153	44	9	7	4	1						
Croup.....	93	19	21	22	15	9	11		1									
Influenza.....	649	40	11	3	3	1	12	9	24	29	31	78	122	146	124	13		
Cholera nostras.....	41	9	2	1		2	2				4	4		6	5	1		
Dysentery.....	178	33	6	7	7	3	5	2	2	6	4	13	27	36	24	3		
Erysipelas.....	148	31	4	3		1		2	6	10	12	19	28	15	14	3		
Other epidemic diseases.....	4	2	1				1	6										
Septicemia.....	145	16	1					27	41	9	19	9	12	2	1	1		
Tuberculosis of lungs.....	4,900	98	33	28	18	7	40	427	1,387	1,209	716	475	276	131	31	2	2	
Tuberculosis of larynx.....	35								13	7	3	4	6	2				
Tuberculous meningitis.....	385	109	88	52	25	17	39	20	18	9	3	4		1				
Abdominal tuberculosis.....	184	20	7	5	3	4	13	28	30	27	11	16	13	4	1			
Pott's disease.....	63	1	2	3	3	2	8	12	8	7	8	2	1	1				
Tuberculous abscess.....	4	1							1									
White swelling.....	31	2	1	1			6	4	3	3	2	3	6					
Tuberculosis of other organs.....	45	3	1	3		1		3	11	5	8	5	4	1				
General tuberculosis.....	142	12	11	6	1	1	8	15	34	22	10	7	10	5				
Serofula.....	13	7	2	1	1		1			1	1							
Veneral diseases.....	93	60	1						4	11	8	5	1	2				
Cancer of mouth.....	117			1				1		4	19	35	25	24	7	1		
Cancer of stomach and liver.....	820	1				1	1	1	9	29	112	185	275	166	37	2	1	
Cancer of intestines.....	349							1	7	21	43	95	101	65	15			
Cancer of female genital organs.....	369								11	47	95	108	70	31	7			
Cancer of breast.....	252								24	41	68	63	39	13	4			
Cancer of skin.....	69		2					1	1	2	2	11	17	17	8	8		
Cancer of other or unspecified organs.....	706	1	1	2		2		10	15	50	96	165	184	135	42	2	1	
Tumor.....	58	1	1						5	6	6	13	20	5	1			
Rheumatism.....	239	5	2	1	2	5	12	33	19	22	23	27	35	36	15	2		
Diabetes.....	478	1		2	1	10	21	25	33	42	105	144	74	20				
Anemia, leukemia.....	251	29	3	2		1	8	13	17	36	40	41	21	32	8			
Alcoholism.....	169								11	44	47	34	20	4	2			
Chronic poisonings.....	26								3	3	4	6	6	2				
Other general diseases.....	63	8	2	2			2	2	7	8	12	9	9	2				
II.—Diseases of nervous system.....	6,171	817	254	155	99	57	184	229	206	281	448	676	1,029	1,077	593	63	3	
Encephalitis.....	31	13	3	5					1	3	1	2	1	1	1			
Meningitis.....	1,280	371	162	102	76	49	146	162	85	43	40	28	10	11	4			
Locomotor ataxia.....	80							1		5	16	23	22	11	2			
Other diseases of spinal cord.....	195	6	3	4	2	1	3	3	12	11	21	26	44	46	13			
Apoplexy.....	2,739	30	6	4	1		7	8	35	84	194	434	722	754	436	42	2	
Softening of brain.....	67							2		1	6	10	17	22	7	4		
Paralysis.....	413	3	2					2	2	9	29	32	98	133	92	11		
General paralysis of insane.....	281							4	3	43	60	47	44	48	21	2		
Other forms of mental disease.....	108							9	14	14	25	28	13	5				
Other diseases of brain.....	140	20	6	2		1	9	9	7	19	23	19	9	11	3			
Epilepsy.....	138	6	1		2	1	5	10	26	23	19	13	17	11	3	1		
Convulsions.....	474	328	57	31	12	4	10	4	7	4		1	4	1	1			
Tetanus.....	42	2	1	1			1	14	7	4	3	5	2	2				
Other diseases of nervous system.....	163	28	13	6	6	1	3	12	12	18	13	11	11	23	5	1		
III.—Diseases of circulatory system.....	6,791	133	11	6	6	10	69	195	242	397	623	1,066	1,511	1,637	794	87	4	
Pericarditis.....	26	1		1			1	1	3	1	4	4	8	6	5	1		
Endocarditis.....	492	6	1				12	21	35	40	58	68	104	93	43	5		
Heart disease.....	5,187	85	7	2	6	4	52	163	186	313	487	856	1,180	1,223	568	52	3	
Angina pectoris.....	216		1				1	3	1	12	21	49	55	53	19	1		
Diseases of arteries.....	621	1							1	8	27	48	134	233	142	27		
Embolism and thrombosis.....	144	3	1				1	4	10	15	17	30	23	26	13	1		
Diseases of veins.....	21								1	1	4	6	4	3	2			
Diseases of lymphatics.....	7		1	1			2	1	3	5	7	5	3	2	1			
Other diseases of circulatory system.....	67	37																
IV.—Diseases of respiratory system.....	6,282	1,355	459	183	81	34	97	118	293	452	478	620	752	795	445	88	2	
Laryngitis.....	25	7	6	4	1		4					1	2					
Other diseases of larynx.....	28	11	2		4	2	6					1		1				
Diseases of thyroid body.....	10								1			1	2	2	3			
Acute bronchitis.....	589	365	84	30	13	3	5		2	4	5	10	15	22	23	8		
Chronic bronchitis.....	538	7	1	1	1		4	4	13	12	27	50	94	155	137	32		
Bronchopneumonia.....	842	741	124	47	14	7	11	5	8	14	28	42	62	73	50	6		
Pneumonia.....	3,779	560	249	91	45	16	61	88	241	356	367	462	512	473	202	35	1	
Pleurisy.....	162	7	8	7	2	4	6	13	16	18	23	15	26	12	3	2		
Congestion of lungs.....	148	35	4	2		1		3	5	10	10	15	13	27	20	3		
Gangrene of lungs.....	13				1				1	3	4	1	3					
Asthma and emphysema.....	65	4							5	7	3	10	18	9	7	1		
Hemorrhage of lungs.....	50	10				1		2	2	5	6	6	3	2	2	1		
Other diseases of respiratory system.....	33	8	1	1					1	3	4	5	5	2				

CAUSES OF DEATH, BY AGE.

293

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

MASSACHUSETTS—continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.	
V.—Diseases of digestive system.....	6,104	3,257	439	91	48	31	100	138	228	236	271	336	418	354	222	31	1	
Diseases of mouth.....	18	12	1					2	1		1			1				
Tonsillitis.....	27	2	3	1	4	2	5	2	4	1	1		4	1	1			
Other diseases of pharynx.....	33	5	4	1			1	2	1	2			4			1		
Ulcer of stomach.....	83				1			5	11	14	11	15	14	8	6			
Gastritis.....	269	59	7	4	2	2	8	3	11	10	16	26	41	43	31	6		
Other diseases of stomach.....	213	84	4	5	2	1	3		8	11	7	13	18	30	18	7		
Dentition.....	10	8	1															
Diarrhea and enteritis.....	3,878	2,986	403	56	33	13	25	11	13	16	25	36	82	87	78	10		
Hernia.....	132	13	1				1		3	6	15	30	29	22	12			
Obstruction of intestines.....	279	38	6			2	3	12	27	22	24	34	45	38	18	2		
Other diseases of intestines.....	92	21	1	2		2	2	2	11	10	6	3	6	10	12	4		
Acute yellow atrophy of liver.....	12	2						1	1	2	1	3	2					
Hydatid tumors of liver.....																		
Cirrhosis of liver.....	325	1		3		1	1	1	14	26	55	75	81	53	13	1		
Biliary calculi.....	89	1							2	6	14	24	23	11	8			
Other diseases of liver.....	149	2		1	2	1	1	2	7	11	22	26	33	24	17			
Diseases of spleen.....	5							1	1					1	2			
Peritonitis.....	252	21	4	9	2	5	9	26	51	49	22	22	16	11	5			
Appendicitis.....	326		1	3	2	2	39	70	61	47	47	24	18	9	3			
Other diseases of digestive system.....	10								1	3	3	1	2					
VI.—Diseases of genito-urinary system.....	3,144	36	8	8	6	5	22	69	223	301	372	532	678	582	275	26	1	
Acute nephritis.....	207	12	1	4	2	3	9	15	29	21	35	23	29	19	5			
Bright's disease.....	2,391	14	6	4	4	2	10	45	147	219	275	412	573	444	190	15	1	
Other diseases of kidneys.....	78	2	1				3	3	6	8	8	13	16	11	5	2		
Calculi of urinary tract.....	18	1									4	6	1	4	2			
Diseases of bladder.....	129	6							3	3	3	11	17	46	33	7		
Uterine tumor.....	47								2	12	13	11	3	6				
Other diseases of uterus.....	56							5	14	16	14	6						
Ovarian tumor.....	36								3	7	9	5	6	5	1			
Diseases of tubes.....	32							1	16	9	5	1						
Other diseases of genito-urinary system.....	150	1							3	6	6	14	33	46	39	2		
VII.—Childbirth.....	330							16	141	175	27							
Puerperal septicemia.....	120							8	50	56	6							
Puerperal convulsions.....	27							4	37	30	4							
Other causes incident to childbirth.....	164							4	54	89	17							
VIII.—Diseases of skin.....	223	29	3	2	1		1	3	2	8	12	14	28	68	48	4		
Gangrene.....	146	3		1	1					3	3	8	20	42	42	3		
Carbuncle.....	17	5	1						1	1	2	2	3	1	1			
Abscess.....	34	7	1	1			1	3	1	4	4	1	5	3	2	1		
Other diseases of skin.....	25	14	1							3	3	3		2	3			
IX.—Diseases of locomotor system.....	25	30	11	4	3	3	9	5	3	3	8	6	5	5				
Diseases of bones.....	87	29	10	4	3	3	9	5	3	1	6	6	4	4				
Diseases of joints.....	6	1	1							1	1		1	1				
Other diseases of locomotor system.....	2									1	1							
X.—Malformations.....	423	39	14	5	2	1		4			1							
Hydrocephalus.....	46	35	8	1	1	1												
Congenital malformation of heart (cyanosis).....	247	237	2	3	1			4										
Other congenital malformations.....	130	124	4	1							1							
XI.—Diseases of early infancy.....	2,575	2,575																
Premature birth.....	1,329	1,329																
Congenital debility.....	1,236	1,236																
XII.—Old age.....	1,119												69	287	597	195	1	
XIII.—Violence.....	2,921	357	30	64	35	46	130	207	351	393	346	276	259	193	143	21	47	
Suicide.....	319							13	51	41	70	59	30	19	5	1		
Fractures and dislocations.....	310	3	2	1	1	5	11	11	15	34	31	25	31	53	74	13		
Burns and scalds.....	282	9	21	34	17	19	28	11	25	22	13	17	21	14	6	2		
Heat and sunstroke.....	68	13	1		2	2	1	2	7	6	8	8	6	5	4	3		
Cold and freezing.....	18	1						1	3	5	1	2	4	1				
Lightning.....	2								1									
Drowning.....	300	1	5	5	1	3	39	72	79	39	39	15	11	5	1		5	
Inhalation of poisonous gases.....	130					1	1	6	13	24	13	10	8	13	4	1	36	
Other accidental poisonings.....	100	10	9	6	3	4	7	4	7	15	7	13	10	3	1			
Accidental gunshot wounds.....	70					1	1	13	11	5		6	1					
Injuries by machinery.....	28							3	5	7	7	2	2	2				
Injuries in mines and quarries.....																		
Railroad accidents and injuries.....	333		2	6	2	4	9	27	83	77	61	36	30	9	2	1	5	
Injuries by vehicles and horses.....	83			1	2		9	6	6	17	16	9	13	6	1			
Suffocation.....	64	43		2				7	4	2	5	1						
Other accidental injuries.....	549	18	10	9	7	7	14	36	54	64	68	68	79	61	45	8	1	
Injuries at birth.....	254																	
Homicide.....	38	4						1	9	12	7	1	2	1			1	
XIV.—Ill-defined causes.....	1,102	635	74	13	9	5	4	6	10	33	41	57	69	86	47	10	3	
"Dropsy".....	17	2		1								3	3	4	2			
"Heart failure".....	92	9	3			1		1	2	5	8	13	17	21	6	3		
Other ill-defined causes.....	935	602	70	12	7	4	3	4	5	19	27	38	43	60	36	4	1	
Unknown causes.....	58	22	1		2		1	1	3	9	6	3	5	2		1		

MORTALITY STATISTICS.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
MICHIGAN.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.	
All causes.....	34,542	6,904	1,175	501	312	242	770	1,642	2,610	2,396	2,630	2,985	1,247	4,915	2,739	407	67	
I.—General diseases.....	8,060	466	214	132	124	107	313	655	1,214	921	803	893	917	816	304	32	9	
Typhoid fever.....	618	2	4	6	6	12	31	107	180	102	68	54	25	17	3			
Malarial fever.....	59	3	3	1	2	1	3	7	8	8	4	4	9	3	3			
Smallpox.....	74	3	1			1	1	6	17	18	14	8	2	2	1			
Measles.....	102	30	30	11	3	6	5	4	5	3	4						1	
Scarlet fever.....	117	10	8	23	19	13	22	17	2	3								
Whooping cough.....	114	78	14	8	7	3	3	1										
Diphtheria.....	380	18	39	35	39	34	129	68	10	5	1	2						
Croup.....	87	15	14	15	13	12	13	3				1						
Influenza.....	575	72	11	4	2	1	18	1	26	25	32	29	73	153	102	12		
Cholera nostras.....	52	17	3	1	2	1	1	5	2	2	2	2	5	3	4			
Dysentery.....	177	41	17	11	8	5	2	2	2	3	3	6	3	17	34	21	5	
Erysipelas.....	95	26		1		1	1		3	3	10	10	17	17	6			
Other epidemic diseases.....	8	5	1				2											
Septicemia.....	175	18	3	1	2	1	8	15	41	21	20	21	11	7	5		1	
Tuberculosis of lungs.....	2,261	24	16	13	1	5	17	264	739	484	319	180	116	64	13		6	
Tuberculosis of larynx.....	34								7	11	8	4	2	2				
Tuberculous meningitis.....	115	26	20	6	7	6	15	9	10	5	2	2	5	2				
Abdominal tuberculosis.....	122	8	5	1	1		4	15	20	22	14	9	16	6	1			
Pott's disease.....	39	2	2	1	1	1	2	6	1	6	2	5	5			1		
Tuberculous abscess.....	2										1		1					
White swelling.....	26	2		1			3	4	6	4	2	1		2	1			
Tuberculosis of other organs.....	38				1			6	7	6	5	5	6	2				
General tuberculosis.....	45	2					1	6	15	3		5	4	1	1			
Scrofula.....	5	3		1							1							
Veneral diseases.....	81	52		1	1			1	7	6	7	3	2	1				
Cancer of mouth.....	41									1	1	9	12	15	3			
Cancer of stomach and liver.....	702		1				1		5	25	80	174	206	176	31	3		
Cancer of intestines.....	171						2	1	4	8	23	51	42	33	7			
Cancer of female genital organs.....	215								4	25	62	60	39	17	8			
Cancer of breast.....	128									11	18	32	29	31	6	1		
Cancer of skin.....	75			1				1	1			4	6	19	24	18	1	
Cancer of other or unspecified organs.....	311		1				2	6	7	21	40	61	75	67	29	2		
Tumor.....	34	2	1						2	4	2	6	10	2	5			
Rheumatism.....	223	1	2	2	2	2	16	24	21	17	18	30	30	47	13	2		
Diabetes.....	282	2	3	1	2	2	12	37	12	15	28	44	66	50	7	1		
Anemia, leukemia.....	302	25	13	4	4	1	5	20	32	21	39	46	51	26	10	4	1	
Alcoholism.....	85							1	2	23	31	17	6	4	1			
Chronic poisonings.....	15								1	2	1	7			3			
Other general diseases.....	75	6	1	3	3			2	7	12	13	11	8	4	2			
II.—Diseases of nervous system.....	4,256	752	134	75	41	26	81	134	121	178	297	406	706	873	387	33	9	
Encephalitis.....	47	17	6	3	1		4	4	4	1	2	2	1	1	2			
Meningitis.....	472	161	63	37	25	16	42	46	21	15	15	0	10	9				
Locomotor ataxia.....	67						1		2	2	13	19	13	15	2			
Other diseases of spinal cord.....	143	11	10	2	2	1	4	5	6	7	12	19	33	23	7		1	
Apoplexy.....	1,475	46	8	1	4	1	4	13	18	58	104	187	372	451	184	17	7	
Softening of brain.....	81									1	3	7	20	34	15	1		
Paralysis.....	759	4	2	3	1	1	6	9	10	21	44	79	167	251	147	14		
General paralysis of insane.....	198								2	25	40	34	34	46	17			
Other forms of mental disease.....	57							2	1	6	15	6	12	11	3	1		
Other diseases of brain.....	125	17	1	2	1	2	7	11	18	11	12	17	15	10	1			
Epilepsy.....	120	7		1	1		1	21	23	19	17	12	12	5	1			
Convulsions.....	584	478	38	24	7	4	6	7	6	4	6		1	1	2			
Tetanus.....	25	5	2				4	10	2	1								
Other diseases of nervous system.....	103	6	4	2	1	1	2	6	5	6	14	16	16	15	8		1	
III.—Diseases of circulatory system.....	4,100	134	5	3	1	11	33	101	124	215	319	519	984	1,145	456	42	8	
Pericarditis.....	50			1		1	5	2	7	4	4	3	8	11	4			
Endocarditis.....	124	7			1	1	2	16	4	13	11	16	24	20	6			
Heart disease.....	3,220	79	3	2		8	22	72	94	158	251	424	808	951	376	34	8	
Angina pectoris.....	241						1	2	5	12	23	38	71	68	18	3		
Diseases of arteries.....	208	1								5	11	19	47	75	46	4		
Embolism and thrombosis.....	72	4						2	6	9	13	9	9	15	5			
Diseases of veins.....	16		1					1	1	2	1	3	5	2				
Diseases of lymphatics.....	9									2	2	1	3					
Other diseases of circulatory system.....	90	42	1			1	3	6	7	10	3	4	9	3	1			
IV.—Diseases of respiratory system.....	3,778	1,055	271	90	48	39	81	131	162	216	217	274	396	460	296	38	4	
Laryngitis.....	17	3			3	2	4	2	1			2						
Other diseases of larynx.....	20	12	5	2	2		2	1		3	1		2					
Diseases of thyroid body.....	7	2									2		1					
Acute bronchitis.....	511	319	62	17	8	3	7	5	3	12	13	11	9	9	31	33	2	
Chronic bronchitis.....	341	8	1	1		1	4	6	12	13	11	21	72	98	81	11	1	
Bronchopneumonia.....	496	219	77	16	10	11	14	11	5	11	13	20	23	39	23	4		
Pneumonia.....	1,854	404	111	50	22	18	39	90	115	146	150	162	210	211	110	14	2	
Pleurisy.....	82	6	2	1			3	6	4	11	12	9	11	13	3		1	
Congestion of lungs.....	181	62	8	1	3	1	5	4	6	6	12	13	20	17	19	4		
Gangrene of lungs.....	13	1	1						1	1	1	1	4	2	1			
Asthma and emphysema.....	120	9	1	1		2			1	6	6	19	23	34	17	1		
Hemorrhage of lungs.....	51	3				1		3	8	5	2	8	11	7	3			
Other diseases of respiratory system.....	75	7	3	1			3	3	6	11	6	10	10	7	6	2		

CAUSES OF DEATH, BY AGE.

295

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.	
V.—Diseases of digestive system.....	4,868	1,930	396	120	49	22	118	224	227	211	272	306	410	380	171	26	6	
Diseases of mouth.....	19	15	1	1	1	1	6	2	3	1	1	1	1	2	1	1		
Tonsillitis.....	19	1	1	1	1	1	4	1	2	2	4	2	4	3	3	1		
Other diseases of pharynx.....	32	4	1	1	1	1	4	1	2	2	4	2	4	3	3	1		
Ulcer of stomach.....	77	1	1	1	1	1	1	4	8	4	9	18	13	10	5	2	2	
Gastritis.....	255	57	13	4	2	1	4	3	4	16	10	21	41	48	26	6		
Other diseases of stomach.....	234	116	9	2	2	1	2	4	5	4	10	10	26	24	18	1	1	
Dentition.....	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1		
Diarrhea and enteritis.....	2,501	1,616	345	103	38	15	33	24	19	14	23	42	80	86	54	9		
Hernia.....	89	13	1	1	1	1	1	1	1	2	13	11	18	13	13	1		
Obstruction of intestines.....	232	32	7	1	1	2	8	18	22	20	24	35	33	42	6		2	
Other diseases of intestines.....	106	29	5	1	1	1	2	1	13	10	5	12	11	7	7	3		
Acute yellow atrophy of liver.....	16	2	1	1	1	1	1	1	3	1	5	2	1	1	1	1		
Hydatid tumors of liver.....	275	1	2	1	1	1	1	3	5	18	60	51	71	53	10		1	
Cirrhosis of liver.....	68	1	2	1	1	1	1	1	2	4	11	19	14	13	5			
Biliary calculi.....	248	12	2	3	1	1	1	6	20	13	26	41	62	46	15	2		
Other diseases of liver.....	14	1	1	1	1	1	1	1	1	3	2	2	2	1	1			
Diseases of spleen.....	361	28	6	3	2	2	21	56	66	56	39	24	24	26	8			
Peritonitis.....	294	1	2	2	2	2	35	100	53	42	29	13	9	4	1			
Appendicitis.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
Other diseases of digestive system.....																		
VI.—Diseases of genito-urinary system.....	2,039	51	10	6	7	6	20	57	133	157	227	275	412	459	205	11	3	
Acute nephritis.....	134	14	4	2	2	2	8	9	12	18	12	14	18	13	6			
Bright's disease.....	1,457	27	6	4	4	4	10	31	80	92	148	227	329	346	141	6	2	
Other diseases of kidneys.....	74	6	1	1	1	1	1	4	6	4	12	10	13	11	3	3		
Calculi of urinary tract.....	11	1	1	1	1	1	1	1	1	1	2	1	4	4	1			
Diseases of bladder.....	117	3	1	1	1	1	1	1	2	8	7	20	42	31	1			
Uterine tumor.....	34	1	1	1	1	1	1	1	2	4	16	5	4	3	1			
Other diseases of uterus.....	65	1	1	1	1	1	1	5	17	20	16	1	4	1	1			
Ovarian tumor.....	31	1	1	1	1	1	1	1	3	6	8	3	6	3	1			
Diseases of tubes.....	29	1	1	1	1	1	1	6	11	9	2	1	1	1	1			
Other diseases of genito-urinary system.....	87	1	1	1	1	1	1	1	2	4	5	14	36	22	1	1		
VII.—Childbirth.....	381							29	169	146	37							
Puerperal septicaemia.....	160							10	81	57	12							
Puerperal convulsions.....	73							10	35	22	6							
Other causes incident to childbirth.....	148							9	53	67	19							
VIII.—Diseases of skin.....	203	25	3	1				3	5	9	15	16	26	58	38	4		
Gangrene.....	125	3	1	1				1	2	2	4	7	20	50	31	4		
Carbuncle.....	7	1	1	1				1	1	1	2	1	1	2	1			
Abscess.....	41	7	2	1				2	3	4	8	5	5	3	2			
Other diseases of skin.....	30	15	1	1				2	1	3	1	3	3	5				
IX.—Diseases of locomotor system.....	68	11	8	1	3		7	5	4	3	5	6	8	7				
Diseases of bones.....	61	11	8	1	3		7	3	4	3	5	5	7	4				
Diseases of joints.....	7	1	1	1	1		1	1	1	1	1	1	1	1				
Other diseases of locomotor system.....	7	1	1	1	1		1	1	1	1	1	1	1	1				
X.—Malformations.....	380	357	13	2	1		4	2									1	
Hydrocephalus.....	37	30	6	1	1		1	2	2									
Congenital malformation of heart (cyanosis).....	191	184	5	1	1		2	2										
Other congenital malformations.....	149	143	2	1	1		2										1	
XI.—Diseases of early infancy.....	1,460	1,460																
Premature birth.....	627	627																
Congenital debility.....	833	833																
XII.—Old age.....	1,238												55	374	641	165	3	
XIII.—Violence.....	2,394	165	66	45	32	25	100	277	422	303	290	204	187	132	103	23	20	
Suicide.....	288	2	1	1	1	1	1	19	49	52	54	44	41	18	10	1	1	
Fractures and dislocations.....	183	2	1	1	1	1	1	16	17	18	26	12	14	27	28	12	1	
Burns and scalds.....	158	5	19	20	17	10	19	8	13	8	5	9	8	9	8			
Heat and sunstroke.....	17	2	1	1	1	1	1	2	1	3	3	2	2	2	1			
Cold and freezing.....	31	5	1	1	1	1	1	2	1	1	3	3	6	2	6	2		
Lightning.....	17	1	1	1	1	1	1	2	5	2	3	2	1	1	1			
Drowning.....	323	2	9	7	2	4	26	100	64	41	27	14	12	3	1		11	
Inhalation of poisonous gases.....	49	4	7	3	1	5	4	7	3	4	3	3	2	2	4			
Other accidental poisonings.....	115	10	16	8	2	3	7	3	7	13	15	12	12	4	3			
Accidental gunshot wounds.....	98	10	16	8	2	3	30	19	14	13	10	6	1	1	1			
Injuries by machinery.....	147	1	1	1	1	1	1	2	7	2	1	1	1	1	1			
Injuries in mines and quarries.....	14	2	1	1	1	1	1	15	65	31	24	8	1	1	1		1	
Railroad accidents and injuries.....	271	1	2	1	1	2	8	22	70	53	42	24	14	23	6			
Injuries by vehicles and horses.....	69	1	1	1	1	1	5	9	9	6	11	7	12	5	2		4	
Suffocation.....	49	26	4	2	2	2	2	2	5	1	3	3	3	3	1			
Other accidental injuries.....	454	13	7	5	5	5	13	37	85	50	55	49	53	35	33	8	1	
Injuries at birth.....	95	85	1	1	1	1	1	1	1	1	1	1	1	1	1			
Homicide.....	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
XIV.—Ill-defined causes.....	1,317	468	55	6	3	6	13	24	29	37	58	86	146	211	138	33	4	
"Dropsy".....	157	5	1	1	1	1	1	2	6	4	5	15	38	55	21	3		
"Heart failure".....	223	20	1	1	1	1	3	9	10	10	18	30	39	53	27	6		
Other ill-defined causes.....	661	264	38	3	1	3	6	8	10	13	23	33	59	89	85	22	1	
Unknown causes.....	276	179	15	1	1	2	3	7	4	10	12	8	10	14	5	2	2	

MORTALITY STATISTICS.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.																		
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.		
All causes.....	7,274	1,205	261	111	68	50	159	271	417	459	539	641	974	1,174	765	143	37		
I.—General diseases.....	1,739	98	68	28	21	21	45	108	201	205	208	180	220	229	83	14	7		
Typhoid fever.....	66			1	1		4	15	14	11	10	5	5						
Malarial fever.....	7		1						1					4					
Smallpox.....																			
Measles.....	62	10	21	6	5	2	6	2	2	2	2	1	2		1				
Scarlet fever.....	4	1				1	1	1											
Whooping cough.....	36	21	7	5	1		2												
Diphtheria.....	36	3	5	7	10	10	14	6		1									
Croup.....	24	3	10	1	3	4	3												
Influenza.....	166	11	1	1				3	3	5	12	7	16	54	41	9			
Cholera nostras.....	14	3	2			1	1							2	5				
Dysentery.....	31	6	3	1			1	1	2	2			5	7	2	1			
Erysipelas.....	16	2		1				2	1		3	1	1	1	3	1			
Other epidemic diseases.....																			
Septicemia.....	31	2	1						3	6	5	2	7	4	1				
Tuberculosis of lungs.....	579	12	10	1	1	1	6	55	144	131	99	48	45	21	3		2		
Tuberculosis of larynx.....	2									1			1						
Tuberculous meningitis.....	18	3	4	1	1	1	2	2	1	1			1						
Abdominal tuberculosis.....	21	3		1				2	4	3		1							
Pott's disease.....	7							4	2	1			3	2					
Tuberculous abscess.....	1	1																	
White swelling.....	2							1	1										
Tuberculosis of other organs.....	2										1								
General tuberculosis.....	18	1						4	3	3	3	2	2						
Scrofula.....																			
Veneral diseases.....	7	2			1						1	1	1				1		
Cancer of mouth.....	6										2			1					
Cancer of stomach and liver.....	127								2	1	16	21	38	42	6	1			
Cancer of intestines.....	31									2	5	6	12	2	4				
Cancer of female genital organs.....	36										5	5	17	4	4		1		
Cancer of breast.....	18										9	2	2	3	2				
Cancer of skin.....	11																		
Cancer of other or unspecified organs.....	130							1	1	8	10	31	33	37	7	2			
Tumor.....	12	1								2		1	2	6					
Rheumatism.....	37						3	3	2	2	5	4	8	7	2		1		
Diabetes.....	77	1	1	1			1	6	6	6	6	17	14	16	1		1		
Anemia, leukemia.....	51	10	2		1		1		2	6	7	4	11	5	2				
Alcoholism.....	22								6	4	4	5	1	1			1		
Chronic poisonings.....	4											1	3						
Other general diseases.....	7			1						2		3		1					
II.—Diseases of nervous system.....	1,117	120	58	32	16	13	57	50	33	42	70	102	200	195	117	11	1		
Encephalitis.....	8		1								1		1	2	2				
Meningitis.....	304	64	42	26	12	12	53	38	20	18	8	4	3	3	1				
Locomotor ataxia.....	8										2	1	2	1	1				
Other diseases of spinal cord.....	29	6	1		1					2	1	2	8	7	1				
Apoplexy.....	433	5	1	1			1	3	3	10	30	57	123	116	75	7	1		
Softening of brain.....	21									1		2	7	7	4				
Paralysis.....	104	1	1					1		2	3	17	25	33	20	1			
General paralysis of insane.....	41									1	7	5	11	10	6	1			
Other forms of mental disease.....	40									2	5	5	11	7	3	2			
Other diseases of brain.....	24	5	1		1		1	1	1		8	2	1	1	2				
Epilepsy.....	19	1						4	4	2	3	1	1	3					
Convulsions.....	35	35	9	4	1	1	1		2		1		1						
Tetanus.....	2				1		1												
Other diseases of nervous system.....	29	3	2	1				3			1	6	6	5	2				
III.—Diseases of circulatory system.....	942	17	2	1	1		5	13	27	44	66	118	208	273	150	9	8		
Pericarditis.....	6							1			3			2	2				
Endocarditis.....	21							2	1	1	1	1	6	4	3	2			
Heart disease.....	805	12	2	1	1		5	9	21	36	54	102	178	240	129	7	8		
Angina pectoris.....	51	1							2	2	4	8	11	16	7				
Diseases of arteries.....	19							1				1	7	5	5				
Embolism and thrombosis.....	31	1							3	4	2	4	5	6	6				
Diseases of veins.....	1										1								
Diseases of lymphatics.....																			
Other diseases of circulatory system.....	8	3								1	1	2	1						
IV.—Diseases of respiratory system.....	761	154	53	16	12	7	11	22	21	35	47	59	91	121	95	15	2		
Laryngitis.....	3			2			1												
Other diseases of larynx.....	3		3																
Diseases of thyroid body.....																			
Acute bronchitis.....	70	48	5	3	2	1		1			1	5	13	21	4	4			
Chronic bronchitis.....	58		1	1											1	3	2		
Bronchopneumonia.....	94	32	16	4	4	2	3	1	1			4	3	7	13	3			
Pneumonia.....	476	66	27	5	5	3	6	18	18	29	42	42	68	82	56	9			
Pleurisy.....	11								1	2	2	2	1	1	3				
Congestion of lungs.....	27	7		1	1	1		1		1		2	2	4	5	2			
Gangrene of lungs.....	1										1								
Asthma and emphysema.....	7								1			3	1	2					
Hemorrhage of lungs.....	3									2						1			
Other diseases of respiratory system.....	7	1	1				1	1				2				1			

CAUSES OF DEATH, BY AGE.

297

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																	
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.	
V.—Diseases of digestive system.....	879	407	57	22	6	4	16	28	23	39	32	51	74	77	36	4	3	
Diseases of mouth.....	1										1							
Tonsillitis.....	7		1			2		3		1								
Other disease of pharynx.....	5		1								1		1					
Ulcer of stomach.....	17							1	2	2		3	1	6	2			
Gastritis.....	65	7	2	2	1		1	2	3	4	2	6	8	15	9	3		
Other diseases of stomach.....	46	15	2	1					1	6	1	2	2	8	7		1	
Dentition.....	4	2	1	1														
Diarrhea and enteritis.....	482	365	47	14	5	2	7	1		2	2	6	11	12	6	1		
Hernia.....	16											5	6	3				
Obstruction of intestines.....	38	6	1	2			3	2	2	2	2	2	8	5	2			
Other diseases of intestines.....	22	3	1				1	3			3	3	3	3	2			
Acute yellow atrophy of liver.....	2	1										1						
Hydatid tumors of liver.....	1									1								
Cirrhosis of liver.....	43			1						2	5	12	11	9	3			
Biliary calculi.....	8											1	3	4				
Other diseases of liver.....	40	5	1					1	1	4	5	3	11	5	4			
Diseases of spleen.....	1																	
Peritonitis.....	52	2	1	1			2	5	6	10	8	7	6	2	1		1	
Appendicitis.....	28						2	10	6	3	1		3	3				
Other diseases of digestive system.....	1								1									
VI.—Diseases of genito-urinary system.....	517	9				1	3	16	36	33	48	74	110	118	61	5	3	
Acute nephritis.....	35	4					2	3	4	5	4	3	3	4	3			
Bright's disease.....	402					1	1	11	27	23	41	65	91	92	41	2	3	
Other diseases of kidneys.....	19	1							3	2	1	2	5	3	2			
Calculi of urinary tract.....	2												2					
Diseases of bladder.....	24											3	3	10	5	3		
Uterine tumor.....	6								2	1	1		2					
Other diseases of uterus.....	3							2			1							
Ovarian tumor.....	3											1						
Diseases of tubes.....	2									2								
Other diseases of genito-urinary system.....	21												4	8	9			
VII.—Childbirth.....	53							7	21	21	4							
Puerperal septicemia.....	14							4	5	2	3							
Puerperal convulsions.....	15							1	6	8								
Other causes incident to childbirth.....	24							2	10	11	1							
VIII.—Diseases of skin.....	41											4	4	15	15	2	1	
Gangrene.....	32											1	3	1	14	2		
Carbuncle.....	2												2				1	
Abscess.....	3											1						
Other diseases of skin.....	4											1		2	1			
IX.—Diseases of locomotor system.....	10	4	2						1				3					
Diseases of bones.....	9	4	2						1				2					
Diseases of joints.....	1												1					
Other diseases of locomotor system.....																		
X.—Malformations.....	86	82	2	1					1									
Hydrocephalus.....	12	11		1														
Congenital malformation of heart (cyanosis).....	45	44							1									
Other congenital malformations.....	29	27	2															
XI.—Diseases of early infancy.....	215	215																
Premature birth.....	16	16																
Congenital debility.....	199	199																
XII.—Old age.....	310												6	77	154	73		
XIII.—Violence.....	373	24	8	6	9	2	19	26	48	30	50	36	29	35	35	7	9	
Suicide.....	44								7	5	11	5	5	7	4			
Fractures and dislocations.....	58							1	5	5	7	5	5	10	11	5	1	
Burns and scalds.....	36	3	3	2	3	1	2	1	2		2	6	4	3	5			
Heat and sunstroke.....	8						1	2				2	2		1			
Cold and freezing.....	3		1			1						1						
Lightning.....																		
Drowning.....	32		2	2	2		5	14	12	4	2	2	2	1	1		3	
Inhalation of poisonous gases.....	4										1	1						
Other accidental poisonings.....	25	5	2	2	3		3	1	1	2	1		3	1			1	
Accidental gunshot wounds.....	7							2	3									
Injuries by machinery.....	5								1	1	3							
Injuries in mines and quarries.....																		
Railroad accidents and injuries.....	30							1	8	8	8		1	1	2		1	
Injuries by vehicles and horses.....	7										2	3						
Suffocation.....	6	2							1	1		1		2				
Other accidental injuries.....	76	5			1		8	5	6	5	10	10	7	7	8	2	2	
Injuries at birth.....	9	9																
Homicide.....	3								1		2							
XIV.—Ill-defined causes.....	231	75	11	5		2	3	1	5	10	14	17	29	34	19	3	3	
"Dropsy".....	12											1	7	2	1		1	
"Heart failure".....	36	6	1						1	2	3	4	3	10	5		1	
Other ill-defined causes.....	161	56	9	4		1	3	1	4	8	10	12	15	22	13	3		
Unknown causes.....	22	13	1	1							1		4					

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
NEW JERSEY.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	33,912	7,153	1,465	675	428	329	1,039	1,478	2,636	3,095	3,149	3,270	3,856	3,474	1,600	238	27
I.—General diseases.....	8,617	535	351	240	195	155	412	581	1,249	1,293	1,153	889	858	520	163	18	2
Typhoid fever.....	352	1	4	2	5	6	17	71	80	64	50	29	14	8	1		
Malarial fever.....	82	4	2	5	2		5	3	7	1	5	8	3	2	5		
Smallpox.....	1																
Measles.....	110	27	37	19	5	5	7	5	1	2	1						
Scarlet fever.....	186	13	25	29	23	14	53	19	7	1	1	1					
Whooping cough.....	182	110	37	14	8	6	6			1							
Diphtheria.....	556	42	86	72	77	61	161	36	7	4	6	1					
Croup.....	141	13	20	32	25	23	3										
Influenza.....	203	16	1	1	1	2	2	7	1	11	18	18	28	56	34	7	
Cholera nostras.....	23	5	3					1	1	2	2	2	2	2	1		
Dysentery.....	239	57	27	13	8	7	15	3	7	3	9	20	25	30	11	1	
Erysipelas.....	90	28	2	2			2	2	2	4	11	12	13	10	3	1	
Other epidemic diseases.....	5	3					2										
Septicemia.....	59	7	1				1	2	10	9	6	8	8	6	1		
Tuberculosis of lungs.....	3,659	46	32	10	11	13	31	327	987	943	615	321	201	96	21	3	2
Tuberculosis of larynx.....	53	2						1	11	10	11	11	4	3			
Tuberculosis meningitis.....	266	76	59	26	13	8	36	15	9	10	4	4	6				
Abdominal tuberculosis.....	122	21	2	5	5	1	6	14	22	11	13	11	8	2	1		
Pott's disease.....	27	1		1	1	1	4	4	4	4	1	1	1	2	1		
Tuberculous abscess.....	3								1								
White swelling.....	17	2	1			1	1	7	1		1		3				
Tuberculosis of other organs.....	28		1		1		1	3	7	3	6	3	3				
General tuberculosis.....	59	7	2	1	1		3	11	14	7	9	3		1			
Scrofula.....	8	4	1	1	1								2				
Veneral diseases.....	57	35	2					1	6	4	4	2	3				
Cancer of mouth.....	36								4	6	7	12	4		2	1	
Cancer of stomach and liver.....	508							2	1	21	79	137	159	82	24		
Cancer of intestines.....	157			1		1	1		4	5	23	26	56	29	9	2	
Cancer of female genital organs.....	216							1	8	18	62	61	50	13	3		
Cancer of breast.....	110								1	9	31	26	20	10	4		
Cancer of skin.....	52								2	3	3	5	18	17	5	2	
Cancer of other or unspecified organs.....	277			1	3		1		25	49	52	64	52	19			
Tumor.....	28	2						2	1	2	6	4	3	5	2		
Rheumatism.....	167	2		1	2	4	18	16	8	20	21	25	26	22	1		
Diabetes.....	252			2	1			8	7	17	25	56	79	39	11		
Anemia, leukemia.....	97	6	3	1		2	2	10	11	12	12	10	18	9	1		
Alcoholism.....	103							1	13	52	48	24	18	7			
Chronic poisonings.....	19	5	3	1				1	2	4	4	1	5	3			
Other general diseases.....	37							1	4	5	9	1	1	1			
II.—Diseases of nervous system.....	4,409	687	214	94	74	48	198	191	135	193	313	501	700	719	316	26	
Encephalitis.....	20	7	3					1	2	1	2	1	3				
Meningitis.....	1,001	212	138	67	60	40	159	146	56	40	31	24	17	9	1	1	
Locomotor ataxia.....	50										16	11	13	8			
Other diseases of spinal cord.....	115	5	3	2	2			2	6	18	27	19	22	3			
Apoplexy.....	1,792	42	12	4	3	1	6	7	24	61	154	305	480	483	194	16	
Softening of brain.....	82		1						1	2	3	9	14	27	23		
Paralysis.....	374	3	1			1			7	11	23	50	94	116	62	6	
General paralysis of insane.....	147							1	1	23	16	30	27	26	23		
Other forms of mental disease.....	65								5	14	14	11	5	5	2		
Other diseases of brain.....	89	12	6	1	1	1	4	8	11	7	10	4	12	8	3	1	
Epilepsy.....	83	3	2	1			8	12	10	15	7	13	4	6	2		
Convulsions.....	493	389	47	19	7	5	12	4	9	6	4						
Tetanus.....	40	18					4	7	2	1	6	2					
Other diseases of nervous system.....	58	5	2		1		3	2	4	5	9	12	8	5	2		
III.—Diseases of circulatory system.....	3,352	87	6	7	8	9	54	144	156	240	361	482	753	725	294	25	1
Pericarditis.....	19	1	2		1			1	1	3	2	1	2	2	2		
Endocarditis.....	381	11	2	3	1	4	20	33	35	35	41	53	62	59	22		
Heart disease.....	2,492	62	1	2	4	5	32	106	92	177	283	359	592	552	208	16	1
Angina pectoris.....	129							1	2	10	11	23	38	37	6		
Diseases of arteries.....	161								2	4	6	26	34	45	37	7	
Embolism and thrombosis.....	117	2					1	1	13	9	9	17	17	28	19	1	
Diseases of veins.....	10										5	2	3				
Diseases of lymphatics.....	5	1	1								1	2					
Other diseases of circulatory system.....	38	10		2	2			2	11	2	4	3	2				
IV.—Diseases of respiratory system.....	4,445	1,105	392	161	60	43	104	121	198	346	352	378	417	495	236	34	3
Laryngitis.....	26	5	2	3	3	2	4	1	2	1			1	1	1		
Other diseases of larynx.....	29	13	2	4	1	1	3			1	1		2	1			
Diseases of thyroid body.....	4	1										1					
Acute bronchitis.....	356	225	48	19	3	3	3		5	3	6	4	7	16	12	2	
Chronic bronchitis.....	273	10	3	1			5	3	7	13	11	29	59	74	46	12	
Bronchopneumonia.....	775	352	146	48	24	12	17	6	8	8	18	29	34	42	26	5	
Pneumonia.....	2,492	431	173	73	26	19	65	95	145	276	268	261	261	270	114	12	3
Pleurisy.....	103	4	6	5		4	4	6	10	14	12	10	11	13	4		
Congestion of lungs.....	221	57	11	4	3	1	2	5	11	9	10	14	26	44	21	3	
Gangrene of lungs.....	17	1		1			1	1	1		6	1	1	3	1		
Asthma and emphysema.....	65	1	1	1		1		1	1	4	7	12	8	23	5		
Hemorrhage of lungs.....	65	1						1	7	12	11	13	7	8	3		
Other diseases of respiratory system.....	21	4		2				2		5	3	2	2				

CAUSES OF DEATH, BY AGE.

299

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	All ages.	AGE.																
		Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.	
V.—Diseases of digestive system.....	4,295	2,102	361	96	25	25	73	112	133	206	241	234	302	238	99	5		
Diseases of mouth.....	14	10					1	1		1			1					
Tonsillitis.....	16	2		1			1	3	1			1	2	3				
Other diseases of pharynx.....	12	1	1			2										1	1	
Ulcer of stomach.....	51						1	1	2	13	10	10	9	6				
Gastritis.....	228	42	9	5	2		7	3	12	13	13	22	45	33	20			
Other diseases of stomach.....	133	52	2	5			3	3	5	3	10	8	16	18	5			
Dysentery.....	13	11	2															
Diarrhea and enteritis.....	2,618	1,925	336	72	19	9	25	14	5	23	30	33	40	72	43	2		
Hernia.....	71	2	3						4	6	11	8	18	13	6			
Obstruction of intestines.....	190	30	4	5	2	4	4	4	24	15	11	23	36	17	10	1		
Other diseases of intestines.....	49	14						3	6	6	5	6	3	2	4			
Acute yellow atrophy of liver.....	7	1							2	1	1	1		1				
Hydatid tumors of liver.....	1																	
Cirrhosis of liver.....	338						2	1	14	50	80	85	66	37	2			
Biliary calculi.....	46								1	4	6	11	12	8	1			
Other diseases of liver.....	134	11	1	3			1	2	3	2	16	16	26	27	21	4	1	
Diseases of spleen.....	10				1		1	2	1	1	3		1					
Peritonitis.....	161	1	3	1	1	2	5	25	33	31	27	7	14	5	3			
Appendicitis.....	168			1		3	16	50	40	22	15	8	11	2				
Other diseases of digestive system.....	2								1									
VI.—Diseases of genito-urinary system.....	2,614	49	11	9	10	11	36	77	184	273	339	468	525	431	160	30	1	
Acute nephritis.....	338	14	6	7	2	6	14	32	40	50	48	49	41	15	4	1		
Bright's disease.....	1,980	28	5	2	7	5	21	37	116	174	200	390	435	360	116	23	1	
Other diseases of kidneys.....	49	2			1		1	1	2	12	7	8	3	8	4			
Calculi of urinary tract.....	1																	
Diseases of bladder.....	89	2							2	1	4	9	19	33	17	2		
Uterine tumor.....	23										5	5	9	2	1			
Other diseases of uterus.....	40							2	15	14	2	3	1	1	1	1		
Ovarian tumor.....	7							1	1	1	1	1	1	1				
Diseases of tubes.....	27							3	5	9	10							
Other diseases of genito-urinary system.....	60	3						1	2	3	2	3	16	11	16	3		
VII.—Childbirth.....	285							18	124	116	26						1	
Puerperal septicemia.....	131							11	61	52	10							
Puerperal convulsions.....	51							6	20	24	4							
Other causes incident to childbirth.....	97							1	43	40	12						1	
VIII.—Diseases of skin.....	132	14	3	1		3	3	2	1	8	9	18	19	28	19	4		
Gangrene.....	79	1	2			1		2		1	6	8	12	23	19	4		
Carbuncle.....	10	1	1								3	2	1	2				
Abscess.....	27	3		1		2	2		1	7		4	4	3				
Other diseases of skin.....	16	9				1					4	2						
IX.—Diseases of locomotor system.....	71	20	8	5	3	1	5	6	5	5	5	3	4		1			
Diseases of bones.....	68	19	8	5	3	1	5	5	4	5	5	3	4		1			
Diseases of joints.....	2	1							1									
Other diseases of locomotor system.....	1							1										
X.—Malformations.....	313	303	6	2	1	1												
Hydrocephalus.....	26	20	2	2	1	1												
Congenital malformation of heart (cyanosis).....	165	162	3															
Other congenital malformations.....	122	121	1															
XI.—Diseases of early infancy.....	1,459	1,459																
Premature birth.....	737	737																
Congenital debility.....	732	732																
XII.—Old age.....	466												26	149	215	76		
XIII.—Violence.....	2,481	215	41	40	43	29	137	212	409	391	321	242	198	112	58	9	15	
Suicide.....	334			1	1	3	2	9	16	57	60	67	53	42	24	6		
Fractures and dislocations.....	167							11	18	21	18	11	16	27	20	5	1	
Burns and scalds.....	212	5	16	21	25	14	33	11	20	20	13	16	6	7	5			
Heat and sunstroke.....	125	30	8	1	2		1		7	21	17	8	16	7	6			
Cold and freezing.....	18								3	1	2	4	5	1			2	
Lightning.....	10					1			3	1	3	1	1					
Drowning.....	286			2	2	4	34	61	61	46	33	23	9	2			8	
Inhalation of poisonous gases.....	117	2		1			6	12	20	16	19	20	10	6	4	1		
Other accidental poisonings.....	88	5	7	9	2	1	7	6	10	11	15	5	7	2	1			
Accidental gunshot wounds.....	49			1	1			10	14	8	7	2	4	2				
Injuries by machinery.....	22						1	5	4	4	3	3	2					
Injuries in mines and quarries.....	16								7	6								
Railroad accidents and injuries.....	430		1	2	2	2	28	49	105	77	74	41	34	10	3		2	
Injuries by vehicles and horses.....	43		1	3		1	5	4	10	10	3	4	4					
Suffocation.....	35	22							2	1	2	1	5				1	
Other accidental injuries.....	350	15	6	8	5	4	13	25	61	63	37	48	35	24	12	3		
Injuries at birth.....	133	133																
Homicide.....	35	2	1						8	13	6	2	1					
XIV.—Ill-defined causes.....	973	577	72	11	9	4	17	11	22	21	29	35	54	57	30	11	4	
"Dropsy".....	28					1	2	2	2	2	6	3	2	5	3			
"Heart failure".....	124	19	1	1	2		3	6	3	5	9	10	17	22	20	7		
Other ill-defined causes.....	793	580	70	10	7	3	9	6	15	10	11	15	28	31	29	9	1	
Unknown causes.....	28	19	1								2		2	1				

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
NEW YORK.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	137,222	26,213	6,174	2,633	1,664	1,145	3,404	5,313	10,613	12,868	13,158	13,591	16,169	14,987	7,978	1,190	102
I.—General diseases.....	34,880	2,080	1,385	900	715	464	1,319	2,177	5,030	5,446	4,661	3,882	3,533	2,285	859	94	20
Typhoid fever.....	1,608	3	7	11	16	14	65	305	445	341	175	119	59	36	10		2
Malarial fever.....	137	10	8	6	5	2	5	8	14	14	12	15	19	13	6		
Smallpox.....	10	1	1		2			2	2	2	2	2	2	2			
Measles.....	904	245	270	126	70	26	81	32	20	12	12	5	2	2	1		
Scarlet fever.....	779	46	78	120	108	74	221	88	31	12	1	1	1	1			
Whooping cough.....	767	435	181	63	39	20	26	2			1						
Diphtheria.....	1,946	153	330	314	256	180	452	136	39	26	11	7	1	2			1
Croup.....	306	39	62	43	45	29	61	3									
Influenza.....	1,276	100	25	15	12	6	15	36	51	65	82	115	190	314	214	30	3
Cholera nostras.....	106	12	3	1	7	2	1	4	3	7	9	8	6	22	17	4	
Dysentery.....	565	108	37	21	18	4	15	7	16	17	20	30	71	104	87	10	
Erysipelas.....	440	171	6			2	1	8	20	35	52	40	44	40	19	2	
Other epidemic diseases.....	20	10	2	5	1	1	1										
Septicemia.....	254	33	2					49	36	36	31	23	15	27	11	1	
Tuberculosis of lungs.....	14,015	121	86	41	33	26	92	1,130	3,696	3,784	2,462	1,364	784	313	75	3	6
Tuberculosis of larynx.....	117			1			1	4	32	24	25	16	2	2			
Tuberculous meningitis.....	800	224	184	121	62	36	100	58	47	25	18	8	5	2			
Abdominal tuberculosis.....	420	53	23	13	6	5	26	37	67	50	53	31	38	15	3		
Pott's disease.....	137	5	6	4	8	4	19	25	18	18	7	10	5	7	1		
Tuberculous abscess.....	15	1	1						2	1	2	3	1				
White swelling.....	71	5		2	1	1	13	15	9	8	6	5	3	2	1		
Tuberculosis of other organs.....	125	3	5	3	2		3	15	19	23	17	14	9	8			
General tuberculosis.....	177	21	8	10	2	4	7	21	34	31	18	8	11	2			
Scrofula.....	35	18	2	1	2	1	3	1	1	3	1	3					
Venereal diseases.....	335	180	14	2			3	8	27	38	33	17	10	2	1		
Cancer of mouth.....	205				1	1	1		6	8	30	44	56	41	15	2	
Cancer of stomach and liver.....	2,272	2				1	1	1	24	108	355	580	680	424	92	4	1
Cancer of intestines.....	710							5	23	64	126	172	170	120	21	1	
Cancer of female genital organs.....	860							2	20	109	262	231	153	69	12	1	
Cancer of breast.....	526								4	52	105	116	136	77	32	4	
Cancer of skin.....	202							1	2	7	18	30	44	59	33	8	
Cancer of other or unspecified organs.....	1,364	7	2	4	3	2	8	17	43	99	210	286	355	216	98	12	2
Tumor.....	102	2	1		1		1	16	2	10	16	14	23	19	7		
Rheumatism.....	700	13	3	6	4	7	50	94	65	70	71	84	103	81	42	6	1
Diabetes.....	1,254	2	2	2	6	4	20	59	89	133	286	354	199	41	1		
Anemia, leukemia.....	457	35	5	1	4	1	13	26	41	46	71	74	85	42	11	2	
Alcoholism.....	576						2	2	69	184	178	77	52	9			3
Chronic poisonings.....	38			1					5	7	10	6	3	6			
Other general diseases.....	157	22	4	2		2	1	9	20	25	26	12	19	9	4	2	
II.—Diseases of nervous system.....	15,697	2,006	650	397	282	196	704	677	561	758	1,215	1,751	2,463	2,658	1,258	113	8
Encephalitis.....	63	16	1	5	1			5	2	6	5	5	7	6	1		
Meningitis.....	3,823	766	453	311	242	168	612	535	274	186	124	64	60	21			1
Locomotor ataxia.....	207							1	5	10	41	60	52	32	6		
Other diseases of spinal cord.....	405	15	7	6	4	3	7	11	25	42	44	74	97	52	17	1	
Apoplexy.....	6,736	101	14	12	1	2	10	20	70	219	595	1,136	1,749	1,874	852	75	6
Softening of brain.....	166								4	6	17	39	65	34	1		
Paralysis.....	1,117	8	2	3		1	3	7	12	19	53	130	237	379	236	26	1
General paralysis of insane.....	674								19	117	186	116	82	100	51	3	
Other forms of mental disease.....	201							1	17	25	23	33	40	42	18	2	
Other diseases of brain.....	295	34	9	6	3	2	18	16	25	42	45	33	27	22	13		
Epilepsy.....	320	28	5	5	3		11	31	55	44	40	30	39	22	6	1	
Convulsions.....	1,217	962	139	42	19	11	17	5	8	7	2	1	1	1	1		
Tetanus.....	125	41	2		1	3	11	13	9	12	14	7	2	1			
Other diseases of nervous system.....	348	35	18	7	8	6	12	32	40	28	39	38	26	40	16	3	
III.—Diseases of circulatory system.....	15,267	242	28	28	22	26	179	525	685	1,084	1,585	2,267	3,404	3,493	1,524	164	11
Pericarditis.....	106	3	1	2		1	11	13	11	16	11	15	17	4			
Endocarditis.....	1,146	20	7	3	4	6	37	62	80	116	131	164	223	209	76		
Heart disease.....	11,850	158	17	15	15	15	135	435	520	854	1,238	1,808	2,661	2,705	1,153	111	10
Angina pectoris.....	530	1					1	13	25	56	104	157	135	37	1		
Diseases of arteries.....	1,042			1			1	2	14	30	58	106	256	324	211	38	1
Embolism and thrombosis.....	390	7		2	1		1	7	23	32	50	59	73	85	37	4	
Diseases of veins.....	13	1		2	1	1			5	13	9	13	10	4	1		
Diseases of lymphatics.....	15	8	1						2								
Other diseases of circulatory system.....	125	44	2	2	1	3	4	6	17	10	14	6	5	8	2	1	
IV.—Diseases of respiratory system.....	19,063	4,628	2,014	693	293	207	353	451	897	1,336	1,436	1,549	1,958	1,979	1,000	177	12
Laryngitis.....	56	8	9	4	7	2	9	2	2	2	3	4	1	1			
Other diseases of larynx.....	74	2	1														
Diseases of thyroid body.....	26	2															
Acute bronchitis.....	1,770	1,109	251	59	20	19	14	13	8	12	15	28	49	82	67	23	1
Chronic bronchitis.....	1,070	28	14	7	1	1	12	12	22	27	44	123	210	310	221	38	
Bronchopneumonia.....	4,501	1,821	946	306	117	68	97	49	73	104	114	126	234	252	168	26	
Pneumonia.....	10,080	1,488	733	289	135	106	192	317	677	1,054	1,094	1,092	1,257	1,090	474	72	10
Flourish.....	472	30	32	13	4	4	14	32	62	53	69	55	43	42	18	1	
Congestion of lungs.....	476	99	10	2	3		4	11	11	22	21	40	56	100	74	14	
Gangrene of lungs.....	41						2	3	8	10	11	6	1				
Asthma and emphysema.....	215	2	2		1	1	1	5	4	19	48	53	58	20	1		
Hemorrhage of lungs.....	147	5					3	20	31	26	20	11	7				
Other diseases of respiratory system.....	135	14	9	6	2	3	1	6	13	13	13	16	13	16			

CAUSES OF DEATH, BY AGE.

301

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.
V.—Diseases of digestive system.....	17,099	8,069	1,629	315	145	106	240	467	591	800	1,038	1,035	1,168	973	435	61
Diseases of mouth.....	47	34	2	2	1	1	2	2	2	2	2	1	1	2	2	
Tonsillitis.....	55	3	5	4	1	1	3	6	5	4	3	3	3	2	1	
Other diseases of pharynx.....	76	21	3	2	1	1	2	3	3	9	3	4	11	10	3	
Ulcer of stomach.....	261	3					2	5	22	49	63	39	38	32	8	
Gastritis.....	728	149	20	12	8	2	6	5	22	35	57	69	107	141	87	8
Other diseases of stomach.....	555	227	18	7	7	1	7	4	11	25	25	36	50	69	59	9
Dentition.....	37	2	13						22	69	97	111	193	254	163	30
Diarrhea and enteritis.....	10,415	7,358	1,526	263	96	73	72	27	11	35	66	83	104	57	35	4
Hernia.....	422	20	2	2			1	2	11	35	66	83	104	57	35	4
Obstruction of intestines.....	718	113	17	5	13	3	18	28	72	67	90	69	106	84	31	2
Other diseases of intestines.....	197	40	3	2	1	2	4	13	23	21	19	18	19	17	14	1
Acute yellow atrophy of liver.....	27	2						2	2	5	3	4	2	5		
Hydatid tumors of liver.....	7								4	1						
Cirrhosis of liver.....	1,476	2	3	2	1	1	3	8	40	106	333	301	330	157	31	3
Biliary calculi.....	158						1	6	12	26	45	37	21	10		
Other diseases of liver.....	449	18	4	4	3	2	4	9	24	42	73	86	70	69	39	1
Diseases of spleen.....	16								2	3	4	2	1	3		
Peritonitis.....	502	26	12	4	5	7	19	50	99	90	70	41	48	24	4	3
Appendicitis.....	915	1	1	4	7	11	111	241	193	128	92	59	41	21	5	
Other diseases of digestive system.....	38								3	7	12	4				
VI.—Diseases of genito-urinary system.....	11,917	138	42	45	31	15	90	239	796	1,303	1,664	2,061	2,530	2,043	830	82
Acute nephritis.....	1,109	57	15	21	21	9	47	70	150	166	162	158	125	72	34	1
Bright's disease.....	9,301	69	21	23	10	6	40	130	477	914	1,305	1,765	2,194	1,644	623	56
Other diseases of kidneys.....	192	6	1					6	16	36	27	25	25	32	16	2
Calculi of urinary tract.....	47	3					2		1	5	4	10	11	8	3	
Diseases of bladder.....	343	3		1				2	5	12	13	17	64	125	86	15
Uterine tumor.....	151								3	35	59	33	15	6		
Other diseases of uterus.....	138		1					12	43	29	34	11	6	1		
Ovarian tumor.....	96						1		19	20	21	13	11	6	5	
Diseases of tubes.....	182							17	78	71	19					
Other diseases of genito-urinary system.....	355	3	1					2	7	15	20	29	79	129	62	8
VII.—Childbirth.....	1,365							91	608	558	105	1				2
Puerperal septicemia.....	630							50	307	240	32	1				
Puerperal convulsions.....	293							24	138	108	23					
Other causes incident to childbirth.....	442							17	163	210	50					2
VIII.—Diseases of skin.....	577	74	7	11	1	4	6	6	17	26	30	57	95	121	104	16
Gangrene.....	380	6	2	9		3	5		7	6	18	37	70	106	96	15
Carbuncle.....	24	5							1	4	2	4	6	2		
Abscess.....	109	28	3	2	1	1	1	6	8	15	4	15	11	7	6	1
Other diseases of skin.....	64	35	2						1	1	6	1	8	6	4	
IX.—Diseases of locomotor system.....	284	48	38	18	7	4	14	23	20	22	20	18	27	16	9	
Diseases of bones.....	248	45	38	18	7	4	13	20	16	20	14	11	21	12	6	
Diseases of joints.....	26	2					1	2	3	2	4	4	5	1	2	
Other diseases of locomotor system.....	10	1					1	1	1		2		1	3	1	
X.—Malformations.....	1,137	1,080	37	14	8	4	13	7	3	1						
Hydrocephalus.....	140	91	22	10	5	2	4	3	3							
Congenital malformation of heart (cyanosis).....	711	684	11	2		2	7	4		1						
Other congenital malformations.....	316	305	4	2	3		7									
XI.—Diseases of early infancy.....	5,526	5,526														
Premature birth.....	2,610	2,610														
Congenital debility.....	2,916	2,916														
XII.—Old age.....	2,631												142	715	1,375	397
XIII.—Violence.....	9,255	882	151	146	140	113	457	696	1,374	1,488	1,347	886	703	483	294	52
Suicide.....	1,219							43	232	274	256	181	148	61	20	1
Fractures and dislocations.....	663	3	6		1	4	11	35	32	63	83	54	84	121	125	27
Burns and scalds.....	624	17	63	65	61	51	83	36	44	51	51	30	31	29	10	2
Heat and sunstroke.....	312	12	2	4	2	4	9	26	36	48	27	27	27	11	2	
Cold and freezing.....	56	1	1				1	2	4	3	10	13	12	5	1	2
Lightning.....	13							3	2	3		2	1			
Drowning.....	954	7	7	5	9	7	80	172	172	174	153	92	47	39	4	8
Inhalation of poisonous gases.....	439	5	5	4	4	2	14	35	70	87	92	35	27	30	15	2
Other accidental poisonings.....	308	30	16	15	13	8	14	16	38	35	48	29	24	19	3	
Accidental gunshot wounds.....	161	1	1			1	7	40	31	28	26	11	9	3	1	2
Injuries by machinery.....	49						2	7	8	11	6	11	2	1		
Injuries in mines and quarries.....	16							1	7	5	1					
Railroad accidents and injuries.....	1,236	5	7	8	3	58	106	280	258	215	135	90	39	18		14
Injuries by vehicles and horses.....	401	3	9	13	9	60	42	56	67	49	31	33	22	7		
Suffocation.....	108	60	2	1	2		1	7	7	10	7	8	2	1		
Other accidental injuries.....	1,828	24	29	34	34	26	117	133	275	320	268	193	163	115	78	17
Injuries at birth.....	657	657														
Homicide.....	211	2	1	1			4	18	70	64	32	13	3	3		
XIV.—Ill-defined causes.....	2,494	1,440	193	26	11	6	9	14	28	46	57	94	146	221	168	34
"Dropsy".....	154	5					1	1	1	3	9	19	26	43	38	8
"Heart failure".....	323	33	4			1	3	6	11	19	25	42	65	65	45	4
Other ill-defined causes.....	1,982	1,379	189	25	11	5	5	7	16	22	21	30	54	112	84	22
Unknown causes.....	35	23								2	2	3	1	1		1

MORTALITY STATISTICS.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
RHODE ISLAND.

CAUSE OF DEATH.	All ages.	AGE.															
		Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	8,208	1,704	381	144	84	74	187	288	620	792	730	877	974	912	130	71	7
I.—General diseases.....	2,226	161	107	62	43	35	78	143	323	316	243	259	211	166	65	7	4
Typhoid fever.....	82	1	1	1	5	2	6	15	28	8	3	6	2	1	2		
Malarial fever.....	16	1	1	1			2		1	1	1	5	1	2			
Smallpox.....	36	9	20	4		1	1	1									
Measles.....	31	1	6	5	6	3	7	5									
Scarlet fever.....	46	30	7	4	1	2	2	10	3	1		1	1				
Whooping cough.....	112	7	16	19	13	10	31	10	3	1		1					
Diphtheria.....	26	3	5	9	5	3	1	2	3	4	15	14	22	29	23	6	1
Croup.....	136	11	1	3		1	1	2	3	4	1	1					
Influenza.....	4	1					1	1			1	1					
Cholera nostras.....																	
Dysentery.....	57	15	8	1	2	1	2				1	4		6	9	8	
Erysipelas.....	17	5							1	3			5	2	1		
Other epidemic diseases.....	5	1			2		1	2					2	1	1		
Septicemia.....	12	1					1	2					2	1	1		
Tuberculosis of lungs.....	843	20	10	5	1	3	4	75	247	219	121	70	41	24	2		1
Tuberculosis of larynx.....	11	4		2		1			1	2	1						
Tuberculosis meningitis.....	85	27	24	5	5	5	7	4	3	2	1	1	1				
Abdominal tuberculosis.....	34	6	4	1		2	1	5	6	4	1	3	1	1			
Pott's disease.....	7					1		1	1		1	1	1				1
Tuberculous abscess.....	1																
White swelling.....	12	1					1	6	2		1		1				
Tuberculosis of other organs.....	9						1	1	1	3	2					1	
General tuberculosis.....	25	2		3	1		2	1	7	4	2	2		1			
Scrofula.....	3	1					1		1								
Veneral diseases.....	25	14	1		2				1	4	2	1					
Cancer of mouth.....	11		1									3	1	6			
Cancer of stomach and liver.....	133								2	8	19	31	36	30	6		1
Cancer of intestines.....	54								2	10	13	14	13	2			
Cancer of female genital organs.....	85								2	9	22	25	16	9	1		
Cancer of breast.....	51								1	4	5	22	6	8	5		
Cancer of skin.....	13										1	2	3	3	4		
Cancer of other or unspecified organs.....	39	1					1		8	2	9	9	6	3			
Tumor.....	3								1		1						
Rheumatism.....	41	2	1				3	7	1	3	4	5	5	2			
Diabetes.....	82						1	6	4	4	11	24	25	8	3		
Anemia, leukemia.....	15		1					1	1	1	3	4	2				
Alcoholism.....	52							1	4	19	10	9	7	2			
Chronic poisonings.....	5								2	1			1				
Other general diseases.....	4		1								1		1				
II.—Diseases of nervous system.....	793	71	27	5	6	8	27	28	23	35	62	116	159	156	66	4	
Encephalitis.....	4	1									2						
Meningitis.....	128	31	24	5	4	5	21	17	8	3	5	1	1	2	1		
Locomotor ataxia.....	10									1	3	2	3	1			
Other diseases of spinal cord.....	24	1			1				2	1	3	6	3	4	2		
Apoplexy.....	416	5							2	4	16	28	82	105	121	50	3
Softening of brain.....	9										2		3	2			
Paralysis.....	66	2				1	1				7	7	23	14	11		
General paralysis of insane.....	48							1		6	10	9	12	8	1	1	
Other forms of mental disease.....	13								2	1	1	3	4	1	1		
Other diseases of brain.....	11	1	1		1			1	2	1	1	1	2	1			
Epilepsy.....	17	3					2	1	2	2	1	2	3	1			
Convulsions.....	26	22	2			1	1										
Tetanus.....	3	1				1				1							
Other diseases of nervous system.....	18	4					2	3	4	2	1		1	1			
III.—Diseases of circulatory system.....	841	15	2		2	2	11	16	28	64	88	142	185	194	87	4	1
Pericarditis.....	5						1		1		1		2				
Endocarditis.....	73	4				1	6	2	4	6	2	14	16	15	3		
Heart disease.....	641	8	2		1		4	13	19	51	72	109	138	159	61	3	1
Angina pectoris.....	41								2	4	6	12	8	7			
Diseases of arteries.....	54								1	1	6	8	14	9	14	1	
Embolism and thrombosis.....	18					1			1	3	3	4	1	3	2		
Diseases of veins.....	4	1										1	2				
Diseases of lymphatics.....																	
Other diseases of circulatory system.....	5	2			1			1		1							
IV.—Diseases of respiratory system.....	1,225	302	107	33	18	12	30	28	48	91	115	108	138	115	66	13	1
Laryngitis.....	2					1	1										
Other diseases of larynx.....	7	3	1		1		2										
Diseases of thyroid body.....																	
Acute bronchitis.....	136	87	22	5	5	1	1	2	1	2	2		3	4	2	1	1
Chronic bronchitis.....	78	1					1	1	2	2		6	21	22	17	1	
Bronchopneumonia.....	201	88	26	9	7	2	6	3	3	6	8	8	14	6	11	4	
Pneumonia.....	733	119	54	18	5	7	17	22	36	77	94	88	90	72	28	6	
Pleurisy.....	23		1	1			2		3	1	4	3	4	1	1		
Congestion of lungs.....	9	2				1				1							
Gangrene of lungs.....	1											1					
Asthma and emphysema.....	24		1				1		2		5	1	5	6	3		
Hemorrhage of lungs.....	8	2							1	1	1	1		1	1		
Other diseases of respiratory system.....	3									1	1						

RIHODE ISLAND—Continued

CAUSE OF DEATH.	AGE.																	90 and over.	Un- known.
	All ages.	Under 1.	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89				
V.—Diseases of digestive system.....	1,105	594	108	27	10	10	14	16	23	48	51	65	68	52	18	1			
Diseases of mouth.....	4	4																	
Tonsillitis.....	3	1		1					1					1					
Other diseases of pharynx.....	1																		
Ulcer of stomach.....	13								3	1	2		6	1					
Gastritis.....	27	6	1						1	2	3	3	5	5	1				
Other diseases of stomach.....	86	56	8	2	1		1		1	2	2	3	2	5	3				
Dysentery.....	1	1																	
Diarrhea and enteritis.....	711	516	96	24	7	7	4	1	2	7	5	7	16	11	7	1			
Cholera.....	21									3	4	4	6	4					
Obstruction of intestines.....	25	3							2	3	3	5	3	4	2				
Other diseases of intestines.....	19	6	2		1		1		1		1	4		1	2				
Acute yellow atrophy of liver.....	2								1	1									
Hydatid tumors of liver.....																			
Cirrhosis of liver.....	79								2	7	16	15	23	8	1				
Biliary calculi.....	12									1	1	3	4	2	1				
Other diseases of liver.....	27									3	5	12	2	4	1				
Diseases of spleen.....	1				1														
Peritonitis.....	15		1			2	1	2	1	4	1	2		1					
Appendicitis.....	63	1				1	7	13	8	13	8	7	3	2	1				
Other diseases of digestive system.....	2													1					
VI.—Diseases of genito-urinary system.....	774	8	4	2	1		4	16	58	76	110	148	156	143	41	7			
Acute nephritis.....	75	4	1				1	6	7	14	9	13	10	10					
Bright's disease.....	600	2	2	2	1		3	9	37	51	82	125	133	116	30	7			
Other diseases of kidneys.....	11	2							2	1	1		2	2	1				
Calculi of urinary tract.....	1												1						
Diseases of bladder.....	13		1								1	2	2	3	4				
Uterine tumor.....	10								2	1	4	2		1					
Other diseases of uterus.....	9								2	1	3	1	1						
Ovarian tumor.....	12								2	3	3	2	1	1					
Diseases of tubes.....	17								5	4	6	2							
Other diseases of genito-urinary system.....	26								1	1	1	1	6	10	6				
VII.—Childbirth.....	100						8	52	28	12									
Puerperal septicemia.....	43							4	26	10	3								
Puerperal convulsions.....	23							2	13	4	4								
Other causes incident to childbirth.....	34							2	13	14	5								
VIII.—Diseases of skin.....	33	5	1				1	1		2	1		5	6	7	4			
Gangrene.....	18									1			3	4	7	3			
Carbuncle.....	1															1			
Abscess.....	6	2					1	1					2						
Other diseases of skin.....	8	3	1							1	1			2					
IX.—Diseases of locomotor system.....	21	5	2	1			1	1	2	1	2	2	1	2	1				
Diseases of bones.....	21	5	2	1			1	1	2	1	2	2	1	2	1				
Diseases of joints.....																			
Other diseases of locomotor system.....																			
X.—Malformations.....	77	69	3	1		1	2	1											
Hydrocephalus.....	14	11	2	1															
Congenital malformation of heart (cyanosis).....	40	38	1					1											
Other congenital malformations.....	23	20				1	2												
XI.—Diseases of early infancy.....	301	301																	
Premature birth.....	152	152																	
Congenital debility.....	149	149																	
XII.—Old age.....	155												7	49	68	31			
XIII.—Violence.....	446	92	10	11	4	5	18	29	61	39	44	33	39	27	10	3			
Suicide.....	55							4	11	10	12	7	9	2					
Fractures and dislocations.....	8									2		2		3	1				
Burns and scalds.....	21	1	1	3	1	1	1	1	1	2		3	4	2					
Heat and sunstroke.....	9	1	1	1						3	2	1							
Cold and freezing.....	3											1	2						
Lightning.....																			
Drowning.....	62			2	1	1	5	6	19	10	4	5	6	3					
Inhalation of poisonous gases.....	11								4	1	1		2	2					
Other accidental poisonings.....	13	4	2	1	2	1	1			1	1								
Accidental gunshot wounds.....	3		1						2										
Injuries by machinery.....	6								1	1	3		1						
Injuries in mines and quarries.....																			
Railroad accidents and injuries.....	57		3			1	6	7	11	15	4	5	3	1		1			
Injuries by vehicles and horses.....	11								1	2	3	1	2	2					
Suffocation.....	12	7					1			1	1	1		1					
Other accidental injuries.....	95	6	2	4		1	4	9	8	10	12	7	9	11	9	3			
Injuries at birth.....	71	71																	
Homicide.....	9	2								4	1	1							
XIV.—Ill-defined causes.....	111	78	10	2		1	1	1	2	2	2	4	5	2	1				
"Dropsy".....	1																		
"Heart failure".....	1									1			1						
Other ill-defined causes.....	92	65	7	2		1	1		2	1	2	4	4	2	1				
Unknown causes.....	17	13	3					1											

MORTALITY STATISTICS.

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
VERMONT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un known.
All causes.....	5,943	894	155	65	51	29	122	226	392	319	380	533	785	1,075	730	144	43
I.—General diseases.....	1,443	93	40	21	20	9	47	94	183	134	150	167	177	189	105	8	6
Typhoid fever.....	86		2	2	1		7	22	18	12	6	5	8	2	1		
Malarial fever.....	6																
Smallpox.....																	
Measles.....	38	6	8	3	1	1	1	3	3	2	3	1	2	1			
Scarlet fever.....	10	1	2	2	1	1	3										
Whooping cough.....	40	25	4	4	4	2				1							
Diphtheria.....	42	3	4	2	4	3	16	7	1		1	1					
Croup.....	15	4	1	3	2		2										
Influenza.....	180	22	4	1	1		1	2	3	6	4	10	24	51	45	6	
Cholera nostras.....	4	1				1									1		
Dysentery.....	18	3			1		1				1	3	2	2	5		
Erysipelas.....	11	3		1								2	1	2	2		
Other epidemic diseases.....	3	2	1														
Septicemia.....	19	1	1					1	6	2	2	2	3	1	3		
Tuberculosis of lungs.....	427	9	5	2			3	39	117	76	69	46	33	20	5		3
Tuberculosis of larynx.....	3											2					
Tuberculous meningitis.....	22	5	4		2		3	2	3		3						
Abdominal tuberculosis.....	18		1	1				2	5		1	2	1				
Pott's disease.....	7	1						1	1	1	1	1			1		
Tuberculous abscess.....																	
White swelling.....	3						1	1	1								
Tuberculosis of other organs.....	7											2		1	2		
General tuberculosis.....	6	1						1	2		1						
Scrofula.....	1	1															
Veneral diseases.....	7	1	1								2	1	2				
Cancer of mouth.....	11									1	2		4		3		1
Cancer of stomach and liver.....	106									2	16	23	26	26	10		
Cancer of intestines.....	33								1		1	2	10	10	1		
Cancer of female genital organs.....	38									5	10	8	8	5	1	1	
Cancer of breast.....	21									3	3	3	3	8	4		
Cancer of skin.....	18											2	3	6	6	1	
Cancer of other or unspecified organs.....	67							1	1	3	5	17	14	20	6		
Tumor.....	7												4				
Rheumatism.....	35	1			1			3	3	1	3	2	6	6	6		
Diabetes.....	63					1	3	8	6	6	8	9	9	12	1		
Anemia, leukemia.....	36	2			1			1	3	5	2	8	5	0			
Alcoholism.....	19									4	4	5	3	1			2
Chronic poisonings.....	2											1	1				
Other general diseases.....	14	2							3		1	3	3	2			
II.—Diseases of nervous system.....	801	75	16	11	6	3	14	24	20	26	42	95	118	213	111	16	11
Encephalitis.....	14	3	2	1				2				3		3			
Meningitis.....	101	27	12	7	3	3	12	10	8	10	4	3		2			
Locomotor ataxia.....	12							1			2	4	2	3			
Other diseases of spinal cord.....	26	4									2	3	2	10	2		
Apoplexy.....	431	5	1				2	3			5	24	84	146	82	13	10
Softening of brain.....	18											1	3	8	6		
Paralysis.....	51	1		1						3	2	5	9	15	12	3	
General paralysis of insane.....	27										3	7	6	9	1		1
Other forms of mental disease.....	15							1			2	2	5	3	2		
Other diseases of brain.....	20	1			1			1	4	3	2	3	2	3			
Epilepsy.....	22	1						4	4	1	1	4	2	2	3		
Convulsions.....	36	32	1	2						1							
Tetanus.....	5	1						1	2	1							
Other diseases of nervous system.....	22				2				2			4	3	9	3		
III.—Diseases of circulatory system.....	753	14		1			4	14	16	25	41	83	178	229	129	16	3
Pericarditis.....	6						2				1		1	1			
Endocarditis.....	26						1	4	3	1		5	3	5	1		
Heart disease.....	599	8		1			1	8	13	20	31	61	148	185	106	14	3
Angina pectoris.....	45							1		3	3	11	11	10	6		
Diseases of arteries.....	45										2	2	10	20	9	2	
Embolism and thrombosis.....	18									1	2	4	3	5	3		
Diseases of veins.....	3												1				
Diseases of lymphatics.....	9	5													3	1	
Other diseases of circulatory system.....																	
IV.—Diseases of respiratory system.....	785	134	43	15	9	6	23	21	28	50	39	60	92	142	99	18	6
Laryngitis.....	2	1					1										
Other diseases of larynx.....	1	1															
Diseases of thyroid body.....																	
Acute bronchitis.....	83	42	8	4	1	1		2				1	3	8	12		1
Chronic bronchitis.....	49	1					1			1	1	1	8	14	18	4	
Bronchopneumonia.....	86	26	11	2	2	1	5		3	2	1	1	3	19	9		1
Pneumonia.....	498	52	21	9	5	4	16	18	24	39	33	50	71	86	55	12	3
Pleurisy.....	16							1		4	1	5	3	4	2		
Congestion of lungs.....	32	10	1														
Gangrene of lungs.....	1												1				
Asthma and emphysema.....	7		1							2	1		1	1			1
Hemorrhage of lungs.....	2																
Other diseases of respiratory system.....	7	2								1	1		1		1		

CAUSES OF DEATH, BY AGE.

305

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE:
1905—Continued.
VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
V.—Diseases of digestive system.....	609	209	45	11	10	6	18	28	24	25	25	29	55	78	36	8	2
Diseases of mouth.....	2	1					1										
Tonsillitis.....	2	1	1														
Other diseases of pharynx.....	6	1						1					2	2			
Ulcer of stomach.....	12																
Gastritis.....	46	4	2	1		1				2	5	4	6	12	5	2	
Other diseases of stomach.....	29	11							1	2	3		6	2	4		
Dentition.....	1	1															
Diarrhea and enteritis.....	295	180	39	8	6	5	9	4	1	4	3	3	7	13	10	2	1
Hernia.....	14	1		1							1	1	3	5	2		
Obstruction of intestines.....	32	2	1		1		2	1	1	2	1	4	4	10	1	2	
Other diseases of intestines.....	16	2	1	1			1		2	1		2		5	1		
Acute yellow atrophy of liver.....	1																
Hydatid tumors of liver.....																	
Cirrhosis of liver.....	34							1		2	4	5	12	8	1	1	
Biliary calculi.....	9											2	3	2	1	1	
Other diseases of liver.....	26							2			4	1	5	5	9		
Diseases of spleen.....																	
Peritonitis.....	32	3	1		3		3	10	10	5	1	4	1	8	1		1
Appendicitis.....	32	2					2	9	9	3	2	1	2	2	1		
Other diseases of digestive system.....	1										1						
VI.—Diseases of genito-urinary system.....	390	7				2	2	8	12	23	34	46	92	103	52	5	4
Acute nephritis.....	24	1				1		1	2	4	2	1	3	3	5		1
Bright's disease.....	300	5				1	2	6	9	14	24	40	77	83	34	2	3
Other diseases of kidneys.....	8	1									2	1	1	2	1		
Calculi of urinary tract.....	4											1	2	1	1		
Diseases of bladder.....	25											5	7	10	3		
Uterine tumor.....	7								2	3		1	1				
Other diseases of uterus.....	2							1									
Ovarian tumor.....	6								1	1	2			1			
Diseases of tubes.....	1									1							
Other diseases of genito-urinary system.....	13											1	3	7	1		
VII.—Childbirth.....	66							8	32	19	7						
Puerperal septicemia.....	15							2	7	4	2						
Puerperal convulsions.....	14							2	8	4							
Other causes incident to childbirth.....	37							4	17	11	5						
VIII.—Diseases of skin.....	40	5	2						1			2	6	12	12		
Gangrene.....	30	1										2	5	10	12		
Carbuncle.....	4								1								
Abscess.....	4	2	2										1	1			
Other diseases of skin.....	4																
IX.—Diseases of locomotor system.....	15	1						2		2	2	1	4	2	1		
Diseases of bones.....	9	1						2		2	1		2	1	1		
Diseases of joints.....	4																
Other diseases of locomotor system.....	2										1			1			
X.—Malformations.....	48	47	1														
Hydrocephalus.....	6	6															
Congenital malformation of heart (cyanosis).....	27	27															
Other congenital malformations.....	15	14	1														
XI.—Diseases of early infancy.....	225	225															
Premature birth.....	127	127															
Congenital debility.....	98	98															
XII.—Old age.....	263												7	50	142	64	
XIII.—Violence.....	330	20	5	6	5	3	12	27	44	38	35	37	33	23	29	6	7
Suicide.....	43							2	7	5	9	10	3	4	3		
Fractures and dislocations.....	28				1					1	2	3	1	2	14	3	1
Burns and scalds.....	13	2		1	1			2	2		1	1	1	1		1	
Heat and sunstroke.....	1													1			
Cold and freezing.....	2									1				1			
Lightning.....	3									1		1					
Drowning.....	32			1			3	12	5	3	1	3	2	1			1
Inhalation of poisonous gases.....	1																
Other accidental poisonings.....	24		3	1	2	1	2		3	4	2	1	3	1	1		
Accidental gunshot wounds.....	16						1	6			3		2				1
Injuries by machinery.....	7									1		3	2	1			
Injuries in mines and quarries.....	15									6		7					
Railroad accidents and injuries.....	33							3		5	3	5	4	5			1
Injuries by vehicles and horses.....	11						1	1	2	2	1	1	1	2			
Suffocation.....	4	1				1	1			1							
Other accidental injuries.....	75	2	2	3	1	1	4	1	6	8	7	8	14	5	10	2	1
Injuries at birth.....	15	15															
Homicide.....	7									1					1		2
XIV.—Ill-defined causes.....	175	64	3		1		2		2	7	5	13	23	34	14	3	4
"Dropsy".....	10								1			3	1	3	2		
"Heart failure".....	45	4					1			3	3	8	11	11	3	1	
Other ill-defined causes.....	85	40	3		1		1		1	3	2	1	7	16	8	2	
Unknown causes.....	35	20								1		1	4	4	1		4

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905.

ALLEGHENY, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,683	638	243	85	54	39	84	130	277	243	209	195	227	180	69	10	
Typhoid fever.....	181		1	3	4	2	11	38	74	25	14	8		1			
Malarial fever.....	1										1						
Smallpox.....																	
Measles.....	79	9	26	17	10	8	9										
Scarlet fever.....	24	1	1	7		1	12	2									
Whooping cough.....	37	10	13	6	3	2	1	2									
Diphtheria and croup.....	28	2	5	3	6	2	9	1									
Influenza.....	25			1				1			2	4	8	5	3	1	
Cholera nostras.....	3									2	1						
Dysentery.....	13	1	1							2	1	1		3	4		
Erysipelas.....	5	2	1									1		1			
Other epidemic diseases.....	1	1															
Septicemia.....	8	1				1			2	3			1				
Tuberculosis—total.....	223	10	10	4	4	2	5	22	62	42	35	18	0				
Tuberculosis of lungs.....	176	3	3		2		2	19	55	37	30	17	8				
Tuberculosis of larynx.....	3								1	1	1						
Tuberculosis meningitis.....	20	5	7	4	1		2		1	1							
Abdominal tuberculosis.....	12	1				2		3	2	1	1	1					
Pott's disease.....	5				1		1					1					
Tuberculous abscess.....																	
White swelling.....	1										1						
Tuberculosis of other organs.....	1										1						
General tuberculosis.....	5	1							1	2	1						
Scrofula.....	11								2	1							
Veneral diseases.....	71	6			1				1	8	18	17	19	8			
Cancer.....	1																
Tumor.....	12							4	2			2	1	3			
Rheumatism.....																	
Diabetes.....	5							1		1			1	1			
Anemia, leukemia.....	2										1						
Alcoholism.....	12								1	4		3	3	1			
Chronic poisonings.....	3										2	1					
Other general diseases.....	1								1								
Encephalitis.....	2							1		1							
Meningitis.....	47	11	10	4	5	2	2	6	3	2	1	1					
Apoplexy.....	80	2			1			2	3	7	9	15	20	18	3	1	
Softening of brain.....	2		1														
Paralysis.....	10					1					1			6	2		
Epilepsy.....	5							1		3			1				
Convulsions.....	63	48	8	2	1	1	1		1	1							
Tetanus.....	4	2								2							
Other diseases of nervous system.....	35	5	1				1	1	3	3	5	5	9	1	1		
Pericarditis.....	1												1				
Endocarditis.....	12	2							1		2	1	5	1			
Heart disease.....	117	3	1					6	9	16	15	27	23	12	5		
Angina pectoris.....	8							1			1	2	2				
Embolism and thrombosis.....	2								1		1						
Other diseases of circulatory system.....	10	2	1						1			1	2		3		
Laryngitis.....	1														1		
Acute bronchitis.....	50	24	15	6		1				1		1	2				
Chronic bronchitis.....	29											3	3	5	11	5	1
Bronchopneumonia.....	66	26	13	5							3	3	6	10			
Pneumonia.....	311	72	32	12	11	4	10	5	25	25	31	27	32	20	5		
Pleurisy.....	7							1	2	1		1		1	1		
Congestion of lungs.....	5	1		1								1		2			
Other diseases of respiratory system.....	22	1	2		1					2	2	7	3	4			
Tonsillitis.....																	
Diseases of stomach.....	38	18	2				1	1	1	1	2	3	5	3	1		
Diarrhea and enteritis.....	260	154	66	9	1	2	1	1		1	3	4	7	7	4		
Hernia and intestinal obstructions.....	16	2			1				4	4	1	1	2	1			
Cirrhosis of liver.....	27									5	4	2	9	7			
Other diseases of liver.....	14									3		3	6	1			
Peritonitis.....	18	2					2	1	8	1	3			1			
Appendicitis.....	19				1			2	2	4		1					
Other diseases of digestive system.....	14	2	5				1	2	2	1					1		
Acute nephritis.....	11	2			1	1				2	1	3	1				
Bright's disease.....	77	2	1	1		2	2	1	8	8	10	12	17	9	4		
Calculi of urinary tract.....	4		1					1					1	1			
Uterine tumor.....																	
Ovarian tumor.....	2										1	1					
Other diseases of genito-urinary system.....	19	2				1			3	3	3		2	3	2		
Puerperal septicemia.....	12							1	9	1	1						
Other causes incident to childbirth.....	16							1	8	6	1						
Diseases of skin.....	10	3				1						1	2	2			
Diseases of locomotor system.....	6	2		1						1		1	1				
Malformations.....	16	14					2										
Premature birth.....	55	55															
Congenital debility.....	84	84															
Old age.....	37													13	14	7	
Suicide.....	28							1	5	10	2	3	5	2			
Other violence.....	172	8	2		2	4	12	23	30	37	23	10	11	7	3		
Ill-defined causes.....	102	46	23	3	1	1	1		1	2			4	13	6	1	

CAUSES OF DEATH, BY AGE.

307

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	10,698	2,467	525	250	128	104	200	437	941	975	1,041	1,046	1,175	920	420	65	3
Typhoid fever.....	195	1	1	4	1	2	9	45	51	38	20	9	10	1	1		
Malarial fever.....	18	2	1	1		1	2	1	1	1	3	1	2	1	1		
Smallpox.....	84	15	31	21	7	3	7										
Measles.....	26	4	6	6	7	5	5	3									
Scarlet fever.....																	
Whooping cough.....	60	43	10	9	1	4	2										
Diphtheria and croup.....	94	6	22	23	10	11	15	6	1								
Influenza.....	96	4	5		1	1	1	4	10	6	10	11	15	17	8	3	
Cholera nostras.....	5																
Dysentery.....	40	3	1	3			1	2	4	3	3	5	5	6	4		
Erysipelas.....	19	4	1														
Other epidemic diseases.....	1	1															
Septicæmia.....	22	4		2				1	5	2	3	3	1	1			
Tuberculosis—total.....	1,471	42	29	23	14	13	36	153	413	391	220	123	80	18	6		
Tuberculosis of lungs.....	1,240	18	9	7	5	7	22	126	376	279	199	112	71	13	5		
Tuberculosis of larynx.....	22							1	2	4	11	3	1				
Tuberculous meningitis.....	73	19	17	9	4	6	8	5	3		1	1					
Abdominal tuberculosis.....	33	4	1					2	7	7	1	1	2	3	1		
Pott's disease.....	16			3	1			5	1	3							
Tuberculous abscess.....																	
White swelling.....	9						1	3	2	1	1						
Tuberculosis of other organs.....	14							1	3	3		3	1	1			
General tuberculosis.....	55	1	2	3	3		2	10	14	4	7	5	3	1			
Scrofula.....	4	2			1				1								
Veneral diseases.....	42	21	2					1	2	4	9	2					1
Cancer.....	443	1				1	1		10	36	87	111	124	60	12		
Tumor.....	4	1								1	1	1		1			
Rheumatism.....	47	2	3		1			6	6	3	4	2	10	4	1		
Diabetes.....	62						1	1	3	7	11	8	16	11	2		
Anæmia, leukemia.....	31	3				1	1	1	2	4	5	7	4	2	1		
Alcoholism.....	25								2	6	9	3	5				
Chronic poisonings.....	3									1		2					
Other general diseases.....	10	2		1				1		2		1	2	1			
Encephalitis.....	5	2						1	1						1		
Meningitis.....	151	41	32	20	8	6	14	13	2	9	3		103	101	46	5	
Apoplexy.....	407	4						2	5	20	47	72	103	101	46	5	
Softening of brain.....	23									1	3	2	6	6	5		
Paralysis.....	147	2	1	2					2	7	14	25	39	37	17	1	
Epilepsy.....	14	1						3	3	3	1	1		1	1		
Convulsions.....	147	122	13	5	1		4	1		3	1	3		1			
Tetanus.....	21	6	1					4	8	15	17	13	31	18	7		
Other diseases of nervous system.....	127	4	4	2			1	6		1		2	2		1		
Pericarditis.....	7																
Endocarditis.....	31							4	1	5	9	4	8	1	1		
Heart disease.....	780	18	3		2	2	1	26	33	68	122	112	167	138	48	6	
Angina pectoris.....	42									4	6	9	12	7			
Embolism and thrombosis.....	18									1	1	4	4	4		1	
Other diseases of circulatory system.....	98	9	1		1		1	2	5	3	11	8	15	19	20	3	
Laryngitis.....	5			1		1	2								1		
Acute bronchitis.....	152	78	28	13	2	6	1	2	2			6	3	6	4	1	
Chronic bronchitis.....	129	2	1				2	4	10	8	17	17	21	28	18	1	
Bronchopneumonia.....	294	132	50		11	7	8	6	5	9	8	7	10	7	11	1	
Pneumonia.....	767	157	88	32	24	5	18	29	71	70	68	71	73	41	17	3	
Pleurisy.....	31	2	3	3	2				3	6	6	1	1	4			
Congestion of lungs.....	43	12	1	1	1		1	1		5	3	3	3	1	10	1	
Other diseases of respiratory system.....	71	6	2	2	1			4	6	6	14	7	11	6	6		
Tonsillitis.....	3	1				2											
Diseases of stomach.....	168	48	9	2	1	4	4	6	13	9	15	20	14	13	9		1
Diarrhea and enteritis.....	864	624	129	25	6	2	7	3	2	7	5	11	17	19	6	1	
Hernia and intestinal obstructions.....	72		2	1		1	2	4	6	9	7	9	13	11			
Cirrhosis of liver.....	78							1	1	10	22	18	22	5			
Other diseases of liver.....	38	1	1					1	8	2	5	11	4	4	1		
Peritonitis.....	28			1	2	1		2	2	3	7	2	6				
Appendicitis.....	55					1	2	12	15	12	6	4	2	1			
Other diseases of digestive system.....	29		1	1	2	1	1	1	5	3	2	2	3	2			
Acute nephritis.....	88	3	2		1	2	2	3	13	21	17	10	8	5	1		
Bright's disease.....	864	12	2		3	2	2	8	40	73	116	165	181	156	45	6	
Calculi of urinary tract.....	4									1			2	1			
Uterine tumor.....	18								2	6	3	4	1	1	1		
Ovarian tumor.....	12								1	6	3	2	2				
Other diseases of genito-urinary system.....	70							3	12	10	6	6	10	20	3		
Puerperal septicæmia.....	58							7	27	21	3						
Other causes incident to childbirth.....	60							3	29	23	5						
Diseases of skin.....	42	11	2	1			1		3	1	2	3	8	6	4		
Diseases of locomotor system.....	20	1		3				6	1				1				
Malformations.....	74	1	1			2	2	1		1	2						
Premature birth.....	256	52															
Congenital debility.....	378	52															
Old age.....	175												16	64	69	26	
Suicide.....	82												12	5	1		
Other violence.....	225	8	14	15		15	26	35	73	70	40	54	46	33	14	4	
Ill-defined causes.....	329	203	28	3	2		2	1	2	11	11	18	17	16	13	1	1

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes	16,357	2,157	447	218	113	85	253	373	899	1,168	1,160	1,278	1,331	971	464	68	2
Typhoid fever	121	2		3	2		3	20	38	32	11	9	4				
Malarial fever	3	1									1			1			
Smallpox	1	1															
Measles	75	16	37	11	5	2	4										
Scarlet fever	49	4	5	7	8	3	17	3	1		1						
Whooping cough	58	27	17	7	5		1			1							
Diphtheria and croup	142	16	33	26	10	16	28	4	3	3							
Influenza	71	6	2	1			3	1	2	8	5	13	10	11	9		
Cholera nostras	9	4				1		1									
Dysentery	14			1							2	3	7	1			
Erysipelas	38	9		2		1		1	1	6	6	2	7		3		
Other epidemic diseases	27	4	1					1	4	6	3	4	1	3			
Septicæmia																	
Tuberculosis—total	1,447	71	53	35	13	11	45	121	340	348	197	132	60	19	2		
Tuberculosis of lungs	1,200	21	21	13	8	2	14	94	316	328	187	122	53	19	2		
Tuberculosis of larynx	4																
Tuberculous meningitis	108	33	24	16	3	6	16	2	5	2							
Abdominal tuberculosis	51	8	2		2	2	5	10	7	6	3	5	1				
Pott's disease	21	1		2		1	5	5	2	1	3	1					
Tuberculous abscess																	
White swelling	12		1				2	2	1	2		2	2				
Tuberculosis of other organs	14	1		1				2	4	3	3						
General tuberculosis	34	7	5	1			3	6	3	6	1		2				
Scrofula	4	3					1										
Veneral diseases	38	32								4							
Cancer	629	1		2		1	1	8	18	40	122	178	103	79	15	1	
Tumor	9																
Rheumatism	37	2		1	1		2	6	4	5	5	1	3	6			
Diabetes	103				1		1	2	9	6	10	28	33	10	3		
Anæmia, leukemia	57	7	2				4	2	5	9	12	8	2	4	2		
Alcoholism	46								5	13	15	8	4	1			
Chronic poisonings	4								1	1	1						
Other general diseases	7								1	1	3	1	1				
Encephalitis	4	2		1										1			
Meningitis	279	59	38	20	17	15	32	39	20	12	13	3	2				
Apoplexy	559	8	2	1			1	2	5	23	37	112	166	131	66	5	
Softening of brain	13																
Paralysis	39	1									5	6	10	8	7	2	
Epilepsy	7						1		2	2		1	1				
Convulsions	50	36	8	1		1			2	1				1			
Tetanus	9							5	1	1		2					
Other diseases of nervous system	187	19	6		3		3	5	16	25	31	35	21	14	7	2	
Pericarditis	6	1					1		1	1	1	2					
Endocarditis	150	1					3	7	10	15	22	27	26	26	11	2	
Heart disease	1,637	19	4	1	3	2	19	44	49	100	135	208	226	155	66	6	
Angina pectoris	43							1		9	9	11	8	9	1		
Embolism and thrombosis	36	1							3	5	4	9	7	4	3		
Other diseases of circulatory system	183	5	1		1	1			2	7	16	22	49	47	29	3	
Laryngitis	2	1															
Acute bronchitis	118	61	17	8	4	1				3	3	5	5	9	6	1	
Chronic bronchitis	129	3		1	1				2	5	8	17	18	34	25	5	
Bronchopneumonia	206	82	39	14	3	3	3	1	3	6	12	9	9	13	0		
Pneumonia	955	128	52	34	10	5	12	10	85	129	119	115	124	63	31	8	
Pleurisy	49	4	4	4		1	1	3	6	6	10	3	5	2			
Congestion of lungs	40	6							5	4	6	6	3	8	1	1	
Other diseases of respiratory system	23	6						1	1	4	3	7	3	4			
Tonsillitis	4						2										
Diseases of stomach	118	37	3				3		5	15	4	15	12	13	9	2	
Diarrhea and enteritis	728	570	78	7	5		6	2	1	4	3	5	19	15	13		
Ulcers and intestinal obstructions	101	13		2				2	14	9	18	19	15	6	5	1	
Cirrhosis of liver	86		1						5	11	14	19	19	11	3		
Other diseases of liver	49			1			2		8	14	11	14	1				
Peritonitis	46	3	1	2		2	2	4	8	11	3	2	3	3	2		
Appendicitis	111		1	2		1	11	19	26	20	15	6	9	4			
Other diseases of digestive system	51	14	2				1	1	5	4	6	2	9	6		1	
Acute nephritis	48	3				1	3	2	6	5	9	7	6	4	2		
Bright's disease	444	2	2	2			3	9	25	41	73	84	111	72	10	1	
Calculi of urinary tract	11										3	3	1				
Uterine tumor	13								1	4	5	1	1	1			
Ovarian tumor	14								1	3	4	2	2	1	1		
Other diseases of genito-urinary system	113	2					1	3	12	15	11	14	18	22	13	2	
Puerperal septicæmia	32							5	11	16							
Other causes incident to childbirth	55							2	20	29	4						
Diseases of skin	41	9	1	2				2		2	3	1	6	13	4	1	
Diseases of locomotor system	39	7	3	2			4	3	1		6	3	1				
Malformations	100	95	2		1	1		1									
Premature birth	275	275															
Congenital debility	222	222															
Old age	145												16	40	62	18	
Suicide	86								20	18	16	10	11	2			
Other violence	692	103	12	10	14	12	27	27	80	103	102	62	67	37	20	5	
Ill-defined causes	246	153	22	5	6	1	3	2	3	11	14	11	9	3	3		

CAUSES OF DEATH, BY AGE.

309

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	5,882	1,349	275	121	64	38	153	236	462	535	588	577	634	534	279	36	1
Typhoid fever.....	92		1		1	1	6	21	24	20	9	6	2				1
Malarial fever.....																	
Smallpox.....																	
Measles.....	66	15	18	19	7		4	2	1								
Scarlet fever.....	16		1	2	2		9	2									
Whooping cough.....	63	38	14	4		1	6										
Diphtheria and croup.....	63	2	9	12	11	4	19	4	2								
Influenza.....	25	1		1		1	1	1		1	3	4		7	3		
Cholera nostras.....	6				2				1				2				
Dysentery.....	25	16	1	1	1		1		1	1				2	1		
Erysipelas.....	9	3								2	1	1					
Other epidemic diseases.....																	
Septicemia.....	7	1						2		4							
Tuberculosis—total.....	600	18	16	8	5	5	19	69	166	133	89	45	19	7	1		
Tuberculosis of lungs.....	490	7	4	4	1		6	54	151	117	82	41	16	6	1		
Tuberculosis of larynx.....									3	2							
Tuberculous meningitis.....	44	8	10	3	2	3	5	6	3	3							
Abdominal tuberculosis.....	32	3	1	1	1	1	3	5	6	4	2	4	1				
Pott's disease.....	7						2	1		2	1						
Tuberculous abscess.....	3						3										
White swelling.....	1							1									
Tuberculosis of other organs.....	10				1			1	1	4	1		1	1			
General tuberculosis.....	8					1		1	2	1	2		1				
Scrofula.....																	
Veneral diseases.....	28	16							4		4	3		1			
Cancer.....	332					1		2	5	20	70	71	97	41	15	1	
Tumor.....	5		1						1	1	1	1		1			
Rheumatism.....	28						2	2	8	3	4	3	2	2	2		
Diabetes.....	63							4	3	5	8	15	17	10	1		
Anemia, leukemia.....	31	1	1				3	2	1	2	13	10	7				
Alcoholism.....	31								3	15	8	2	3				
Chronic poisonings.....	2										2						
Other general diseases.....	8	3						1		2	1	1					
Encephalitis.....	4	2					1										
Meningitis.....	114	27	13	8	8	2	17	11	12	7	4	2	1	1	2		
Apoplexy.....	230	6					1		6	10	24	40	60	57	23	3	
Softening of brain.....	2										1			1			
Paralysis.....	24		1					1	2		2	3	6	7	2		
Epilepsy.....	17	5	1	3	1			1	1	1	2	1	1				
Convulsions.....	79	66	7	6													
Tetanus.....	5	1				1	1				1						
Other diseases of nervous system.....	100	7			1	1	2	4	4	15	24	16	15	6	4	1	
Pericarditis.....	3												1	1	1		
Endocarditis.....	70							1	5	8	10	8	15	15	4	1	
Heart disease.....	530	9	1			1	8	22	28	38	78	102	113	91	38	1	
Angina pectoris.....	15								1		3	3	4	4			
Embolism and thrombosis.....	10									1	4	1	1	1	1		
Other diseases of circulatory system.....	78	3				1	1	1	1	2	9	6	18	13	20	3	
Laryngitis.....	1		1														
Acute bronchitis.....	87	63	16	3	1		1		1		2	6	10	19	7	1	
Chronic bronchitis.....	48	1	28	1			1	2	1		2	4	5	12	5		
Bronchopneumonia.....	170	74	28	20	3	5	1	2	1	1	3	4	4	4			
Pneumonia.....	328	75	28	10	4	2	8	8	14	32	34	36	29	30	10	2	
Pleurisy.....	21	1	3	2		1				4	2	4	1	3			
Congestion of lungs.....	23	4					1			1	1	4	1	4	7		
Other diseases of respiratory system.....	36	3		1				1	3	3	6	5	6	6	1	1	
Tonsillitis.....	3				1		1			1	1						
Diseases of stomach.....	73	23	3	1					3	10	2	6	10	8	6		
Diarrhea and enteritis.....	476	341	85	8	8	3	3			2	4	4	7	10	1		
Hernia and intestinal obstructions.....	65	5	1					3	8	5	10	8	13	7	5		
Cirrhosis of liver.....	69								3	8	15	18	18	7			
Other diseases of liver.....	44	2	2					1	1	4	11	13	4	5	1		
Peritonitis.....	22				1	1			3	4	5		3	3			
Appendicitis.....	56						12	15	10	8	2	3	4	2			
Other diseases of digestive system.....	21	6					1		1	4	1	1	3	4			
Acute nephritis.....	49	4			1		2	4	2	6	7	12	6	1			
Bright's disease.....	268	15	3	2		2	1	10	16	22	30	63	67	46	21	1	
Calculi of urinary tract.....	5		1				1					1		1	1		
Uterine tumor.....	13									5	7	1					
Ovarian tumor.....	3								1	1	1						
Other diseases of genito-urinary system.....	71							1	10	6	8	9	19	7	1		
Puerperal septicemia.....	26								17	8	1						
Other causes incident to childbirth.....	24								14	7	3						
Diseases of skin.....	28	7		2					1	1	1	4	1	5	6		
Diseases of locomotor system.....	7							1			2						
Malformations.....	61	57	3					1									
Premature birth.....	268																
Congenital debility.....	111	111															
Old age.....	127																
Suicide.....	74																
Other violence.....	380	63	6	6	5	5	20	23	51	64	51	12	12	22	5	2	
Ill-defined causes.....	73	41	10	1				1	3	3	1	1	1	5			

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	27,548	6,091	1,509	593	357	230	671	1,233	2,565	3,034	3,141	2,786	2,582	1,855	775	117	6
Typhoid fever.....	329	4	7	6	7	4	17	38	98	60	35	20	11	2			
Malarial fever.....	17	1						1	2	2	6	1	2				
Smallpox.....	61	3	2	2		1	4	5	16	17	5	4	2				
Measles.....	254	49	100	42	31	10	17				1	1					
Scarlet fever.....	82	3	12	15	6	10	21	6	4	2	2	1					
Whooping cough.....	365	188	99	36	17	12	12			1							
Diphtheria and croup.....	431	22	66	67	67	53	117	25	7	4	3	2		1			
Influenza.....	199	25	8	3		1	3	8	8	15	11	26	27	43	18	3	
Cholera nostras.....	16	3	7		1			1	1	1		1					
Dysentery.....	82	29	6		2	1			2	2	6	10	10	8	6		
Erysipelas.....	80	28		1	2			1	4	6	10	8	8	10	2		
Other epidemic diseases.....	5	2	1			1			1								
Septicæmia.....	57	8					3	3	6	3	11	12	6	5			
Tuberculosis—total.....	3,697	96	79	41	20	15	65	342	963	869	663	327	155	51	6	2	
Tuberculosis of lungs.....	3,240	38	24	11	7	5	29	296	901	805	616	307	143	50	4	1	
Tuberculosis of larynx.....	24						1	2	4	4	7	3					
Tuberculosis meningitis.....	180	41	45	29	10	6	21	15	11	7	1			1			
Abdominal tuberculosis.....	127	9	7	4	2	1	3	14	15	36	18	10	5	1	1	1	
Pott's disease.....	25	2	1	1			4	7	3	3		3					
Tuberculous abscess.....	1	1															
White swelling.....	6																
Tuberculosis of other organs.....	28	1		3		1		2	1	1	1	1		1			
General tuberculosis.....	66	4	2	1	1		7	8	17	9	9	3	4		1		
Scrophula.....																	
Venereal diseases.....	139	87	3	3	1			1	13	12	9	7	3				
Cancer.....	1,396	2					3	6	11	30	119	275	349	298	163	48	
Tumor.....	11		1							3	3	3	3		1		
Rheumatism.....	128	2	1	1	2	2	7	17	18	18	15	12	20	9	4		
Diabetes.....	222						3	11	13	10	30	50	58	28	8	2	
Anemia, leukemia.....	100	3	2				4	5	10	12	20	18	15	6	5		
Alcoholism.....	81								6	25	33	16	1				
Chronic poisonings.....	10								3	2	3	1	1				
Other general diseases.....	28	3	1	1		1		3	5	3	7	3				1	
Encephalitis.....	10	1	1	1			1			3	1	1	1				
Meningitis.....	464	158	98	39	20	8	38	35	27	12	18	7	4	2			
Apoplexy.....	682	20	3	1	1		1	1	15	38	78	125	173	155	63	8	
Softening of brain.....	27									2	1	2	13	6	3		
Paralysis.....	121	2	1	2			1	1	4	1	13	19	21	37	13	3	
Epilepsy.....	39	1	1		1	1	2	2	10	9	8		3		1		
Convulsions.....	541	472	26	8	1	1	4	4	2								
Tetanus.....	53	18		2	1		6	9		1	4	5					
Other diseases of nervous system.....	346	14	4	2	1	3	7	16	30	54	67	60	44	30	12	1	
Pericarditis.....	38	1	2	1		1	3	6	2	5	6	6	3	2			
Endocarditis.....	361	4	3	2	2	1	17	27	25	31	43	65	63	56	19	3	
Heart disease.....	1,533	14	5		1	2	38	102	91	174	257	275	309	236	80	9	
Angina pectoris.....	89						1	1		9	13	14	21	16	3	2	
Embolism and thrombosis.....	35							1	3	10	12	10	16				
Other diseases of circulatory system.....	313	22	1	2	1			6	21	30	42	68	72	40	8		
Laryngitis.....	13	1	2	1	2		2		1		1	1	1			1	
Acute bronchitis.....	652	369	109	28	13	3	12	5	3	6	9	14	15	34	21	8	
Chronic bronchitis.....	157	8	5	1		2	4	1	3	5	6	20	29	28	22	3	
Bronchopneumonia.....	798	357	132	61	25	12	19	9	12	15	18	21	49	38	25	2	
Pneumonia.....	2,429	475	222	89	39	33	62	77	170	255	276	249	263	167	69	13	
Pleurisy.....	72			1		1	2	6	11	8	13	12	11	7			
Congestion of lungs.....	70	20		1	1	1		2	5	1	4	8	14	5	6	2	
Other diseases of respiratory system.....	109	6	2	1	3	2	1	2	8	12	10	22	18	15	7		
Tonsillitis.....	7	1	2					1		1	2						
Diseases of stomach.....	324	87	12	4	1	1	4	12	16	29	36	38	29	34	10	2	
Diarrhea and enteritis.....	2,567	1,881	373	70	22	9	12	8	17	15	27	24	33	43	28	5	
Hernia and intestinal obstructions.....	343	40	2		1	3	4	9	21	22	35	31	26	27	11	2	
Cirrhosis of liver.....	313						2	12	48	80	91	67	35	5	1		
Other diseases of liver.....	150	3					3	2	12	28	32	34	21	12	3		
Peritonitis.....	42		1	1		1	3	7	7		6	2	2	3	1	1	
Appendicitis.....	333			1	4	3	33	87	85	60	29	16	8	4	3		
Other diseases of digestive system.....	61	25	1	1	1	1	3	2	4	8	7	2	3	3	1		
Acute nephritis.....	275	23	2	9	5	1	10	21	32	49	45	36	27	10	4	1	
Bright's disease.....	1,942	18	10	8	5	4	14	38	84	228	348	417	397	264	97	10	
Calculi of urinary tract.....	9				1				1	1	1	1	3	1			
Uterine tumor.....	44								3	16	20	1	2	1	1		
Ovarian tumor.....	34								7	8	4		3	3	1		
Other diseases of genito-urinary system.....	248	5					1	5	62	45	31	17	33	34	14	1	
Puerperal septicæmia.....	158							11	68	68	10	1					
Other causes incident to childbirth.....	121							6	51	56	11						
Diseases of skin.....	69	12	2	1	3		1	3	2	2	12	5	7	13	5	1	
Diseases of locomotor system.....	79	34	9	5	1		4	5	4	2	6	3	3	2	1		
Malformations.....	196	182	6	1	1		3	1									
Premature birth.....	467	467															
Congenital debility.....	474	474															
Old age.....	157													14	54	70	19
Suicide.....	433							15	86	120	95	64	40	9	1		
Other violence.....	1,870	188	38	29	38	21	77	197	343	348	264	146	106	50	17	3	
Ill-defined causes.....	197	152	19	2	2	1			3				5	8	4		5

CAUSES OF DEATH, BY AGE.

311

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	6,009	948	251	125	77	56	148	335	609	737	784	715	783	701	399	27	1
Typhoid fever.....	111	3	1	2	4	5	9	30	33	25	18	2	6	3			
Malarial fever.....	2																
Smallpox.....	2								2								
Measles.....	10	1	1	2		5	1										
Scarlet fever.....	75		5	10	15	8	23	12		1	1						
Whooping cough.....	57	20	20	6	2	2	7										
Diphtheria and croup.....	79	2	7	8	11	11	26	12	1	1							
Influenza.....	76	6	1	1				2	5	1	4	7	23	19	7		
Cholera nostras.....	1						1										
Dysentery.....	28		2						3		2	6	8	5	2		
Erysipelas.....	28	9							1	4	7	2	4	1			
Other epidemic diseases.....	3	2	1														
Septicemia.....	12						1		2	3	2	1	2	1			
Tuberculosis—total.....	997	21	12	16	9	3	10	96	236	263	180	96	38	16	1		
Tuberculosis of lungs.....	865	7	6	5	4		7	84	219	238	159	86	35	14	1		
Tuberculosis of larynx.....	21								4	6	4						
Tuberculous meningitis.....	35		5		3	2	1	4	1	3	2						
Abdominal tuberculosis.....	35	1	1	2				4	4	7	6	5	3	1			
Pott's disease.....	8		1	2			1	1	1	2	1						
Tuberculous abscess.....	1										1						
White swelling.....	8			1				3		3	1						
Tuberculosis of other organs.....	3								2	1							
General tuberculosis.....	21	4		2	1		1	1	5	3	4						
Scrofula.....																	
Veneral diseases.....	30	16		2					3	4	4	1					
Cancer.....	253	1	1				1	1	1	18	57	65	62	37	8	1	
Tumor.....	5									1				1	2		
Rheumatism.....	40				1		1	6	4	4	3	9	4	5	3		
Diabetes.....	30								1	1	1	7	5	15	8	1	
Anemia, leukemia.....	16		1					2	1	1	2	3	5	1			
Alcoholism.....	14							1	1	4	2	3	3				
Chronic poisonings.....	3							1	1		1						
Other general diseases.....	6		1					1	1	1		1	1				
Encephalitis.....	3	1							1			1					
Meningitis.....	148	42	21	10	7	5	18	18	8	7	2	3	3	1			
Apoplexy.....	240	3	1	1	1		1	1	3	6	31	47	62	58	23	2	
Softening of brain.....	10												2	5	3		
Paralysis.....	54						1	1	2	1	3	7	14	16	8	1	
Epilepsy.....	17							1	5	4	4	1	1	1			
Convulsions.....	102	82	11	3	1				1	1	1						
Tetanus.....	14	3						3	2	1	2	1	1				
Other diseases of nervous system.....	129	4			2			5	10	19	35	14	20	16	4		
Pericarditis.....	13						1	1		2	1	5	2		1		
Endocarditis.....	122							1	7	16	23	28	31	10	6		
Heart disease.....	407	3		2		1	5	18	25	27	57	81	101	73	14		
Angina pectoris.....	14								1	3	5	3	4				
Embolism and thrombosis.....	17							1	1	1	2	2	4	6			
Other diseases of circulatory system.....	61	1	1	1	1			1	1	2		3	11	17	15		
Laryngitis.....	2	1										1					
Acute bronchitis.....	123	53	27	15	2	1	1					1	7	10	5	1	
Chronic bronchitis.....	142	2	1							3	9	13	32	42	33	3	
Bronchopneumonia.....	140	29	31	11			2	3	1	4	10	5	10	24	5	1	
Pneumonia.....	441	56	33	15	7	2	12	24	35	53	40	45	54	46	19		
Pleurisy.....	23								9	4	5	5	3	1			
Congestion of lungs.....	22	2	1						2	1	2	3		5	5	1	
Other diseases of respiratory system.....	53	2	1	1	1			1	3	4	6	4	10	14	6		
Tonsillitis.....	4			1				1	1								
Diseases of stomach.....	75	12	4					1	7	9	9	12	8	11	1		
Diarrhea and enteritis.....	357	204	41	9	5	2	2	6	12	9	6	10	9	23	16	2	1
Hernia and intestinal obstructions.....	63	1	1				2	2	6	9	11	4	13	13			
Cirrhosis of liver.....	83								3	9	24	23	14	8	2		
Other diseases of liver.....	33			1					1	1	8	7	7	6	2		
Peritonitis.....	52	2	1	1				1	15	12	9	4	4	1	1		
Appendicitis.....	41						3	12	10	7	8	1					
Other diseases of digestive system.....	17	7	1				1	1	1	1	1	1	3				
Acute nephritis.....	31	1	2	1				4	5	5	6	5	1	1			
Bright's disease.....	391	3	2	1			2	11	16	47	73	76	85	55	19	1	
Calculi of urinary tract.....	4								2				1				
Uterine tumor.....	10									2	5	2		1			
Ovarian tumor.....	8								1	2	1	1	2		1		
Other diseases of genito-urinary system.....	70	1		1					6	10	5	7	15	20	4	1	
Puerperal septicemia.....	40						5		24	11							
Other causes incident to childbirth.....	20								8	10	2						
Diseases of skin.....	37	5	1					1	2	2	2	4	9	8	3		
Diseases of locomotor system.....	20	2	3	1			1	3	2	1		2	3		1		
Malformations.....	32	28	3			1											
Premature birth.....	110	110															
Congenital debility.....	120	120															
Old age.....	157												6	68	73	10	
Suicide.....	90							6	11	19	32	18	9	4	1		
Other violence.....	400	34	4	2	7	5	12	43	60	67	55	41	33	27	8	2	
Ill-defined causes.....	130	53	7		2	1		1	3	8	15	16	11	4	1		

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	5,419	1,609	274	115	88	55	128	247	550	611	626	644	691	493	250	27	2
Typhoid fever.....	65			1		1	1	15	22	13	5	4	2		1		
Malarial fever.....	5					1		1									
Smallpox.....	10																
Measles.....	50	2	5	4	1						1						
Scarlet fever.....			6	7	8			6									
Whooping cough.....	33	9	18	3	1		1										
Diphtheria and croup.....	110	4	12	19	23	15	24	12	1	1	3	3	9	6	3		
Influenza.....	29	2	1														
Cholera nostras.....	7	1						1		1	1	2	1				
Dysentery.....	12	5				1			1	1	1			4			
Erysipelas.....	12	4							1	3	2	2					
Other epidemic diseases.....																	
Septicemia.....	34	8					2	1	10	5	2	4	2				
Tuberculosis—total.....	614	14	7	3	1	1	6	42	173	158	96	59	38	14	2		
Tuberculosis of lungs.....	558	6	2	1	1	1	4	40	161	146	90	56	34	14	2		
Tuberculosis of larynx.....	6							1	1	2	1	1					
Tuberculosis meningitis.....	22		5	2			2		4	2							
Abdominal tuberculosis.....	10	1							2	3		1	3				
Pott's disease.....	3										1		1				
Tuberculous abscess.....	1										1						
White swelling.....	3							1	1		1						
Tuberculosis of other organs.....	6								2	2	2						
General tuberculosis.....	5								1	3		1					
Scrofula.....	1	1															
Veneral diseases.....	52	46	1	1					2	1		1					
Cancer.....	281							2	3	21	56	79	73	40	7		
Tumor.....	8									2	2	1	1	1			
Rheumatism.....	37				1	1	3	8	4	4	9	3	4	5	7	1	
Diabetes.....	36	1							6	4	5	7	5	7	1		
Anemia, leukemia.....	29	7	1					1	2	2	3	5	7	1			
Alcoholism.....	42								4	14	13	8	3				
Chronic poisonings.....	7								2	4	1						
Other general diseases.....	11	2					1		1	2		3	2				
Encephalitis.....	8	3	2								1	1	1				
Meningitis.....	142	46	11		7	6	12	17	12	1	6	2	6				
Apoplexy.....	213	8			2			2	1	12	23	33	58	45	28		1
Softening of brain.....	4								2								
Paralysis.....	33								1	1		4	9	9	9		
Epilepsy.....	5										3	2					
Convulsions.....	222	198	12	4	2	1	2	1	2			1	1				
Tetanus.....	6	2								2							
Other diseases of nervous system.....	97	3			2			4	6	23	21	13	17	7		1	
Pericarditis.....	9			1				2	1			1	1	1	2		
Endocarditis.....	70			1			1	5	6	10	7	10	14	12	4		
Heart disease.....	450	7	2			1	6	21	31	50	81	84	99	73	23	1	
Angina pectoris.....	22								1	2	3	6	3	3	4		
Embolism and thrombosis.....	11			1				2	1	2	1	1	1				
Other diseases of circulatory system.....	57	2	1					2	1	3	5	7	8	17	11		
Laryngitis.....	5	3				1						1					
Acute bronchitis.....	74	55	4	3	1		3				1	3	3	3	3		
Chronic bronchitis.....	66										3	7	14	14	12		1
Bronchopneumonia.....	167	82	25	9	4	1	5	1	5	3	3	7	6	6	6		
Pneumonia.....	488	98	34	20	10	4	7	11	33	68	46	49	70	25	12	1	
Pleurisy.....	27	2	1		1	1		2	4	4	3	4	2	2			
Congestion of lungs.....	20	7	1		1			1		2	2		2				
Other diseases of respiratory system.....	43	3		1	1		2	1	3	3	7	4	9	6	3		
Tonsillitis.....	2		1						1								
Diseases of stomach.....	72	11	3			1	2	1	5	7	10	9	8	7	7	1	
Diarrhea and enteritis.....	599	452	92	8	4	2	1	1	2	5	6	8	8	6	4		
Hernia and intestinal obstructions.....	54	11	2	1	1	1	2	1		2	4	8	6	7	4		
Cirrhosis of liver.....	62									3	4	13	22	15	5		
Other diseases of liver.....	53		1	1	1					5	3	9	16	9	7	2	
Peritonitis.....	54	1	1	1	1		1	8	12	7	9	4	6	2	1		
Appendicitis.....	52				1	1	4	17	18	5	2	1	2	1			
Other diseases of digestive system.....	23	9	2					1	1	2	2	3	2		1		
Acute nephritis.....	32	2	1				3	3	1	9	4	5	1	2		1	
Bright's disease.....	330	6	1		1	3	4	5	11	25	44	64	82	60	21	3	
Calculi of urinary tract.....	1									1							
Uterine tumor.....	8								1	3	4						
Ovarian tumor.....	3							1					1				
Other diseases of genito-urinary system.....	65	2							6	11	8	7	12	14	5		
Puerperal septicemia.....	25							1	14	8	2						
Other causes incident to childbirth.....	29							1	12	10	6						
Diseases of skin.....	29	5					1		5	1	2	4	2	3	5	1	
Diseases of locomotor system.....	10	1	2						2	3	1			1			
Malformations.....	29	29															
Premature birth.....	90	90															
Congenital debility.....	241	241															
Old age.....	132												12	48	56	16	
Suicide.....	100							6	19	18	21	19	12	5			
Other violence.....	413	41	10	13	13	3	17	35	81	61	47	42	26	21	2		1
Ill-defined causes.....	154	83	10	2	2		1	3	4	3	8	9	6	11	14	1	

CAUSES OF DEATH, BY AGE.

313

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,224	277	51	32	16	12	54	160	311	280	210	216	247	213	81	11	14
Typhoid fever.....	121			2	1	1	9	24	48	23	6	5	2				
Malarial fever.....																	
Smallpox.....	2									1			1				
Measles.....																	
Scarlet fever.....	3		1	1			1										
Whooping cough.....	14	7	6		4												
Diphtheria and croup.....	35	1	1	2	4	3	13	10					1				
Influenza.....	22		1				1	4	1	1	1		5	7	1		
Cholera nostras.....	2													2			
Dysentery.....	8	3	1					1	1					1			1
Erysipelas.....	6	1								1	1	2	1				
Other epidemic diseases.....																	
Septicemia.....	20							1	6	7	1	1	2	1			1
Tuberculosis—total.....	328	4	1	2	1	2	7	49	100	79	44	18	13	5	2		1
Tuberculosis of lungs.....	283		1			1	4	42	92	70	40	16	12	5			
Tuberculosis of larynx.....	8								3	2	1	1	1				
Tuberculous meningitis.....	12	4		2	1	1	2		1								1
Abdominal tuberculosis.....	18							4	4	5	3	1			1		
Pott's disease.....	3						1	1	1	1							
Tuberculous abscess.....	1							1									
White swelling.....	1							1							1		
Tuberculosis of other organs.....	2							1									
General tuberculosis.....																	
Scrofula.....	3								1								
Veneral diseases.....		1							3	10	19	32	20	16	3	1	
Cancer.....	101																
Tumor.....	3																
Rheumatism.....	7						1	1			2	1	1	2			
Diabetes.....	15						1			2		6	2	4			
Anemia, leukemia.....	13	2						1	3		3	1	1	2			
Alcoholism.....	9								3		2	1					1
Chronic poisonings.....	1											1					
Other general diseases.....	2											1		1			
Encephalitis.....	2							1		1							
Meningitis.....	46	2	10	3	4	2	4	4	7	7	2		1				
Apoplexy.....	70	5					1		1	3	10	6	20	17	6		1
Softening of brain.....	6											1	2				
Paralysis.....	34							1	4	2		7	11	7	2		
Epilepsy.....	19						1	9	4	3	2						
Convulsions.....	35	31	2	1				1									
Tetanus.....	2							1		1							
Other diseases of nervous system.....	47	1		1			2	3	6	6	14	12	9	2	1		
Pericarditis.....	3							1	1	1							
Endocarditis.....	6								1	1			2	2			
Heart disease.....	214	2					1	5	15	21	35	39	42	39	12		3
Angina pectoris.....	11											2	4	4	1		
Embolism and thrombosis.....	8								2	2	2	1	1	2			
Other diseases of circulatory system.....	23	3							1	3	2	1	6	4	3		
Laryngitis.....	2			1				1									
Acute bronchitis.....	10	5		2				1	1	1		2	2	2		1	
Chronic bronchitis.....																	
Bronchopneumonia.....	31	13	2	3							1	1	5	5			1
Pneumonia.....	184	41	9	7	2	1	3	9	17	25	19	6	17	18	8		2
Pleurisy.....	3							2						1			
Congestion of lungs.....	6	1						1				2	1	1			
Other diseases of respiratory system.....	22	1						1	3	3	4		5	5			
Tonsillitis.....																	
Diseases of stomach.....	26	7								6	5	1	4	2			1
Diarrhea and enteritis.....	88	55	12	2	1	1	1	2		1	2	3	5	3			
Hernia and intestinal obstructions.....	22	5		1	1			1	3			1	1	4			
Cirrhosis of liver.....	17								2	5	3	5	8		1		
Other diseases of liver.....	21								1	2	3	5	8	1	1		
Peritonitis.....	30	1	1				1	3	9	7	4	2	2				
Appendicitis.....	20							4	7	5	4						
Other diseases of digestive system.....	5											2	1	1			
Acute nephritis.....	12	1					1		4		3	1	1	1			
Bright's disease.....	79						1	1	1	9	9	11	15	18	10	4	
Calculi of urinary tract.....	1																
Uterine tumor.....	5									1	2	1			1		
Ovarian tumor.....	3									1							
Other diseases of genito-urinary system.....	12							1	6	3			2				
Puerperal septicemia.....	7								3	4							
Other causes incident to childbirth.....	6							1	1	3	1						
Diseases of skin.....	4										1	1	1	1			
Diseases of locomotor system.....	3										1	1		1			
Malformations.....	16	13					1										
Premature birth.....	2																
Congenital debility.....	47	47															
Old age.....	73							1	8	6	3	6	3	29	30	9	
Suicide.....	27																
Other violence.....	133	5		4		1	3	13	36	21	18	12	6	9	3		2
Ill-defined causes.....	46	14	4		1			1	1	1	8	4	7	3	2		

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

DENVER, COLO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,887	402	61	21	18	17	55	123	440	485	407	283	285	198	72	11	
Typhoid fever.....	61	1		1		1	1	9	22	12	10	2	2				
Malarial fever.....	3									2		1					
Smallpox.....																	
Measles.....	4	1										2					
Scarlet fever.....	18	1	2	3		6	4	1	1								
Whooping cough.....	37	25	6	2	1	1	1				1						
Diphtheria and croup.....	24		6	2	4	3	5	3	1								
Influenza.....	13	5							1	2		2	2		1		
Cholera nostras.....	2									1	1						
Dysentery.....	3												1	1		1	
Erysipelas.....	5	2								1			1		1		
Other epidemic diseases.....																	
Septicæmia.....	9						1		2	1	2	2	1				
Tuberculosis—total.....	737	7	4	1			0	38	268	257	106	35	10	4	1		
Tuberculosis of lungs.....	692	5	1	1			3	32	254	247	103	31	10	4	1		
Tuberculosis of larynx.....	4								1	2		1					
Tuberculous meningitis.....	13	2	2				3	1	4	1							
Abdominal tuberculosis.....	11							1	5	3	1	1					
Pott's disease.....	3							2									
Tuberculous abscess.....																	
White swelling.....	2							1		1							
Tuberculosis of other organs.....	5	1							1		1	1					
General tuberculosis.....	7							1	3	2	1	1					
Scrofula.....	18	10					1			1			2				
Veneral diseases.....																	
Cancer.....	130	1							2	12	33	28	41	12	2		
Tumor.....	7										1	1	1		1		
Rheumatism.....	9						2	3			1		2	1			
Diabetes.....	22							1		2	6	6	3	2	2		
Anemia, leukemia.....	6										2	2	2	1			
Alcoholism.....	11								1		2	1	1				
Chronic poisonings.....	3								1	1	1	1					
Other general diseases.....	3							1	1			1					
Encephalitis.....	1		1														
Meningitis.....	39	17	10	1		1	4	1	3	1			1				
Apoplexy.....	63	2	1						1	4	7	16	12	12	8		
Softening of brain.....	4									1		5	2	4	2		
Paralysis.....	14									1							
Epilepsy.....	5				1				1			1	1	1			
Convulsions.....	17	12	1	2				1			1		1				
Tetanus.....																	
Other diseases of nervous system.....	48	2	1		1		1	1	5	4	14	8	7	4			
Pericarditis.....	4	1					1		1	1							
Endocarditis.....	13							2			1	3	4	2			
Heart disease.....	189	7		2			6	16	13	19	32	29	33	28	4		
Angina pectoris.....	15									1	5	6	3				
Embolism and thrombosis.....	26	2							4	4	4	4	7	4	1		
Other diseases of circulatory system.....	25	3					1	1	1	3	4	2	2	6	1	1	
Laryngitis.....																	
Acute bronchitis.....	16	10	2									2	1	1	2		
Chronic bronchitis.....	8											2	3	2	1		
Bronchopneumonia.....	27	12	6		1		1					1	3	1	2		
Pneumonia.....	221	44	3	3	4	1	4		16	24	33	26	35	22	5	1	
Pleurisy.....	12		1							4	3	1	2	1			
Congestion of lungs.....	11	4										1	2	2	1		
Other diseases of respiratory system.....	34	1		1				2	3	2	7	7	5	3	2	1	
Tonsillitis.....	1									1							
Diseases of stomach.....	36	11	1						3	2	9	3	3	2	2		
Diarrhea and enteritis.....	96	66	11	2	1	1	2		2	2	3	2	2	1	1		
Hernia and intestinal obstructions.....	30	8						2	2	3	3	3	4	3			
Cirrhosis of liver.....	21	1							2	3	3	10	3	1			
Other diseases of liver.....	23	2							2	6	5	2	4	2			
Peritonitis.....	6						1		3	1	1						
Appendicitis.....	57				1		6	16	13	10	9	1		1			
Other diseases of digestive system.....	9	2							2	2	0				2		
Acute nephritis.....	20	1					2	5				1					
Bright's disease.....	163	1					1	3	13	13	28	35	38	29	2		
Calculi of urinary tract.....	3								1	1		1					
Uterine tumor.....	10									3	5		1	1			
Ovarian tumor.....	8										1	5	1				
Other diseases of genito-urinary system.....	42	2							1	7	14	6	3	5	2	1	
Puerperal septicæmia.....	16								1	10	3	2					
Other causes incident to childbirth.....	13								1	5	7						
Diseases of skin.....	9									1	1	2	2	3			
Diseases of locomotor system.....	4		1			1				1				1			
Malformations.....	28	27		1													
Premature birth.....	53	53															
Constitutional debility.....	42	42															
Old age.....	55													26	20	5	
Suicide.....	51							1	11	17	9	7	6				
Other violence.....	164	11	2		4	2	4	13	27	28	26	16	16	8	6	1	
Ill-defined causes.....	10	5	1								1		2	1			

CAUSES OF DEATH, BY AGE.

315

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	4,605	1,231	160	82	44	46	119	217	361	402	427	425	503	427	217	28	6
Typhoid fever.....	69			1		1	2	13	26	11	7	3	2	3			
Malarial fever.....	3							1		1	1						
Smallpox.....	1											1					
Measles.....	3	1	2														
Scarlet fever.....	31	2	5	5	3	7	6	3									
Whooping cough.....	13	9		1		1	1	1									
Diphtheria and croup.....	118	11	13	18	14	13	38	9	2								
Influenza.....	29	2					1				2	4	8	10	1	1	
Cholera nostras.....	1							1									
Dysentery.....	13	3				1							2	4	2	1	
Erysipelas.....	16	4				1			1	1	1	1	3	4			
Other epidemic diseases.....	1	1															
Septicemia.....	19	1	1					4	3	6	2	2					
Tuberculosis—total.....	408	16	6	2	1		3	53	135	74	66	31	14	6	1		
Tuberculosis of lungs.....	347	5	2	1				45	127	68	57	27	11	3	1		
Tuberculosis of larynx.....	6							1	1	3	2						
Tuberculous meningitis.....	18	9	3	1			2	1	1	1							
Abdominal tuberculosis.....	19	1						3	3	2	4	3		3			
Pot's disease.....	7	1	1		1			2					3				
Tuberculous abscess.....	1										1						
White swelling.....	3						1	1	1								
Tuberculosis of other organs.....	3							1	1		2						
General tuberculosis.....	4	1						1	1			1					
Serofula.....																	
Veneral diseases.....	40	40															
Cancer.....	223							1	1	25	32	72	50	33	9		
Tumor.....	2							1	1	1	1						
Rheumatism.....	22						1	5	1	1	4	3	2	4	1		
Diabetes.....	36			1			2	3		3	3	10	7	5	2		
Anemia, leukemia.....	42	1			1			8	3	2	5	5	10	7			
Alcoholism.....	22								1	9	9	3					
Chronic poisonings.....																	
Other general diseases.....	12	3		2	1				3	1	1			1			
Encephalitis.....	7	2						1		1	1			2			
Meningitis.....	91	37	12	8	4	1	9	2	7	5	2	2	1	1			
Apoplexy.....	141	6	1					1	3	9	11	24	36	36	12	1	1
Softening of brain.....	3											1		1			
Paralysis.....	64		1					1	1	1	7	8	20	16	8	1	
Epilepsy.....	8							3	1	2	1	1					
Convulsions.....	148	127	8	6	1	1	1	3	1	2	3	1					
Tetanus.....																	
Other diseases of nervous system.....	53	1	1	2			1	1	2	10	11	10	10	1			
Pericarditis.....	6						1	1	1					1	1		
Endocarditis.....	23	2					1	4	2	3	2	4	2	3			
Heart disease.....	317	9		1		2	5	19	28	40	40	47	69	48	23	2	
Angina pectoris.....	19									1	3	4	7	3	1		
Embolism and thrombosis.....	15	2						1	1	2	4	2		3			
Other diseases of circulatory system.....	54	14	1				1	1	1	4	2	2	14	10	3	1	
Laryngitis.....	1											1					
Acute bronchitis.....	89	64	9	4	4	1	2		1	1	2	2	15	2	7		
Chronic bronchitis.....	49						1		1	2	3	4	7	5	3		
Bronchopneumonia.....	112	48	23	4	6	2	3	1	1	2	3	4	15	14			
Pneumonia.....	270	54	12	7	2	5	6	9	17	33	35	24	28	24	12	2	
Pleurisy.....	14	1	1				2	1		3	3	2	1				
Congestion of lungs.....	22	4				1		2	1	2	4	4		4			
Other diseases of respiratory system.....	57	4	1	2			1	1	8	9	3	6	9	10	3		
Tonsillitis.....	2							1		1					1		
Diseases of stomach.....	66	14	2	1				2	3	6	5	13	14	4	1		1
Diarrhea and enteritis.....	342	248	36	10	3	1	4	2	3	5	6	5	7	6	6		
Hernia and intestinal obstructions.....	41	5	1				3	3	3	3	9	5	7	2			
Cirrhosis of liver.....	45							1		3	16	10	9	6			
Other diseases of liver.....	40	1					1	4	1	6	14	9	3	1			
Peritonitis.....	50	7					1	9	12	11	4		2	3	1		
Appendicitis.....	50					2	6	15	8	10	5	3		1			
Other diseases of digestive system.....	17	4				1		1	2	4	5			2			
Acute nephritis.....	23	4					1	1	1	2	1	3	6	2	2		
Bright's disease.....	226	4	2	1		1	3	4	14	24	31	36	48	43	13		2
Calculi of urinary tract.....	1													1			
Uterine tumor.....	8									2	3	1	2				
Ovarian tumor.....	5										2						
Other diseases of genito-urinary system.....	50	2						3	6	11	8	5	14	7	3		
Puerperal septicemia.....	34							3	17	11	3						
Other causes incident to childbirth.....	27							3	9	14	1						
Diseases of skin.....	18	7								1	1	2	2	2	3		
Diseases of locomotor system.....	12		1				2		1		3	2	3				
Malformations.....	41																
Premature birth.....	83																
Congenital debility.....	250	250															
Old age.....	173												11	68	79	15	
Suicide.....	37													8	1		
Other violence.....	198	17	8	4	3	2	11	19	23	28	30	22	16	8	3	2	2
Ill-defined causes.....	160	75	13	2	1	2		2	4	9	4	8	18	10			

DENVER, COLO.																	
CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	2,887	402	61	21	18	17	55	123	440	485	407	283	285	198	72	11	
Typhoid fever.....	61	1		1		1	1	9	22	12	10	2	2				
Malarial fever.....	3									2		1					
Smallpox.....	4	1	1									2					
Measles.....	18	1	2	3		6	4	1	1			2					
Scarlet fever.....	4	1															
Whooping cough.....	37	25	6	2	1	1	1	5	3		1						
Diphtheria and croup.....	24	5	6	2	4	3	5	3	1	2							
Influenza.....	13	5							1	2		2	2		1		
Cholera nostras.....	2									1	1						
Dysentery.....	3												1	1		1	
Erysipelas.....	5	2								1							
Other epidemic diseases.....																	
Septicæmia.....	9						1		2	1	2	2	1				
Tuberculosis—total.....	737	7	4	1			6	38	268	257	106	35	10	4	1		
Tuberculosis of lungs.....	692	5	1	1			3	32	254	247	103	31	10	4	1		
Tuberculosis of larynx.....	4								1	2							
Tuberculous meningitis.....	13	2	2				3	1	4	1							
Abdominal tuberculosis.....	11							1	5	3	1	1					
Pott's disease.....	3							2		1							
Tuberculous abscess.....	2							1		1							
White swelling.....	5							1									
Tuberculosis of other organs.....	7		1					1	1	2	1	1					
General tuberculosis.....									3	2	1	1					
Scrofula.....	18									1	4		2				
Veneral diseases.....		10															
Cancer.....	130						1		2	12	33	28	41	12	2		
Tumor.....	7	1							2		1	1	1				
Rheumatism.....	9						2	3			1		2	1			
Diabetes.....	22							1		2	6	6	3	2	2		
Anemia, leukæmia.....	6										2	2	2	1			
Alcoholism.....	11								1	4	3	2	1				
Chronic poisonings.....	3									1	1	1					
Other general diseases.....	3						1	1				1					
Encephalitis.....	1		1							1							
Meningitis.....	39	17	10	1		1	4	1	3	1			1				
Apoplexy.....	63	2	1						1	4	7	16	12	12	8		
Softening of brain.....	4																
Paralysis.....	14									1		5	2	4	2		
Epilepsy.....	5				1				1			1	1	1			
Convulsions.....	17	12	1	2				1			1						
Tetanus.....																	
Other diseases of nervous system.....	48	2	1		1		1	1	5	4	14	8	7	4			
Pericarditis.....	4	1					1		1	1							
Endocarditis.....	13							2	1		1	3	4	2			
Heart disease.....	189	7		2			6	16	13	19	32	29	33	28	4		
Angina pectoris.....	15									1	5	6	3				
Embolism and thrombosis.....	26	2								4	4	4	4	4	1		
Other diseases of circulatory system.....	25	3					1	1	1	3		2	2	6	1	1	
Laryngitis.....																	
Acute bronchitis.....	16	10	2										1	1	2		
Chronic bronchitis.....	8												1	3	1		
Bronchopneumonia.....	27	12	6	3	1		1						3	1	2		
Pneumonia.....	221	44	3	3	4	1	4		16	24	33	26	33	22	5	1	
Pleurisy.....	12		1							4	3	1	2	1			
Congestion of lungs.....	11	4										1	2	3			
Other diseases of respiratory system.....	34	1		1				2	3	2	7	7	5	3	1	1	
Tonsillitis.....	1									1							
Diseases of stomach.....	36	11	1						3	2	9	3	3	2	2		
Diarrhea and enteritis.....	96	66	11	2	1	1	2		2	2	3	2	2	1	1		
Hernia and intestinal obstructions.....	30	8						2	3	4	3	3	4	3			
Cirrhosis of liver.....	21	1										10	3	1	1		
Other diseases of liver.....	23	2								6	5	2	4				
Peritonitis.....	6								3	1							
Appendicitis.....	57				1		6	16	13	10	9	1		1			
Other diseases of digestive system.....	9								2	2	1				2		
Acute nephritis.....	20	1					2	5		3	6	1	2				
Bright's disease.....	163	1					1	3	13	13	28	35	38	29	2		
Calculi of urinary tract.....	3								1								
Uterine tumor.....	10									3	5		1	1			
Ovarian tumor.....	8									1	5	1	1				
Other diseases of genito-urinary system.....	42	2						1	1	14	6	3	5	2	1	1	
Puerperal septicæmia.....	16								7	3							
Other causes incident to childbirth.....	13							1	5	7							
Diseases of skin.....	9									1	1	2	2	3			
Diseases of locomotor system.....	4		1				1			1				1			
Malformations.....	28	27		1													
Premature birth.....	53	53															
Congenital debility.....	42	42															
Old age.....	55												4	26	20	5	
Suicide.....	51							1	11	17	9	7	6	8	6	1	
Other violence.....	164	11	2		4	2	4	13	27	28	26	16	16	2			
Ill-defined causes.....	10	5	1								1						

CAUSES OF DEATH, BY AGE.

315

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	4,695	1,231	169	82	44	46	119	217	361	402	427	425	503	427	217	28	6
Typhoid fever.....	69			1		1	2	13	26	11	7	3	2	3			
Malarial fever.....	3							1			1						
Smallpox.....	1											1					
Measles.....	3	1	2	5	3	7	6	3									
Scarlet fever.....	31	2	5														
Whooping cough.....	13	9		1		1	1	1									
Diphtheria and croup.....	118	11	13	18	14	13	38	9	2								
Influenza.....	29	2					1				2	4	8	10	1	1	
Cholera nostras.....	1							1									
Dysentery.....	13	3				1			1	1		1	2	4	2	1	
Erysipelas.....	16	4				1					1	1	3	4			
Other epidemic diseases.....	1	1															
Septicemia.....	19	1	1						4	3	6	2	2				
Tuberculosis—total.....	408	16	6	2	1		3	53	135	74	66	31	14	6	1		
Tuberculosis of lungs.....	347	5	2	1				45	127	68	57	27	11	3	1		
Tuberculosis of larynx.....	6								1	1	2						
Tuberculous meningitis.....	18	9	3	1			2		1	1							
Abdominal tuberculosis.....	19	1						3	3	2	4	3		3			
Pott's disease.....	7		1		1			2					3				
Tuberculous abscess.....	1										1						
White swelling.....	3					1	1	1	1								
Tuberculosis of other organs.....	3								1	1	2						
General tuberculosis.....	4	1						1	1			1					
Serofula.....	40																
Venereal diseases.....	223	40						1	1	25	32	72	50	33	9		
Cancer.....	2										1						
Tumor.....	22						1	5	1	1	4	3	2	4	1		
Rheumatism.....	36			1			2	3		3	3	10	7	5	2		
Diabetes.....	42	1			1			8	3	2	5	5	10	7			
Anemia, leukemia.....	22								1	9	9	3					
Alcoholism.....	12	3		2	1				3	1	1						
Chronic poisonings.....	7	2															
Other general diseases.....	91	37	12	8	4	1	9	2	7	5	2	2	1	2			
Encephalitis.....	141	6	1					1	3	9	11	24	36	36	12	1	1
Meningitis.....	3																
Apoplexy.....	64		1					1	1	1	7	8	20	16	8	1	
Softening of brain.....	8							3	1	2	1	1					
Paralysis.....	148	127	8	6	1	1	1		1		3						
Epilepsy.....	53	1	1	2			1	1	2	10	11	10	10	4			
Convulsions.....	6						1	1	1				1	1			
Tetanus.....	23	2					1	4	2	3	2	4	2	3			
Other diseases of nervous system.....	317	9		1		2	5	19	15	28	49	47	69	48	23	2	
Pericarditis.....	19									1	3	4	7	3	1		
Endocarditis.....	15	2						1	1	2	4	2		3			
Heart disease.....	54	14	1				1	1	1	4	2	2	14	10	3	1	
Angina pectoris.....	1																
Embolism and thrombosis.....	89	64	9	4	4	1	2		1			1	5	18	14	7	
Other diseases of circulatory system.....	49	48	23	4	6	2	3	1	1	2	3	4	7	5	3		
Laryngitis.....	112	54	12	7	2	5	6	9	17	33	35	24	28	24	12	2	
Acute bronchitis.....	270																
Chronic bronchitis.....	14	1	1				2	1		3	3	2	1				
Bronchopneumonia.....	22	4				1		1	2	1	2	4	4		4		
Pneumonia.....	57	4	1	2			1	8	9	3	6	9	10	3			
Pleurisy.....	66	14	2	1				2	3	6	5	13	14	4	1		1
Congestion of lungs.....	342	248	36	10	3	1	4	2	3	5	6	5	7	6	6		
Other diseases of respiratory system.....	41	5	1				3	3	3	3	9	5	7	2			
Tonsillitis.....	45	1					1	1	1	3	16	10	9	6			
Diseases of stomach.....	40	1					1	9	12	11	4		2	3	1		
Diarrhea and enteritis.....	50					2	6	15	8	10	5	3		1			
Hernia and intestinal obstructions.....	17	4				1			1	2	4	5					
Cirrhosis of liver.....	23	4				1	1	1	1	2	1	3	6	2			
Other diseases of liver.....	226	4	2	1		1	3	4	14	24	31	36	48	43	13		2
Peritonitis.....	1													1			
Appendicitis.....	8									2	3	1	2				
Other diseases of digestive system.....	5									3	2						
Acute nephritis.....	59	2						3	6	11	8	5	14	7	3		
Bright's disease.....	34							3	17	11	3						
Calculi of urinary tract.....	27							3	9	14	1						
Uterine tumor.....	18	7								1	1	2	2	3			
Ovarian tumor.....	12		1				2		1		3	2	3				
Other diseases of genito-urinary system.....	41	41															
Puerperal septicemia.....	83																
Other causes incident to childbirth.....	250	250															
Diseases of skin.....	173												11	68	79	15	
Diseases of locomotor system.....	37																
Malformations.....	198	17	8	4	3	2	11	19	23	28	30	22	8	8	3	2	2
Premature birth.....	169	75	13	2	1	2		2	4	9	4	8	18	10	10	2	
Congenital debility.....																	
Old age.....																	
Suicide.....																	
Other violence.....																	
Ill-defined causes.....																	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,109	846	161	61	24	25	40	56	85	144	134	157	160	121	57	8	
Typhoid fever.....	12							3	1	5	2	1					
Malarial fever.....	2		1					1									
Smallpox.....	33	7	15	5	2	1	1	1		1							
Measles.....																	
Scarlet fever.....																	
Whooping cough.....	26	14	9	1	2												
Diphtheria and croup.....	28	2	7	5	3	6	5				1	2	3				
Influenza.....	16	4	1	1			2	2			1						
Cholera nostras.....	2										1	1					
Dysentery.....	7	1										2	1	3			
Erysipelas.....	3	1								1							
Other epidemic diseases.....	1		1														
Septicemia.....	5								2	1		1		1			
Tuberculosis—Total.....	180	9	4	9	1	2	4	18	34	49	27	16	5	1	1		
Tuberculosis of lungs.....	156	3	1	2		1	3	16	34	48	27	15	5		1		
Tuberculosis of larynx.....																	
Tuberculous meningitis.....	13	5	2	4		1	1										
Abdominal tuberculosis.....	5	1	1					1		1				1			
Pott's disease.....	1			1													
Tuberculous abscess.....																	
White swelling.....	1											1					
Tuberculosis of other organs.....	1			1													
General tuberculosis.....	3			1	1			1									
Scrofula.....	1		1														
Veneral diseases.....	2	1															
Cancer.....	73					1			2	8	13	14	21	12	2		
Tumor.....	1														1		
Rheumatism.....	10							3		1	1		4	1			
Diabetes.....	14											5	5	4			
Anemia, leukemia.....	5	1	1				1	1							1		
Alcoholism.....	3										1	1	1				
Chronic poisonings.....	1																
Other general diseases.....																	
Encephalitis.....	1			1													
Meningitis.....	52	24	5	6	2	2	8	2	1			1	1				
Apoplexy.....	39	1					1			1	10	10	19	9	8		
Softening of brain.....	4										2	1	3	5	9	1	
Paralysis.....	23	1									1	1	3	5	9	4	
Epilepsy.....	2				1				1								
Convulsions.....	50	37	6	3	1	1							2				
Tetanus.....	2			1						1							
Other diseases of nervous system.....	17	1					2			3	3	1	4	2	1		
Pericarditis.....	1							1									
Endocarditis.....	27						1	1	4	1	4	6	5	2	3		
Heart disease.....	121	3					1	5	6	10	14	28	31	20	3		
Angina pectoris.....	3									1		1	1				
Embolism and thrombosis.....	3										2			1			
Other diseases of circulatory system.....	7	2									2			1	2		
Laryngitis.....	5		2		1		1					1					
Acute bronchitis.....	20	36	14	3	1		1		1					4			
Chronic bronchitis.....	24							2	4	3	2	3	7	7	1		
Bronchopneumonia.....	42	28	4	5	3									1	1		
Pneumonia.....	194	79	38	6	2	1	2	4	7	16	4	9	16	8	2		
Pleurisy.....	6		1	1						3							
Congestion of lungs.....	7	2								1			2				
Other diseases of respiratory system.....	17	1	1		1	2	1		1	2	2	3	2	1			
Tonsillitis.....	2																
Diseases of stomach.....	20	4		1	1		1		1	2	2	2	3	3			
Diarrhea and enteritis.....	373	308	44	4	2	2	4		1	1	1		3	1	2		
Hernia and intestinal obstructions.....	8									1		4	2				
Cirrhosis of liver.....	5									1		1	2				
Other diseases of liver.....	10									1		3	1	3			
Peritonitis.....	16	1	1					2	2	5	2	1	1	1			
Appendicitis.....	6							1	1	1		2		1			
Other diseases of digestive system.....	8	4	1	2				1									
Acute nephritis.....	7			1								4	2				
Bright's disease.....	91	3		1				3	5	8	12	21	23	12	2	1	
Calculi of urinary tract.....	1										1						
Uterine tumor.....	1											1					
Ovarian tumor.....	3									1	2						
Other diseases of genito-urinary system.....	20	2					1		3	2	3	1	2	2	4		
Puerperal septicemia.....	4								1		2						
Other causes incident to childbirth.....	4									4							
Diseases of skin.....	11	2									1		1	3	4		
Diseases of locomotor system.....	4	3						1									
Malformations.....	12																
Pre-natal birth.....	163	163															
Congenital debility.....	87	87															
Old age.....	26												4	4	12	6	
Suicide.....	3											2					
Other violence.....	58	10		2	1	5	2	5	5	7	2	4	6	2	2		
Un-defined causes.....	69	49	4	3		1			1		2	4	4	1			

CAUSES OF DEATH, BY AGE.

317

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,998	496	89	42	26	13	59	163	303	308	284	314	398	314	147	23	29
Typhoid fever.....	64	1			1		2	12	24	12	4	5	3				
Malarial fever.....	5						1	1		1			2				
Smallpox.....	1											1					
Measles.....	1	1															
Scarlet fever.....	9	1	3	1	2		2										
Whooping cough.....	11	7	2	2													
Diphtheria and croup.....	21	1	4	5	2	2	5	2									
Influenza.....	33	1		1			1	1			3	3	4	10	7	2	
Cholera nostras.....	1											1					
Dysentery.....	15	1		1				1		1			5	1	3	1	1
Erysipelas.....	5	1					1	1					2				
Other epidemic diseases.....																	
Septicæmia.....	23	4			1	1	2	2	4	2		2	3	1	1		
Tuberculosis—total.....	403	5	9	4	3	1	8	58	122	82	50	32	14	7	1		7
Tuberculosis of lungs.....	351	3	4	2	3	1	6	48	111	73	46	27	14	7	1		5
Tuberculosis of larynx.....	4								2		1	1					
Tuberculosis meningitis.....	16	2	4	2			1	3	3			1					
Abdominal tuberculosis.....	16							3	3		3	2					2
Pott's disease.....	5		1				1	1		2							
Tuberculous abscess.....	1								1								
White swelling.....																	
Tuberculosis of other organs.....	5							3	1	1							
General tuberculosis.....	5								1	3		1					
Scrofula.....	1																1
Veneral diseases.....	10	4							1	1	2	1	1				
Cancer.....	109						2	1	2	5	26	34	27	10	2		
Tumor.....	3								1			1	1				
Rheumatism.....	23						3	3	4	2	1	3	4	3			
Diabetes.....	24						1	1	2	1	1	4	6	7		1	
Anemia, leukemia.....	6							3	1		1						
Alcoholism.....	14								1	2	6	2	3				
Chronic poisonings.....	2								1	1	1						
Other general diseases.....	6	1								1	1	2			1		
Encephalitis.....	5		1							2	1	1					
Meningitis.....	71	19	9	5	4	2	6	4	2	7	2	5	6				
Apoplexy.....	131	5	1		1			1	3	6	16	31	30	27	9	1	
Softening of brain.....	19																
Paralysis.....	45	1			1				3	3	2	6	11	11	5	1	1
Epilepsy.....	12		1						3	2	2	1	1	2			
Convulsions.....	16	9	3						1				1				
Tetanus.....	2								1	1							
Other diseases of nervous system.....	52	1						1	1	8	11	12	9	7	1		1
Pericarditis.....	4											2	1	1			
Endocarditis.....	20							1	4	4	2	2	11	4	1		
Heart disease.....	236	9		1			1	10	5	19	25	35	69	42	14	1	5
Angina pectoris.....	16								1	5	1	3	4	1	1		
Embolism and thrombosis.....	7							1	1			3	1	1			
Other diseases of circulatory system.....	30			1				1	2	2	2	6	5	8	4		1
Laryngitis.....	2	1									1						
Acute bronchitis.....	16	7	4	1	1								1	1			1
Chronic bronchitis.....	29							1	2	2	1	5	4	8	6		
Bronchopneumonia.....	53	18	7	2	1	1	3			1	2	2	6	9	1		
Pneumonia.....	218	32	17	7	3		7	11	20	26	16	22	26	24	6	1	
Pleurisy.....	8							1	1			4	2				
Congestion of lungs.....	15	5		1			1				1		3	4			
Other diseases of respiratory system.....	32	1		1			1	1	4	2	3	6	10	2	1		
Tonsillitis.....																	
Diseases of stomach.....	33	2					1		2	5	5	5	3	4	3		3
Diarrhea and enteritis.....	129	72	15	3	1	1	2	2	5	3	2	7	5	5	5	1	
Hernia and intestinal obstructions.....	23	3			1	1	1	1	3		3	1	6	2	1		
Cirrhosis of liver.....	24								3	1	7	6	5	1	1		
Other diseases of liver.....	33							1		3	6	8	7	4	3	1	
Peritonitis.....	34	1						7	6	7	6	3	3	1			
Appendicitis.....	20						1	5	6	4	3				1		
Other diseases of digestive system.....	13	2						1	2			1	2	4			
Acute nephritis.....	12	1		1			1	1	1		2	2	1	2			
Bright's disease.....	129	1	1					3	5	18	19	28	32	19	2		1
Calculi of urinary tract.....																	
Uterine tumor.....	3									1	2						
Ovarian tumor.....	2								1								
Other diseases of genito-urinary system.....	33							1	1	4	4		3	7	1		3
Puerperal septicæmia.....	7								6	1							
Other causes incident to childbirth.....	20							2	10	7	1						
Diseases of skin.....	19	2		1		1				2	1	1	4	6			1
Diseases of locomotor system.....	2								1				1				
Malformations.....	14																
Premature birth.....	54	54															
Congenital debility.....	135	135															
Old age.....	122												16	43	55	12	2
Suicide.....	43							3	7	16	9	3	3	1			
Other violence.....	153	7	3	3	3	2	6	18	22	28	11	9	18	15	5		1
Ill-defined causes.....	112	56	5	1	1		1	2	2	4	12	5	14	6	2	1	

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	4,427	990	205	110	66	51	159	211	375	542	435	458	423	277	107	17	1
Typhoid fever.....	46	1			1		2	10	8	16	2	3	1	1	1		
Malaria fever.....	3								1	1		1					
Smallpox.....																	
Measles.....	11	3	5	2	1												
Scarlet fever.....	16	2	3	2	2		3	4									
Whooping cough.....	23	10	9	1	1		2										
Diphtheria and croup.....	94	8	14	18	14	12	21	5	1	1	1	1	1	3	2		
Influenza.....	11	2															
Cholera nostras.....	2	1						1									
Dysentery.....	12	2	3						1		1	4	1				
Erysipelas.....	7	1								1	1	2	1	1			
Other epidemic diseases.....																	
Septicemia.....	6	2								1		1	2				
Tuberculosis—total.....	536	15	11	8	3	3	13	36	116	156	82	33	24	6			
Tuberculosis of lungs.....	473	1	3	1		1	5	31	140	152	79	31	23	6			
Tuberculosis of larynx.....	5								2	1	2						
Tuberculous meningitis.....	37	10	8	6	1	1	6	1	1	1		2					
Abdominal tuberculosis.....	8	2		1	1			2	1	1							
Pott's disease.....	3						1	1	1								
Tuberculous abscess.....																	
White swelling.....	1																
Tuberculosis of other organs.....	4						1		1	1			1				
General tuberculosis.....	5	2			1			1	1								
Scrofula.....	1			1						1							
Venereal diseases.....	2	1															
Cancer.....	154				1		1	1	6	11	30	40	41	16	5	2	
Tumor.....	4	1						1									
Rheumatism.....	22				1	1	1	2	1	3	2	7	3			1	
Diabetes.....	23						1		1	3	1	7	7	3			
Anemia, leukemia.....	12		1					1	1	3	3	2	1				
Alcoholism.....	39								5	16	11	5	2				
Chronic poisonings.....	4							1	2		1						
Other general diseases.....	2		1		1												
Encephalitis.....	3	1								1				1			
Meningitis.....	215	45	20	20	19	12	43	33	8	4	5	4	2				
Apoplexy.....	216	9	1	2			1	1		4	20	47	59	56	14	2	
Softening of brain.....	3																
Paralysis.....	13										2	1	3	6	1		
Epilepsy.....	9		1				2	3	2			1					
Convulsions.....	69	49	7	3	1	2	2	2	1	2							
Tetanus.....	1							1									
Other diseases of nervous system.....	49	3		1				3	3	9	11	8	6	4	1		
Pericarditis.....	2						1				1						
Endocarditis.....	53	1		1			3	7	4	4	5	9	9		3		
Heart disease.....	282	10				1	6	14	13	33	30	44	72	29	21		
Angina pectoris.....	18							1	1	3	3	4	3	3	3		
Embolism and thrombosis.....	15								2		5	3	4	1			
Other diseases of circulatory system.....	26	2							1	2		7	6	6	2		
Laryngitis.....	7	1	1	1	1		1		1			1			1		
Acute bronchitis.....	65	47	7	2		2			2	1	2	5	9	6	2	1	
Chronic bronchitis.....	133																
Bronchopneumonia.....	114	52	8	4	2	1			2	2	3	6		4	2		
Pneumonia.....	342	45	29	11	2	3	7	6	18	58	52	38	34	30	6		
Pleurisy.....	11		2					1	1	2	2		2	1			
Congestion of lungs.....	29	12	1	1	1			1	1	3	1	3	2	2	1		
Other diseases of respiratory system.....	33	3		2		1	1	1	1	4	6	4	3	3	4		
Tonsillitis.....																	
Diseases of stomach.....	44	11		1			1	2	3	1	6	1	8	4	5	1	
Diarrhea and enteritis.....	362	267	40	11	4	1	4	2	1	5	2	6	7	10	2		
Hernia and intestinal obstructions.....	49	9			2	1			3	6	6	1	9	1	2		
Cirrhosis of liver.....	62						1		1	13	14	19	11	3			
Other diseases of liver.....	22	1		1						5	5	8					
Peritonitis.....	16							4	5	3	4						
Appendicitis.....	31						3	13	8	4	2	1					
Other diseases of digestive system.....	10	4				1			1	1		1			1		
Acute nephritis.....	66	3		1			3	3	8	12	13	12	8	2			
Bright's disease.....	244	3		1	1		2	8	21	38	36	58	47	23	3	3	
Calculi of urinary tract.....																	
Uterine tumor.....	2												1	1			
Ovarian tumor.....																	
Other diseases of genito-urinary system.....	42	2						2	4	12	5	6	5	3	2	1	
Puerperal septicemia.....	15							1	5	8	1						
Other causes incident to childbirth.....	27							1	12	14							
Diseases of skin.....	16	1					1	1	1	3	2	2	1				
Diseases of locomotor system.....	14		1	1			1	1									
Malformations.....	58	58															
Premature birth.....	83	83															
Congenital debility.....	110	110															
Old age.....	40								2	12	8	7	2	15	17	6	
Suicide.....	47								1	8	8	7	5	4	1		
Other violence.....	321	28	5	8	5	6	24	32	53	51	41	35	18	10	4		
Ill-defined causes.....	117	76	15	2	1		4	1	4	4	4	1	4		1		

CAUSES OF DEATH, BY AGE.

319

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	3,029	460	72	31	24	21	61	164	411	411	352	355	307	239	97	17	7
Typhoid fever.....	110		1	1	1	2	5	21	36	19	10	6	5	1	1		1
Malarial fever.....	12							2	1	4		3		1			
Smallpox.....	25	1		1	1		1		6	6	6	2	1				
Measles.....	2	1		1	1												
Scarlet fever.....	4			1	1			1			1						
Whooping cough.....	14	7	5		2												
Diphtheria and croup.....	46	2	4	2	4	4	19	9	1			1					
Influenza.....	40	3	1	1	1			3	2	2	3	7	8	7	2		
Cholera nostras.....	1												1				
Dysentery.....	8								1	1	2		2	2			
Erysipelas.....	9	2						1	1	2	1	1					
Other epidemic diseases.....																	
Septicemia.....	31	1				1		5	7	7	5	1	2	1	1		
Tuberculosis—total.....	394	8	6	3	4		4	33	121	80	62	47	19	3	3		1
Tuberculosis of lungs.....	361	7	4	1	1		4	31	115	71	59	42	19	3	3		1
Tuberculosis of larynx.....	3																
Tuberculous meningitis.....	4		2	1	1												
Abdominal tuberculosis.....	13	1						1	3	4		3					
Pott's disease.....	3				1					1		1					
Tuberculous abscess.....																	
White swelling.....	1							1									
Tuberculosis of other organs.....																	
General tuberculosis.....	9				1				3	2	3						
Scrofula.....																	
Veneral diseases.....	9	2						1	2	1	1	1	1				
Cancer.....	110		1					6	14	25	28	22	22	12	1		
Tumor.....	6								3	2	1	1					
Rheumatism.....	14							1	2	3	1	3	2	2			
Diabetes.....	18						2	1	4		1	5	1	3	1		
Anemia, leukemia.....	18	2			1		1		2	3	2	3	3	1			
Alcoholism.....	14							1	1	7		4	1				
Chronic poisonings.....	2							1	1								
Other general diseases.....	4							1	1		2	1					
Encephalitis.....	2							1									
Meningitis.....	53	20	5	3			1	3	8	3		6				1	
Apoplexy.....	97	4							4		8	30	18	17	10	1	
Softening of brain.....	5								1	2							
Paralysis.....	49	1						2		4	2	10	10	17	3		
Epilepsy.....	8								1	1	1	4					1
Convulsions.....	21	17	1		1		1		1								
Tetanus.....	9	2						1	2	2	2	3					
Other diseases of nervous system.....	28	3						2	3	4	3	5	6	3	1		
Pericarditis.....	3	1						1		1							
Endocarditis.....	28		1				1	3	3	4	6	1	4	4		1	
Heart disease.....	217	2	1			1	5	9	17	26	31	42	42	31	10		
Angina pectoris.....	11										1	3	3	3			
Embolism and thrombosis.....	10							1		1	3	3	1	1	1		
Other diseases of circulatory system.....	31	2						2	6	6	2	6	6	5	2		
Laryngitis.....																	
Acute bronchitis.....	20	14	2						1	1		1	2	3	6	3	1
Chronic bronchitis.....	19	1		1					1	1	1	3	3	2	2		
Bronchopneumonia.....	22	11					1	1	1	1	3	3	3	2	2		
Pneumonia.....	308	43	10	5	1	3	2	16	43	48	41	27	36	22	8	2	1
Pleurisy.....	4				1				1	1		1					
Congestion of lungs.....	16	3	1						2	1	1	2	3	4			
Other diseases of respiratory system.....	19			1					1	3	1	3	2	4	2	1	1
Tonsillitis.....	1																
Diseases of stomach.....	45	7					1		4	6	6	8	6	6	1		
Diarrhea and enteritis.....	119	77	16	1	1	2		1	3	2	1	2	4	6	3		
Hernia and intestinal obstructions.....	22	4	2				1		2	6	2	2	2	1			
Cirrhosis of liver.....	10									3	1	4	4	1			
Other diseases of liver.....	19	1								4	5	2	4	3			
Peritonitis.....	48	1			1			4	16	15	5	1	3	2			
Appendicitis.....	21						1		6	6	2						
Other diseases of digestive system.....	18	3		1					1	2		4	3	3			
Acute nephritis.....	10										3	4					
Bright's disease.....	142	3	4	1				2	9	17	22	19	38	18	8	1	
Calculi of urinary tract.....	3										2		1				
Uterine tumor.....	4									1	3						
Ovarian tumor.....	3									2	5	1					
Other diseases of genito-urinary system.....	26			1					7		2	4	4	3			
Puerperal septicemia.....	15							2	6	7							
Other causes incident to childbirth.....	14								7								
Diseases of skin.....	8	1			1					1		1	1	2			
Diseases of locomotor system.....	3						1				1						
Malformations.....	17	16	1														
Premature birth.....	40																
Congenital debility.....	99	99															
Old age.....	72							5	12	13	8		7	25	30	10	
Suicide.....	25																
Other violence.....	224	18	2	4	1	5	11	21	45	43	29	21	14	7	2		1
Ill-defined causes.....	130	33	5	3	1	1	1	3	11	12	17	16	13	9	4		1

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	3,341	344	66	36	19	16	66	154	411	499	453	395	413	312	143	12	5
Typhoid fever.....	55		1	2			1	11	13	12	8	3	3		1		
Scarlet fever.....	3		1		1	1	2	1									
Whooping cough.....	32	20	5	4	1		2										
Diphtheria and croup.....	38	1	4	5	3	3	15	5		1	1						
Influenza.....	22		1				1		2	2	1	1	5	5	4		
Cholera nostras.....	1								1	2	1						
Dysentery.....	10	3	3										1	2			
Erysipelas.....	6	1							1		2			2			
Other epidemic diseases.....																	
Septicemia.....	39		1	1			1	4	10	8	2	9	3				
Tuberculosis—total.....	707	7	7		4	2	12	41	202	191	128	68	31	8	2	1	
Tuberculosis of lungs.....	643	5	3		2	1	5	38	190	183	119	61	27	7	1	1	
Tuberculosis of larynx.....	8								1	1	4	1	1				
Tuberculosis meningitis.....	16	2	3		2	1	5	3	1	1	1						
Abdominal tuberculosis.....	21						1	3	5	4	3	2	2	1			
Pott's disease.....	2									1		1					
Tuberculous abscess.....																	
White swelling.....	2								1			1					
Tuberculosis of other organs.....	5						1			1	1	1			1		
General tuberculosis.....	10		1						4	3		1	1				
Scrofula.....																	
Veneral diseases.....	11	4	1						2	2		2					
Cancer.....	175				1		1	3	3	16	31	46	46	20	5		
Tumor.....	3																
Rheumatism.....	17						1	2		3		2	4	4	1		
Diabetes.....	24						2	2	1	3	3	8	3	2			
Anemia, leukemia.....	19							1		3	3	4	6	2			
Alcoholism.....	30								3	8	10	7	2				
Chronic poisonings.....	2								1	1							
Other general diseases.....	7										2	1	1	1	1		
Encephalitis.....	6	1										2	1	2			
Meningitis.....	73	15	8	2	2	4	2	16	7	5	6	3	1	2			
Apoplexy.....	121	1					1		1	6	9	26	31	31	12		
Softening of brain.....	9									1	1	1	3	3			
Paralysis.....	40	1							1	2	2	8	14	7	5		
Epilepsy.....	5						1	1	2		1						
Convulsions.....	18	14	2		1						1						
Tetanus.....	7	1					2	1	2	1							
Other diseases of nervous system.....	46	1					1	1	2	1	14	8	8	3	1		
Pericarditis.....	7									1		2					
Endocarditis.....	46		1					2	6	6	8	10	8	2	3		
Heart disease.....	217	4			1		3	6	12	18	26	38	50	41	18		
Angina pectoris.....	15								1	1	2	3	3	4	1		
Embolism and thrombosis.....	16	1		1				1	2	3	1	2	3	1	1		
Other diseases of circulatory system.....	47	1		1					2	2	8	7	10	9	4		
Laryngitis.....																	
Acute bronchitis.....	26	12	4	1			2			2		2	1	2			
Chronic bronchitis.....	19	1					1		1	2	1		3	5	1	1	
Bronchopneumonia.....	42	13	4	4			3		1	2	5	2	2	3	1		
Pneumonia.....	178	37	6	4	1	2	4	4	16	22	18	14	23	19	8		
Pleurisy.....	9	1								4		2	1	1			
Congestion of lungs.....	28	2	1		1			1	1	2	2	6	7	5			
Other diseases of respiratory system.....	32						1		2	10	5	5	2	4	2		
Tonsillitis.....	2			1													
Diseases of stomach.....	43	5	1					1	2	5	5	6	13	5			
Diarrhea and enteritis.....	112	66	9	3	1	1	2	1	1	7	4	3	8	4	2		
Hernia and intestinal obstructions.....	23	2		1				2	1	6	2	1	3	4	1		
Cirrhosis of liver.....	41								1	7	12	14	8	1	1		
Other diseases of liver.....	33				1			3	3	3	4	7	4	7	1		
Peritonitis.....	40							2	11	7	8	4	5	3			
Appendicitis.....	31						3	9	6	3	4	4	1	1			
Other diseases of digestive system.....	15	1		1				2		1	4	2	3				
Acute nephritis.....	12	1			1					1	1	1					
Bright's disease.....	181	2						11	13	11	32	35	36	32	5	1	
Calculi of urinary tract.....	4									1				1	2		
Uterine tumor.....	4										3	1					
Ovarian tumor.....	4										2	2					
Other diseases of genito-urinary system.....	22	1						1	4	2	1	1	4	5	2		1
Puerperal septicemia.....	4								2								
Other causes incident to childbirth.....	11							1	2	3							
Diseases of skin.....	9	1							1			2	2	2	1		
Diseases of locomotor system.....																	
Malformations.....	12	11								1							
Premature birth.....	27	27															
Congenital debility.....	62	62															
Old age.....	86												11	32	38	5	1
Suicide.....	26									8		7	1	1	1		
Other violence.....	213	6	2	4		2	3	16	42	63	46	22	20	10	5		2
Ill-defined causes.....	80	17	4	1					6	14	9	5	10	9	3	1	

CAUSES OF DEATH, BY AGE.

321

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	4,020	651	125	52	40	31	88	220	454	449	435	435	473	342	130	23	4
Typhoid fever.....	110	2	1	2	4	3	3	35	28	14	10	2	3	1	1		1
Malarial fever.....	14		1					1	2	5	1	1		3			
Smallpox.....	1	1											1				
Measles.....	1																
Scarlet fever.....	8		1		3	1	1	2									
Whooping cough.....	11	6	2	2													
Diphtheria and croup.....	29	5	3	3	4	1	9	3	1		4	6	10	12	2		
Influenza.....	40		1						2	3	2	6					
Cholera nostras.....	3										2		1				
Dysentery.....	36	6	1				1	2	2	2	3	6	5	6	2		
Erysipelas.....	10	4								3		3					
Other epidemic diseases.....																	
Septicemia.....	26	1					1	4	7	6	2	1	2	1	1		
Tuberculosis—total.....	545	7	6	7	1	1	13	50	179	133	79	42	24	3			
Tuberculosis of lungs.....	508	5	4	6	1		10	43	173	127	72	40	24	3			
Tuberculosis of larynx.....	2								1			1					
Tuberculous meningitis.....	14	2	2	1		1	1	1	2	3	1						
Abdominal tuberculosis.....	11							3	1	2	4						
Pott's disease.....	4							2	1	2	2						
Tuberculous abscess.....	1																
White swelling.....	1											1					
Tuberculosis of other organs.....	1																
General tuberculosis.....	4						1	1	2								
Scrofula.....	1			1													
Veneral diseases.....	12	6								1	1	2	1				
Cancer.....	126					1		1	6	10	31	29	27	19	2		
Tumor.....	4									1	2		1				
Rheumatism.....	18				1		1		3	2	3	4	4				
Diabetes.....	23							3			2	8	6	4			
Anemia, leukemia.....	14	3				2		1	2		3	2	1				
Alcoholism.....	6									3	1	2					
Chronic poisonings.....	1										1						
Other general diseases.....	4	1	1							1		1					
Encephalitis.....	2	1			1												
Meningitis.....	108	38	14	6	8	4	6	8	9	5	4	4	2				
Apoplexy.....	160	6	5		1	1	1	1	4	24	23	29	43	28	4		
Softening of brain.....	17								2	1	3	2	3	6			
Paralysis.....	82		1		1		1	1	3	8	12	12	25	15	1	2	
Epilepsy.....	1	1															
Convulsions.....	89	72	8	5	1	2		1	4	1	1						
Tetanus.....	15	6					1		7	3	4	12	3				
Other diseases of nervous system.....	37	1												4	2		
Pericarditis.....	9	1						3	1	2	1			1			
Endocarditis.....	20						1	4	1	4	1	3	4	2			
Heart disease.....	276	2					6	15	21	34	43	55	41	51	7		1
Angina pectoris.....	13							1			1	2	2	4	2		
Embolism and thrombosis.....	7									1	2	1	2	1			
Other diseases of circulatory system.....	26	5			3			1			5	1	4	3	2		
Laryngitis.....	3				1			1				1					
Acute bronchitis.....	42	19	6	3	2	1	1	1		1	1	1	4	1	1		
Chronic bronchitis.....	44							3	6	1	3	7	13	7	3		
Bronchopneumonia.....	29	8	5	1	2	1	1	2				4	1	2	1	1	
Pneumonia.....	336	53	23	8	9	4	11	13	38	29	34	38	32	30	12	2	
Pleurisy.....	19	1		2				1	5	1	5	2		1		1	
Congestion of lungs.....	17	2	1		1		1		3			3	4				
Other diseases of respiratory system.....	51							1	6	8	6	12	10				
Tonsillitis.....	5	1			1	1	2										
Diseases of stomach.....	58	5	1		1	2		1	5	11	7	6	12	7			
Diarrhea and enteritis.....	156	60	20	4	2		1	3	4	6	8	7	7	3	1		
Hernia and intestinal obstructions.....	27	2	1		1			1	3	2	1	6	6	3			
Cirrhosis of liver.....	30									2	11	9	8				
Other diseases of liver.....	24									4		1		5	1		
Peritonitis.....	53						1	10	11	15	12	2	2				
Appendicitis.....	15						1	2	2	5	1	2	2				
Other diseases of digestive system.....	15	2					1	1		3	1	4	5	1			
Acute nephritis.....	21			1	1		3		3	1	1	3	3	3	1		
Bright's disease.....	228	3				1	1	5	17	34	31	40	33	35	5		
Calculi of urinary tract.....																	
Uterine tumor.....	4										1	3					
Ovarian tumor.....	3									1		1					
Other diseases of genito-urinary system.....	19								2	3	4		7	1	2		
Puerperal septicemia.....	9							1		2	1						
Other causes incident to childbirth.....	6								3								
Diseases of skin.....	19						1	1	3	2	1	1	6	4			
Diseases of locomotor system.....	5	2	1										1				
Malformations.....	8	7					1										
Premature birth.....	70	70															
Congenital debility.....	149	149															
Old age.....	226												33	100	77	16	
Suicide.....	33							3	9	3	9	5	3	1			
Other violence.....	171	1	1	3	3	2	9	23	32	25	27	18	16	5	4		
Ill-defined causes.....	211	61	21	4		2	4	0	13	15	21	28	22	9	4	1	

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES. BY AGE: 1905—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,161	297	74	36	33	16	45	149	377	314	218	257	181	109	48	8	2
Typhoid fever.....	41	1		1	2		2	4	16	10	2	2	1				
Malarial fever.....	148	15	10	5	4	1	8	15	24	19	12	19	10	1	3	1	
Smallpox.....	1								1								
Measles.....																	
Scarlet fever.....	3			2			1										
Whooping cough.....	16	12	3		1												
Diphtheria and croup.....	15	4	2	1	1	3	3	1									
Influenza.....	38	1	1	1			1	2	7	3	1	10	6	3	2		
Cholera nostras.....																	
Dysentery.....	26	2	1				1		3	2	2	5	6	1	3		
Erysipelas.....	7								3	1	2						
Other epidemic diseases.....	1						1										
Septicemia.....	9								2	3	2	1	1				
Tuberculosis—total.....	205	4	3	3			7	44	110	60	31	21	6	6			
Tuberculosis of lungs.....	278	4	2				7	42	104	57	29	21	6	6			
Tuberculosis of larynx.....	3								2	1							
Tuberculous meningitis.....	3		1	1				1			1						
Abdominal tuberculosis.....	6			2					3		1						
Pott's disease.....																	
Tuberculous abscess.....																	
White swelling.....	2							1		1							
Tuberculosis of other organs.....	1									1							
General tuberculosis.....	1								1								
Scrofula.....	4		2			1		1									
Veneral diseases.....	15	6							3	5	1						
Cancer.....	42							1	4	4	9	8	12	4			
Tumor.....	4																
Rheumatism.....	14							2	1	2	3	5		2	1		
Diabetes.....	2								1			1					
Anemia, leukemia.....	5						1			1	1	1				1	
Alcoholism.....	11									5	2		4				
Chronic poisonings.....																	
Other general diseases.....	3										1	1	1				
Encephalitis.....	5	3					1		1								
Meningitis.....	33	11	4	4	1	1	1	3	2	1	3	2					
Apoplexy.....	48	4			2		1	2	5	2	11	10	8	3			
Softening of brain.....	2											1					
Paralysis.....	17								2		2	3	4	3	3		
Epilepsy.....																	
Convulsions.....	24	18	2	2			2										
Tetanus.....	7	3					2	1				1					
Other diseases of nervous system.....	20	2						1	3	2	4	4	2	2			
Pericarditis.....	6						1		3	3	1	1					
Endocarditis.....	8							2	1		2						
Heart disease.....	102		1					3	12	12	21	21	16	15	1		
Angina pectoris.....	6									2			3	1			
Embolism and thrombosis.....	6								3	1		1			1		
Other diseases of circulatory system.....	18					1			1	1		7	1	5	1	1	
Laryngitis.....																	
Acute bronchitis.....	13	8	3								1	1					
Chronic bronchitis.....	17							3	4	2	1	1	3	2	1		
Bronchopneumonia.....	31	14	5	1	1				1	4		1	1	1			
Pneumonia.....	164	24	2	4	5	2	3	14	27	17	25	23	12	6			
Pleurisy.....	5							2				1	2				
Congestion of lungs.....																	
Other diseases of respiratory system.....	20						1	2	2	4	2	3	3	1	2		
Tonsillitis.....	1																
Diseases of stomach.....	34	4	1	1	1		2	1	3	6	2	2	7	3	1		
Diarrhea and enteritis.....	131	69	22	7	2	1	2		3	5	4	9	4	3			
Hernia and intestinal obstructions.....	22	3	1					1	3	2	5	3	2	1			
Cirrhosis of liver.....	11									1	3	1	4	2			
Other diseases of liver.....	19				1			2	1	5	3	3	3		1		
Peritonitis.....	11							1	3	4	2			1			
Appendicitis.....	18							1	6	4	2	4				1	
Other diseases of digestive system.....	8	1	1					1	3				1				
Acute nephritis.....	14			1	1				4			2					
Bright's disease.....	125	1			1	1		7	12	17	10	30	24	13	9		
Calculi of urinary tract.....																	
Uterine tumor.....	8									3	1	2	2				
Ovarian tumor.....	5							1	4		1	1					
Other diseases of genito-urinary system.....	17									6	1	3	1	1			
Puerperal septicemia.....	13							3	3	5							
Other causes incident to childbirth.....	16							6	7	3							
Diseases of skin.....	11		1		1				1	1	1	2	2	1	1		
Diseases of locomotor system.....	7	1			1				1	3							
Malformations.....	7																
Premature birth.....	20	20															
Congenital debility.....	31	31															
Old age.....	35							3	11	6	4	1	6	10	16	3	
Suicide.....	25																
Other violence.....	199	5		2	7	4	2	19	57	47	21	15	6	9	2	2	1
Ill-defined causes.....	124	23	9	1	1				15	17	17	21	15	4			

CAUSES OF DEATH, BY AGE.

323

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	4,083	1,075	173	67	44	45	106	202	367	312	363	354	365	379	200	30	1
Typhoid fever.....	71		2		2	1	3	17	21	17	4	3	1				
Malarial fever.....	1								1								
Smallpox.....	9	5	2	1			1										
Measles.....	24		1	4	2	4	8	3		2							
Scarlet fever.....	40	26	6	4	2	1	1										
Whooping cough.....	42	1	8	9	10	6	4	3				1					
Diphtheria and croup.....	24	2			1	1			1	1	1	2	4	9	2		
Influenza.....	6	1	1				1						1				
Cholera nostras.....																	
Dysentery.....	6	1	1	1	2				1	1	1				1		
Erysipelas.....	6	3							1	1	1						
Other epidemic diseases.....	1	1															
Septicemia.....	11	4						1	1	1	3	1					
Tuberculosis—total.....	509	17	12	7	5	5	11	69	160	95	62	33	26	5	1		1
Tuberculosis of lungs.....	419	5	5	2	1		2	57	145	87	55	30	24	5	1		
Tuberculosis of larynx.....	6								2	2							
Tuberculous meningitis.....	43	8	4	3	4	5	7	7	1	2		1					1
Abdominal tuberculosis.....	16	2					1	3	3	2	3		2				
Pott's disease.....	5								3	1	1						
Tuberculous abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....	7	1	1	1				2			2						
General tuberculosis.....	13	1	2	1			1	2	4	1	1						
Scrofula.....	1	1										2					
Veneral diseases.....	19	9						1	3	2	1		1				
Cancer.....	203						2		2	14	44	53	44	33	10	1	
Tumor.....	4									1			3				
Rheumatism.....	22						3	5		3	4	3	2	2			
Diabetes.....	40							1	5	2	5	10	8	8	1		
Anemia, leukemia.....	19	1	1	1			1	2	2	6	1	3	1				
Alcoholism.....	10								1	2	3	1	1	2			
Chronic poisonings.....	1																
Other general diseases.....	10	1						1	2		2	2	2				
Encephalitis.....	1																
Meningitis.....	71	22	8	5	4	6	13	2	3	1	2	2	2	1			
Apoplexy.....	147	4					1					16	35	41	23	1	
Softening of brain.....	5												1		3	1	
Paralysis.....	15			1								2	4	5	1	1	
Epilepsy.....	1																
Convulsions.....	113	99	9	2	2			1									
Tetanus.....	2							6									
Other diseases of nervous system.....	49	4	1		1		1		3	4	9	10	1	2	1	1	
Pericarditis.....	2	1															
Endocarditis.....	39	2	1				1	3	7	1		2	4	7	8	3	
Heart disease.....	302						1	1	11	24	13	37	51	68	50	36	4
Angina pectoris.....	11											1	1				
Embolism and thrombosis.....	16						1			2	2	3	4	4			
Other diseases of circulatory system.....	47	2									3	2	11	17	11	1	
Laryngitis.....	3	2		1													
Acute bronchitis.....	93	65	12	5			1	3	2	1	2	2	8	17	11	3	
Chronic bronchitis.....	54	1	1					6					2	4			
Bronchopneumonia.....	91	51	16				3	6									
Pneumonia.....	37	16		1			2	6	6	9	26	19	22	14	30	5	
Pleurisy.....	11	2	2				2		3			1	1				
Congestion of lungs.....	10									1	1			1	2	1	
Other diseases of respiratory system.....	27	4					1	1	3	3	4	3	4	3			
Tonsillitis.....	5		1	1	1	1											
Diseases of stomach.....	115	68	16	1	1		2		2	4	6	4	4				
Diarrhea and enteritis.....	339	285	39	7	4	1	2	2	2	2	2	2	4	3	5	1	
Hernia and intestinal obstructions.....	44	5		2		1	1	3		2	4	6	6	5	2	1	
Cirrhosis of liver.....	35						1			5	9	21	9	9			
Other diseases of liver.....	27		1				1	6	3	2	7	6	4	2			
Peritonitis.....	32	2		1			2	5	5	6	1	4	4				
Appendicitis.....	42						8	10	12	8	4						
Other diseases of digestive system.....	15	6	3						1	1		2			1		
Acute nephritis.....	23	3		1	1	3	2	2	5		1	4					
Bright's disease.....	169	6	2	1	1	3	3	6	9	14	31	28	29	24	11	1	
Calculi of urinary tract.....	1																
Uterine tumor.....	5								1	3			1				
Ovarian tumor.....	1																
Other diseases of genito-urinary system.....	35	1					1		5	2		3	2	12	4		
Puerperal septicemia.....	29							19	9	1							
Other causes incident to childbirth.....	20							2	6								
Diseases of skin.....	22	14								2			3	1	3		
Diseases of locomotor system.....	11	5	2				1	2	1								
Malformations.....	31	26	3														
Premature birth.....	108	108															
Congenital debility.....	92	92															
Old age.....	94																
Suicide.....	73																
Other violence.....	223	46	4	2	3	2	8	22	19	8	18	11	5	33	46	10	
Ill-defined causes.....	61	37	2						1	1	4	4	3	6	3		

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,469	370	54	31	26	16	63	133	295	251	283	229	274	280	132	23	9
Typhoid fever.....	64			2			4	9	23	15	8	2		1			
Malarial fever.....	2																
Smallpox.....	1							1		1							
Measles.....	2																
Scarlet fever.....	9	1	1	3	4	1											
Whooping cough.....	3	2	1														
Diphtheria and croup.....	55	3	6	9	3	6	18	5	3		1			1			
Influenza.....	13	2		1			1	1					3	4	2		
Cholera nostras.....	3						1						1	1			
Dysentery.....	4		2											1	1		
Erysipelas.....	12	5	1						2				1	2		1	
Other epidemic diseases.....																	
Septicemia.....	5	1						1	1	1			1				
Tuberculosis—total.....	294	3			3	1	6	36	87	62	49	21	18	7	1		
Tuberculosis of lungs.....	244						2	26	77	56	41	20	15	6	1		
Tuberculosis of larynx.....	2								1								
Tuberculous meningitis.....	11	1			2	1	3	3									
Abdominal tuberculosis.....	7	1						2		1			1				
Pott's disease.....	5				1			1	2		1						
Tuberculous abscess.....																	
White swelling.....	1								1								
Tuberculosis of other organs.....	7							1	1	2			1				
General tuberculosis.....	17	1					1	3	5	3	2		1	1			
Scrofula.....																	
Veneral diseases.....	18	11							2	2		1	2				
Cancer.....	164							3	3	14	35	47	33	23	5		1
Tumor.....	1																
Rheumatism.....	16						1	2	1	1	5	3	1	1	1		
Diabetes.....	40				1				8	2	6	5	6	10			
Anemia, leukemia.....	16				2			1	1	1	5	1	2	3			
Alcoholism.....	11								2	3	3	2	1				
Chronic poisonings.....																	
Other general diseases.....	7	1						1	3	1		1					
Encephallitis.....	40																
Meningitis.....																	
Apoplexy.....	87	2	4	2	2	1	2	2	2	3	3		9	29	23	10	2
Softening of brain.....	4																
Paralysis.....	17							1					1	6	4	3	
Epilepsy.....	3									1							
Convulsions.....	33	27	1	1	1	2		1									
Tetanus.....	4						2		1								
Other diseases of nervous system.....	51	5			1			2		4	7	16	4	7			1
Pericarditis.....	5							1	1	1			1	1			
Endocarditis.....	20	2						3	2	2	2	2	1	3	3		
Heart disease.....	173	2			1		1	10	10	20	20	23	33	34	17	1	1
Angina pectoris.....	2																
Embolism and thrombosis.....	11	1							2	2	2	2	1	1	1		1
Other diseases of circulatory system.....	30	2							2		4	5	3	8	6		
Laryngitis.....	1			1													
Acute bronchitis.....	17	12	1	1										1	1	1	
Chronic bronchitis.....	11													1	4	5	1
Bronchopneumonia.....	45	21	5	1	1		1	2					3	3	4	4	1
Pneumonia.....	181	35	9	3		2	4	5	15	22	21	15	21	18	10	1	
Pleurisy.....	10						1										
Congestion of lungs.....	10	2								1	2	1	1	1			
Other diseases of respiratory system.....	16						1	1	1	4	1		1	3	2		
Tonsillitis.....																	
Diseases of stomach.....	26	1			1				1	1	5	2	5	8	1	1	
Diarrhea and enteritis.....	146	96	15	2	2	1		2	2		1	1	6	10	4	1	
Hernia and intestinal obstructions.....	23	5							3	2	3	4	2	3	1		
Cirrhosis of liver.....	7								2			1	2	1			1
Other diseases of liver.....	27	1					1		3	5	1	4	6	4	2		
Peritonitis.....	16						1	2	7	3		3					
Appendicitis.....	62				1		5	11	18	7	13	4	3				
Other diseases of digestive system.....	6	1							1				3				
Acute nephritis.....	17								2	1	4	2					
Bright's disease.....	158	1		1			1	3	9	14	24	27	34	32	11		1
Calculi of urinary tract.....	1																
Uterine tumor.....	6									2	2	2					
Ovarian tumor.....	7									5							
Other diseases of genito-urinary system.....	43	1			1				2	4	1	1	9	10	4		
Puerperal septicemia.....	16								1	2	1						
Other causes incident to childbirth.....	15							1	6	3	5						
Diseases of skin.....	14	1									1	3	1	4	2		
Diseases of locomotor system.....	6		1			1				2							
Malformations.....	29	28					1										
Premature birth.....	38	38															
Congenital debility.....	23	23															
Old age.....	54												3	15	26	10	
Suicide.....	32							2	18	10	8	8	3	3	1		2
Other violence.....	158	9	2	3	2	1	11	14	30	20	15	9	15	18	5	2	
Ill-defined causes.....	14	10	1	1							1			1			

CAUSES OF DEATH, BY AGE.

325

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES OR CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	2,230	430	81	52	25	28	68	91	173	222	217	237	286	290	98	16	2
Typhoid fever.....	51				1		1	5	17	11	9	1	3	3			
Malarial fever.....	13		2	2		1		1	2				2	2	1		
Smallpox.....	3		2	1													
Measles.....	8		1		1		5	1									
Scarlet fever.....	10	5	4		1												
Whooping cough.....	16	2	5	2	1	2	3	1									
Diphtheria and croup.....	24	6	2		1			1			2	1	7	3	1		
Influenza.....																	
Cholera nostras.....																	
Dysentery.....	19	2	1	1			1						7	3	4		
Erysipelas.....	10	4	1							1	2	1		1			
Other epidemic diseases.....																	
Septicæmia.....	3							1	1	1							
Tuberculosis—total.....	222	9	5	6	3	1	4	22	57	58	31	15	4	3	1		
Tuberculosis of lungs.....	187	3	1	2	2	1		22	49	54	30	15	4	3	1		
Tuberculosis of larynx.....	1										1						
Tuberculous meningitis.....	16	5	3	3	1		2			1	1						
Abdominal tuberculosis.....	7			1			2		3								
Pott's disease.....	5		1						1	2	1						
Tuberculous abscesses.....																	
White swelling.....	2							2									
Tuberculosis of other organs.....	3	1						1		1							
General tuberculosis.....	1							1									
Scrofula.....																	
Veneral diseases.....	7	5							2	9	19	32	32	15		1	
Cancer.....	110																
Tumor.....																	
Rheumatism.....	8							1		1			3	2	1		
Diabetes.....	21								4	2	2	3	9	1			
Anæmia, leukemia.....	6	2										3		1			
Alcoholism.....	10								1	1	5	3					
Chronic poisonings.....	2											1					
Other general diseases.....	3									2			1				
Encephalitis.....	6						1				2	2	1				
Meningitis.....	142	12	12	14	4	11	28	30	12	6	8	2	1	2			
Apoplexy.....	105	2		1						2	13	25	15	33	7	4	
Softening of brain.....	3									1				1			
Paralysis.....	9											2	3	1	3		
Epilepsy.....	2												2				
Convulsions.....	25	19	2	3					1								
Tetanus.....	9	5					2	1		1							
Other diseases of nervous system.....	29	3				1	1		2	3	2	4	3	7	3		
Pericarditis.....	1									1							
Endocarditis.....	9										4	1	2				
Heart disease.....	206				1	1	2	4	9	17	23	41	50	35	21	2	
Angina pectoris.....	14								1		3	2	4	3		1	
Embolism and thrombosis.....	11									1		2	4	3	1		
Other diseases of circulatory system.....	22			1					1		1	4	2	5	7	1	
Laryngitis.....	4		1	1		1											
Acute bronchitis.....	32	23	2	2	1				1				2	2	1		
Chronic bronchitis.....	18								1	1	2	2	5	3	3	1	
Bronchopneumonia.....	57	15	6	3	2	2	1		1	2	2	2	2	1			
Pneumonia.....	126	25	17	7	3	2	4	3	10	19	20	20	24	16	6		
Pleurisy.....	6		1						1		1		3				
Congestion of lungs.....	8	2									1	1	2		2		
Other diseases of respiratory system.....	6										3	1	1	1			
Tonsillitis.....																	
Diseases of stomach.....	30	6					1	2	2	3	2	1	3	7	2	1	
Diarrhea and enteritis.....	162	127	16	4			2	1	1		1	2	5	3	1		
Hæmæmia and intestinal obstructions.....	21	1	1		1			1		3	3	4	3	1	2		
Cirrhosis of liver.....	21									6	5	4	2	3	1		
Other diseases of liver.....	9									1	4	1	1	2	1		
Peritonitis.....	6	1				1		1	2				1				
Appendicitis.....	26				1	1	3	10	5	3		1	1	1			
Other diseases of digestive system.....	6	2	1					1				2	1				
Acute nephritis.....	15					1			2	3	3	1	3		2		
Bright's disease.....	114	1			1	1	2	1	6	12	17	23	31	13	6		
Calculi of urinary tract.....	1												1				
Uterine tumor.....	3									2	1						
Ovarian tumor.....	2									2							
Other diseases of genito-urinary system.....	26	1								4	4	4	3	3	2	1	
Puerperal septicæmia.....	7								2	5							
Other causes incident to childbirth.....	12								4	8							
Diseases of skin.....	9										1	1	5		2		
Diseases of locomotor system.....	3	1										1		1			
Malformations.....	18	17			1												
Premature birth.....	53	53															
Congenital debility.....	40	40															
Old age.....	30																
Suicide.....	25							1	9	6	3	3	7	7	13	3	
Other violence.....	114	15	1	3	2	2	6	6	14	19	14	9	15	6	1		
Ill-defined causes.....	51	24	1	1			1			6	2	5	3	4	2	1	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	7,329	1,132	240	83	55	54	107	415	951	946	898	840	703	604	222	73	6
Typhoid fever.....	101	2	1	1	1	2	4	23	31	18	10	6	2	1			
Malarial fever.....	50	2	1	1			1	12	8	7	6	9	3				
Smallpox.....	6	1						1	1		2	1				1	
Measles.....	8	1		1		2	3	1									
Scarlet fever.....	30	17	10	1	1		1										
Whooping cough.....	42	2	9	15	2	5	8	1									
Diphtheria and croup.....	109	6	3		1	1		4	5	6	17	13	23	22	7	1	
Influenza.....	8							1	1	2		1					
Cholera nostras.....	44	2	1					1	5	4	6	10	10	3	2		
Dysentery.....	8							1	1		2	3	1		1		
Erysipelas.....	436	2	5	4	5	3	17	83	117	88	67	30	12	2			1
Other epidemic diseases.....	26	5						2	2	6	5	3	2		1		
Septicemia.....	1,072	14	5	4	5	4	9	82	312	263	182	100	50	9	3		
Tuberculosis—total.....	980	7	3	2	3	1	1	72	322	245	171	95	43	7	2		
Tuberculosis of lungs.....	8							1	1	1	1	2					
Tuberculosis of larynx.....	9	1		2	1		2	2	1	1					1		
Tuberculosis meningitis.....	26	2						3	6	3	4	3	2				
Abdominal tuberculosis.....	8					1		2	2	2	1						
Pott's disease.....	1												1				
Tuberculous abscess.....	8	2	1			2	1		1	1							
White swelling.....	32	2	1		1		1	3	7	7	5		3	2			
Tuberculosis of other organs.....																	
General tuberculosis.....																	
Scrofula.....	21	5	1					1	3	5	4		1		1		
Veneral diseases.....	263	1		1		1	3	2	9	36	47	74	51	31	6	1	
Cancer.....	3												3				
Tumor.....	24						1	4	2	2	2	2	6	4	1		
Rheumatism.....	20	2						1	4	1	5		7	4	2	1	
Diabetes.....	21									3	6	2	2	1			
Anemia, leukemia.....	30								5	11	9	2	2	1			
Alcoholism.....	4	1								1	2	1					
Chronic poisonings.....	7	1	1			2				1				1			
Other general diseases.....	7	1															
Encephalitis.....	113	51	19	7	6	5	7	3	2	4	4	2	2	1			
Meningitis.....	262	7	5	1	2		1	2	4	11	40	65	55	45	10	1	1
Apoplexy.....	19	7							1	3	4	3	5	2	1	4	
Softening of brain.....	54							3	2	3	7	13	14	7	4		1
Paralysis.....	12							3	2	2	2	2	1				
Epilepsy.....	59	43	7	3		3	3	3	2								
Convulsions.....	137	104	1			1	8	9	4	2	4	1	2	1			
Tetanus.....	104	1		1		1	1	2	10	10	21	29	10	13	5		
Other diseases of nervous system.....	5					1			2		1		1				
Pericarditis.....	148					2	6	10	19	25	29	31	18	6	2		
Endocarditis.....	494	3				1	11	30	51	82	89	109	88	25	4		
Heart disease.....	12								1	1	3	6	1	1			
Angina pectoris.....	15								1	1	5	4	4	4			
Embolism and thrombosis.....	88	2						3	8	5	13	20	25	8	4		
Other diseases of circulatory system.....																	
Laryngitis.....	64	43	9	3	2	3			2	2	2	1	2	1			
Acute bronchitis.....	47	2		1					2		2	4	12	12	9	1	
Chronic bronchitis.....	72	35	14	4	6	1	2	3	1	1	1	1	2	2	1		
Bronchopneumonia.....	417	76	32	12	8	5	9	29	51	48	36	44	38	21	6	2	
Pneumonia.....	16		2	1				1	4	5	1	2					
Pleurisy.....	20	2	1					2		2	1	3	1	6	2		
Congestion of lungs.....	50		2	1	3	1		1	2	9	12	4	7	4	3		
Other diseases of respiratory system.....	2				1					1	1						
Tonsillitis.....	53	3	3	2			2		3	10	6	10	5	6	3		
Diseases of stomach.....	599	319	74	10	6	1	3	4	9	16	19	13	13	14	7	1	
Diarrhea and enteritis.....	48	8	1					2	3	7	7	8	4	7		1	
Hernia and intestinal obstructions.....	100						1		8	15	30	27	14	5			
Cirrhosis of liver.....	37							1	9	5	12	5	3	2			
Other diseases of liver.....	27	2					1	1	7	8		6	1	1			
Peritonitis.....	36	1						15	6	6	3	3					
Appendicitis.....	21	6	5					2	2	1	4	1					
Other diseases of digestive system.....	63	1	1				1	2	5	12	11	9	2	2			
Acute nephritis.....	552					2		11	51	77	108	120	109	68	10	2	
Bright's disease.....	2								1	1							
Calculi of urinary tract.....	9								1	6		2					
Uterine tumor.....	10								1	1	1	1		2			
Ovarian tumor.....	37							2	12	13	7	9	10	4			
Other diseases of genito-urinary system.....	41							6	30	13	2						
Puerperal septicemia.....	34							6	17	8	3						
Other causes incident to childbirth.....																	
Diseases of skin.....	32	4	2				1	1		3	2	5	7	5	2		
Diseases of locomotor system.....	10	1	1		2		1		1	1		1	2				
Malformations.....	40	39	1														
Premature birth.....	90																
Congenital debility.....	132	132															
Old age.....	278							4	14	26	6	9	8	145	77	48	
Suicide.....	54																
Other violence.....	395	11	8	4	3	8	12	52	107	71	4	50	24	22	7	6	3
Ill-defined causes.....	141	83	14	5	1							4	11	4			

CAUSES OF DEATH, BY AGE.

327

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (AGGREGATE.)

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	73,573	16,498	4,307	1,824	1,102	747	2,128	2,846	6,300	8,158	7,986	7,336	7,337	4,902	1,848	248	6
Typhoid fever.....	641	1	5	3	8	7	22	120	198	162	64	27	18	6			
Malarial fever.....	57	4	2	5	2	1	3	5	7	6	3	6	9	3	1		
Smallpox.....	10	1	1		2				2	2	2						
Measles.....	445	132	164	61	37	14	50	2	5								
Scarlet fever.....	489	29	60	90	73	55	128	30	17	6			1				
Whooping cough.....	374	192	95	38	23	15	10				1						
Diphtheria and croup.....	1,493	150	341	290	217	144	279	43	12	12	1	1	2	1			
Influenza.....	344	31	14	8	8	2	5	16	27	29	37	36	51	47	31	2	
Cholera nostras.....	26	6	1					4	2	2	3			6			
Dysentery.....	188	49	18	8	4	1	6	4	6	10	11	10	17	26	17	1	
Erysipelas.....	277	137	6			1	1	7	13	20	39	25	18	8	3		
Other epidemic diseases.....	12	6	1	1	1				1	1							
Septicæmia.....	70	22	3				3	3	7	8	8	7	1	5	1		
Tuberculosis—total.....	9,622	287	221	148	75	54	170	691	2,359	2,630	1,689	829	384	72	12	1	
Tuberculosis of lungs.....	8,445	60	50	28	18	16	50	607	2,245	2,546	1,611	787	353	64	9	1	
Tuberculosis of larynx.....	71						1	2	15	15	18	11	7	1			
Tuberculous meningitis.....	638	158	143	98	46	29	71	32	29	15	11	2	3	1			
Abdominal tuberculosis.....	196	41	15	6	3	4	15	9	33	20	10	12	2				
Pott's disease.....	70	2	2		1	3	13	16	8	10	6	6					
Tuberculous abscess.....	6	1					1				2						
White swelling.....	49	5		2	1	1	10	10	6	4	5	4	1				
Tuberculosis of other organs.....	59	3	4	3	1		3	5	10	9	8	5	3	3	2		
General tuberculosis.....	88	17	7	6	2	1	6	10	12	11	8	4	3	1			
Scrofula.....	24	14	2	1	1	1	3	1	1								
Veneral diseases.....	228	129	10	2			3	7	13	28	22	8		1			
Cancer.....	2,892	8	1	4	1	1	7	18	89	274	630	740	703	352	60	4	
Tumor.....	36	2			1		1	3	1	6	8	4	5	4	1		
Rheumatism.....	344	9	2	3	4	3	33	57	32	46	39	39	40	27	7	3	
Diabetes.....	656			1	1		3	13	26	42	60	164	200	106	19	1	
Anæmia, leukemia.....	159	13	2	1	3	1	7	14	23	16	27	23	19	9	1		
Alcoholism.....	339						2	2	48	123	115	46	22	3			
Chronic poisonings.....	20								5	6	5	5					
Other general diseases.....	58	10		1			1	4	12	11	7	5	5	2			
Encephalitis.....	18	3	1						1	1	2	2	3	1			
Meningitis.....	2,531	446	284	218	172	127	475	379	170	121	73	30	24	3			
Apoplexy.....	2,584	63	11	7			3	11	45	134	377	618	754	625	294	12	
Softening of brain.....	54									1	2	7	18	18	8		
Paralysis.....	189	4	2			1	2	2	4	7	14	34	48	47	22	2	
Epilepsy.....	110	14	3		2		4	6	28	16	18	7	9	3			
Convulsions.....	649	512	90	20	11	5	7	1	1	1					1		
Tetanus.....	62	24			1	5	5	6	5	7	5	3					
Other diseases of nervous system.....	851	52	29	12	9	10	25	40	60	140	163	113	105	72	19	2	
Pericarditis.....	58	1				1	1	3	11	6	12	5	5	5	3		
Endocarditis.....	766	15	5	3	3	5	33	44	59	82	90	111	141	123	49	3	
Heart disease.....	5,779	45	11	8	12	9	103	297	346	548	735	949	1,050	767	252	25	
Angina pectoris.....	185								2	14	25	40	57	40	7		
Embolism and thrombosis.....	173	3		1	1		1	3	13	17	36	25	33	27	12	1	
Other diseases of circulatory system.....	586	13	3	4	2	2	2	4	23	22	58	67	135	153	76	22	
Laryngitis.....	25		6	3	4	1	3		2	1							
Acute bronchitis.....	1,181	764	186	47	16	14	9	9	6	3	7	17	31	38	26	8	
Chronic bronchitis.....	490	23	13	6			1	7	5	13	17	25	78	113	71	13	
Bronchopneumonia.....	3,390	1,416	777	243	96	51	80	33	57	88	87	101	144	126	76	15	
Pneumonia.....	5,945	881	533	212	92	74	128	181	466	733	752	678	658	415	121	17	1
Pleurisy.....	311	26	24	10	4	3	11	23	46	38	45	35	28	14	3	1	
Congestion of lungs.....	156	33	2	1			1	3	10	10	13	15	38	20	5		
Other diseases of respiratory system.....	842	20	18	10	2		5	6	23	41	49	58	49	45	11		
Tonsillitis.....	25	1	4	1			1	5	2	3	1		1				
Diseases of stomach.....	558	163	15	7	12		7	5	24	57	69	59	57	51	28	4	
Diarrhea and enteritis.....	6,721	5,035	1,018	149	56	34	43	17	30	38	48	39	71	74	41	7	1
Itæmia and intestinal obstructions.....	591	85	10	4	6	1	9	15	45	72	95	87	99	44	18	1	
Cirrhosis of liver.....	932	1	2	1	1	1	2	5	29	145	248	245	181	76	12	2	1
Other diseases of liver.....	332	11	1	1			1	4	23	36	44	50	37	19	5		
Peritonitis.....	109	6	2				9	4	21	22	19	14	9	1			
Appendicitis.....	498	1	1	2	5	4	47	127	115	78	57	32	22	6	1		
Other diseases of digestive system.....	170	52	12	5	1	2	4	7	19	15	18	11	17	6	1		
Acute nephritis.....	697	35	13	15	14	7	34	45	98	121	105	97	68	33	12		
Bright's disease.....	5,722	36	14	15	5	2	25	77	332	669	941	1,165	1,340	809	270	22	
Calculi of urinary tract.....	28		1				1		1	5	3	7	7	1			
Uterine tumor.....	80								2	20	34	18	5	1			
Ovarian tumor.....	54						1		15	11	10	8	5	1			
Other diseases of genito-urinary system.....	509	7	2					26	102	108	61	39	57	76	27	4	
Puerperal septicæmia.....	435							29	167	223							
Other causes incident to childbirth.....	402							23	163	181	35						
Diseases of skin.....	244	52	3	8		3	5	6	10	17	16	28	40	34	19	3	
Diseases of locomotor system.....	182	36	31	12	4	3	12	12	15	17	13	10	9	6	2		
Malformations.....	678	621	23	10	5		10	5	3	1							
Premature birth.....	1,460	1,460															
Congenital debility.....	1,834	1,834															
Old age.....	464												58	168	184	54	
Suicide.....	689							30	141	170	151	96	78	19	3		
Other violence.....	4,134	494	84	101	100	75	289	303	587	711	605	358	235	121	58	10	3
Ill-defined causes.....	1,146	934	126	13	3	3	2	1	7	6	11	7	10	11	10	2	

CAUSES OF DEATH, BY AGE.

329

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	23,880	5,122	1,384	633	392	245	728	974	1,952	2,461	2,419	2,340	2,539	1,820	729	100	3
Typhoid fever.....	288		2	2	4	2	11	55	92	70	26	13	9	2			
Malarial fever.....	25			3			2	3	3	2	2	3	4	2	1		
Smallpox.....	9	1	1		2				1	2	2						
Measles.....	167	55	48	29	15	3	15		2								
Scarlet fever.....	198	16	24	31	36	20	56	9	3	3							
Whooping cough.....	128	60	36	14	12	2	4					1	1	1			
Diphtheria and croup.....	570	33	117	114	82	56	138	16	6	5		1	1	1			
Influenza.....	140	18	6	1	3	1	1	12	9	9	14	14	21	20	11		
Cholera nostras.....	10	2						4									
Dysentery.....	84	15	9	4	1		3	2	3	6	6	6	7	14	8		
Erysipelas.....	66	28	2					3	3	6	8	8	4	2	2		
Other epidemic diseases.....	4	2	1	1				1	1	1	1	2	1	1			
Septicemia.....	13	3						1	1	1							
Tuberculosis—total.....	2,820	89	63	37	24	19	49	248	702	732	474	235	128	16	4		
Tuberculosis of lungs.....	2,423	19	11	2	7	5	12	212	668	700	448	210	113	14	2		
Tuberculosis of larynx.....	39						1	1	5	10	9	6	6	1			
Tuberculous meningitis.....	183	45	39	29	13	11	20	15	6	2							
Abdominal tuberculosis.....	51	16	8	2	2	2	3	5	11	13	6	3	3				
Pott's disease.....	26	1	2	1	1		4	5	3	3		3			1		
Tuberculous abscess.....	3	1									2						
White swelling.....	14	2		1		1	3	1	3			3					
Tuberculosis of other organs.....	17	1	1				1	3	3	1	1	3	1	1	1		
General tuberculosis.....	34	4	2	2	1		5	6	3	3	4	2	2				
Scrofula.....	3		1		1		1	1									
Veneral diseases.....	58	30	2					1	8	4	9	2	1				
Cancer.....	916			1			4	3	25	80	195	239	226	117	23	2	
Tumor.....	7	1			1						3	1			1		
Rheumatism.....	149	2	2		2	2	16	32	11	19	23	9	19	11	1		
Diabetes.....	207						1	3	8	9	14	56	67	39	9	1	
Anemia, leukemia.....	42	5	1		1		2	3	6	4	7	5	4	4			
Alcoholism.....	90								7	40	28	8	7				
Chronic poisonings.....	4								1	2	1						
Other general diseases.....	15	4					1	1	2	3	1	1	1	1			
Encephalitis.....	8	1	1	2					1			2	1				
Meningitis.....	607	85	66	55	45	37	127	92	43	28	14	6	8	1			
Apoplexy.....	1,085	14	7	1			1	5	13	45	127	216	288	272	92	4	
Softening of brain.....	22								1	2		1	6				
Paralysis.....	65	1	2				1	1	3	4	8	7	15	17	5	1	
Epilepsy.....	37	3	1		1			1	14	3	10	1	2	1			
Convulsions.....	232	184	32	6	5		3	1	1	1							
Tetanus.....	27	11			1		2	2	3	3	3	2					
Other diseases of nervous system.....	257	19	9	5	1	3	8	11	14	35	42	31	40	29	9	1	
Pericarditis.....	19							1	3	2	4	1	6	2			
Endocarditis.....	330	3	1	1	2	3	4	24	26	35	40	51	62	47	20	1	
Heart disease.....	1,993	31	5	1	5	3	39	107	111	195	254	333	426	338	117	10	
Angina pectoris.....	86								2	6	16	21	22	14	5		
Embolism and thrombosis.....	56	2		1					4	4	8	7	13	12	5		
Other diseases of circulatory system.....	162	6	2	1	2	1	1	2	3	6	11	18	45	45	13	6	
Laryngitis.....	10	2	1	1	2		3				2	6	8	15	12	3	
Acute bronchitis.....	428	275	62	23	3	9	3	3	4								
Chronic bronchitis.....	179	4	3	2		1	2		6	11	10	23	41	38	32	4	
Bronchopneumonia.....	959	297	207	80	33	14	21	11	13	20	23	31	40	43	24	2	
Pneumonia.....	2,016	284	167	83	33	21	54	67	169	255	231	219	229	155	40	9	
Pleurisy.....	93	2	3	3	2	1	5	6	21	14	15	10	8	1	1	1	
Congestion of lungs.....	49	10	1				1	2	3	6	4	2	3	10	5	3	
Other diseases of respiratory system.....	146	5	8	4	1		3	2	12	19	22	29	18	19	2		
Tonsillitis.....	10		1	1		1	2		2				1				
Diseases of stomach.....	191	43	5	2	4		3	2	10	21	25	14	25	24	11	2	
Diarrhea and enteritis.....	2,376	1,732	379	62	24	12	22	6	14	17	23	15	26	24	18	1	1
Hernia and intestinal obstructions.....	189	18	4	2	1		3	3	18	23	23	29	42	16	3	1	
Cirrhosis of liver.....	318						1	2	3	41	84	76	63	39	8		1
Other diseases of liver.....	65	2						1	9	10	9	17	10	5	2		
Peritonitis.....	22		1				3	1	2	4	5	1	5				
Appendicitis.....	156		1		2		12	54	40	25	8	8	5	1			
Other diseases of digestive system.....	46	11	4	2		1	2	3	5	1	4	6	5	1	1		
Acute nephritis.....	277	12	4	5	5	2	14	20	46	50	41	38	19	14	7		
Bright's disease.....	1,689	6	3	5	3		7	15	112	199	275	323	405	233	96	7	
Calculi of urinary tract.....	11						1		1	2		2					
Uterine tumor.....	28								9	11	6	1	1				
Ovarian tumor.....	23								8	6	3	3	2	1			
Other diseases of genito-urinary system.....	147	1						9	27	23	10	9	20	30	15	3	
Puerperal septicemia.....	136							11	68	49	8						
Other causes incident to childbirth.....	141							11	54	62	14						
Diseases of skin.....	88	12	1	5		3	2	2	3	4	8	7	14	17	8	2	
Diseases of locomotor system.....	52	10	4	2			4	4	2	6	5	2	1	3			
Malformations.....	268	282	7	2	2		3	1	1								
Premature birth.....	440	440															
Congenital debility.....	351	351															
Old age.....	197												20	69	79	29	
Suicide.....	183							8	32	40	41	30	22	7	2		
Other violence.....	1,188	199	31	31	28	21	68	84	163	173	155	109	59	39	23	5	1
Ill-defined causes.....	387	290	45	3	1	3			4	5	6	3	5	7			

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	39,592	9,108	2,465	987	575	394	1,112	1,415	3,339	4,383	4,425	4,049	3,810	2,328	791	111	
Typhoid fever.....	268	1	2	1	4	3	11	45	83	66	34	9	6	3			
Malarial fever.....	17	2					1	1	3	3	1	3	3				
Smallpox.....	1								1								
Measles.....	216	58	94	25	16	10	10	1	2								
Scarlet fever.....	198	8	22	36	28	25	52	12	12	2			1				
Whooping cough.....	178	51	51	16	9	11	6			1							
Diphtheria and croup.....	636	95	163	121	96	50	84	12	6	5	1						
Influenza.....	157	12	6	5	4	1	3	3	16	17	19	19	23	14	13	2	
Cholera nostras.....	11	2	1					2	1	1			2	2			
Dysentery.....	65	21	3	2	1	1		2	2	4	3	3	9	7	9	1	
Erysipelas.....	195	101	3		1	1		3	9	13	28	16	14	6			
Other epidemic diseases.....	5	2	1							1							
Septicemia.....	47	17	1	1			3	2	5	6	4			3	1		
Tuberculosis—total.....	4,787	173	121	93	43	31	98	201	1,131	1,269	870	426	192	43	5	1	
Tuberculosis of lungs.....	4,151	36	33	21	9	10	28	254	1,069	1,229	828	413	178	38	4	1	
Tuberculosis of larynx.....	18																
Tuberculous meningitis.....	372	65	77	60	28	17	41	14	16	11	8	2		1			
Abdominal tuberculosis.....	99	24	5	4	1	2	11	2	11	7	13	1	6	2			
Pott's disease.....	39	1		2	3	1	9	8	4	4	4	2	1				
Tuberculous abscess.....	1																
White swelling.....	39	2		1	1		6	8	2	4	4	1	1				
Tuberculosis of other organs.....	31	2	1	1			2	2	5	7	5	2	2	1	1		
General tuberculosis.....	46	13	5	4	1	1	1	3	7	5	3	1	1	1			
Scrofula.....	20	13	1	1		1	3	1									
Venereal diseases.....	145	86	7	2			2	4	4	19	11	6	3	1			
Cancer.....	1,635	5	1	2	1	1	3	12	56	167	363	421	385	190	26	2	
Tumor.....	26	1						2	1	5	4	3	5	4			
Rheumatism.....	149	7		3	2		14	20	15	20	13	21	17	10	2	2	
Diabetes.....	371			1	1		1	7	16	23	55	95	109	55	8		
Anemia, leukemia.....	96	8	1	1	1		1	10	11	10	14	15	14	5	1		
Alcoholism.....	223						2	2	37	66	68	32	13	3			
Chronic poisonings.....	13								5	4	1	2					
Other general diseases.....	31	4		1				2	10	5	4	4	3	1			
Encephalitis.....	8	2		2					1	1			1	1			
Meningitis.....	1,714	321	194	150	115	85	305	246	124	85	52	22	14	1			
Apoplexy.....	1,330	41	2	6			2	5	24	72	187	316	340	242	87	6	
Softening of brain.....	21									1	1	4	7	6	2		
Paralysis.....	89	3						1	1	3	5	17	26	22	10	1	
Epilepsy.....	52	8	1		1		3	3	11	7	7	6	4	1			
Convulsions.....	374	291	53	12	6	3	4	1	1	4	3	1			1		
Tetanus.....	26	10			1	1	1	2	3	1	4	3	1				
Other diseases of nervous system.....	470	25	14	6	7	6	14	23	44	85	95	66	42	34	8	1	
Pericarditis.....	32	1		2		1		1	7	3	6	4	2	2	3		
Endocarditis.....	360	11	4	2		2	23	18	27	40	40	48	67	56	21	1	
Heart disease.....	2,411	21	4	5	7	5	53	148	285	353	480	460	280	83	9		
Angina pectoris.....	86								8	9	16	30	22	1			
Embolism and thrombosis.....	88						1	3	6	11	23	12	17	11	3	1	
Other diseases of circulatory system.....	367	5	1	3		1		2	17	15	41	42	79	93	56	12	
Laryngitis.....	12	1	4	2	2				1	1	1						
Acute bronchitis.....	648	427	116	21	11	4	6	4	2	2	3	9	16	14	8	5	
Chronic bronchitis.....	249	15	9	4			4	3	6	5	11	47	60	52	26	7	
Bronchopneumonia.....	2,145	493	512	151	60	34	54	22	38	58	56	59	93	68	36	11	
Pneumonia.....	3,241	483	323	115	50	40	51	87	253	395	425	388	359	209	56	7	
Pleurisy.....	191	22	20	7	2	2	5	15	20	20	29	20	17	11	1		
Congestion of lungs.....	81	20	1		1			1	1	3	3	10	12	17	10	6	
Other diseases of respiratory system.....	158	13	9				3		9	18	22	25	25	20	6		
Tonsillitis.....	14	1	3				3	2	2	1							
Diseases of stomach.....	289	99	8	4	4		2	3	13	28	34	35	25	21	12	1	
Diarrhea and enteritis.....	3,456	2,628	523	68	24	20	20	11	14	20	23	18	35	34	15	3	
Hernia and intestinal obstructions.....	341	56	6	1	4		4	9	21	45	64	48	47	22	11		
Cirrhosis of liver.....	519	1	2	1	1	1	1	2	23	90	134	137	92	30	3	1	
Other diseases of liver.....	145	8	1	1			1	3	13	25	31	30	21	9	2		
Peritonitis.....	75	6					6	3	17	16	12	11	3				
Appendicitis.....	290	1		1	2	4	29	61	57	50	45	20	14	5	1		
Other diseases of digestive system.....	104	32	7	2	1		2	4	10	12	12	5	12	5			
Acute nephritis.....	335	16	8	10	6	4	13	20	43	58	52	45	41	15	4		
Bright's disease.....	3,364	27	11	9	2	1	13	49	184	400	560	711	770	475	138	14	
Calculi of urinary tract.....	15									3	3	4					
Uterine tumor.....	50							1	11	23	12	3					
Ovarian tumor.....	27						1		7	8	2						
Other diseases of genito-urinary system.....	308	6	1					16	71	72	43	22	33	33	10	1	
Puerperal septicemia.....	233							14	114	94	11						
Other causes incident to childbirth.....	208							10	90	90	18						
Diseases of skin.....	139	36	1	2			1	4	6	11	7	16	21	16	8	1	
Diseases of locomotor system.....	112	20	21	8	2	2	7	7	13	10	5	7	7	3			
Malformations.....	299	265	13	8			6	4	1								
Premature birth.....	831	831															
Congenital debility.....	1,295	1,295															
Old age.....	195												30	75	73	17	
Suicide.....	401							19	97	100	81	51			1		
Other violence.....	2,280	241	45	58	55	39	176	156	325	413	335	196	133	60	26	2	
Ill-defined causes.....	621	520	69	7	2		2	1	3	1	5	3	5	3	3		

CAUSES OF DEATH, BY AGE.

331

TABLE S.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes	3,189	757	151	68	49	39	100	134	260	328	327	310	326	214	110	16	
Typhoid fever	35	1	1	1	1	2	6	9	12	2	1	1	1	1	1	1	
Malarial fever	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Smallpox	12	2	2	2	3	1	2	4	1	1	1	1	1	1	1	1	
Measles	16	1	1	1	3	1	1	5	4	1	1	1	1	1	1	1	
Scarlet fever	27	19	2	4	1	1	1	1	1	1	1	1	1	1	1	1	
Whooping cough	71	3	7	9	11	14	25	1	1	1	1	1	1	1	1	1	
Diphtheria and croup	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Influenza	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cholera nostras	15	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	
Dysentery	7	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Erysipelas	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other epidemic diseases	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Septicemia	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculosis—total	318	6	9	5	3	4	27	88	85	55	24	10	1	1	1	1	
Tuberculosis of lungs	271	1	1	1	1	1	24	78	82	52	22	10	1	1	1	1	
Tuberculosis of larynx	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculous meningitis	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Abdominal tuberculosis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Pot's disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculous abscess	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
White swelling	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculosis of other organs	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
General tuberculosis	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scrofula	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Veneral diseases	9	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cancer	100	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tumor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Rheumatism	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diabetes	23	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Anemia, leukemia	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Alcoholism	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Chronic poisonings	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other general diseases	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Encephalitis	75	16	10	6	3	2	13	15	4	2	3	1	1	1	1	1	
Meningitis	164	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Apoplexy	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Softening of brain	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Paralysis	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Epilepsy	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Convulsions	18	13	3	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tetanus	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of nervous system	48	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Pericarditis	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Endocarditis	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Heart disease	314	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Angina pectoris	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Embolism and thrombosis	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of circulatory system	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Laryngitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Acute bronchitis	58	36	5	2	1	1	1	1	1	1	1	1	1	1	1	1	
Chronic bronchitis	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Bronchopneumonia	96	34	21	5	2	2	12	12	4	16	28	33	20	23	13	8	
Pneumonia	256	37	18	6	4	6	12	12	16	28	33	20	23	13	8	1	
Pleurisy	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Congestion of lungs	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of respiratory system	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tonsillitis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diseases of stomach	14	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhea and enteritis	379	305	47	11	4	1	1	1	1	1	1	1	1	1	1	1	
Hernia and intestinal obstructions	24	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cirrhosis of liver	46	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of liver	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Peritonitis	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Appendicitis	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of digestive system	11	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Acute nephritis	29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Bright's disease	219	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Calculi of urinary tract	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Uterine tumor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Ovarian tumor	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other diseases of genito-urinary system	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Puerperal septicemia	21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other causes incident to childbirth	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diseases of skin	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diseases of locomotor system	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Malformations	32	29	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Premature birth	60	59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Congenital debility	59	59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Old age	31	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Suicide	57	19	3	5	6	5	16	16	44	16	17	9	3	6	16	6	
Other violence	238	45	6	3	3	3	16	16	44	16	17	9	3	6	16	6	
Ill-defined causes	55	45	6	3	3	3	16	16	44	16	17	9	3	6	16	6	

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	1,397	295	54	13	11	17	28	40	102	141	158	135	154	177	66	6	
Typhoid fever.....	11							2	5	1	1	1					
Malarial fever.....	1								1								
Smallpox.....																	
Measles.....	2		2														
Scarlet fever.....	6	1			1	1	2	1									
Whooping cough.....	8	7		1													
Diphtheria and croup.....	18	1	1	3	2	5	3	2		1							
Influenza.....	12	1	1	2	1					1	2		2	2			
Cholera nostras.....																	
Dysentery.....	9	6	2				1										
Erysipelas.....	1								1								
Other epidemic diseases.....	1								1								
Septicæmia.....	4								1			2	1				
Tuberculosis—total.....	180	4	3	3	2	1	4	11	32	47	36	28	4	4	1		
Tuberculosis of lungs.....	155				1		2	7	32	43	35	26	4	4	1		
Tuberculosis of larynx.....	1											1					
Tuberculous meningitis.....	12	4	2	1	1		2	1		1							
Abdominal tuberculosis.....	2		1					1									
Pott's disease.....	5			1		1		1		1		1					
Tuberculous abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....	2			1							1						
General tuberculosis.....	3							1		2							
Scrofula.....																	
Venerual diseases.....	2	2															
Cancer.....	49								2	6	11	12	5	9	4		
Tumor.....																	
Rheumatism.....	6								1	2		1	1	1			
Diabetes.....	17							3	1	2	3	5	1	2			
Anæmia, leukemia.....	4								2	1	1						
Alcoholism.....	7								1	3	3						
Chronic poisonings.....	1										1						
Other general diseases.....	2	2															
Encephalitis.....	1												1				
Meningitis.....	17	1	3	1		1	4	1	5	1							
Apoplexy.....	76									2	11	11	17	24	10	1	
Softening of brain.....	1														1		
Paralysis.....	8					1					1	1	2	2			
Epilepsy.....	3									1			1	1			
Convulsions.....	1	1															
Tetanus.....	1						1										
Other diseases of nervous system.....	23	1	1					2		4	3	5	5	2			
Pericarditis.....	2							1									
Endocarditis.....	17						2			1	1	1	2	5	5		
Heart disease.....	96	1					1	1	4	5	11	7	22	36	7	1	
Angina pectoris.....	5											1	2	2			
Embolism and thrombosis.....	4										1	1	1	1			
Other diseases of circulatory system.....	17										4	1	3	6	2	1	
Laryngitis.....																	
Acute bronchitis.....	12	9								1						2	
Chronic bronchitis.....	11	1									1	1		3	4	1	
Bronchopneumonia.....	34	14	2		1				1		1	2	3	6	3	1	
Pneumonia.....	103	9	5	2		3		3	8	16	7	11	18	14	6	1	
Pleurisy.....	1		1														
Congestion of lungs.....	4	1												3			
Other diseases of respiratory system.....	6	1					1		1	1			1	1			
Tonsillitis.....																	
Diseases of stomach.....	17	3							1		4	4	1	2	2		
Diarrhea and enteritis.....	168	123	29	1	1	1		1				1	2	6	3		
Hæmula and intestinal obstructions.....	6	1					1	1	1						1		
Cirrhosis of liver.....	18									2	3	4	6	2	1		
Other diseases of liver.....	8									1	1	1	2	3			
Peritonitis.....																	
Appendicitis.....	11						2	2	3			3	1				
Other diseases of digestive system.....	2	2															
Acute nephritis.....	11	1					1	1	2		2	1	2				
Bright's disease.....	121							1	6	15	25	20	30	18	6		
Calculi of urinary tract.....	1														1		
Uterine tumor.....																	
Ovarian tumor.....																	
Other diseases of genito-urinary system.....	7									1			2	4			
Puerperal septicæmia.....	5								3	1	1						
Other causes incident to childbirth.....	11								5	4	2						
Diseases of skin.....	3											3					
Diseases of locomotor system.....	4									1	2		1				
Malformations.....	16	16															
Premature birth.....	32	32															
Congenital debility.....	32	32															
Old age.....	16							1	3	1	3	1	2	9	4	1	
Suicide.....	9																
Other violence.....	94	6	2		3	4	5	7	10	16	14	6	11	6	1		
Ill-defined causes.....	21	16	2					1				1			1		

333

NEWARK, N. J.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes	5,000	1,008	215	101	66	62	177	207	438	515	521	526	561	429	119	18	4
Typhoid fever.	10	2	2			2	3	8	11		3	4	1	1			
Malarial fever.	4	1		1			2			5							
Smallpox.	12	4	2	1	2	1	1	1									
Measles.	47	6	7	7	5	4	13	1	3	1							
Scarlet fever.	44	24	7	7	3	3											
Whooping cough.	111	16	19	15	13	13	29	3	1		2						
Diphtheria and croup.	19	5	1					1			1		2	3	3	1	
Influenza.	2	1										1					
Cholera nostras.	22	5	2				1			1	1	2	4	5		1	
Dysentery.	30	2									3	3	3	1	1		
Erysipelas.	2	1					1			1	1	3					
Other epidemic diseases.	9						1		1	1	1	3					
Septicæmia.	2	2					1										
Tuberculosis—total.	783	26	16	10	6	5	16	58	187	200	136	77	34	11	1		
Tuberculosis of lungs.	683	3	5	3			5	4	50	180	192	129	70	31	10	1	
Tuberculosis of larynx.	52	21		3	3		6	2	2	2	2	1	1	1			
Abdominal tuberculosis.	15	1	1		2			2	1	2	1	3	3	1			
Pott's disease.	8			1			3	1	1	1	3		1				
Tuberculous abscess.																	
White swelling.	4	1	1				1	1									
Tuberculosis of other organs.	4		1		1			1			1						
General tuberculosis.	12		1	1			2	2	1	2	1	2					
Scrofula.																	
Veneræal diseases.	14	8						1	2		1	2					
Cancer.	198				1			1	2	16	49	49	54	23	3		
Tumor.	2										1		1				
Rheumatism.	18					1	2	1		3	4	1	4	2			
Diabetes.	36								3		5	8	14	5			
Acute leukemia.	16							2	2	1	3	1	5	1	1		
Alcoholism.	38								3	13	15	1	5	2			
Chronic poisonings.	2										2						
Other general diseases.	4	1		1							1	1					
Encephalitis.																	
Meningitis.	161	23	20	13	5	10	29	30	11	10	3	3	3	1			
Apoplexy.	28	3				1	1	1	2	14	19	49	81	64	24	1	
Softening of brain.	8												3	2			
Paralysis.	27	1	1						1	1	3	5	6	3	1		
Epilepsy.	9							1		2		3		2	1		
Convulsions.	37	30	3	1				3									
Tetanus.	1	1					3	1		4	8	21	8	10	3		
Other diseases of nervous system.	67	1	2	1				1	5	1		1			1		
Pericarditis.	5				1			1									
Endocarditis.	68	3	1	1		3	5	4	6	7	4	11	11	9	3		
Heart disease.	338	5				1	6	18	14	22	39	54	83	75	18	3	
Angina pectoris.	9									1	2	3	3	1			
Embolism and thrombosis.	19									1	1	2	3	6	2		
Other diseases of circulatory system.	33			1				3	2	6	4	4	3	9	5		
Laryngitis.	1					1											
Acute bronchitis.	81	47	12	5	1	1	1		1		3	2	2	2	4		
Chronic bronchitis.	36									1		1	6	15	5		
Bronchopneumonia.	131	67	22	5	8	1	4						6	6	5		
Pneumonia.	335	42	27	11	6	5	16	18	28	50	32	39	25	26	7	2	1
Pleurisy.	19	3		2		1	2		2	1	5	2	1				
Congestion of lungs.	25	6	1					1	3	1		1	2	8	2		
Other diseases of respiratory system.	26	3			1	1	1	1	1	3	5	3	3	3	1		
Tonsillitis.	1																
Diseases of stomach.	50	9	2	1	1		1	1	5	4	8	4	6	3	5		
Diarrhea and enteritis.	376	277	46	11	1	1	2	2		2	2	9	6	7	10		
Hernia and intestinal obstructions.	41	8		2					5	1	5	3	8	7	2		
Cirrhosis of liver.	61								3	8	16	15	11	7	1		
Other diseases of liver.	37	2								7	4	10	8	6			
Peritonitis.	16							3	3	4	4	1					
Appendicitis.	28					2	3	8	6	2	4	1	2				
Other diseases of digestive system.	21	13						2	1	1	3	1	1				
Acute nephritis.	51	2	3			1	3	3	7	13	7	7	5				
Bright's disease.	321	4	1		4	1	4	6	18	34	13	61	77	51	13	4	
Calculi of urinary tract.																	
Uterine tumor.	5									1		2	1	1			
Ovarian tumor.	2																
Other diseases of genito-urinary system.	39	1							9	4	4	3	8	6	4		
Puerperal septicæmia.	32							5	13	10	4						
Other causes incident to childbirth.	17							1	6	3	7						
Diseases of skin.	16		1					1	1		1	6	3	1	1	1	
Diseases of locomotor system.	9	2					2	2				1	1				
Allopathic violence.	20	18	1		1												
Premature birth.	116	116															
Congenital debility.	105	105															
Old age.	41																
Suicide.	17																
Other violence.	233	23	6	8	5	2	24	5	17	41	39	12	13	11	16	3	
Ill-defined causes.	121	84	8		2	1		1	2	3	4	1	7	10	4	1	2

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	1,300	200	35	15	9	7	30	80	131	153	159	146	166	104	54	7	1
Typhoid fever.....	30	1		1		1		9	7	5	5	2					
Malaria fever.....	2	1								1							
Smallpox.....	2	2															
Measles.....	8		4	1	1		1	1									
Scarlet fever.....	3																
Whooping cough.....	30	13	3	3	1												
Diphtheria and croup.....	13	1	1	1	1	2	7	1		3	2	2	1	5	2	1	
Influenza.....	23	2	2							1			1		1		
Cholera nostras.....	3									1							
Dysentery.....	4						1			1				1	1		
Erysipelas.....	3									1		1	1				
Other epidemic diseases.....																	
Septicemia.....	15	1						2	5	1	2	2	2				
Tuberculosis—total.....	120	6	3		1	1	1	15	31	30	11	11	6	2			
Tuberculosis of lungs.....	101	3	2				1	12	28	28	12	9	4	2			
Tuberculosis of larynx.....																	
Tuberculous meningitis.....	5	1	1		1			1	1								
Abdominal tuberculosis.....	2	1									1						
Pott's disease.....	1								1								
Tuberculous abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....	6							2				2	2				
General tuberculosis.....	5	1						1		2	1					4	
Scrofula.....																	
Veneral diseases.....	4	1								1	2						
Cancer.....	87			1					2	10	20	30	25	6	3		
Tumor.....	6										2	1	3				
Rheumatism.....	8							1	1	1	1	1		1			
Diabetes.....	9							2	2			1	4				
Anemia, leukemia.....	11	2		1						1	3	1	3				
Alcoholism.....	8							1		2	4		1				
Chronic poisonings.....	3									1			1	1			
Other general diseases.....	3		1						1		1						
Encephalitis.....	1						1										
Meningitis.....	9	3	2		1				2		1						
Apoplexy.....	48						1	1	1	2	5	15	15	4	4		
Softening of brain.....	2													2			
Paralysis.....	13	1								1	2	3	1	3	2		
Epilepsy.....	2			1					1								
Convulsions.....	23	22		1													
Tetanus.....	2							1		1							
Other diseases of nervous system.....	26					1			2	6	4	5	6	2			
Pericarditis.....																	
Endocarditis.....	2							1									
Heart disease.....	113	1			1		1	2	6	10	25	25	24	13	5		
Angina pectoris.....	6										1	2	2	1			
Embolism and thrombosis.....	9							1			1	1	2	4			
Other diseases of circulatory system.....	15	1						1	1	1	1	1	3	4	2		
Laryngitis.....																	
Acute bronchitis.....	8	5	1		1									1	1	1	
Chronic bronchitis.....	9	2					1						1				
Bronchopneumonia.....	13		2											1	4	1	
Pneumonia.....	79	11	3	3			3	3	10	9	6	7	13	7	4		
Pleurisy.....	5				1			2		1		1				1	
Congestion of lungs.....	10	3	1							1	3		1			1	
Other diseases of respiratory system.....	9								1	2	2	1	1				
Tonsillitis.....																	
Diseases of stomach.....	25	2						2	1	1	3	4	7	3	2		
Diarrhea and enteritis.....	42	32	4					1		1		1	1	2			
Hernia and intestinal obstructions.....	19	1	2		1		1	1	2	4	2	2	1	2			
Cirrhosis of liver.....	10							1			4		3				
Other diseases of liver.....	8							1		4	1	2					
Peritonitis.....	21							2	10	1	3		3	1			
Appendicitis.....	27						2	11	8	2	2	2					
Other diseases of digestive system.....	5		1							2	2						
Acute nephritis.....	8						1			2	2	1	1	1			
Bright's disease.....	56	1					1	1	2	8	9	15	9	8	2		
Calculi of urinary tract.....																	
Uterine tumor.....	6							1			5						
Ovarian tumor.....																	
Other diseases of genito-urinary system.....	22				1				1	7	3	3	2	3	2		
Puerperal septicemia.....	4								1	1	2						
Other causes incident to childbirth.....	7								2	4	1						
Diseases of skin.....	3	1								1				1			
Diseases of locomotor system.....	4											1		1			
Malformations.....	18	18															
Premature birth.....	27	27															
Congenital debility.....	22	22															
Old age.....	30							2	8	5	3	2	3	8	16	4	
Suicide.....	21																
Other violence.....	105	8	3	1		2	8	15	18	16	8	7	9	5	3	1	1
Ill-defined causes.....	22	4	2						2	2	1	1	5	4	1		

CAUSES OF DEATH, BY AGE.

335

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	1,818	418	63	25	23	13	44	91	143	179	194	192	233	140	74	16	
Typhoid fever.....	16	1		1	2			5	6	1		2					
Malarial fever.....	3	1		1	1												
Smallpox.....	3	1		1		1											
Measles.....	3	1		1		1											
Scarlet fever.....	3	1		1		1											
Whooping cough.....	3	2	1														
Diphtheria and croup.....	41	2	5	7	9	5	11	2			2			3	1		
Influenza.....	10	2											1				
Cholera nostras.....	2	1															
Dysentery.....	11	6	1	1	1							2					
Erysipelas.....	8	2									2	2	1	1			
Other epidemic diseases.....																	
Septicæmia.....	3								1	2							
Tuberculosis—total.....	233	8	5	3	1	2	3	26	50	61	42	17	14		1		
Tuberculosis of lungs.....	197	3	1	2		1	2	21	45	57	38	14	12		1		
Tuberculosis of larynx.....	5								2		1	2					
Tuberculous meningitis.....	14	2	4	1		1	1	2		2			1				
Abdominal tuberculosis.....	9	2			1				1	1	2	1	1				
Pott's disease.....	1									1							
Tuberculous abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....	2							1			1						
General tuberculosis.....	5	1						2	2								
Scrofula.....	3								1								
Veneral diseases.....	2	2															
Cancer.....	82			1					2	8	16	21	16	11	3	1	
Tumor.....	2								1		1						
Rheumatism.....	8						1			3	1		3				
Diabetes.....	13						1	1	1	1	2	2	2	3			
Anæmia, leukemia.....	5	2							1								
Alcoholism.....	5									2			1				
Chronic poisonings.....																	
Other general diseases.....	1						1										
Encephalitis.....	1										1						
Meningitis.....	60	13	9	2	2	1	8	10	4	4	4	1	2				
Apoplexy.....	90	1	2							2	9	19	24	18	11		
Softening of brain.....	4										1				3		
Paralysis.....	9										1	2	1	2	3		
Epilepsy.....	1						1										
Convulsions.....	38	34	3						1								
Tetanus.....	4	1					1				2						
Other diseases of nervous system.....	13						1		1	1	3	4	3				
Pericarditis.....	1	1															
Endocarditis.....	46	2						4	4	6	8	4	8	6	4		
Heart disease.....	139	3					2	11	6		24	27	43	28	6		
Angina pectoris.....	3									1			2				
Embolism and thrombosis.....	4									1	1	1		1			
Other diseases of circulatory system.....	9	2										2	3	1	1		
Laryngitis.....	3	1		1		1											
Acute bronchitis.....	19	13	2	1						1			1				
Chronic bronchitis.....	19	1									2		6	3	4	2	
Bronchopneumonia.....	39	12	8		2	1	1	1		2	2	4	5	1			
Pneumonia.....	134	23	10	1			3	5	5	17	12	21	20	14	3		
Pleurisy.....	5		1				1	1		1			1				
Congestion of lungs.....	8	1								1							
Other diseases of respiratory system.....	13	2							2	1	3	3	1	3			
Tonsillitis.....																	
Diseases of stomach.....	15	1					1	1		3	1	4	3	1			
Diarrhea and enteritis.....	166	130	9	4			1	2		1	1	2	7	3	6		
Hernia and intestinal obstructions.....	11	1								1		4	2	2			
Cirrhosis of liver.....	15								1	3	4	2	4	1			
Other diseases of liver.....	8									1	3	4					
Peritonitis.....	11		1					2		3	2	1	1	1			
Appendicitis.....	13						1	2	4	3	2	1					
Other diseases of digestive system.....	5							1	1								
Acute nephritis.....	19	1	1					2	2	2							
Bright's disease.....	95	2						4	7	7	16	17	24	13	3	2	
Calculi of urinary tract.....																	
Uterine tumor.....	1												1				
Ovarian tumor.....	17													1			
Other diseases of genito-urinary system.....	10							2		5	2		2	1	3		
Puerperal septicæmia.....	10								2	3							
Other causes incident to childbirth.....	6								5	1							
Diseases of skin.....	7	2												2	2	1	
Diseases of locomotor system.....	13	12	1						1								
Malformations.....	37	37															
Premature birth.....	49	49															
Congenital debility.....																	
Old age.....	30												1	10	14	5	
Suicide.....	18												3				
Other violence.....	165		1	1	4	2	5	9	19	16	14	11	8	3	2	3	
Ill-defined causes.....	57	37	2						2		2	4	6	1	2		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	25,058	5,263	1,072	425	233	213	554	1,044	2,082	2,425	2,560	2,671	2,806	2,465	1,072	162	2
Typhoid fever.....	724	3	5	5	10	9	51	186	203	132	65	31	15	9			
Malarial fever.....	19	2	2						4	2		1	2				
Smallpox.....																	
Measles.....	94	23	34	16	8	3	8		1			1					
Scarlet fever.....	67	2	7	15	10	12	13	2		1							
Whooping cough.....	168	81	61	13	7	2	3	1									
Diphtheria and croup.....	466	22	97	77	51	59	130	18	6	1	2	2	57	48	23	4	
Influenza.....	253	17	10		1		1	5	10	16	23	37	1				
Cholera nostras.....	11		1					1	1		2	2	1	3			
Dysentery.....	46	8	1	3	2	1			2			7	6	10	5		
Erysipelas.....	51	13				1	2		4		10	10	3	3	2	3	
Other epidemic diseases.....	1	1															
Septicemia.....	31	8				1	2		1	2	4	3	7	2	1		
Tuberculosis—total.....	3,365	112	58	39	26	13	38	318	839	803	559	297	191	62	9	1	
Tuberculosis of lungs.....	2,899	29	21	13	3	6	18	260	772	751	503	281	176	58	8		
Tuberculosis of larynx.....	40							3	6	13	12	3	3				
Tuberculous meningitis.....	186	65	26	22	18	3	13	16	7	6	5	4	1				
Abdominal tuberculosis.....	117	6	8	2	2	1	4	18	29	18	17	3	6	3			
Pott's disease.....	33	1	1			1	1	9	7	4	5	1	2		1		
Tuberculous abscess.....	4	1	1					1	1	1	1						
White swelling.....	12				1	1	1	4		1	3		1				
Tuberculosis of other organs.....	19	2		2	1			1	3	2	5	1	1			1	
General tuberculosis.....	55	8	1		1	1	1	7	14	7	9	4	1	1			
Scrofula.....	3																
Veneral diseases.....	95	51	3	1				3	6	9	9	6	5	2			
Cancer.....	1,091	3	1		2		5	9	29	87	200	274	273	150	46	3	
Tumor.....	18								1		3	3	6	5			
Rheumatism.....	109	2	1		2	1	4	11	12	12	12	15	19	10	7	1	
Diabetes.....	198				1	1	1	3	6	15	21	47	63	37	3		
Anemia, leukemia.....	69	5	2	1			3	8	6	12	10	11	7	3	1		
Alcoholism.....	73								4	27	18	13	8	2	1		
Chronic poisonings.....	9							1	2	2	1	2	1				
Other general diseases.....	23	3	1	1			1	4	1	5	2	3	1		1		
Encephalitis.....	13	4	2	3			1		1	1		1					
Meningitis.....	223	56	32	18	10	9	28	1	17	9	8	6					
Apoplexy.....	978	18	4	1	2	2	1	5	11	22	92	175	258	268	114	5	
Softening of brain.....	46								4		8	11	16				
Paralysis.....	158	1		1				2	3	2	9	28	38	46	25	3	
Epilepsy.....	52	2		4		2		6	11	11	6	4	4	1	1		
Convulsions.....	313	254	34	6	2	1	4	3	4	4	1						
Tetanus.....	28	10	1				1	1	7	3	3	1	1				
Other diseases of nervous system.....	365	23	12	3	1	2	9	11	13	45	75	71	43	37	15	2	
Pericarditis.....	24	1			1			3	4	2	4	1	4	3	1		
Endocarditis.....	284	5		2	1	2	8	20	22	21	42	42	46	51	19	3	
Heart disease.....	2,078	53	5	1	4	5	25	81	107	181	289	363	427	385	133	19	
Angina pectoris.....	110					1		1	1	5	11	28	35	19	9		
Embolism and thrombosis.....	48							3	2	3	10	4	9	12	5		
Other diseases of circulatory system.....	376	17		1	1		2	1	5	12	31	38	70	120	68	10	
Laryngitis.....	11	1	1		1						3		2	2			
Acute bronchitis.....	248	146	39	10	5	2	2	1	2	1	2	2	11	15	8	2	
Chronic bronchitis.....	205	22	8				6	2	2	7	13	16	42	46	33	6	
Bronchopneumonia.....	525	228	80	42	13	10	0	3	15	17	19	15	20	20	20	5	
Pneumonia.....	1,388	231	104	34	17	17	39	45	94	141	156	182	182	125	46	5	
Pleurisy.....	102	4	5	6	2	1	6	3	10	15	12	19	13	5		1	
Congestion of lungs.....	154	45	5	5	1	2	2	8	3	5	6	18	20	16	15	2	
Other diseases of respiratory system.....	153	6	6	2		2	3	3	16	22	18	24	24	19	6	1	
Tonsillitis.....	5	2	2	1													
Diseases of stomach.....	261	71	9	1	2	3	3	5	19	12	23	26	29	35	21	2	
Diarrhea and enteritis.....	2,047	1,446	293	43	12	7	15	9	19	21	21	23	35	61	35	7	
Hernia and intestinal obstructions.....	207	25	1	1	1		5	6	17	21	28	32	30	36	5	1	
Cirrhosis of liver.....	214					1	2	2	4	27	50	47	49	29	3	1	
Other diseases of liver.....	121	8	1			1	1	3	5	13	18	21	22	24	3		
Peritonitis.....	63	1	1	1		1	5	4	10	16	10	9	4	1			
Appendicitis.....	219			1	1	3	17	53	64	33	23	8	12	3	1		
Other diseases of digestive system.....	127	65	20	2		1	1	2	4	7	7	3	9	5	1		
Acute nephritis.....	173	6	3	1	2		6	11	27	22	31	29	15	18	2		
Bright's disease.....	2,175	14	3	2	5	2	4	39	97	212	279	459	491	414	138	16	
Calculi of urinary tract.....	12						2		2	4		3		1			
Uterine tumor.....	24								1	6	10	6	1				
Ovarian tumor.....	27							1	4	8	7	2	3		2		
Other diseases of genito-urinary system.....	226	4	1	2		1		5	32	44	42	14	22	37	19	3	
Puerperal septicemia.....	104							8	55	31	10						
Other causes incident to childbirth.....	114							8	45	52	6						
Diseases of skin.....	113	16	2	3	1		4	7	3	2	12	6	17	29	8	3	
Diseases of locomotor system.....	45	10	4	4		1	3	5	4	3	1	3	4	2	1		
Malformations.....	283	268	8	3	1	1	1	1									
Premature birth.....	573																
Congenital debility.....	656	356															
Old age.....	348												33	115	153	47	
Suicide.....	196								38	41	52	39	19	2	2		
Other violence.....	1,237	145	40	38	26	24	71	68	146	181	171	125	100	72	42	6	
Ill-defined causes.....	692	457	62	12		3		1		5	4	8	13	13	14		

CAUSES OF DEATH, BY AGE.

337

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	7,268	1,704	548	223	141	93	231	389	844	724	615	561	540	358	176	29	2
Typhoid fever.....	293		2	3	4	6	20	75	167	76	23	11	6				
Malarial fever.....	4			1				1	1				1				
Smallpox.....																	
Measles.....	136	25	58	29	10	7	6		1								
Scarlet fever.....	167	4	19	26	29	24	52	8	1	4							
Whooping cough.....	128	73	33	11	5	3	2					1					
Diphtheria and croup.....	100	11	20	15	12	11	21	6	2		2						
Influenza.....	56	6		3		1	2	2	2	4	4	10	11	6	4	1	
Cholera nostras.....	5		1								1	2					
Dysentery.....	17	2	3						2		2		4	1	2	1	
Erysipelas.....	13	4						1	1	1	4		1	1			
Other epidemic diseases.....	2					1	1										
Septicemia.....	28	3		2				3	11	2	4		2				
Tuberculosis—total.....	674	24	27	8	10	1	14	64	196	151	111	44	18	6			
Tuberculosis of lungs.....	550	12	10	4	6		9	49	173	133	99	37	13	5			
Tuberculosis of larynx.....	9							1	1	3	3	1					
Tuberculous meningitis.....	41	10	12	3	3		3	3	3	3			1				
Adenomal tuberculosis.....	43	1	3		1	1	1	7	8	8		1	3	1			
Pott's disease.....	5							2	1			1					
Tuberculous abscess.....																	
White swelling.....	3						1		2								
Tuberculosis of other organs.....	6		2					1	1	1	1	1					
General tuberculosis.....	17	1		1				2	7	3	1	1	1				
Scrofula.....	2	1			1				1								
Veneral diseases.....	32	28	1					1	1								
Cancer.....	200							1	2	18	37	54	52	26	10		
Tumor.....	2	1															
Rheumatism.....	40	1					3	7	3	7	7	2	7	2	1		
Diabetes.....	20							2		1	2	6	6	3			
Anemia, leukemia.....	18	2					1	2	3		2	4	3	1			
Alcoholism.....	32								5	10	9				1		
Chronic poisonings.....	1							1									
Other general diseases.....	11	3	1				1		3	1		1	1				
Encephalitis.....	3								1	1	1						
Meningitis.....	113	39	20	13	5	3	11	10	5	3	2	2					
Apoplexy.....	206	8	2	2			1	4	4	11	25	38	49	38	20	4	
Softening of brain.....	2									1							
Paralysis.....	36	2							1	3	2	5	13	6	4		
Epilepsy.....	6							1		1	1	1	1	1			
Convulsions.....	132	109	10	4	5	1	1				1			1			
Tetanus.....	8	7						1									
Other diseases of nervous system.....	100	6	6	2	1	1	3	9	10	11	16	19	11	1	4		
Pericarditis.....	3									2							
Endocarditis.....	25	1		1			1	3	2	3	4	4	1	3	1	1	
Heart disease.....	400	5	1				7	18	23	50	57	86	85	46	19	3	
Angina pectoris.....	11							2	1	1	1	1	3	1	1		
Embolism and thrombosis.....	12			1			1		1	4	1	4	1				
Other diseases of circulatory system.....	55	6	1				1	2		1	4	5	14	13	7	1	
Laryngitis.....	3	2					1										
Acute bronchitis.....	79	50	18		2		1				1	1	2	2	2		
Chronic bronchitis.....	49	2	1					3	2	1	2	4	11	15	7	1	
Bronchopneumonia.....	166	69	34	15	6	3	2	1	4	6	4	7	8	4	3		
Pneumonia.....	770	139	70	32	21	10	16	22	73	95	75	73	72	52	17	2	1
Pleurisy.....	31	5	6	1	1		1	3	4	3	2	1	1	3			
Congestion of lungs.....	26	6	2		1						2	2	4	2	5	1	
Other diseases of respiratory system.....	58	4	4	3		1	1	3	4	6		9	14	6	3		
Tonsillitis.....	7	2	1	2			1			1							
Diseases of stomach.....	84	32	2		1	1	4	1	4	3	8	6	11	8	2	1	
Diarrhea and enteritis.....	705	456	155	24	7	5	2	2	3	9	7	8	10	8	8		1
Hernia and intestinal obstructions.....	69	11		1				3	10	8	7	14	7	5	1	1	
Cirrhosis of liver.....	63							1	6	7	16	11	10				
Other diseases of liver.....	46	3						2	4	9	8	9	5	3			
Peritonitis.....	54	2	2	2		1	4	11	12	10	4	3	1		2		
Appendicitis.....	46						2	20	14	7	3						
Other diseases of digestive system.....	35	10	6	1			1	1	1	2	5	2	3	3			
Acute nephritis.....	32			4			2	1	6	4	4	8	2	1			
Bright's disease.....	188	5	3		1	1	2	3	10	22	29	35	42	21	13	1	
Calculi of urinary tract.....	5							1		1	1						
Uterine tumor.....	3									2		1					
Ovarian tumor.....	4								2								
Other diseases of genito-urinary system.....	46	2	1					1	9	6	5	4	2	10	5	1	
Puerperal septicemia.....	34							3	14	13	4						
Other causes incident to childbirth.....	50							4	20	20	6						
Diseases of skin.....	21	4	2		1	1		3	3		1	2		3	1		
Diseases of locomotor system.....	21	2	4	1			4	2	2	3	1	1		1			
Malformations.....	71	69	1		1												
Premature birth.....	164	164															
Congenital debility.....	211	211															
Old age.....	56												5	24	18	9	
Suicide.....	57							4	20	9	11	8	2	3			
Other violence.....	645	60	11	10	14	10	36	70	159	104	80	39	31	14	6	1	
Ill-defined causes.....	176	113	22	4	1		1	1	5	3	2	6	6	4	8		

PROVIDENCE, R. I.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	3,475	683	159	67	40	31	87	121	307	368	350	405	398	318	136	24	1
Typhoid fever.....	40				4	2	4	5	12	5	1	4	1	1	1		
Malarial fever.....	7			1					1	1	1	1	1	1			
Smallpox.....	5	1	3	1													
Measles.....	18	1	3	4	5	1	3	1									
Scarlet fever.....	8	7															
Whooping cough.....	72	5	10	17	9	7	16	3	3	1			1				
Diphtheria and croup.....	37	3		1		1		1	2	2	3	5	9	6	2	2	
Influenza.....	1										1						
Cholera nostras.....	25	8	3				1					2	4	2	5		
Dysentery.....	10	2							1	2			3	1	1		
Erysipelas.....	4	1			2		1				1	1	1				
Other epidemic diseases.....	8						1	2			1						
Septicæmia.....	438	21	20	10	3	4	6	43	112	95	52	33	15	13	2		1
Tuberculosis -total.....	338	11	7	3			1	33	97	84	47	28	13	11	2		1
Tuberculosis of lungs.....	2								1	1							
Tuberculosis of larynx.....	43	13	12	3	2	2	2	2	3	2	1	1					
Tuberculous meningitis.....	20	4	1	1				2	4	4		2		1			
Abdominal tuberculosis.....	4					1			1		1						
Pott's disease.....	1												1				
Tuberculous abscess.....	10	1					1	5	2				1				
White swelling.....	2									1	1						
Tuberculosis of other organs.....	18			3	1		2	1	4	3	2	1		1			
General tuberculosis.....	1																
Scrofula.....	16	9	1		1				3	3	1						
Venereal diseases.....	193	1							3	21	35	61	32	33	7		
Cancer.....	2								1	1							
Tumor.....	18	2					3	4	2	1		3	1	2			
Rheumatism.....	21							1		3	5	8	10	2			
Diabetes.....	5								1		2	2	1				
Anæmia, leukemia.....	27								1		12	4	5	2	2		
Alcoholism.....	3								1	1							
Chronic poisonings.....	3										2		1				
Other general diseases.....	1																
Encephalitis.....	57	10	13	1	1	3	12	7	4	2	1	1	1	1			
Meningitis.....	177	4						1	4	7	11	39	46	44	19	2	
Apoplexy.....	2									1		2	4	1	1		
Softening of brain.....	11	1									2						
Paralysis.....	6						1	1		1		2	1				
Epilepsy.....	9	7	2														
Convulsions.....	2	1			1						7						
Tetanus.....	47	3			1		1	4	6	4	1	4	9	6	1	1	
Other diseases of nervous system.....	2						1				1						
Pericarditis.....	50	4				6	1	4	4	4	2	11	7	10	1		
Endocarditis.....	245	2		1		1	5	7	22	30	46	62	50	19			
Heart disease.....	17							1	1	1	3	6	2	3			
Angina pectoris.....	9									3	2	1	2	1			
Embolism and thrombosis.....	33	2						1		5	7	8	4	6			
Other diseases of circulatory system.....	48	30	7	3	3			1		2				1	1		
Laryngitis.....	31	1	1					1	1	1	1	2	11	9	3		
Acute bronchitis.....	88	38	8	4	3	1	4	1	3	2	5	2	7	3	4	2	
Chronic bronchitis.....	315	58	20	7		2	7	5	22	41	51	41	26	20	14	1	
Bronchopneumonia.....	10								1	1	2	1	2	3	1		
Pneumonia.....	14	1					1		1	2	3	2	3		1		
Other diseases of respiratory system.....	1																
Tonsillitis.....	53	34	1						3	3	3	2	3	2	2		
Diseases of stomach.....	236	170	31	8	3	2			2	4	1	4	7	5	2	1	
Diarrhea and enteritis.....	29	2							2	4	5	8	5	3	1		
Hernia and intestinal obstructions.....	20								1	6	8	5	11	3			
Cirrhosis of liver.....	5		1						1	2	4	9	3	2			
Other diseases of liver.....	43						3	7	8	11	7	4	2	1			
Peritonitis.....	11	2	1		1				1	3	3	5	5	5	1		
Appendicitis.....	30	1	1					2	3	5	3	5	5	5			
Other diseases of digestive system.....	264	1	1	1	1		2	5	20	27	39	62	55	38	10	2	
Acute nephritis.....	1																
Bright's disease.....	6								1	16	11	1					
Calculi of urinary tract.....	9																
Uterine tumor.....	44								1	7	5	10		6	9	4	
Ovarian tumor.....	21							2	11	7							
Other diseases of genito-urinary system.....	29							1	16	11	1						
Puerperal septicæmia.....	13	4	1				1			2			2				1
Other causes incident to childbirth.....	12	2	2	1			1		1	1	1	1	1	1			
Diseases of skin.....	37	33	1	1		1	1										
Diseases of locomotor system.....	74	74															
Malignant diseases.....	48	48															
Malformations.....	4																
Premature birth.....	42																
Congenital debility.....	29																
Old age.....	187	46	5	6	2	4	8	12	23	20	20	6	13	9	6	1	
Suicide.....	49	34	3			1	1		2		2	3	2	1			
Other violence.....	1																
Ill-defined causes.....																	

CAUSES OF DEATH, BY AGE.

339

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,782	415	84	47	39	27	87	137	220	215	296	280	351	341	183	36	1
Typhoid fever.....	21							5	4	6	2	2	1	1			
Malarial fever.....																	
Smallpox.....	29	10	4	4	5	1	3	1			1						
Measles.....	25		2	3	5	3	10	1	1								
Scarlet fever.....																	
Whooping cough.....	19	10	6	1	1	1											
Diphtheria and croup.....	99	3	13	9	14	9	29	15	3	2	1	1		8	1		
Influenza.....	16										3	1	3				
Cholera nostras.....	1											1					
Dysentery.....	14	2							2		2	2	3	2	1		
Erysipelas.....	9	2							1		1	1	3	1	1		
Other epidemic diseases.....																	
Septicemia.....	9				1		1	1		1	2	1		1	1		
Tuberculosis—total.....	307	6	5	4	1	2	6	40	78	71	47	29	10	6	2		
Tuberculosis of lungs.....	269	1	2		1	1	2	33	70	68	46	28	9	6	2		
Tuberculosis of larynx.....	1																
Tuberculous meningitis.....	14	4	2	3			3	1	1								
Abdominal tuberculosis.....	10							4	3	2	1						
Pott's disease.....	2		1									1					
Tuberculous abscess.....													1				
White swelling.....	3																
Tuberculosis of other organs.....																	
General tuberculosis.....	8	1		1		1		2	2	1							
Scrofula.....																	
Veneral diseases.....	4	2									1	1					
Cancer.....	171							2	2	13	31	44	34	32		4	
Tumor.....	5									1							
Rheumatism.....	14						2	1			3	1	5	1	1		
Diabetes.....	46							4	6	4	3	8	15	6			
Anemia, leukemia.....	10						2			1		4	3				
Alcoholism.....	8								2	3	2	1					
Chronic poisonings.....	1												1				
Other general diseases.....	1								1								
Encephalitis.....																	
Meningitis.....	55	14	7	7	5	1	4	6	2	2	3	3	1				
Apoplexy.....	123	2				1					10	22	31	39	15	1	
Softening of brain.....	1													1			
Paralysis.....	32										1	4	8	14	5		
Epilepsy.....	16						1	3	4			2	1	3		1	
Convulsions.....	28	25		2						1							
Tetanus.....	2									1							
Other diseases of nervous system.....	51	1	1						4	6	11	10	10	6	2		
Pericarditis.....	1	1															
Endocarditis.....	33						2	4	1	1	5	5	6	5	4		
Heart disease.....	225	2	1				2	7	9	15	33	24	57	58	15	2	
Angina pectoris.....	14									1	1	4	2	2	3	1	
Embolism and thrombosis.....	6									2	1	1	1		1		
Other diseases of circulatory system.....	30	2		1						6	2	2	7	6	3	1	
Laryngitis.....	1		1														
Acute bronchitis.....	46	34	5	1			1				1	6	7	16	8	3	
Chronic bronchitis.....	46	17	13	2			3	1		2	1	4	1	8			
Bronchopneumonia.....	53	12	9	3	3	2	3	9	14	9	19	18	30	13	13	3	
Pneumonia.....	175	27	9	3	3	2	3	9	14	9	19	18	30	13	13	3	
Pleurisy.....	11	1					1	1	3		3	1		1			
Congestion of lungs.....	11	1									1		1	6	2		
Other diseases of respiratory system.....	12	1							1			4	1	4	1		
Tonsillitis.....	2																
Diseases of stomach.....	30	5	1	3		1			2	2	3	1	4	4	4		
Diarrhea and enteritis.....	172	125	9	4	1		1		1	2	6	4	5	8	2	4	
Hernia and intestinal obstructions.....	34	2					1	2	3	2	9	4	4	3	4		
Cirrhosis of liver.....	32									2	8	4	10	6	2		
Other diseases of liver.....	14	1									1	3	4	1	4		
Peritonitis.....	17	1	1			1	1		4		4	1	1	1	1	1	
Appendicitis.....	37						5	11	10	3	5	3					
Other diseases of digestive system.....	15	2						1	2	4	4				2		
Acute nephritis.....	16				1		3		3	2	4	1			2		
Bright's disease.....	168	1					2	3	6	11	23	35	46	30	11		
Calculi of urinary tract.....	2														2		
Uterine tumor.....	5									1	2		2				
Ovarian tumor.....	3								1	1	1						
Other diseases of genito-urinary system.....	28							1	9	2	2	1	4	7		2	
Puerperal septicemia.....	18							3	10	4	1						
Other causes incident to childbirth.....	16							2	7	7							
Diseases of skin.....	17	2							1	1		1	3	4	4	1	
Diseases of locomotor system.....	9		1		1	1			1		2		2				
Malformations.....	15	14	1														
Premature birth.....	5	5															
Congenital debility.....	43	43															
Old age.....	99																
Suicide.....	22																
Other violence.....	133	12	1		1	1	5	14	17	14	23	13	13	12	5	1	1
Ill-defined causes.....	49	38	3	2								1	1	3			

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	876	111	29	16	7	5	12	41	95	100	88	107	116	94	45	8	2
Typhoid fever.....	9						1	1	5	1			1				
Malarial fever.....	6				1	1			1		1		1		1		
Smallpox.....																	
Measles.....																	
Scarlet fever.....																	
Whooping cough.....	3	1	1		1												
Diphtheria and croup.....	11	1	2	3		1	2	2									
Influenza.....	14		1					1		3		3	5	2	1		
Cholera nostras.....	3						1						1				
Dysentery.....	6	1		1									1	3			
Erysipelas.....	2											1	1				
Other epidemic diseases.....																	
Septicemia.....	15							1	1	3	4	4			1	1	
Tuberculosis—total.....	87	3					1	8	21	22	11	12	7	1	1		
Tuberculosis of lungs.....	79	1						8	19	21	11	10	7	1	1		
Tuberculosis of larynx.....	1								1								
Tuberculosis meningitis.....	2	1					1										
Abdominal tuberculosis.....	3								1	1		1					
Pott's disease.....	1											1					
Tuberculous abscess.....	1																
White swelling.....																	
Tuberculosis of other organs.....																	
General tuberculosis.....	1																
Scrofula.....	1										1						
Veneral diseases.....	3																
Cancer.....	32								1	3	1	4	7	8	5	2	
Tumor.....	2																
Rheumatism.....	5							1		1		2	1				
Diabetes.....	2	1															
Anemia, leukemia.....	4	1						1	1				1				
Alcoholism.....	5									4				1			
Chronic poisonings.....																	
Other general diseases.....																	
Encephalitis.....	1											1					
Meningitis.....	15	4	3	1	2	1	1		2						1		
Apoplexy.....	35	1		1					1	2	4	4	9	10	3		
Softening of brain.....	7											1	2	3	1		
Paralysis.....	10										1	2	3	4			
Epilepsy.....	2								1	1							
Convulsions.....	12	11	1														
Tetanus.....	2										2						
Other diseases of nervous system.....	16							1	1	3	3	2	4	1	1		1
Pericarditis.....	3							1	1								
Endocarditis.....	4																
Heart disease.....	53	1							3	6	3	4	13	16	6	1	
Angina pectoris.....	3											2					
Embolism and thrombosis.....	3							1					1				
Other diseases of circulatory system.....	4	2												2			
Laryngitis.....	2	1	1														
Acute bronchitis.....	6	6															
Chronic bronchitis.....	8	1															
Bronchopneumonia.....	8	3	2							2	1	1	1	1	1		
Pneumonia.....	114	11	5	2	1	1	1	2	7	14	21	21	18	5	5	1	
Pleurisy.....	3		1				1										
Congestion of lungs.....	7	1		1						1	1			3			
Other diseases of respiratory system.....	3											1	2				
Tonsillitis.....	2	1					1										
Diseases of stomach.....	4										1	2			1		
Diarrhea and enteritis.....	51	28	7	6				2	1			1	4	2			
Hernia and intestinal obstructions.....	11	2						2	1	1	1	1	2		1		
Cirrhosis of liver.....	9										2	4	3				
Other diseases of liver.....	12									2	2	3	2	2	1		
Peritonitis.....	14				1			2	5	1	2	1	1	1	1		
Appendicitis.....	9						1	2		4	1		1				
Other diseases of digestive system.....	7	1							1	1		2	1	1			
Acute nephritis.....	3								2		1						
Bright's disease.....	40	1				1	1		5		5	8	8	8	3		
Calculi of urinary tract.....	1												1				
Uterine tumor.....	2									1		1					
Ovarian tumor.....	1								1								
Other diseases of genito-urinary system.....	9								3	2	1	2	1				
Puerperal septicemia.....	2							1									
Other causes incident to childbirth.....	2								1		1						
Diseases of skin.....	1														1		
Diseases of locomotor system.....	1										1						
Malformations.....	6	6															
Premature birth.....	1	1															
Congenital debility.....	15	15															
Old age.....	22												1	7	9	5	
Suicide.....	19							1	5	5	3	3	2				
Other violence.....	67	1	3		1			8	16	1	6	5	5	5	4	1	1
Ill-defined causes.....	34	5	2	1				2	1	3	3	5	4	7	4		

CAUSES OF DEATH, BY AGE.

341

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	10,715	1,752	330	113	97	71	210	481	1,119	1,400	1,363	1,163	1,190	934	407	52	3
Typhoid fever.....	111		1	1	1	1	7	33	51	19	14	7	5	4			
Malarial fever.....	95	2	5	3	1		4	6	15	16	13	10	14	6	2		1
Smallpox.....	61	6	1	1	2	3	2	5	24	10	3	3		1			
Measles.....	52	7	15	14	7	2	5	1		1							
Scarlet fever.....	15		2	1	2	1	3	4	2								
Whooping cough.....	55	27	13	7	3	1	4										
Diphtheria and croup.....	162	6	15	25	21	17	60	14	2	1	11	14	27	25	13	3	
Influenza.....	138	6	3	1	3		7	2	12	11	11	1	1	1			
Cholera nostras.....	10	3						1	2								
Dysentery.....	30	6	1	1	1				1	3	3	3	6	3	2		
Erysipelas.....	24	4							1		4	8	4	1	1		
Other epidemic diseases.....	2						2										
Septicemia.....	22	3	2			1		3		6	3	1	3				
Tuberculosis—total.....	1,583	31	21	11	9	4	19	126	435	425	260	147	61	22	8	1	
Tuberculosis of lungs.....	1,408	12	6	3	1	2	6	111	408	398	241	136	57	18	8	1	
Tuberculosis of larynx.....	11							1	2	1	3	1					
Tuberculous meningitis.....	72	15	14	8	4	2	9	3	4	6	3	2	1	1			
Abdominal tuberculosis.....	57	2			3		2	7	13	10	9	5	3	3			
Pott's disease.....	8						1	2	1	4							
Tuberculous abscess.....	5	1							1	1	2	1					
White swelling.....	3								1	1	1	1					
Tuberculosis of other organs.....	7	1	1				1	1	1	1	1	1	2				
General tuberculosis.....	12				1		1	1	5	2		1	1				
Scrofula.....																	
Veneral diseases.....	54	30	1					1	5	10	3	2	2				
Cancer.....	468		1	1	1	2	1	4	11	53	94	120	116	54	9	1	
Tumor.....	10	1								1	2	3	1	2			
Rheumatism.....	58					1	3	8	5	10	6	13	3	8	1		
Diabetes.....	66	1						3	11	3	8	8	18	11	2		
Anemia, leukemia.....	42	4	1				1	3	5	2	8	5	5		1		
Alcoholism.....	75				1				6	29	23	8		1	1		
Chronic poisonings.....	8								1	2	3		1		1		
Other general diseases.....	9						1	1	1	3	1	1		1			
Encephalitis.....	7	3	1	1							1	1					
Meningitis.....	120	41	21	4	7	3	5	14	5	4	6	3	4	3			
Apoplexy.....	328	10	4	1	1	1	1	4	16	28	48	55	65	75	19	6	
Softening of brain.....	42								3	7	4	10	13	5			
Paralysis.....	74	1	1	2					1	4	9	14	12	10	9	2	
Epilepsy.....	30	1	1				1	1	2	13	3	2			1		
Convulsions.....	61	13	3			1	1	3	3	1							
Tetanus.....	50	30				3	3	3	4	8	26	46	38	16	18	2	1
Other diseases of nervous system.....	175	4	2	1	2		4	6		9	6	6	7	1			
Pericarditis.....	35																
Endocarditis.....	62					3	1	3	3	8	12	8	13	11	3		
Heart disease.....	764	3	1	2		1	13	30	47	98	123	149	168	88	41		
Angina pectoris.....	33								3	5	2	8	5	4	3		
Embolism and thrombosis.....	22			1					3	6	3	2	3				
Other diseases of circulatory system.....	99	1				1	1	2	3	11	13	13	23	22	8	1	
Laryngitis.....	21	4	2	5	1	1	4		2	2							
Acute bronchitis.....	181	111	30	5	2	2			2	2	2	2	7	9	5		
Chronic bronchitis.....	203	2	2				3	8	12	12	14	12	33	70	32	2	
Bronchopneumonia.....	135	48	20	10	5	2	4	2	7	4	9	8	5	9	2		
Pneumonia.....	834	114	51	14	8	5	19	20	75	115	129	103	98	56	25	1	1
Pleurisy.....	44	3	2	1	1	1	1	3	7	4	6	5	5	4	1		
Congestion of lungs.....	32	6	1					2			4	7				1	
Other diseases of respiratory system.....	116	3				1	2		3	14	20	16	24	23	10		
Tonsillitis.....	11	1	1		1	1	5	1	1								
Diseases of stomach.....	143	19	1	2	1	1	1	3	7	10	25	26	18	18	9	2	
Diarrhea and enteritis.....	518	350	66	6	3	1	8	5	6	9	10	9	17	17	10	1	
Hernia and intestinal obstructions.....	111	17	1	1		1	2	2	3	12	14	21	20	12	4	1	
Cirrhosis of liver.....	154							1	4	28	45	33	36	6	1		
Other diseases of liver.....	84	2		1			2	3	6	12	12	11	23	12			
Peritonitis.....	34	1	1	1				4	7	8	6		2	3			
Appendicitis.....	75	1				1	2		15	15	5	5	3	2			
Other diseases of digestive system.....	26	6	1			1	2		1	5	5	3	4				
Acute nephritis.....	34			1	2				2	6	8	3	4		1		
Bright's disease.....	695	6	1	2		1	5	14	45	80	126	122	146	112	32	3	
Calculi of urinary tract.....	3							1					2				
Uterine tumor.....	20								2	7	8	3	2				
Ovarian tumor.....	12								2	4	2	2	1	1			
Other diseases of genito-urinary system.....	117	1	1					5	25	27	13	10	12	10	12	1	
Puerperal pyemia.....	58							8	20	22	5						
Other causes incident to childbirth.....	46							4	15	21	6						
Diseases of skin.....	38	7						1		1	3	6	7	3	8	1	
Diseases of locomotor system.....	57	5	3				2	1	2	1		1	1		1		
Malformations.....	199	199			2												
Premature birth.....	350	350															
Congenital debility.....																	
Old age.....	274												46	114	94	20	
Suicide.....	186							9	47	40	43	28	9	8	2		
Other violence.....	618	31	5	11	6	7	23	68	114	107	96	50	45	31	14	1	
Ill-defined causes.....	200	121	12	2	2	1	1	3	3	2	9	9	14	12	5	3	1

ST. PAUL, MINN.																	
CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	1,971	402	52	30	23	14	72	111	178	188	212	211	203	163	96	14	2
Typhoid fever.....	21						2	6	8	3	2						
Malarial fever.....																	
Smallpox.....	1		1						1								
Measles.....	1		1														
Scarlet fever.....	19		3	3	4	2	4	3									
Whooping cough.....	16	10	4	2													
Diphtheria and croup.....	64	4	11	5	8	7	21	6	1		1						
Influenza.....	8	2	1								1	1	3				
Cholera nostras.....	2	2															
Dysentery.....	3											1	1	1			
Erysipelas.....	10	4								1		2	2		1		
Other epidemic diseases.....	10	2					1	1	1			2	2				
Septicæmia.....																	
Tuberculosis—total.....	281	4		6	3	2	9	40	78	57	42	27	10	1	2		
Tuberculosis of lungs.....	222	2		1		1	2	28	68	50	36	22	9	1	2		
Tuberculosis of larynx.....	4										2	2					
Tuberculosis meningitis.....	1	1		5	2	1	5	1	3	1	1	1					
Abdominal tuberculosis.....	16	1						1	4	3	3	1					
Pott's disease.....	6				1		1	3		1							
Tuberculous abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....	4							1		2		1					
General tuberculosis.....	8							4	3				1				
Scrofula.....	1	1															
Veneral diseases.....	7	6															
Cancer.....	114						1	3	3	7	25	33	24	16	1	1	
Tumor.....																	
Rheumatism.....	14						2	4			4		3	1			
Diphtheria.....	21							2	2	1	5	4	3	2	2		
Anæmia leukæmia.....	11							1		1	4	3	2				
Alcoholism.....	6									5	1						
Chronic poisonings.....																	
Other general diseases.....	6			1				1		1	1		1	1			
Encephalitis.....	2									1		1					
Meningitis.....	35	8	1	3		1	3	5	3	4	6		1				
Epilepsy.....	4																
Convulsions.....	40	35	2	1			1		1	1							
Tetanus.....	3							1		1	1						
Other diseases of nervous system.....	35	2					3	1	3	7	3	9	2	2	3		
Pericarditis.....	3					1			1	1							
Endocarditis.....	10							1	2	2		1	3				
Heart disease.....	146	2					4	5	8	16	16	25	40	23	7		
Angina pectoris.....	3									1		1	1				
Embolism and thrombosis.....	8								1		2	2		1	1	1	
Other diseases of circulatory system.....	19	1			1				1	1	2	1	5	7			
Laryngitis.....	2	1	1														
Acute bronchitis.....	13	8	4														
Chronic bronchitis.....	15							1		1	1	2	4	2	4		
Bronchopneumonia.....	26	11	5	1			1					1	1	4	2		
Pneumonia.....	116	18	8	3	1		1	4	4	9	16	12	11	15	12	2	
Pleurisy.....	2	1								1		1	1	2	2		
Congestion of lungs.....	12	3	1								1	1					
Other diseases of respiratory system.....	13								1		1	2	3	4	1	1	
Tonsillitis.....																	
Diseases of stomach.....	16	1					1		2	1	2	1	2	5	1		
Diarrhea and enteritis.....	103	81	6	2	1	1	1	1	3	2	1	2	1				
Hæmorrhoids and intestinal obstructions.....	24	3	1					1	1	3	2	4	5	2	1	2	
Cirrhosis of liver.....	13									3	4	1	5				
Other diseases of liver.....	10							2	1		3	1	3				
Peritonitis.....	12			1				3	3	2	1		1	1			
Appendicitis.....	37						1	6	7	7	5	7	3	1			
Other diseases of digestive system.....	2	1															
Acute nephritis.....	6			1						4	1						
Bright's disease.....	98	1			1		1	3	6	8	17	22	11	21	5	2	
Calculi of urinary tract.....																	
Uterine tumor.....	2									1	1						
Ovarian tumor.....	1																
Other diseases of genito-urinary system.....	18						1	1			5	1	3	3			
Puerperal septicæmia.....	6								3	3	3						
Other causes incident to childbirth.....	9							1	3	2							
Diseases of skin.....	10	2	1								1		3	3			
Diseases of locomotor system.....	3	1					1	1									
Malformations.....	27	26		1													
Pre-mature birth.....	52	52															
Congenital debility.....	71	71															
Old age.....	71																
Suicide.....	37								6	7	14	7	10	20	37	4	
Other violence.....	116	13	1	1	3		12	7	22	8	12	18	11	5	1	1	
Un-defined causes.....	38	23								3	3	2	2	1	2	1	1

CAUSES OF DEATH, BY AGE.

343

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	7,332	848	142	70	47	37	120	221	713	963	982	993	1,045	815	277	32	7
Typhoid fever.....	87				1		2	10	41	15	9	6	2	1			
Malarial fever.....	4							1	1								
Smallpox.....	1							1									
Measles.....	3				1	1	1										
Scarlet fever.....	4						2	2									
Whooping cough.....	43	23	11	6	1	1	1										
Diphtheria and croup.....	59	3	4	7	6	8	23	3	2	3							
Influenza.....	20	5					1		2	2	1	5	5	5	4		
Cholera nostras.....																	
Dysentery.....	16	3							1	1	4	1	3	2	1		
Erysipelas.....	19	2						1	3	5	3	2	2		1		
Other epidemic diseases.....	9									2	2	5					
Septicæmia.....	6	1								1	1			2	1		
Tuberculosis—total.....	1,173	24	31	19	12	7	21	66	266	398	198	138	69	15	1		
Tuberculosis of lungs.....	1,006	5	7	6			1	10	244	288	187	130	64	13	1		
Tuberculosis of larynx.....	9								1	4		3	1				
Tuberculous meningitis.....	75	14	22	10	7	4		5	4	1	3	1					
Abdominal tuberculosis.....	36	2	2	2	2		4	1	12	8	2	1	1				
Pott's disease.....	15	1			2		2	5	2	1		1		1			
Tuberculous abscess.....	1											1					
White swelling.....	8	1					1	2		1	3						
Tuberculosis of other organs.....	15			1		1		1	3	3	2	1	3				
General tuberculosis.....	10	1			1	1	2	2		2	1						
Scrofula.....	41	28	1				1		2	5	3	2	1				
Veneral diseases.....	456						1	1	10	40	87	114	126	66	10	1	
Cancer.....	7		1	1					1	2		2	2				
Tumor.....	46						1	11	5	8	3	5	4	7	2		
Rheumatism.....	73																
Diabetes.....	31	1	1		1			2	3	2	12	21	19	13	1		
Anæmia, leukemia.....	37								5	11	5	11	1	2			
Alcoholism.....	37								7	19	13	13	4	1			
Chronic poisonings.....	26								1	3	7	7	5	3			
Other general diseases.....	10								2	3	1	1					
Encephalitis.....	5	1	1	1			1			1							
Meningitis.....	83	20	18	9	4	2	13	2	2	1	3	4	4	1			
Apoplexy.....	278	1						1	2	18	29	49	89	72	25	1	
Softening of brain.....	38								1	3	6	12	21	13	2		
Paralysis.....	16											4	3	6	3		
Epilepsy.....	13	1							1	2	2	3	2	1	1		
Convulsions.....	26	20	5		1			2									
Tetanus.....	6			1					1	1		1					
Other diseases of nervous system.....	113	4	2		2			5	10	11	16	16	25	19	3		
Pericarditis.....	16								2		1	3	6				
Endocarditis.....	70	1				1	2	4	6	9	7	8	11	15	5	1	
Heart disease.....	840	11	1	1		1	4	15	36	70	110	153	203	190	59	6	
Angina pectoris.....	46								1	3	6	6	15	12	2	1	
Embolism and thrombosis.....	16									6	4	3	1	2			
Other diseases of circulatory system.....	109	3							3	5	17	14	19	29	17	2	
Laryngitis.....	3	1					1										
Acute bronchitis.....	50	19	6	2	2		2		1	2	2		3	7	2	2	
Chronic bronchitis.....	58				1	1				1	3	2	19	18	11	1	
Bronchopneumonia.....	203	74	18	7	2		6	2	6	14	12	14	24	19	4	1	
Pneumonia.....	457	33	12	6	4	2	10	15	39	73	74	59	77	45	15	2	
Pleurisy.....	26				3			1	5	4	2	6	3		2		
Congestion of lungs.....	9	3							1			1	2				
Other diseases of respiratory system.....	29	3		1				1	1	4	5	4	6	3	1		
Tonsillitis.....	5			1				1		1							
Diseases of stomach.....	51	2	1				1		3	5	11	7	7	8	4	2	
Diarrhea and enteritis.....	248	187	17	3	1	2	5	1	3	3	4	5	8	4	5		
Hernia and intestinal obstructions.....	32	9						4	4	9	6	3	10	5	2		
Cirrhosis of liver.....	198								6	34	53	54	38	11	2		
Other diseases of liver.....	46		1						4	5	9	12	8	7			
Peritonitis.....	13	1						1	2	3	2	1	1	1			
Appendicitis.....	89			1			6	22	22	10	13	9	3				
Other diseases of digestive system.....	24	3		1				1	7	3	1	4	1		1		
Acute nephritis.....	50								14	7	6	6	2				
Bright's disease.....	399	1	1			1		5	19	36	67	98	79	76	16		
Calculi of urinary tract.....	6						1		1	1	1	1			1		
Uterine tumor.....	17								1	8	6	2					
Ovarian tumor.....	14								2	5	4	2	1				
Other diseases of genito-urinary system.....	97	1						1	18	19	11	5	18	15	8	1	
Puerperal septicæmia.....	32							3	18								
Other causes incident to childbirth.....	34							1	16	16	1						
Diseases of skin.....	18	2						1	2	3	2		2	5		1	
Diseases of locomotor system.....	14	5			1			1	2	3	1	1					
Malformations.....	57	53	1	1		1			1								
Premature birth.....	130	130															
Congenital debility.....	114	114															
Old age.....	159												25	68	56	10	
Suicide.....	227							6	49	51	53	32	27	8	1		
Other violence.....	426	21	5	2	3	6	10	24	69	75	80	56	43	20	6		6
Ill-defined causes.....	56	46	3							1		2	1	1	1		1

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	2,111	615	95	57	43	20	40	77	205	191	191	210	198	124	36	6	3
Typhoid fever.....	20						1	3	7	6		2	1				
Malarial fever.....	3	1						1					1				
Smallpox.....	20	5	2	6													
Measles.....	17	3	3	2	3		3	3									
Scarlet fever.....	8	3	2	2	1												
Whooping cough.....	37	2	6	8	10	4	4	2			1						
Diphtheria and croup.....	13				1				1		2	2	3	1			
Influenza.....	7									1		3	1	1			
Cholera nostras.....	10	2		1	1				2		1	1			2		
Dysentery.....																	
Erysipelas.....																	
Other epidemic diseases.....	37	4			1			2	7	8	9	5		1			
Septicemia.....																	
Tuberculosis—Total.....	105	1	1				1	11	31	26	18	12	4				
Tuberculosis of lungs.....	105	1	1				1	11	31	26	18	12	4				
Tuberculosis of larynx.....																	
Tuberculous meningitis.....																	
Abdominal tuberculosis.....																	
Pott's disease.....																	
Tuberculous abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....																	
General tuberculosis.....																	
Scrofula.....																	
Veneral diseases.....	1	1															
Cancer.....	39				1			1	1	2	10	12	10	2			
Tumor.....	1																
Rheumatism.....	7								2		2	2		1			
Diabetes.....	12							1			2	1	6	2			
Anemia, leukemia.....	6	2			1			1				2	1				
Alcoholism.....	7							1		2	1	2	1				
Chronic poisonings.....																	
Other general diseases.....	2								1	1							
Encephalitis.....	3																
Meningitis.....	26	3	2	2	2		2	5	1	4	5	1					
Apoplexy.....	59						1			3	5	17	17	14	2		
Softening of brain.....	2											1	1				
Paralysis.....	38	1						1	1	3	7	2	12	9	2		
Epilepsy.....	3											2					
Convulsions.....	145	109	11	6	2	2	3	2	5	1	3		1				
Tetanus.....	6	1					1	1		3							
Other diseases of nervous system.....	13	1			1					1	2	2	2	4			
Pericarditis.....	1																
Endocarditis.....	18	2					4		3	1	1	2	1	3			
Heart disease.....	59			1			1		7	8	7	13	14	5	2	1	
Angina pectoris.....	3									1	1		1				
Embolism and thrombosis.....																	
Other diseases of circulatory system.....	13	3							4	1	2		1	2			
Laryngitis.....																	
Acute bronchitis.....	38	28	3	5	1								1				
Chronic bronchitis.....	29							1		2	3	5	10	4	3		
Bronchopneumonia.....	29	15	5					2		2	1		3	1			
Pneumonia.....	186	33	10	5	4	4	4	6	17	18	19	30	22	11	3		
Pleurisy.....	9				1				2	2	1	1	2				
Congestion of lungs.....	8	2		1					1					1	1		
Other diseases of respiratory system.....	28	2		1					3	4	4	7	4	3			
Tonsillitis.....	2	1			1												
Diseases of stomach.....	21	2								2	3	5	5	3	1		
Diarrhea and enteritis.....	195	150	29	3	3		1	2		2	1	1					
Hernia and intestinal obstructions.....	5	2							1	1			1				
Cirrhosis of liver.....	7										1	2	4				
Other diseases of liver.....	8									1	2	3	1	1			
Peritonitis.....	21	1				1	1	1	8	2	2	2	2		1		
Appendicitis.....	16			1			2	4	6	2		1					
Other diseases of digestive system.....	3	1		1			1										
Acute nephritis.....	7				1			1		2	2	2	17	11		1	
Bright's disease.....	91	3	2			1	1	2	7	7	19	20					
Calculi of urinary tract.....																	
Uterine tumor.....																	
Ovarian tumor.....																	
Other diseases of genito-urinary system.....	3										1	1	1				
Puerperal septicemia.....	2										1						
Other causes incident to childbirth.....	6							1	3	1							
Diseases of skin.....	13							1		2	1	2	3	2	2		
Diseases of locomotor system.....	1																
Malformations.....	6	3															
Premature birth.....	85	85															
Congenital debility.....	71	71															
Old age.....	24												4	14	6		
Suicide.....	12												2				
Other violence.....	199	9	2	5	3		3	18	51	47	35	15	30	23	9	2	2
Ill-defined causes.....	241	60	12	6	4	1	2	11	19	19	19	31	30	23	9	2	1

CAUSES OF DEATH, BY AGE.

345

TABLE S.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un-known.
All causes.....	1,820	328	57	31	12	9	41	83	122	161	197	211	224	212	119	11	2
Typhoid fever.....	20							2	7	5	5		1				
Malarial fever.....																	
Smallpox.....																	
Measles.....	6	2	1	1			2										
Scarlet fever.....	41	3	3	5	1	4	12	9	2	1				1			
Whooping cough.....	5	3	2														
Diphtheria and croup.....	19	1	3	1	4		7	2		1	1	1	2	1	4		
Influenza.....	10																
Cholera nostras.....	2					1				1							
Dysentery.....	5	1	1						1						1	1	
Erysipelas.....	9	1								2	2	2	1	1			
Other epidemic diseases.....																	
Septicemia.....	7	1							1	2	1			2			
Tuberculosis—total.....	162	8	1				3	22	42	33	28	18	5	2			
Tuberculosis of lungs.....	141	4	1				2	18	37	29	28	15	5	2			
Tuberculosis of larynx.....	5	3							1								
Tuberculosis meningitis.....	5	1						2	1			1					
Abdominal tuberculosis.....	4							1	2	1							
Pott's disease.....	4																
Tuberculous abscess.....	1									1							
White swelling.....	4								1	1		2					
Tuberculosis of other organs.....	2						1	1									
General tuberculosis.....																	
Scrofula.....	5	1						1	1			1	1				
Veneral diseases.....	95				1			2	2	5	18	27	14	21	5		
Cancer.....	5							1	1			2					
Tumor.....	11							2	1		2		2	3	1		
Rheumatism.....	18		1					2	2	1	1	8			2		
Diabetes.....	7							1	1	3	1	1					
Anemia, leukemia.....	3									1			2				
Alcoholism.....	2										1			1			
Chronic poisonings.....	5	2	1								1	1					
Other general diseases.....																	
Encephalitis.....	1									1							
Meningitis.....	41	6	9	8	1		3	3	1	5	1		4				
Apoplexy.....	98		1					1	2	5	9	19	22	1	27	9	3
Softening of brain.....	3												1	1			
Paralysis.....	22			1					1		5	4	2	7	2		
Epilepsy.....	3									1	1		1				
Convulsions.....	28	26	1				1										
Tetanus.....	1																
Other diseases of nervous system.....	21			1			1	1	1	2	2	3	6	2	2		
Pericarditis.....	1													1			
Endocarditis.....	30	2						2	3	4	5	5	6	3			1
Heart disease.....	177	3	1	1			1	6	2	19	17	23	48	38	17		
Angina pectoris.....	23								2	1	2	4	8	5	1		
Embolism and thrombosis.....	10								1	1	1	2	3	3	3		
Other diseases of circulatory system.....	26	1							1	2	1	4	6	8	3		
Laryngitis.....																	
Acute bronchitis.....	13	12		1													
Chronic bronchitis.....	15									1	1	3	5	1	4		
Bronchopneumonia.....	31	12	4	2				1					3	7	1	1	
Pneumonia.....	119	22	3	3	2		2	5	9	9	14	16	13	13	6	1	1
Pleurisy.....	5	1							1		2	1					
Congestion of lungs.....	8	1	1						1			2	2	1			
Other diseases of respiratory system.....	21	2							3	5	2	4	4	1			
Tonsillitis.....																	
Diseases of stomach.....	23	5								3	3	1	3	5	3		
Diarrhea and enteritis.....	118	84	18	2	1		2		2	2	1	1	2	3			
Hernia and intestinal obstructions.....	16		1				1	1	2		3	1	2	4	1		
Cirrhosis of liver.....	17									1	1	4	3	6	2		
Other diseases of liver.....	12							1	1		3	4	1	1	2		
Peritonitis.....	12	1	1				2		2	3			1				
Appendicitis.....	10							1	2	2		3	1				
Other diseases of digestive system.....	4	1											1		1		
Acute nephritis.....	13			1				1	1	2	2	3	3				
Bright's disease.....	105	1							2	11	16	26	26	14	9		
Calculi of urinary tract.....	1													1			
Uterine tumor.....	6									3	3						
Ovarian tumor.....	4										3	1					
Other diseases of genito-urinary system.....	25	1							2	2	3	4	4	5	4		
Puerperal septicemia.....	6								3	3							
Other causes incident to childbirth.....	9								3	3	3						
Diseases of skin.....	11								1	2		1		1	4		
Diseases of locomotor system.....	4																
Malformations.....	15	1															
Premature birth.....	42	42															
Congenital debility.....	34																
Old age.....	32													15	30	5	
Suicide.....	12							1	4								
Other violence.....	104	12		4	1	2	3	13	11	12	19	9	8	4	5	1	
Ill-defined causes.....	31	20	4								2	2	2	1			

MORTALITY STATISTICS.

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,121	333	56	25	14	15	45	107	217	212	199	221	260	219	127	11	4
Typhoid fever.....	71		1			2	1	16	29	15	6	1					
Malarial fever.....	8	1	1	1				1	1	1							
Smallpox.....	1							1									
Measles.....	2	1	1	2	2		1										
Scarlet fever.....	6																
Whooping cough.....	6	6															
Diphtheria and croup.....	21		2	3		2	8	5			1	4	8	8	3	1	
Influenza.....	32	5						1			2						
Cholera nostras.....	1	1															
Dysentery.....	17	1	1								1	6	3	3	2		
Erysipelas.....	8	3									1	2	1	1			
Other epidemic diseases.....																	
Septicemia.....	10								1	6	2	1					
Tuberculosis—total.....	254	5	2	2		2	4	31	92	55	24	19	13	4	1		
Tuberculosis of lungs.....	216	1				1	3	21	82	49	23	17	13	3			
Tuberculosis of larynx.....	6								3			2		1			
Tuberculosis meningitis.....	10	2	1	1			1	2	2								
Abdominal tuberculosis.....	11	1						2	3	1						1	
Pott's disease.....	2					1			1								
Tuberculosis abscess.....																	
White swelling.....																	
Tuberculosis of other organs.....																	
General tuberculosis.....	9	1	1					3	2	1	1						
Scrofula.....	8								2	2							
Veneral diseases.....		4							1	1							
Cancer.....	105							1	4	11	20	21	31	13	4		
Tumor.....																	
Rheumatism.....	9					1			1	2	1	1	1	2			
Diseases.....	11							1			1	2	4	3			
Anemia, leukemia.....	3		1									1	1				
Alcoholism.....	6								3	2	1						
Chronic poisonings.....	3								1		1	1					
Other general disease.....	7		1					1	2		2	1					
Encephalitis.....																	
Meningitis.....	37	13	4	2	1		6	4	2	1	3	1					
Apoplexy.....	98	1	1						3	10	10	15	18	25	15		
Softening of brain.....	3											1		1	1		
Paralysis.....	23											3	7	7	6		
Epilepsy.....	11							1			4	3	3				
Convulsions.....	42	3	2	1	2	1		1									
Tetanus.....	6	3				1		2	2		23	23	19	12	5	3	1
Other diseases of nervous system.....	96	2	1				2	2	2	23	23	19	12	5	3	1	1
Pericarditis.....	2												1	1			
Endocarditis.....	12		1						1	2	2	1	3	2			
Heart disease.....	155	2	2				2	3	1	16	18	32	27	36	11	2	
Angina pectoris.....	13									1		8	3		1		
Embolism and thrombosis.....	4													1			
Other diseases of circulatory system.....	12	1	1									1	3	4	2		
Laryngitis.....	1								1								
Acute bronchitis.....	17	13			1	1			1				1				
Chronic bronchitis.....	20										2	2	2	7	6		
Bronchopneumonia.....	32	12	2	1	1		2		2	1	15	7	12	12	4	1	
Pneumonia.....	107	23	2	7	3	1	1	2	2	12	15	7	12	12	8		
Pleurisy.....	5										1		3	1			
Congestion of lungs.....	3		2														
Other diseases of respiratory system.....	21	4					1		1	2	1	2	2	7	1		
Tonsillitis.....	3	1						1									
Disease of stomach.....	30	5	1	1	1			2	1	2	4	1	1	5	6		
Diarrhea and enteritis.....	156	105	20	2	1		1		3	1	3	3	7	8	4	1	
Hernia and intestinal obstructions.....	28	2					1	2	3	3	3	3	4	3	3		1
Cirrhosis of liver.....	16								1	1	3	3	5	4			
Other diseases of liver.....	25	1						1	1	2	3	8	7	2			
Peritonitis.....	15	1						1	3	7			3				
Appendicitis.....	14							5	1	2	1	4	1				
Other diseases of digestive system.....	11	3	1						2			2	2		1		
Acute nephritis.....	8					1			2	1	2						
Bright's disease.....	90	1	1	1			1	1	3	8	13	11	27	16	7		
Calculi of urinary tract.....	1																
Uterine tumor.....	4								1		2		1				
Ovarian tumor.....	2														1		
Other diseases of genito-urinary system.....	26								8	5	2	1	5	4	1		
Puerperal septicemia.....	6								2	4							
Other causes incident to childbirth.....	12								3	7	2						
Diseases of skin.....	11	3									2	1	1	1	2	1	
Diseases of locomotor system.....	7	2	1					1	1			1	1				
Malformations.....	21	21															
Premature birth.....	3	3															
Congenital debility.....	44	44															
Old age.....	61								7	7	4	2	9	22	25	5	
Suicide.....	22																
Other violence.....	151	8	4	3	2	3	10	20	23	23	14	20	14	4	4	1	1
Ill-defined causes.....	42	17		1			1		1		4	1	3	5	4	3	1


CAUSES OF DEATH, BY AGE.

347

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

WORCESTER, MASS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Un- known.
All causes.....	2,266	503	60	25	15	18	37	88	197	192	215	247	259	253	142	15	
Typhoid fever.....	27							2	12	4	7	2					
Malarial fever.....	4	1							3								
Smallpox.....																	
Measles.....	5		1	3			1										
Scarlet fever.....	4						2	1			1						
Whooping cough.....	25	15	6	2			1	1									
Diphtheria and croup.....	11		3	2	1		4	3									
Influenza.....	9							1	1			2	1	1			
Cholera nostras.....																	
Dysentery.....	7	1	1		1								1	2	1		
Erysipelas.....	12	3									1	3	2	2	1		
Other epidemic diseases.....	1	1															
Septicemia.....	17	3							3	5	1	3	1	1			
Tuberculosis—total.....	263	10	8	3	4	1	7	25	81	49	31	20	15	5		1	
Tuberculosis of lungs.....	220	4		1	1	1	2	21	75	46	31	14	15	5		1	
Tuberculosis of larynx.....	3								1	1		1					
Tuberculous meningitis.....	21	5	6	2	2		3	1	1		1						
Abdominal tuberculosis.....	9		2		1				2			3					
Pott's disease.....	5						1			1	2	1					
Tuberculous abscess.....	1									1							
White swelling.....	1																
Tuberculosis of other organs.....	2	1							1								
General tuberculosis.....	2								1			1					
Scrofula.....																	
Venerical diseases.....	5	2							1	1	1						
Cancer.....	103								4	4	15	29	25	18	7	1	
Tumor.....	4																
Rheumatism.....	12					1		1	1	2				4	1	2	
Diabetes.....	19						1	1		1	3	2	6	4	1		
Anemia, leukæmia.....	7									2	1	3		1			
Alcoholism.....	5								1	2		2					
Chronic poisonings.....																	
Other general diseases.....	7		1	1					1	1		2	1				
Encephalitis.....	1	1															
Meningitis.....	46	21	1	2	2	4	1	5	4		2	2	1		1		
Apoplexy.....	121						1		2	5	12	22	28	34	20		
Softening of brain.....	2										1	1		3			
Paralysis.....	10									1	1	1	4	3			
Epilepsy.....	14						2		2	1	6	1	1	1			
Convulsions.....	21	17	3		1												
Tetanus.....	2						1										
Other diseases of nervous system.....	66	2					1	4	2	11	16	14	9	6	1		
Pericarditis.....																	
Endocarditis.....	20								4	4	2	4	2	4			
Heart disease.....	241	1					4	7	8	17	18	44	45	63	31	3	
Angina pectoris.....	6																
Embolism and thrombosis.....	9									2		1	2	1	1		
Other diseases of circulatory system.....	24	1									4	1	4	7			
Laryngitis.....																	
Acute bronchitis.....	22	14			1	1					1	2	1	1		1	
Chronic bronchitis.....	14									1	1	1	4	3	4		
Bronchopneumonia.....	19	20	6	5		1	1		1		1	2	5		4		
Pneumonia.....	168	17	9	5	1	1	1		11	18	21	32	19	25	5	3	
Pleurisy.....	7							1				2	3				
Congestion of lungs.....										1		1	1	1	3		
Other diseases of respiratory system.....	10	1					1				2	1	4	1			
Tonsillitis.....																	
Diseases of stomach.....	19	4				1		1	1		3	3	4	2			
Diarrhea and enteritis.....	169	126	16	1	3	1	2		2	2	1	3	7	5			
Hernia and intestinal obstructions.....	14	1							2	1		4	3	1	1		
Cirrhosis of liver.....	14								1	1		4	4	1			
Other diseases of liver.....	11									1		2	5	1	1		
Peritonitis.....	20	2						4	7	2	2	1	1		1		
Appendicitis.....	26						3	11	3	2	5	1		1			
Other diseases of digestive system.....	5	2	1								1	1					
Acute nephritis.....	8						1				2	1					
Bright's disease.....	87	1						3	7	9	16	12	22	13	4		
Calculi of urinary tract.....																	
Uterine tumor.....	4								1	3							
Ovarian tumor.....	2									1							
Other diseases of genito-urinary system.....	18								1	2		4	3	7	1		
Puerperal septicæmia.....	8									4							
Other causes incident to childbirth.....	13							2	4	7							
Diseases of skin.....	10	1						1					2	4	2		
Diseases of locomotor system.....	4	2								1		1					
Malformations.....	14	14															
Premature birth.....	100	100															
Congenital debility.....	71	71															
Old age.....	58																
Suicide.....	25							1	3	10	3	1	5	13	34	6	
Other violence.....	111	20	1	1	1		5	14	16	14	15	8	5	6	2		
Ill-defined causes.....	42	28	3							2	1	1	3	4			



INDEX.

- Abdominal tuberculosis. *See* Tuberculosis.
- Abscess, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 280; in each registration state, 285.
- Accidental traumatism, death rates, by registration areas, 70; by cities and rural districts, 192; number of deaths, 70.
- Actinomycosis, trichinosis, etc., death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
- Addison's disease, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
- Age, as a factor affecting the general death rate, 17; deaths classified by, for registration areas, 216; in relation to sex, 252, 276; color and nativity, 252.
- Alcoholism, death rates, by registration areas, 42, 68, 160; by cities and rural districts, 174; number of deaths, 42, 68, 160; according to age, 42, 276; in each registration state, 284; in specified cities, 306; according to sex, 42, 276; in cities and rural districts, 270.
- Allegheny, Pa., number of deaths, from certain causes, by age, 306. *See also* Registration cities.
- American Public Health Association, 8.
- Amputation, death rates, by registration areas, 70; by cities and rural districts, 188; number of deaths, 70; in cities and rural districts, 274.
- Anemia, chlorosis, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
- Anemia, leukemia, death rates, by registration areas, 160; number of deaths, 160; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Angina pectoris, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Apoplexy and paralysis, death rates, increasing, 20; by registration areas, 45, 68, 160, 161; by cities and rural districts, 176; number of deaths, 45, 68, 160, 161; according to age, 45, 278; in each registration state, 284; in specified cities, 306; according to sex, 45, 278; in cities and rural districts, 270.
- Appendicitis, death rates, increasing, 20; by registration areas, 54, 69, 164; by cities and rural districts, 184; number of deaths, 54, 69, 164; according to age, 54, 280; in each registration area, 285; in specified cities, 306; according to sex, 54, 280; in cities and rural districts, 272.
- Arteries, diseases of, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
- Asiatic cholera, death rates, by registration areas, 68; by cities and rural districts, 168; number of deaths, 68; in cities and rural districts, 270.
- Asphyxia, suicide by. *See* Suicide.
- Asthma and emphysema, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
- Atrophy of liver. *See* Liver, diseases of.
- Austria, birth and death rates, 10.
- Baltimore, Md., number of deaths, from certain causes, by age, 307. *See also* Registration cities.
- Bavaria, birth and death rates, 10.
- Belgium, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36.
- Biliary calculi, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
- Birth, injuries at, death rates, in cities and rural districts of each registration state, 192; number of deaths in cities and rural districts, 274.
- Birth rates, in certain European countries, 10.
- Blacks, number of deaths in registration areas, by age and sex, 252.
- Bladder, diseases of, death rates, by registration areas, 69, 161; by cities and rural districts, 184; number of deaths, 69, 164; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
- Bones, diseases of, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Boston, Mass., number of deaths, from certain causes, by age, 308. *See also* Registration cities.
- Brain, diseases of, death rates, by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284.
- Bright's disease, per cent of Bright's disease and nephritis returned as, 55; death rates, by registration areas, 55, 69, 164; by cities and rural districts, 184; number of deaths, 55, 69, 164; according to age, 280; in each registration state, 285; in specified cities, 306; according to sex, 280; in cities and rural districts, 272.
- Bright's disease and nephritis, death rates, fluctuating, 20; by registration areas, 56, 72; number of deaths, by sex and age, 56; in each registration area, 234.
- Bronchitis, death rates, fluctuating, 20; by registration areas, 48, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; according to age, 48, 278; in each registration state, 284; in specified cities, 306; according to sex, 48, 278; in cities and rural districts, 272.
- Bronchopneumonia, death rates, fluctuating, 20; by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; according to age, 278; in each registration state, 284; in specified cities, 306; according to sex, 278; in cities and rural districts, 272.
- Bronx borough, N. Y., number of deaths, from certain causes, by age, 328. *See also* Registration cities.
- Brooklyn borough, N. Y., number of deaths, from certain causes, by age, 329. *See also* Registration cities.
- Buñalo, N. Y., number of deaths, from certain causes, by age, 309. *See also* Registration cities.
- Burning by corrosive substances, death rates, by registration areas, 70; by cities and rural districts, 192; number of deaths, 70; in cities and rural districts, 274.
- Burns and scalds, death rates, by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274.
- Calculi of urinary tract, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
- Cancer (all forms), proportion of deaths caused by specified forms, 39; death rates, fluctuating, 20; international comparisons, 39; by registration areas, 39, 68, 72, 159; by cities and rural districts, 172; number of deaths, 39, 68, 159; according to age, 40, 276; in each registration state, 284; in specified cities, 306; according to sex, 40, 276; in each registration area, 234; in cities and rural districts, 270.
- Carbuncle, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 280; in each registration state, 285.
- Causes of death, international classification, 19; death rates, by registration areas, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; in each registration area, 234; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Cerebro-spinal meningitis, death rates, 43; by cities and rural districts, 176; number of deaths, 43; in cities and rural districts, 270. *See also* Meningitis.
- Charbon. *See* Malignant pustule and charbon.
- Chicago, Ill., number of deaths, from certain causes, by age, 310. *See also* Registration cities.
- Childbirth, diseases incident to, death rates, fluctuating, 19; by registration areas, 69, 165; by cities and rural districts, 184; number of deaths, 69, 165; in each registration area, 234; in cities and rural districts, 272; according to age, 280; in each registration state, 285; in specified cities, 306.

- Chinese and Japanese, number of deaths in registration areas, by age and sex, 252.
- Chlorosis. *See* Anemia, chlorosis.
- Cholera nostras, death rates, 34; by registration areas, 68, 158; by cities and rural districts, 168; number of deaths, 34, 68, 158; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Chorea, death rates, by registration areas, 68; by cities and rural districts, 176; number of deaths, 68; in cities and rural districts, 270.
- Chronic poisonings. *See* Poisonings.
- Cincinnati, Ohio, number of deaths, from certain causes, by age, 311. *See also* Registration cities.
- Circulatory system, diseases of, death rates, fluctuating, 19; by registration areas, 46, 69, 72, 161; by cities and rural districts, 178; number of deaths, 46, 69, 161; according to age, 46, 278; in each registration state, 284; in specified cities, 306; according to sex, 46, 278; in each registration area, 234; in cities and rural districts, 272.
- Cirrhosis of liver, death rates, fluctuating, 20; by registration areas, 53, 69, 163; by cities and rural districts, 182; number of deaths, 53, 69, 163; according to age, 53, 280; in each registration state, 285; in specified cities, 306; according to sex, 53, 280; in cities and rural districts, 272.
- Cities. *See* Registration cities.
- Cleveland, Ohio, number of deaths, from certain causes, by age, 312. *See also* Registration cities.
- Cold and freezing, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Color, death rates by, in specified cities, 18; number of deaths, in registration areas, 198; according to age, by sex and nativity, 252.
- Columbus, Ohio, number of deaths, from certain causes, by age, 313. *See also* Registration cities.
- Conflagration, death rates, by cities and rural districts, 192; number of deaths, in cities and rural districts, 274.
- Congenital debility, death rates, fluctuating, 20; by registration areas, 70, 166; by cities and rural districts, 188; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
- Congenital malformations, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Congenital malformations of heart (cyanosis). *See* Congenital malformations.
- Congestion of lungs, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Connecticut, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 258; by certain causes, 284; in cities and rural districts, 270. *See also* Registration states.
- Connecticut rural, death rates, by certain causes, 116; number of deaths, by color, nativity, and month, 206; by age, 224; by certain causes, 242. *See also* Rural part of registration states.
- Convulsions, death rates, fluctuating, 20; by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Croup, death rates, fluctuating, 20; by registration areas, 30, 68, 158; by cities and rural districts, 168; number of deaths, 30, 68, 158; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284. *See also* Diphtheria and croup.
- Crushing, suicide by. *See* Suicide.
- Cutting instruments, suicide by. *See* Suicide.
- Death rates, result of recent censuses in establishing, 3; international comparisons, 10, 12, 16, 21, 25, 27, 28, 29, 31, 36, 39; in registration areas, 16, 68, 72, 158; in registration states, 16; in cities and rural districts, 16, 168; factors affecting, 17; increase and decrease, 19; principal diseases, 20; in each registration city, 65; annual average and yearly rates, by causes, 68, 158. *See also* each specified disease.
- Deaths, in registration areas, 68, 158; from each cause and class of causes, 68, 158; by color, nativity, and month of death, 198. *See also* each specified disease.
- Debility. *See* Ill-defined causes.
- Denmark, birth and death rates, 10.
- Dentition, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
- Denver, Colo., number of deaths, from certain causes, by age, 314. *See also* Registration cities.
- Detroit, Mich., number of deaths, from certain causes, by age, 315. *See also* Registration cities.
- Diabetes, death rates, fluctuating, 20; by registration areas, 41, 68, 72, 160; by cities and rural districts, 174; number of deaths, 68, 160; according to age, 42, 276; in each registration state, 284; in specified cities, 306; according to sex, 42, 276; in each registration area, 234; in cities and rural districts, 270.
- Diarrhea and enteritis, death rates, fluctuating, 20; by registration areas, 51, 69, 72, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 51, 52, 280; in each registration state, 285; in specified cities, 306; according to sex, 52, 280; in each registration area, 234; in cities and rural districts, 272.
- Digestive system, diseases of, death rates, fluctuating, 19; by registration areas, 50, 69, 72, 163; by cities and rural districts, 180; number of deaths, 50, 69, 163; according to age, 50, 280; in each registration state, 285; in specified cities, 306; according to sex, 50, 280; in each registration area, 234; in cities and rural districts, 272.
- Diphtheria and croup, death rates, fluctuating, 20; by registration areas, 31, 68, 72, 158; by cities and rural districts, 168; number of deaths, 30, 68, 158; according to age, 32, 276; in each registration state, 284; in specified cities, 306; according to sex, 32, 276; in each registration area, 234; in cities and rural districts, 270.
- Dislocations, death rates, by registration areas, 70; in cities and rural districts, 190; number of deaths in registration areas, 70; in cities and rural districts, 274.
- District of Columbia, number of deaths, according to age, by sex, color, and nativity, 258; by certain causes, 270, 286. *See also* Registration states.
- "Dropsy." *See* Ill-defined causes.
- Drowning, death rates, by registration areas, 70, 166; by cities and rural districts, 190, 192; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274. *See also* Suicide.
- Dysentery, difficulty in classifying, 34; death rates by registration areas, 34, 68, 158; by cities and rural districts, 170; number of deaths, 33, 68, 158; according to age, 34, 276; in each registration state, 284; in specified cities, 306; according to sex, 34, 276; in cities and rural districts, 270.
- Ear, diseases of, death rates, by registration areas, 68; by cities and rural districts, 178; number of deaths, 68; in cities and rural districts, 270.
- Embolism and thrombosis, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Emphysema, death rates, by registration areas, 69; by cities and rural districts, 180; number of deaths, 69; in cities and rural districts, 272. *See also* Asthma and emphysema.
- Encephalitis, death rates, by registration areas, 68, 160; by cities and rural districts, 174; number of deaths, 68, 160; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Endocarditis, death rates, fluctuating, 20; by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 306.
- England and Wales, classification of causes of death, 19; birth rates, 10; death rates, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
- Enteritis. *See* Diarrhea and enteritis.
- Epidemic diseases, meaning of term in this work, 35; death rates, fluctuating, 19; by registration areas, 68, 72, 158; by cities and rural districts, 170; number of deaths, 68, 158.
- Epilepsy, death rates, by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Erysipelas, death rates, 34; by registration areas, 68, 158; by cities and rural districts, 170; number of deaths, 34, 68, 158; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Esophagus, diseases of, death rates, by registration areas, 69; by cities and rural districts, 182; number of deaths, 69; in cities and rural districts, 272.
- Exophthalmic goiter, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
- Exanthematic typhus, death rates, 34; by registration areas, 68; by cities and rural districts, 168; number of deaths, 34, 68; in cities and rural districts, 270.
- Eye and adnexa, diseases of, death rates, by registration areas, 68; by cities and rural districts, 178; number of deaths, 68; in cities and rural districts, 270.
- Fall River, Mass., number of deaths, from certain causes, by age, 316. *See also* Registration cities.

- Farcy. *See* Glanders and farcy.
- Federal and state reports, coordination of, 8.
- Fever. *See* Ill-defined causes.
- Finland, birth and death rates, 10.
- Firearms, suicide by. *See* Suicide.
- Fractures and dislocations, death rates, by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- France, birth and death rates, 10.
- Freezing. *See* Cold and freezing.
- Gangrene, death rates, by registration areas, 70, 165; by cities and rural districts, 186; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 280; in each registration state, 285.
- Gangrene of lungs, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
- Gastritis, death rates, fluctuating, 20; by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration area, 285.
- General diseases (classified lists of), death rates, by registration areas, 68, 158; by cities and rural districts, 168; number of deaths, 68, 158, 270; by age, 276, 284; by sex, 276.
- Genito-urinary system, diseases of, death rates, increasing, 19; by registration areas, 54, 69, 164; by cities and rural districts, 184; number of deaths, 54, 69, 164; according to age, 55, 280; in each registration state, 285; in specified cities, 306; according to sex, 55, 280; in cities and rural districts, 272.
- Germany, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 29; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
- Glanders and farcy, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
- Gonorrhea. *See* Venereal diseases.
- Gunshot wounds (accidental), death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Hanging or strangulation, suicide by. *See* Suicide.
- Heart disease, death rates, fluctuating, 20; by registration areas, 47, 69, 161; by cities and rural districts, 178; number of deaths, 46, 69, 161; according to age, 47, 278; in each registration state, 284; in specified cities, 306; according to sex, 47, 278; in cities and rural districts, 272.
- "Heart failure." *See* Ill-defined causes.
- Heat and sunstroke, death rates, by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Hemorrhage of lungs, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
- Hemorrhages, death rates, by registration areas, 69; by cities and rural districts, 178; number of deaths, 69; in cities and rural districts, 272.
- Hernia, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
- Homicide, death rates, by registration areas, 70, 167; by cities and rural districts, 194; number of deaths, 70, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Hungary, birth rates, 10; death rates, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; cancer, 39.
- Hydatid tumors of liver, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
- Hydrocephalus, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Ill-defined causes, death rates by registration areas, 70, 72, 167; by cities and rural districts, 191; number of deaths, 70, 167; according to age, 282; in each registration state, 285; in specified cities, 306; according to sex, 282; in each registration area, 234; in cities and rural districts, 274.
- Inanition. *See* Ill-defined causes.
- Indiana, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 260; by certain causes, 288; in cities and rural districts, 270. *See also* Registration states.
- Indiana rural, death rates, by certain causes, 116; number of deaths, by color, nativity, and month, 206; by age, 224; by certain causes, 242. *See also* Rural part of registration states.
- Indianapolis, Ind., number of deaths, from certain causes, by age, 317. *See also* Registration cities.
- Indians, number of deaths in registration areas, by age and sex, 252.
- Infancy, early, diseases of, death rates, fluctuating, 19; by registration areas, 70, 72, 166; by cities and rural districts, 188; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in each registration area, 234; in cities and rural districts, 274.
- Influenza, difficulty in classifying, 32; death rates, fluctuating, 20; by registration areas, 33, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 33, 276; in each registration state, 284; in specified cities, 306; according to sex, 33, 276; in each registration area, 234; in cities and rural districts, 270.
- Inhalation of poisonous gases, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274.
- Injuries. *See* Accidental injuries.
- International Commission, adoption of international classification, 19.
- International vital statistics, value of comparisons, 9; work of General Statistical Bureau of France, 9; birth and death rates in certain European countries, 10.
- Intestinal parasites, death rates, by registration areas, 69; in cities and rural districts, 182; number of deaths, 69; in cities and rural districts, 272.
- Intestines, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
- Ireland, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
- Italy, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
- Japanese. *See* Chinese and Japanese.
- Jersey City, N. J., number of deaths, from certain causes, by age, 318. *See also* Registration cities.
- Joints, diseases of, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Jumping from high places, suicide by. *See* Suicide.
- Kansas City, Mo., number of deaths, from certain causes, by age, 319. *See also* Registration cities.
- Kidneys, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
- Lack of care. *See* Infancy, early, diseases of.
- Laryngitis, death rates, by registration areas, 69, 162; by cities and rural districts, 178; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Larynx, diseases of, death rates, 69; number of deaths, 69.
- Lead poisoning, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
- Leprosy, death rates, 34; by registration areas, 68; number of deaths, 34, 68; in cities and rural districts, 270.
- Leukemia, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270. *See also* Anemia, leukemia.
- Lightning, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Liver, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
- Locomotor ataxia, death rates, by registration areas, 68, 160; by cities and rural districts, 176; number of deaths, 68, 160; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284.
- Locomotor system, diseases of, death rates, fluctuating, 19; by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
- Los Angeles, Cal., number of deaths, from certain causes, by age, 320. *See also* Registration cities.
- Louisville, Ky., number of deaths, from certain causes, by age, 321. *See also* Registration cities.

- Lymphatics, diseases of, death rates, by registration areas, 69, 162; by cities and rural districts, 178; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
- Machinery, injuries by, death rates, by registration areas, 70, 167; by cities and rural districts, 192; number of deaths, 70, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Maine, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 260; by certain causes, 290; in cities and rural districts, 270. *See also* Registration states.
- Maine rural, death rates, by certain causes, 128; number of deaths, by color, nativity, and month, 208; by age, 226; by certain causes, 244. *See also* Rural parts of registration states.
- Malarial fever, death rates, by registration areas, 24, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 25, 276; in each registration state, 284; in specified cities, 306; according to sex, 25, 276; in each registration area, 234; in cities and rural districts, 270.
- Malformations, death rates, fluctuating, 19; by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
- Malignant pustule and charbon, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
- Manhattan borough, N. Y., number of deaths, from certain causes, by age, 330. *See also* Registration cities.
- Marasmus. *See* Ill-defined causes.
- Massachusetts, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 270; by certain causes, 292; in cities and rural districts, 270. *See also* Registration states.
- Massachusetts rural, death rates, by certain causes, 130; number of deaths, by color, nativity, and month, 210; by age, 226; by certain causes, 244. *See also* Rural part of registration states.
- Measles, death rates, fluctuating, 20; international comparisons, 27; by registration areas, 27, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 28, 276; in each registration state, 284; in specified cities, 306; according to sex, 28, 276; in each registration area, 234; in cities and rural districts, 270.
- Memphis, Tenn., number of deaths, from certain causes, by age, 322. *See also* Registration cities.
- Meningitis, death rates, fluctuating, 20; by registration areas, 43, 44, 68, 72, 160; by cities and rural districts, 176; number of deaths, 43, 44, 68, 160; according to age, 44, 278; in each registration state, 284; in specified cities, 306; according to sex, 44, 278; in each registration area, 234; in cities and rural districts, 270.
- Metritis, death rates, by registration areas, 69; by cities and rural districts, 184; number of deaths, 69; in cities and rural districts, 272.
- Michigan, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 262; by certain causes, 294; in cities and rural districts, 270. *See also* Registration states.
- Michigan rural, death rates, by certain causes, 132; number of deaths, by color, nativity, and month, 210; by age, 226; by certain causes, 246. *See also* Rural part of registration states.
- Miliary fever, death rates, 34; by registration areas, 68; by cities and rural districts, 168; number of deaths, 34, 68; in cities and rural districts, 270.
- Milwaukee, Wis., number of deaths, from certain causes, by age, 323. *See also* Registration cities.
- Mines and quarries, injuries in, death rates, by registration areas, 167; by cities and rural districts, 192; number of deaths, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285. *See also* Accidental traumas.
- Minneapolis, Minn., number of deaths, from certain causes, by age, 324. *See also* Registration cities.
- Month, deaths classified by, in registration areas, 198.
- Month, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 180; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
- Nasal fossa, diseases of, death rates, by registration areas, 69; by cities and rural districts, 178; number of deaths, 69; in cities and rural districts, 272.
- Nativity, deaths classified by, 198, 252.
- Nephritis, death rates, increasing, 20; percent of Bright's disease and nephritis returned as, 55; by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; from various forms of, 55; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
- Nervous system, diseases of, death rates, fluctuating, 19; by registration areas, 43, 68, 72, 160; by cities and rural districts, 174; number of deaths, 43, 68, 160, 234; according to age, 43, 278; in each registration state, 284; in specified cities, 306; according to sex, 43, 278; in cities and rural districts, 270.
- Netherlands, birth rates, 10; death rates, all causes, 10, 16; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
- New Hampshire, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 264; by certain causes, 296; in cities and rural districts, 270. *See also* Registration states.
- New Hampshire rural, death rates, by certain causes, 142; number of deaths, by color, nativity, and month, 212; by age, 228; by certain causes, 248. *See also* Rural part of registration states.
- New Haven, Conn., number of deaths, from certain causes, by age, 325. *See also* Registration cities.
- New Jersey, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 264; by certain causes, 298; in cities and rural districts, 270. *See also* Registration states.
- New Jersey rural, death rates, by certain causes, 144; number of deaths, by color, nativity, and month, 212; by age, 230; by certain causes, 248. *See also* Rural part of registration states.
- New Orleans, La., number of deaths, from certain causes, by age, 326. *See also* Registration cities.
- New York, death rates, by cities and rural districts, 168; number of deaths according to age, by sex, color, and nativity, 266; by certain causes, 300; in cities and rural districts, 270. *See also* Registration states.
- New York rural, death rates, by certain causes, 146; number of deaths, by color, nativity, and month, 212; by age, 230; by certain causes, 248. *See also* Rural part of registration states.
- New York, N. Y., number of deaths, from certain causes, by age, 327. *See also* Registration cities.
- Newark, N. J., number of deaths, from certain causes, by age, 333. *See also* Registration cities.
- Nonpuerperal diseases of breast (cancer excepted), death rates, by registration areas, 69; in cities and rural districts, 186; number of deaths, 69; in cities and rural districts, 272.
- Nonvenereal diseases of male genital organs, death rates, by registration areas, 69; by cities and rural districts, 184; number of deaths, 69; in cities and rural districts, 272.
- Norway, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
- Old age, death rates, fluctuating, 19; by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
- Omaha, Neb., number of deaths, from certain causes, by age, 334. *See also* Registration cities.
- Ovarian tumor, death rates, by registration areas, 69, 164; by cities and rural districts, 186; number of deaths, 69, 164; in cities and rural districts, 272; according to age, 280; in each registration state, 285; in specified cities, 306.
- Paralysis, death rates, decreasing, 20; by registration areas, 45, 68, 161; by cities and rural districts, 176; number of deaths, 45, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306. *See also* Apoplexy and paralysis.
- Paterson, N. J., number of deaths, from certain causes, by age, 335. *See also* Registration cities.
- Pellagra, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
- Pericarditis, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Peritonitis, death rates, decreasing, 20; by registration areas, 53, 69, 164; by cities and rural districts, 184; number of deaths, 53, 69, 164; according to age, 53, 280; in each registration state, 285; in specified cities, 306; according to sex, 53, 280; in cities and rural districts, 272.
- Pharynx, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
- Philadelphia, Pa., number of deaths, from certain causes, by age, 336. *See also* Registration cities.

- Pittsburg, Pa., number of deaths, from certain causes, by age, 337. *See also* Registration cities.
- Plague, death rates, 34; by registration areas, 68; by cities and rural districts, 170; number of deaths, 34, 68; in cities and rural districts, 270.
- Pleurisy, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Pneumonia, death rates, fluctuating, 20; by registration areas, 49, 69, 72, 162; by cities and rural districts, 180; number of deaths, 69, 162, 231; according to age, 50, 278; in each registration state, 284; in specified cities, 306; according to sex, 50, 278; in each registration area, 234; in cities and rural districts, 272.
- Poison, suicide by. *See* Suicide.
- Poisonings, accidental, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Poisonings, chronic, death rates, by registration areas, 68, 160; by cities and rural districts, 174; number of deaths, 68, 160; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Population, annual estimates, 4; of each registration area, 61.
- Portugal, birth and death rates, 10.
- Pott's disease, death rates, by registration areas, 36, 159; by cities and rural districts, 172; number of deaths, 35, 159; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Pregnancy, accidents of, death rates, by registration areas, 69; by cities and rural districts, 186; number of deaths, 69; in cities and rural districts, 272.
- Premature birth, death rates, fluctuating, 20; by registration areas, 70, 166; by cities and rural districts, 188; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
- Privation. *See* Starvation.
- Prostate, diseases of, death rates, 69; by cities and rural districts, 184; number of deaths, 69; in cities and rural districts, 272.
- Providence, R. I., number of deaths, from certain causes, by age, 338. *See also* Registration cities.
- Prussia, birth rates, 10; death rates, 10, 16.
- Puerperal diseases, death rates, by registration areas, 69, 165; by cities and rural districts, 186; number of deaths, 69, 165; in cities and rural districts, 272; according to age, 280; in each registration state, 285; in specified cities, 306.
- Queens borough, N. Y., number of deaths, from certain causes, by age, 331. *See also* Registration cities.
- Rabies, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
- Railroad accidents and injuries, death rates, by registration areas, 70, 167; by cities and rural districts, 192; number of deaths, 70, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
- Recurrent fever, death rates, by registration areas, 34, 68; by cities and rural districts, 168; number of deaths, 34, 68; in cities and rural districts, 270.
- Registration area, extent and composition, 5; movement for extension, 6; states added, 7; cooperation of state authorities, 7; population, 7, 15, 61; coordination of Federal and state reports, 8; death rates, compared with certain European countries, 16; all causes, 16, 68, 72, 158; typhoid fever, 21, 22; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; influenza, 33; dysentery, 34; tuberculosis (all forms), 36; tuberculosis of lungs, 36; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; diseases of circulatory system, 46; heart disease, 47; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; number of deaths, all causes, 68, 158; by color, nativity, and month, 198; according to age, 216; by sex, color, and nativity, 252; by certain causes, 234.
- Registration cities, population, 7, 15, 61; death rates, in cities having over 10 percent colored population, 18; annual average and yearly death rates from typhoid fever, 22; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31, 32; influenza, 33; dysentery, 34; tuberculosis of lungs, 36, 37; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; heart disease, 46; diseases of circulatory system, 46; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51, 52; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; from all causes per 1,000 of population, 65; from certain causes and classes of causes, 74, 234, 270; number of deaths, by color, nativity, and month, 198; by age, 216; by age, sex, color, and nativity, 252.
- Registration officials, organization of, 8.
- Registration states, specified, 7; population, 7, 61; death rates, all causes, 16, 68, 72, 168; typhoid fever, 21; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; influenza, 33; dysentery, 34; tuberculosis of lungs, 36; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; diseases of circulatory system, 46; heart disease, 47; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; number of deaths, all causes, 68, 168; by color, nativity, and month, 198; according to age, 216; by sex, color, and nativity, 254; by certain causes, 234, 270.
- Respiratory system, diseases of, death rates, fluctuating, 19; by registration areas, 47, 69, 72, 162; by cities and rural districts, 178; number of deaths, 47, 69, 162; according to age, 47, 278; in each registration state, 284; in specified cities, 306; according to sex, 47, 278; in each registration area, 234; in cities and rural districts, 272.
- Rheumatism, death rates, by registration areas, 40, 68, 160; by cities and rural districts, 174; number of deaths, 40, 68, 160; according to age, 41, 276; in each registration state, 284; in specified cities, 306; according to sex, 41, 276; in cities and rural districts, 270.
- Rhode Island, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 266; by certain causes, 302; in cities and rural districts, 270. *See also* Registration states.
- Rhode Island rural, death rates, by certain causes, 154; number of deaths, by color, nativity, and month, 214; by age, 232; by certain causes, 250. *See also* Rural part of registration states.
- Richmond borough, N. Y., number of deaths, from certain causes, by age, 332. *See also* Registration cities.
- Rochester, N. Y., number of deaths, from certain causes, by age, 339. *See also* Registration cities.
- Roumania, birth rates and death rates, 10.
- Rural mortality, comparison with urban, 16.
- Rural part of registration states, population, by counties, 63; death rates, all causes, 16, 168; typhoid fever, 21; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; influenza, 33; dysentery, 34; tuberculosis of lungs, 36; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; diseases of circulatory system, 46; heart disease, 47; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; number of deaths, all causes, 168; by color, nativity, and month, 198, 206; according to age, 216, 224; by sex, color, and nativity, 256.
- St. Joseph, Mo., number of deaths, from certain causes, by age, 340. *See also* Registration cities.
- St. Louis, Mo., number of deaths, from certain causes, by age, 341. *See also* Registration cities.
- St. Paul, Minn., number of deaths, from certain causes, by age, 342. *See also* Registration cities.
- San Francisco, Cal., number of deaths, from certain causes, by age, 343. *See also* Registration cities.
- Saxony, birth and death rates, 10.
- Scarlet fever, death rates, fluctuating, 20; international comparisons, 28; by registration areas, 28, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 29, 276; in each registration state, 284; in specified cities, 306; according to sex, 29, 276; in each registration area, 234; in cities and rural districts, 270.
- Scotland, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
- Seranton, Pa., number of deaths, from certain causes, by age, 344. *See also* Registration cities.
- Scrofula, death rates, by registration areas, 68, 159; by cities and rural districts, 172; number of deaths, 68, 159; according to age, 276; in each registration state, 284; in specified cities, 306; according to sex, 276; in cities and rural districts, 270.
- Scurvy, death rates, by registration areas, 68; by cities and rural districts, 174; num-

- ber of deaths, 68; in cities and rural districts, 270.
- Septicemia, death rates, by registration areas, 68, 158; by cities and rural districts, 170; number of deaths, 68, 158; according to age, 276; in each registration state, 284; in specified cities, 306; according to sex, 276; in cities and rural districts, 270.
- Servia, birth and death rates, 10.
- Sex, number of deaths in registration areas, by age, color, and nativity, 252; from each specified cause, by age, 276.
- Skin, diseases of, death rates, fluctuating, 19; by registration areas, 70, 165; by cities and rural districts, 186; number of deaths, 70, 165; according to age, 280; in each registration state, 285; in specified cities, 306; according to sex, 280; in cities and rural districts, 274.
- Smallpox, death rates, fluctuating, 25; international comparisons, 25; by registration areas, 25, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 26, 276; in each registration state, 284; in specified cities, 306; according to sex, 26, 276; in each registration area, 234; in cities and rural districts, 270.
- Softening of brain, death rates by registration areas, 68, 160; by cities and rural districts, 176; number of deaths, 68, 160; according to age, 278; in each registration state, 284; in specified cities, 306; according to sex, 278; in cities and rural districts, 270.
- Spain, birth rates, 10; death rates, all causes, 10, 16; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
- Spinal cord, diseases of, death rates, by registration areas, 160; by cities and rural districts, 176; number of deaths, 160; according to age, 278; in each registration state, 284; according to sex, 278; in cities and rural districts, 270.
- Spleen, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
- Starvation, death rates, by registration areas, 70; by cities and rural districts, 194; number of deaths, 70; in cities and rural districts, 274. *See also* Violence.
- Stomach, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 280; in each registration state, 285; in specified cities, 306; according to sex, 280; in cities and rural districts, 272.
- Strangulation. *See* Suicide.
- Sudden death. *See* Ill-defined causes.
- Suffocation, death rates, by registration areas, 70, 167; by cities and rural districts, 192; number of deaths, 70, 167; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274.
- Suicide, death rates, by registration areas, 70, 72, 166; by cities and rural districts, 190; number of deaths, 70, 166; according to age, 282; in each registration state, 285; in specified cities, 306; according to sex, 282; in each registration area, 234; in cities and rural districts, 274.
- Summary and rate tables, 14.
- Sunstroke. *See* Heat and sunstroke.
- Sweden, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31.
- Switzerland, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
- Syphilis, death rates, by cities and rural districts, 172; number of deaths, in cities and rural districts, 270. *See also* Venereal diseases.
- Syracuse, N. Y., number of deaths, from certain causes, by age, 345. *See also* Registration cities.
- Tables, summary and rate, outline of, 14; general, 14.
- Tetanus, death rates, by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
- Thrombosis. *See* Embolism and thrombosis.
- Thyroid body, diseases of, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
- Toledo, Ohio, number of deaths, from certain causes, by age, 346. *See also* Registration cities.
- Tonsillitis, death rates, by registration areas, 69, 163; by cities and rural districts, 180; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
- Trichinosis. *See* Actinomycosis, trichinosis, etc.
- Tuberculosis (all forms), death rates, 36; by registration areas, 68, 72, 159; by cities and rural districts, 170; number of deaths, 36, 68, 159; in each registration area, 234; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Tuberculosis of lungs, death rates, fluctuating, 20; international comparisons, 36; by registration areas, 36, 68, 72, 159; by cities and rural districts, 170; number of deaths, 36, 68, 159; according to age, 38, 276; in each registration state, 284; in specified cities, 306; according to sex, 38, 276; in each registration area, 234; in cities and rural districts, 270.
- Tubes, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 186; number of deaths, 69, 164; in cities and rural districts, 272; according to age, 280; in each registration state, 285.
- Tumor, death rates, by registration areas, 68, 72, 160; by cities and rural districts, 174; number of deaths, 68, 160; in each registration area, 234; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
- Typhoid fever, death rates, fluctuating, 20; international comparisons, 21; original and corrected statements compared, 22; by registration areas, 21, 22, 68, 72, 152; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 24, 276; in each registration state, 284; in specified cities, 306; according to sex, 24, 276; in each registration area, 234; in cities and rural districts, 270.
- Ulcer of stomach, death rates, by cities and rural districts, 182; number of deaths, according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
- Urban mortality, comparison with rural, 16.
- Urethra, diseases of, death rates, by cities and rural districts, 184; number of deaths in cities and rural districts, 272. *See also* Genito-urinary system.
- Uterine tumor, death rates, by registration areas, 164; by cities and rural districts, 184; number of deaths, 164; according to age, 280; in each registration state, 285; in specified cities, 306; in cities and rural districts, 272.
- Uterus, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; according to age, 280; in each registration state, 285.
- Vehicles and horses, injuries by, death rates, by registration areas, 167; by cities and rural districts, 192; number of deaths, 167; according to age, 282; in each registration state, 285; by sex, 282; in cities and rural districts, 274.
- Veins, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 178; number of deaths, 69, 164; according to age, 278; in each registration state, 284; according to sex, 278; in cities and rural districts, 272.
- Venereal diseases, death rates, by registration areas, 38, 68, 159; number of deaths, 38, 68, 159; according to age, 38, 276; in each registration state, 284; in specified cities, 306; according to sex, 38, 276.
- Vermont, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 268; by certain causes, 304; in cities and rural districts, 270. *See also* Registration states.
- Vermont rural, death rates, by certain causes, 154; number of deaths, by color, nativity, and month, 214; by age, 232; by certain causes, 250. *See also* Rural part of registration states.
- Violence, deaths from, death rates, fluctuating, 19; by registration areas, 57, 70, 72, 166; by cities and rural districts, 190; number of deaths, 57, 70, 166; according to age, 57, 282; in each registration state, 285; in specified cities, 306; according to sex, 57, 282; in each registration area, 234; in cities and rural districts, 274.
- Wales. *See* England and Wales.
- White swelling, death rates, 36; by registration areas, 159; by cities and rural districts, 172; number of deaths, 35, 159; according to age, 276; in each registration state, 284; in specified cities, 306; according to sex, 276; in cities and rural districts, 270.
- Whites, number of deaths in registration areas, by sex and age, 252.
- Whooping cough, death rates, fluctuating, 20; international comparisons, 29; by registration areas, 29, 68, 72, 158; by cities and rural districts, 168; number of deaths, 30, 68, 158; according to age, 30, 276; in each registration state, 284; in specified cities, 306; according to sex, 30, 276; in each registration area, 234; in cities and rural districts, 270.
- Worcester, Mass., number of deaths, from certain causes, by age, 347. *See also* Registration cities.
- Yellow fever, epidemic of, 35; death rates, by registration areas, 34, 68; by cities and rural districts, 170; number of deaths, 34, 68; in cities and rural districts, 270.

